

2023

# Prescription Drug Guide

## NC State Health Plan Formulary

List of covered drugs

PLEASE READ: THIS DOCUMENT CONTAINS INFORMATION  
ABOUT THE DRUGS WE COVER IN THIS PLAN.

42

This formulary was updated on 01/01/2023. For more recent information or other questions, please contact the NC State Health Plan Humana Customer Care Team with any questions at 1-888-700-2263 or for TTY users, 711, or visit [our.humana.com/ncshp](http://our.humana.com/ncshp).

**Important Message About What You Pay for Vaccines** – Our plan covers most Part D vaccines at no cost to you. Call the NC State Health Plan Humana Customer Care Team for more information.

**Important Message About What You Pay for Insulin** – You won't pay more than \$35 for a one-month supply of each insulin product covered by our plan, no matter what cost-sharing tier it's on.

**Humana**®



Dale R. Folwell, CPA  
STATE TREASURER OF NORTH CAROLINA  
DALE R. FOLWELL, CPA

Y0040\_PDG23\_FINAL\_117C\_C

GRP042PDG2380023C\_v1



# Welcome to Humana Group Medicare Plan!

**Note to existing members:** This formulary has changed since last year. Please review this document to make sure that it still contains the drugs you take. When this drug list (formulary) refers to "we," "us", or "our," it means Humana. When it refers to "plan" or "our plan," it means Humana Group Medicare Plan. This document includes a list of the drugs (formulary) for our plan which is current as of January 2023. For an updated formulary, please contact us. Our contact information, along with the date we last updated the formulary, appears on the front and back cover pages. You must generally use network pharmacies to use your prescription drug benefit. Benefits, formulary, pharmacy network, and/or copayments/coinsurance may change on January 1 of each year, and from time to time during the year.

## What is the formulary?

A formulary is the entire list of covered drugs or medicines selected by Humana Group Medicare Plan. The terms formulary and Drug List may be used interchangeably throughout communications regarding changes to your pharmacy benefits. Humana Group Medicare Plan worked with a team of doctors and pharmacists to make a formulary that represents the prescription drugs we think you need for a quality treatment program. Humana Group Medicare Plan will generally cover the drugs listed in the formulary as long as the drug is medically necessary, the prescription is filled at a Humana Group Medicare Plan network pharmacy, and other plan rules are followed. For more information on how to fill your medicines, please review your Evidence of Coverage.

## Can the formulary change?

Most changes in drug coverage happen on January 1, but we may add or remove drugs on the Drug List during the year, move them to different cost sharing tiers, or add new restrictions. We must follow Medicare rules in making these changes.

**Changes that can affect you this year:** In the below cases, you will be affected by coverage changes during the year:

- **New generic drugs.** We may immediately remove a brand name drug on our Drug List if we are replacing it with a new generic drug that will appear on the same or lower cost sharing tier and with the same or fewer restrictions. Also, when adding the new generic drug, we may decide to keep the brand name drug on our Drug List, but immediately move it to a different cost sharing tier or add new restrictions. If you are currently taking that brand name drug, we may not tell you in advance before we make that change, but we will later provide you with information about the specific change(s) we have made.
  - If we make such a change, you or your prescriber can ask us to make an exception and continue to cover the brand name drug for you. The notice we provide you will also include information on how to request an exception, and you can also find information in the section below titled "How do I request an exception to the Formulary?"
- **Drugs removed from the market.** If the Food and Drug Administration deems a drug on our formulary to be unsafe or the drug's manufacturer removes the drug from the market, we will immediately remove the drug from our formulary and provide notice to members who take the drug.
- **Other changes.** We may make other changes that affect members currently taking a drug. For instance, we may add a generic drug that is not new to market to replace a brand name drug currently on the formulary or add new restrictions to the brand name drug or move it to a different cost sharing tier or both. Or we may make changes based on new clinical guidelines. If we remove drugs from our formulary, or add prior authorization, quantity limits and/or step therapy restrictions on a drug or move a drug to a higher cost sharing tier, we must notify affected members of the change at least 30 days before the change becomes effective, or at the time the member requests a refill of the drug, at which time the member will receive a 30-day supply of the drug.

We will notify members who are affected by the following changes to the formulary:

- When a drug is removed from the formulary
- When prior authorization, quantity limits, or step-therapy restrictions are added to a drug or made more restrictive
- When a drug is moved to a higher cost sharing tier

If we make these other changes, you or your prescriber can ask us to make an exception and continue to cover the brand name drug for you. The notice we provide you will also include information on how to request an exception, and you can also find information in the section below titled "How do I request an exception to the Formulary?"

**Changes that will not affect you if you are currently taking the drug.** Generally, if you are taking a drug on our 2023 formulary that was covered at the beginning of the year, we will not discontinue or reduce coverage of the drug during the 2023 coverage year except as described above. This means these drugs will remain available at the same cost share and with no new restrictions for those members taking them for the remainder of the coverage year. You will not get direct notice this year about changes that do not affect you. However, on January 1 of the next year, such changes would affect you, and it is important to check the Drug List for the new benefit year for any changes to drugs.

### **What if you are affected by a Drug List change?**

We will notify you by mail at least 30 days before one of these changes happens or we will provide a 30-day refill of the affected medicine with notice of the change.

The enclosed formulary is current as of January 2023. We will update the printed formularies each month and they will be available on [our.humana.com/ncshp](http://our.humana.com/ncshp).

### **How do I use the formulary?**

There are two ways to find your drug in the formulary:

#### **Medical condition**

The formulary starts on page 10. We have put the drugs into groups depending on the type of medical conditions that they are used to treat. For example, drugs that treat a heart condition are listed under the category "Cardiovascular Agents." If you know what medical condition your drug is used for, look for the category name in the list that begins on page 10. Then look under the category name for your drug. The formulary also lists the Tier and Utilization Management Requirements for each drug (see page 5 for more information on Utilization Management Requirements).

#### **Alphabetical listing**

If you are not sure about your drug's group, you should look for your drug in the Index that begins on page 182. The Index is an alphabetical list of all of the drugs included in this document. Both brand-name drugs and generic drugs are listed. Look in the Index to search for your drug. Next to each drug, you will see the page number where you can find coverage information. Turn to the page listed in the Index and find the name of the drug in the first column of the list.

Prescription drugs are grouped into one of four tiers.

Humana Group Medicare Plan covers both brand-name drugs and generic drugs. A generic drug is approved by the FDA as having the same active ingredient as the brand-name drug. Generally, generic drugs cost less than brand-name drugs.

- **Tier 1 - Generic or Preferred Generic:** Generic or brand drugs that are available at the lowest cost share for the plan
- **Tier 2 - Preferred Brand:** Generic or brand drugs that the plan offers at a higher cost to you than Tier 1 Generic or Preferred Generic, and at a lower cost to you than Tier 3 Non-Preferred Drug
- **Tier 3 - Non-Preferred Drug:** Generic or brand drugs that the plan offers at a higher cost to you than Tier 2 Preferred Brand drug
- **Tier 4 - Specialty Tier:** Some injectables and other high-cost drugs

### **How much will I pay for covered drugs?**

Humana Group Medicare Plan pays part of the costs for your covered drugs and you pay part of the costs, too.

### **The amount of money you pay depends on:**

- Which tier your drug is on
- Whether you fill your prescription at a network pharmacy
- Your current drug payment stage - please read your Evidence of Coverage (EOC) for more information

**If you qualified for extra help with your drug costs, your costs may be different from those described above. Please refer to your Evidence of Coverage (EOC) or call NC State Health Plan Humana Customer Care to find out what your costs are.**

### **Are there any restrictions on my coverage?**

Some covered drugs may have additional requirements or limits on coverage. These are called Utilization Management Requirements. These requirements and limits may include:

- **Prior Authorization (PA):** Humana Group Medicare Plan requires you to get prior authorization for certain drugs to be covered under your plan. This means that you will need to get approval from Humana Group Medicare Plan before you fill your prescriptions. If you do not get approval, Humana Group Medicare Plan may not cover the drug.
- **Quantity Limits (QL):** For some drugs, Humana Group Medicare Plan limits the amount of the drug that is covered. Humana Group Medicare Plan might limit how many refills you can get or how much of a drug you can get each time you fill your prescription. For example, if it is normally considered safe to take only one pill per day for a certain drug, we may limit coverage for your prescription to no more than one pill per day. Some drugs are limited to a 30-day supply regardless of tier placement.
- **Step Therapy (ST):** In some cases, Humana Group Medicare Plan requires that you first try certain drugs to treat your medical condition before coverage is available for another drug for that condition. For example, if Drug A and Drug B both treat your medical condition, Humana Group Medicare Plan may not cover Drug B unless you try Drug A first. If Drug A does not work for you, Humana Group Medicare Plan will then cover Drug B.
- **Part B versus Part D (B vs D):** Some drugs may be covered under Medicare Part B or Part D depending upon the circumstances. Information may need to be submitted to Humana Group Medicare Plan that describes the use and the place where you receive and take the drug so a determination can be made.

For drugs that need prior authorization or step therapy, or drugs that fall outside of quantity limits, your health care provider can fax information about your condition and need for those drugs to Humana Group Medicare Plan at **1-877-486-2621**. Representatives are available Monday - Friday, 8 a.m. - 8 p.m. (EST).

You can find out if your drug has any additional requirements or limits by looking in the formulary that begins on page 10.

You can also visit [our.humana.com/ncshp](http://our.humana.com/ncshp) to get more information about the restrictions applied to specific covered drugs.

You can ask Humana Group Medicare Plan to make an exception to these restrictions or limits. See the section "**How do I request an exception to the formulary?**" on page 6 for information about how to request an exception.

### **What if my drug is not on the formulary?**

If your drug is not included in this list of covered drugs, visit [our.humana.com/ncshp](http://our.humana.com/ncshp) to see if your plan covers your drug. You can also call NC State Health Plan Humana Customer Care and ask if your drug is covered.

If Humana Group Medicare Plan does not cover your drug, you have two options:

- You can ask NC State Health Plan Humana Customer Care for a list of similar drugs that Humana Group Medicare Plan covers. Show the list to your doctor and ask him or her to prescribe a similar drug that is covered by Humana Group Medicare Plan.
- You can ask Humana Group Medicare Plan to make an exception and cover your drug. See below for information about how to request an exception.

Talk to your health care provider to decide if you should switch to another drug that is covered or if you should request a formulary exception so that it can be considered for coverage.

### **How do I request an exception to the Humana formulary?**

You can ask Humana Group Medicare Plan to make an exception to the coverage rules. There are several types of exceptions that you can ask to be made.

- **Formulary exception:** You can request that your drug be covered if it is not on the formulary. If approved, this drug will be covered at a pre-determined cost sharing level, and you would not be able to ask us to provide the drug at a lower cost sharing level.
- **Utilization restriction exception:** You can request coverage restrictions or limits not be applied to your drug. For example, if your drug has a quantity limit, you can ask for the limit not to be applied and to cover more doses of the drug.
- **Tier exception:** You can request a higher level of coverage for your drug. For example, if your drug is usually considered a non-preferred drug, you can request it to be covered as a preferred drug instead. This would lower how much money you must pay for your drug. Please remember a higher level of coverage cannot be requested for the drug if approval was granted to cover a drug that was not on the formulary. *You can ask us to cover a formulary drug at a lower cost-sharing level, unless the drug is on the specialty tier.*

Generally, Humana Group Medicare Plan will only approve your request for an exception if the alternative drugs included on the plan's formulary, the lower cost sharing drug, or other restrictions would not be as effective in treating your health condition and/or would cause adverse medical effects.

You should contact us to ask for an initial coverage decision for a formulary, tier, or utilization restriction exception.

### **When you ask for an exception, you should submit a statement from your health care provider that supports your request. This is called a supporting statement.**

Generally, we must make the decision within 72 hours of receiving your health care provider's supporting statement. You can request a fast, or expedited, exception if you or your health care provider thinks your health would seriously suffer if you wait as long as 72 hours for a decision. If your request to expedite is granted, we must give you a decision no later than 24 hours after we receive your health care provider's supporting statement.

### **Will my plan cover my drugs if they are not on the formulary?**

You may take drugs that your plan does not cover. Or you may talk to your provider about taking a different drug that your plan covers, but that drug might have a Utilization Management Requirement, such as a Prior

Authorization or Step Therapy, that keeps you from getting the drug right away. In certain cases, we may cover as much as a 30-day supply of your drug during the first 90 days you are a member of the plan.

Here is what we will do for each of your current Part D drugs that are not on the formulary, or if you have limited ability to get your drugs:

- We will temporarily cover a 30-day supply of your drug unless you have a prescription written for fewer days (in which case we will allow multiple fills to provide up to a total of 30 days of a drug) when you go to a pharmacy.
- There will be no coverage for the drugs after your first 30-day supply, even if you have been a member of the plan for less than 90 days, unless a formulary exception has been approved.

If you are a resident of a long-term care facility and you take Part D drugs that are not on the formulary, we will cover a 31-day supply unless you have a prescription written for fewer days (in which case we will allow multiple fills to provide up to a total of 31 days of a drug) during the first 90 days you are a member of our plan. We will cover a 31-day emergency supply of your drug unless you have a prescription for fewer days (in which we will allow multiple fills to provide up to a total of 31 days of a drug) while you request a formulary exception if:

- You need a drug that is not on the formulary or
- You have limited ability to get your drugs and
- You are past the first 90 days of membership in the plan

Throughout the plan year, your treatment setting (the place where you receive and take your medicine) may change. These changes include:

- Members who are discharged from a hospital or skilled-nursing facility to a home setting
- Members who are admitted to a hospital or skilled-nursing facility from a home setting
- Members who transfer from one skilled-nursing facility to another and use a different pharmacy
- Members who end their skilled-nursing facility Medicare Part A stay (where payments include all pharmacy charges) and who now need to use their Part D plan benefit
- Members who give up Hospice Status and go back to standard Medicare Part A and B coverage
- Members discharged from chronic psychiatric hospitals with highly individualized drug regimens

For these changes in treatment settings, Humana Group Medicare Plan will cover as much as a 31-day temporary supply of a Part D-covered drug when you fill your prescription at a pharmacy. If you change treatment settings multiple times within the same month, you may have to request an exception or prior authorization and receive approval for continued coverage of your drug. Humana Group Medicare Plan will review requests for continuation of therapy on a case-by-case basis understanding when you are on a stabilized drug regimen that, if changed, is known to have risks.

### **Transition extension**

Humana Group Medicare Plan will consider on a case-by-case basis an extension of the transition period if your exception request or appeal has not been processed by the end of your initial transition period. We will continue to provide necessary drugs to you if your transition period is extended.

A Transition Policy is available on [our.humana.com/ncshp](http://our.humana.com/ncshp) in the same area where the Prescription Drug Guides are displayed.

### **CenterWell Pharmacy™**

You may fill your medicines at any network pharmacy, CenterWell Pharmacy – Humana's mail-delivery pharmacy is one option. To get started or learn more, visit [CenterWellpharmacy.com](http://CenterWellpharmacy.com). You can also call CenterWell Pharmacy at **1-844-222-2151 (TTY: 711)** Monday – Friday, 8 a.m. to 11 p.m. (EST), and Saturday, 8 a.m. to 6:30 p.m. (EST).

Other pharmacies are available in our network.

## For More Information

For more detailed information about your Humana Group Medicare Plan prescription drug coverage, please read your Evidence of Coverage (EOC) and other plan materials.

If you have general questions about Medicare prescription drug coverage, please call Medicare at **1-800-MEDICARE (1-800-633-4227)** 24 hours a day, seven days a week. TTY users should call **1-877-486-2048**. You can also visit [www.medicare.gov](http://www.medicare.gov).

# Humana Group Medicare Plan Formulary

The formulary that begins on the next page provides coverage information about the drugs covered by Humana Group Medicare Plan. If you have trouble finding your drug in the list, turn to the Index that begins on page 182.

Your plan has additional coverage of some drugs. These drugs are not normally covered under Medicare Part D and are not subject to the Medicare appeals process. These drugs are listed separately on page 178.

## How to read your formulary

The first column of the chart lists categories of medical conditions in alphabetical order. The drug names are then listed in alphabetical order within each category. Brand-name drugs are CAPITALIZED and generic drugs are listed in lower-case italics. Next to the drug name or Utilization Management column, you may see an indicator to tell you about additional coverage information for that drug. You might see the following indicators:

**\$0** - Most vaccines and diabetic supplies covered 100% with no member cost.

**DL** - Dispensing Limit; Drugs that may be limited to a 30 day supply, regardless of tier placement.

**MO** - Drugs that are typically available through mail-order. Please contact your mail-order pharmacy to make sure your drug is available.

**LA** - Limited Access; The health plan has authorized certain pharmacies to dispense this medicine, as it requires extra handling, doctor coordination or patient education. Please call the number on the back of your ID card for additional information.

The second column lists the tier of the drug. See page 5 for more details on the drug tiers in your plan.

The third column shows the Utilization Management Requirements for the drug. Humana Group Medicare Plan may have special requirements for covering that drug. If the column is blank, then there are no utilization requirements for that drug. The supply for each drug is based on benefits and whether your health care provider prescribes a supply for 30, 60, or 90 days. The amount of any quantity limits will also be in this column (Example: "QL - 30 for 30 days" means you can only get 30 doses every 30 days). See page 5 for more information about these requirements.

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
<b>Analgesics</b>		
acetaminophen-caff-dihydrocod 320.5-30-16 mg CAPSULE <b>DL</b>	1	QL(300 per 30 days)
acetaminophen-caff-dihydrocod 325-30-16 mg TABLET <b>DL</b>	1	QL(300 per 30 days)
acetaminophen-codeine 120 mg-12 mg /5 ml (5 ml), 120-12 mg/5 ml, 300 mg-30 mg /12.5 ml SOLUTION <b>DL</b>	1	QL(2700 per 30 days)
acetaminophen-codeine 300-15 mg TABLET <b>DL</b>	1	QL(390 per 30 days)
acetaminophen-codeine 300-30 mg TABLET <b>DL</b>	1	QL(360 per 30 days)
acetaminophen-codeine 300-60 mg TABLET <b>DL</b>	1	QL(180 per 30 days)
ACTIQ 1,200 MCG, 1,600 MCG, 200 MCG, 400 MCG, 600 MCG, 800 MCG LOZENGE <b>DL</b>	4	PA,QL(120 per 30 days)
ANAPROX DS 550 MG TABLET <b>MO</b>	3	
APADAZ 4.08-325 MG, 6.12-325 MG, 8.16-325 MG TABLET <b>DL</b>	3	
ARTHROTEC 50 50-200 MG-MCG TABLET, IR, DR, BIPHASIC <b>MO</b>	3	PA
ARTHROTEC 75 75-200 MG-MCG TABLET, IR, DR, BIPHASIC <b>MO</b>	3	PA
ascomp with codeine 30-50-325-40 mg CAPSULE <b>DL</b>	1	QL(360 per 30 days)
BELBUCA 150 MCG, 300 MCG, 450 MCG, 600 MCG, 75 MCG, 750 MCG, 900 MCG FILM <b>DL</b>	3	QL(60 per 30 days)
benzhydrocodone-acetaminophen 4.08-325 mg, 6.12-325 mg, 8.16-325 mg TABLET <b>DL</b>	3	
BUPRENEX 0.3 MG/ML SOLUTION <b>DL</b>	4	QL(240 per 30 days)
buprenorphine 10 mcg/hour, 15 mcg/hour, 20 mcg/hour, 5 mcg/hour, 7.5 mcg/hour PATCH, WEEKLY <b>DL</b>	1	QL(4 per 28 days)
buprenorphine hcl 0.3 mg/ml SYRINGE <b>DL</b>	1	QL(240 per 30 days)
butalbital compound w/codeine 30-50-325-40 mg CAPSULE <b>DL</b>	1	QL(360 per 30 days)
butorphanol 1 mg/ml SOLUTION <b>DL</b>	1	QL(960 per 30 days)
butorphanol 10 mg/ml SPRAY, NON-AEROSOL <b>DL</b>	1	QL(5 per 28 days)
butorphanol 2 mg/ml SOLUTION <b>DL</b>	1	QL(480 per 30 days)
BUTTRANS 10 MCG/HOUR, 15 MCG/HOUR, 20 MCG/HOUR, 5 MCG/HOUR, 7.5 MCG/HOUR PATCH, WEEKLY <b>DL</b>	3	PA,QL(4 per 28 days)
CALDOLOR 800 MG/200 ML (4 MG/ML) PIGGYBACK <b>MO</b>	3	
CALDOLOR 800 MG/8 ML (100 MG/ML) RECON SOLUTION <b>MO</b>	3	
CAMBIA 50 MG POWDER IN PACKET	4	ST,QL(9 per 30 days)
cataflam 50 mg TABLET <b>MO</b>	1	
CELEBREX 100 MG, 200 MG, 400 MG, 50 MG CAPSULE <b>MO</b>	3	PA,QL(60 per 30 days)
celecoxib 100 mg, 200 mg CAPSULE <b>MO</b>	1	QL(60 per 30 days)
celecoxib 400 mg, 50 mg CAPSULE <b>MO</b>	1	QL(60 per 30 days)
codeine sulfate 15 mg, 30 mg TABLET <b>DL</b>	1	QL(360 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 9. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • MO - Mail Order • PA - Prior Authorization • QL - Quantity Limit • ST - Step Therapy  
\$0 - Vaccine/Diabetic • DL - Dispensing Limit • LA - Limited Access

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
codeine sulfate 60 mg TABLET <b>DL</b>	1	QL(180 per 30 days)
codeine-butalbital-asa-caff 30-50-325-40 mg CAPSULE <b>DL</b>	1	QL(360 per 30 days)
CONZIP 100 MG, 200 MG, 300 MG CAPSULE, ER, BIPHASIC <b>DL</b>	3	ST,QL(30 per 30 days)
DAYPRO 600 MG TABLET <b>MO</b>	3	
DEMEROL 100 MG/ML SOLUTION <b>DL</b>	3	QL(360 per 30 days)
DEMEROL 50 MG/ML SOLUTION <b>DL</b>	3	QL(720 per 30 days)
DEMEROL (PF) 100 MG/2 ML SOLUTION <b>DL</b>	3	QL(360 per 30 days)
DEMEROL (PF) 100 MG/ML SYRINGE <b>DL</b>	3	QL(360 per 30 days)
DEMEROL (PF) 25 MG/ML SYRINGE <b>DL</b>	3	QL(1440 per 30 days)
DEMEROL (PF) 50 MG/ML SYRINGE <b>DL</b>	3	QL(720 per 30 days)
DEMEROL (PF) 75 MG/ML SYRINGE <b>DL</b>	3	QL(480 per 30 days)
diclofenac epolamine 1.3 % PATCH, 12 HR. <b>MO</b>	1	PA,QL(60 per 30 days)
diclofenac potassium 25 mg CAPSULE <b>DL</b>	4	ST,QL(120 per 30 days)
diclofenac potassium 25 mg TABLET <b>DL</b>	4	
diclofenac potassium 50 mg POWDER IN PACKET <b>MO</b>	3	ST,QL(9 per 30 days)
diclofenac potassium 50 mg TABLET <b>MO</b>	1	
diclofenac sodium 1 % GEL <b>MO</b>	1	QL(1000 per 30 days)
diclofenac sodium 1.5 % DROPS <b>MO</b>	1	PA,QL(300 per 30 days)
diclofenac sodium 100 mg TABLET, ER 24 HR. <b>MO</b>	1	
diclofenac sodium 20 mg/gram /actuation(2 %) SOLUTION IN METERED DOSE PUMP <b>DL</b>	4	PA,QL(224 per 28 days)
diclofenac sodium 25 mg, 50 mg TABLET, DR/EC <b>MO</b>	1	
diclofenac sodium 75 mg TABLET, DR/EC <b>MO</b>	1	
diclofenac-misoprostol 50-200 mg-mcg, 75-200 mg-mcg TABLET, IR, DR, BIPHASIC <b>MO</b>	1	
diflunisal 500 mg TABLET <b>MO</b>	1	
DILAUDID 1 MG/ML LIQUID <b>DL</b>	3	PA,QL(2400 per 30 days)
DILAUDID 2 MG, 4 MG TABLET <b>DL</b>	3	PA,QL(360 per 30 days)
DILAUDID 8 MG TABLET <b>DL</b>	3	PA,QL(240 per 30 days)
DUEXIS 800-26.6 MG TABLET	4	PA,QL(90 per 30 days)
DURAGESIC 100 MCG/HR, 12 MCG/HR, 25 MCG/HR, 50 MCG/HR, 75 MCG/HR PATCH. 72 HR. <b>DL</b>	3	PA,QL(20 per 30 days)
DURAMORPH (PF) 0.5 MG/ML SOLUTION <b>DL</b>	3	BvsD,QL(7200 per 30 days)
DURAMORPH (PF) 1 MG/ML SOLUTION <b>DL</b>	3	BvsD,QL(3600 per 30 days)
dvorah 325-30-16 mg TABLET <b>DL</b>	1	QL(300 per 30 days)
EC-NAPROSYN 375 MG, 500 MG TABLET, DR/EC <b>MO</b>	3	PA

Need more information about the indicators displayed by the drug names? Please go to page 9. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • MO – Mail Order • PA - Prior Authorization • QL - Quantity Limit • ST - Step Therapy  
\$0 - Vaccine/Diabetic • DL - Dispensing Limit • LA - Limited Access

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
ec-naproxen 375 mg TABLET, DR/EC <b>MO</b>	3	PA
ec-naproxen 500 mg TABLET, DR/EC <b>MO</b>	1	
endocet 10-325 mg, 2.5-325 mg, 5-325 mg, 7.5-325 mg TABLET <b>DL</b>	1	QL(360 per 30 days)
etodolac 200 mg, 300 mg CAPSULE <b>MO</b>	1	
etodolac 400 mg, 500 mg TABLET <b>MO</b>	1	
etodolac 400 mg, 500 mg, 600 mg TABLET, ER 24 HR. <b>MO</b>	1	
FELDENE 10 MG, 20 MG CAPSULE <b>MO</b>	3	
fenoprofen 200 mg, 400 mg CAPSULE <b>MO</b>	1	ST
fenoprofen 600 mg TABLET <b>MO</b>	1	ST
fentanyl 100 mcg/hr, 12 mcg/hr, 25 mcg/hr, 37.5 mcg/hour, 50 mcg/hr, 62.5 mcg/hour, 75 mcg/hr, 87.5 mcg/hour PATCH. 72 HR. <b>DL</b>	1	QL(20 per 30 days)
fentanyl citrate 1,200 mcg, 1,600 mcg, 400 mcg, 600 mcg, 800 mcg LOZENGE <b>DL</b>	4	PA,QL(120 per 30 days)
fentanyl citrate 100 mcg, 200 mcg, 400 mcg, 600 mcg, 800 mcg TABLET, EFFERVESCENT <b>DL</b>	4	PA,QL(120 per 30 days)
fentanyl citrate 200 mcg LOZENGE <b>DL</b>	1	PA,QL(120 per 30 days)
fentanyl citrate (pf) 50 mcg/ml SOLUTION <b>DL</b>	1	BvsD,QL(720 per 30 days)
FENTORA 100 MCG, 200 MCG, 400 MCG, 600 MCG, 800 MCG TABLET, EFFERVESCENT <b>DL</b>	4	PA,QL(120 per 30 days)
FIORINAL-CODEINE #3 30-50-325-40 MG CAPSULE <b>DL</b>	3	QL(360 per 30 days)
FLECTOR 1.3 % PATCH, 12 HR. <b>MO</b>	3	PA,QL(60 per 30 days)
flurbiprofen 100 mg TABLET <b>MO</b>	1	
hydrocodone bitartrate 10 mg, 15 mg, 20 mg, 30 mg, 40 mg CAPSULE, ER 12 HR. <b>DL</b>	1	ST,QL(90 per 30 days)
hydrocodone bitartrate 100 mg, 120 mg, 20 mg, 30 mg, 40 mg, 60 mg, 80 mg TABLET, ER 24 HR. <b>DL</b>	1	ST,QL(30 per 30 days)
hydrocodone bitartrate 50 mg CAPSULE, ER 12 HR. <b>DL</b>	1	ST,QL(120 per 30 days)
hydrocodone-acetaminophen 10-300 mg, 5-300 mg, 7.5-300 mg TABLET <b>DL</b>	1	QL(390 per 30 days)
hydrocodone-acetaminophen 10-325 mg, 5-325 mg, 7.5-325 mg TABLET <b>DL</b>	1	QL(360 per 30 days)
hydrocodone-acetaminophen 10-325 mg/15 ml(15 ml) SOLUTION <b>DL</b>	1	QL(2700 per 30 days)
hydrocodone-acetaminophen 2.5-325 mg TABLET <b>DL</b>	1	QL(360 per 30 days)
hydrocodone-acetaminophen 7.5-325 mg/15 ml SOLUTION <b>DL</b>	1	QL(5520 per 30 days)
hydrocodone-ibuprofen 10-200 mg, 5-200 mg, 7.5-200 mg TABLET <b>DL</b>	1	QL(150 per 30 days)
hydromorphone 0.5 mg/0.5 ml, 1 mg/ml SYRINGE <b>DL</b>	1	BvsD,QL(720 per 30 days)
hydromorphone 1 mg/ml LIQUID <b>DL</b>	1	QL(2400 per 30 days)
hydromorphone 1 mg/ml SOLUTION <b>DL</b>	1	BvsD,QL(720 per 30 days)
hydromorphone 12 mg TABLET, ER 24 HR. <b>DL</b>	1	ST,QL(180 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 9. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • MO - Mail Order • PA - Prior Authorization • QL - Quantity Limit • ST - Step Therapy  
\$0 - Vaccine/Diabetic • DL - Dispensing Limit • LA - Limited Access

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
hydromorphone 16 mg TABLET, ER 24 HR. <b>DL</b>	1	ST,QL(120 per 30 days)
hydromorphone 2 mg, 4 mg TABLET <b>DL</b>	1	QL(360 per 30 days)
hydromorphone 2 mg/ml SOLUTION <b>DL</b>	1	BvsD,QL(360 per 30 days)
hydromorphone 2 mg/ml SYRINGE <b>DL</b>	1	QL(360 per 30 days)
hydromorphone 32 mg TABLET, ER 24 HR. <b>DL</b>	1	ST,QL(60 per 30 days)
hydromorphone 4 mg/ml SYRINGE <b>DL</b>	1	BvsD,QL(180 per 30 days)
hydromorphone 8 mg TABLET <b>DL</b>	1	QL(240 per 30 days)
hydromorphone 8 mg TABLET, ER 24 HR. <b>DL</b>	1	ST,QL(240 per 30 days)
hydromorphone (pf) 1 mg/ml SOLUTION <b>DL</b>	1	BvsD,QL(720 per 30 days)
hydromorphone (pf) 10 mg/ml SOLUTION <b>DL</b>	1	BvsD,QL(144 per 30 days)
hydromorphone (pf) 4 mg/ml SOLUTION <b>DL</b>	1	BvsD,QL(180 per 30 days)
HYSINGLA ER 100 MG, 120 MG, 20 MG, 30 MG, 40 MG, 60 MG, 80 MG TABLET, ER 24 HR. <b>DL</b>	3	ST,QL(30 per 30 days)
ibu 400 mg, 600 mg, 800 mg TABLET <b>MO</b>	1	
ibuprofen 100 mg/5 ml SUSPENSION <b>MO</b>	1	
ibuprofen 400 mg TABLET <b>MO</b>	1	
ibuprofen 600 mg, 800 mg TABLET <b>MO</b>	1	
ibuprofen-famotidine 800-26.6 mg TABLET <b>MO</b>	1	PA,QL(90 per 30 days)
INDOCIN 25 MG/5 ML SUSPENSION	4	
INDOCIN 50 MG SUPPOSITORY <b>MO</b>	3	
indomethacin 25 mg, 50 mg CAPSULE <b>MO</b>	1	
indomethacin 75 mg CAPSULE, ER <b>MO</b>	1	
indomethacin sodium 1 mg RECON SOLUTION <b>MO</b>	1	
INFUMORPH P/F 10 MG/ML SOLUTION <b>DL</b>	3	BvsD,QL(360 per 30 days)
INFUMORPH P/F 25 MG/ML SOLUTION <b>DL</b>	3	BvsD,QL(150 per 30 days)
KADIAN 10 MG, 100 MG, 20 MG, 200 MG, 30 MG, 40 MG, 50 MG, 60 MG, 80 MG CAPSULE ER PELLETS <b>DL</b>	3	ST,QL(60 per 30 days)
ketoprofen 200 mg CAPSULE ER PELLETS 24 HR. <b>MO</b>	1	
ketoprofen 25 mg CAPSULE <b>MO</b>	1	ST
ketoprofen 50 mg, 75 mg CAPSULE <b>MO</b>	1	ST
ketorolac 10 mg TABLET <b>MO</b>	1	QL(20 per 30 days)
ketorolac 15 mg/ml, 30 mg/ml, 30 mg/ml (1 ml), 60 mg/2 ml SOLUTION <b>MO</b>	1	
ketorolac 15 mg/ml, 30 mg/ml, 60 mg/2 ml CARTRIDGE <b>MO</b>	1	
ketorolac 15 mg/ml, 30 mg/ml, 60 mg/2 ml SYRINGE <b>MO</b>	1	
ketorolac 15.75 mg/spray SPRAY, NON-AEROSOL	4	PA,QL(5 per 30 days)
LAZANDA 100 MCG/SPRAY, 400 MCG/SPRAY SPRAY, NON-AEROSOL <b>DL</b>	4	PA,QL(30 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 9. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • MO – Mail Order • PA - Prior Authorization • QL - Quantity Limit • ST - Step Therapy  
\$0 - Vaccine/Diabetic • DL - Dispensing Limit • LA - Limited Access

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
levorphanol tartrate 2 mg TABLET <b>DL</b>	4	ST,QL(240 per 30 days)
levorphanol tartrate 3 mg TABLET <b>DL</b>	4	ST,QL(150 per 30 days)
LICART 1.3 % PATCH, 24 HR. <b>DL</b>	4	PA,QL(30 per 30 days)
LODINE 400 MG TABLET <b>MO</b>	3	PA
lofena 25 mg TABLET <b>DL</b>	4	
lortab elixir 10-300 mg/15 ml SOLUTION <b>DL</b>	1	QL(6000 per 30 days)
meclofenamate 100 mg, 50 mg CAPSULE <b>MO</b>	1	
mefenamic acid 250 mg CAPSULE <b>MO</b>	1	
meloxicam 15 mg TABLET <b>MO</b>	1	QL(30 per 30 days)
meloxicam 7.5 mg TABLET <b>MO</b>	1	QL(60 per 30 days)
meloxicam submicronized 10 mg, 5 mg CAPSULE <b>DL</b>	4	PA,QL(30 per 30 days)
meperidine 10 mg/ml CARTRIDGE <b>DL</b>	1	QL(3600 per 30 days)
meperidine 50 mg TABLET <b>DL</b>	1	QL(480 per 30 days)
meperidine 50 mg/5 ml SOLUTION <b>DL</b>	1	QL(720 per 30 days)
meperidine (pf) 100 mg/ml SOLUTION <b>DL</b>	1	QL(360 per 30 days)
meperidine (pf) 25 mg/ml SOLUTION <b>DL</b>	1	QL(1440 per 30 days)
meperidine (pf) 50 mg/ml SOLUTION <b>DL</b>	1	QL(720 per 30 days)
methadone 10 mg TABLET <b>DL</b>	1	QL(240 per 30 days)
methadone 10 mg/5 ml SOLUTION <b>DL</b>	1	QL(1800 per 30 days)
methadone 10 mg/ml CONCENTRATE <b>DL</b>	1	QL(360 per 30 days)
methadone 10 mg/ml SOLUTION <b>DL</b>	1	QL(360 per 30 days)
methadone 5 mg TABLET <b>DL</b>	1	QL(480 per 30 days)
methadone 5 mg/5 ml SOLUTION <b>DL</b>	1	QL(3600 per 30 days)
methadone intensol 10 mg/ml CONCENTRATE <b>DL</b>	1	QL(360 per 30 days)
METHADOSE 10 MG/ML CONCENTRATE <b>DL</b>	3	QL(360 per 30 days)
mitigo (pf) 10 mg/ml SOLUTION <b>DL</b>	3	BvsD,QL(360 per 30 days)
mitigo (pf) 25 mg/ml SOLUTION <b>DL</b>	3	BvsD,QL(150 per 30 days)
MOBIC 15 MG TABLET <b>MO</b>	3	PA,QL(30 per 30 days)
MOBIC 7.5 MG TABLET <b>MO</b>	3	PA,QL(60 per 30 days)
morphine 10 mg, 100 mg, 20 mg, 30 mg, 40 mg, 50 mg, 60 mg, 80 mg CAPSULE ER PELLETS <b>DL</b>	1	ST,QL(60 per 30 days)
morphine 10 mg/5 ml SOLUTION <b>DL</b>	1	QL(2700 per 30 days)
morphine 10 mg/ml SOLUTION <b>DL</b>	1	BvsD,QL(360 per 30 days)
morphine 10 mg/ml SYRINGE <b>DL</b>	1	BvsD,QL(360 per 30 days)
morphine 100 mg TABLET ER <b>DL</b>	1	QL(180 per 30 days)
morphine 120 mg, 60 mg, 75 mg, 90 mg CAPSULE ER MULTIPHASE 24 HR. <b>DL</b>	1	ST,QL(60 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 9. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • MO - Mail Order • PA - Prior Authorization • QL - Quantity Limit • ST - Step Therapy  
\$0 - Vaccine/Diabetic • DL - Dispensing Limit • LA - Limited Access

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
morphine 15 mg TABLET ER <b>DL</b>	1	QL(120 per 30 days)
morphine 15 mg, 30 mg TABLET <b>DL</b>	1	QL(180 per 30 days)
morphine 2 mg/ml SOLUTION <b>DL</b>	1	BvsD,QL(1800 per 30 days)
morphine 2 mg/ml SYRINGE <b>DL</b>	1	BvsD,QL(1800 per 30 days)
morphine 20 mg/5 ml (4 mg/ml) SOLUTION <b>DL</b>	1	QL(1350 per 30 days)
morphine 200 mg TABLET ER <b>DL</b>	1	QL(90 per 30 days)
morphine 30 mg, 45 mg CAPSULE ER MULTIPHASE 24 HR. <b>DL</b>	1	ST,QL(30 per 30 days)
morphine 30 mg, 60 mg TABLET ER <b>DL</b>	1	QL(120 per 30 days)
morphine 4 mg/ml SOLUTION <b>DL</b>	1	BvsD,QL(900 per 30 days)
morphine 4 mg/ml SYRINGE <b>DL</b>	1	BvsD,QL(900 per 30 days)
morphine 5 mg/ml SOLUTION <b>DL</b>	1	BvsD,QL(720 per 30 days)
morphine 5 mg/ml SYRINGE <b>DL</b>	1	BvsD
morphine 8 mg/ml SOLUTION <b>DL</b>	1	BvsD,QL(450 per 30 days)
morphine 8 mg/ml SYRINGE <b>DL</b>	1	BvsD,QL(450 per 30 days)
morphine (pf) 0.5 mg/ml SOLUTION <b>DL</b>	1	BvsD,QL(7200 per 30 days)
morphine (pf) 1 mg/ml SOLUTION <b>DL</b>	1	BvsD,QL(3600 per 30 days)
morphine (pf) 30 mg/30 ml (1 mg/ml) PATIENT CONTROL ANALGESIA SOLN <b>DL</b>	1	BvsD,QL(3600 per 30 days)
morphine concentrate 100 mg/5 ml (20 mg/ml) SOLUTION <b>DL</b>	1	QL(540 per 30 days)
MS CONTIN 100 MG TABLET ER <b>DL</b>	3	PA,QL(180 per 30 days)
MS CONTIN 15 MG, 30 MG, 60 MG TABLET ER <b>DL</b>	3	PA,QL(120 per 30 days)
MS CONTIN 200 MG TABLET ER <b>DL</b>	3	PA,QL(90 per 30 days)
nabumetone 500 mg, 750 mg TABLET <b>MO</b>	1	
nalbuphine 10 mg/ml SOLUTION <b>DL</b>	1	QL(240 per 30 days)
nalbuphine 20 mg/ml SOLUTION <b>DL</b>	1	QL(120 per 30 days)
NALFON 400 MG CAPSULE <b>MO</b>	3	ST
NALFON 600 MG TABLET <b>MO</b>	1	ST
nalocet 2.5-300 mg TABLET <b>DL</b>	4	PA,QL(360 per 30 days)
NAPRELAN CR 375 MG TABLET, ER 24 HR., MULTIPHASE	4	ST,QL(120 per 30 days)
NAPRELAN CR 500 MG TABLET, ER 24 HR., MULTIPHASE	4	ST,QL(90 per 30 days)
NAPRELAN CR 750 MG TABLET, ER 24 HR., MULTIPHASE	4	ST,QL(60 per 30 days)
NAPROSYN 500 MG TABLET <b>MO</b>	3	PA
naproxen 125 mg/5 ml SUSPENSION <b>MO</b>	1	
naproxen 250 mg, 375 mg TABLET <b>MO</b>	1	
naproxen 375 mg, 500 mg TABLET, DR/EC <b>MO</b>	1	
naproxen 500 mg TABLET <b>MO</b>	1	
naproxen sodium 275 mg, 550 mg TABLET <b>MO</b>	1	

Need more information about the indicators displayed by the drug names? Please go to page 9. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • MO – Mail Order • PA - Prior Authorization • QL - Quantity Limit • ST - Step Therapy  
\$0 - Vaccine/Diabetic • DL - Dispensing Limit • LA - Limited Access

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
naproxen sodium 375 mg TABLET, ER 24 HR., MULTIPHASE <b>MO</b>	1	ST,QL(120 per 30 days)
naproxen sodium 500 mg TABLET, ER 24 HR., MULTIPHASE <b>MO</b>	1	ST,QL(90 per 30 days)
naproxen sodium 750 mg TABLET, ER 24 HR., MULTIPHASE <b>MO</b>	1	ST,QL(60 per 30 days)
naproxen-esomeprazole 375-20 mg, 500-20 mg TABLET, IR, DR, BIPHASIC	4	PA,QL(60 per 30 days)
NORCO 10-325 MG, 5-325 MG, 7.5-325 MG TABLET <b>DL</b>	1	PA,QL(360 per 30 days)
NUCYNTA 100 MG, 50 MG, 75 MG TABLET <b>DL</b>	4	ST,QL(180 per 30 days)
NUCYNTA ER 100 MG, 150 MG, 200 MG, 250 MG, 50 MG TABLET, ER 12 HR. <b>DL</b>	4	ST,QL(60 per 30 days)
OLINVYK 1 MG/ML SOLUTION <b>DL</b>	4	PA
OLINVYK 30 MG/30 ML (1 MG/ML) PATIENT CONTROL ANALGESIA SOLN <b>DL</b>	4	PA
oxaprozin 600 mg TABLET <b>MO</b>	1	
OXAYDO 5 MG, 7.5 MG TABLET, ORAL ONLY <b>DL</b>	4	PA,QL(360 per 30 days)
oxycodone 10 mg, 15 mg, 20 mg, 30 mg, 40 mg, 60 mg TABLET, ER 12 HR. <b>DL</b>	3	PA,QL(90 per 30 days)
oxycodone 10 mg, 15 mg, 5 mg TABLET <b>DL</b>	1	QL(360 per 30 days)
oxycodone 20 mg, 30 mg TABLET <b>DL</b>	1	QL(360 per 30 days)
oxycodone 20 mg/ml CONCENTRATE <b>DL</b>	1	QL(270 per 30 days)
oxycodone 5 mg CAPSULE <b>DL</b>	1	QL(360 per 30 days)
oxycodone 5 mg/5 ml SOLUTION <b>DL</b>	1	QL(5400 per 30 days)
oxycodone 80 mg TABLET, ER 12 HR. <b>DL</b>	3	PA,QL(120 per 30 days)
oxycodone-acetaminophen 10-300 mg, 5-300 mg, 7.5-300 mg TABLET <b>DL</b>	4	PA,QL(390 per 30 days)
oxycodone-acetaminophen 10-300 mg/5 ml SOLUTION <b>DL</b>	4	PA,QL(900 per 30 days)
oxycodone-acetaminophen 10-325 mg, 5-325 mg, 7.5-325 mg TABLET <b>DL</b>	1	QL(360 per 30 days)
oxycodone-acetaminophen 2.5-300 mg TABLET <b>DL</b>	1	PA,QL(360 per 30 days)
oxycodone-acetaminophen 2.5-325 mg TABLET <b>DL</b>	1	QL(360 per 30 days)
oxycodone-acetaminophen 5-325 mg/5 ml SOLUTION <b>DL</b>	1	QL(1800 per 30 days)
oxycodone-aspirin 4.8355-325 mg TABLET <b>DL</b>	1	QL(360 per 30 days)
OXYCONTIN 10 MG, 15 MG, 20 MG, 30 MG, 40 MG, 60 MG TABLET, ER 12 HR. <b>DL</b>	3	PA,QL(90 per 30 days)
OXYCONTIN 80 MG TABLET, ER 12 HR. <b>DL</b>	3	PA,QL(120 per 30 days)
oxymorphone 10 mg, 15 mg, 20 mg, 30 mg, 5 mg, 7.5 mg TABLET, ER 12 HR. <b>DL</b>	1	ST,QL(60 per 30 days)
oxymorphone 10 mg, 5 mg TABLET <b>DL</b>	1	QL(360 per 30 days)
oxymorphone 40 mg TABLET, ER 12 HR. <b>DL</b>	4	ST,QL(60 per 30 days)
PENNSAID 2 % SOLUTION IN PACKET <b>DL</b>	4	PA
PENNSAID 20 MG/GRAM /ACTUATION(2 %) SOLUTION IN METERED DOSE PUMP <b>DL</b>	4	PA,QL(224 per 28 days)
pentazocine-naloxone 50-0.5 mg TABLET <b>DL</b>	1	QL(360 per 30 days)
PERCOCET 10-325 MG, 5-325 MG, 7.5-325 MG TABLET <b>DL</b>	4	PA,QL(360 per 30 days)
PERCOCET 2.5-325 MG TABLET <b>DL</b>	1	PA,QL(360 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 9. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • MO - Mail Order • PA - Prior Authorization • QL - Quantity Limit • ST - Step Therapy  
\$0 - Vaccine/Diabetic • DL - Dispensing Limit • LA - Limited Access

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
piroxicam 10 mg, 20 mg CAPSULE <b>MO</b>	1	
primlev 10-300 mg, 5-300 mg, 7.5-300 mg TABLET <b>DL</b>	4	PA,QL(390 per 30 days)
prolate 10-300 mg, 5-300 mg, 7.5-300 mg TABLET <b>DL</b>	4	PA,QL(390 per 30 days)
PROLATE 10-300 MG/5 ML SOLUTION <b>DL</b>	4	PA,QL(900 per 30 days)
RELAFEN 500 MG, 750 MG TABLET <b>DL</b>	4	ST
RELAFEN DS 1,000 MG TABLET	4	ST,QL(60 per 30 days)
ROXICODONE 15 MG TABLET <b>DL</b>	3	PA,QL(360 per 30 days)
ROXICODONE 30 MG TABLET <b>DL</b>	4	PA,QL(360 per 30 days)
SEGLENTIS 44-56 MG TABLET <b>DL</b>	3	PA,QL(120 per 30 days)
SPRIX 15.75 MG/SPRAY SPRAY, NON-AEROSOL <b>DL</b>	4	PA,QL(5 per 30 days)
SUBSYS 1,200 MCG (600 MCG/SPRAY X 2), 1,600 MCG (800 MCG/SPRAY X 2), 100 MCG/SPRAY, 200 MCG/SPRAY, 400 MCG/SPRAY, 600 MCG/SPRAY, 800 MCG/SPRAY SPRAY, NON-AEROSOL <b>DL</b>	4	PA,QL(120 per 30 days)
sulindac 150 mg, 200 mg TABLET <b>MO</b>	1	
TIVORBEX 20 MG CAPSULE	4	ST,QL(90 per 30 days)
tolmetin 200 mg, 600 mg TABLET <b>MO</b>	1	
tramadol 100 mg TABLET <b>DL</b>	1	QL(120 per 30 days)
tramadol 100 mg, 200 mg, 300 mg CAPSULE, ER, BIPHASIC <b>DL</b>	1	ST,QL(30 per 30 days)
tramadol 100 mg, 200 mg, 300 mg TABLET, ER 24 HR. <b>DL</b>	1	ST,QL(30 per 30 days)
tramadol 100 mg, 200 mg, 300 mg TABLET, ER 24 HR., MULTIPHASE <b>DL</b>	1	ST,QL(30 per 30 days)
tramadol 50 mg TABLET <b>DL</b>	1	QL(240 per 30 days)
tramadol-acetaminophen 37.5-325 mg TABLET <b>DL</b>	1	QL(240 per 30 days)
TREZIX 320.5-30-16 MG CAPSULE <b>DL</b>	1	QL(300 per 30 days)
ULTRACET 37.5-325 MG TABLET <b>DL</b>	3	QL(240 per 30 days)
ULTRAM 50 MG TABLET <b>DL</b>	3	QL(240 per 30 days)
VIMOVO 375-20 MG, 500-20 MG TABLET, IR, DR, BIPHASIC	4	PA,QL(60 per 30 days)
VIVLODEX 10 MG, 5 MG CAPSULE	4	PA,QL(30 per 30 days)
VOLTAREN 1 % GEL <b>MO</b>	3	PA,QL(1000 per 30 days)
VOLTAREN-XR 100 MG TABLET, ER 24 HR. <b>MO</b>	3	PA
XTAMPZA ER 13.5 MG, 18 MG, 27 MG, 36 MG, 9 MG CAPSULE ER SPRINKLE 12 HR. <b>DL</b>	2	QL(60 per 30 days)
ZIPSOR 25 MG CAPSULE	4	ST,QL(120 per 30 days)
ZOHYDRO ER 10 MG, 15 MG, 20 MG, 30 MG, 40 MG CAPSULE, ER 12 HR. <b>DL</b>	3	ST,QL(90 per 30 days)
ZOHYDRO ER 50 MG CAPSULE, ER 12 HR. <b>DL</b>	3	ST,QL(120 per 30 days)
ZORVOLEX 18 MG, 35 MG CAPSULE <b>MO</b>	3	ST,QL(90 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 9. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • MO - Mail Order • PA - Prior Authorization • QL - Quantity Limit • ST - Step Therapy  
\$0 - Vaccine/Diabetic • DL - Dispensing Limit • LA - Limited Access

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
<b>Anesthetics</b>		
bupivacaine (pf) 0.25 % (2.5 mg/ml), 0.5 % (5 mg/ml), 0.75 % (7.5 mg/ml) SOLUTION <b>MO</b>	1	
bupivacaine hcl 0.25 % (2.5 mg/ml), 0.5 % (5 mg/ml) SOLUTION <b>MO</b>	1	
bupivacaine-dextrose-water(pf) 0.75 % (7.5 mg/ml) SOLUTION <b>MO</b>	1	
bupivacaine-epinephrine 0.25 %-1:200,000, 0.5 %-1:200,000 SOLUTION <b>MO</b>	1	
bupivacaine-epinephrine (pf) 0.25 %-1:200,000, 0.5 %-1:200,000 SOLUTION <b>MO</b>	1	
bupivacaine-epinephrine bitart 0.5 %-1:200,000 CARTRIDGE <b>MO</b>	1	
CARBOCAINE 1 % (10 MG/ML), 2 % SOLUTION <b>MO</b>	3	
CARBOCAINE (PF) 10 MG/ML (1 %), 15 MG/ML (1.5 %), 20 MG/ML (2 %) SOLUTION <b>MO</b>	3	
CARBOCAINE WITH NEO-COBEFRIN 2 % -1:20,000 CARTRIDGE <b>MO</b>	1	
chloroprocaine (pf) 20 mg/ml (2 %), 30 mg/ml (3 %) SOLUTION <b>MO</b>	1	
CLOROTEKAL 10 MG/ML (1 %) SOLUTION <b>MO</b>	3	
glydo 2 % JELLY IN APPLICATOR <b>MO</b>	1	
lidocaine 5 % ADHESIVE PATCH, MEDICATED <b>MO</b>	1	PA,QL(90 per 30 days)
lidocaine 5 % OINTMENT <b>MO</b>	1	PA
lidocaine (pf) in d7.5w 50 mg/ml (5 %) SOLUTION <b>MO</b>	1	
lidocaine (pf) 10 mg/ml (1 %), 15 mg/ml (1.5 %), 20 mg/ml (2 %), 40 mg/ml (4 %), 5 mg/ml (0.5 %) SOLUTION <b>MO</b>	1	
lidocaine hcl 10 mg/ml (1 %), 2 %, 20 mg/ml (2 %), 4 %, 4 % (40 mg/ml), 5 mg/ml (0.5 %) SOLUTION <b>MO</b>	1	
lidocaine hcl 2 % JELLY <b>MO</b>	1	
lidocaine hcl 2 % JELLY IN APPLICATOR <b>MO</b>	1	
lidocaine viscous 2 % SOLUTION <b>MO</b>	1	
lidocaine-epinephrine 0.5 %-1:200,000, 1 %-1:100,000, 2 %-1:100,000 SOLUTION <b>MO</b>	1	
lidocaine-epinephrine bit 2 %-1:100,000, 2 %-1:50,000 CARTRIDGE <b>MO</b>	1	
lidocaine-prilocaine 2.5-2.5 % CREAM <b>MO</b>	1	
LIDODERM 5 % ADHESIVE PATCH, MEDICATED <b>DL</b>	4	PA,QL(90 per 30 days)
MARCAINE 0.25 % (2.5 MG/ML), 0.5 % (5 MG/ML) SOLUTION <b>MO</b>	3	
MARCAINE (PF) 0.25 % (2.5 MG/ML), 0.5 % (5 MG/ML), 0.75 % (7.5 MG/ML) SOLUTION <b>MO</b>	3	
MARCAINE SPINAL (PF) 0.75 % (7.5 MG/ML) SOLUTION <b>MO</b>	3	
MARCAINE-EPINEPHRINE 0.25 %-1:200,000, 0.5 %-1:200,000 SOLUTION <b>MO</b>	3	
marcaine-epinephrine 0.5 %-1:200,000 CARTRIDGE <b>MO</b>	1	

Need more information about the indicators displayed by the drug names? Please go to page 9. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • MO – Mail Order • PA - Prior Authorization • QL - Quantity Limit • ST - Step Therapy  
\$0 - Vaccine/Diabetic • DL - Dispensing Limit • LA - Limited Access

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
MARCAINE-EPINEPHRINE (PF) 0.25 %-1:200,000, 0.5 %-1:200,000 SOLUTION <b>MO</b>	3	
NAROPIN (PF) 10 MG/ML (1 %), 2 MG/ML (0.2 %), 5 MG/ML (0.5 %), 7.5 MG/ML (0.75 %) SOLUTION <b>MO</b>	3	
NESACAIN 10 MG/ML (1 %), 20 MG/ML (2 %) SOLUTION <b>MO</b>	3	
NESACAIN-MPF 20 MG/ML (2 %), 30 MG/ML (3 %) SOLUTION <b>MO</b>	3	
PLIAGLIS 7-7 % CREAM <b>MO</b>	3	
polocaine 1 % (10 mg/ml), 2 % SOLUTION <b>MO</b>	1	
polocaine-mpf 10 mg/ml (1 %), 15 mg/ml (1.5 %), 20 mg/ml (2 %) SOLUTION <b>MO</b>	1	
ropivacaine (pf) 10 mg/ml (1 %), 2 mg/ml (0.2 %), 5 mg/ml (0.5 %), 7.5 mg/ml (0.75 %) SOLUTION <b>MO</b>	1	
SENSORCAINE 0.25 % (2.5 MG/ML), 0.5 % (5 MG/ML) SOLUTION <b>MO</b>	1	
sensorcaine-epinephrine 0.25 %-1:200,000, 0.5 %-1:200,000 SOLUTION <b>MO</b>	1	
sensorcaine-mpf 0.25 % (2.5 mg/ml), 0.5 % (5 mg/ml), 0.75 % (7.5 mg/ml) SOLUTION <b>MO</b>	1	
SENSORCAINE-MPF 0.25 % (2.5 MG/ML), 0.5 % (5 MG/ML), 0.75 % (7.5 MG/ML) SOLUTION <b>MO</b>	1	
sensorcaine-mpf spinal 0.75 % (7.5 mg/ml) SOLUTION <b>MO</b>	1	
sensorcaine-mpf/epinephrine 0.25 %-1:200,000 SOLUTION <b>MO</b>	1	
SENSORCAINE-MPF/EPINEPHRINE 0.5 %-1:200,000, 0.75 %-1:200,000 SOLUTION <b>MO</b>	1	
SYNERA 70-70 MG PATCH, MEDICATED SELF-HEATING <b>DL</b>	4	PA
vivacaine 0.5 %-1:200,000 CARTRIDGE <b>MO</b>	1	
ZTLIDO 1.8 % ADHESIVE PATCH, MEDICATED <b>MO</b>	3	PA,QL(90 per 30 days)
<b>Anti-addiction/substance Abuse Treatment Agents</b>		
acamprosate 333 mg TABLET, DR/EC <b>MO</b>	1	
BUNAVAIL 2.1-0.3 MG, 4.2-0.7 MG, 6.3-1 MG FILM <b>MO</b>	3	PA,QL(60 per 30 days)
buprenorphine hcl 2 mg, 8 mg SUBLINGUAL TABLET <b>MO</b>	1	QL(90 per 30 days)
buprenorphine-naloxone 12-3 mg FILM <b>MO</b>	1	QL(60 per 30 days)
buprenorphine-naloxone 2-0.5 mg, 4-1 mg, 8-2 mg FILM <b>MO</b>	1	QL(90 per 30 days)
buprenorphine-naloxone 2-0.5 mg, 8-2 mg SUBLINGUAL TABLET <b>MO</b>	3	PA,QL(90 per 30 days)
bupropion hcl (smoking deter) 150 mg TABLET, ER 12 HR. <b>MO</b>	1	QL(90 per 30 days)
CHANTIX 0.5 MG, 1 MG TABLET <b>MO</b>	3	PA,QL(56 per 28 days)
CHANTIX CONTINUING MONTH BOX 1 MG TABLET <b>MO</b>	3	PA,QL(56 per 28 days)
CHANTIX STARTING MONTH BOX 0.5 MG (11)- 1 MG (42) TABLET, DOSE PACK <b>MO</b>	3	PA,QL(53 per 28 days)

Need more information about the indicators displayed by the drug names? Please go to page 9. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • MO – Mail Order • PA - Prior Authorization • QL - Quantity Limit • ST - Step Therapy  
\$0 - Vaccine/Diabetic • DL - Dispensing Limit • LA - Limited Access

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
disulfiram 250 mg, 500 mg TABLET <b>MO</b>	1	
KLOXXADO 8 MG/ACTUATION SPRAY, NON-AEROSOL <b>MO</b>	3	PA,QL(2 per 30 days)
LUCEMYRA 0.18 MG TABLET	4	PA,QL(224 per 365 days)
nalmefene 1 mg/ml SOLUTION <b>MO</b>	1	
naloxone 0.4 mg/ml SOLUTION <b>MO</b>	1	
naloxone 0.4 mg/ml, 1 mg/ml SYRINGE <b>MO</b>	1	
naloxone 4 mg/actuation SPRAY, NON-AEROSOL <b>MO</b>	2	QL(2 per 30 days)
naltrexone 50 mg TABLET <b>MO</b>	1	
NARCAN 4 MG/ACTUATION SPRAY, NON-AEROSOL <b>MO</b>	3	PA,QL(2 per 30 days)
NICOTROL 10 MG CARTRIDGE <b>MO</b>	3	
NICOTROL NS 10 MG/ML SPRAY, NON-AEROSOL <b>MO</b>	3	
SUBOXONE 12-3 MG FILM <b>MO</b>	3	PA,QL(60 per 30 days)
SUBOXONE 2-0.5 MG, 4-1 MG, 8-2 MG FILM <b>MO</b>	3	PA,QL(90 per 30 days)
varenicline 0.5 mg (11)- 1 mg (42) TABLET, DOSE PACK <b>MO</b>	1	QL(53 per 28 days)
varenicline 0.5 mg, 1 mg TABLET <b>MO</b>	1	QL(56 per 28 days)
VIVITROL 380 MG SUSPENSION, ER, RECON <b>DL</b>	4	QL(1 per 28 days)
ZIMHI 5 MG/0.5 ML SYRINGE <b>MO</b>	3	PA,QL(1 per 30 days)
ZUBSOLV 0.7-0.18 MG, 1.4-0.36 MG SUBLINGUAL TABLET <b>MO</b>	1	QL(90 per 30 days)
ZUBSOLV 11.4-2.9 MG SUBLINGUAL TABLET <b>MO</b>	1	QL(30 per 30 days)
ZUBSOLV 2.9-0.71 MG, 5.7-1.4 MG SUBLINGUAL TABLET <b>MO</b>	1	QL(90 per 30 days)
ZUBSOLV 8.6-2.1 MG SUBLINGUAL TABLET <b>MO</b>	1	QL(60 per 30 days)
<b>Antibacterials</b>		
acetic acid 2 % SOLUTION <b>MO</b>	1	
ACTICLATE 150 MG TABLET <b>DL</b>	4	ST,QL(30 per 30 days)
ACTICLATE 75 MG TABLET <b>DL</b>	4	ST,QL(60 per 30 days)
amikacin 1,000 mg/4 ml, 500 mg/2 ml SOLUTION <b>MO</b>	1	
amoxicillin 125 mg, 250 mg CHEWABLE TABLET <b>MO</b>	1	
amoxicillin 125 mg/5 ml, 200 mg/5 ml, 250 mg/5 ml, 400 mg/5 ml SUSPENSION FOR RECONSTITUTION <b>MO</b>	1	
amoxicillin 250 mg CAPSULE <b>MO</b>	1	
amoxicillin 500 mg CAPSULE <b>MO</b>	1	
amoxicillin 500 mg TABLET <b>MO</b>	1	
amoxicillin 875 mg TABLET <b>MO</b>	1	
amoxicillin-pot clavulanate 1,000-62.5 mg TABLET, ER 12 HR. <b>MO</b>	1	
amoxicillin-pot clavulanate 200-28.5 mg, 400-57 mg CHEWABLE TABLET <b>MO</b>	1	

Need more information about the indicators displayed by the drug names? Please go to page 9. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • MO – Mail Order • PA - Prior Authorization • QL - Quantity Limit • ST - Step Therapy  
\$0 - Vaccine/Diabetic • DL - Dispensing Limit • LA - Limited Access

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
amoxicillin-pot clavulanate 200-28.5 mg/5 ml, 250-62.5 mg/5 ml, 400-57 mg/5 ml, 600-42.9 mg/5 ml SUSPENSION FOR RECONSTITUTION <b>MO</b>	1	
amoxicillin-pot clavulanate 250-125 mg, 500-125 mg TABLET <b>MO</b>	1	
amoxicillin-pot clavulanate 875-125 mg TABLET <b>MO</b>	1	
ampicillin 250 mg, 500 mg CAPSULE <b>MO</b>	1	
ampicillin sodium 1 gram, 10 gram, 125 mg, 2 gram, 250 mg, 500 mg RECON SOLUTION <b>MO</b>	1	
ampicillin-sulbactam 1.5 gram, 15 gram, 3 gram RECON SOLUTION <b>MO</b>	1	
ARIKAYCE 590 MG/8.4 ML SUSPENSION FOR NEBULIZATION <b>DL</b>	4	PA,QL(235.2 per 28 days)
AUGMENTIN 125-31.25 MG/5 ML, 250-62.5 MG/5 ML SUSPENSION FOR RECONSTITUTION <b>DL</b>	4	
AUGMENTIN 500-125 MG TABLET <b>MO</b>	3	PA
AUGMENTIN ES-600 600-42.9 MG/5 ML SUSPENSION FOR RECONSTITUTION <b>MO</b>	3	
AUGMENTIN XR 1,000-62.5 MG TABLET, ER 12 HR. <b>MO</b>	3	
AVELOX IN NACL (ISO-OSMOTIC) 400 MG/250 ML PIGGYBACK <b>MO</b>	3	PA
avidoxy 100 mg TABLET <b>MO</b>	1	ST
AVYCAZ 2.5 GRAM RECON SOLUTION <b>DL</b>	4	
AZACTAM 1 GRAM, 2 GRAM RECON SOLUTION <b>MO</b>	3	PA
azithromycin 1 gram PACKET <b>MO</b>	1	
azithromycin 100 mg/5 ml, 200 mg/5 ml SUSPENSION FOR RECONSTITUTION <b>MO</b>	1	
azithromycin 250 mg TABLET <b>MO</b>	1	
azithromycin 500 mg RECON SOLUTION <b>MO</b>	1	
azithromycin 500 mg, 600 mg TABLET <b>MO</b>	1	
aztreonam 1 gram, 2 gram RECON SOLUTION <b>MO</b>	1	
bacitracin 50,000 unit RECON SOLUTION <b>MO</b>	1	
BACTRIM 400-80 MG TABLET <b>MO</b>	3	
BACTRIM DS 800-160 MG TABLET <b>MO</b>	3	
BAXDELA 300 MG RECON SOLUTION <b>DL</b>	4	QL(28 per 14 days)
BAXDELA 450 MG TABLET <b>DL</b>	4	QL(28 per 14 days)
BETHKIS 300 MG/4 ML SOLUTION FOR NEBULIZATION <b>DL</b>	4	PA
BICILLIN C-R 1,200,000 UNIT/ 2 ML(600K/600K), 1,200,000 UNIT/ 2 ML(900K/300K) SYRINGE <b>MO</b>	3	
BICILLIN L-A 1,200,000 UNIT/2 ML, 2,400,000 UNIT/4 ML, 600,000 UNIT/ML SYRINGE <b>MO</b>	3	

Need more information about the indicators displayed by the drug names? Please go to page 9. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • MO – Mail Order • PA - Prior Authorization • QL - Quantity Limit • ST - Step Therapy  
\$0 - Vaccine/Diabetic • DL - Dispensing Limit • LA - Limited Access

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
cefaclor 125 mg/5 ml, 250 mg/5 ml, 375 mg/5 ml SUSPENSION FOR RECONSTITUTION <b>MO</b>	1	
cefaclor 250 mg, 500 mg CAPSULE <b>MO</b>	1	
cefaclor 500 mg TABLET, ER 12 HR. <b>MO</b>	1	
cefadroxil 1 gram TABLET <b>MO</b>	1	
cefadroxil 250 mg/5 ml, 500 mg/5 ml SUSPENSION FOR RECONSTITUTION <b>MO</b>	1	
cefadroxil 500 mg CAPSULE <b>MO</b>	1	
cefazolin 1 gram, 10 gram, 2 gram, 500 mg RECON SOLUTION <b>MO</b>	1	
cefaezolin in dextrose (iso-os) 1 gram/50 ml, 2 gram/100 ml, 2 gram/50 ml PIGGYBACK <b>MO</b>	1	
cefdinir 125 mg/5 ml, 250 mg/5 ml SUSPENSION FOR RECONSTITUTION <b>MO</b>	1	
cefdinir 300 mg CAPSULE <b>MO</b>	1	
cefepime 1 gram, 2 gram RECON SOLUTION <b>MO</b>	1	
cefepime in dextrose 5 % 1 gram/50 ml, 2 gram/50 ml PIGGYBACK <b>MO</b>	1	
cefepime in dextrose, iso-osm 1 gram/50 ml, 2 gram/100 ml PIGGYBACK <b>MO</b>	3	
cefixime 100 mg/5 ml, 200 mg/5 ml SUSPENSION FOR RECONSTITUTION <b>MO</b>	1	
cefixime 400 mg CAPSULE <b>MO</b>	1	
CEFOTAN 1 GRAM, 2 GRAM RECON SOLUTION <b>MO</b>	3	
cefotaxime 1 gram RECON SOLUTION <b>MO</b>	1	
cefotetan 1 gram, 10 gram, 2 gram RECON SOLUTION <b>MO</b>	1	
cefotetan in dextrose, iso-osm 1 gram/50 ml, 2 gram/50 ml PIGGYBACK <b>MO</b>	1	
cefoxitin 1 gram, 10 gram, 2 gram RECON SOLUTION <b>MO</b>	1	
cefoxitin in dextrose, iso-osm 1 gram/50 ml, 2 gram/50 ml PIGGYBACK <b>MO</b>	1	
cefpodoxime 100 mg, 200 mg TABLET <b>MO</b>	1	
cefpodoxime 100 mg/5 ml, 50 mg/5 ml SUSPENSION FOR RECONSTITUTION <b>MO</b>	1	
cefprozil 125 mg/5 ml, 250 mg/5 ml SUSPENSION FOR RECONSTITUTION <b>MO</b>	1	
cefprozil 250 mg, 500 mg TABLET <b>MO</b>	1	
ceftazidime 1 gram, 2 gram, 6 gram RECON SOLUTION <b>MO</b>	1	
ceftazidime in d5w 1 gram/50 ml, 2 gram/50 ml PIGGYBACK <b>MO</b>	1	
ceftriaxone 1 gram, 10 gram, 100 gram, 2 gram, 250 mg, 500 mg RECON SOLUTION <b>MO</b>	1	
ceftriaxone in dextrose, iso-osm 1 gram/50 ml, 2 gram/50 ml PIGGYBACK <b>MO</b>	1	
cefuroxime axetil 250 mg, 500 mg TABLET <b>MO</b>	1	
cefuroxime sodium 1.5 gram, 7.5 gram, 750 mg RECON SOLUTION <b>MO</b>	1	
cephalexin 125 mg/5 ml, 250 mg/5 ml SUSPENSION FOR RECONSTITUTION <b>MO</b>	1	
cephalexin 250 mg, 500 mg TABLET <b>MO</b>	1	

Need more information about the indicators displayed by the drug names? Please go to page 9. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • MO - Mail Order • PA - Prior Authorization • QL - Quantity Limit • ST - Step Therapy  
\$0 - Vaccine/Diabetic • DL - Dispensing Limit • LA - Limited Access

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
cephalexin 250 mg, 750 mg CAPSULE <b>MO</b>	1	
cephalexin 500 mg CAPSULE <b>MO</b>	1	
chloramphenicol sod succinate 1 gram RECON SOLUTION <b>MO</b>	1	
CIPRO 250 MG, 500 MG TABLET <b>MO</b>	3	
CIPRO 250 MG/5 ML, 500 MG/5 ML SUSPENSION, MICROCAPSULE RECON <b>MO</b>	3	
ciprofloxacin 250 mg/5 ml, 500 mg/5 ml SUSPENSION, MICROCAPSULE RECON <b>MO</b>	1	
ciprofloxacin hcl 100 mg, 250 mg, 750 mg TABLET <b>MO</b>	1	
ciprofloxacin hcl 500 mg TABLET <b>MO</b>	1	
ciprofloxacin in 5 % dextrose 200 mg/100 ml, 400 mg/200 ml PIGGYBACK <b>MO</b>	1	
CLAFORAN 1 GRAM, 10 GRAM, 2 GRAM RECON SOLUTION <b>MO</b>	3	
clarithromycin 125 mg/5 ml SUSPENSION FOR RECONSTITUTION <b>MO</b>	1	
clarithromycin 250 mg, 500 mg TABLET <b>MO</b>	1	
clarithromycin 250 mg/5 ml SUSPENSION FOR RECONSTITUTION <b>MO</b>	1	
clarithromycin 500 mg TABLET, ER 24 HR. <b>MO</b>	1	
CLEOCIN 100 MG SUPPOSITORY <b>MO</b>	3	
CLEOCIN 150 MG/ML SOLUTION <b>MO</b>	1	
CLEOCIN 2 % CREAM <b>MO</b>	3	PA
CLEOCIN HCL 150 MG, 300 MG, 75 MG CAPSULE <b>MO</b>	3	
CLEOCIN PEDIATRIC 75 MG/5 ML RECON SOLUTION <b>MO</b>	1	
clindamycin hcl 150 mg, 75 mg CAPSULE <b>MO</b>	1	
clindamycin hcl 300 mg CAPSULE <b>MO</b>	1	
clindamycin in 0.9 % sod chlor 300 mg/50 ml, 600 mg/50 ml, 900 mg/50 ml PIGGYBACK <b>MO</b>	1	
clindamycin in 5 % dextrose 300 mg/50 ml, 600 mg/50 ml, 900 mg/50 ml PIGGYBACK <b>MO</b>	1	
clindamycin pediatric 75 mg/5 ml RECON SOLUTION <b>MO</b>	1	
clindamycin phosphate 150 mg/ml SOLUTION <b>MO</b>	1	
clindamycin phosphate 2 % CREAM <b>MO</b>	1	
CLINDESSE 2 % CREAM, ER <b>MO</b>	3	
colistin (colistimethate na) 150 mg RECON SOLUTION <b>MO</b>	1	
COLY-MYCIN M PARENTERAL 150 MG RECON SOLUTION <b>DL</b>	4	
coremino 135 mg, 45 mg, 90 mg TABLET, ER 24 HR. <b>MO</b>	1	ST,QL(30 per 30 days)
CUBICIN 500 MG RECON SOLUTION <b>DL</b>	4	
CUBICIN RF 500 MG RECON SOLUTION <b>DL</b>	4	
DALVANCE 500 MG SOLUTION <b>DL</b>	4	QL(4 per 28 days)

Need more information about the indicators displayed by the drug names? Please go to page 9. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • MO - Mail Order • PA - Prior Authorization • QL - Quantity Limit • ST - Step Therapy  
\$0 - Vaccine/Diabetic • DL - Dispensing Limit • LA - Limited Access

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
daptomycin 350 mg, 500 mg RECON SOLUTION <b>DL</b>	4	
demeclocycline 150 mg TABLET <b>MO</b>	1	QL(240 per 30 days)
demeclocycline 300 mg TABLET <b>MO</b>	1	QL(120 per 30 days)
dicloxacillin 250 mg, 500 mg CAPSULE <b>MO</b>	1	
DIFICID 200 MG TABLET <b>DL</b>	4	
DIFICID 40 MG/ML SUSPENSION FOR RECONSTITUTION <b>DL</b>	4	
DORYX 200 MG TABLET, DR/EC <b>MO</b>	3	ST,QL(30 per 30 days)
DORYX 50 MG TABLET, DR/EC <b>MO</b>	3	ST,QL(60 per 30 days)
DORYX 80 MG TABLET, DR/EC <b>DL</b>	4	ST,QL(60 per 30 days)
DORYX MPC 120 MG TABLET, DR/EC <b>MO</b>	3	ST,QL(60 per 30 days)
DORYX MPC 60 MG TABLET, DR/EC <b>DL</b>	4	ST,QL(60 per 30 days)
doxy-100 100 mg RECON SOLUTION <b>MO</b>	1	
doxycycline hyclate 100 mg CAPSULE <b>MO</b>	1	
doxycycline hyclate 100 mg RECON SOLUTION <b>MO</b>	1	
doxycycline hyclate 100 mg TABLET <b>MO</b>	1	
doxycycline hyclate 100 mg TABLET, DR/EC <b>MO</b>	1	ST,QL(90 per 30 days)
doxycycline hyclate 150 mg TABLET <b>MO</b>	1	ST,QL(30 per 30 days)
doxycycline hyclate 150 mg, 50 mg, 75 mg TABLET, DR/EC <b>MO</b>	1	ST,QL(60 per 30 days)
doxycycline hyclate 20 mg TABLET <b>MO</b>	1	
doxycycline hyclate 200 mg TABLET, DR/EC <b>MO</b>	1	ST,QL(30 per 30 days)
doxycycline hyclate 50 mg CAPSULE <b>MO</b>	1	
doxycycline hyclate 50 mg TABLET <b>MO</b>	1	ST,QL(180 per 30 days)
doxycycline hyclate 75 mg TABLET <b>MO</b>	1	ST,QL(60 per 30 days)
doxycycline hyclate 80 mg TABLET, DR/EC <b>DL</b>	4	ST,QL(60 per 30 days)
doxycycline monohydrate 100 mg, 150 mg, 50 mg, 75 mg TABLET <b>MO</b>	1	
doxycycline monohydrate 100 mg, 50 mg CAPSULE <b>MO</b>	1	
doxycycline monohydrate 150 mg CAPSULE <b>MO</b>	1	QL(30 per 30 days)
doxycycline monohydrate 25 mg/5 ml SUSPENSION FOR RECONSTITUTION <b>MO</b>	1	
doxycycline monohydrate 40 mg CAPSULE, IR/DR, BIPHASIC <b>MO</b>	1	ST,QL(30 per 30 days)
doxycycline monohydrate 75 mg CAPSULE <b>MO</b>	1	QL(60 per 30 days)
E.E.S. 400 400 MG TABLET <b>MO</b>	1	
E.E.S. GRANULES 200 MG/5 ML SUSPENSION FOR RECONSTITUTION <b>MO</b>	3	
ertapenem 1 gram RECON SOLUTION <b>MO</b>	1	
ERY-TAB 250 MG, 333 MG, 500 MG TABLET, DR/EC <b>MO</b>	1	
ERYPED 200 200 MG/5 ML SUSPENSION FOR RECONSTITUTION <b>MO</b>	3	
ERYPED 400 400 MG/5 ML SUSPENSION FOR RECONSTITUTION <b>DL</b>	4	

Need more information about the indicators displayed by the drug names? Please go to page 9. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • MO - Mail Order • PA - Prior Authorization • QL - Quantity Limit • ST - Step Therapy  
\$0 - Vaccine/Diabetic • DL - Dispensing Limit • LA - Limited Access

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
ERYTHROCIN 500 MG RECON SOLUTION <b>MO</b>	1	
ERYTHROCIN (AS STEARATE) 250 MG TABLET <b>MO</b>	1	
erythromycin 250 mg CAPSULE, DR/EC <b>MO</b>	1	
erythromycin 250 mg, 333 mg, 500 mg TABLET, DR/EC <b>MO</b>	1	
erythromycin 250 mg, 500 mg TABLET <b>MO</b>	1	
erythromycin ethylsuccinate 200 mg/5 ml, 400 mg/5 ml SUSPENSION FOR RECONSTITUTION <b>MO</b>	1	
erythromycin ethylsuccinate 400 mg TABLET <b>MO</b>	1	
erythromycin lactobionate 500 mg RECON SOLUTION <b>MO</b>	1	
FETROJA 1 GRAM RECON SOLUTION <b>DL</b>	4	QL(84 per 14 days)
FIRVANQ 25 MG/ML, 50 MG/ML RECON SOLUTION <b>MO</b>	3	
FLAGYL 375 MG CAPSULE <b>MO</b>	3	QL(320 per 30 days)
FLAGYL 500 MG TABLET <b>MO</b>	3	
FORTAZ 1 GRAM, 2 GRAM, 500 MG RECON SOLUTION <b>MO</b>	3	
fosfomycin tromethamine 3 gram PACKET <b>MO</b>	1	
FURADANTIN 25 MG/5 ML SUSPENSION <b>MO</b>	3	
gentamicin 0.1 % CREAM <b>MO</b>	1	
gentamicin 0.1 % OINTMENT <b>MO</b>	1	
gentamicin 20 mg/2 ml, 40 mg/ml SOLUTION <b>MO</b>	1	
gentamicin in nacl (iso-osm) 100 mg/100 ml, 100 mg/50 ml, 120 mg/100 ml, 60 mg/50 ml, 70 mg/50 ml, 80 mg/100 ml, 80 mg/50 ml, 90 mg/100 ml PIGGYBACK <b>MO</b>	1	
gentamicin sulfate (ped) (pf) 20 mg/2 ml SOLUTION <b>MO</b>	1	
gentamicin sulfate (pf) 100 mg/10 ml, 60 mg/6 ml SOLUTION <b>MO</b>	1	
HIPREX 1 GRAM TABLET <b>MO</b>	3	PA
HUMATIN 250 MG CAPSULE <b>DL</b>	4	
imipenem-cilastatin 250 mg, 500 mg RECON SOLUTION <b>MO</b>	1	
INVANZ 1 GRAM RECON SOLUTION <b>MO</b>	3	
KEFLEX 250 MG, 500 MG, 750 MG CAPSULE <b>MO</b>	3	
KIMYRSA 1,200 MG RECON SOLUTION <b>DL</b>	4	QL(1 per 30 days)
KITABIS PAK 300 MG/5 ML SOLUTION FOR NEBULIZATION <b>DL</b>	4	PA
KLARON 10 % SUSPENSION <b>MO</b>	3	QL(118 per 30 days)
levofloxacin 25 mg/ml, 250 mg/10 ml SOLUTION <b>MO</b>	1	
levofloxacin 250 mg, 750 mg TABLET <b>MO</b>	1	
levofloxacin 500 mg TABLET <b>MO</b>	1	
levofloxacin in d5w 250 mg/50 ml, 500 mg/100 ml, 750 mg/150 ml PIGGYBACK <b>MO</b>	1	

Need more information about the indicators displayed by the drug names? Please go to page 9. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • MO – Mail Order • PA - Prior Authorization • QL - Quantity Limit • ST - Step Therapy  
\$0 - Vaccine/Diabetic • DL - Dispensing Limit • LA - Limited Access

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
LINCOCIN 300 MG/ML SOLUTION <b>MO</b>	3	
lincomycin 300 mg/ml SOLUTION <b>MO</b>	1	
linezolid 100 mg/5 ml SUSPENSION FOR RECONSTITUTION <b>DL</b>	4	QL(1800 per 30 days)
linezolid 600 mg TABLET <b>MO</b>	1	QL(60 per 30 days)
linezolid in dextrose 5% 600 mg/300 ml PIGGYBACK <b>MO</b>	1	
linezolid-0.9% sodium chloride 600 mg/300 ml PARENTERAL SOLUTION <b>MO</b>	1	
MACROBID 100 MG CAPSULE <b>MO</b>	3	
MACRODANTIN 100 MG, 25 MG, 50 MG CAPSULE <b>MO</b>	3	
meropenem 1 gram, 500 mg RECON SOLUTION <b>MO</b>	1	
meropenem-0.9% sodium chloride 1 gram/50 ml, 500 mg/50 ml PIGGYBACK <b>MO</b>	1	
MERREM 500 MG RECON SOLUTION <b>MO</b>	3	
methenamine hippurate 1 gram TABLET <b>MO</b>	1	
METRO I.V. 500 MG/100 ML PIGGYBACK <b>MO</b>	3	
METROCREAM 0.75 % CREAM <b>MO</b>	3	PA
METROGEL 1 % GEL <b>MO</b>	3	ST
METROGEL VAGINAL 0.75 % (37.5MG/5 GRAM) GEL <b>MO</b>	3	
METROLOTION 0.75 % LOTION <b>MO</b>	3	PA
metronidazole 0.75 % CREAM <b>MO</b>	1	
metronidazole 0.75 % LOTION <b>MO</b>	1	
metronidazole 0.75 %, 0.75 % (37.5mg/5 gram), 1 % GEL <b>MO</b>	1	
metronidazole 1 % GEL WITH PUMP <b>MO</b>	1	
metronidazole 250 mg TABLET <b>MO</b>	1	
metronidazole 375 mg CAPSULE <b>MO</b>	1	QL(320 per 30 days)
metronidazole 500 mg TABLET <b>MO</b>	1	
metronidazole in nacl (iso-os) 500 mg/100 ml PIGGYBACK <b>MO</b>	1	
MINOCIN 100 MG RECON SOLUTION <b>DL</b>	4	PA
minocycline 100 mg, 50 mg, 75 mg CAPSULE <b>MO</b>	1	
minocycline 100 mg, 50 mg, 75 mg TABLET <b>MO</b>	1	
minocycline 105 mg, 115 mg, 135 mg, 45 mg, 55 mg, 65 mg, 80 mg, 90 mg TABLET, ER 24 HR. <b>MO</b>	1	ST,QL(30 per 30 days)
MINOLIRA ER 105 MG, 135 MG TABLET, IR/ER 24 HR., BIPHASIC <b>MO</b>	3	ST,QL(30 per 30 days)
monodoxe nl 100 mg CAPSULE <b>MO</b>	1	
monodoxe nl 75 mg CAPSULE <b>MO</b>	1	ST,QL(60 per 30 days)
MONODOX 100 MG, 50 MG CAPSULE <b>MO</b>	3	ST
MONODOX 75 MG CAPSULE <b>MO</b>	3	ST,QL(60 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 9. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • MO – Mail Order • PA - Prior Authorization • QL - Quantity Limit • ST - Step Therapy  
\$0 - Vaccine/Diabetic • DL - Dispensing Limit • LA - Limited Access

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
MONUROL 3 GRAM PACKET <b>MO</b>	3	
morgidox 100 mg, 50 mg CAPSULE <b>MO</b>	1	ST
moxifloxacin 400 mg TABLET <b>MO</b>	1	
moxifloxacin-sod.ace,sul-water 400 mg/250 ml PIGGYBACK <b>MO</b>	1	
moxifloxacin-sod.chloride(iso) 400 mg/250 ml PIGGYBACK <b>MO</b>	1	
nafcillin 1 gram, 10 gram, 2 gram RECON SOLUTION <b>MO</b>	1	
nafcillin in dextrose iso-osm 1 gram/50 ml, 2 gram/100 ml PIGGYBACK <b>DL</b>	4	
neomycin 500 mg TABLET <b>MO</b>	1	
nitrofurantoin 25 mg/5 ml SUSPENSION <b>DL</b>	4	
nitrofurantoin macrocrystal 100 mg, 25 mg, 50 mg CAPSULE <b>MO</b>	1	
nitrofurantoin monohyd/m-cryst 100 mg CAPSULE <b>MO</b>	1	
NORITATE 1 % CREAM	4	ST,QL(60 per 30 days)
NUVESSA 1.3 % (65 MG/5 GRAM) GEL <b>MO</b>	3	
NUZYRA 100 MG RECON SOLUTION <b>DL</b>	4	
NUZYRA 150 MG TABLET <b>DL</b>	4	QL(30 per 14 days)
ofloxacin 300 mg, 400 mg TABLET <b>MO</b>	1	
ORACEA 40 MG CAPSULE, IR/DR, BIPHASIC <b>DL</b>	4	ST,QL(30 per 30 days)
ORBACTIV 400 MG RECON SOLUTION <b>DL</b>	4	QL(3 per 28 days)
oxacillin 1 gram, 10 gram, 2 gram RECON SOLUTION <b>MO</b>	1	
oxacillin in dextrose(iso-osm) 1 gram/50 ml, 2 gram/50 ml PIGGYBACK <b>MO</b>	3	
paromomycin 250 mg CAPSULE <b>MO</b>	1	
penicillin g pot in dextrose 1 million unit/50 ml, 2 million unit/50 ml, 3 million unit/50 ml PIGGYBACK <b>MO</b>	3	
penicillin g potassium 20 million unit, 5 million unit RECON SOLUTION <b>MO</b>	1	
penicillin g procaine 1.2 million unit/2 ml, 600,000 unit/ml SYRINGE <b>MO</b>	1	
penicillin g sodium 5 million unit RECON SOLUTION <b>DL</b>	4	
penicillin v potassium 125 mg/5 ml, 250 mg/5 ml RECON SOLUTION <b>MO</b>	1	
penicillin v potassium 250 mg, 500 mg TABLET <b>MO</b>	1	
pfizerpen-g 20 million unit, 5 million unit RECON SOLUTION <b>MO</b>	1	
piperacillin-tazobactam 13.5 gram, 2.25 gram, 3.375 gram, 4.5 gram, 40.5 gram RECON SOLUTION <b>MO</b>	1	
polymyxin b sulfate 500,000 unit RECON SOLUTION <b>MO</b>	1	
PRIMAXIN IV 500 MG RECON SOLUTION <b>MO</b>	3	
PRIMSOL 50 MG/5 ML SOLUTION <b>MO</b>	3	
RECARBRIOTM 1.25 GRAM RECON SOLUTION <b>DL</b>	4	
rosadan 0.75 % CREAM <b>MO</b>	1	ST

Need more information about the indicators displayed by the drug names? Please go to page 9. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • MO – Mail Order • PA - Prior Authorization • QL - Quantity Limit • ST - Step Therapy  
\$0 - Vaccine/Diabetic • DL - Dispensing Limit • LA - Limited Access

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
rosadan 0.75 % GEL <b>MO</b>	1	ST
SEYSARA 100 MG, 150 MG, 60 MG TABLET <b>DL</b>	4	ST,QL(30 per 30 days)
SIVEXTRO 200 MG RECON SOLUTION <b>DL</b>	4	QL(6 per 28 days)
SIVEXTRO 200 MG TABLET <b>DL</b>	4	QL(6 per 28 days)
SOLODYN 105 MG, 115 MG, 55 MG, 65 MG, 80 MG TABLET, ER 24 HR. <b>DL</b>	4	ST,QL(30 per 30 days)
SOLOSEC 2 GRAM DR GRANULES IN PACKET <b>MO</b>	3	PA
streptomycin 1 gram RECON SOLUTION <b>DL</b>	4	
sulfacetamide sodium 10 % OINTMENT <b>MO</b>	1	
sulfacetamide sodium (acne) 10 % SUSPENSION <b>MO</b>	1	QL(118 per 30 days)
sulfadiazine 500 mg TABLET <b>MO</b>	1	
sulfamethoxazole-trimethoprim 200-40 mg/5 ml SUSPENSION <b>MO</b>	1	
sulfamethoxazole-trimethoprim 400-80 mg TABLET <b>MO</b>	1	
sulfamethoxazole-trimethoprim 400-80 mg/5 ml SOLUTION <b>MO</b>	1	
sulfamethoxazole-trimethoprim 800-160 mg TABLET <b>MO</b>	1	
SULFATRIM 200-40 MG/5 ML SUSPENSION <b>MO</b>	3	
SUPRAX 100 MG, 200 MG CHEWABLE TABLET <b>MO</b>	1	
SUPRAX 100 MG/5 ML, 200 MG/5 ML SUSPENSION FOR RECONSTITUTION <b>MO</b>	1	
SUPRAX 400 MG CAPSULE <b>MO</b>	3	
SUPRAX 500 MG/5 ML SUSPENSION FOR RECONSTITUTION <b>MO</b>	3	
SYNERCID 500 MG RECON SOLUTION <b>DL</b>	4	
TARGADOX 50 MG TABLET <b>MO</b>	1	ST,QL(180 per 30 days)
tazicef 1 gram, 2 gram, 6 gram RECON SOLUTION <b>MO</b>	1	
TEFLARO 400 MG, 600 MG RECON SOLUTION <b>DL</b>	4	
tetracycline 250 mg, 500 mg CAPSULE <b>MO</b>	1	
tigecycline 50 mg RECON SOLUTION <b>DL</b>	4	
tinidazole 250 mg, 500 mg TABLET <b>MO</b>	1	
TOBI 300 MG/5 ML SOLUTION FOR NEBULIZATION <b>DL</b>	4	PA
tobramycin 300 mg/4 ml SOLUTION FOR NEBULIZATION <b>DL</b>	4	PA
tobramycin in 0.225 % nacl 300 mg/5 ml SOLUTION FOR NEBULIZATION <b>DL</b>	4	PA
tobramycin sulfate 1.2 gram RECON SOLUTION <b>DL</b>	4	
tobramycin sulfate 10 mg/ml, 40 mg/ml SOLUTION <b>MO</b>	1	
tobramycin with nebulizer 300 mg/5 ml SOLUTION FOR NEBULIZATION <b>DL</b>	4	PA
trimethoprim 100 mg TABLET <b>MO</b>	1	
TYGACIL 50 MG RECON SOLUTION <b>DL</b>	4	
UNASYN 1.5 GRAM, 15 GRAM, 3 GRAM RECON SOLUTION <b>MO</b>	3	
VABOMERE 2 GRAM RECON SOLUTION <b>DL</b>	4	QL(84 per 14 days)

Need more information about the indicators displayed by the drug names? Please go to page 9. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • MO – Mail Order • PA - Prior Authorization • QL - Quantity Limit • ST - Step Therapy  
\$0 - Vaccine/Diabetic • DL - Dispensing Limit • LA - Limited Access

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
VANCOCIN 125 MG CAPSULE <b>MO</b>	3	PA,QL(120 per 30 days)
VANCOCIN 250 MG CAPSULE <b>DL</b>	4	PA,QL(240 per 30 days)
vancomycin 1,000 mg, 1.25 gram, 1.5 gram, 10 gram, 250 mg, 5 gram, 50 mg/ml, 500 mg, 750 mg RECON SOLUTION <b>MO</b>	1	
vancomycin 125 mg CAPSULE <b>MO</b>	1	PA,QL(120 per 30 days)
vancomycin 250 mg CAPSULE <b>MO</b>	1	PA,QL(240 per 30 days)
vancomycin in 0.9 % sodium chl 1 gram/200 ml, 500 mg/100 ml, 750 mg/150 ml PIGGYBACK <b>MO</b>	3	
vancomycin in dextrose 5 % 1 gram/200 ml, 500 mg/100 ml, 750 mg/150 ml PIGGYBACK <b>MO</b>	3	
vancomycin-water inject (peg) 1 gram/200 ml, 1.25 gram/250 ml, 1.5 gram/300 ml, 1.75 gram/350 ml, 2 gram/400 ml, 500 mg/100 ml, 750 mg/150 ml PIGGYBACK <b>MO</b>	3	
VANDAZOLE 0.75 % (37.5MG/5 GRAM) GEL <b>MO</b>	3	
VIBATIV 750 MG RECON SOLUTION <b>DL</b>	4	
VIBRAMYCIN 100 MG CAPSULE <b>MO</b>	3	
VIBRAMYCIN (CALCIUM) 50 MG/5 ML SYRUP <b>MO</b>	3	ST
VIBRAMYCIN (MONO) 25 MG/5 ML SUSPENSION FOR RECONSTITUTION <b>MO</b>	3	ST
XACIATO 2 % GEL <b>MO</b>	3	
XENLETA 150 MG/15 ML SOLUTION <b>DL</b>	4	QL(210 per 7 days)
XENLETA 600 MG TABLET <b>DL</b>	4	QL(10 per 5 days)
XERAVA 100 MG, 50 MG RECON SOLUTION <b>MO</b>	3	
XIMINO 135 MG, 45 MG, 90 MG CAPSULE, ER 24 HR. <b>DL</b>	4	ST,QL(30 per 30 days)
ZEMDRI 50 MG/ML SOLUTION <b>DL</b>	4	
ZERBAXA 1.5 GRAM RECON SOLUTION <b>DL</b>	4	
ZITHROMAX 1 GRAM PACKET <b>MO</b>	3	
ZITHROMAX 100 MG/5 ML, 200 MG/5 ML SUSPENSION FOR RECONSTITUTION <b>MO</b>	3	
ZITHROMAX 250 MG, 500 MG TABLET <b>MO</b>	3	
ZITHROMAX 500 MG RECON SOLUTION <b>MO</b>	3	
ZITHROMAX TRI-PAK 500 MG TABLET <b>MO</b>	3	
ZITHROMAX Z-PAK 250 MG TABLET <b>MO</b>	3	
ZOSYN IN DEXTROSE (ISO-OSM) 2.25 GRAM/50 ML, 3.375 GRAM/50 ML, 4.5 GRAM/100 ML PIGGYBACK <b>MO</b>	3	
ZYVOX 100 MG/5 ML SUSPENSION FOR RECONSTITUTION <b>DL</b>	4	PA,QL(1800 per 30 days)
ZYVOX 200 MG/100 ML, 600 MG/300 ML PIGGYBACK <b>MO</b>	3	
ZYVOX 600 MG TABLET <b>DL</b>	4	PA,QL(60 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 9. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • MO – Mail Order • PA - Prior Authorization • QL - Quantity Limit • ST - Step Therapy  
\$0 - Vaccine/Diabetic • DL - Dispensing Limit • LA - Limited Access

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
<b>Anticonvulsants</b>		
APTIOM 200 MG, 400 MG TABLET	4	PA,QL(30 per 30 days)
APTIOM 600 MG, 800 MG TABLET	4	PA,QL(60 per 30 days)
BANZEL 200 MG TABLET <b>DL</b>	4	PA,QL(480 per 30 days)
BANZEL 40 MG/ML SUSPENSION <b>DL</b>	4	PA,QL(2760 per 30 days)
BANZEL 400 MG TABLET <b>DL</b>	4	PA,QL(240 per 30 days)
BRIVIACT 10 MG, 100 MG, 25 MG, 50 MG, 75 MG TABLET	4	PA,QL(60 per 30 days)
BRIVIACT 10 MG/ML SOLUTION	4	PA,QL(600 per 30 days)
BRIVIACT 50 MG/5 ML SOLUTION	4	PA
carbamazepine 100 mg CHEWABLE TABLET <b>MO</b>	1	
carbamazepine 100 mg, 200 mg TABLET, ER 12 HR. <b>MO</b>	1	QL(120 per 30 days)
carbamazepine 100 mg, 200 mg, 300 mg CAPSULE ER MULTIPHASE 12 HR. <b>MO</b>	1	
carbamazepine 100 mg/5 ml, 200 mg/10 ml SUSPENSION <b>MO</b>	1	
carbamazepine 200 mg TABLET <b>MO</b>	1	
carbamazepine 400 mg TABLET, ER 12 HR. <b>MO</b>	1	QL(225 per 30 days)
CARBATROL 100 MG, 200 MG, 300 MG CAPSULE ER MULTIPHASE 12 HR. <b>MO</b>	3	
CELONTIN 300 MG CAPSULE <b>MO</b>	3	
CEREBYX 100 MG PE/2 ML, 500 MG PE/10 ML SOLUTION <b>MO</b>	3	
clobazam 10 mg, 20 mg TABLET <b>DL</b>	1	PA
clobazam 2.5 mg/ml SUSPENSION <b>DL</b>	1	PA
DEPAKOTE 125 MG, 250 MG, 500 MG TABLET, DR/EC <b>MO</b>	3	
DEPAKOTE ER 250 MG, 500 MG TABLET, ER 24 HR. <b>MO</b>	3	
DEPAKOTE SPRINKLES 125 MG CAPSULE, DR SPRINKLE <b>MO</b>	3	
DIACOMIT 250 MG, 500 MG CAPSULE <b>DL</b>	4	PA,QL(180 per 30 days)
DIACOMIT 250 MG, 500 MG POWDER IN PACKET <b>DL</b>	4	PA,QL(180 per 30 days)
DIASTAT 2.5 MG KIT <b>DL</b>	3	PA
DIASTAT ACUDIAL 12.5-15-17.5-20 MG, 5-7.5-10 MG KIT <b>DL</b>	3	PA
diazepam 12.5-15-17.5-20 mg, 2.5 mg, 5-7.5-10 mg KIT <b>DL</b>	1	
DILANTIN 30 MG CAPSULE <b>MO</b>	1	PA
DILANTIN EXTENDED 100 MG CAPSULE <b>MO</b>	1	PA
DILANTIN INFATABS 50 MG CHEWABLE TABLET <b>MO</b>	1	
DILANTIN-125 125 MG/5 ML SUSPENSION <b>MO</b>	3	
divalproex 125 mg CAPSULE, DR SPRINKLE <b>MO</b>	1	
divalproex 125 mg, 250 mg, 500 mg TABLET, DR/EC <b>MO</b>	1	
divalproex 250 mg, 500 mg TABLET, ER 24 HR. <b>MO</b>	1	
EPIDIOLEX 100 MG/ML SOLUTION <b>DL</b>	4	PA

Need more information about the indicators displayed by the drug names? Please go to page 9. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • MO – Mail Order • PA - Prior Authorization • QL - Quantity Limit • ST - Step Therapy  
\$0 - Vaccine/Diabetic • DL - Dispensing Limit • LA - Limited Access

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
epitol 200 mg TABLET <b>MO</b>	1	
EQUETRO 100 MG, 200 MG, 300 MG CAPSULE ER MULTIPHASE 12 HR. <b>MO</b>	3	PA
ethosuximide 250 mg CAPSULE <b>MO</b>	1	
ethosuximide 250 mg/5 ml SOLUTION <b>MO</b>	1	
felbamate 400 mg, 600 mg TABLET <b>MO</b>	1	
felbamate 600 mg/5 ml SUSPENSION <b>MO</b>	1	
FELBATOL 400 MG, 600 MG TABLET	4	PA
FELBATOL 600 MG/5 ML SUSPENSION	4	PA
FINTEPLA 2.2 MG/ML SOLUTION <b>DL,LA</b>	4	PA,QL(360 per 30 days)
fosphenytoin 100 mg pe/2 ml, 500 mg pe/10 ml SOLUTION <b>MO</b>	1	
FYCOMPA 0.5 MG/ML SUSPENSION	4	PA,QL(680 per 28 days)
FYCOMPA 10 MG, 12 MG, 4 MG, 6 MG, 8 MG TABLET	4	PA,QL(30 per 30 days)
FYCOMPA 2 MG TABLET <b>MO</b>	3	PA,QL(30 per 30 days)
gabapentin 100 mg, 300 mg, 400 mg CAPSULE <b>MO</b>	1	QL(270 per 30 days)
gabapentin 250 mg/5 ml, 250 mg/5 ml (5 ml), 300 mg/6 ml (6 ml) SOLUTION <b>MO</b>	1	QL(2250 per 30 days)
gabapentin 600 mg, 800 mg TABLET <b>MO</b>	1	QL(180 per 30 days)
GABITRIL 12 MG, 16 MG, 2 MG, 4 MG TABLET	4	PA
KEPPRA 1,000 MG, 250 MG, 500 MG, 750 MG TABLET	4	PA
KEPPRA 100 MG/ML, 500 MG/5 ML SOLUTION	4	PA
KEPPRA XR 500 MG TABLET, ER 24 HR.	4	PA,QL(180 per 30 days)
KEPPRA XR 750 MG TABLET, ER 24 HR.	4	PA,QL(120 per 30 days)
lacosamide 10 mg/ml SOLUTION <b>MO</b>	1	QL(1395 per 30 days)
lacosamide 100 mg, 150 mg, 200 mg, 50 mg TABLET <b>MO</b>	1	QL(60 per 30 days)
lacosamide 200 mg/20 ml SOLUTION <b>MO</b>	1	
LAMICTAL 100 MG, 150 MG, 200 MG, 25 MG TABLET	4	
LAMICTAL 25 MG, 5 MG TABLET, CHEWABLE DISPERSIBLE	4	
LAMICTAL ODT 100 MG, 200 MG, 25 MG, 50 MG TABLET, DISINTEGRATING	4	
LAMICTAL ODT STARTER (BLUE) 25 MG (21) -50 MG (7) TABLET, DISINTEGRATING,DOSE PK	4	
LAMICTAL ODT STARTER (GREEN) 50 MG (42) -100 MG (14) TABLET, DISINTEGRATING,DOSE PK	4	
LAMICTAL ODT STARTER (ORANGE) 25 MG(14)-50 MG (14)-100 MG (7) TABLET, DISINTEGRATING,DOSE PK	4	
LAMICTAL STARTER (BLUE) KIT 25 MG (35) TABLET, DOSE PACK <b>MO</b>	3	
LAMICTAL STARTER (GREEN) KIT 25 MG (84) -100 MG (14) TABLET, DOSE PACK <b>MO</b>	3	

Need more information about the indicators displayed by the drug names? Please go to page 9. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • MO - Mail Order • PA - Prior Authorization • QL - Quantity Limit • ST - Step Therapy  
\$0 - Vaccine/Diabetic • DL - Dispensing Limit • LA - Limited Access

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
LAMICTAL STARTER (ORANGE) KIT 25 MG (42) -100 MG (7) TABLET, DOSE PACK <b>MO</b>	3	
LAMICTAL XR 100 MG, 200 MG, 25 MG, 250 MG, 300 MG, 50 MG TABLET, ER 24 HR.	4	
LAMICTAL XR STARTER (BLUE) 25 MG (21) -50 MG (7) TABLET, ER, DOSE PACK <b>MO</b>	3	
LAMICTAL XR STARTER (GREEN) 50 MG(14)-100MG (14)-200 MG (7) TABLET, ER, DOSE PACK <b>MO</b>	3	
LAMICTAL XR STARTER (ORANGE) 25MG (14)-50 MG (14)-100MG (7) TABLET, ER, DOSE PACK <b>MO</b>	3	
lamotrigine 100 mg, 200 mg TABLET <b>MO</b>	1	
lamotrigine 100 mg, 200 mg, 25 mg, 250 mg, 300 mg, 50 mg TABLET, ER 24 HR. <b>MO</b>	1	
lamotrigine 100 mg, 200 mg, 25 mg, 50 mg TABLET, DISINTEGRATING <b>MO</b>	1	
lamotrigine 150 mg, 25 mg TABLET <b>MO</b>	1	
lamotrigine 25 mg (21) -50 mg (7), 25 mg(14)-50 mg (14)-100 mg (7), 50 mg (42) -100 mg (14) TABLET, DISINTEGRATING,DOSE PK <b>MO</b>	1	
lamotrigine 25 mg (35), 25 mg (42) -100 mg (7), 25 mg (84) -100 mg (14) TABLET, DOSE PACK <b>MO</b>	1	
lamotrigine 25 mg, 5 mg TABLET, CHEWABLE DISPERSIBLE <b>MO</b>	1	
levetiracetam 1,000 mg, 250 mg, 750 mg TABLET <b>MO</b>	1	
levetiracetam 100 mg/ml, 500 mg/5 ml SOLUTION <b>MO</b>	1	
levetiracetam 500 mg TABLET <b>MO</b>	1	
levetiracetam 500 mg TABLET, ER 24 HR. <b>MO</b>	1	QL(180 per 30 days)
levetiracetam 500 mg/5 ml (5 ml) SOLUTION <b>MO</b>	1	QL(900 per 30 days)
levetiracetam 750 mg TABLET, ER 24 HR. <b>MO</b>	1	QL(120 per 30 days)
levetiracetam in nacl (iso-os) 1,000 mg/100 ml, 1,500 mg/100 ml, 500 mg/100 ml PIGGYBACK <b>MO</b>	1	
MYSOLINE 250 MG, 50 MG TABLET <b>DL</b>	4	PA
NAYZILAM 5 MG/SPRAY (0.1 ML) SPRAY, NON-AEROSOL <b>DL</b>	3	QL(10 per 30 days)
NEMBUTAL SODIUM 50 MG/ML SOLUTION <b>MO</b>	1	
NEURONTIN 100 MG, 300 MG, 400 MG CAPSULE <b>MO</b>	3	PA,QL(270 per 30 days)
NEURONTIN 250 MG/5 ML SOLUTION <b>DL</b>	4	PA,QL(2250 per 30 days)
NEURONTIN 600 MG, 800 MG TABLET	4	PA,QL(180 per 30 days)
ONFI 10 MG, 20 MG TABLET	4	PA
ONFI 2.5 MG/ML SUSPENSION	4	PA
oxcarbazepine 150 mg, 300 mg, 600 mg TABLET <b>MO</b>	1	

Need more information about the indicators displayed by the drug names? Please go to page 9. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • MO – Mail Order • PA - Prior Authorization • QL - Quantity Limit • ST - Step Therapy  
\$0 - Vaccine/Diabetic • DL - Dispensing Limit • LA - Limited Access

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
oxcarbazepine 300 mg/5 ml (60 mg/ml) SUSPENSION <b>MO</b>	1	
OXTELLAR XR 150 MG, 300 MG, 600 MG TABLET, ER 24 HR.	4	ST
pentobarbital sodium 50 mg/ml SOLUTION <b>MO</b>	1	
phenobarbital 100 mg, 16.2 mg, 32.4 mg, 64.8 mg, 97.2 mg TABLET <b>MO</b>	1	QL(90 per 30 days)
phenobarbital 15 mg, 60 mg TABLET <b>MO</b>	1	QL(120 per 30 days)
phenobarbital 20 mg/5 ml (4 mg/ml) ELIXIR <b>MO</b>	1	QL(1500 per 30 days)
phenobarbital 30 mg TABLET <b>MO</b>	1	QL(300 per 30 days)
phenobarbital sodium 130 mg/ml, 65 mg/ml SOLUTION <b>DL</b>	4	
PHENYTEK 200 MG, 300 MG CAPSULE <b>MO</b>	1	
phenytoin 100 mg/4 ml, 125 mg/5 ml SUSPENSION <b>MO</b>	1	
phenytoin 50 mg CHEWABLE TABLET <b>MO</b>	1	
phenytoin sodium 50 mg/ml SOLUTION <b>MO</b>	1	
phenytoin sodium 50 mg/ml SYRINGE <b>MO</b>	1	
phenytoin sodium extended 100 mg, 200 mg, 300 mg CAPSULE <b>MO</b>	1	
primidone 250 mg TABLET <b>MO</b>	1	
primidone 50 mg TABLET <b>MO</b>	1	
roweepra 1,000 mg, 500 mg, 750 mg TABLET <b>MO</b>	1	
roweepra xr 500 mg TABLET, ER 24 HR. <b>MO</b>	1	QL(180 per 30 days)
roweepra xr 750 mg TABLET, ER 24 HR. <b>MO</b>	1	QL(120 per 30 days)
rufinamide 200 mg TABLET <b>MO</b>	1	PA,QL(480 per 30 days)
rufinamide 40 mg/ml SUSPENSION <b>MO</b>	1	PA,QL(2760 per 30 days)
rufinamide 400 mg TABLET <b>DL</b>	4	PA,QL(240 per 30 days)
SABRIL 500 MG POWDER IN PACKET	4	PA,QL(180 per 30 days)
SABRIL 500 MG TABLET	4	PA,QL(180 per 30 days)
SECONAL SODIUM 100 MG CAPSULE <b>DL</b>	4	QL(90 per 30 days)
SPRITAM 1,000 MG TABLET FOR SUSPENSION <b>MO</b>	3	ST,QL(90 per 30 days)
SPRITAM 250 MG TABLET FOR SUSPENSION <b>MO</b>	3	ST,QL(360 per 30 days)
SPRITAM 500 MG TABLET FOR SUSPENSION <b>MO</b>	3	ST,QL(180 per 30 days)
SPRITAM 750 MG TABLET FOR SUSPENSION <b>MO</b>	3	ST,QL(120 per 30 days)
subvenite 100 mg, 150 mg, 200 mg, 25 mg TABLET <b>MO</b>	1	
subvenite starter (blue) kit 25 mg (35) TABLET, DOSE PACK <b>MO</b>	1	
subvenite starter (green) kit 25 mg (84) -100 mg (14) TABLET, DOSE PACK <b>MO</b>	1	
subvenite starter (orange) kit 25 mg (42) -100 mg (7) TABLET, DOSE PACK <b>MO</b>	1	
SYMPAZAN 10 MG, 20 MG, 5 MG FILM	4	PA,QL(60 per 30 days)
TEGRETOL 100 MG/5 ML SUSPENSION <b>MO</b>	3	
TEGRETOL 200 MG TABLET <b>MO</b>	3	

Need more information about the indicators displayed by the drug names? Please go to page 9. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • MO – Mail Order • PA - Prior Authorization • QL - Quantity Limit • ST - Step Therapy  
\$0 - Vaccine/Diabetic • DL - Dispensing Limit • LA - Limited Access

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
TEGRETOL XR 100 MG, 200 MG TABLET, ER 12 HR. <b>MO</b>	3	QL(120 per 30 days)
TEGRETOL XR 400 MG TABLET, ER 12 HR. <b>MO</b>	3	QL(225 per 30 days)
tiagabine 12 mg, 16 mg, 2 mg, 4 mg TABLET <b>MO</b>	1	
TRILEPTAL 150 MG, 300 MG, 600 MG TABLET	4	PA
TRILEPTAL 300 MG/5 ML (60 MG/ML) SUSPENSION	4	PA
valproate sodium 500 mg/5 ml (100 mg/ml) SOLUTION <b>MO</b>	1	
valproic acid 250 mg CAPSULE <b>MO</b>	1	
valproic acid (as sodium salt) 250 mg/5 ml, 250 mg/5 ml (5 ml), 500 mg/10 ml (10 ml) SOLUTION <b>MO</b>	1	
VALTOCO 10 MG/SPRAY (0.1 ML), 15 MG/2 SPRAY (7.5/0.1ML X 2), 20 MG/2 SPRAY (10MG/0.1ML X2), 5 MG/SPRAY (0.1 ML) SPRAY, NON-AEROSOL <b>DL</b>	4	QL(10 per 30 days)
vigabatrin 500 mg POWDER IN PACKET <b>DL</b>	4	PA,QL(180 per 30 days)
vigabatrin 500 mg TABLET <b>DL</b>	4	PA,QL(180 per 30 days)
vigadron 500 mg POWDER IN PACKET	4	PA,QL(180 per 30 days)
VIMPAT 10 MG/ML SOLUTION <b>DL</b>	4	PA,QL(1395 per 30 days)
VIMPAT 100 MG, 150 MG, 200 MG TABLET <b>DL</b>	4	PA,QL(60 per 30 days)
VIMPAT 200 MG/20 ML SOLUTION <b>DL</b>	4	PA
VIMPAT 50 MG TABLET <b>MO</b>	3	PA,QL(60 per 30 days)
XCOPRI 100 MG, 50 MG TABLET	4	QL(30 per 30 days)
XCOPRI 150 MG, 200 MG TABLET	4	QL(60 per 30 days)
XCOPRI MAINTENANCE PACK 250 MG/DAY (200 MG X1-50 MG X1), 350 MG/DAY (200 MG X1-150MG X1) TABLET	4	QL(56 per 28 days)
XCOPRI MAINTENANCE PACK 250MG/DAY(150 MG X1-100MG X1) TABLET <b>DL</b>	4	QL(56 per 28 days)
XCOPRI TITRATION PACK 12.5 MG (14)- 25 MG (14) TABLET, DOSE PACK <b>MO</b>	3	QL(28 per 28 days)
XCOPRI TITRATION PACK 150 MG (14)- 200 MG (14), 50 MG (14)- 100 MG (14) TABLET, DOSE PACK	4	QL(28 per 28 days)
ZARONTIN 250 MG CAPSULE <b>MO</b>	3	
ZARONTIN 250 MG/5 ML SOLUTION <b>MO</b>	1	
ZONEGRAN 100 MG, 25 MG CAPSULE	4	PA
ZONISADE 100 MG/5 ML SUSPENSION <b>DL</b>	4	PA,QL(900 per 30 days)
zonisamide 100 mg, 25 mg, 50 mg CAPSULE <b>MO</b>	1	
ZTALMY 50 MG/ML SUSPENSION <b>DL</b>	4	PA,QL(1080 per 30 days)
<b>Antidementia Agents</b>		
ADLARITY 10 MG/24 HOUR, 5 MG/24 HOUR PATCH, WEEKLY <b>MO</b>	3	ST,QL(4 per 28 days)
ARICEPT 10 MG TABLET <b>MO</b>	3	PA,QL(60 per 30 days)
ARICEPT 23 MG, 5 MG TABLET <b>MO</b>	3	PA,QL(30 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 9. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • MO – Mail Order • PA - Prior Authorization • QL - Quantity Limit • ST - Step Therapy  
\$0 - Vaccine/Diabetic • DL - Dispensing Limit • LA - Limited Access

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
donepezil 10 mg TABLET <b>MO</b>	1	QL(60 per 30 days)
donepezil 10 mg, 5 mg TABLET, DISINTEGRATING <b>MO</b>	1	QL(30 per 30 days)
donepezil 23 mg TABLET <b>MO</b>	1	QL(30 per 30 days)
donepezil 5 mg TABLET <b>MO</b>	1	QL(30 per 30 days)
ergoloid 1 mg TABLET <b>MO</b>	1	
EXELON PATCH 13.3 MG/24 HOUR, 4.6 MG/24 HOUR, 9.5 MG/24 HOUR PATCH, 24 HR. <b>MO</b>	3	PA,QL(30 per 30 days)
galantamine 12 mg, 4 mg, 8 mg TABLET <b>MO</b>	1	QL(60 per 30 days)
galantamine 16 mg, 24 mg, 8 mg CAPSULE ER PELLETS 24 HR. <b>MO</b>	1	QL(30 per 30 days)
galantamine 4 mg/ml SOLUTION <b>MO</b>	1	QL(200 per 30 days)
memantine 10 mg, 5 mg TABLET <b>MO</b>	1	PA,QL(60 per 30 days)
memantine 14 mg, 21 mg, 28 mg, 7 mg CAPSULE ER SPRINKLE 24 HR. <b>MO</b>	1	PA,QL(30 per 30 days)
memantine 2 mg/ml SOLUTION <b>MO</b>	1	PA,QL(360 per 30 days)
memantine 5-10 mg TABLET, DOSE PACK <b>MO</b>	1	PA,QL(98 per 30 days)
NAMENDA 10 MG, 5 MG TABLET <b>MO</b>	3	PA,QL(60 per 30 days)
NAMENDA TITRATION PAK 5-10 MG TABLET, DOSE PACK <b>MO</b>	3	PA,QL(98 per 30 days)
NAMENDA XR 14 MG, 21 MG, 28 MG, 7 MG CAPSULE ER SPRINKLE 24 HR. <b>MO</b>	3	PA,QL(30 per 30 days)
NAMENDA XR 7-14-21-28 MG CAPSULE ER SPRINKLE 24 HR. <b>MO</b>	3	PA,QL(28 per 28 days)
NAMZARIC 14-10 MG, 21-10 MG, 28-10 MG, 7-10 MG CAPSULE ER SPRINKLE 24 HR. <b>MO</b>	2	QL(30 per 30 days)
NAMZARIC 7/14/21/28 MG-10 MG CAPSULE ER SPRINKLE 24 HR. <b>MO</b>	2	QL(28 per 28 days)
RAZADYNE ER 16 MG, 24 MG, 8 MG CAPSULE ER PELLETS 24 HR. <b>MO</b>	3	PA,QL(30 per 30 days)
rivastigmine 13.3 mg/24 hour, 4.6 mg/24 hour, 9.5 mg/24 hour PATCH, 24 HR. <b>MO</b>	1	QL(30 per 30 days)
rivastigmine tartrate 1.5 mg, 3 mg CAPSULE <b>MO</b>	1	QL(90 per 30 days)
rivastigmine tartrate 4.5 mg, 6 mg CAPSULE <b>MO</b>	1	QL(60 per 30 days)
<b>Antidepressants</b>		
amitriptyline 10 mg, 100 mg, 150 mg, 50 mg, 75 mg TABLET <b>MO</b>	1	
amitriptyline 25 mg TABLET <b>MO</b>	1	
amitriptyline-chlordiazepoxide 12.5-5 mg, 25-10 mg TABLET <b>DL</b>	1	
amoxapine 100 mg, 150 mg, 25 mg, 50 mg TABLET <b>MO</b>	1	
ANAFRANIL 25 MG, 50 MG, 75 MG CAPSULE	4	
APLENZIN 174 MG, 348 MG, 522 MG TABLET, ER 24 HR.	4	ST,QL(30 per 30 days)
AUVELITY 45-105 MG TABLET, IR/ER, BIPHASIC <b>DL</b>	4	PA,QL(60 per 30 days)
BRISDELLE 7.5 MG CAPSULE <b>MO</b>	3	QL(30 per 30 days)
bupropion hcl 100 mg TABLET, SR 12 HR. <b>MO</b>	1	QL(120 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 9. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • MO – Mail Order • PA - Prior Authorization • QL - Quantity Limit • ST - Step Therapy  
\$0 - Vaccine/Diabetic • DL - Dispensing Limit • LA - Limited Access

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
bupropion hcl 100 mg, 75 mg TABLET <b>MO</b>	1	QL(180 per 30 days)
bupropion hcl 150 mg TABLET, ER 24 HR. <b>MO</b>	1	QL(90 per 30 days)
bupropion hcl 150 mg TABLET, SR 12 HR. <b>MO</b>	1	QL(90 per 30 days)
bupropion hcl 200 mg TABLET, SR 12 HR. <b>MO</b>	1	QL(60 per 30 days)
bupropion hcl 300 mg TABLET, ER 24 HR. <b>MO</b>	1	QL(60 per 30 days)
bupropion hcl 450 mg TABLET, ER 24 HR. <b>MO</b>	1	ST,QL(30 per 30 days)
CELEXA 10 MG, 40 MG TABLET <b>MO</b>	3	PA,QL(30 per 30 days)
CELEXA 20 MG TABLET <b>MO</b>	3	PA,QL(60 per 30 days)
citalopram 10 mg, 40 mg TABLET <b>MO</b>	1	QL(30 per 30 days)
citalopram 10 mg/5 ml SOLUTION <b>MO</b>	1	
citalopram 20 mg TABLET <b>MO</b>	1	QL(60 per 30 days)
CITALOPRAM 30 MG CAPSULE <b>MO</b>	3	QL(30 per 30 days)
clomipramine 25 mg, 50 mg, 75 mg CAPSULE <b>MO</b>	1	
CYMBALTA 20 MG, 60 MG CAPSULE, DR/EC <b>MO</b>	3	PA,QL(60 per 30 days)
CYMBALTA 30 MG CAPSULE, DR/EC <b>MO</b>	3	PA,QL(90 per 30 days)
desipramine 10 mg, 100 mg, 150 mg, 25 mg, 50 mg, 75 mg TABLET <b>MO</b>	1	
desvenlafaxine 100 mg, 50 mg TABLET, ER 24 HR. <b>MO</b>	3	ST,QL(30 per 30 days)
desvenlafaxine succinate 100 mg, 25 mg, 50 mg TABLET, ER 24 HR. <b>MO</b>	1	QL(30 per 30 days)
DRIZALMA SPRINKLE 20 MG, 30 MG, 40 MG, 60 MG CAPSULE, DR SPRINKLE <b>MO</b>	3	PA,QL(60 per 30 days)
duloxetine 20 mg, 60 mg CAPSULE, DR/EC <b>MO</b>	1	QL(60 per 30 days)
duloxetine 30 mg CAPSULE, DR/EC <b>MO</b>	1	QL(90 per 30 days)
duloxetine 40 mg CAPSULE, DR/EC <b>MO</b>	1	QL(60 per 30 days)
EFFEXOR XR 150 MG CAPSULE, ER 24 HR.	4	PA,QL(60 per 30 days)
EFFEXOR XR 37.5 MG CAPSULE, ER 24 HR. <b>MO</b>	3	PA,QL(90 per 30 days)
EFFEXOR XR 75 MG CAPSULE, ER 24 HR.	4	PA,QL(90 per 30 days)
EMSAM 12 MG/24 HR, 6 MG/24 HR, 9 MG/24 HR PATCH, 24 HR.	4	PA,QL(30 per 30 days)
escitalopram oxalate 10 mg TABLET <b>MO</b>	1	QL(45 per 30 days)
escitalopram oxalate 20 mg, 5 mg TABLET <b>MO</b>	1	QL(30 per 30 days)
escitalopram oxalate 5 mg/5 ml SOLUTION <b>MO</b>	1	QL(600 per 30 days)
FETZIMA 120 MG, 20 MG, 40 MG, 80 MG CAPSULE, ER 24 HR. <b>MO</b>	3	PA,QL(30 per 30 days)
FETZIMA 20 MG (2)- 40 MG (26) CAPSULE, ER 24 HR. <b>MO</b>	3	PA,QL(28 per 28 days)
fluoxetine 10 mg CAPSULE <b>MO</b>	1	QL(60 per 30 days)
fluoxetine 10 mg TABLET <b>MO</b>	1	QL(240 per 30 days)
fluoxetine 20 mg CAPSULE <b>MO</b>	1	QL(120 per 30 days)
fluoxetine 20 mg TABLET <b>MO</b>	1	QL(120 per 30 days)
fluoxetine 20 mg/5 ml (4 mg/ml) SOLUTION <b>MO</b>	1	

Need more information about the indicators displayed by the drug names? Please go to page 9. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • MO - Mail Order • PA - Prior Authorization • QL - Quantity Limit • ST - Step Therapy  
\$0 - Vaccine/Diabetic • DL - Dispensing Limit • LA - Limited Access

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
fluoxetine 40 mg CAPSULE <b>MO</b>	1	QL(60 per 30 days)
fluoxetine 60 mg TABLET <b>MO</b>	1	QL(30 per 30 days)
fluoxetine 90 mg CAPSULE, DR/EC <b>MO</b>	1	QL(4 per 28 days)
fluvoxamine 100 mg, 150 mg CAPSULE, ER 24 HR. <b>MO</b>	1	QL(60 per 30 days)
fluvoxamine 100 mg, 25 mg, 50 mg TABLET <b>MO</b>	1	QL(90 per 30 days)
FORFIVO XL 450 MG TABLET, ER 24 HR. <b>MO</b>	3	ST,QL(30 per 30 days)
imipramine hcl 10 mg TABLET <b>MO</b>	1	
imipramine hcl 25 mg, 50 mg TABLET <b>MO</b>	1	
imipramine pamoate 100 mg, 125 mg, 150 mg, 75 mg CAPSULE <b>MO</b>	1	
LEXAPRO 10 MG TABLET <b>MO</b>	3	PA,QL(45 per 30 days)
LEXAPRO 20 MG, 5 MG TABLET <b>MO</b>	3	PA,QL(30 per 30 days)
MARPLAN 10 MG TABLET <b>MO</b>	3	
mirtazapine 15 mg, 30 mg, 45 mg TABLET, DISINTEGRATING <b>MO</b>	1	QL(30 per 30 days)
mirtazapine 15 mg, 30 mg, 7.5 mg TABLET <b>MO</b>	1	
mirtazapine 45 mg TABLET <b>MO</b>	1	
NARDIL 15 MG TABLET <b>MO</b>	3	
nefazodone 100 mg, 150 mg, 200 mg, 250 mg, 50 mg TABLET <b>MO</b>	1	
NORPRAMIN 10 MG, 25 MG TABLET <b>MO</b>	3	
nortriptyline 10 mg, 25 mg, 50 mg, 75 mg CAPSULE <b>MO</b>	1	
nortriptyline 10 mg/5 ml SOLUTION <b>MO</b>	1	
olanzapine-fluoxetine 12-25 mg, 12-50 mg, 3-25 mg, 6-25 mg, 6-50 mg CAPSULE <b>MO</b>	1	QL(30 per 30 days)
PAMELOR 10 MG, 25 MG, 50 MG, 75 MG CAPSULE	4	
PARNATE 10 MG TABLET	4	
paroxetine hcl 10 mg TABLET <b>MO</b>	1	QL(30 per 30 days)
paroxetine hcl 10 mg/5 ml SUSPENSION <b>MO</b>	1	
paroxetine hcl 12.5 mg, 37.5 mg TABLET, ER 24 HR. <b>MO</b>	1	QL(60 per 30 days)
paroxetine hcl 20 mg TABLET <b>MO</b>	1	QL(30 per 30 days)
paroxetine hcl 25 mg TABLET, ER 24 HR. <b>MO</b>	1	QL(90 per 30 days)
paroxetine hcl 30 mg, 40 mg TABLET <b>MO</b>	1	QL(60 per 30 days)
paroxetine mesylate(menop.sym) 7.5 mg CAPSULE <b>MO</b>	1	QL(30 per 30 days)
PAXIL 10 MG, 20 MG TABLET <b>MO</b>	3	QL(30 per 30 days)
PAXIL 10 MG/5 ML SUSPENSION <b>MO</b>	3	
PAXIL 30 MG, 40 MG TABLET <b>MO</b>	3	QL(60 per 30 days)
PAXIL CR 12.5 MG, 37.5 MG TABLET, ER 24 HR. <b>MO</b>	3	QL(60 per 30 days)
PAXIL CR 25 MG TABLET, ER 24 HR. <b>MO</b>	3	QL(90 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 9. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • MO - Mail Order • PA - Prior Authorization • QL - Quantity Limit • ST - Step Therapy  
\$0 - Vaccine/Diabetic • DL - Dispensing Limit • LA - Limited Access

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
perphenazine-amitriptyline 2-10 mg, 2-25 mg, 4-10 mg, 4-25 mg, 4-50 mg TABLET <b>MO</b>	1	
PEXEVA 10 MG, 20 MG TABLET <b>MO</b>	3	QL(30 per 30 days)
PEXEVA 30 MG, 40 MG TABLET <b>MO</b>	3	QL(60 per 30 days)
phenelzine 15 mg TABLET <b>MO</b>	1	
PRISTIQ 100 MG, 25 MG, 50 MG TABLET, ER 24 HR. <b>MO</b>	3	PA,QL(30 per 30 days)
protriptyline 10 mg, 5 mg TABLET <b>MO</b>	1	
PROZAC 10 MG, 40 MG CAPSULE	4	PA,QL(60 per 30 days)
PROZAC 20 MG CAPSULE	4	PA,QL(120 per 30 days)
REMERON 15 MG, 30 MG TABLET <b>MO</b>	3	
REMERON SOLTAB 15 MG, 30 MG, 45 MG TABLET, DISINTEGRATING <b>MO</b>	3	QL(30 per 30 days)
sertraline 100 mg TABLET <b>MO</b>	1	QL(60 per 30 days)
SERTRALINE 150 MG, 200 MG CAPSULE <b>MO</b>	3	QL(30 per 30 days)
sertraline 20 mg/ml CONCENTRATE <b>MO</b>	1	
sertraline 25 mg, 50 mg TABLET <b>MO</b>	1	QL(90 per 30 days)
SYMBYAX 12-50 MG, 3-25 MG, 6-25 MG, 6-50 MG CAPSULE <b>MO</b>	3	PA,QL(30 per 30 days)
tranylcypromine 10 mg TABLET <b>MO</b>	1	
trazodone 100 mg, 150 mg, 50 mg TABLET <b>MO</b>	1	
trazodone 300 mg TABLET <b>MO</b>	1	
trimipramine 100 mg, 25 mg, 50 mg CAPSULE <b>MO</b>	1	
TRINTELLIX 10 MG, 20 MG, 5 MG TABLET <b>MO</b>	3	ST,QL(30 per 30 days)
venlafaxine 100 mg, 25 mg, 37.5 mg, 50 mg, 75 mg TABLET <b>MO</b>	1	
venlafaxine 150 mg CAPSULE, ER 24 HR. <b>MO</b>	1	QL(60 per 30 days)
venlafaxine 150 mg, 225 mg, 37.5 mg TABLET, ER 24 HR. <b>MO</b>	1	QL(30 per 30 days)
venlafaxine 37.5 mg CAPSULE, ER 24 HR. <b>MO</b>	1	QL(90 per 30 days)
venlafaxine 75 mg CAPSULE, ER 24 HR. <b>MO</b>	1	QL(90 per 30 days)
venlafaxine 75 mg TABLET, ER 24 HR. <b>MO</b>	1	QL(60 per 30 days)
VENLAFAKINE BESYLATE 112.5 MG TABLET, ER 24 HR. <b>MO</b>	3	QL(60 per 30 days)
VIIBRYD 10 MG (7)-20 MG (23) TABLET, DOSE PACK <b>MO</b>	3	PA,QL(30 per 30 days)
VIIBRYD 10 MG, 20 MG, 40 MG TABLET <b>MO</b>	3	PA,QL(30 per 30 days)
vilazodone 10 mg, 20 mg, 40 mg TABLET <b>MO</b>	1	PA,QL(30 per 30 days)
WELLBUTRIN SR 100 MG TABLET, SR 12 HR. <b>MO</b>	3	PA,QL(120 per 30 days)
WELLBUTRIN SR 150 MG TABLET, SR 12 HR. <b>MO</b>	3	PA,QL(90 per 30 days)
WELLBUTRIN SR 200 MG TABLET, SR 12 HR. <b>MO</b>	3	PA,QL(60 per 30 days)
WELLBUTRIN XL 150 MG TABLET, ER 24 HR.	4	PA,QL(90 per 30 days)
WELLBUTRIN XL 300 MG TABLET, ER 24 HR.	4	PA,QL(60 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 9. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • MO - Mail Order • PA - Prior Authorization • QL - Quantity Limit • ST - Step Therapy  
\$0 - Vaccine/Diabetic • DL - Dispensing Limit • LA - Limited Access

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
ZOLOFT 100 MG TABLET <b>MO</b>	3	PA,QL(60 per 30 days)
ZOLOFT 20 MG/ML CONCENTRATE <b>MO</b>	3	PA
ZOLOFT 25 MG, 50 MG TABLET <b>MO</b>	3	PA,QL(90 per 30 days)
ZULRESSO 5 MG/ML SOLUTION <b>DL</b>	4	PA,QL(100 per 365 days)
<b>Antiemetics</b>		
AKYNZEO (FOSNETUPITANT) 235 MG-0.25 MG /20 ML SOLUTION <b>DL</b>	4	PA,QL(80 per 28 days)
AKYNZEO (FOSNETUPITANT) 235-0.25 MG RECON SOLUTION <b>DL</b>	4	PA,QL(4 per 28 days)
AKYNZEO (NETUPITANT) 300-0.5 MG CAPSULE <b>DL</b>	4	PA,QL(4 per 28 days)
ANTIVERT 25 MG CHEWABLE TABLET <b>MO</b>	3	
ANTIVERT 50 MG TABLET <b>MO</b>	3	
ANZEMET 50 MG TABLET <b>MO</b>	3	BvsD,QL(4 per 28 days)
aprepitant 125 mg (1)- 80 mg (2) CAPSULE, DOSE PACK <b>MO</b>	1	BvsD,QL(6 per 28 days)
aprepitant 125 mg, 40 mg CAPSULE <b>MO</b>	1	BvsD,QL(2 per 28 days)
aprepitant 80 mg CAPSULE <b>MO</b>	1	BvsD,QL(4 per 28 days)
BONJESTA 20-20 MG TABLET, IR, DR, BIPHASIC <b>MO</b>	3	QL(60 per 30 days)
COMPATINE 10 MG, 5 MG TABLET <b>MO</b>	3	BvsD
COMPATINE 25 MG SUPPOSITORY <b>MO</b>	1	
compro 25 mg SUPPOSITORY <b>MO</b>	1	
DICLEGIS 10-10 MG TABLET, DR/EC <b>MO</b>	3	QL(120 per 30 days)
dimenhydrinate 50 mg/ml SOLUTION <b>MO</b>	1	
doxylamine-pyridoxine (vit b6) 10-10 mg TABLET, DR/EC <b>MO</b>	1	QL(120 per 30 days)
dronabinol 10 mg, 2.5 mg, 5 mg CAPSULE <b>MO</b>	1	BvsD,QL(120 per 30 days)
EMEND 125 MG (1)- 80 MG (2) CAPSULE, DOSE PACK <b>MO</b>	3	PA,QL(6 per 28 days)
EMEND 125 MG (25 MG/ ML FINAL CONC.) SUSPENSION FOR RECONSTITUTION <b>MO</b>	3	BvsD,QL(3 per 28 days)
EMEND 40 MG CAPSULE <b>MO</b>	3	PA,QL(2 per 28 days)
EMEND 80 MG CAPSULE <b>MO</b>	3	PA,QL(4 per 28 days)
EMEND (FOSAPREPITANT) 150 MG RECON SOLUTION <b>MO</b>	3	PA
fosaprepitant 150 mg RECON SOLUTION <b>MO</b>	1	PA
GIMOTI 15 MG/SPRAY SPRAY WITH PUMP <b>DL</b>	4	PA,QL(9.8 per 28 days)
granisetron (pf) 1 mg/ml (1 ml), 100 mcg/ml SOLUTION <b>MO</b>	1	
granisetron hcl 1 mg TABLET <b>MO</b>	1	BvsD,QL(28 per 28 days)
granisetron hcl 1 mg/ml, 1 mg/ml (1 ml) SOLUTION <b>MO</b>	1	
MARINOL 10 MG, 2.5 MG, 5 MG CAPSULE <b>DL</b>	4	PA,QL(120 per 30 days)
meclizine 12.5 mg TABLET <b>MO</b>	1	
meclizine 25 mg TABLET <b>MO</b>	1	

Need more information about the indicators displayed by the drug names? Please go to page 9. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • MO – Mail Order • PA - Prior Authorization • QL - Quantity Limit • ST - Step Therapy  
\$0 - Vaccine/Diabetic • DL - Dispensing Limit • LA - Limited Access

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
metoclopramide hcl 10 mg TABLET, DISINTEGRATING <b>MO</b>	1	QL(180 per 30 days)
metoclopramide hcl 10 mg, 5 mg TABLET <b>MO</b>	1	
metoclopramide hcl 5 mg TABLET, DISINTEGRATING <b>MO</b>	1	QL(360 per 30 days)
metoclopramide hcl 5 mg/5 ml, 5 mg/ml SOLUTION <b>MO</b>	1	
metoclopramide hcl 5 mg/ml SYRINGE <b>MO</b>	1	
ondansetron 4 mg TABLET, DISINTEGRATING <b>MO</b>	1	BvsD,QL(90 per 30 days)
ondansetron 8 mg TABLET, DISINTEGRATING <b>MO</b>	1	BvsD,QL(90 per 30 days)
ondansetron hcl 2 mg/ml SOLUTION <b>MO</b>	1	
ondansetron hcl 4 mg TABLET <b>MO</b>	1	BvsD,QL(90 per 30 days)
ondansetron hcl 4 mg/5 ml SOLUTION <b>MO</b>	1	BvsD,QL(450 per 30 days)
ondansetron hcl 8 mg TABLET <b>MO</b>	1	BvsD,QL(90 per 30 days)
ondansetron hcl (pf) 4 mg/2 ml SOLUTION <b>MO</b>	1	
ondansetron hcl (pf) 4 mg/2 ml SYRINGE <b>MO</b>	1	
PHENERGAN 25 MG/ML, 50 MG/ML SOLUTION <b>MO</b>	1	
procchlorperazine 25 mg SUPPOSITORY <b>MO</b>	1	
procchlorperazine edisylate 10 mg/2 ml (5 mg/ml), 5 mg/ml SOLUTION <b>MO</b>	1	
procchlorperazine maleate 10 mg, 5 mg TABLET <b>MO</b>	1	BvsD
promethazine 12.5 mg, 25 mg, 50 mg SUPPOSITORY <b>MO</b>	1	
promethazine 12.5 mg, 50 mg TABLET <b>MO</b>	1	
promethazine 25 mg TABLET <b>MO</b>	1	
promethazine 25 mg/ml, 50 mg/ml SOLUTION <b>MO</b>	1	
promethazine 6.25 mg/5 ml SYRUP <b>MO</b>	1	
promethegan 12.5 mg, 25 mg, 50 mg SUPPOSITORY <b>MO</b>	1	
REGLAN 10 MG, 5 MG TABLET <b>MO</b>	3	
SANCUSO 3.1 MG/24 HOUR PATCH, WEEKLY <b>DL</b>	4	QL(4 per 30 days)
scopolamine base 1 mg over 3 days PATCH, 3 DAY <b>MO</b>	1	QL(10 per 30 days)
SYNDROS 5 MG/ML SOLUTION <b>DL</b>	4	PA
TIGAN 100 MG/ML SOLUTION <b>MO</b>	3	
TIGAN 300 MG CAPSULE <b>MO</b>	3	BvsD
TRANSDERM-SCOP 1 MG OVER 3 DAYS PATCH, 3 DAY <b>MO</b>	3	QL(10 per 30 days)
trimethobenzamide 300 mg CAPSULE <b>MO</b>	1	BvsD
VARUBI 90 MG TABLET <b>DL</b>	4	PA,QL(4 per 28 days)
ZOFTRAN 4 MG TABLET <b>DL</b>	4	PA,QL(90 per 30 days)
<b>Antifungals</b>		
ABELCET 5 MG/ML SUSPENSION <b>MO</b>	3	BvsD
AMBISOME 50 MG SUSPENSION FOR RECONSTITUTION <b>DL</b>	4	BvsD

Need more information about the indicators displayed by the drug names? Please go to page 9. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • MO – Mail Order • PA - Prior Authorization • QL - Quantity Limit • ST - Step Therapy  
\$0 - Vaccine/Diabetic • DL - Dispensing Limit • LA - Limited Access

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
amphotericin b 50 mg RECON SOLUTION <b>MO</b>	1	BvsD
amphotericin b liposome 50 mg SUSPENSION FOR RECONSTITUTION <b>DL</b>	4	BvsD
ANCOBON 250 MG, 500 MG CAPSULE <b>MO</b>	3	
CANCIDAS 50 MG, 70 MG RECON SOLUTION <b>DL</b>	4	PA
caspofungin 50 mg RECON SOLUTION <b>DL</b>	4	
caspofungin 70 mg RECON SOLUTION <b>MO</b>	1	
cyclodan 8 % SOLUTION <b>MO</b>	1	QL(13.2 per 30 days)
ciclopirox 0.77 % CREAM <b>MO</b>	1	QL(90 per 30 days)
ciclopirox 0.77 % GEL <b>MO</b>	1	QL(100 per 30 days)
ciclopirox 0.77 % SUSPENSION <b>MO</b>	1	QL(60 per 30 days)
ciclopirox 1 % SHAMPOO <b>MO</b>	1	QL(120 per 30 days)
ciclopirox 8 % SOLUTION <b>MO</b>	1	QL(13.2 per 30 days)
clotrimazole 1 % CREAM <b>MO</b>	1	
clotrimazole 1 % SOLUTION <b>MO</b>	1	
clotrimazole 10 mg TROCHE <b>MO</b>	1	
clotrimazole-betamethasone 1-0.05 % CREAM <b>MO</b>	1	QL(180 per 30 days)
clotrimazole-betamethasone 1-0.05 % LOTION <b>MO</b>	1	QL(90 per 28 days)
CRESEMBA 186 MG CAPSULE <b>DL</b>	4	PA
CRESEMBA 372 MG RECON SOLUTION <b>DL</b>	4	PA
DIFLUCAN 10 MG/ML, 40 MG/ML SUSPENSION FOR RECONSTITUTION <b>DL</b>	4	PA
DIFLUCAN 100 MG, 150 MG, 200 MG, 50 MG TABLET <b>MO</b>	3	PA
econazole 1 % CREAM <b>MO</b>	1	PA,QL(85 per 30 days)
ERAXIS(WATER DILUENT) 100 MG, 50 MG RECON SOLUTION <b>DL</b>	4	
ERTACZO 2 % CREAM <b>DL</b>	4	QL(60 per 30 days)
EXELDERM 1 % CREAM <b>MO</b>	3	
EXELDERM 1 % SOLUTION <b>MO</b>	3	QL(60 per 30 days)
EXTINA 2 % FOAM <b>MO</b>	3	QL(100 per 30 days)
fluconazole 10 mg/ml, 40 mg/ml SUSPENSION FOR RECONSTITUTION <b>MO</b>	1	
fluconazole 100 mg, 200 mg, 50 mg TABLET <b>MO</b>	1	
fluconazole 150 mg TABLET <b>MO</b>	1	
fluconazole in nacl (iso-osm) 100 mg/50 ml, 200 mg/100 ml, 400 mg/200 ml	1	
PIGGYBACK <b>MO</b>		
flucytosine 250 mg, 500 mg CAPSULE <b>DL</b>	4	
griseofulvin microsize 125 mg/5 ml SUSPENSION <b>MO</b>	1	
griseofulvin microsize 500 mg TABLET <b>MO</b>	1	
griseofulvin ultramicrosize 125 mg, 250 mg TABLET <b>MO</b>	1	

Need more information about the indicators displayed by the drug names? Please go to page 9. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • MO – Mail Order • PA - Prior Authorization • QL - Quantity Limit • ST - Step Therapy  
\$0 - Vaccine/Diabetic • DL - Dispensing Limit • LA - Limited Access

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
gynazole-1 2 % CREAM <b>MO</b>	1	
itraconazole 10 mg/ml SOLUTION <b>MO</b>	1	
itraconazole 100 mg CAPSULE <b>MO</b>	1	QL(120 per 30 days)
JUBLIA 10 % SOLUTION W/APPLICATOR <b>DL</b>	4	PA,QL(4 per 28 days)
KERYDIN 5 % SOLUTION W/APPLICATOR <b>DL</b>	4	PA,QL(10 per 30 days)
ketoconazole 2 % CREAM <b>MO</b>	1	QL(60 per 30 days)
ketoconazole 2 % FOAM <b>MO</b>	1	QL(100 per 30 days)
ketoconazole 2 % SHAMPOO <b>MO</b>	1	QL(120 per 30 days)
ketoconazole 200 mg TABLET <b>MO</b>	1	PA
ketodan 2 % FOAM <b>MO</b>	1	QL(100 per 30 days)
LOPROX 1 % SHAMPOO <b>MO</b>	3	PA,QL(120 per 30 days)
LOPROX (AS OLAMINE) 0.77 % CREAM <b>MO</b>	3	PA,QL(90 per 30 days)
LOPROX (AS OLAMINE) 0.77 % SUSPENSION <b>MO</b>	3	PA,QL(60 per 30 days)
luliconazole 1 % CREAM <b>MO</b>	1	ST,QL(60 per 28 days)
LUZU 1 % CREAM <b>MO</b>	3	ST,QL(60 per 28 days)
MENTAX 1 % CREAM <b>MO</b>	3	QL(30 per 30 days)
micafungin 100 mg, 50 mg RECON SOLUTION <b>DL</b>	4	
miconazole nitrate-zinc ox-pet 0.25-15-81.35 % OINTMENT <b>MO</b>	1	
miconazole-3 200 mg SUPPOSITORY <b>MO</b>	1	
MYCAMINE 100 MG, 50 MG RECON SOLUTION <b>DL</b>	4	
naftifine 1 % CREAM <b>MO</b>	1	ST,QL(90 per 30 days)
naftifine 1 % GEL <b>MO</b>	1	ST,QL(90 per 30 days)
naftifine 2 % CREAM <b>MO</b>	1	ST,QL(120 per 30 days)
NAFTIN 1 % GEL <b>MO</b>	3	ST,QL(90 per 30 days)
NAFTIN 2 % CREAM <b>MO</b>	3	ST,QL(120 per 30 days)
NAFTIN 2 % GEL <b>MO</b>	3	ST,QL(120 per 30 days)
NOXAFIL 100 MG TABLET, DR/EC <b>DL</b>	4	PA
NOXAFIL 200 MG/5 ML (40 MG/ML) SUSPENSION <b>DL</b>	4	PA,QL(840 per 28 days)
NOXAFIL 300 MG SUSPENSION, DR FOR RECON <b>DL</b>	4	PA,QL(32 per 30 days)
NOXAFIL 300 MG/16.7 ML SOLUTION <b>DL</b>	4	PA
nyamyc 100,000 unit/gram POWDER <b>MO</b>	1	PA
nystatin 100,000 unit/gram CREAM <b>MO</b>	1	
nystatin 100,000 unit/gram OINTMENT <b>MO</b>	1	
nystatin 100,000 unit/gram POWDER <b>MO</b>	1	PA
nystatin 100,000 unit/ml SUSPENSION <b>MO</b>	1	
nystatin 500,000 unit TABLET <b>MO</b>	1	

Need more information about the indicators displayed by the drug names? Please go to page 9. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • MO – Mail Order • PA - Prior Authorization • QL - Quantity Limit • ST - Step Therapy  
\$0 - Vaccine/Diabetic • DL - Dispensing Limit • LA - Limited Access

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
nystatin-triamcinolone 100,000-0.1 unit/g-% CREAM <b>MO</b>	1	
nystatin-triamcinolone 100,000-0.1 unit/gram-% OINTMENT <b>MO</b>	1	
nystop 100,000 unit/gram POWDER <b>MO</b>	1	PA
oxiconazole 1 % CREAM <b>DL</b>	4	PA,QL(60 per 30 days)
OXISTAT 1 % CREAM <b>MO</b>	3	QL(60 per 30 days)
OXISTAT 1 % LOTION <b>MO</b>	3	PA
posaconazole 100 mg TABLET, DR/EC <b>DL</b>	4	PA
SPORANOX 10 MG/ML SOLUTION <b>DL</b>	4	
SPORANOX 100 MG CAPSULE <b>DL</b>	4	PA,QL(120 per 30 days)
SPORANOX PULSEPAK 100 MG CAPSULE <b>MO</b>	3	PA,QL(120 per 30 days)
tavaborole 5 % SOLUTION W/APPLICATOR <b>MO</b>	1	PA,QL(10 per 30 days)
terbinafine hcl 250 mg TABLET <b>MO</b>	1	
terconazole 0.4 %, 0.8 % CREAM <b>MO</b>	1	
terconazole 80 mg SUPPOSITORY <b>MO</b>	1	
TOLSURA 65 MG CAPSULE, SOLID DISPERSION <b>DL</b>	4	PA,QL(120 per 30 days)
VFEND 200 MG, 50 MG TABLET <b>MO</b>	3	PA,QL(120 per 30 days)
VFEND 200 MG/5 ML (40 MG/ML) SUSPENSION FOR RECONSTITUTION <b>DL</b>	4	PA,QL(400 per 30 days)
VFEND IV 200 MG RECON SOLUTION <b>DL</b>	4	
VIVJOA 150 MG CAPSULE <b>MO</b>	3	PA
voriconazole 200 mg RECON SOLUTION <b>DL</b>	4	PA
voriconazole 200 mg, 50 mg TABLET <b>MO</b>	1	PA,QL(120 per 30 days)
voriconazole 200 mg/5 ml (40 mg/ml) SUSPENSION FOR RECONSTITUTION <b>DL</b>	4	PA,QL(400 per 30 days)
VUSION 0.25-15-81.35 % OINTMENT <b>MO</b>	3	
XOLEGEL 2 % GEL <b>DL</b>	4	
<b>Antigout Agents</b>		
allopurinol 100 mg, 300 mg TABLET <b>MO</b>	1	
allopurinol 200 mg TABLET <b>MO</b>	3	
allopurinol sodium 500 mg RECON SOLUTION <b>MO</b>	1	
ALOPRIM 500 MG RECON SOLUTION <b>MO</b>	3	
colchicine 0.6 mg TABLET <b>MO</b>	2	QL(120 per 30 days)
DUZALLO 200-200 MG, 200-300 MG TABLET <b>MO</b>	3	PA,QL(30 per 30 days)
febuxostat 40 mg, 80 mg TABLET <b>MO</b>	1	ST,QL(30 per 30 days)
GLOPERBA 0.6 MG/5 ML SOLUTION <b>MO</b>	3	PA,QL(300 per 30 days)
MITIGARE 0.6 MG CAPSULE <b>MO</b>	2	
probenecid 500 mg TABLET <b>MO</b>	1	
probenecid-colchicine 500-0.5 mg TABLET <b>MO</b>	1	

Need more information about the indicators displayed by the drug names? Please go to page 9. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • MO – Mail Order • PA - Prior Authorization • QL - Quantity Limit • ST - Step Therapy  
\$0 - Vaccine/Diabetic • DL - Dispensing Limit • LA - Limited Access

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
ULORIC 40 MG, 80 MG TABLET <b>MO</b>	3	ST,QL(30 per 30 days)
ZYLOPRIM 100 MG, 300 MG TABLET <b>MO</b>	3	
<b>Antimigraine Agents</b>		
AIMOVIG AUTOINJECTOR 140 MG/ML AUTO-INJECTOR <b>MO</b>	3	PA,QL(1 per 30 days)
AIMOVIG AUTOINJECTOR 70 MG/ML AUTO-INJECTOR <b>MO</b>	3	PA,QL(2 per 30 days)
AJOVY AUTOINJECTOR 225 MG/1.5 ML AUTO-INJECTOR <b>MO</b>	3	PA,QL(1.5 per 30 days)
AJOVY SYRINGE 225 MG/1.5 ML SYRINGE <b>MO</b>	3	PA,QL(1.5 per 30 days)
almotriptan malate 12.5 mg, 6.25 mg TABLET <b>MO</b>	1	ST,QL(9 per 30 days)
AMERGE 1 MG, 2.5 MG TABLET <b>MO</b>	3	PA,QL(9 per 30 days)
CAFERGOT 1-100 MG TABLET <b>MO</b>	1	PA,QL(40 per 30 days)
D.H.E.45 1 MG/ML SOLUTION	4	
dihydroergotamine 0.5 mg/pump act. (4 mg/ml) SPRAY, NON-AEROSOL	4	PA,QL(8 per 30 days)
dihydroergotamine 1 mg/ml SOLUTION	4	PA
eletriptan 20 mg, 40 mg TABLET <b>MO</b>	1	ST,QL(9 per 30 days)
EMGALITY PEN 120 MG/ML PEN INJECTOR <b>MO</b>	3	PA,QL(2 per 30 days)
EMGALITY SYRINGE 120 MG/ML SYRINGE <b>MO</b>	3	PA,QL(2 per 30 days)
EMGALITY SYRINGE 300 MG/3 ML (100 MG/ML X 3) SYRINGE <b>MO</b>	3	PA,QL(3 per 30 days)
EPRONTIA 25 MG/ML SOLUTION <b>MO</b>	3	PA,QL(480 per 30 days)
ERGOMAR 2 MG SUBLINGUAL TABLET	4	QL(20 per 28 days)
ergotamine-caffeine 1-100 mg TABLET <b>MO</b>	1	QL(40 per 30 days)
FROVA 2.5 MG TABLET	4	ST,QL(12 per 30 days)
frovatriptan 2.5 mg TABLET <b>MO</b>	1	ST,QL(12 per 30 days)
IMITREX 100 MG, 50 MG TABLET	4	PA,QL(9 per 30 days)
IMITREX 20 MG/ACTUATION, 5 MG/ACTUATION SPRAY, NON-AEROSOL	4	PA,QL(12 per 30 days)
IMITREX 25 MG TABLET <b>MO</b>	3	PA,QL(9 per 30 days)
IMITREX 6 MG/0.5 ML SOLUTION	4	PA,QL(6 per 30 days)
IMITREX STATDOSE PEN 4 MG/0.5 ML, 6 MG/0.5 ML PEN INJECTOR <b>MO</b>	3	PA,QL(6 per 30 days)
IMITREX STATDOSE REFILL 4 MG/0.5 ML, 6 MG/0.5 ML CARTRIDGE	4	PA,QL(6 per 30 days)
MAXALT 10 MG TABLET <b>MO</b>	3	PA,QL(12 per 30 days)
MAXALT-MLT 10 MG TABLET, DISINTEGRATING <b>MO</b>	3	PA,QL(12 per 30 days)
migergot 2-100 mg SUPPOSITORY	4	QL(20 per 28 days)
MIGRANAL 0.5 MG/PUMP ACT. (4 MG/ML) SPRAY, NON-AEROSOL	4	QL(8 per 30 days)
naratriptan 1 mg, 2.5 mg TABLET <b>MO</b>	1	QL(9 per 30 days)
ONZETRA XSAIL 11 MG AEROSOL POWDER BREATH ACTIV.	4	ST,QL(16 per 30 days)
QUDEXY XR 100 MG, 50 MG CAPSULE ER SPRINKLE 24 HR.	4	PA,QL(30 per 30 days)
QUDEXY XR 150 MG, 200 MG CAPSULE ER SPRINKLE 24 HR.	4	PA,QL(60 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 9. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • MO – Mail Order • PA - Prior Authorization • QL - Quantity Limit • ST - Step Therapy  
\$0 - Vaccine/Diabetic • DL - Dispensing Limit • LA - Limited Access

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
QUDEXY XR 25 MG CAPSULE ER SPRINKLE 24 HR.	4	PA,QL(90 per 30 days)
QULIPTA 10 MG, 30 MG, 60 MG TABLET <b>DL</b>	4	PA,QL(30 per 30 days)
RELPAX 20 MG, 40 MG TABLET <b>DL</b>	4	ST,QL(9 per 30 days)
REYVOW 100 MG TABLET <b>MO</b>	3	PA,QL(8 per 30 days)
REYVOW 50 MG TABLET <b>MO</b>	3	PA,QL(4 per 30 days)
rizatriptan 10 mg TABLET <b>MO</b>	1	QL(12 per 30 days)
rizatriptan 10 mg, 5 mg TABLET, DISINTEGRATING <b>MO</b>	1	QL(12 per 30 days)
rizatriptan 5 mg TABLET <b>MO</b>	1	QL(12 per 30 days)
sumatriptan 20 mg/actuation, 5 mg/actuation SPRAY, NON-AEROSOL <b>MO</b>	1	QL(12 per 30 days)
sumatriptan succinate 100 mg TABLET <b>MO</b>	1	QL(9 per 30 days)
sumatriptan succinate 25 mg, 50 mg TABLET <b>MO</b>	1	QL(9 per 30 days)
sumatriptan succinate 4 mg/0.5 ml, 6 mg/0.5 ml CARTRIDGE <b>MO</b>	3	QL(6 per 30 days)
sumatriptan succinate 4 mg/0.5 ml, 6 mg/0.5 ml PEN INJECTOR <b>MO</b>	1	QL(6 per 30 days)
sumatriptan succinate 6 mg/0.5 ml SOLUTION <b>MO</b>	1	QL(6 per 30 days)
sumatriptan succinate 6 mg/0.5 ml SYRINGE <b>MO</b>	1	QL(6 per 30 days)
sumatriptan-naproxen 85-500 mg TABLET <b>MO</b>	1	ST,QL(18 per 30 days)
TOPAMAX 100 MG, 200 MG, 50 MG TABLET	4	QL(120 per 30 days)
TOPAMAX 15 MG, 25 MG CAPSULE, SPRINKLE	4	
TOPAMAX 25 MG TABLET	4	QL(90 per 30 days)
topiramate 100 mg, 200 mg TABLET <b>MO</b>	1	QL(120 per 30 days)
topiramate 100 mg, 50 mg CAPSULE ER SPRINKLE 24 HR. <b>MO</b>	3	PA,QL(30 per 30 days)
topiramate 15 mg, 25 mg CAPSULE, SPRINKLE <b>MO</b>	1	
topiramate 150 mg, 200 mg CAPSULE ER SPRINKLE 24 HR. <b>MO</b>	3	PA,QL(60 per 30 days)
topiramate 25 mg CAPSULE ER SPRINKLE 24 HR. <b>MO</b>	3	PA,QL(90 per 30 days)
topiramate 25 mg TABLET <b>MO</b>	1	QL(90 per 30 days)
topiramate 50 mg TABLET <b>MO</b>	1	QL(120 per 30 days)
TOSYMRA 10 MG/ACTUATION SPRAY, NON-AEROSOL <b>MO</b>	3	ST,QL(12 per 30 days)
TREXIMET 85-500 MG TABLET	4	ST,QL(18 per 30 days)
TROKENDI XR 100 MG, 50 MG CAPSULE, ER 24 HR.	4	PA,QL(30 per 30 days)
TROKENDI XR 200 MG CAPSULE, ER 24 HR.	4	PA,QL(60 per 30 days)
TROKENDI XR 25 MG CAPSULE, ER 24 HR.	4	PA,QL(90 per 30 days)
TRUDHESA 0.725 MG/PUMP ACT. (4 MG/ML) SPRAY, NON-AEROSOL <b>DL</b>	4	PA,QL(8 per 30 days)
VYEPTI 100 MG/ML SOLUTION <b>MO</b>	3	PA,QL(3 per 90 days)
ZEMBRACE SYMTOUCH 3 MG/0.5 ML PEN INJECTOR	4	ST,QL(6 per 30 days)
zolmitriptan 2.5 mg TABLET <b>MO</b>	1	ST,QL(9 per 30 days)
zolmitriptan 2.5 mg TABLET, DISINTEGRATING <b>MO</b>	1	ST,QL(9 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 9. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • MO – Mail Order • PA - Prior Authorization • QL - Quantity Limit • ST - Step Therapy  
\$0 - Vaccine/Diabetic • DL - Dispensing Limit • LA - Limited Access

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
zolmitriptan 2.5 mg, 5 mg SPRAY, NON-AEROSOL <b>MO</b>	1	ST,QL(12 per 30 days)
zolmitriptan 5 mg TABLET <b>MO</b>	1	ST,QL(6 per 30 days)
zolmitriptan 5 mg TABLET, DISINTEGRATING <b>MO</b>	1	ST,QL(6 per 30 days)
ZOMIG 2.5 MG TABLET	4	ST,QL(9 per 30 days)
ZOMIG 2.5 MG, 5 MG SPRAY, NON-AEROSOL <b>MO</b>	3	ST,QL(12 per 30 days)
ZOMIG 5 MG TABLET	4	ST,QL(6 per 30 days)
ZOMIG ZMT 2.5 MG TABLET, DISINTEGRATING	4	ST,QL(9 per 30 days)
ZOMIG ZMT 5 MG TABLET, DISINTEGRATING	4	ST,QL(6 per 30 days)
<b>Antimyasthenic Agents</b>		
guanidine 125 mg TABLET <b>MO</b>	1	
MESTINON 60 MG TABLET	4	PA
MESTINON 60 MG/5 ML SYRUP	4	
MESTINON TIMESPAN 180 MG TABLET ER	4	PA
pyridostigmine bromide 180 mg TABLET ER <b>MO</b>	1	
pyridostigmine bromide 30 mg, 60 mg TABLET <b>MO</b>	1	
pyridostigmine bromide 60 mg/5 ml SYRUP <b>MO</b>	1	
REGONOL 5 MG/ML SOLUTION <b>MO</b>	3	
<b>Antimycobacterials</b>		
CAPASTAT 1 GRAM RECON SOLUTION <b>MO</b>	3	
cycloserine 250 mg CAPSULE <b>DL</b>	4	
dapsone 100 mg, 25 mg TABLET <b>MO</b>	1	
ethambutol 100 mg, 400 mg TABLET <b>MO</b>	1	
isoniazid 100 mg, 300 mg TABLET <b>MO</b>	1	
isoniazid 100 mg/ml, 50 mg/5 ml SOLUTION <b>MO</b>	1	
MYAMBUTOL 400 MG TABLET <b>MO</b>	3	
MYCOBUTIN 150 MG CAPSULE <b>MO</b>	3	
PASER 4 GRAM DR GRANULES IN PACKET <b>MO</b>	1	
PRETOMANID 200 MG TABLET <b>MO</b>	3	PA,QL(30 per 30 days)
PRIFTIN 150 MG TABLET <b>MO</b>	3	
pyrazinamide 500 mg TABLET <b>MO</b>	1	
rifabutin 150 mg CAPSULE <b>MO</b>	1	
RIFADIN 600 MG RECON SOLUTION <b>MO</b>	3	
rifampin 150 mg, 300 mg CAPSULE <b>MO</b>	1	
rifampin 600 mg RECON SOLUTION <b>MO</b>	1	
SIRTURO 100 MG TABLET <b>DL</b>	4	PA,QL(68 per 28 days)

Need more information about the indicators displayed by the drug names? Please go to page 9. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • MO – Mail Order • PA - Prior Authorization • QL - Quantity Limit • ST - Step Therapy  
\$0 - Vaccine/Diabetic • DL - Dispensing Limit • LA - Limited Access

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
SIRTURO 20 MG TABLET <b>DL</b>	4	PA,QL(340 per 28 days)
TRECATOR 250 MG TABLET <b>MO</b>	3	
<b>Antineoplastics</b>		
abiraterone 250 mg TABLET <b>DL</b>	4	PA,QL(120 per 30 days)
abiraterone 500 mg TABLET <b>DL</b>	4	PA,QL(60 per 30 days)
ABRAXANE 100 MG SUSPENSION FOR RECONSTITUTION <b>DL</b>	4	PA
ADCETRIS 50 MG RECON SOLUTION <b>DL</b>	4	PA
adriamycin 10 mg RECON SOLUTION <b>MO</b>	1	BvsD
adriamycin 10 mg/5 ml, 2 mg/ml, 20 mg/10 ml, 50 mg/25 ml SOLUTION <b>MO</b>	1	BvsD
ADRIAMYCIN 50 MG RECON SOLUTION <b>MO</b>	1	BvsD
adrucil 2.5 gram/50 ml SOLUTION <b>MO</b>	1	BvsD
AFINITOR 10 MG, 2.5 MG, 5 MG, 7.5 MG TABLET <b>DL</b>	4	PA,QL(30 per 30 days)
AFINITOR DISPERZ 2 MG, 3 MG, 5 MG TABLET FOR SUSPENSION <b>DL</b>	4	PA
ALECENSA 150 MG CAPSULE <b>DL</b>	4	PA,QL(240 per 30 days)
ALIMTA 100 MG, 500 MG RECON SOLUTION <b>DL</b>	4	PA
ALIQOPA 60 MG RECON SOLUTION <b>DL</b>	4	PA,QL(3 per 28 days)
ALKERAN 2 MG TABLET <b>MO</b>	3	BvsD
ALKERAN (AS HCL) 50 MG RECON SOLUTION <b>MO</b>	3	
ALUNBRIG 180 MG, 90 MG TABLET <b>DL</b>	4	PA,QL(30 per 30 days)
ALUNBRIG 30 MG TABLET <b>DL</b>	4	PA,QL(180 per 30 days)
ALUNBRIG 90 MG (7)- 180 MG (23) TABLET, DOSE PACK <b>DL</b>	4	PA,QL(30 per 30 days)
ALYMSYS 25 MG/ML SOLUTION <b>DL</b>	4	PA
anastrozole 1 mg TABLET <b>MO</b>	1	QL(30 per 30 days)
ARIMIDEX 1 MG TABLET <b>DL</b>	4	PA,QL(30 per 30 days)
AROMASIN 25 MG TABLET <b>DL</b>	4	PA,QL(60 per 30 days)
ARRANON 250 MG/50 ML SOLUTION <b>DL</b>	4	
arsenic trioxide 1 mg/ml, 2 mg/ml SOLUTION <b>DL</b>	4	PA
ASPARLAS 750 UNIT/ML SOLUTION <b>DL</b>	4	PA
AVASTIN 25 MG/ML SOLUTION <b>DL</b>	4	PA
AYVAKIT 100 MG, 200 MG, 25 MG, 300 MG, 50 MG TABLET <b>DL</b>	4	PA,QL(30 per 30 days)
azacitidine 100 mg RECON SOLUTION <b>DL</b>	4	PA
BALVERSA 3 MG TABLET <b>DL</b>	4	PA,QL(90 per 30 days)
BALVERSA 4 MG TABLET <b>DL</b>	4	PA,QL(60 per 30 days)
BALVERSA 5 MG TABLET <b>DL</b>	4	PA,QL(30 per 30 days)
BAVENCIO 20 MG/ML SOLUTION <b>DL</b>	4	PA
BELEODAQ 500 MG RECON SOLUTION <b>DL</b>	4	PA

Need more information about the indicators displayed by the drug names? Please go to page 9. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • MO – Mail Order • PA - Prior Authorization • QL - Quantity Limit • ST - Step Therapy  
\$0 - Vaccine/Diabetic • DL - Dispensing Limit • LA - Limited Access

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
bendamustine 100 mg, 25 mg RECON SOLUTION <b>DL</b>	4	PA
BENDEKA 25 MG/ML SOLUTION <b>DL</b>	4	PA
BESPONSA 0.9 MG (0.25 MG/ML INITIAL) RECON SOLUTION <b>DL</b>	4	PA
bexarotene 1 % GEL <b>DL</b>	4	PA,QL(240 per 30 days)
bexarotene 75 mg CAPSULE <b>DL</b>	4	PA,QL(300 per 30 days)
bicalutamide 50 mg TABLET <b>MO</b>	1	QL(30 per 30 days)
BICNU 100 MG RECON SOLUTION <b>MO</b>	3	
BLENREP 100 MG RECON SOLUTION <b>DL</b>	4	PA
bleomycin 15 unit, 30 unit RECON SOLUTION <b>MO</b>	1	BvsD
BORTEZOMIB 1 MG, 2.5 MG RECON SOLUTION <b>DL</b>	4	PA
bortezomib 3.5 mg RECON SOLUTION <b>DL</b>	1	PA
bortezomib 3.5 mg RECON SOLUTION <b>DL</b>	4	PA
BOSULIF 100 MG TABLET <b>DL</b>	4	PA,QL(120 per 30 days)
BOSULIF 400 MG, 500 MG TABLET <b>DL</b>	4	PA,QL(30 per 30 days)
BRAFTOVI 50 MG CAPSULE <b>DL</b>	4	PA,QL(120 per 30 days)
BRAFTOVI 75 MG CAPSULE <b>DL</b>	4	PA,QL(180 per 30 days)
BRUKINSA 80 MG CAPSULE <b>DL</b>	4	PA,QL(120 per 30 days)
busulfan 60 mg/10 ml SOLUTION <b>MO</b>	1	
BUSULFEX 60 MG/10 ML SOLUTION <b>MO</b>	3	
CABOMETYX 20 MG, 40 MG, 60 MG TABLET <b>DL</b>	4	PA,QL(30 per 30 days)
CALQUENCE 100 MG CAPSULE <b>DL</b>	4	PA,QL(60 per 30 days)
CALQUENCE (ACALABRUTINIB MAL) 100 MG TABLET <b>DL</b>	4	PA,QL(60 per 30 days)
CAMPTOSAR 100 MG/5 ML, 300 MG/15 ML, 40 MG/2 ML SOLUTION <b>DL</b>	4	
CAPRELSA 100 MG TABLET <b>DL,LA</b>	4	PA,QL(60 per 30 days)
CAPRELSA 300 MG TABLET <b>DL,LA</b>	4	PA,QL(30 per 30 days)
carboplatin 10 mg/ml SOLUTION <b>MO</b>	1	
carmustine 100 mg RECON SOLUTION <b>MO</b>	1	
CASODEX 50 MG TABLET <b>DL</b>	4	QL(30 per 30 days)
cisplatin 1 mg/ml SOLUTION <b>MO</b>	1	
cladribine 10 mg/10 ml SOLUTION <b>DL</b>	4	BvsD
clofarabine 1 mg/ml SOLUTION <b>DL</b>	4	
CLOLAR 1 MG/ML SOLUTION <b>DL</b>	4	
COMETRIQ 100 MG/DAY(80 MG X1-20 MG X1) CAPSULE <b>DL</b>	4	PA,QL(56 per 28 days)
COMETRIQ 140 MG/DAY(80 MG X1-20 MG X3) CAPSULE <b>DL</b>	4	PA,QL(112 per 28 days)
COMETRIQ 60 MG/DAY (20 MG X 3/DAY) CAPSULE <b>DL</b>	4	PA,QL(84 per 28 days)
COPIKTRA 15 MG, 25 MG CAPSULE <b>DL</b>	4	PA,QL(56 per 28 days)

Need more information about the indicators displayed by the drug names? Please go to page 9. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • MO – Mail Order • PA - Prior Authorization • QL - Quantity Limit • ST - Step Therapy  
\$0 - Vaccine/Diabetic • DL - Dispensing Limit • LA - Limited Access

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
COSELA 300 MG RECON SOLUTION <b>DL</b>	4	PA
COSMEGEN 0.5 MG RECON SOLUTION <b>DL</b>	4	
COTELLIC 20 MG TABLET <b>DL</b>	4	PA,QL(63 per 28 days)
cyclophosphamide 1 gram, 2 gram, 500 mg RECON SOLUTION <b>MO</b>	1	BvsD
CYCLOPHOSPHAMIDE 200 MG/ML SOLUTION <b>MO</b>	1	BvsD
cyclophosphamide 200 mg/ml SOLUTION <b>MO</b>	1	BvsD
cyclophosphamide 25 mg, 50 mg CAPSULE <b>MO</b>	1	BvsD
cyclophosphamide 25 mg, 50 mg TABLET <b>MO</b>	1	BvsD
CYRAMZA 10 MG/ML SOLUTION <b>DL</b>	4	PA
cytarabine 20 mg/ml SOLUTION <b>MO</b>	1	BvsD
cytarabine (pf) 100 mg/5 ml (20 mg/ml), 2 gram/20 ml (100 mg/ml), 20 mg/ml SOLUTION <b>MO</b>	1	BvsD
dacarbazine 100 mg, 200 mg RECON SOLUTION <b>MO</b>	1	
DACOGEN 50 MG RECON SOLUTION <b>DL</b>	4	PA
dactinomycin 0.5 mg RECON SOLUTION <b>DL</b>	4	
DANYELZA 4 MG/ML SOLUTION <b>DL</b>	4	PA,QL(120 per 28 days)
DARZALEX 20 MG/ML SOLUTION <b>DL</b>	4	PA
DARZALEX FASPRO 1,800 MG-30,000 UNIT/15 ML SOLUTION <b>DL</b>	4	PA
daunorubicin 5 mg/ml SOLUTION <b>MO</b>	1	
DAURISMO 100 MG TABLET <b>DL</b>	4	PA,QL(30 per 30 days)
DAURISMO 25 MG TABLET <b>DL</b>	4	PA,QL(60 per 30 days)
decitabine 50 mg RECON SOLUTION <b>DL</b>	4	PA
dexrazoxane hcl 250 mg, 500 mg RECON SOLUTION <b>MO</b>	1	
DOCEFREZ 20 MG RECON SOLUTION <b>MO</b>	3	
DOCEFREZ 80 MG RECON SOLUTION <b>DL</b>	4	
docetaxel 160 mg/16 ml (10 mg/ml), 160 mg/8 ml (20 mg/ml), 20 mg/2 ml (10 mg/ml), 20 mg/ml (1 ml), 80 mg/4 ml (20 mg/ml), 80 mg/8 ml (10 mg/ml) SOLUTION <b>MO</b>	1	
DOXIL 2 MG/ML SUSPENSION <b>DL</b>	4	PA
doxorubicin 10 mg, 50 mg RECON SOLUTION <b>MO</b>	1	BvsD
doxorubicin 10 mg/5 ml, 2 mg/ml, 20 mg/10 ml, 50 mg/25 ml SOLUTION <b>MO</b>	1	BvsD
doxorubicin, peg-liposomal 2 mg/ml SUSPENSION <b>DL</b>	4	PA
ELITEK 1.5 MG, 7.5 MG RECON SOLUTION	4	PA
ELLENCE 200 MG/100 ML, 50 MG/25 ML SOLUTION <b>DL</b>	4	
ELZONRIS 1,000 MCG/ML SOLUTION <b>DL</b>	4	PA,QL(10 per 21 days)
EMCYT 140 MG CAPSULE <b>DL</b>	4	

Need more information about the indicators displayed by the drug names? Please go to page 9. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • MO – Mail Order • PA - Prior Authorization • QL - Quantity Limit • ST - Step Therapy  
\$0 - Vaccine/Diabetic • DL - Dispensing Limit • LA - Limited Access

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
EMPLICITI 300 MG, 400 MG RECON SOLUTION <b>DL</b>	4	PA
ENHERTU 100 MG RECON SOLUTION <b>DL</b>	4	PA
epirubicin 200 mg/100 ml, 50 mg/25 ml SOLUTION <b>MO</b>	1	
epirubicin 50 mg RECON SOLUTION <b>MO</b>	3	
ERBITUX 100 MG/50 ML, 200 MG/100 ML SOLUTION <b>DL</b>	4	PA
ERIVEDGE 150 MG CAPSULE <b>DL</b>	4	PA,QL(28 per 28 days)
ERLEADA 60 MG TABLET <b>DL</b>	4	PA,QL(120 per 30 days)
erlotinib 100 mg, 150 mg TABLET <b>DL</b>	4	PA,QL(30 per 30 days)
erlotinib 25 mg TABLET <b>DL</b>	4	PA,QL(90 per 30 days)
ERWINAZE 10,000 UNIT RECON SOLUTION <b>DL</b>	4	PA
ETHYOL 500 MG RECON SOLUTION <b>DL</b>	4	
ETOPOPHOS 100 MG RECON SOLUTION <b>MO</b>	3	
etoposide 20 mg/ml SOLUTION <b>MO</b>	1	
EULEXIN 125 MG CAPSULE <b>DL</b>	4	PA
everolimus (antineoplastic) 10 mg, 2.5 mg, 5 mg, 7.5 mg TABLET <b>DL</b>	4	PA,QL(30 per 30 days)
everolimus (antineoplastic) 2 mg, 3 mg, 5 mg TABLET FOR SUSPENSION <b>DL</b>	4	PA
EVOMELA 50 MG RECON SOLUTION <b>DL</b>	4	PA
exemestane 25 mg TABLET <b>MO</b>	1	QL(60 per 30 days)
EXKIVITY 40 MG CAPSULE <b>DL</b>	4	PA,QL(120 per 30 days)
FARESTON 60 MG TABLET	4	QL(30 per 30 days)
FASLODEX 250 MG/5 ML SYRINGE <b>DL</b>	4	PA,QL(30 per 30 days)
FEMARA 2.5 MG TABLET <b>MO</b>	3	PA,QL(30 per 30 days)
flouxuridine 0.5 gram RECON SOLUTION <b>MO</b>	1	BvsD
fludarabine 50 mg RECON SOLUTION <b>MO</b>	1	
fludarabine 50 mg/2 ml SOLUTION <b>DL</b>	4	
fluorouracil 1 gram/20 ml, 2.5 gram/50 ml, 5 gram/100 ml, 500 mg/10 ml SOLUTION <b>MO</b>	1	BvsD
flutamide 125 mg CAPSULE <b>MO</b>	1	
FOLOTYN 20 MG/ML (1 ML), 40 MG/2 ML (20 MG/ML) SOLUTION <b>DL</b>	4	PA
FOTIVDA 0.89 MG, 1.34 MG CAPSULE <b>DL</b>	4	PA,QL(21 per 28 days)
fulvestrant 250 mg/5 ml SYRINGE <b>MO</b>	1	PA,QL(30 per 30 days)
FUSILEV 50 MG RECON SOLUTION <b>DL</b>	4	PA
GAVRETO 100 MG CAPSULE <b>DL,LA</b>	4	PA,QL(120 per 30 days)
GAZYVA 1,000 MG/40 ML SOLUTION <b>DL</b>	4	PA,QL(120 per 28 days)
gemcitabine 1 gram, 2 gram, 200 mg RECON SOLUTION <b>MO</b>	1	

Need more information about the indicators displayed by the drug names? Please go to page 9. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • MO – Mail Order • PA - Prior Authorization • QL - Quantity Limit • ST - Step Therapy  
\$0 - Vaccine/Diabetic • DL - Dispensing Limit • LA - Limited Access

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
gemcitabine 1 gram/26.3 ml (38 mg/ml), 2 gram/52.6 ml (38 mg/ml), 200 mg/5.26 ml (38 mg/ml) SOLUTION <b>MO</b>	1	
GILOTRIF 20 MG, 30 MG, 40 MG TABLET <b>DL,LA</b>	4	PA,QL(30 per 30 days)
GLEEVEC 100 MG TABLET <b>DL</b>	4	PA,QL(90 per 30 days)
GLEEVEC 400 MG TABLET <b>DL</b>	4	PA,QL(60 per 30 days)
HALAVEN 1 MG/2 ML (0.5 MG/ML) SOLUTION <b>DL</b>	4	PA
HERCEPTIN 150 MG, 420 MG RECON SOLUTION <b>DL</b>	4	PA
HERCEPTIN HYLECTA 600 MG-10,000 UNIT/5 ML SOLUTION <b>DL</b>	4	PA,QL(5 per 21 days)
HERZUMA 150 MG, 420 MG RECON SOLUTION <b>DL</b>	4	PA
HYCAMTIN 4 MG RECON SOLUTION <b>DL</b>	4	
HYDREA 500 MG CAPSULE <b>MO</b>	3	
hydroxyurea 500 mg CAPSULE <b>MO</b>	1	
IBRANCE 100 MG, 125 MG, 75 MG CAPSULE <b>DL</b>	4	PA,QL(21 per 28 days)
IBRANCE 100 MG, 125 MG, 75 MG TABLET <b>DL</b>	4	PA,QL(21 per 28 days)
ICLUSIG 10 MG, 30 MG, 45 MG TABLET <b>DL</b>	4	PA,QL(30 per 30 days)
ICLUSIG 15 MG TABLET <b>DL</b>	4	PA,QL(60 per 30 days)
IDAMYCIN PFS 1 MG/ML SOLUTION <b>DL</b>	4	
idarubicin 1 mg/ml SOLUTION <b>DL</b>	4	
IDHIFA 100 MG, 50 MG TABLET <b>DL</b>	4	PA,QL(30 per 30 days)
IFEX 1 GRAM, 3 GRAM RECON SOLUTION <b>MO</b>	3	
ifosfamide 1 gram, 3 gram RECON SOLUTION <b>MO</b>	1	
ifosfamide 1 gram/20 ml, 3 gram/60 ml SOLUTION <b>MO</b>	1	
imatinib 100 mg TABLET <b>DL</b>	4	PA,QL(90 per 30 days)
imatinib 400 mg TABLET <b>DL</b>	4	PA,QL(60 per 30 days)
IMBRUVICA 140 MG CAPSULE <b>DL</b>	4	PA,QL(90 per 30 days)
IMBRUVICA 420 MG, 560 MG TABLET <b>DL</b>	4	PA,QL(28 per 28 days)
IMBRUVICA 70 MG CAPSULE <b>DL</b>	4	PA,QL(28 per 28 days)
IMBRUVICA 70 MG/ML SUSPENSION <b>DL</b>	4	PA
IMFINZI 50 MG/ML SOLUTION <b>DL</b>	4	PA
IMJUDO 20 MG/ML SOLUTION <b>DL</b>	4	PA
IMLYGIC 10EXP6 (1 MILLION) PFU/ML SUSPENSION <b>DL</b>	4	PA,QL(4 per 365 days)
IMLYGIC 10EXP8 (100 MILLION) PFU/ML SUSPENSION <b>DL</b>	4	PA,QL(8 per 28 days)
INFUGEM 1,200 MG/120 ML (10 MG/ML), 1,300 MG/130 ML (10 MG/ML), 1,400 MG/140 ML (10 MG/ML), 1,500 MG/150 ML (10 MG/ML), 1,600 MG/160 ML (10 MG/ML), 1,700 MG/170 ML (10 MG/ML), 1,800 MG/180 ML (10 MG/ML), 1,900 MG/190 ML (10 MG/ML), 2,000 MG/200 ML (10 MG/ML), 2,200 MG/220 ML (10 MG/ML) PIGGYBACK <b>DL</b>	4	

Need more information about the indicators displayed by the drug names? Please go to page 9. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • MO - Mail Order • PA - Prior Authorization • QL - Quantity Limit • ST - Step Therapy  
\$0 - Vaccine/Diabetic • DL - Dispensing Limit • LA - Limited Access

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
INLYTA 1 MG TABLET <b>DL</b>	4	PA,QL(180 per 30 days)
INLYTA 5 MG TABLET <b>DL</b>	4	PA,QL(60 per 30 days)
INQOVI 35-100 MG TABLET <b>DL</b>	4	PA,QL(5 per 28 days)
INREBIC 100 MG CAPSULE <b>DL</b>	4	PA,QL(120 per 30 days)
IRESSA 250 MG TABLET <b>DL</b>	4	PA,QL(30 per 30 days)
irinotecan 100 mg/5 ml, 300 mg/15 ml, 40 mg/2 ml, 500 mg/25 ml SOLUTION <b>MO</b>	1	
ISTODAX 10 MG/2 ML RECON SOLUTION <b>DL</b>	4	PA
IXEMPRA 15 MG, 45 MG RECON SOLUTION <b>DL</b>	4	PA
JAKAFI 10 MG, 15 MG, 20 MG, 25 MG, 5 MG TABLET <b>DL</b>	4	PA,QL(60 per 30 days)
JEMPERLI 50 MG/ML SOLUTION	4	PA,QL(20 per 42 days)
JEVTANA 10 MG/ML (FIRST DILUTION) SOLUTION <b>DL</b>	4	PA
KADCYLA 100 MG, 160 MG RECON SOLUTION <b>DL</b>	4	PA
KANJINTI 150 MG, 420 MG RECON SOLUTION <b>DL</b>	4	PA
KEYTRUDA 25 MG/ML SOLUTION <b>DL</b>	4	PA
KHAPZORY 175 MG, 300 MG RECON SOLUTION <b>DL</b>	4	PA
KIMMTRAK 100 MCG/0.5 ML SOLUTION <b>DL</b>	4	PA
KISQALI 200 MG/DAY (200 MG X 1) TABLET <b>DL</b>	4	PA,QL(21 per 28 days)
KISQALI 400 MG/DAY (200 MG X 2) TABLET <b>DL</b>	4	PA,QL(42 per 28 days)
KISQALI 600 MG/DAY (200 MG X 3) TABLET <b>DL</b>	4	PA,QL(63 per 28 days)
KISQALI FEMARA CO-PACK 200 MG/DAY(200 MG X 1)-2.5 MG TABLET <b>DL</b>	4	PA,QL(49 per 28 days)
KISQALI FEMARA CO-PACK 400 MG/DAY(200 MG X 2)-2.5 MG TABLET <b>DL</b>	4	PA,QL(70 per 28 days)
KISQALI FEMARA CO-PACK 600 MG/DAY(200 MG X 3)-2.5 MG TABLET <b>DL</b>	4	PA,QL(91 per 28 days)
KOSELUGO 10 MG CAPSULE <b>DL</b>	4	PA,QL(240 per 30 days)
KOSELUGO 25 MG CAPSULE <b>DL</b>	4	PA,QL(120 per 30 days)
KRAZATI 200 MG TABLET <b>DL</b>	4	PA,QL(180 per 30 days)
KYPROLIS 10 MG RECON SOLUTION <b>DL</b>	4	PA,QL(6 per 28 days)
KYPROLIS 30 MG RECON SOLUTION <b>DL</b>	4	PA,QL(3 per 28 days)
KYPROLIS 60 MG RECON SOLUTION <b>DL</b>	4	PA,QL(12 per 28 days)
lapatinib 250 mg TABLET <b>DL</b>	4	PA,QL(180 per 30 days)
lenalidomide 10 mg, 15 mg, 2.5 mg, 20 mg, 25 mg, 5 mg CAPSULE <b>DL</b>	4	PA,QL(28 per 28 days)
LENVIMA 10 MG/DAY (10 MG X 1), 4 MG CAPSULE <b>DL</b>	4	PA,QL(30 per 30 days)
LENVIMA 12 MG/DAY (4 MG X 3), 18 MG/DAY (10 MG X 1-4 MG X2), 24 MG/DAY(10 MG X 2-4 MG X 1) CAPSULE <b>DL</b>	4	PA,QL(90 per 30 days)
LENVIMA 14 MG/DAY(10 MG X 1-4 MG X 1), 20 MG/DAY (10 MG X 2), 8 MG/DAY (4 MG X 2) CAPSULE <b>DL</b>	4	PA,QL(60 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 9. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • MO – Mail Order • PA - Prior Authorization • QL - Quantity Limit • ST - Step Therapy  
\$0 - Vaccine/Diabetic • DL - Dispensing Limit • LA - Limited Access

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
letrozole 2.5 mg TABLET <b>MO</b>	1	QL(30 per 30 days)
leucovorin calcium 10 mg, 15 mg, 25 mg, 5 mg TABLET <b>MO</b>	1	
leucovorin calcium 10 mg/ml SOLUTION <b>MO</b>	1	
leucovorin calcium 100 mg, 200 mg, 350 mg, 50 mg, 500 mg RECON SOLUTION <b>MO</b>	1	
LEUKERAN 2 MG TABLET <b>DL</b>	4	
levoleucovorin calcium 10 mg/ml SOLUTION <b>DL</b>	4	PA
levoleucovorin calcium 50 mg RECON SOLUTION <b>DL</b>	4	PA
LEVULAN 20 % SOLUTION <b>MO</b>	3	
LIBTAYO 50 MG/ML SOLUTION <b>DL</b>	4	PA,QL(7 per 21 days)
LONSURF 15-6.14 MG TABLET <b>DL</b>	4	PA,QL(100 per 30 days)
LONSURF 20-8.19 MG TABLET <b>DL</b>	4	PA,QL(80 per 30 days)
LORBRENA 100 MG TABLET <b>DL</b>	4	PA,QL(30 per 30 days)
LORBRENA 25 MG TABLET <b>DL</b>	4	PA,QL(90 per 30 days)
LUMAKRAS 120 MG TABLET <b>DL</b>	4	PA,QL(240 per 30 days)
LUMOXITI 1 MG RECON SOLUTION <b>DL</b>	4	PA
LYNPARZA 100 MG, 150 MG TABLET <b>DL</b>	4	PA,QL(120 per 30 days)
LYTGOBI 4 MG TABLET <b>DL</b>	4	PA,QL(140 per 28 days)
MARGENZA 25 MG/ML SOLUTION <b>DL</b>	4	PA
MATULANE 50 MG CAPSULE <b>DL</b>	4	
MEKINIST 0.5 MG TABLET <b>DL</b>	4	PA,QL(120 per 30 days)
MEKINIST 2 MG TABLET <b>DL</b>	4	PA,QL(30 per 30 days)
MEKTOVI 15 MG TABLET <b>DL</b>	4	PA,QL(180 per 30 days)
melphalan 2 mg TABLET <b>MO</b>	1	BvsD
melphalan hcl 50 mg RECON SOLUTION <b>MO</b>	1	
mercaptopurine 50 mg TABLET <b>MO</b>	1	
mesna 100 mg/ml SOLUTION <b>MO</b>	1	
MESNEX 100 MG/ML SOLUTION <b>DL</b>	4	
MESNEX 400 MG TABLET <b>DL</b>	4	
mitomycin 20 mg, 40 mg, 5 mg RECON SOLUTION <b>DL</b>	4	
mitoxantrone 2 mg/ml CONCENTRATE <b>MO</b>	1	
MUTAMYCIN 20 MG, 40 MG, 5 MG RECON SOLUTION <b>DL</b>	4	
MVASI 25 MG/ML SOLUTION <b>DL</b>	4	PA
MYLOTARG 4.5 MG (1 MG/ML INITIAL CONC) RECON SOLUTION <b>DL</b>	4	PA
NAVELBINE 10 MG/ML, 50 MG/5 ML SOLUTION <b>MO</b>	3	
nelarabine 250 mg/50 ml SOLUTION <b>DL</b>	4	

Need more information about the indicators displayed by the drug names? Please go to page 9. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • MO – Mail Order • PA - Prior Authorization • QL - Quantity Limit • ST - Step Therapy  
\$0 - Vaccine/Diabetic • DL - Dispensing Limit • LA - Limited Access

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
NERLYNX 40 MG TABLET <b>DL</b>	4	PA,QL(180 per 30 days)
NEXAVAR 200 MG TABLET <b>DL</b>	4	PA,QL(120 per 30 days)
NILANDRON 150 MG TABLET <b>DL</b>	4	PA,QL(60 per 30 days)
nilutamide 150 mg TABLET <b>DL</b>	4	QL(60 per 30 days)
NINLARO 2.3 MG, 3 MG, 4 MG CAPSULE <b>DL</b>	4	PA,QL(3 per 28 days)
NIPENT 10 MG RECON SOLUTION <b>DL</b>	4	
NUBEQA 300 MG TABLET <b>DL</b>	4	PA,QL(120 per 30 days)
ODOMZO 200 MG CAPSULE <b>DL</b>	4	PA,QL(30 per 30 days)
OGIVRI 150 MG, 420 MG RECON SOLUTION <b>DL</b>	4	PA
ONCASPAR 750 UNIT/ML SOLUTION <b>DL</b>	4	PA
ONIVYDE 4.3 MG/ML DISPERSION <b>DL</b>	4	PA
ONTRUZANT 150 MG, 420 MG RECON SOLUTION <b>DL</b>	4	PA
ONUREG 200 MG, 300 MG TABLET <b>DL</b>	4	PA,QL(14 per 28 days)
OPDIVO 100 MG/10 ML SOLUTION <b>DL</b>	4	PA,QL(40 per 28 days)
OPDIVO 120 MG/12 ML, 240 MG/24 ML SOLUTION <b>DL</b>	4	PA,QL(48 per 28 days)
OPDIVO 40 MG/4 ML SOLUTION <b>DL</b>	4	PA,QL(16 per 28 days)
OPDUALAG 240-80 MG/20 ML SOLUTION <b>DL</b>	4	PA,QL(40 per 28 days)
oxaliplatin 100 mg, 50 mg RECON SOLUTION <b>MO</b>	1	
oxaliplatin 100 mg/20 ml, 200 mg/40 ml, 50 mg/10 ml (5 mg/ml) SOLUTION <b>MO</b>	1	
paclitaxel 6 mg/ml CONCENTRATE <b>MO</b>	1	
paclitaxel protein-bound 100 mg SUSPENSION FOR RECONSTITUTION <b>DL</b>	4	PA
PADCEV 20 MG RECON SOLUTION <b>DL</b>	4	PA,QL(21 per 28 days)
PADCEV 30 MG RECON SOLUTION <b>DL</b>	4	PA,QL(15 per 28 days)
PANRETIN 0.1 % GEL <b>DL</b>	4	PA
paraplatin 10 mg/ml SOLUTION <b>MO</b>	1	
PEMAZYRE 13.5 MG, 4.5 MG, 9 MG TABLET <b>DL</b>	4	PA,QL(28 per 28 days)
pemetrexed 1 gram, 100 mg, 500 mg RECON SOLUTION <b>DL</b>	4	PA
pemetrexed disodium 1,000 mg, 100 mg, 500 mg, 750 mg RECON SOLUTION <b>DL</b>	4	PA
pemetrexed disodium 25 mg/ml SOLUTION <b>DL</b>	4	PA
PERJETA 420 MG/14 ML (30 MG/ML) SOLUTION <b>DL</b>	4	PA
PHESGO 1,200 MG-600MG- 30000 UNIT/15ML SOLUTION <b>DL</b>	4	PA,QL(15 per 21 days)
PHESGO 600 MG-600 MG- 20000 UNIT/10ML SOLUTION <b>DL</b>	4	PA,QL(10 per 21 days)
PIQRAY 200 MG/DAY (200 MG X 1) TABLET <b>DL</b>	4	PA,QL(28 per 28 days)
PIQRAY 250 MG/DAY (200 MG X1-50 MG X1), 300 MG/DAY (150 MG X 2) TABLET <b>DL</b>	4	PA,QL(56 per 28 days)

Need more information about the indicators displayed by the drug names? Please go to page 9. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • MO – Mail Order • PA - Prior Authorization • QL - Quantity Limit • ST - Step Therapy  
\$0 - Vaccine/Diabetic • DL - Dispensing Limit • LA - Limited Access

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
POLIVY 140 MG RECON SOLUTION <b>DL</b>	4	PA,QL(2 per 21 days)
POLIVY 30 MG RECON SOLUTION <b>DL</b>	4	PA,QL(8 per 21 days)
POMALYST 1 MG, 2 MG, 3 MG, 4 MG CAPSULE <b>DL</b>	4	PA,QL(21 per 28 days)
PORTRAZZA 800 MG/50 ML (16 MG/ML) SOLUTION <b>DL</b>	4	PA,QL(100 per 21 days)
POTELIGEO 4 MG/ML SOLUTION <b>DL</b>	4	PA
PROLEUKIN 22 MILLION UNIT RECON SOLUTION <b>DL</b>	4	
PURIXAN 20 MG/ML SUSPENSION <b>DL</b>	4	QL(300 per 30 days)
QINLOCK 50 MG TABLET <b>DL</b>	4	PA,QL(90 per 30 days)
RETEVMO 40 MG CAPSULE <b>DL</b>	4	PA,QL(180 per 30 days)
RETEVMO 80 MG CAPSULE <b>DL</b>	4	PA,QL(120 per 30 days)
REZLIDHIA 150 MG CAPSULE <b>DL</b>	4	PA,QL(60 per 30 days)
RIABNI 10 MG/ML SOLUTION <b>DL</b>	4	PA
RITUXAN 10 MG/ML CONCENTRATE <b>DL</b>	4	PA
RITUXAN HYCELA 1400 MG/11.7 ML (120 MG/ML) SOLUTION <b>DL</b>	4	PA,QL(46.8 per 28 days)
RITUXAN HYCELA 1600 MG/13.4 ML (120 MG/ML) SOLUTION <b>DL</b>	4	PA,QL(13.4 per 28 days)
romidepsin 10 mg/2 ml RECON SOLUTION <b>DL</b>	4	PA
ROMIDEPSIN 5 MG/ML SOLUTION <b>DL</b>	4	PA
ROZLYTREK 100 MG CAPSULE <b>DL</b>	4	PA,QL(150 per 30 days)
ROZLYTREK 200 MG CAPSULE <b>DL</b>	4	PA,QL(90 per 30 days)
RUBRACA 200 MG, 250 MG, 300 MG TABLET <b>DL</b>	4	PA,QL(120 per 30 days)
RUXIENCE 10 MG/ML SOLUTION <b>DL</b>	4	PA
RYBREVANT 50 MG/ML SOLUTION <b>DL</b>	4	PA,QL(784 per 365 days)
RYDAPT 25 MG CAPSULE <b>DL</b>	4	PA,QL(224 per 28 days)
RYLAZE 10 MG/0.5 ML SOLUTION <b>DL</b>	4	PA
SARCLISA 20 MG/ML SOLUTION <b>DL</b>	4	PA
SCEMBLIX 20 MG TABLET <b>DL</b>	4	PA,QL(60 per 30 days)
SCEMBLIX 40 MG TABLET <b>DL</b>	4	PA,QL(300 per 30 days)
SOLTAMOX 20 MG/10 ML SOLUTION	4	
sorafenib 200 mg TABLET <b>DL</b>	4	PA,QL(120 per 30 days)
SPRYCEL 100 MG, 50 MG, 70 MG, 80 MG TABLET <b>DL</b>	4	PA,QL(60 per 30 days)
SPRYCEL 140 MG TABLET <b>DL</b>	4	PA,QL(30 per 30 days)
SPRYCEL 20 MG TABLET <b>DL</b>	4	PA,QL(90 per 30 days)
STIVARGA 40 MG TABLET <b>DL</b>	4	PA,QL(84 per 28 days)
sunitinib 12.5 mg, 25 mg, 37.5 mg, 50 mg CAPSULE <b>DL</b>	4	PA,QL(28 per 28 days)
SUTENT 12.5 MG, 25 MG, 37.5 MG, 50 MG CAPSULE <b>DL</b>	4	PA,QL(28 per 28 days)
SYNRIBO 3.5 MG RECON SOLUTION <b>DL</b>	4	PA

Need more information about the indicators displayed by the drug names? Please go to page 9. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • MO - Mail Order • PA - Prior Authorization • QL - Quantity Limit • ST - Step Therapy  
\$0 - Vaccine/Diabetic • DL - Dispensing Limit • LA - Limited Access

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
TABLOID 40 MG TABLET <b>MO</b>	3	
TABRECTA 150 MG, 200 MG TABLET <b>DL</b>	4	PA,QL(112 per 28 days)
TAFINLAR 50 MG CAPSULE <b>DL</b>	4	PA,QL(180 per 30 days)
TAFINLAR 75 MG CAPSULE <b>DL</b>	4	PA,QL(120 per 30 days)
TAGRISSO 40 MG, 80 MG TABLET <b>DL</b>	4	PA,QL(30 per 30 days)
TALZENNA 0.25 MG CAPSULE <b>DL</b>	4	PA,QL(90 per 30 days)
TALZENNA 0.5 MG, 0.75 MG, 1 MG CAPSULE <b>DL</b>	4	PA,QL(30 per 30 days)
tamoxifen 10 mg, 20 mg TABLET <b>MO</b>	1	
TARCEVA 100 MG, 150 MG TABLET <b>DL</b>	4	PA,QL(30 per 30 days)
TARCEVA 25 MG TABLET <b>DL</b>	4	PA,QL(90 per 30 days)
TARGETIN 1 % GEL <b>DL</b>	4	PA,QL(240 per 30 days)
TARGETIN 75 MG CAPSULE <b>DL</b>	4	PA,QL(300 per 30 days)
TASIGNA 150 MG, 200 MG, 50 MG CAPSULE <b>DL</b>	4	PA,QL(120 per 30 days)
TAZVERIK 200 MG TABLET <b>DL</b>	4	PA,QL(240 per 30 days)
TECENTRIQ 1,200 MG/20 ML (60 MG/ML) SOLUTION <b>DL</b>	4	PA,QL(20 per 21 days)
TECENTRIQ 840 MG/14 ML (60 MG/ML) SOLUTION <b>DL</b>	4	PA,QL(28 per 28 days)
TECVAYLI 10 MG/ML, 90 MG/ML SOLUTION <b>DL</b>	4	PA
TEMODAR 100 MG RECON SOLUTION <b>DL</b>	4	PA,QL(27 per 30 days)
temsirolimus 30 mg/3 ml (10 mg/ml) (first) RECON SOLUTION <b>DL</b>	4	PA,QL(8 per 28 days)
teniposide 50 mg/5 ml SOLUTION <b>MO</b>	1	
TEPADINA 100 MG, 15 MG RECON SOLUTION <b>DL</b>	4	
TEPMETKO 225 MG TABLET <b>DL</b>	4	PA,QL(60 per 30 days)
THALOMID 100 MG, 200 MG, 50 MG CAPSULE <b>DL</b>	4	PA,QL(30 per 30 days)
THALOMID 150 MG CAPSULE <b>DL</b>	4	PA,QL(60 per 30 days)
thiotepa 100 mg RECON SOLUTION <b>DL</b>	4	
thiotepa 15 mg RECON SOLUTION <b>MO</b>	1	
TIBSOVO 250 MG TABLET <b>DL</b>	4	PA,QL(60 per 30 days)
TIVDAK 40 MG RECON SOLUTION <b>DL</b>	4	PA,QL(5 per 21 days)
toposar 20 mg/ml SOLUTION <b>MO</b>	1	
topotecan 4 mg RECON SOLUTION <b>MO</b>	1	
topotecan 4 mg/4 ml (1 mg/ml) SOLUTION <b>MO</b>	1	
toremifene 60 mg TABLET	4	QL(30 per 30 days)
TORISEL 30 MG/3 ML (10 MG/ML) (FIRST) RECON SOLUTION <b>DL</b>	4	PA,QL(8 per 28 days)
TOTECT 500 MG RECON SOLUTION <b>DL</b>	4	
TRAZIMERA 150 MG, 420 MG RECON SOLUTION <b>DL</b>	4	PA
TREANDA 100 MG, 25 MG RECON SOLUTION <b>DL</b>	4	PA

Need more information about the indicators displayed by the drug names? Please go to page 9. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • MO - Mail Order • PA - Prior Authorization • QL - Quantity Limit • ST - Step Therapy  
\$0 - Vaccine/Diabetic • DL - Dispensing Limit • LA - Limited Access

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
tretinoin (antineoplastic) 10 mg CAPSULE <b>DL</b>	4	
TRISENOX 2 MG/ML SOLUTION <b>DL</b>	4	PA
TRODELVY 180 MG RECON SOLUTION <b>DL</b>	4	PA
TRUSELTIQ 100 MG/DAY (100 MG X 1) CAPSULE <b>DL</b>	4	PA,QL(21 per 28 days)
TRUSELTIQ 125 MG/DAY(100 MG X1-25MG X1), 50 MG/DAY (25 MG X 2) CAPSULE <b>DL</b>	4	PA,QL(42 per 28 days)
TRUSELTIQ 75 MG/DAY (25 MG X 3) CAPSULE <b>DL</b>	4	PA,QL(63 per 28 days)
TRUXIMA 10 MG/ML SOLUTION <b>DL</b>	4	PA
TUKYSA 150 MG TABLET <b>DL</b>	4	PA,QL(120 per 30 days)
TUKYSA 50 MG TABLET <b>DL</b>	4	PA,QL(300 per 30 days)
TURALIO 200 MG CAPSULE <b>DL,LA</b>	4	PA,QL(120 per 30 days)
TYKERB 250 MG TABLET <b>DL</b>	4	PA,QL(180 per 30 days)
UNITUXIN 3.5 MG/ML SOLUTION <b>DL</b>	4	PA
VALCHLOR 0.016 % GEL <b>DL</b>	4	PA,QL(60 per 28 days)
valrubicin 40 mg/ml SOLUTION <b>DL</b>	4	PA,QL(80 per 28 days)
VALSTAR 40 MG/ML SOLUTION <b>DL</b>	4	PA,QL(80 per 28 days)
VECTIBIX 100 MG/5 ML (20 MG/ML), 400 MG/20 ML (20 MG/ML) SOLUTION <b>DL</b>	4	PA
VELCADE 3.5 MG RECON SOLUTION <b>DL</b>	4	PA
VENCLEXTA 10 MG TABLET <b>MO</b>	2	PA,QL(56 per 28 days)
VENCLEXTA 100 MG TABLET <b>DL</b>	4	PA,QL(180 per 30 days)
VENCLEXTA 50 MG TABLET <b>MO</b>	2	PA,QL(28 per 28 days)
VENCLEXTA STARTING PACK 10 MG-50 MG- 100 MG TABLET, DOSE PACK <b>DL</b>	4	PA,QL(42 per 28 days)
VERZENIO 100 MG, 150 MG, 200 MG, 50 MG TABLET <b>DL</b>	4	PA,QL(60 per 30 days)
VIDAZA 100 MG RECON SOLUTION <b>DL</b>	4	PA
vinblastine 1 mg/ml SOLUTION <b>MO</b>	1	BvsD
vincasar pfs 1 mg/ml, 2 mg/2 ml SOLUTION <b>MO</b>	1	BvsD
vincristine 1 mg/ml, 2 mg/2 ml SOLUTION <b>MO</b>	1	BvsD
vinorelbine 10 mg/ml, 50 mg/5 ml SOLUTION <b>MO</b>	1	
VISTOGARD 10 GRAM GRANULES IN PACKET <b>DL</b>	4	QL(20 per 365 days)
VITRAKVI 100 MG CAPSULE <b>DL</b>	4	PA,QL(60 per 30 days)
VITRAKVI 20 MG/ML SOLUTION <b>DL</b>	4	PA,QL(300 per 30 days)
VITRAKVI 25 MG CAPSULE <b>DL</b>	4	PA,QL(180 per 30 days)
VIZIMPRO 15 MG, 30 MG, 45 MG TABLET <b>DL</b>	4	PA,QL(30 per 30 days)
VONJO 100 MG CAPSULE <b>DL</b>	4	PA,QL(120 per 30 days)
VOTRIENT 200 MG TABLET <b>DL</b>	4	PA,QL(120 per 30 days)
VYXEOS 44-100 MG RECON SOLUTION <b>DL</b>	4	PA

Need more information about the indicators displayed by the drug names? Please go to page 9. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • MO – Mail Order • PA - Prior Authorization • QL - Quantity Limit • ST - Step Therapy  
\$0 - Vaccine/Diabetic • DL - Dispensing Limit • LA - Limited Access

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
WELIREG 40 MG TABLET <b>DL</b>	4	PA,QL(90 per 30 days)
XALKORI 200 MG, 250 MG CAPSULE <b>DL</b>	4	PA,QL(120 per 30 days)
XOSPATA 40 MG TABLET <b>DL</b>	4	PA,QL(90 per 30 days)
XPOVIO 100 MG/WEEK (20 MG X 5) TABLET <b>DL</b>	4	PA,QL(20 per 28 days)
XPOVIO 100 MG/WEEK (50 MG X 2), 40 MG/WEEK (20 MG X 2), 40MG TWICE WEEK (40 MG X 2), 80 MG/WEEK (40 MG X 2) TABLET <b>DL</b>	4	PA,QL(8 per 28 days)
XPOVIO 40 MG/WEEK (40 MG X 1), 60 MG/WEEK (60 MG X 1) TABLET <b>DL</b>	4	PA,QL(4 per 28 days)
XPOVIO 40MG TWICE WEEK (80 MG/WEEK), 80 MG/WEEK (20 MG X 4) TABLET <b>DL</b>	4	PA,QL(16 per 28 days)
XPOVIO 60 MG/WEEK (20 MG X 3) TABLET <b>DL</b>	4	PA,QL(12 per 28 days)
XPOVIO 60MG TWICE WEEK (120 MG/WEEK) TABLET <b>DL</b>	4	PA,QL(24 per 28 days)
XPOVIO 80MG TWICE WEEK (160 MG/WEEK) TABLET <b>DL</b>	4	PA,QL(32 per 28 days)
XTANDI 40 MG CAPSULE <b>DL</b>	4	PA,QL(120 per 30 days)
XTANDI 40 MG TABLET <b>DL</b>	4	PA,QL(120 per 30 days)
XTANDI 80 MG TABLET <b>DL</b>	4	PA,QL(60 per 30 days)
YERVOY 200 MG/40 ML (5 MG/ML), 50 MG/10 ML (5 MG/ML) SOLUTION <b>DL</b>	4	PA
YONDELIS 1 MG RECON SOLUTION <b>DL</b>	4	PA
YONSA 125 MG TABLET <b>DL</b>	4	PA,QL(120 per 30 days)
ZALTRAP 100 MG/4 ML (25 MG/ML), 200 MG/8 ML (25 MG/ML) SOLUTION <b>DL</b>	4	PA
ZANOSAR 1 GRAM RECON SOLUTION <b>MO</b>	3	
ZEJULA 100 MG CAPSULE <b>DL</b>	4	PA,QL(90 per 30 days)
ZELBORAF 240 MG TABLET <b>DL</b>	4	PA,QL(240 per 30 days)
ZEPZELCA 4 MG RECON SOLUTION <b>DL</b>	4	PA
ZIRABEV 25 MG/ML SOLUTION <b>DL</b>	4	PA
ZOLINZA 100 MG CAPSULE <b>DL</b>	4	PA,QL(120 per 30 days)
ZYDELIG 100 MG, 150 MG TABLET <b>DL</b>	4	PA,QL(60 per 30 days)
ZYKADIA 150 MG TABLET <b>DL</b>	4	PA,QL(150 per 30 days)
ZYNLONTA 10 MG RECON SOLUTION <b>DL</b>	4	PA
ZYTIGA 250 MG TABLET <b>DL</b>	4	PA,QL(120 per 30 days)
ZYTIGA 500 MG TABLET <b>DL</b>	4	PA,QL(60 per 30 days)
<b>Antiparasitics</b>		
albendazole 200 mg TABLET <b>MO</b>	1	
ALBENZA 200 MG TABLET <b>DL</b>	4	
atovaquone 750 mg/5 ml SUSPENSION <b>MO</b>	1	
atovaquone-proguanil 250-100 mg, 62.5-25 mg TABLET <b>MO</b>	1	
benznidazole 100 mg TABLET <b>MO</b>	3	QL(240 per 365 days)

Need more information about the indicators displayed by the drug names? Please go to page 9. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • MO – Mail Order • PA - Prior Authorization • QL - Quantity Limit • ST - Step Therapy  
\$0 - Vaccine/Diabetic • DL - Dispensing Limit • LA - Limited Access

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
benznidazole 12.5 mg TABLET <b>MO</b>	3	QL(720 per 365 days)
BILTRICIDE 600 MG TABLET <b>DL</b>	4	PA
chloroquine phosphate 250 mg, 500 mg TABLET <b>MO</b>	1	
COARTEM 20-120 MG TABLET <b>MO</b>	3	QL(24 per 30 days)
DARAPRIM 25 MG TABLET <b>DL</b>	4	PA,QL(90 per 30 days)
EGATEN 250 MG TABLET <b>MO</b>	3	
emverm 100 mg CHEWABLE TABLET <b>DL</b>	4	
hydroxychloroquine 100 mg, 300 mg, 400 mg TABLET <b>MO</b>	1	
hydroxychloroquine 200 mg TABLET <b>MO</b>	1	
IMPAVIDO 50 MG CAPSULE <b>DL</b>	4	QL(84 per 28 days)
ivermectin 0.5 % LOTION <b>MO</b>	1	QL(117 per 30 days)
ivermectin 3 mg TABLET <b>MO</b>	1	
KRINTAFEL 150 MG TABLET <b>MO</b>	2	QL(4 per 180 days)
LAMPIT 120 MG, 30 MG TABLET <b>MO</b>	3	
MALARONE 250-100 MG TABLET <b>MO</b>	3	PA
MALARONE PEDIATRIC 62.5-25 MG TABLET <b>MO</b>	3	PA
mefloquine 250 mg TABLET <b>MO</b>	1	
MEPRON 750 MG/5 ML SUSPENSION <b>DL</b>	4	
NEBUPENT 300 MG RECON SOLUTION <b>MO</b>	3	BvsD
nitazoxanide 500 mg TABLET <b>DL</b>	4	QL(40 per 30 days)
PENTAM 300 MG RECON SOLUTION <b>MO</b>	3	
pentamidine 300 mg RECON SOLUTION <b>MO</b>	1	
pentamidine 300 mg RECON SOLUTION <b>MO</b>	1	BvsD
PLAQUENIL 200 MG TABLET <b>MO</b>	3	PA
praziquantel 600 mg TABLET <b>MO</b>	1	
primaquine 26.3 mg TABLET <b>MO</b>	1	
pyrimethamine 25 mg TABLET <b>DL</b>	4	QL(90 per 30 days)
QUALAQUIN 324 MG CAPSULE <b>MO</b>	3	PA,QL(42 per 7 days)
quinine sulfate 324 mg CAPSULE <b>MO</b>	1	PA,QL(42 per 7 days)
SKLICE 0.5 % LOTION <b>MO</b>	3	QL(117 per 30 days)
STROMECTOL 3 MG TABLET <b>MO</b>	3	PA
<b>Antiparkinson Agents</b>		
amantadine hcl 100 mg CAPSULE <b>MO</b>	1	
amantadine hcl 100 mg TABLET <b>MO</b>	1	
amantadine hcl 50 mg/5 ml SOLUTION <b>MO</b>	1	
APOKYN 10 MG/ML CARTRIDGE <b>DL</b>	4	PA,QL(84 per 28 days)

Need more information about the indicators displayed by the drug names? Please go to page 9. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • MO – Mail Order • PA - Prior Authorization • QL - Quantity Limit • ST - Step Therapy  
\$0 - Vaccine/Diabetic • DL - Dispensing Limit • LA - Limited Access

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
apomorphine 10 mg/ml CARTRIDGE <b>DL</b>	4	PA,QL(84 per 28 days)
AZILECT 0.5 MG, 1 MG TABLET	4	PA,QL(30 per 30 days)
benztropine 0.5 mg, 1 mg, 2 mg TABLET <b>MO</b>	1	
benztropine 1 mg/ml SOLUTION <b>MO</b>	1	
bromocriptine 2.5 mg TABLET <b>MO</b>	1	
bromocriptine 5 mg CAPSULE <b>MO</b>	1	QL(600 per 30 days)
carbidopa 25 mg TABLET <b>MO</b>	1	
carbidopa-levodopa 10-100 mg, 25-100 mg, 25-250 mg TABLET, DISINTEGRATING <b>MO</b>	1	
carbidopa-levodopa 10-100 mg, 25-250 mg TABLET <b>MO</b>	1	
carbidopa-levodopa 25-100 mg TABLET <b>MO</b>	1	
carbidopa-levodopa 25-100 mg, 50-200 mg TABLET ER <b>MO</b>	1	
carbidopa-levodopa-entacapone 12.5-50-200 mg, 18.75-75-200 mg, 25-100-200 mg, 31.25-125-200 mg, 37.5-150-200 mg TABLET <b>MO</b>	1	QL(240 per 30 days)
carbidopa-levodopa-entacapone 50-200-200 mg TABLET <b>MO</b>	1	
COGENTIN 1 MG/ML SOLUTION <b>MO</b>	3	
COMTAN 200 MG TABLET <b>MO</b>	3	PA,QL(300 per 30 days)
DHIVY 25-100 MG TABLET <b>MO</b>	3	
DUOPA 4.63-20 MG/ML INTESTINAL PUMP SUSPENSION <b>DL</b>	4	PA,QL(2800 per 28 days)
entacapone 200 mg TABLET <b>MO</b>	1	QL(300 per 30 days)
GOCOVRI 137 MG CAPSULE, ER 24 HR.	4	PA,QL(60 per 30 days)
GOCOVRI 68.5 MG CAPSULE, ER 24 HR.	4	PA,QL(30 per 30 days)
INBRIJA 42 MG CAPSULE <b>DL</b>	4	PA,QL(300 per 30 days)
INBRIJA 42 MG CAPSULE, W/INHALATION DEVICE <b>DL</b>	4	PA,QL(300 per 30 days)
KYNMOBI 10 MG, 15 MG, 20 MG, 25 MG, 30 MG FILM <b>DL</b>	4	PA,QL(150 per 30 days)
KYNMOBI 10-15-20-25-30 MG FILM <b>DL</b>	4	PA,QL(150 per 30 days)
LODOSYN 25 MG TABLET	4	PA
MIRAPEX 0.125 MG, 0.25 MG, 0.5 MG, 0.75 MG, 1 MG, 1.5 MG TABLET <b>MO</b>	3	ST
MIRAPEX ER 0.375 MG, 0.75 MG, 1.5 MG, 2.25 MG, 3 MG, 3.75 MG, 4.5 MG TABLET, ER 24 HR. <b>MO</b>	3	ST,QL(30 per 30 days)
NEUPRO 1 MG/24 HOUR, 2 MG/24 HOUR, 3 MG/24 HOUR, 4 MG/24 HOUR, 6 MG/24 HOUR, 8 MG/24 HOUR PATCH, 24 HR. <b>MO</b>	3	ST,QL(30 per 30 days)
NOURIANZ 20 MG, 40 MG TABLET	4	PA,QL(30 per 30 days)
ONGENTYS 25 MG, 50 MG CAPSULE <b>MO</b>	3	PA,QL(30 per 30 days)
OSMOLEX ER 129 MG, 193 MG, 258 MG TABLET, IR/ER 24 HR., BIPHASIC <b>MO</b>	3	PA,QL(30 per 30 days)
OSMOLEX ER 322 MG/DAY(129 MG X1-193MG X1) TABLET, IR/ER 24 HR., BIPHASIC <b>MO</b>	3	PA,QL(60 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 9. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • MO – Mail Order • PA - Prior Authorization • QL - Quantity Limit • ST - Step Therapy  
\$0 - Vaccine/Diabetic • DL - Dispensing Limit • LA - Limited Access

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
PARLODEL 2.5 MG TABLET <b>MO</b>	3	PA
PARLODEL 5 MG CAPSULE <b>MO</b>	3	PA,QL(600 per 30 days)
pramipexole 0.125 mg, 0.25 mg, 0.5 mg, 0.75 mg, 1 mg, 1.5 mg TABLET <b>MO</b>	1	
pramipexole 0.375 mg, 0.75 mg, 1.5 mg, 2.25 mg, 3 mg, 3.75 mg, 4.5 mg TABLET, ER 24 HR. <b>MO</b>	1	ST,QL(30 per 30 days)
rasagiline 0.5 mg, 1 mg TABLET <b>MO</b>	1	PA,QL(30 per 30 days)
ropinirole 0.25 mg, 0.5 mg, 1 mg, 2 mg, 3 mg, 4 mg, 5 mg TABLET <b>MO</b>	1	
ropinirole 12 mg, 2 mg, 4 mg, 6 mg, 8 mg TABLET, ER 24 HR. <b>MO</b>	1	ST,QL(90 per 30 days)
RYTARY 23.75-95 MG CAPSULE, ER <b>MO</b>	3	ST,QL(360 per 30 days)
RYTARY 36.25-145 MG CAPSULE, ER <b>MO</b>	3	ST,QL(270 per 30 days)
RYTARY 48.75-195 MG CAPSULE, ER <b>MO</b>	3	ST,QL(360 per 30 days)
RYTARY 61.25-245 MG CAPSULE, ER <b>MO</b>	3	ST,QL(300 per 30 days)
selegiline hcl 5 mg CAPSULE <b>MO</b>	1	
selegiline hcl 5 mg TABLET <b>MO</b>	1	
SINEMET 10-100 MG, 25-100 MG, 25-250 MG TABLET <b>MO</b>	3	PA
STALEVO 100 25-100-200 MG TABLET	4	PA,QL(240 per 30 days)
STALEVO 125 31.25-125-200 MG TABLET	4	PA,QL(240 per 30 days)
STALEVO 150 37.5-150-200 MG TABLET	4	PA,QL(240 per 30 days)
STALEVO 200 50-200-200 MG TABLET	4	PA
STALEVO 50 12.5-50-200 MG TABLET	4	PA,QL(240 per 30 days)
STALEVO 75 18.75-75-200 MG TABLET	4	PA,QL(240 per 30 days)
TASMAR 100 MG TABLET	4	PA
tolcapone 100 mg TABLET	4	PA
trihexyphenidyl 0.4 mg/ml ELIXIR <b>MO</b>	1	
trihexyphenidyl 2 mg, 5 mg TABLET <b>MO</b>	1	
XADAGO 100 MG, 50 MG TABLET	4	PA,QL(30 per 30 days)
ZELAPAR 1.25 MG TABLET, DISINTEGRATING	4	
<b>Antipsychotics</b>		
ABILIFY 10 MG, 15 MG, 2 MG, 20 MG, 30 MG, 5 MG TABLET	4	PA
ABILIFY MAINTENA 300 MG, 400 MG SUSPENSION, ER, RECON	4	QL(1 per 28 days)
ABILIFY MAINTENA 300 MG, 400 MG SUSPENSION, ER, SYRINGE	4	QL(1 per 28 days)
ABILIFY MYCITE 10 MG, 15 MG, 2 MG, 20 MG, 5 MG TABLET WITH SENSOR AND PATCH	4	PA,QL(30 per 30 days)
ABILIFY MYCITE 30 MG TABLET WITH SENSOR AND PATCH	4	PA,QL(30 per 30 days)
ABILIFY MYCITE MAINTENANCE KIT 10 MG, 30 MG TABLET WITH SENSOR AND STRIP <b>DL</b>	4	PA,QL(30 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 9. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • MO – Mail Order • PA - Prior Authorization • QL - Quantity Limit • ST - Step Therapy  
\$0 - Vaccine/Diabetic • DL - Dispensing Limit • LA - Limited Access

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
ABILIFY MYCITE MAINTENANCE KIT 15 MG, 2 MG, 20 MG, 5 MG TABLET WITH SENSOR AND STRIP <b>DL</b>	4	PA,QL(30 per 30 days)
ABILIFY MYCITE STARTER KIT 10 MG TABLET W/SENSOR AND STRIP, POD <b>DL</b>	4	PA,QL(30 per 30 days)
ABILIFY MYCITE STARTER KIT 15 MG, 2 MG, 20 MG, 30 MG, 5 MG TABLET W/SENSOR AND STRIP, POD <b>DL</b>	4	PA,QL(30 per 30 days)
ariPIPrazole 1 mg/ml SOLUTION <b>MO</b>	1	QL(750 per 30 days)
ariPIPrazole 10 mg, 15 mg TABLET, DISINTEGRATING <b>MO</b>	1	QL(60 per 30 days)
ariPIPrazole 10 mg, 15 mg, 2 mg, 20 mg, 30 mg, 5 mg TABLET <b>MO</b>	1	
ARISTADA 1,064 MG/3.9 ML SUSPENSION, ER, SYRINGE	4	QL(3.9 per 56 days)
ARISTADA 441 MG/1.6 ML SUSPENSION, ER, SYRINGE	4	QL(1.6 per 28 days)
ARISTADA 662 MG/2.4 ML SUSPENSION, ER, SYRINGE	4	QL(2.4 per 28 days)
ARISTADA 882 MG/3.2 ML SUSPENSION, ER, SYRINGE	4	QL(3.2 per 28 days)
ARISTADA INITIO 675 MG/2.4 ML SUSPENSION, ER, SYRINGE	4	QL(2.4 per 42 days)
asenapine maleate 10 mg, 2.5 mg, 5 mg SUBLINGUAL TABLET <b>MO</b>	1	PA,QL(60 per 30 days)
CAPLYTA 10.5 MG, 21 MG CAPSULE <b>DL</b>	4	PA,QL(30 per 30 days)
CAPLYTA 42 MG CAPSULE	4	PA,QL(30 per 30 days)
chlorpromazine 10 mg, 25 mg TABLET <b>MO</b>	1	BvsD
chlorpromazine 100 mg, 200 mg, 50 mg TABLET <b>MO</b>	1	
chlorpromazine 100 mg/ml, 30 mg/ml CONCENTRATE <b>MO</b>	1	
chlorpromazine 25 mg/ml SOLUTION <b>MO</b>	1	
clozapine 100 mg TABLET <b>MO</b>	1	QL(270 per 30 days)
clozapine 100 mg TABLET, DISINTEGRATING <b>MO</b>	1	PA,QL(270 per 30 days)
clozapine 12.5 mg TABLET, DISINTEGRATING <b>MO</b>	1	PA
clozapine 150 mg TABLET, DISINTEGRATING <b>MO</b>	1	PA,QL(180 per 30 days)
clozapine 200 mg TABLET <b>MO</b>	1	QL(135 per 30 days)
clozapine 200 mg TABLET, DISINTEGRATING <b>MO</b>	1	PA,QL(135 per 30 days)
clozapine 25 mg TABLET <b>MO</b>	1	QL(1080 per 30 days)
clozapine 25 mg TABLET, DISINTEGRATING <b>MO</b>	1	PA,QL(1080 per 30 days)
clozapine 50 mg TABLET <b>MO</b>	1	
CLOZARIL 100 MG TABLET	4	QL(270 per 30 days)
CLOZARIL 200 MG TABLET	4	QL(135 per 30 days)
CLOZARIL 25 MG TABLET	4	QL(1080 per 30 days)
CLOZARIL 50 MG TABLET	4	
droperidol 2.5 mg/ml SOLUTION <b>MO</b>	1	
FANAPT 1 MG, 10 MG, 12 MG, 2 MG, 4 MG, 6 MG, 8 MG TABLET	4	PA,QL(60 per 30 days)
FANAPT 1MG(2)-2MG(2)-4MG(2)-6MG(2) TABLET, DOSE PACK <b>MO</b>	3	PA,QL(56 per 28 days)

Need more information about the indicators displayed by the drug names? Please go to page 9. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • MO – Mail Order • PA - Prior Authorization • QL - Quantity Limit • ST - Step Therapy  
\$0 - Vaccine/Diabetic • DL - Dispensing Limit • LA - Limited Access

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
fluphenazine decanoate 25 mg/ml SOLUTION <b>MO</b>	1	
fluphenazine hcl 1 mg, 10 mg, 2.5 mg, 5 mg TABLET <b>MO</b>	1	
fluphenazine hcl 2.5 mg/5 ml ELIXIR <b>MO</b>	1	
fluphenazine hcl 2.5 mg/ml SOLUTION <b>MO</b>	1	
fluphenazine hcl 5 mg/ml CONCENTRATE <b>MO</b>	1	
GEODON 20 MG, 40 MG, 60 MG, 80 MG CAPSULE	4	PA
GEODON 20 MG/ML (FINAL CONC.) RECON SOLUTION <b>MO</b>	3	PA
HALDOL 5 MG/ML SOLUTION <b>MO</b>	3	
HALDOL DECANOATE 100 MG/ML, 50 MG/ML SOLUTION <b>MO</b>	3	PA
haloperidol 0.5 mg, 1 mg, 10 mg, 2 mg, 20 mg, 5 mg TABLET <b>MO</b>	1	
haloperidol decanoate 100 mg/ml, 50 mg/ml SOLUTION <b>MO</b>	1	
haloperidol lactate 2 mg/ml CONCENTRATE <b>MO</b>	1	
haloperidol lactate 5 mg/ml SOLUTION <b>MO</b>	1	
haloperidol lactate 5 mg/ml SYRINGE <b>MO</b>	1	
INVEGA 1.5 MG, 3 MG, 9 MG TABLET, ER 24 HR.	4	PA,QL(30 per 30 days)
INVEGA 6 MG TABLET, ER 24 HR.	4	PA,QL(60 per 30 days)
INVEGA HAFYERA 1,092 MG/3.5 ML SYRINGE	4	QL(3.5 per 180 days)
INVEGA HAFYERA 1,560 MG/5 ML SYRINGE	4	QL(5 per 180 days)
INVEGA SUSTENNA 117 MG/0.75 ML, 234 MG/1.5 ML, 78 MG/0.5 ML SYRINGE	4	QL(1.5 per 28 days)
INVEGA SUSTENNA 156 MG/ML SYRINGE	4	QL(1 per 28 days)
INVEGA SUSTENNA 39 MG/0.25 ML SYRINGE <b>MO</b>	3	QL(1.5 per 28 days)
INVEGA TRINZA 273 MG/0.88 ML SYRINGE	4	QL(0.88 per 90 days)
INVEGA TRINZA 410 MG/1.32 ML SYRINGE	4	QL(1.32 per 90 days)
INVEGA TRINZA 546 MG/1.75 ML SYRINGE	4	QL(1.75 per 90 days)
INVEGA TRINZA 819 MG/2.63 ML SYRINGE	4	QL(2.63 per 90 days)
LATUDA 120 MG, 20 MG, 40 MG, 60 MG TABLET	4	PA,QL(30 per 30 days)
LATUDA 80 MG TABLET	4	PA,QL(60 per 30 days)
loxapine succinate 10 mg, 25 mg, 5 mg, 50 mg CAPSULE <b>MO</b>	1	
LYBALVI 10-10 MG, 15-10 MG, 20-10 MG, 5-10 MG TABLET <b>DL</b>	4	PA,QL(30 per 30 days)
molindone 10 mg TABLET <b>MO</b>	1	PA,QL(240 per 30 days)
molindone 25 mg TABLET <b>MO</b>	1	PA,QL(270 per 30 days)
molindone 5 mg TABLET <b>MO</b>	1	PA,QL(360 per 30 days)
NUPLAZID 10 MG TABLET <b>DL</b>	4	PA,QL(30 per 30 days)
NUPLAZID 34 MG CAPSULE <b>DL</b>	4	PA,QL(30 per 30 days)
olanzapine 10 mg RECON SOLUTION <b>MO</b>	1	
olanzapine 10 mg, 15 mg, 2.5 mg, 20 mg, 5 mg, 7.5 mg TABLET <b>MO</b>	1	

Need more information about the indicators displayed by the drug names? Please go to page 9. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • MO - Mail Order • PA - Prior Authorization • QL - Quantity Limit • ST - Step Therapy  
\$0 - Vaccine/Diabetic • DL - Dispensing Limit • LA - Limited Access

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
olanzapine 10 mg, 5 mg TABLET, DISINTEGRATING <b>MO</b>	1	QL(30 per 30 days)
olanzapine 15 mg, 20 mg TABLET, DISINTEGRATING <b>MO</b>	1	QL(60 per 30 days)
paliperidone 1.5 mg, 3 mg, 9 mg TABLET, ER 24 HR. <b>MO</b>	1	QL(30 per 30 days)
paliperidone 6 mg TABLET, ER 24 HR. <b>MO</b>	1	QL(60 per 30 days)
perphenazine 16 mg, 2 mg, 4 mg, 8 mg TABLET <b>MO</b>	1	
PERSERIS 120 MG, 90 MG SUSPENSION, ER, SYRINGE	4	QL(1 per 28 days)
pimozide 1 mg, 2 mg TABLET <b>MO</b>	1	
quetiapine 100 mg TABLET <b>MO</b>	1	QL(90 per 30 days)
quetiapine 150 mg TABLET <b>MO</b>	1	QL(30 per 30 days)
quetiapine 150 mg TABLET, ER 24 HR. <b>MO</b>	1	QL(90 per 30 days)
quetiapine 200 mg TABLET <b>MO</b>	1	QL(120 per 30 days)
quetiapine 200 mg TABLET, ER 24 HR. <b>MO</b>	1	QL(30 per 30 days)
quetiapine 25 mg, 50 mg TABLET <b>MO</b>	1	QL(120 per 30 days)
quetiapine 300 mg, 400 mg TABLET <b>MO</b>	1	QL(60 per 30 days)
quetiapine 300 mg, 400 mg TABLET, ER 24 HR. <b>MO</b>	1	QL(60 per 30 days)
quetiapine 50 mg TABLET, ER 24 HR. <b>MO</b>	1	QL(120 per 30 days)
REXULTI 0.25 MG, 0.5 MG, 1 MG, 2 MG, 3 MG, 4 MG TABLET <b>MO</b>	3	PA,QL(30 per 30 days)
RISPERDAL 0.5 MG TABLET <b>MO</b>	3	QL(120 per 30 days)
RISPERDAL 1 MG, 2 MG, 3 MG, 4 MG TABLET	4	QL(60 per 30 days)
RISPERDAL 1 MG/ML SOLUTION	4	
RISPERDAL CONSTA 12.5 MG/2 ML, 25 MG/2 ML SUSPENSION, ER, RECON <b>MO</b>	3	QL(2 per 28 days)
RISPERDAL CONSTA 37.5 MG/2 ML, 50 MG/2 ML SUSPENSION, ER, RECON	4	QL(2 per 28 days)
risperidone 0.25 mg, 1 mg, 2 mg, 3 mg, 4 mg TABLET <b>MO</b>	1	QL(60 per 30 days)
risperidone 0.25 mg, 1 mg, 2 mg, 3 mg, 4 mg TABLET, DISINTEGRATING <b>MO</b>	1	ST,QL(60 per 30 days)
risperidone 0.5 mg TABLET <b>MO</b>	1	QL(120 per 30 days)
risperidone 0.5 mg TABLET, DISINTEGRATING <b>MO</b>	1	ST,QL(120 per 30 days)
risperidone 1 mg/ml SOLUTION <b>MO</b>	1	
SAPHRIS 10 MG, 2.5 MG, 5 MG SUBLINGUAL TABLET	4	PA,QL(60 per 30 days)
SECUADO 3.8 MG/24 HOUR, 5.7 MG/24 HOUR, 7.6 MG/24 HOUR PATCH, 24 HR.	4	PA,QL(30 per 30 days)
SEROQUEL 100 MG TABLET <b>MO</b>	3	QL(90 per 30 days)
SEROQUEL 200 MG, 25 MG, 50 MG TABLET <b>MO</b>	3	QL(120 per 30 days)
SEROQUEL 300 MG, 400 MG TABLET <b>MO</b>	3	QL(60 per 30 days)
SEROQUEL XR 150 MG TABLET, ER 24 HR. <b>MO</b>	3	PA,QL(90 per 30 days)
SEROQUEL XR 200 MG TABLET, ER 24 HR. <b>MO</b>	3	PA,QL(30 per 30 days)
SEROQUEL XR 300 MG, 400 MG TABLET, ER 24 HR. <b>MO</b>	3	PA,QL(60 per 30 days)
SEROQUEL XR 50 MG TABLET, ER 24 HR. <b>MO</b>	3	PA,QL(120 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 9. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • MO - Mail Order • PA - Prior Authorization • QL - Quantity Limit • ST - Step Therapy  
\$0 - Vaccine/Diabetic • DL - Dispensing Limit • LA - Limited Access

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
SEROQUEL XR 50 MG(3)-200 MG (1)-300 MG(11) TABLET, ER 24 HR., DOSE PACK <b>MO</b>	3	PA,QL(15 per 30 days)
thioridazine 10 mg, 100 mg, 25 mg, 50 mg TABLET <b>MO</b>	1	
thiothixene 1 mg, 10 mg, 2 mg, 5 mg CAPSULE <b>MO</b>	1	
trifluoperazine 1 mg, 10 mg, 2 mg, 5 mg TABLET <b>MO</b>	1	
VERSACLOZ 50 MG/ML SUSPENSION	4	PA,QL(540 per 30 days)
VRAYLAR 1.5 MG (1)- 3 MG (6) CAPSULE, DOSE PACK <b>MO</b>	3	PA
VRAYLAR 1.5 MG, 3 MG, 4.5 MG, 6 MG CAPSULE	4	PA,QL(30 per 30 days)
ziprasidone hcl 20 mg, 40 mg, 60 mg, 80 mg CAPSULE <b>MO</b>	1	
ziprasidone mesylate 20 mg/ml (final conc.) RECON SOLUTION <b>MO</b>	1	
ZYPREXA 10 MG RECON SOLUTION <b>MO</b>	3	
ZYPREXA 10 MG, 15 MG, 2.5 MG, 20 MG, 5 MG, 7.5 MG TABLET	4	
ZYPREXA RELPREVV 210 MG SUSPENSION FOR RECONSTITUTION <b>MO</b>	3	QL(4 per 28 days)
ZYPREXA RELPREVV 300 MG SUSPENSION FOR RECONSTITUTION	4	QL(2 per 28 days)
ZYPREXA RELPREVV 405 MG SUSPENSION FOR RECONSTITUTION	4	QL(1 per 28 days)
ZYPREXA ZYDIS 10 MG TABLET, DISINTEGRATING	4	QL(30 per 30 days)
ZYPREXA ZYDIS 15 MG, 20 MG TABLET, DISINTEGRATING	4	QL(60 per 30 days)
ZYPREXA ZYDIS 5 MG TABLET, DISINTEGRATING <b>MO</b>	3	QL(30 per 30 days)
<b>Antispasticity Agents</b>		
baclofen 10 mg TABLET <b>MO</b>	1	
baclofen 20 mg TABLET <b>MO</b>	1	
baclofen 5 mg TABLET <b>MO</b>	1	QL(90 per 30 days)
DANTRIUM 20 MG RECON SOLUTION <b>MO</b>	3	
DANTRIUM 25 MG, 50 MG CAPSULE <b>MO</b>	3	
dantrolene 100 mg, 25 mg, 50 mg CAPSULE <b>MO</b>	1	
dantrolene 20 mg RECON SOLUTION <b>MO</b>	1	
FLEQSVY 5 MG/ML SUSPENSION <b>DL</b>	4	QL(480 per 30 days)
LYVISPAN 10 MG, 20 MG GRANULES IN PACKET <b>DL</b>	4	ST,QL(120 per 30 days)
LYVISPAN 5 MG GRANULES IN PACKET <b>DL</b>	4	ST,QL(270 per 30 days)
revonto 20 mg RECON SOLUTION <b>MO</b>	1	
tizanidine 2 mg, 4 mg TABLET <b>MO</b>	1	
tizanidine 2 mg, 4 mg, 6 mg CAPSULE <b>MO</b>	1	ST
ZANAFLEX 2 MG, 4 MG, 6 MG CAPSULE <b>MO</b>	3	ST
ZANAFLEX 4 MG TABLET <b>MO</b>	3	ST
<b>Antivirals</b>		
abacavir 20 mg/ml SOLUTION <b>MO</b>	1	QL(960 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 9. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • MO – Mail Order • PA - Prior Authorization • QL - Quantity Limit • ST - Step Therapy  
\$0 - Vaccine/Diabetic • DL - Dispensing Limit • LA - Limited Access

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
abacavir 300 mg TABLET <b>MO</b>	1	QL(60 per 30 days)
abacavir-lamivudine 600-300 mg TABLET <b>MO</b>	1	QL(30 per 30 days)
abacavir-lamivudine-zidovudine 300-150-300 mg TABLET <b>DL</b>	4	QL(60 per 30 days)
acyclovir 200 mg CAPSULE <b>MO</b>	1	
acyclovir 200 mg/5 ml SUSPENSION <b>MO</b>	1	
acyclovir 400 mg TABLET <b>MO</b>	1	
acyclovir 5 % CREAM <b>DL</b>	4	PA,QL(5 per 30 days)
acyclovir 5 % OINTMENT <b>MO</b>	1	PA,QL(30 per 30 days)
acyclovir 800 mg TABLET <b>MO</b>	1	
acyclovir sodium 1,000 mg, 500 mg RECON SOLUTION <b>MO</b>	1	BvsD
acyclovir sodium 50 mg/ml SOLUTION <b>MO</b>	1	BvsD
adefovir 10 mg TABLET <b>MO</b>	1	
APRETUDE 600 MG/3 ML (200 MG/ML) SUSPENSION, ER <b>DL</b>	4	QL(21 per 365 days)
APTIVUS 250 MG CAPSULE <b>DL</b>	4	QL(120 per 30 days)
APTIVUS (WITH VITAMIN E) 100 MG/ML SOLUTION <b>DL</b>	4	QL(285 per 28 days)
atazanavir 150 mg, 200 mg CAPSULE <b>MO</b>	1	QL(60 per 30 days)
atazanavir 300 mg CAPSULE <b>MO</b>	1	QL(30 per 30 days)
ATRIPLA 600-200-300 MG TABLET <b>DL</b>	4	QL(30 per 30 days)
BARACLUDE 0.05 MG/ML SOLUTION <b>DL</b>	4	QL(630 per 30 days)
BARACLUDE 0.5 MG, 1 MG TABLET <b>DL</b>	4	PA,QL(30 per 30 days)
BIKTARVY 30-120-15 MG, 50-200-25 MG TABLET <b>DL</b>	4	QL(30 per 30 days)
CABENUVA 400 MG/2 ML- 600 MG/2 ML, 600 MG/3 ML- 900 MG/3 ML SUSPENSION, ER <b>DL</b>	4	QL(50 per 365 days)
cidofovir 75 mg/ml SOLUTION <b>DL</b>	4	
CIMDUO 300-300 MG TABLET <b>DL</b>	4	QL(30 per 30 days)
COMBIVIR 150-300 MG TABLET <b>DL</b>	4	QL(60 per 30 days)
COMPLERA 200-25-300 MG TABLET <b>DL</b>	4	QL(30 per 30 days)
CRIXIVAN 200 MG CAPSULE <b>MO</b>	2	QL(450 per 30 days)
CYTOVENE 500 MG RECON SOLUTION <b>DL</b>	4	BvsD
DELSTRIGO 100-300-300 MG TABLET <b>DL</b>	4	QL(30 per 30 days)
DENAVIR 1 % CREAM <b>DL</b>	4	PA
DESCOVY 120-15 MG TABLET <b>DL</b>	4	QL(30 per 30 days)
DESCOVY 200-25 MG TABLET <b>DL</b>	4	QL(30 per 30 days)
didanosine 250 mg, 400 mg CAPSULE, DR/EC <b>MO</b>	1	QL(30 per 30 days)
DOVATO 50-300 MG TABLET <b>DL</b>	4	QL(30 per 30 days)
EDURANT 25 MG TABLET <b>DL</b>	4	QL(30 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 9. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • MO – Mail Order • PA - Prior Authorization • QL - Quantity Limit • ST - Step Therapy  
\$0 - Vaccine/Diabetic • DL - Dispensing Limit • LA - Limited Access

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
efavirenz 200 mg CAPSULE <b>MO</b>	1	QL(120 per 30 days)
efavirenz 50 mg CAPSULE <b>MO</b>	1	QL(480 per 30 days)
efavirenz 600 mg TABLET <b>MO</b>	1	QL(30 per 30 days)
efavirenz-emtricitabin-tenofovir 600-200-300 mg TABLET <b>MO</b>	1	QL(30 per 30 days)
efavirenz-lamivu-tenofovir disop 400-300-300 mg, 600-300-300 mg TABLET <b>DL</b>	4	QL(30 per 30 days)
emtricitabine 200 mg CAPSULE <b>MO</b>	1	QL(30 per 30 days)
emtricitabine-tenofovir (tdf) 100-150 mg, 133-200 mg, 167-250 mg, 200-300 mg TABLET <b>MO</b>	1	QL(30 per 30 days)
EMTRIVA 10 MG/ML SOLUTION <b>MO</b>	3	QL(680 per 28 days)
EMTRIVA 200 MG CAPSULE <b>MO</b>	3	QL(30 per 30 days)
entecavir 0.5 mg, 1 mg TABLET <b>MO</b>	1	QL(30 per 30 days)
EPCLUSUSA 150-37.5 MG PELLETS IN PACKET <b>DL</b>	4	PA,QL(28 per 28 days)
EPCLUSUSA 200-50 MG PELLETS IN PACKET <b>DL</b>	4	PA,QL(56 per 28 days)
EPCLUSUSA 200-50 MG, 400-100 MG TABLET <b>DL</b>	4	PA,QL(28 per 28 days)
EPIVIR 10 MG/ML SOLUTION <b>MO</b>	3	QL(900 per 30 days)
EPIVIR 150 MG TABLET <b>MO</b>	3	QL(60 per 30 days)
EPIVIR 300 MG TABLET <b>MO</b>	3	QL(30 per 30 days)
EPIVIR HBV 100 MG TABLET <b>MO</b>	3	QL(90 per 30 days)
EPIVIR HBV 25 MG/5 ML (5 MG/ML) SOLUTION <b>MO</b>	3	
EPZICOM 600-300 MG TABLET <b>DL</b>	4	QL(30 per 30 days)
etravirine 100 mg TABLET <b>DL</b>	4	QL(120 per 30 days)
etravirine 200 mg TABLET <b>DL</b>	4	QL(60 per 30 days)
EVOTAZ 300-150 MG TABLET <b>DL</b>	4	QL(30 per 30 days)
famciclovir 125 mg, 250 mg, 500 mg TABLET <b>MO</b>	1	QL(90 per 30 days)
FLUMADINE 100 MG TABLET <b>MO</b>	3	
fosamprenavir 700 mg TABLET <b>DL</b>	4	QL(120 per 30 days)
foscarnet 24 mg/ml SOLUTION <b>MO</b>	1	BvsD
FOSCAVIR 24 MG/ML SOLUTION <b>MO</b>	3	BvsD
FUZEON 90 MG RECON SOLUTION <b>DL</b>	4	QL(60 per 30 days)
ganciclovir sodium 50 mg/ml SOLUTION <b>MO</b>	1	BvsD
ganciclovir sodium 500 mg RECON SOLUTION <b>MO</b>	1	BvsD
GENVOYA 150-150-200-10 MG TABLET <b>DL</b>	4	QL(30 per 30 days)
HARVONI 33.75-150 MG PELLETS IN PACKET <b>DL</b>	4	PA,QL(28 per 28 days)
HARVONI 45-200 MG PELLETS IN PACKET <b>DL</b>	4	PA,QL(56 per 28 days)
HARVONI 45-200 MG TABLET <b>DL</b>	4	PA,QL(28 per 28 days)
HARVONI 90-400 MG TABLET <b>DL</b>	4	PA,QL(28 per 28 days)

Need more information about the indicators displayed by the drug names? Please go to page 9. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • MO – Mail Order • PA - Prior Authorization • QL - Quantity Limit • ST - Step Therapy  
\$0 - Vaccine/Diabetic • DL - Dispensing Limit • LA - Limited Access

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
HEPSERA 10 MG TABLET <b>DL</b>	4	
INTELLENCE 100 MG TABLET <b>DL</b>	4	QL(120 per 30 days)
INTELLENCE 200 MG TABLET <b>DL</b>	4	QL(60 per 30 days)
INTELLENCE 25 MG TABLET <b>MO</b>	3	QL(120 per 30 days)
INVIRASE 500 MG TABLET <b>DL</b>	4	QL(120 per 30 days)
ISENTRESS 100 MG CHEWABLE TABLET <b>DL</b>	4	QL(180 per 30 days)
ISENTRESS 100 MG POWDER IN PACKET <b>MO</b>	2	QL(300 per 30 days)
ISENTRESS 25 MG CHEWABLE TABLET <b>MO</b>	3	QL(180 per 30 days)
ISENTRESS 400 MG TABLET <b>DL</b>	4	QL(120 per 30 days)
ISENTRESS HD 600 MG TABLET <b>DL</b>	4	QL(60 per 30 days)
JULUCA 50-25 MG TABLET <b>DL</b>	4	QL(30 per 30 days)
KALETRA 100-25 MG TABLET <b>MO</b>	3	QL(300 per 30 days)
KALETRA 200-50 MG TABLET <b>MO</b>	3	QL(150 per 30 days)
KALETRA 400-100 MG/5 ML SOLUTION <b>DL</b>	4	
lamivudine 10 mg/ml SOLUTION <b>MO</b>	1	QL(900 per 30 days)
lamivudine 100 mg TABLET <b>MO</b>	1	QL(90 per 30 days)
lamivudine 150 mg TABLET <b>MO</b>	1	QL(60 per 30 days)
lamivudine 300 mg TABLET <b>MO</b>	1	QL(30 per 30 days)
lamivudine-zidovudine 150-300 mg TABLET <b>MO</b>	1	QL(60 per 30 days)
ledipasvir-sofosbuvir 90-400 mg TABLET <b>DL</b>	4	PA,QL(28 per 28 days)
LEXIVA 50 MG/ML SUSPENSION <b>MO</b>	3	QL(1575 per 28 days)
LEXIVA 700 MG TABLET <b>DL</b>	4	QL(120 per 30 days)
LIVTENCITY 200 MG TABLET <b>DL</b>	4	PA,QL(120 per 30 days)
lopinavir-ritonavir 100-25 mg TABLET <b>MO</b>	1	QL(300 per 30 days)
lopinavir-ritonavir 200-50 mg TABLET <b>MO</b>	1	QL(150 per 30 days)
lopinavir-ritonavir 400-100 mg/5 ml SOLUTION <b>MO</b>	1	
maraviroc 150 mg TABLET <b>DL</b>	4	QL(240 per 30 days)
maraviroc 300 mg TABLET <b>DL</b>	4	QL(120 per 30 days)
MAVYRET 100-40 MG TABLET <b>DL</b>	4	PA,QL(84 per 28 days)
MAVYRET 50-20 MG PELLETS IN PACKET <b>DL</b>	4	PA,QL(150 per 30 days)
nevirapine 100 mg TABLET, ER 24 HR. <b>MO</b>	1	QL(120 per 30 days)
nevirapine 200 mg TABLET <b>MO</b>	1	QL(60 per 30 days)
nevirapine 400 mg TABLET, ER 24 HR. <b>MO</b>	1	QL(30 per 30 days)
nevirapine 50 mg/5 ml SUSPENSION <b>MO</b>	1	QL(1200 per 30 days)
NORVIR 100 MG POWDER IN PACKET <b>MO</b>	3	QL(360 per 30 days)
NORVIR 100 MG TABLET <b>MO</b>	3	QL(360 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 9. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • MO – Mail Order • PA - Prior Authorization • QL - Quantity Limit • ST - Step Therapy  
\$0 - Vaccine/Diabetic • DL - Dispensing Limit • LA - Limited Access

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
NORVIR 80 MG/ML SOLUTION <b>MO</b>	3	QL(480 per 30 days)
ODEFSEY 200-25-25 MG TABLET <b>DL</b>	4	QL(30 per 30 days)
oseltamivir 30 mg CAPSULE <b>MO</b>	1	QL(224 per 365 days)
oseltamivir 45 mg, 75 mg CAPSULE <b>MO</b>	1	QL(112 per 365 days)
oseltamivir 6 mg/ml SUSPENSION FOR RECONSTITUTION <b>MO</b>	1	QL(1440 per 365 days)
penciclovir 1 % CREAM <b>MO</b>	1	PA
PIFELTRO 100 MG TABLET <b>DL</b>	4	QL(60 per 30 days)
PREVYMIS 240 MG TABLET <b>DL</b>	4	PA,QL(28 per 28 days)
PREVYMIS 240 MG/12 ML SOLUTION <b>DL</b>	4	PA,QL(336 per 28 days)
PREVYMIS 480 MG TABLET <b>DL</b>	4	PA
PREVYMIS 480 MG/24 ML SOLUTION <b>DL</b>	4	PA,QL(672 per 28 days)
PREZCOBIX 800-150 MG-MG TABLET <b>DL</b>	4	QL(30 per 30 days)
PREZISTA 100 MG/ML SUSPENSION <b>DL</b>	4	QL(360 per 30 days)
PREZISTA 150 MG TABLET <b>DL</b>	4	QL(240 per 30 days)
PREZISTA 600 MG TABLET <b>DL</b>	4	QL(60 per 30 days)
PREZISTA 75 MG TABLET <b>MO</b>	3	QL(480 per 30 days)
PREZISTA 800 MG TABLET <b>DL</b>	4	QL(30 per 30 days)
RELENZA DISKHALER 5 MG/ACTUATION BLISTER WITH DEVICE <b>MO</b>	3	QL(60 per 180 days)
RETROVIR 10 MG/ML SOLUTION <b>MO</b>	3	
RETROVIR 10 MG/ML SYRUP <b>MO</b>	3	QL(1680 per 28 days)
RETROVIR 100 MG CAPSULE <b>MO</b>	3	QL(180 per 30 days)
REYATAZ 150 MG, 200 MG CAPSULE <b>DL</b>	4	QL(60 per 30 days)
REYATAZ 300 MG CAPSULE <b>DL</b>	4	QL(30 per 30 days)
REYATAZ 50 MG POWDER IN PACKET <b>MO</b>	3	
ribavirin 200 mg CAPSULE <b>MO</b>	1	QL(168 per 28 days)
ribavirin 200 mg TABLET <b>MO</b>	1	QL(168 per 28 days)
rimantadine 100 mg TABLET <b>MO</b>	1	
ritonavir 100 mg TABLET <b>MO</b>	1	QL(360 per 30 days)
RUKOBIA 600 MG TABLET, ER 12 HR. <b>DL</b>	4	QL(60 per 30 days)
SELZENTRY 150 MG TABLET <b>DL</b>	4	QL(240 per 30 days)
SELZENTRY 20 MG/ML SOLUTION <b>DL</b>	4	QL(1800 per 30 days)
SELZENTRY 25 MG TABLET <b>MO</b>	3	QL(240 per 30 days)
SELZENTRY 300 MG, 75 MG TABLET <b>DL</b>	4	QL(120 per 30 days)
SITAVIG 50 MG MUCO-ADHESIVE Buccal TABLET <b>MO</b>	3	PA,QL(1 per 28 days)
SOVALDI 150 MG PELLETS IN PACKET <b>DL</b>	4	PA,QL(28 per 28 days)
SOVALDI 200 MG PELLETS IN PACKET <b>DL</b>	4	PA,QL(56 per 28 days)

Need more information about the indicators displayed by the drug names? Please go to page 9. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • MO – Mail Order • PA - Prior Authorization • QL - Quantity Limit • ST - Step Therapy  
\$0 - Vaccine/Diabetic • DL - Dispensing Limit • LA - Limited Access

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
SOVALDI 200 MG, 400 MG TABLET <b>DL</b>	4	PA,QL(28 per 28 days)
stavudine 15 mg, 20 mg CAPSULE <b>MO</b>	1	QL(120 per 30 days)
stavudine 30 mg, 40 mg CAPSULE <b>MO</b>	1	QL(60 per 30 days)
STRIBILD 150-150-200-300 MG TABLET <b>DL</b>	4	QL(30 per 30 days)
SUSTIVA 200 MG CAPSULE <b>DL</b>	4	QL(120 per 30 days)
SUSTIVA 50 MG CAPSULE <b>DL</b>	4	QL(480 per 30 days)
SUSTIVA 600 MG TABLET <b>DL</b>	4	QL(30 per 30 days)
SYMFI 600-300-300 MG TABLET <b>DL</b>	4	QL(30 per 30 days)
SYMFI LO 400-300-300 MG TABLET <b>DL</b>	4	QL(30 per 30 days)
SYMTUZA 800-150-200-10 MG TABLET <b>DL</b>	4	QL(30 per 30 days)
TAMIFLU 30 MG CAPSULE <b>MO</b>	3	PA,QL(224 per 365 days)
TAMIFLU 45 MG, 75 MG CAPSULE <b>MO</b>	3	PA,QL(112 per 365 days)
TAMIFLU 6 MG/ML SUSPENSION FOR RECONSTITUTION <b>MO</b>	3	PA,QL(1440 per 365 days)
TEMIXYS 300-300 MG TABLET <b>DL</b>	4	QL(30 per 30 days)
tenofovir disoproxil fumarate 300 mg TABLET <b>MO</b>	1	QL(30 per 30 days)
TIVICAY 10 MG TABLET <b>MO</b>	3	QL(60 per 30 days)
TIVICAY 25 MG, 50 MG TABLET <b>DL</b>	4	QL(60 per 30 days)
TIVICAY PD 5 MG TABLET FOR SUSPENSION <b>DL</b>	4	QL(180 per 30 days)
TRIUMEQ 600-50-300 MG TABLET <b>DL</b>	4	QL(30 per 30 days)
TRIUMEQ PD 60-5-30 MG TABLET FOR SUSPENSION <b>DL</b>	4	QL(180 per 30 days)
TRIZIVIR 300-150-300 MG TABLET <b>DL</b>	4	QL(60 per 30 days)
TROGARZO 200 MG/1.33 ML (150 MG/ML) SOLUTION <b>DL</b>	4	
TRUVADA 100-150 MG, 133-200 MG, 167-250 MG, 200-300 MG TABLET <b>DL</b>	4	QL(30 per 30 days)
TYBOST 150 MG TABLET <b>MO</b>	2	QL(30 per 30 days)
valacyclovir 1 gram, 500 mg TABLET <b>MO</b>	1	
VALCYTE 450 MG TABLET <b>DL</b>	4	PA,QL(120 per 30 days)
VALCYTE 50 MG/ML RECON SOLUTION <b>DL</b>	4	PA,QL(1056 per 30 days)
valganciclovir 450 mg TABLET <b>MO</b>	1	QL(120 per 30 days)
valganciclovir 50 mg/ml RECON SOLUTION <b>DL</b>	4	QL(1056 per 30 days)
VALTREX 1 GRAM, 500 MG TABLET <b>MO</b>	3	PA
VEMLIDY 25 MG TABLET <b>DL</b>	4	QL(30 per 30 days)
VIEKIRA PAK 12.5 MG-75 MG -50 MG/250 MG TABLET, DOSE PACK <b>DL</b>	4	PA,QL(112 per 28 days)
VIRACEPT 250 MG TABLET <b>DL</b>	4	QL(300 per 30 days)
VIRACEPT 625 MG TABLET <b>DL</b>	4	QL(120 per 30 days)
VIRAMUNE 50 MG/5 ML SUSPENSION <b>DL</b>	4	QL(1200 per 30 days)
VIRAMUNE XR 400 MG TABLET, ER 24 HR. <b>DL</b>	4	QL(30 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 9. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • MO – Mail Order • PA - Prior Authorization • QL - Quantity Limit • ST - Step Therapy  
\$0 - Vaccine/Diabetic • DL - Dispensing Limit • LA - Limited Access

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
VIREAD 150 MG, 200 MG, 250 MG, 300 MG TABLET <b>DL</b>	4	QL(30 per 30 days)
VIREAD 40 MG/SCOOP (40 MG/GRAM) POWDER <b>DL</b>	4	QL(240 per 30 days)
VOCABRIA 30 MG TABLET <b>DL</b>	4	QL(30 per 30 days)
VOSEVI 400-100-100 MG TABLET <b>DL</b>	4	PA,QL(28 per 28 days)
XERESE 5-1 % CREAM <b>DL</b>	4	QL(5 per 30 days)
XOFLUZA 20 MG TABLET <b>MO</b>	3	QL(10 per 365 days)
XOFLUZA 40 MG TABLET <b>MO</b>	3	QL(10 per 365 days)
XOFLUZA 80 MG TABLET <b>MO</b>	3	QL(5 per 365 days)
ZEPATIER 50-100 MG TABLET <b>DL</b>	4	PA,QL(28 per 28 days)
ZIAGEN 20 MG/ML SOLUTION <b>MO</b>	3	QL(960 per 30 days)
ZIAGEN 300 MG TABLET <b>MO</b>	3	QL(60 per 30 days)
zidovudine 10 mg/ml SYRUP <b>MO</b>	1	QL(1680 per 28 days)
zidovudine 100 mg CAPSULE <b>MO</b>	1	QL(180 per 30 days)
zidovudine 300 mg TABLET <b>MO</b>	1	QL(60 per 30 days)
ZIRGAN 0.15 % GEL <b>MO</b>	3	QL(5 per 30 days)
ZOVIRAX 200 MG/5 ML SUSPENSION <b>MO</b>	3	PA
ZOVIRAX 5 % CREAM <b>DL</b>	4	PA,QL(5 per 30 days)
ZOVIRAX 5 % OINTMENT <b>DL</b>	4	PA,QL(30 per 30 days)
<b>Anxiolytics</b>		
alprazolam 0.25 mg, 0.5 mg, 1 mg TABLET <b>DL</b>	1	QL(120 per 30 days)
alprazolam 0.25 mg, 0.5 mg, 1 mg, 2 mg TABLET, DISINTEGRATING <b>DL</b>	1	
alprazolam 0.5 mg, 1 mg, 2 mg, 3 mg TABLET, ER 24 HR. <b>DL</b>	1	QL(60 per 30 days)
alprazolam 2 mg TABLET <b>DL</b>	1	QL(150 per 30 days)
alprazolam intensol 1 mg/ml CONCENTRATE <b>DL</b>	1	
ATIVAN 0.5 MG, 1 MG TABLET <b>DL</b>	4	PA,QL(90 per 30 days)
ATIVAN 2 MG TABLET <b>DL</b>	4	PA,QL(150 per 30 days)
ATIVAN 2 MG/ML, 4 MG/ML SOLUTION <b>DL</b>	3	PA
buspirone 10 mg, 15 mg, 5 mg TABLET <b>MO</b>	1	
buspirone 30 mg, 7.5 mg TABLET <b>MO</b>	1	
chlordiazepoxide hcl 10 mg, 25 mg, 5 mg CAPSULE <b>DL</b>	1	QL(120 per 30 days)
clonazepam 0.125 mg, 0.25 mg, 0.5 mg, 1 mg, 2 mg TABLET, DISINTEGRATING <b>DL</b>	1	
clonazepam 0.5 mg, 1 mg TABLET <b>DL</b>	1	
clonazepam 2 mg TABLET <b>DL</b>	1	
clorazepate dipotassium 15 mg, 3.75 mg, 7.5 mg TABLET <b>DL</b>	1	
diazepam 10 mg TABLET <b>DL</b>	1	QL(120 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 9. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • MO - Mail Order • PA - Prior Authorization • QL - Quantity Limit • ST - Step Therapy  
\$0 - Vaccine/Diabetic • DL - Dispensing Limit • LA - Limited Access

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
diazepam 2 mg TABLET <b>DL</b>	1	QL(90 per 30 days)
diazepam 5 mg TABLET <b>DL</b>	1	QL(90 per 30 days)
diazepam 5 mg/5 ml (1 mg/ml), 5 mg/5 ml (1 mg/ml, 5 ml) SOLUTION <b>DL</b>	1	QL(1200 per 30 days)
diazepam 5 mg/ml CONCENTRATE <b>DL</b>	1	QL(240 per 30 days)
diazepam 5 mg/ml SOLUTION <b>DL</b>	1	
diazepam 5 mg/ml SYRINGE <b>DL</b>	1	
diazepam intensol 5 mg/ml CONCENTRATE <b>DL</b>	1	QL(240 per 30 days)
doxepin 10 mg, 100 mg, 150 mg, 25 mg, 50 mg, 75 mg CAPSULE <b>MO</b>	1	
doxepin 10 mg/ml CONCENTRATE <b>MO</b>	1	
hydroxyzine hcl 10 mg, 50 mg TABLET <b>MO</b>	1	
hydroxyzine hcl 10 mg/5 ml, 25 mg/ml, 50 mg/ml SOLUTION <b>MO</b>	1	
hydroxyzine hcl 25 mg TABLET <b>MO</b>	1	
KLONOPIN 0.5 MG, 1 MG, 2 MG TABLET <b>DL</b>	3	PA
lorazepam 0.5 mg, 1 mg TABLET <b>DL</b>	1	QL(90 per 30 days)
lorazepam 2 mg TABLET <b>DL</b>	1	QL(150 per 30 days)
lorazepam 2 mg/ml CONCENTRATE <b>DL</b>	1	QL(150 per 30 days)
lorazepam 2 mg/ml, 4 mg/ml SOLUTION <b>DL</b>	1	
lorazepam 2 mg/ml, 4 mg/ml SYRINGE <b>DL</b>	1	
lorazepam intensol 2 mg/ml CONCENTRATE <b>DL</b>	1	QL(150 per 30 days)
LOREEV XR 1 MG CAPSULE, ER 24 HR. <b>DL</b>	4	PA,QL(210 per 30 days)
LOREEV XR 1.5 MG, 2 MG CAPSULE, ER 24 HR. <b>DL</b>	4	PA,QL(150 per 30 days)
LOREEV XR 3 MG CAPSULE, ER 24 HR. <b>DL</b>	4	PA,QL(90 per 30 days)
meprobamate 200 mg, 400 mg TABLET <b>MO</b>	1	
oxazepam 10 mg, 15 mg, 30 mg CAPSULE <b>DL</b>	1	
TRANXENE T-TAB 7.5 MG TABLET <b>DL</b>	3	PA
VALIUM 10 MG TABLET <b>DL</b>	3	PA,QL(120 per 30 days)
VALIUM 2 MG, 5 MG TABLET <b>DL</b>	3	PA,QL(90 per 30 days)
XANAX 0.25 MG, 0.5 MG, 1 MG TABLET <b>DL</b>	3	PA,QL(120 per 30 days)
XANAX 2 MG TABLET <b>DL</b>	3	PA,QL(150 per 30 days)
XANAX XR 0.5 MG, 1 MG, 2 MG, 3 MG TABLET, ER 24 HR. <b>DL</b>	3	PA,QL(60 per 30 days)
<b>Bipolar Agents</b>		
lithium carbonate 150 mg, 300 mg, 600 mg CAPSULE <b>MO</b>	1	
lithium carbonate 300 mg TABLET <b>MO</b>	1	
lithium carbonate 300 mg, 450 mg TABLET ER <b>MO</b>	1	
LITHOBID 300 MG TABLET ER	4	

Need more information about the indicators displayed by the drug names? Please go to page 9. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • MO – Mail Order • PA - Prior Authorization • QL - Quantity Limit • ST - Step Therapy  
\$0 - Vaccine/Diabetic • DL - Dispensing Limit • LA - Limited Access

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
<b>Blood Glucose Regulators</b>		
acarbose 100 mg, 25 mg, 50 mg TABLET <b>MO</b>	1	
ACTOPLUS MET 15-500 MG, 15-850 MG TABLET <b>MO</b>	3	PA,QL(90 per 30 days)
ACTOS 15 MG, 30 MG, 45 MG TABLET <b>MO</b>	3	PA,QL(30 per 30 days)
ADLYXIN 10 MCG/0.2 ML- 20 MCG/0.2 ML, 20 MCG/0.2 ML PEN INJECTOR <b>MO</b>	3	ST,QL(6 per 28 days)
ADMELOG SOLOSTAR U-100 INSULIN 100 UNIT/ML INSULIN PEN <b>MO</b>	3	ST
ADMELOG U-100 INSULIN LISPRO 100 UNIT/ML SOLUTION <b>MO</b>	3	ST
AFREZZA 12 UNIT, 4 UNIT, 8 UNIT CARTRIDGE WITH INHALER	4	PA,QL(90 per 30 days)
AFREZZA 4 UNIT (90)/ 8 UNIT (90), 4 UNIT/8 UNIT/ 12 UNIT (60), 8 UNIT (90)/ 12 UNIT (90) CARTRIDGE WITH INHALER	4	PA,QL(180 per 30 days)
AMARYL 1 MG, 2 MG, 4 MG TABLET <b>MO</b>	3	PA
APIDRA SOLOSTAR U-100 INSULIN 100 UNIT/ML INSULIN PEN <b>MO</b>	3	ST
APIDRA U-100 INSULIN 100 UNIT/ML SOLUTION <b>MO</b>	3	ST
AVANDIA 2 MG, 4 MG TABLET <b>MO</b>	3	QL(60 per 30 days)
BAQSIMI 3 MG/ACTUATION SPRAY, NON-AEROSOL <b>MO</b>	2	
BASAGLAR KWIKPEN U-100 INSULIN 100 UNIT/ML (3 ML) INSULIN PEN <b>MO</b>	3	PA
BASAGLAR TEMPO PEN(U-100)INSLN 100 UNIT/ML (3 ML) INSULIN PEN <b>MO</b>	3	PA
BYDUREON 2 MG/0.65 ML PEN INJECTOR <b>MO</b>	3	QL(4 per 28 days)
BYDUREON BCISE 2 MG/0.85 ML AUTO-INJECTOR <b>MO</b>	3	QL(3.4 per 28 days)
BYETTA 10 MCG/DOSE(250 MCG/ML) 2.4 ML, 5 MCG/DOSE (250 MCG/ML) 1.2 ML PEN INJECTOR	4	ST,QL(2.4 per 30 days)
CYCLOSET 0.8 MG TABLET <b>MO</b>	3	ST,QL(180 per 30 days)
diazoxide 50 mg/ml SUSPENSION <b>DL</b>	4	
DUETACT 30-2 MG, 30-4 MG TABLET <b>MO</b>	3	QL(30 per 30 days)
FARXIGA 10 MG TABLET <b>MO</b>	3	QL(30 per 30 days)
FARXIGA 5 MG TABLET <b>MO</b>	3	QL(30 per 30 days)
FIASP FLEXTOUCH U-100 INSULIN 100 UNIT/ML (3 ML) INSULIN PEN <b>MO</b>	2	
FIASP PENFILL U-100 INSULIN 100 UNIT/ML (3 ML) CARTRIDGE <b>MO</b>	2	
FIASP U-100 INSULIN 100 UNIT/ML SOLUTION <b>MO</b>	2	
FORTAMET 1,000 MG TABLET, ER 24 HR. <b>DL</b>	4	ST,QL(60 per 30 days)
FORTAMET 500 MG TABLET, ER 24 HR. <b>DL</b>	4	ST,QL(150 per 30 days)
glimepiride 1 mg TABLET <b>MO</b>	1	
glimepiride 2 mg, 4 mg TABLET <b>MO</b>	1	
glipizide 10 mg TABLET, ER 24 HR. <b>MO</b>	1	
glipizide 10 mg, 5 mg TABLET <b>MO</b>	1	
glipizide 2.5 mg, 5 mg TABLET, ER 24 HR. <b>MO</b>	1	

Need more information about the indicators displayed by the drug names? Please go to page 9. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • MO – Mail Order • PA - Prior Authorization • QL - Quantity Limit • ST - Step Therapy  
\$0 - Vaccine/Diabetic • DL - Dispensing Limit • LA - Limited Access

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
glipizide-metformin 2.5-250 mg, 2.5-500 mg, 5-500 mg TABLET <b>MO</b>	1	
GLUCAGEN HYPOKIT 1 MG RECON SOLUTION <b>MO</b>	2	
GLUCAGON (HCL) EMERGENCY KIT 1 MG RECON SOLUTION <b>MO</b>	3	ST
glucagon emergency kit (human) 1 mg RECON SOLUTION <b>MO</b>	3	ST
GLUCAGON EMERGENCY KIT (HUMAN) 1 MG RECON SOLUTION <b>MO</b>	3	ST
GLUCOTROL 10 MG TABLET <b>MO</b>	3	
GLUCOTROL XL 10 MG, 2.5 MG, 5 MG TABLET, ER 24 HR. <b>MO</b>	3	
GLUMETZA 1,000 MG TABLET, GAST. RETENTION 24 HR. <b>DL</b>	4	ST,QL(60 per 30 days)
GLUMETZA 500 MG TABLET, GAST. RETENTION 24 HR. <b>DL</b>	4	ST,QL(120 per 30 days)
glyburide 1.25 mg, 2.5 mg, 5 mg TABLET <b>MO</b>	1	
glyburide micronized 1.5 mg, 3 mg, 6 mg TABLET <b>MO</b>	1	
glyburide-metformin 1.25-250 mg, 2.5-500 mg, 5-500 mg TABLET <b>MO</b>	1	
GLYNASE 1.5 MG, 3 MG, 6 MG TABLET <b>MO</b>	3	
GLYXAMBI 10-5 MG, 25-5 MG TABLET <b>MO</b>	2	QL(30 per 30 days)
GVOKE 1 MG/0.2 ML SOLUTION <b>MO</b>	2	
GVOKE HYPOPEN 1-PACK 0.5 MG/0.1 ML, 1 MG/0.2 ML AUTO-INJECTOR <b>MO</b>	2	
GVOKE HYPOPEN 2-PACK 0.5 MG/0.1 ML, 1 MG/0.2 ML AUTO-INJECTOR <b>MO</b>	2	
GVOKE PFS 1-PACK SYRINGE 0.5 MG/0.1 ML, 1 MG/0.2 ML SYRINGE <b>MO</b>	2	
GVOKE PFS 2-PACK SYRINGE 0.5 MG/0.1 ML, 1 MG/0.2 ML SYRINGE <b>MO</b>	2	
HUMALOG JUNIOR KWIKPEN U-100 100 UNIT/ML INSULIN PEN, HALF-UNIT <b>MO</b>	3	ST
HUMALOG KWIKPEN INSULIN 100 UNIT/ML, 200 UNIT/ML (3 ML) INSULIN PEN <b>MO</b>	3	ST
HUMALOG MIX 50-50 INSULN U-100 100 UNIT/ML (50-50) SUSPENSION <b>MO</b>	3	ST
HUMALOG MIX 50-50 KWIKPEN 100 UNIT/ML (50-50) INSULIN PEN <b>MO</b>	3	ST
HUMALOG MIX 75-25 KWIKPEN 100 UNIT/ML (75-25) INSULIN PEN <b>MO</b>	3	ST
HUMALOG MIX 75-25(U-100)INSULN 100 UNIT/ML (75-25) SUSPENSION <b>MO</b>	3	ST
HUMALOG TEMPO PEN(U-100)INSULN 100 UNIT/ML INSULIN PEN <b>MO</b>	3	ST
HUMALOG U-100 INSULIN 100 UNIT/ML CARTRIDGE <b>MO</b>	3	ST
HUMALOG U-100 INSULIN 100 UNIT/ML SOLUTION <b>MO</b>	3	ST
HUMULIN 70/30 U-100 INSULIN 100 UNIT/ML (70-30) SUSPENSION <b>MO</b>	3	ST
HUMULIN 70/30 U-100 KWIKPEN 100 UNIT/ML (70-30) INSULIN PEN <b>MO</b>	3	ST
HUMULIN N NPH INSULIN KWIKPEN 100 UNIT/ML (3 ML) INSULIN PEN <b>MO</b>	3	ST
HUMULIN N NPH U-100 INSULIN 100 UNIT/ML SUSPENSION <b>MO</b>	3	ST
HUMULIN R REGULAR U-100 INSULN 100 UNIT/ML SOLUTION <b>MO</b>	3	ST
HUMULIN R U-500 (CONC) INSULIN 500 UNIT/ML SOLUTION	4	

Need more information about the indicators displayed by the drug names? Please go to page 9. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • MO – Mail Order • PA - Prior Authorization • QL - Quantity Limit • ST - Step Therapy  
\$0 - Vaccine/Diabetic • DL - Dispensing Limit • LA - Limited Access

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
HUMULIN R U-500 (CONC) KWIKPEN 500 UNIT/ML (3 ML) INSULIN PEN	4	
INSULIN ASP PRT-INSULIN ASPART 100 UNIT/ML (70-30) INSULIN PEN <b>MO</b>	2	
INSULIN ASP PRT-INSULIN ASPART 100 UNIT/ML (70-30) SOLUTION <b>MO</b>	2	
INSULIN ASPART U-100 100 UNIT/ML (3 ML) INSULIN PEN <b>MO</b>	2	
INSULIN ASPART U-100 100 UNIT/ML CARTRIDGE <b>MO</b>	2	
INSULIN ASPART U-100 100 UNIT/ML SOLUTION <b>MO</b>	2	
INSULIN DEGLUDEC 100 UNIT/ML (3 ML), 200 UNIT/ML (3 ML) INSULIN PEN <b>MO</b>	3	PA
INSULIN DEGLUDEC 100 UNIT/ML SOLUTION <b>MO</b>	3	PA
INSULIN GLARGINE 100 UNIT/ML (3 ML) INSULIN PEN <b>MO</b>	3	PA
INSULIN GLARGINE 100 UNIT/ML SOLUTION <b>MO</b>	3	PA
INSULIN GLARGINE-YFGN 100 UNIT/ML (3 ML) INSULIN PEN <b>MO</b>	3	PA
INSULIN GLARGINE-YFGN 100 UNIT/ML SOLUTION <b>MO</b>	3	PA
INSULIN LISPRO 100 UNIT/ML INSULIN PEN <b>MO</b>	3	ST
INSULIN LISPRO 100 UNIT/ML INSULIN PEN, HALF-UNIT <b>MO</b>	3	ST
INSULIN LISPRO 100 UNIT/ML SOLUTION <b>MO</b>	3	ST
INSULIN LISPRO PROTAMIN-LISPRO 100 UNIT/ML (75-25) INSULIN PEN <b>MO</b>	3	ST
INVOKAMET 150-1,000 MG, 150-500 MG, 50-1,000 MG, 50-500 MG TABLET <b>MO</b>	2	QL(60 per 30 days)
INVOKAMET XR 150-1,000 MG, 150-500 MG, 50-1,000 MG, 50-500 MG TABLET, IR/ER 24 HR., BIPHASIC <b>MO</b>	2	QL(60 per 30 days)
INVOKANA 100 MG, 300 MG TABLET <b>MO</b>	2	QL(30 per 30 days)
JANUMET 50-1,000 MG TABLET <b>MO</b>	2	QL(60 per 30 days)
JANUMET 50-500 MG TABLET <b>MO</b>	2	QL(60 per 30 days)
JANUMET XR 100-1,000 MG TABLET, ER 24 HR., MULTIPHASE <b>MO</b>	2	QL(30 per 30 days)
JANUMET XR 50-1,000 MG TABLET, ER 24 HR., MULTIPHASE <b>MO</b>	2	QL(60 per 30 days)
JANUMET XR 50-500 MG TABLET, ER 24 HR., MULTIPHASE <b>MO</b>	2	QL(60 per 30 days)
JANUVIA 100 MG, 25 MG, 50 MG TABLET <b>MO</b>	2	QL(30 per 30 days)
JARDIANCE 10 MG, 25 MG TABLET <b>MO</b>	2	QL(30 per 30 days)
JENTADUETO 2.5-1,000 MG, 2.5-500 MG, 2.5-850 MG TABLET <b>MO</b>	2	QL(60 per 30 days)
JENTADUETO XR 2.5-1,000 MG TABLET, IR/ER 24 HR., BIPHASIC <b>MO</b>	2	QL(60 per 30 days)
JENTADUETO XR 5-1,000 MG TABLET, IR/ER 24 HR., BIPHASIC <b>MO</b>	2	QL(30 per 30 days)
KAZANO 12.5-1,000 MG, 12.5-500 MG TABLET <b>MO</b>	3	PA,QL(60 per 30 days)
KOMBIGLYZE XR 2.5-1,000 MG TABLET, ER 24 HR., MULTIPHASE <b>MO</b>	3	QL(60 per 30 days)
KOMBIGLYZE XR 5-1,000 MG TABLET, ER 24 HR., MULTIPHASE <b>MO</b>	3	QL(30 per 30 days)
KOMBIGLYZE XR 5-500 MG TABLET, ER 24 HR., MULTIPHASE <b>MO</b>	3	QL(30 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 9. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • MO – Mail Order • PA - Prior Authorization • QL - Quantity Limit • ST - Step Therapy  
\$0 - Vaccine/Diabetic • DL - Dispensing Limit • LA - Limited Access

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
LANTUS SOLOSTAR U-100 INSULIN 100 UNIT/ML (3 ML) INSULIN PEN <b>MO</b>	2	
LANTUS U-100 INSULIN 100 UNIT/ML SOLUTION <b>MO</b>	2	
LEVEMIR FLEXPEN 100 UNIT/ML (3 ML) INSULIN PEN <b>MO</b>	2	
LEVEMIR FLEXTOUCH U-100 INSULN 100 UNIT/ML (3 ML) INSULIN PEN <b>MO</b>	2	
LEVEMIR U-100 INSULIN 100 UNIT/ML SOLUTION <b>MO</b>	2	
LYUMJEV KWIKPEN U-100 INSULIN 100 UNIT/ML INSULIN PEN <b>MO</b>	3	ST
LYUMJEV KWIKPEN U-200 INSULIN 200 UNIT/ML (3 ML) INSULIN PEN <b>MO</b>	3	ST
LYUMJEV TEMPO PEN(U-100)INSULN 100 UNIT/ML INSULIN PEN <b>MO</b>	3	ST
LYUMJEV U-100 INSULIN 100 UNIT/ML SOLUTION <b>MO</b>	3	ST
metformin 1,000 mg TABLET, ER 24 HR.	4	ST,QL(60 per 30 days)
metformin 1,000 mg TABLET, GAST. RETENTION 24 HR.	4	ST,QL(60 per 30 days)
metformin 1,000 mg, 500 mg TABLET <b>MO</b>	1	
metformin 500 mg TABLET, ER 24 HR.	4	ST,QL(150 per 30 days)
metformin 500 mg TABLET, ER 24 HR. <b>MO</b>	1	QL(120 per 30 days)
metformin 500 mg TABLET, GAST. RETENTION 24 HR.	4	ST,QL(120 per 30 days)
metformin 500 mg/5 ml SOLUTION <b>MO</b>	1	QL(750 per 30 days)
metformin 625 mg TABLET <b>DL</b>	4	ST,QL(120 per 30 days)
metformin 750 mg TABLET, ER 24 HR. <b>MO</b>	1	QL(60 per 30 days)
metformin 850 mg TABLET <b>MO</b>	1	
miglitol 100 mg, 25 mg, 50 mg TABLET <b>MO</b>	1	
MOUNJARO 10 MG/0.5 ML, 12.5 MG/0.5 ML, 15 MG/0.5 ML, 2.5 MG/0.5 ML, 5 MG/0.5 ML, 7.5 MG/0.5 ML PEN INJECTOR <b>MO</b>	2	QL(2 per 28 days)
nateglinide 120 mg, 60 mg TABLET <b>MO</b>	1	
NESINA 12.5 MG, 25 MG, 6.25 MG TABLET <b>MO</b>	3	PA,QL(30 per 30 days)
NOVOLIN 70-30 FLEXPEN U-100 100 UNIT/ML (70-30) INSULIN PEN <b>MO</b>	2	
NOVOLIN 70/30 U-100 INSULIN 100 UNIT/ML (70-30) SUSPENSION <b>MO</b>	2	
NOVOLIN N FLEXPEN 100 UNIT/ML (3 ML) INSULIN PEN <b>MO</b>	2	
NOVOLIN N NPH U-100 INSULIN 100 UNIT/ML SUSPENSION <b>MO</b>	2	
NOVOLIN R FLEXPEN 100 UNIT/ML (3 ML) INSULIN PEN <b>MO</b>	2	
NOVOLIN R REGULAR U-100 INSULN 100 UNIT/ML SOLUTION <b>MO</b>	2	
NOVOLOG FLEXPEN U-100 INSULIN 100 UNIT/ML (3 ML) INSULIN PEN <b>MO</b>	2	
NOVOLOG MIX 70-30 U-100 INSULN 100 UNIT/ML (70-30) SOLUTION <b>MO</b>	2	
NOVOLOG MIX 70-30FLEXPEN U-100 100 UNIT/ML (70-30) INSULIN PEN <b>MO</b>	2	
NOVOLOG PENFILL U-100 INSULIN 100 UNIT/ML CARTRIDGE <b>MO</b>	2	
NOVOLOG U-100 INSULIN ASPART 100 UNIT/ML SOLUTION <b>MO</b>	2	
ONGLYZA 2.5 MG, 5 MG TABLET <b>MO</b>	3	QL(30 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 9. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • MO – Mail Order • PA - Prior Authorization • QL - Quantity Limit • ST - Step Therapy  
\$0 - Vaccine/Diabetic • DL - Dispensing Limit • LA - Limited Access

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
OSENI 12.5-15 MG, 12.5-30 MG, 12.5-45 MG, 25-15 MG, 25-30 MG, 25-45 MG TABLET <b>MO</b>	3	PA,QL(30 per 30 days)
OZEMPI 0.25 MG OR 0.5 MG(2 MG/1.5 ML) PEN INJECTOR <b>MO</b>	2	QL(1.5 per 28 days)
OZEMPI 1 MG/DOSE (2 MG/1.5 ML) PEN INJECTOR <b>MO</b>	2	QL(3 per 28 days)
OZEMPI 1 MG/DOSE (4 MG/3 ML), 2 MG/DOSE (8 MG/3 ML) PEN INJECTOR <b>MO</b>	2	QL(3 per 28 days)
pioglitazone 15 mg, 30 mg TABLET <b>MO</b>	1	QL(30 per 30 days)
pioglitazone 45 mg TABLET <b>MO</b>	1	QL(30 per 30 days)
pioglitazone-glimepiride 30-2 mg, 30-4 mg TABLET <b>MO</b>	1	QL(30 per 30 days)
pioglitazone-metformin 15-500 mg, 15-850 mg TABLET <b>MO</b>	1	QL(90 per 30 days)
PRECOSE 100 MG, 25 MG, 50 MG TABLET <b>MO</b>	3	
PROGLYCEM 50 MG/ML SUSPENSION	4	PA
QTERN 10-5 MG, 5-5 MG TABLET <b>MO</b>	3	PA,QL(30 per 30 days)
repaglinide 0.5 mg, 1 mg, 2 mg TABLET <b>MO</b>	1	
repaglinide-metformin 1-500 mg, 2-500 mg TABLET <b>MO</b>	1	
RIOMET 500 MG/5 ML SOLUTION <b>MO</b>	3	QL(750 per 30 days)
RIOMET ER 500 MG/5 ML SUSPENSION, ER, RECON <b>MO</b>	3	QL(750 per 30 days)
RYBELSUS 14 MG, 3 MG, 7 MG TABLET <b>MO</b>	2	QL(30 per 30 days)
SEGLUROMET 2.5-1,000 MG, 2.5-500 MG, 7.5-1,000 MG, 7.5-500 MG TABLET <b>MO</b>	3	PA,QL(60 per 30 days)
SEMGLEE PEN U-100 INSULIN 100 UNIT/ML (3 ML) INSULIN PEN <b>MO</b>	3	PA
SEMGLEE U-100 INSULIN 100 UNIT/ML SOLUTION <b>MO</b>	3	PA
SEMGLEE(INSULIN GLARG-YFGN)PEN 100 UNIT/ML (3 ML) INSULIN PEN <b>MO</b>	3	PA
SEMGLEE(INSULIN GLARGINE-YFGN) 100 UNIT/ML SOLUTION <b>MO</b>	3	PA
SOLIQUA 100/33 100 UNIT-33 MCG/ML INSULIN PEN <b>MO</b>	2	QL(15 per 24 days)
STARLIX 120 MG, 60 MG TABLET <b>MO</b>	3	PA
STEGLATRO 15 MG, 5 MG TABLET <b>MO</b>	3	PA,QL(30 per 30 days)
STEGLUJAN 15-100 MG, 5-100 MG TABLET <b>MO</b>	3	PA,QL(30 per 30 days)
SYMLINPEN 120 2,700 MCG/2.7 ML PEN INJECTOR	4	QL(10.8 per 30 days)
SYMLINPEN 60 1,500 MCG/1.5 ML PEN INJECTOR	4	QL(10.5 per 28 days)
SYNJARDY 12.5-1,000 MG, 12.5-500 MG, 5-1,000 MG, 5-500 MG TABLET <b>MO</b>	2	QL(60 per 30 days)
SYNJARDY XR 10-1,000 MG, 25-1,000 MG TABLET, IR/ER 24 HR., BIPHASIC <b>MO</b>	2	QL(30 per 30 days)
SYNJARDY XR 12.5-1,000 MG, 5-1,000 MG TABLET, IR/ER 24 HR., BIPHASIC <b>MO</b>	2	QL(60 per 30 days)
TOUJEO MAX U-300 SOLOSTAR 300 UNIT/ML (3 ML) INSULIN PEN <b>MO</b>	2	
TOUJEO SOLOSTAR U-300 INSULIN 300 UNIT/ML (1.5 ML) INSULIN PEN <b>MO</b>	2	
TRADJENTA 5 MG TABLET <b>MO</b>	2	QL(30 per 30 days)
TRESIBA FLEXTOUCH U-100 100 UNIT/ML (3 ML) INSULIN PEN <b>MO</b>	2	

Need more information about the indicators displayed by the drug names? Please go to page 9. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • MO – Mail Order • PA - Prior Authorization • QL - Quantity Limit • ST - Step Therapy  
\$0 - Vaccine/Diabetic • DL - Dispensing Limit • LA - Limited Access

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
TRESIBA FLEXTOUCH U-200 200 UNIT/ML (3 ML) INSULIN PEN <b>MO</b>	2	
TRESIBA U-100 INSULIN 100 UNIT/ML SOLUTION <b>MO</b>	2	
TRIJARDY XR 10-5-1,000 MG, 25-5-1,000 MG TABLET, IR/ER 24 HR., BIPHASIC <b>MO</b>	2	QL(30 per 30 days)
TRIJARDY XR 12.5-2.5-1,000 MG, 5-2.5-1,000 MG TABLET, IR/ER 24 HR., BIPHASIC <b>MO</b>	2	QL(60 per 30 days)
TRULICITY 0.75 MG/0.5 ML, 1.5 MG/0.5 ML, 3 MG/0.5 ML, 4.5 MG/0.5 ML PEN INJECTOR <b>MO</b>	2	QL(2 per 28 days)
VICTOZA 2-PAK 0.6 MG/0.1 ML (18 MG/3 ML) PEN INJECTOR <b>MO</b>	2	QL(9 per 30 days)
VICTOZA 3-PAK 0.6 MG/0.1 ML (18 MG/3 ML) PEN INJECTOR <b>MO</b>	2	QL(9 per 30 days)
XIGDUO XR 10-1,000 MG, 10-500 MG TABLET, IR/ER 24 HR., BIPHASIC <b>MO</b>	3	QL(30 per 30 days)
XIGDUO XR 2.5-1,000 MG, 5-1,000 MG TABLET, IR/ER 24 HR., BIPHASIC <b>MO</b>	3	QL(60 per 30 days)
XIGDUO XR 5-500 MG TABLET, IR/ER 24 HR., BIPHASIC <b>MO</b>	3	QL(30 per 30 days)
XULTOPHY 100/3.6 100 UNIT-3.6 MG /ML (3 ML) INSULIN PEN <b>MO</b>	2	QL(15 per 30 days)
ZEGALOGUE AUTOINJECTOR 0.6 MG/0.6 ML AUTO-INJECTOR <b>MO</b>	2	
ZEGALOGUE SYRINGE 0.6 MG/0.6 ML SYRINGE <b>MO</b>	2	
<b>Blood Products And Modifiers</b>		
AGGRASTAT CONCENTRATE 250 MCG/ML CONCENTRATE <b>MO</b>	3	
AGGRASTAT IN SODIUM CHLORIDE 12.5 MG/250 ML (50 MCG/ML), 5 MG/100 ML (50 MCG/ML) SOLUTION <b>MO</b>	3	
AGRYLIN 0.5 MG CAPSULE <b>MO</b>	3	PA
AMICAR 1,000 MG, 500 MG TABLET <b>DL</b>	4	PA
AMICAR 250 MG/ML (25 %) SOLUTION <b>DL</b>	4	PA
aminocaproic acid 1,000 mg, 500 mg TABLET <b>DL</b>	4	
aminocaproic acid 250 mg/ml (25 %) SOLUTION <b>DL</b>	4	
aminocaproic acid 250 mg/ml SOLUTION <b>MO</b>	1	
anagrelide 0.5 mg, 1 mg CAPSULE <b>MO</b>	1	
ARANESP (IN POLYSORBATE) 10 MCG/0.4 ML, 40 MCG/0.4 ML SYRINGE <b>MO</b>	3	PA,QL(1.6 per 30 days)
ARANESP (IN POLYSORBATE) 100 MCG/0.5 ML SYRINGE <b>DL</b>	4	PA,QL(2 per 30 days)
ARANESP (IN POLYSORBATE) 100 MCG/ML, 200 MCG/ML, 60 MCG/ML SOLUTION <b>DL</b>	4	PA,QL(4 per 30 days)
ARANESP (IN POLYSORBATE) 150 MCG/0.3 ML SYRINGE <b>DL</b>	4	PA,QL(1.2 per 30 days)
ARANESP (IN POLYSORBATE) 200 MCG/0.4 ML SYRINGE <b>DL</b>	4	PA,QL(1.6 per 30 days)
ARANESP (IN POLYSORBATE) 25 MCG/0.42 ML SYRINGE <b>MO</b>	3	PA,QL(1.68 per 30 days)
ARANESP (IN POLYSORBATE) 25 MCG/ML, 40 MCG/ML SOLUTION <b>MO</b>	3	PA,QL(4 per 30 days)
ARANESP (IN POLYSORBATE) 300 MCG/0.6 ML SYRINGE <b>DL</b>	4	PA,QL(2.4 per 30 days)
ARANESP (IN POLYSORBATE) 500 MCG/ML SYRINGE <b>DL</b>	4	PA,QL(4 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 9. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • MO – Mail Order • PA - Prior Authorization • QL - Quantity Limit • ST - Step Therapy  
\$0 - Vaccine/Diabetic • DL - Dispensing Limit • LA - Limited Access

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
ARANESP (IN POLYSORBATE) 60 MCG/0.3 ML SYRINGE <b>MO</b>	3	PA,QL(1.2 per 30 days)
ARIIXTRA 10 MG/0.8 ML SYRINGE	4	PA,QL(24 per 30 days)
ARIIXTRA 2.5 MG/0.5 ML SYRINGE	4	PA,QL(15 per 30 days)
ARIIXTRA 5 MG/0.4 ML SYRINGE	4	PA,QL(12 per 30 days)
ARIIXTRA 7.5 MG/0.6 ML SYRINGE	4	PA,QL(18 per 30 days)
aspirin-dipyridamole 25-200 mg CAPSULE ER MULTIPHASE 12 HR. <b>MO</b>	1	ST,QL(60 per 30 days)
BRILINTA 60 MG, 90 MG TABLET <b>MO</b>	2	QL(60 per 30 days)
CABLIVI 11 MG KIT <b>DL</b>	4	PA,QL(30 per 30 days)
cilostazol 100 mg, 50 mg TABLET <b>MO</b>	1	
clopidogrel 300 mg TABLET <b>MO</b>	1	
clopidogrel 75 mg TABLET <b>MO</b>	1	QL(30 per 30 days)
CYKLOKAPRON 1,000 MG/10 ML (100 MG/ML) SOLUTION <b>DL</b>	4	PA
dabigatran etexilate 150 mg, 75 mg CAPSULE <b>MO</b>	1	QL(60 per 30 days)
dipyridamole 25 mg, 50 mg, 75 mg TABLET <b>MO</b>	1	
DOPTELET (10 TAB PACK) 20 MG TABLET <b>DL</b>	4	PA,QL(60 per 30 days)
DOPTELET (15 TAB PACK) 20 MG TABLET <b>DL</b>	4	PA,QL(60 per 30 days)
DOPTELET (30 TAB PACK) 20 MG TABLET <b>DL</b>	4	PA,QL(60 per 30 days)
EFFIENT 10 MG, 5 MG TABLET <b>MO</b>	3	PA,QL(30 per 30 days)
ELIQUIS 2.5 MG TABLET <b>MO</b>	2	QL(60 per 30 days)
ELIQUIS 5 MG TABLET <b>MO</b>	2	QL(74 per 30 days)
ELIQUIS DVT-PE TREAT 30D START 5 MG (74 TABS) TABLET, DOSE PACK <b>MO</b>	2	QL(74 per 30 days)
enoxaparin 100 mg/ml, 120 mg/0.8 ml, 150 mg/ml, 30 mg/0.3 ml, 40 mg/0.4 ml, 60 mg/0.6 ml, 80 mg/0.8 ml SYRINGE <b>MO</b>	1	
enoxaparin 300 mg/3 ml SOLUTION <b>MO</b>	1	
EPOGEN 10,000 UNIT/ML, 2,000 UNIT/ML, 20,000 UNIT/ML, 3,000 UNIT/ML, 4,000 UNIT/ML SOLUTION <b>MO</b>	3	PA,QL(14 per 30 days)
EPOGEN 20,000 UNIT/2 ML SOLUTION <b>MO</b>	3	PA,QL(28 per 30 days)
eptifibatide 0.75 mg/ml, 2 mg/ml SOLUTION <b>MO</b>	1	
fondaparinux 10 mg/0.8 ml SYRINGE	4	QL(24 per 30 days)
fondaparinux 2.5 mg/0.5 ml SYRINGE	4	QL(15 per 30 days)
fondaparinux 5 mg/0.4 ml SYRINGE	4	QL(12 per 30 days)
fondaparinux 7.5 mg/0.6 ml SYRINGE	4	QL(18 per 30 days)
FRAGMIN 10,000 ANTI-XA UNIT/ML SYRINGE	4	QL(30 per 30 days)
FRAGMIN 12,500 ANTI-XA UNIT/0.5 ML SYRINGE	4	QL(15 per 30 days)
FRAGMIN 15,000 ANTI-XA UNIT/0.6 ML SYRINGE	4	QL(18 per 30 days)
FRAGMIN 18,000 ANTI-XA UNIT/0.72 ML SYRINGE	4	QL(21.6 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 9. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • MO – Mail Order • PA - Prior Authorization • QL - Quantity Limit • ST - Step Therapy  
\$0 - Vaccine/Diabetic • DL - Dispensing Limit • LA - Limited Access

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
FRAGMIN 2,500 ANTI-XA UNIT/0.2 ML, 5,000 ANTI-XA UNIT/0.2 ML SYRINGE	4	QL(6 per 30 days)
FRAGMIN 2,500 ANTI-XA UNIT/ML SOLUTION <b>DL</b>	4	QL(120 per 30 days)
FRAGMIN 25,000 ANTI-XA UNIT/ML SOLUTION	4	QL(22.8 per 30 days)
FRAGMIN 7,500 ANTI-XA UNIT/0.3 ML SYRINGE	4	QL(9 per 30 days)
FULPHILA 6 MG/0.6 ML SYRINGE <b>DL</b>	4	PA,QL(1.2 per 28 days)
FYLNETRA 6 MG/0.6 ML SYRINGE <b>DL</b>	4	PA,QL(1.2 per 28 days)
GRANIX 300 MCG/0.5 ML SYRINGE <b>DL</b>	4	PA,QL(7 per 28 days)
GRANIX 300 MCG/ML SOLUTION <b>DL</b>	4	PA,QL(14 per 28 days)
GRANIX 480 MCG/0.8 ML SYRINGE <b>DL</b>	4	PA,QL(11.2 per 28 days)
GRANIX 480 MCG/1.6 ML SOLUTION <b>DL</b>	4	PA,QL(22.4 per 28 days)
heparin (porcine) 1,000 unit/ml, 10,000 unit/ml, 20,000 unit/ml, 5,000 unit/ml SOLUTION <b>MO</b>	1	
heparin (porcine) 5,000 unit/ml (1 ml) CARTRIDGE <b>MO</b>	1	
heparin (porcine) 5,000 unit/ml SYRINGE <b>MO</b>	1	
heparin, porcine (pf) 1,000 unit/ml, 5,000 unit/0.5 ml SOLUTION <b>MO</b>	1	
heparin, porcine (pf) 5,000 unit/0.5 ml, 5,000 unit/ml SYRINGE <b>MO</b>	1	
INTEGRILIN 0.75 MG/ML, 2 MG/ML SOLUTION <b>MO</b>	3	
jantoven 1 mg, 10 mg, 2 mg, 2.5 mg, 3 mg, 4 mg, 5 mg, 6 mg, 7.5 mg TABLET <b>MO</b>	1	
KENGREAL 50 MG RECON SOLUTION <b>DL</b>	4	
LEUKINE 250 MCG RECON SOLUTION <b>DL</b>	4	PA
LOVENOX 100 MG/ML, 120 MG/0.8 ML, 150 MG/ML, 30 MG/0.3 ML, 40 MG/0.4 ML, 60 MG/0.6 ML, 80 MG/0.8 ML SYRINGE	4	PA
LOVENOX 300 MG/3 ML SOLUTION	4	PA
LYSTEDA 650 MG TABLET <b>MO</b>	3	QL(30 per 5 days)
MIRCERA 100 MCG/0.3 ML SYRINGE <b>DL</b>	4	PA,QL(1.2 per 28 days)
MIRCERA 150 MCG/0.3 ML, 200 MCG/0.3 ML, 30 MCG/0.3 ML SYRINGE <b>DL</b>	4	PA,QL(0.6 per 28 days)
MIRCERA 50 MCG/0.3 ML, 75 MCG/0.3 ML SYRINGE <b>DL</b>	4	PA,QL(0.9 per 28 days)
MOZOBIL 24 MG/1.2 ML (20 MG/ML) SOLUTION <b>DL</b>	4	PA,QL(9.6 per 30 days)
MULPLETA 3 MG TABLET <b>DL</b>	4	PA,QL(7 per 30 days)
NEULASTA 6 MG/0.6 ML SYRINGE <b>DL</b>	4	PA,QL(1.2 per 28 days)
NEULASTA ONPRO 6 MG/0.6 ML SYRINGE W/WEARABLE INJECTOR <b>DL</b>	4	PA,QL(1.2 per 28 days)
NEUPOGEN 300 MCG/0.5 ML SYRINGE <b>DL</b>	4	PA,QL(7 per 30 days)
NEUPOGEN 300 MCG/ML SOLUTION <b>DL</b>	4	PA,QL(14 per 30 days)
NEUPOGEN 480 MCG/0.8 ML SYRINGE <b>DL</b>	4	PA,QL(11.2 per 30 days)
NEUPOGEN 480 MCG/1.6 ML SOLUTION <b>DL</b>	4	PA,QL(22.4 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 9. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • MO – Mail Order • PA - Prior Authorization • QL - Quantity Limit • ST - Step Therapy  
\$0 - Vaccine/Diabetic • DL - Dispensing Limit • LA - Limited Access

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
NIVESTYM 300 MCG/0.5 ML SYRINGE <b>DL</b>	4	PA,QL(7 per 30 days)
NIVESTYM 300 MCG/ML SOLUTION <b>DL</b>	4	PA,QL(14 per 30 days)
NIVESTYM 480 MCG/0.8 ML SYRINGE <b>DL</b>	4	PA,QL(11.2 per 30 days)
NIVESTYM 480 MCG/1.6 ML SOLUTION <b>DL</b>	4	PA,QL(22.4 per 30 days)
NYVEPRIA 6 MG/0.6 ML SYRINGE <b>DL</b>	4	PA,QL(1.2 per 28 days)
PLAVIX 75 MG TABLET <b>MO</b>	3	PA,QL(30 per 30 days)
PRADAXA 110 MG, 150 MG, 75 MG CAPSULE <b>MO</b>	3	QL(60 per 30 days)
prasugrel 10 mg, 5 mg TABLET <b>MO</b>	1	QL(30 per 30 days)
PROCIT 10,000 UNIT/ML SOLUTION <b>MO</b>	3	PA,QL(14 per 30 days)
PROCIT 2,000 UNIT/ML, 20,000 UNIT/ML, 3,000 UNIT/ML, 4,000 UNIT/ML, 40,000 UNIT/ML SOLUTION <b>MO</b>	3	PA,QL(14 per 30 days)
PROCIT 20,000 UNIT/2 ML SOLUTION <b>MO</b>	3	PA,QL(28 per 30 days)
PROMACTA 12.5 MG POWDER IN PACKET <b>DL,LA</b>	4	PA,QL(360 per 30 days)
PROMACTA 12.5 MG, 75 MG TABLET <b>DL,LA</b>	4	PA,QL(60 per 30 days)
PROMACTA 25 MG POWDER IN PACKET <b>DL,LA</b>	4	PA,QL(180 per 30 days)
PROMACTA 25 MG TABLET <b>DL,LA</b>	4	PA,QL(30 per 30 days)
PROMACTA 50 MG TABLET <b>DL,LA</b>	4	PA,QL(90 per 30 days)
PYRUKYND 20 MG (7)- 5 MG (7), 50 MG (7)- 20 MG (7) TABLET, DOSE PACK <b>DL</b>	4	PA,QL(14 per 14 days)
PYRUKYND 20 MG, 5 MG, 50 MG TABLET <b>DL</b>	4	PA,QL(60 per 30 days)
REBLOZYL 25 MG, 75 MG RECON SOLUTION <b>DL</b>	4	PA
RELEUKO 300 MCG/0.5 ML SYRINGE <b>DL</b>	4	PA,QL(7 per 30 days)
RELEUKO 300 MCG/ML SOLUTION <b>DL</b>	4	PA,QL(14 per 30 days)
RELEUKO 480 MCG/0.8 ML SYRINGE <b>DL</b>	4	PA,QL(11.2 per 30 days)
RELEUKO 480 MCG/1.6 ML SOLUTION <b>DL</b>	4	PA,QL(22.4 per 30 days)
RETACRIT 10,000 UNIT/ML, 2,000 UNIT/ML, 20,000 UNIT/2 ML, 20,000 UNIT/ML, 3,000 UNIT/ML, 4,000 UNIT/ML, 40,000 UNIT/ML SOLUTION <b>MO</b>	3	PA,QL(14 per 30 days)
RIASTAP 1 GRAM (900MG-1,300MG) RECON SOLUTION <b>MO</b>	3	
SAVAYSA 15 MG, 30 MG, 60 MG TABLET <b>MO</b>	3	PA,QL(30 per 30 days)
TAVALISSE 100 MG, 150 MG TABLET <b>DL</b>	4	PA,QL(60 per 30 days)
tranexamic acid 1,000 mg/10 ml (100 mg/ml) SOLUTION <b>MO</b>	1	PA
tranexamic acid 650 mg TABLET <b>MO</b>	1	QL(30 per 5 days)
UDENYCA 6 MG/0.6 ML SYRINGE <b>DL</b>	4	PA,QL(1.2 per 28 days)
warfarin 1 mg, 10 mg, 2 mg, 2.5 mg, 3 mg, 4 mg, 6 mg, 7.5 mg TABLET <b>MO</b>	1	
warfarin 5 mg TABLET <b>MO</b>	1	
XARELTO 1 MG/ML SUSPENSION FOR RECONSTITUTION <b>MO</b>	2	ST,QL(600 per 30 days)
XARELTO 10 MG, 20 MG TABLET <b>MO</b>	2	QL(30 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 9. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • MO – Mail Order • PA - Prior Authorization • QL - Quantity Limit • ST - Step Therapy  
\$0 - Vaccine/Diabetic • DL - Dispensing Limit • LA - Limited Access

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
XARELTO 15 MG, 2.5 MG TABLET <b>MO</b>	2	QL(60 per 30 days)
XARELTO DVT-PE TREAT 30D START 15 MG (42)- 20 MG (9) TABLET, DOSE PACK <b>MO</b>	2	QL(51 per 30 days)
YOSPRALA 325-40 MG, 81-40 MG TABLET, IR, DR, BIPHASIC <b>MO</b>	3	PA,QL(30 per 30 days)
ZARXIO 300 MCG/0.5 ML SYRINGE <b>DL</b>	4	PA,QL(7 per 30 days)
ZARXIO 480 MCG/0.8 ML SYRINGE <b>DL</b>	4	PA,QL(11.2 per 30 days)
ZIEXTENZO 6 MG/0.6 ML SYRINGE <b>DL</b>	4	PA,QL(1.2 per 28 days)
ZONTIVITY 2.08 MG TABLET <b>MO</b>	3	QL(30 per 30 days)
<b>Cardiovascular Agents</b>		
ACCUPRIL 10 MG, 20 MG, 40 MG, 5 MG TABLET <b>MO</b>	3	
ACCURETIC 10-12.5 MG, 20-12.5 MG, 20-25 MG TABLET <b>MO</b>	3	
acebutolol 200 mg, 400 mg CAPSULE <b>MO</b>	1	
acetazolamide 125 mg, 250 mg TABLET <b>MO</b>	1	
acetazolamide 500 mg CAPSULE, ER <b>MO</b>	1	
acetazolamide sodium 500 mg RECON SOLUTION <b>MO</b>	1	
adenosine 3 mg/ml SOLUTION <b>MO</b>	1	
adenosine 3 mg/ml SYRINGE <b>MO</b>	1	
ALDACTAZIDE 25-25 MG, 50-50 MG TABLET <b>MO</b>	3	
ALDACTONE 100 MG, 25 MG, 50 MG TABLET <b>MO</b>	3	
aliskiren 150 mg, 300 mg TABLET <b>MO</b>	1	QL(30 per 30 days)
ALTACE 1.25 MG, 10 MG, 2.5 MG, 5 MG CAPSULE <b>MO</b>	3	PA
ALTOPREV 20 MG, 40 MG, 60 MG TABLET, ER 24 HR.	4	ST,QL(30 per 30 days)
amiloride 5 mg TABLET <b>MO</b>	1	
amiloride-hydrochlorothiazide 5-50 mg TABLET <b>MO</b>	1	
amiodarone 100 mg TABLET <b>MO</b>	1	
amiodarone 150 mg/3 ml SYRINGE <b>MO</b>	1	
amiodarone 200 mg TABLET <b>MO</b>	1	
amiodarone 400 mg TABLET <b>MO</b>	1	QL(60 per 30 days)
amiodarone 50 mg/ml SOLUTION <b>MO</b>	1	
amlodipine 10 mg, 2.5 mg, 5 mg TABLET <b>MO</b>	1	
amlodipine-atorvastatin 10-10 mg, 10-20 mg, 10-40 mg, 10-80 mg, 2.5-10 mg, 2.5-20 mg, 2.5-40 mg, 5-10 mg, 5-20 mg, 5-40 mg, 5-80 mg TABLET <b>MO</b>	1	QL(30 per 30 days)
amlodipine-benazepril 10-20 mg, 2.5-10 mg, 5-10 mg, 5-20 mg CAPSULE <b>MO</b>	1	QL(60 per 30 days)
amlodipine-benazepril 10-40 mg, 5-40 mg CAPSULE <b>MO</b>	1	QL(30 per 30 days)
amlodipine-olmesartan 10-20 mg, 10-40 mg, 5-20 mg, 5-40 mg TABLET <b>MO</b>	1	QL(30 per 30 days)
amlodipine-valspatan 10-160 mg, 10-320 mg, 5-160 mg, 5-320 mg TABLET <b>MO</b>	1	QL(30 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 9. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • MO – Mail Order • PA - Prior Authorization • QL - Quantity Limit • ST - Step Therapy  
\$0 - Vaccine/Diabetic • DL - Dispensing Limit • LA - Limited Access

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
amlodipine-valsartan-hctiazid 10-160-12.5 mg, 10-160-25 mg, 10-320-25 mg, 5-160-12.5 mg, 5-160-25 mg TABLET <b>MO</b>	1	QL(30 per 30 days)
ANTARA 30 MG, 90 MG CAPSULE <b>MO</b>	3	QL(30 per 30 days)
ASPRUZY SPRINKLE 1,000 MG, 500 MG ER GRANULES, PACKET <b>MO</b>	3	PA,QL(60 per 30 days)
ATACAND 16 MG, 4 MG, 8 MG TABLET <b>MO</b>	3	PA,QL(60 per 30 days)
ATACAND 32 MG TABLET <b>MO</b>	3	PA,QL(30 per 30 days)
ATACAND HCT 16-12.5 MG, 32-12.5 MG, 32-25 MG TABLET <b>MO</b>	3	PA,QL(30 per 30 days)
atenolol 100 mg TABLET <b>MO</b>	1	
atenolol 25 mg, 50 mg TABLET <b>MO</b>	1	
atenolol-chlorthalidone 100-25 mg, 50-25 mg TABLET <b>MO</b>	1	
atorvastatin 10 mg, 20 mg, 40 mg, 80 mg TABLET <b>MO</b>	1	
AVALIDE 150-12.5 MG TABLET <b>MO</b>	3	PA,QL(60 per 30 days)
AVALIDE 300-12.5 MG TABLET <b>MO</b>	3	PA,QL(30 per 30 days)
AVAPRO 150 MG, 300 MG, 75 MG TABLET <b>MO</b>	3	PA,QL(30 per 30 days)
AZOR 10-20 MG, 10-40 MG, 5-20 MG, 5-40 MG TABLET <b>MO</b>	3	PA,QL(30 per 30 days)
benazepril 10 mg, 20 mg, 40 mg, 5 mg TABLET <b>MO</b>	1	
benazepril-hydrochlorothiazide 10-12.5 mg, 20-12.5 mg, 20-25 mg, 5-6.25 mg TABLET <b>MO</b>	1	
BENICAR 20 MG, 40 MG, 5 MG TABLET <b>MO</b>	3	PA,QL(30 per 30 days)
BENICAR HCT 20-12.5 MG, 40-12.5 MG, 40-25 MG TABLET <b>MO</b>	3	PA,QL(30 per 30 days)
BETAPACE 120 MG, 160 MG, 240 MG, 80 MG TABLET	4	PA
BETAPACE AF 120 MG, 160 MG, 80 MG TABLET	4	PA
betaxolol 10 mg, 20 mg TABLET <b>MO</b>	1	
BIDIL 20-37.5 MG TABLET <b>MO</b>	3	PA,QL(180 per 30 days)
BIORPHEN 0.1 MG/ML SOLUTION <b>MO</b>	3	
bisoprolol fumarate 10 mg, 5 mg TABLET <b>MO</b>	1	
bisoprolol-hydrochlorothiazide 10-6.25 mg, 2.5-6.25 mg, 5-6.25 mg TABLET <b>MO</b>	1	
bretylium tosylate 50 mg/ml SOLUTION <b>MO</b>	1	
BREVIBLOC 100 MG/10 ML (10 MG/ML) SOLUTION <b>MO</b>	3	
BREVIBLOC IN NACL (ISO-OSM) 2,000 MG/100 ML, 2,500 MG/250 ML (10 MG/ML) PARENTERAL SOLUTION <b>MO</b>	3	
bumetanide 0.25 mg/ml SOLUTION <b>MO</b>	1	
bumetanide 0.5 mg, 2 mg TABLET <b>MO</b>	1	
bumetanide 1 mg TABLET <b>MO</b>	1	
BYSTOLIC 10 MG TABLET <b>MO</b>	3	PA,QL(120 per 30 days)
BYSTOLIC 2.5 MG, 5 MG TABLET <b>MO</b>	3	PA,QL(30 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 9. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • MO - Mail Order • PA - Prior Authorization • QL - Quantity Limit • ST - Step Therapy  
\$0 - Vaccine/Diabetic • DL - Dispensing Limit • LA - Limited Access

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
BYSTOLIC 20 MG TABLET <b>MO</b>	3	PA,QL(60 per 30 days)
CADUET 10-10 MG, 10-20 MG, 10-40 MG, 10-80 MG, 5-10 MG, 5-20 MG, 5-40 MG, 5-80 MG TABLET <b>MO</b>	3	PA,QL(30 per 30 days)
CALAN SR 120 MG, 180 MG, 240 MG TABLET ER <b>MO</b>	3	
CAMZYOS 10 MG, 15 MG, 2.5 MG, 5 MG CAPSULE <b>DL</b>	4	PA,QL(30 per 30 days)
candesartan 16 mg, 4 mg, 8 mg TABLET <b>MO</b>	1	QL(60 per 30 days)
candesartan 32 mg TABLET <b>MO</b>	1	QL(30 per 30 days)
candesartan-hydrochlorothiazid 16-12.5 mg, 32-12.5 mg, 32-25 mg TABLET <b>MO</b>	1	QL(30 per 30 days)
captopril 100 mg, 12.5 mg, 25 mg, 50 mg TABLET <b>MO</b>	1	
captopril-hydrochlorothiazide 25-15 mg, 25-25 mg, 50-15 mg, 50-25 mg TABLET <b>MO</b>	1	
CARDIZEM 120 MG, 30 MG, 60 MG TABLET <b>MO</b>	3	
CARDIZEM CD 120 MG, 180 MG, 240 MG CAPSULE, ER 24 HR.	4	PA,QL(60 per 30 days)
CARDIZEM CD 300 MG, 360 MG CAPSULE, ER 24 HR.	4	PA,QL(30 per 30 days)
CARDIZEM LA 120 MG, 300 MG, 360 MG, 420 MG TABLET, ER 24 HR. <b>MO</b>	3	QL(30 per 30 days)
CARDIZEM LA 180 MG, 240 MG TABLET, ER 24 HR. <b>MO</b>	3	QL(60 per 30 days)
CARDURA 1 MG, 2 MG, 4 MG, 8 MG TABLET <b>MO</b>	3	
CARDURA XL 4 MG, 8 MG TABLET, ER 24 HR. <b>MO</b>	3	QL(30 per 30 days)
CAROSPIR 25 MG/5 ML SUSPENSION <b>MO</b>	3	PA,QL(450 per 30 days)
cartia xt 120 mg, 180 mg, 240 mg CAPSULE, ER 24 HR. <b>MO</b>	1	QL(60 per 30 days)
cartia xt 300 mg CAPSULE, ER 24 HR. <b>MO</b>	1	QL(30 per 30 days)
carvedilol 12.5 mg, 25 mg, 3.125 mg, 6.25 mg TABLET <b>MO</b>	1	
carvedilol phosphate 10 mg, 20 mg, 40 mg, 80 mg CAPSULE ER MULTIPHASE 24 HR. <b>MO</b>	1	QL(30 per 30 days)
CATAPRES 0.1 MG, 0.2 MG, 0.3 MG TABLET <b>MO</b>	3	
CATAPRES-TTS-1 0.1 MG/24 HR PATCH, WEEKLY <b>MO</b>	3	PA,QL(4 per 28 days)
CATAPRES-TTS-2 0.2 MG/24 HR PATCH, WEEKLY <b>MO</b>	3	PA,QL(4 per 28 days)
CATAPRES-TTS-3 0.3 MG/24 HR PATCH, WEEKLY <b>MO</b>	3	PA,QL(4 per 28 days)
chlorothiazide sodium 500 mg RECON SOLUTION <b>MO</b>	1	
chlorthalidone 25 mg TABLET <b>MO</b>	1	
chlorthalidone 50 mg TABLET <b>MO</b>	1	
cholestyramine (with sugar) 4 gram POWDER <b>MO</b>	1	
cholestyramine (with sugar) 4 gram POWDER IN PACKET <b>MO</b>	1	
cholestyramine light 4 gram POWDER <b>MO</b>	1	
cholestyramine light 4 gram POWDER IN PACKET <b>MO</b>	1	
cholestyramine-aspartame 4 gram POWDER IN PACKET <b>MO</b>	1	

Need more information about the indicators displayed by the drug names? Please go to page 9. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • MO – Mail Order • PA - Prior Authorization • QL - Quantity Limit • ST - Step Therapy  
\$0 - Vaccine/Diabetic • DL - Dispensing Limit • LA - Limited Access

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
CLEVIPREX 25 MG/50 ML, 50 MG/100 ML EMULSION <b>MO</b>	3	
clonidine 0.1 mg/24 hr, 0.2 mg/24 hr, 0.3 mg/24 hr PATCH, WEEKLY <b>MO</b>	1	QL(4 per 28 days)
clonidine hcl 0.1 mg TABLET <b>MO</b>	1	
clonidine hcl 0.2 mg, 0.3 mg TABLET <b>MO</b>	1	
colesevelam 3.75 gram POWDER IN PACKET <b>MO</b>	1	QL(30 per 30 days)
colesevelam 625 mg TABLET <b>MO</b>	1	QL(180 per 30 days)
COLESTID 1 GRAM TABLET <b>MO</b>	3	
COLESTID 5 GRAM GRANULES <b>MO</b>	3	QL(1000 per 30 days)
COLESTID 5 GRAM PACKET <b>MO</b>	3	
COLESTID FLAVORED 5 GRAM GRANULES <b>MO</b>	3	QL(1000 per 30 days)
COLESTID FLAVORED 7.5 GRAM PACKET <b>MO</b>	3	
colestipol 1 gram TABLET <b>MO</b>	1	
colestipol 5 gram GRANULES <b>MO</b>	1	QL(1000 per 30 days)
colestipol 5 gram PACKET <b>MO</b>	1	
CONJUPRI 2.5 MG, 5 MG TABLET <b>MO</b>	3	QL(30 per 30 days)
COREG 12.5 MG, 25 MG, 3.125 MG, 6.25 MG TABLET <b>MO</b>	3	PA
COREG CR 10 MG, 20 MG, 40 MG, 80 MG CAPSULE ER MULTIPHASE 24 HR. <b>MO</b>	3	PA,QL(30 per 30 days)
CORGARD 20 MG, 40 MG, 80 MG TABLET <b>MO</b>	3	PA
CORLANOR 5 MG, 7.5 MG TABLET <b>MO</b>	3	PA,QL(60 per 30 days)
CORLANOR 5 MG/5 ML SOLUTION <b>MO</b>	3	PA,QL(560 per 28 days)
CORLOPAM 10 MG/ML SOLUTION <b>MO</b>	3	
CORVERT 0.1 MG/ML SOLUTION <b>MO</b>	3	
COZAAR 100 MG, 25 MG, 50 MG TABLET <b>MO</b>	3	PA,QL(60 per 30 days)
CRESTOR 10 MG, 20 MG, 40 MG, 5 MG TABLET <b>MO</b>	3	PA
DEMSER 250 MG CAPSULE <b>DL</b>	4	
DIBENZYLINE 10 MG CAPSULE	4	
digitek 125 mcg (0.125 mg), 250 mcg (0.25 mg) TABLET <b>MO</b>	1	QL(30 per 30 days)
digox 125 mcg (0.125 mg), 250 mcg (0.25 mg) TABLET <b>MO</b>	1	QL(30 per 30 days)
digoxin 125 mcg (0.125 mg) TABLET <b>MO</b>	1	QL(30 per 30 days)
digoxin 250 mcg (0.25 mg), 62.5 mcg (0.0625 mg) TABLET <b>MO</b>	1	QL(30 per 30 days)
digoxin 250 mcg/ml (0.25 mg/ml), 50 mcg/ml (0.05 mg/ml) SOLUTION <b>MO</b>	1	
DILATRATE-SR 40 MG CAPSULE, ER <b>MO</b>	3	
dilt-xr 120 mg, 180 mg, 240 mg CAPSULE, ER 24 HR. <b>MO</b>	1	QL(60 per 30 days)
diltiazem hcl 100 mg RECON SOLUTION <b>MO</b>	1	
diltiazem hcl 120 mg CAPSULE, ER 12 HR. <b>MO</b>	1	QL(90 per 30 days)
diltiazem hcl 120 mg, 180 mg, 240 mg CAPSULE, ER 24 HR. <b>MO</b>	1	QL(60 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 9. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • MO - Mail Order • PA - Prior Authorization • QL - Quantity Limit • ST - Step Therapy  
\$0 - Vaccine/Diabetic • DL - Dispensing Limit • LA - Limited Access

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
diltiazem hcl 120 mg, 180 mg, 240 mg CAPSULE, ER 24 HR. <b>MO</b>	1	QL(60 per 30 days)
diltiazem hcl 120 mg, 30 mg, 60 mg, 90 mg TABLET <b>MO</b>	1	
diltiazem hcl 180 mg, 240 mg TABLET, ER 24 HR. <b>MO</b>	1	QL(60 per 30 days)
diltiazem hcl 300 mg, 360 mg, 420 mg CAPSULE, ER 24 HR. <b>MO</b>	1	QL(30 per 30 days)
diltiazem hcl 300 mg, 360 mg, 420 mg TABLET, ER 24 HR. <b>MO</b>	1	QL(30 per 30 days)
diltiazem hcl 5 mg/ml SOLUTION <b>MO</b>	1	
diltiazem hcl 60 mg, 90 mg CAPSULE, ER 12 HR. <b>MO</b>	1	QL(180 per 30 days)
DIOVAN 160 MG, 320 MG, 40 MG, 80 MG TABLET <b>MO</b>	3	PA,QL(60 per 30 days)
DIOVAN HCT 160-12.5 MG, 160-25 MG, 320-12.5 MG, 320-25 MG, 80-12.5 MG TABLET <b>MO</b>	3	PA,QL(30 per 30 days)
disopyramide phosphate 100 mg, 150 mg CAPSULE <b>MO</b>	1	
DIURIL 250 MG/5 ML SUSPENSION <b>MO</b>	3	
DIURIL IV 500 MG RECON SOLUTION <b>MO</b>	3	
dobutamine 250 mg/20 ml (12.5 mg/ml) SOLUTION <b>MO</b>	1	BvsD
dobutamine in d5w 1,000 mg/250 ml (4,000 mcg/ml), 250 mg/250 ml (1 mg/ml), 500 mg/250 ml (2,000 mcg/ml) PARENTERAL SOLUTION <b>MO</b>	1	BvsD
dofetilide 125 mcg, 250 mcg, 500 mcg CAPSULE <b>MO</b>	1	
dopamine 200 mg/5 ml (40 mg/ml), 400 mg/10 ml (40 mg/ml), 400 mg/5 ml (80 mg/ml), 800 mg/10 ml (80 mg/ml), 800 mg/5 ml (160 mg/ml) SOLUTION <b>MO</b>	1	BvsD
dopamine in 5 % dextrose 200 mg/250 ml (800 mcg/ml), 400 mg/250 ml (1,600 mcg/ml), 400 mg/500 ml (800 mcg/ml), 800 mg/250 ml (3,200 mcg/ml), 800 mg/500 ml (1,600 mcg/ml) SOLUTION <b>MO</b>	1	BvsD
doxazosin 1 mg, 2 mg, 4 mg, 8 mg TABLET <b>MO</b>	1	
droxidopa 100 mg, 200 mg CAPSULE <b>DL</b>	4	PA,QL(90 per 30 days)
droxidopa 300 mg CAPSULE <b>DL</b>	4	PA,QL(180 per 30 days)
DUTOPROL 100-12.5 MG TABLET, ER 24 HR. <b>MO</b>	3	QL(120 per 30 days)
DUTOPROL 25-12.5 MG, 50-12.5 MG TABLET, ER 24 HR. <b>MO</b>	3	QL(60 per 30 days)
DYRENIUM 100 MG, 50 MG CAPSULE <b>MO</b>	3	
EDARBI 40 MG, 80 MG TABLET <b>MO</b>	3	ST,QL(30 per 30 days)
EDARBYCLOR 40-12.5 MG, 40-25 MG TABLET <b>MO</b>	3	ST,QL(30 per 30 days)
EDECIN 25 MG TABLET	4	QL(480 per 30 days)
enalapril maleate 1 mg/ml SOLUTION <b>MO</b>	1	
enalapril maleate 10 mg, 2.5 mg, 20 mg, 5 mg TABLET <b>MO</b>	1	
enalapril-hydrochlorothiazide 10-25 mg, 5-12.5 mg TABLET <b>MO</b>	1	
enalaprilat 1.25 mg/ml SOLUTION <b>MO</b>	1	
ENTRESTO 24-26 MG, 49-51 MG, 97-103 MG TABLET <b>MO</b>	2	QL(60 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 9. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • MO – Mail Order • PA - Prior Authorization • QL - Quantity Limit • ST - Step Therapy  
\$0 - Vaccine/Diabetic • DL - Dispensing Limit • LA - Limited Access

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
EPANED 1 MG/ML SOLUTION <b>DL</b>	4	
eplerenone 25 mg, 50 mg TABLET <b>MO</b>	1	PA
eprosartan 600 mg TABLET <b>MO</b>	1	QL(60 per 30 days)
esmolol 100 mg/10 ml (10 mg/ml) SOLUTION <b>MO</b>	1	
esmolol in nacl (iso-osm) 2,000 mg/100 ml, 2,500 mg/250 ml (10 mg/ml) PARENTERAL SOLUTION <b>MO</b>	1	
ethacrynat sodium 50 mg RECON SOLUTION <b>MO</b>	1	
ethacrynic acid 25 mg TABLET <b>MO</b>	1	QL(480 per 30 days)
EVKEEZA 150 MG/ML SOLUTION <b>DL</b>	4	PA
EXFORGE 10-160 MG, 10-320 MG, 5-160 MG, 5-320 MG TABLET <b>MO</b>	3	PA,QL(30 per 30 days)
EXFORGE HCT 10-160-12.5 MG, 10-160-25 MG, 10-320-25 MG, 5-160-12.5 MG, 5-160-25 MG TABLET <b>MO</b>	3	PA,QL(30 per 30 days)
EZALLOR SPRINKLE 10 MG, 20 MG, 40 MG, 5 MG CAPSULE, SPRINKLE <b>MO</b>	3	ST,QL(30 per 30 days)
ezetimibe 10 mg TABLET <b>MO</b>	1	QL(30 per 30 days)
ezetimibe-rosuvastatin 10-10 mg, 10-20 mg, 10-40 mg, 10-5 mg TABLET <b>MO</b>	3	ST,QL(30 per 30 days)
ezetimibe-simvastatin 10-10 mg, 10-20 mg, 10-40 mg, 10-80 mg TABLET <b>MO</b>	1	QL(30 per 30 days)
felodipine 10 mg, 2.5 mg, 5 mg TABLET, ER 24 HR. <b>MO</b>	1	QL(30 per 30 days)
fenofibrate 120 mg TABLET <b>MO</b>	1	QL(30 per 30 days)
fenofibrate 150 mg CAPSULE <b>MO</b>	1	QL(30 per 30 days)
fenofibrate 160 mg TABLET <b>MO</b>	1	QL(30 per 30 days)
fenofibrate 40 mg, 54 mg TABLET <b>MO</b>	1	QL(60 per 30 days)
fenofibrate 50 mg CAPSULE <b>MO</b>	1	QL(60 per 30 days)
fenofibrate micronized 130 mg, 43 mg CAPSULE <b>MO</b>	1	ST,QL(30 per 30 days)
fenofibrate micronized 134 mg, 200 mg CAPSULE <b>MO</b>	1	QL(30 per 30 days)
fenofibrate micronized 30 mg, 90 mg CAPSULE <b>MO</b>	3	QL(30 per 30 days)
fenofibrate micronized 67 mg CAPSULE <b>MO</b>	1	QL(60 per 30 days)
fenofibrate nanocrystallized 145 mg TABLET <b>MO</b>	1	QL(30 per 30 days)
fenofibrate nanocrystallized 48 mg TABLET <b>MO</b>	1	QL(60 per 30 days)
fenofibric acid 105 mg, 35 mg TABLET <b>MO</b>	2	QL(30 per 30 days)
fenofibric acid (choline) 135 mg, 45 mg CAPSULE, DR/EC <b>MO</b>	1	QL(30 per 30 days)
FENOGLIDE 120 MG TABLET <b>MO</b>	3	QL(30 per 30 days)
FENOGLIDE 40 MG TABLET <b>MO</b>	3	QL(60 per 30 days)
FIBRICOR 105 MG, 35 MG TABLET <b>MO</b>	3	QL(30 per 30 days)
flecainide 100 mg, 150 mg, 50 mg TABLET <b>MO</b>	1	
FLOLIPID 20 MG/5 ML (4 MG/ML), 40 MG/5 ML (8 MG/ML) SUSPENSION <b>MO</b>	3	ST,QL(150 per 30 days)
fluvastatin 20 mg, 40 mg CAPSULE <b>MO</b>	1	ST,QL(60 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 9. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • MO - Mail Order • PA - Prior Authorization • QL - Quantity Limit • ST - Step Therapy  
\$0 - Vaccine/Diabetic • DL - Dispensing Limit • LA - Limited Access

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
fluvastatin 80 mg TABLET, ER 24 HR. <b>MO</b>	1	ST,QL(30 per 30 days)
fosinopril 10 mg, 20 mg, 40 mg TABLET <b>MO</b>	1	
fosinopril-hydrochlorothiazide 10-12.5 mg, 20-12.5 mg TABLET <b>MO</b>	1	
FUROSCIX 80 MG/10 ML KIT <b>MO</b>	3	PA
furosemide 10 mg/ml SYRINGE <b>MO</b>	1	
furosemide 10 mg/ml, 40 mg/5 ml (8 mg/ml) SOLUTION <b>MO</b>	1	
furosemide 20 mg, 40 mg TABLET <b>MO</b>	1	
furosemide 80 mg TABLET <b>MO</b>	1	
gemfibrozil 600 mg TABLET <b>MO</b>	1	QL(60 per 30 days)
GONITRO 400 MCG POWDER IN PACKET <b>MO</b>	3	
guanfacine 1 mg TABLET <b>MO</b>	1	
guanfacine 2 mg TABLET <b>MO</b>	1	
HEMANGEOL 4.28 MG/ML SOLUTION <b>MO</b>	3	
hydralazine 10 mg, 100 mg TABLET <b>MO</b>	1	
hydralazine 20 mg/ml SOLUTION <b>MO</b>	1	
hydralazine 25 mg, 50 mg TABLET <b>MO</b>	1	
hydrochlorothiazide 12.5 mg CAPSULE <b>MO</b>	1	
hydrochlorothiazide 12.5 mg, 25 mg TABLET <b>MO</b>	1	
hydrochlorothiazide 50 mg TABLET <b>MO</b>	1	
HYZAAR 100-12.5 MG, 100-25 MG, 50-12.5 MG TABLET <b>MO</b>	3	PA,QL(60 per 30 days)
ibutilide fumarate 0.1 mg/ml SOLUTION <b>MO</b>	1	
indapamide 1.25 mg, 2.5 mg TABLET <b>MO</b>	1	
INDERAL LA 120 MG, 160 MG, 60 MG, 80 MG CAPSULE, ER 24 HR. <b>DL</b>	4	PA
INNOPRAN XL 120 MG, 80 MG CAPSULE, ER 24 HR.	4	
INSPRA 25 MG, 50 MG TABLET <b>MO</b>	3	PA
irbesartan 150 mg, 75 mg TABLET <b>MO</b>	1	QL(30 per 30 days)
irbesartan 300 mg TABLET <b>MO</b>	1	QL(30 per 30 days)
irbesartan-hydrochlorothiazide 150-12.5 mg TABLET <b>MO</b>	1	QL(60 per 30 days)
irbesartan-hydrochlorothiazide 300-12.5 mg TABLET <b>MO</b>	1	QL(30 per 30 days)
ISORDIL 40 MG TABLET	4	
ISORDIL TITRADOSE 5 MG TABLET	4	PA
isosorbide dinitrate 10 mg, 20 mg, 30 mg, 40 mg, 5 mg TABLET <b>MO</b>	1	
isosorbide mononitrate 10 mg, 20 mg TABLET <b>MO</b>	1	
isosorbide mononitrate 120 mg TABLET, ER 24 HR. <b>MO</b>	1	
isosorbide mononitrate 30 mg, 60 mg TABLET, ER 24 HR. <b>MO</b>	1	
isosorbide-hydralazine 20-37.5 mg TABLET <b>MO</b>	1	PA,QL(180 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 9. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • MO – Mail Order • PA - Prior Authorization • QL - Quantity Limit • ST - Step Therapy  
\$0 - Vaccine/Diabetic • DL - Dispensing Limit • LA - Limited Access

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
isradipine 2.5 mg, 5 mg CAPSULE <b>MO</b>	1	
ISUPREL 0.2 MG/ML SOLUTION <b>MO</b>	3	
JUXTAPID 10 MG, 30 MG, 40 MG, 5 MG, 60 MG CAPSULE <b>DL</b>	4	PA,QL(28 per 28 days)
JUXTAPID 20 MG CAPSULE <b>DL</b>	4	PA,QL(84 per 28 days)
KAPSPARGO SPRINKLE 100 MG, 25 MG, 50 MG CAPSULE ER SPRINKLE 24 HR. <b>MO</b>	3	ST,QL(30 per 30 days)
KAPSPARGO SPRINKLE 200 MG CAPSULE ER SPRINKLE 24 HR. <b>MO</b>	3	ST,QL(60 per 30 days)
KATERZIA 1 MG/ML SUSPENSION <b>MO</b>	3	QL(300 per 30 days)
KERENDIA 10 MG, 20 MG TABLET <b>MO</b>	2	PA,QL(30 per 30 days)
labetalol 100 mg, 200 mg, 300 mg TABLET <b>MO</b>	1	
labetalol 5 mg/ml SOLUTION <b>MO</b>	1	
LABETALOL IN DEXTROSE,ISO-OSM 1 MG/ML SOLUTION <b>MO</b>	1	
LABETALOL IN NAACL (ISO-OSMOT) 1 MG/ ML SOLUTION <b>MO</b>	1	
LANOXIN 125 MCG (0.125 MG), 250 MCG (0.25 MG), 62.5 MCG (0.0625 MG) TABLET <b>MO</b>	3	QL(30 per 30 days)
LANOXIN 250 MCG/ML (0.25 MG/ML), 500 MCG/2 ML (0.5 MG/2 ML) SOLUTION <b>MO</b>	3	
LANOXIN PEDIATRIC 100 MCG/ML (0.1 MG/ML) SOLUTION <b>MO</b>	3	
LASIX 20 MG, 40 MG, 80 MG TABLET <b>MO</b>	3	
LEQVIO 284 MG/1.5 ML SYRINGE	4	PA,QL(4.5 per 365 days)
LESCOL 20 MG, 40 MG CAPSULE <b>MO</b>	3	ST,QL(60 per 30 days)
LESCOL XL 80 MG TABLET, ER 24 HR. <b>MO</b>	3	ST,QL(30 per 30 days)
levamlodipine 2.5 mg, 5 mg TABLET <b>MO</b>	3	QL(30 per 30 days)
LEVOPHED (BITARTRATE) 1 MG/ML SOLUTION <b>MO</b>	3	
lidocaine (pf) 20 mg/ml (2 %) SOLUTION <b>MO</b>	1	
lidocaine in 5 % dextrose (pf) 4 mg/ml (0.4 %), 8 mg/ml (0.8 %) PARENTERAL SOLUTION <b>MO</b>	1	
LIPITOR 10 MG, 20 MG, 40 MG, 80 MG TABLET <b>MO</b>	3	PA
LIPOFEN 150 MG CAPSULE <b>MO</b>	3	QL(30 per 30 days)
LIPOFEN 50 MG CAPSULE <b>MO</b>	3	QL(60 per 30 days)
lisinopril 10 mg, 2.5 mg, 20 mg, 40 mg, 5 mg TABLET <b>MO</b>	1	
lisinopril 30 mg TABLET <b>MO</b>	1	
lisinopril-hydrochlorothiazide 10-12.5 mg, 20-12.5 mg, 20-25 mg TABLET <b>MO</b>	1	
LIVALO 1 MG, 2 MG, 4 MG TABLET <b>MO</b>	3	ST,QL(30 per 30 days)
LOPID 600 MG TABLET <b>MO</b>	3	PA,QL(60 per 30 days)
LOPRESSOR 100 MG, 50 MG TABLET <b>MO</b>	3	
LOPRESSOR 5 MG/5 ML SOLUTION <b>MO</b>	3	

Need more information about the indicators displayed by the drug names? Please go to page 9. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • MO – Mail Order • PA - Prior Authorization • QL - Quantity Limit • ST - Step Therapy  
\$0 - Vaccine/Diabetic • DL - Dispensing Limit • LA - Limited Access

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
losartan 100 mg, 25 mg, 50 mg TABLET <b>MO</b>	1	QL(60 per 30 days)
losartan-hydrochlorothiazide 100-12.5 mg, 100-25 mg, 50-12.5 mg TABLET <b>MO</b>	1	QL(60 per 30 days)
LOTENSIN 10 MG, 20 MG, 40 MG TABLET <b>MO</b>	3	
LOTENSIN HCT 10-12.5 MG, 20-12.5 MG, 20-25 MG TABLET <b>MO</b>	3	
LOTREL 10-20 MG, 5-10 MG, 5-20 MG CAPSULE <b>MO</b>	3	PA,QL(60 per 30 days)
LOTREL 10-40 MG, 5-40 MG CAPSULE <b>MO</b>	3	PA,QL(30 per 30 days)
lovastatin 10 mg TABLET <b>MO</b>	1	
lovastatin 20 mg, 40 mg TABLET <b>MO</b>	1	
LOVAZA 1 GRAM CAPSULE <b>MO</b>	3	PA,QL(120 per 30 days)
mannitol 10 % 10 % PARENTERAL SOLUTION <b>MO</b>	1	
mannitol 20 % 20 % PARENTERAL SOLUTION <b>MO</b>	1	
mannitol 25 % 25 % SOLUTION <b>MO</b>	1	
mannitol 5 % 5 % PARENTERAL SOLUTION <b>MO</b>	1	
matzim la 180 mg, 240 mg TABLET, ER 24 HR. <b>MO</b>	1	QL(60 per 30 days)
matzim la 300 mg, 360 mg, 420 mg TABLET, ER 24 HR. <b>MO</b>	1	QL(30 per 30 days)
MAXZIDE 75-50 MG TABLET <b>MO</b>	3	PA
MAXZIDE-25MG 37.5-25 MG TABLET <b>MO</b>	3	PA
methazolamide 25 mg, 50 mg TABLET <b>MO</b>	1	
methyldopa 250 mg, 500 mg TABLET <b>MO</b>	1	
methyldopa-hydrochlorothiazide 250-15 mg, 250-25 mg TABLET <b>MO</b>	1	
methyldopate 250 mg/5 ml SOLUTION <b>MO</b>	1	
metolazone 10 mg, 2.5 mg, 5 mg TABLET <b>MO</b>	1	
metoprolol succinate 100 mg, 50 mg TABLET, ER 24 HR. <b>MO</b>	1	QL(60 per 30 days)
metoprolol succinate 200 mg TABLET, ER 24 HR. <b>MO</b>	1	QL(60 per 30 days)
metoprolol succinate 25 mg TABLET, ER 24 HR. <b>MO</b>	1	QL(90 per 30 days)
metoprolol ta-hydrochlorothiaz 100-25 mg, 100-50 mg, 50-25 mg TABLET <b>MO</b>	1	
metoprolol tartrate 100 mg, 25 mg, 50 mg TABLET <b>MO</b>	1	
metoprolol tartrate 37.5 mg, 75 mg TABLET <b>MO</b>	1	
metoprolol tartrate 5 mg/5 ml SOLUTION <b>MO</b>	1	
metyrosine 250 mg CAPSULE <b>DL</b>	4	
mexiletine 150 mg, 200 mg, 250 mg CAPSULE <b>MO</b>	1	
MICARDIS 20 MG, 40 MG TABLET <b>MO</b>	3	PA,QL(30 per 30 days)
MICARDIS 80 MG TABLET <b>MO</b>	3	PA,QL(60 per 30 days)
MICARDIS HCT 40-12.5 MG, 80-25 MG TABLET <b>MO</b>	3	PA,QL(30 per 30 days)
MICARDIS HCT 80-12.5 MG TABLET <b>MO</b>	3	PA,QL(60 per 30 days)
midodrine 10 mg, 2.5 mg, 5 mg TABLET <b>MO</b>	1	

Need more information about the indicators displayed by the drug names? Please go to page 9. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • MO - Mail Order • PA - Prior Authorization • QL - Quantity Limit • ST - Step Therapy  
\$0 - Vaccine/Diabetic • DL - Dispensing Limit • LA - Limited Access

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
milrinone 1 mg/ml SOLUTION <b>MO</b>	1	BvsD
milrinone in 5 % dextrose 20 mg/100 ml (200 mcg/ml), 40 mg/200 ml (200 mcg/ml) PIGGYBACK <b>MO</b>	1	BvsD
MINIPRESS 1 MG, 2 MG, 5 MG CAPSULE <b>MO</b>	3	
minitran 0.1 mg/hr, 0.2 mg/hr, 0.6 mg/hr PATCH, 24 HR. <b>MO</b>	1	QL(30 per 30 days)
minitran 0.4 mg/hr PATCH, 24 HR. <b>MO</b>	1	QL(60 per 30 days)
minoxidil 10 mg, 2.5 mg TABLET <b>MO</b>	1	
moexipril 15 mg, 7.5 mg TABLET <b>MO</b>	1	
MULTAQ 400 MG TABLET <b>MO</b>	2	QL(60 per 30 days)
nadolol 20 mg, 40 mg, 80 mg TABLET <b>MO</b>	1	
nebivolol 10 mg TABLET <b>MO</b>	1	QL(120 per 30 days)
nebivolol 2.5 mg, 5 mg TABLET <b>MO</b>	1	QL(30 per 30 days)
nebivolol 20 mg TABLET <b>MO</b>	1	QL(60 per 30 days)
NEXLETOL 180 MG TABLET <b>MO</b>	2	PA,QL(30 per 30 days)
NEXLIZET 180-10 MG TABLET <b>MO</b>	2	PA,QL(30 per 30 days)
NEXTERONE 150 MG/100 ML (1.5 MG/ML), 360 MG/200 ML (1.8 MG/ML) SOLUTION <b>MO</b>	3	
niacin 1,000 mg, 500 mg, 750 mg TABLET, ER 24 HR. <b>MO</b>	1	
niacin 500 mg TABLET <b>MO</b>	1	
niacor 500 mg TABLET <b>MO</b>	1	
NIASPAN EXTENDED-RELEASE 1,000 MG, 500 MG, 750 MG TABLET, ER 24 HR. <b>MO</b>	3	PA
nicardipine 20 mg, 30 mg CAPSULE <b>MO</b>	1	
nicardipine 25 mg/10 ml SOLUTION <b>MO</b>	1	
nifedipine 10 mg, 20 mg CAPSULE <b>MO</b>	1	
nifedipine 30 mg, 60 mg, 90 mg TABLET ER <b>MO</b>	1	QL(60 per 30 days)
nifedipine 30 mg, 60 mg, 90 mg TABLET, ER 24 HR. <b>MO</b>	1	QL(60 per 30 days)
nimodipine 30 mg CAPSULE <b>MO</b>	1	
nisoldipine 17 mg, 20 mg, 34 mg, 40 mg, 8.5 mg TABLET, ER 24 HR. <b>MO</b>	1	QL(30 per 30 days)
nisoldipine 25.5 mg, 30 mg TABLET, ER 24 HR. <b>MO</b>	1	QL(60 per 30 days)
NITRO-BID 2 % OINTMENT <b>MO</b>	1	
NITRO-DUR 0.1 MG/HR PATCH, 24 HR. <b>MO</b>	3	QL(30 per 30 days)
NITRO-DUR 0.2 MG/HR, 0.6 MG/HR PATCH, 24 HR.	4	QL(30 per 30 days)
NITRO-DUR 0.3 MG/HR, 0.8 MG/HR PATCH, 24 HR.	4	
NITRO-DUR 0.4 MG/HR PATCH, 24 HR. <b>MO</b>	3	QL(60 per 30 days)
nitroglycerin 0.1 mg/hr, 0.2 mg/hr, 0.6 mg/hr PATCH, 24 HR. <b>MO</b>	1	QL(30 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 9. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • MO - Mail Order • PA - Prior Authorization • QL - Quantity Limit • ST - Step Therapy  
\$0 - Vaccine/Diabetic • DL - Dispensing Limit • LA - Limited Access

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
nitroglycerin 0.3 mg, 0.6 mg SUBLINGUAL TABLET <b>MO</b>	1	
nitroglycerin 0.4 mg SUBLINGUAL TABLET <b>MO</b>	1	
nitroglycerin 0.4 mg/hr PATCH, 24 HR. <b>MO</b>	1	QL(60 per 30 days)
nitroglycerin 400 mcg/spray SPRAY, NON-AEROSOL <b>MO</b>	1	
nitroglycerin 50 mg/10 ml (5 mg/ml) SOLUTION <b>MO</b>	1	
nitroglycerin in 5 % dextrose 100 mg/250 ml (400 mcg/ml), 200 mg/500 ml (400 mcg/ml), 25 mg/250 ml (100 mcg/ml), 50 mg/250 ml (200 mcg/ml), 50 mg/500 ml (100 mcg/ml) SOLUTION <b>MO</b>	1	
NITROLINGUAL 400 MCG/SPRAY SPRAY, NON-AEROSOL <b>MO</b>	3	
NITROSTAT 0.3 MG, 0.4 MG, 0.6 MG SUBLINGUAL TABLET <b>MO</b>	2	
norepinephrine bitartrate 1 mg/ml SOLUTION <b>MO</b>	1	
NORLIQVA 1 MG/ML SOLUTION <b>DL</b>	4	ST,QL(300 per 30 days)
NORPACE 100 MG, 150 MG CAPSULE <b>MO</b>	3	
NORPACE CR 100 MG, 150 MG CAPSULE, ER <b>MO</b>	3	
NORTHERA 100 MG, 200 MG CAPSULE <b>DL</b>	4	PA,QL(90 per 30 days)
NORTHERA 300 MG CAPSULE <b>DL</b>	4	PA,QL(180 per 30 days)
NORVASC 10 MG, 2.5 MG, 5 MG TABLET <b>MO</b>	3	PA
NYMALIZE 30 MG/5 ML SYRINGE	4	QL(630 per 28 days)
NYMALIZE 60 MG/10 ML SOLUTION <b>DL</b>	4	QL(1260 per 28 days)
NYMALIZE 60 MG/10 ML SYRINGE	4	QL(1260 per 28 days)
olmesartan 20 mg, 5 mg TABLET <b>MO</b>	1	QL(30 per 30 days)
olmesartan 40 mg TABLET <b>MO</b>	1	QL(30 per 30 days)
olmesartan-amlodipin-hctiazid 20-5-12.5 mg, 40-10-12.5 mg, 40-10-25 mg, 40-5-12.5 mg, 40-5-25 mg TABLET <b>MO</b>	1	QL(30 per 30 days)
olmesartan-hydrochlorothiazide 20-12.5 mg, 40-12.5 mg, 40-25 mg TABLET <b>MO</b>	1	QL(30 per 30 days)
omega-3 acid ethyl esters 1 gram CAPSULE <b>MO</b>	1	QL(120 per 30 days)
OSMITROL 10 % 10 % PARENTERAL SOLUTION <b>MO</b>	3	
OSMITROL 15 % 15 % PARENTERAL SOLUTION <b>MO</b>	3	
OSMITROL 20 % 20 % PARENTERAL SOLUTION <b>MO</b>	3	
OSMITROL 5 % 5 % PARENTERAL SOLUTION <b>MO</b>	3	
PACERONE 100 MG TABLET <b>MO</b>	1	
pacerone 200 mg TABLET <b>MO</b>	1	
PACERONE 400 MG TABLET <b>MO</b>	1	QL(60 per 30 days)
pentoxifylline 400 mg TABLET ER <b>MO</b>	1	
perindopril erbumine 2 mg, 4 mg, 8 mg TABLET <b>MO</b>	1	
phenoxybenzamine 10 mg CAPSULE	4	

Need more information about the indicators displayed by the drug names? Please go to page 9. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • MO – Mail Order • PA - Prior Authorization • QL - Quantity Limit • ST - Step Therapy  
\$0 - Vaccine/Diabetic • DL - Dispensing Limit • LA - Limited Access

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
phenylephrine hcl 10 mg/ml SOLUTION <b>MO</b>	1	
pindolol 10 mg, 5 mg TABLET <b>MO</b>	1	
PRALUENT PEN 150 MG/ML, 75 MG/ML PEN INJECTOR <b>MO</b>	3	PA,QL(2 per 28 days)
PRAVACHOL 20 MG, 40 MG TABLET <b>MO</b>	3	PA
pravastatin 10 mg, 20 mg, 40 mg, 80 mg TABLET <b>MO</b>	1	
prazosin 1 mg, 2 mg, 5 mg CAPSULE <b>MO</b>	1	
PRESTALIA 14-10 MG, 3.5-2.5 MG, 7-5 MG TABLET <b>MO</b>	3	QL(30 per 30 days)
prevalite 4 gram POWDER <b>MO</b>	1	
prevalite 4 gram POWDER IN PACKET <b>MO</b>	1	
PRINIVIL 20 MG TABLET <b>MO</b>	3	
procainamide 100 mg/ml, 500 mg/ml SOLUTION <b>MO</b>	1	
PROCARDIA 10 MG CAPSULE <b>MO</b>	3	PA
PROCARDIA XL 30 MG, 60 MG, 90 MG TABLET, ER 24 HR. <b>MO</b>	3	PA,QL(60 per 30 days)
propafenone 150 mg, 225 mg, 300 mg TABLET <b>MO</b>	1	
propafenone 225 mg, 325 mg CAPSULE, ER 12 HR. <b>MO</b>	1	QL(60 per 30 days)
propafenone 425 mg CAPSULE, ER 12 HR. <b>MO</b>	1	
propranolol 1 mg/ml, 20 mg/5 ml (4 mg/ml), 40 mg/5 ml (8 mg/ml) SOLUTION <b>MO</b>	1	
propranolol 10 mg, 20 mg, 40 mg, 60 mg, 80 mg TABLET <b>MO</b>	1	
propranolol 120 mg, 160 mg, 60 mg, 80 mg CAPSULE, ER 24 HR. <b>MO</b>	1	
propranolol-hydrochlorothiazid 40-25 mg, 80-25 mg TABLET <b>MO</b>	1	
QBRELIS 1 MG/ML SOLUTION	4	QL(1200 per 30 days)
QUESTRAN 4 GRAM POWDER <b>MO</b>	1	
QUESTRAN 4 GRAM POWDER IN PACKET <b>MO</b>	1	
QUESTRAN LIGHT 4 GRAM POWDER <b>MO</b>	1	
quinapril 10 mg, 20 mg, 40 mg, 5 mg TABLET <b>MO</b>	1	
quinapril-hydrochlorothiazide 10-12.5 mg, 20-12.5 mg, 20-25 mg TABLET <b>MO</b>	1	
quinidine gluconate 324 mg TABLET ER <b>MO</b>	1	
quinidine sulfate 200 mg, 300 mg TABLET <b>MO</b>	1	
ramipril 1.25 mg, 10 mg, 2.5 mg, 5 mg CAPSULE <b>MO</b>	1	
RANEXA 1,000 MG, 500 MG TABLET, ER 12 HR. <b>MO</b>	3	PA,QL(120 per 30 days)
ranolazine 1,000 mg, 500 mg TABLET, ER 12 HR. <b>MO</b>	1	QL(120 per 30 days)
REPATHA PUSHTRONEX 420 MG/3.5 ML WEARABLE INJECTOR <b>MO</b>	2	PA,QL(3.5 per 28 days)
REPATHA SURECLICK 140 MG/ML PEN INJECTOR <b>MO</b>	2	PA,QL(3 per 28 days)
REPATHA SYRINGE 140 MG/ML SYRINGE <b>MO</b>	2	PA,QL(3 per 28 days)
rosuvastatin 10 mg, 20 mg, 40 mg, 5 mg TABLET <b>MO</b>	1	

Need more information about the indicators displayed by the drug names? Please go to page 9. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • MO – Mail Order • PA - Prior Authorization • QL - Quantity Limit • ST - Step Therapy  
\$0 - Vaccine/Diabetic • DL - Dispensing Limit • LA - Limited Access

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
ROSZET 10-10 MG, 10-20 MG, 10-40 MG, 10-5 MG TABLET <b>MO</b>	3	ST,QL(30 per 30 days)
RYTHMOL SR 225 MG, 325 MG CAPSULE, ER 12 HR. <b>MO</b>	3	PA,QL(60 per 30 days)
RYTHMOL SR 425 MG CAPSULE, ER 12 HR. <b>MO</b>	3	PA
simvastatin 10 mg, 20 mg, 40 mg TABLET <b>MO</b>	1	
simvastatin 5 mg, 80 mg TABLET <b>MO</b>	1	
SOAANZ 20 MG, 40 MG, 60 MG TABLET <b>MO</b>	3	ST
SODIUM EDECRIN 50 MG RECON SOLUTION <b>MO</b>	3	
sorine 120 mg, 160 mg, 240 mg, 80 mg TABLET <b>MO</b>	1	
sotalol 120 mg, 160 mg, 240 mg, 80 mg TABLET <b>MO</b>	1	
sotalol 150 mg/10 ml (15 mg/ml) SOLUTION <b>MO</b>	1	
sotalol af 120 mg, 160 mg, 80 mg TABLET <b>MO</b>	1	
SOTYLIZE 5 MG/ML SOLUTION <b>MO</b>	3	
spironolacton-hydrochlorothiaz 25-25 mg TABLET <b>MO</b>	1	
spironolactone 100 mg TABLET <b>MO</b>	1	
spironolactone 25 mg, 50 mg TABLET <b>MO</b>	1	
SULAR 17 MG, 34 MG, 8.5 MG TABLET, ER 24 HR. <b>MO</b>	3	PA,QL(30 per 30 days)
TARKA 2-180 MG, 2-240 MG, 4-240 MG TABLET, IR/ER 24 HR., BIPHASIC <b>MO</b>	3	
taztia xt 120 mg, 180 mg, 240 mg CAPSULE, ER 24 HR. <b>MO</b>	1	QL(60 per 30 days)
taztia xt 300 mg, 360 mg CAPSULE, ER 24 HR. <b>MO</b>	1	QL(30 per 30 days)
TEKTURNA 150 MG, 300 MG TABLET <b>MO</b>	3	PA,QL(30 per 30 days)
TEKTURNA HCT 150-12.5 MG, 150-25 MG, 300-12.5 MG, 300-25 MG TABLET <b>MO</b>	3	ST,QL(30 per 30 days)
telmisartan 20 mg, 40 mg TABLET <b>MO</b>	1	QL(30 per 30 days)
telmisartan 80 mg TABLET <b>MO</b>	1	QL(60 per 30 days)
telmisartan-amlodipine 40-10 mg, 40-5 mg, 80-10 mg, 80-5 mg TABLET <b>MO</b>	1	QL(30 per 30 days)
telmisartan-hydrochlorothiazid 40-12.5 mg, 80-25 mg TABLET <b>MO</b>	1	QL(30 per 30 days)
telmisartan-hydrochlorothiazid 80-12.5 mg TABLET <b>MO</b>	1	QL(60 per 30 days)
TENORETIC 100 100-25 MG TABLET <b>MO</b>	3	
TENORETIC 50 50-25 MG TABLET <b>MO</b>	3	PA
TENORMIN 100 MG, 25 MG, 50 MG TABLET <b>MO</b>	3	
terazosin 1 mg, 10 mg, 2 mg, 5 mg CAPSULE <b>MO</b>	1	
THALITONE 15 MG TABLET <b>MO</b>	3	
tiadylt er 120 mg, 180 mg, 240 mg CAPSULE, ER 24 HR. <b>MO</b>	1	QL(60 per 30 days)
tiadylt er 300 mg, 360 mg, 420 mg CAPSULE, ER 24 HR. <b>MO</b>	1	QL(30 per 30 days)
TIAZAC 120 MG, 180 MG, 240 MG CAPSULE, ER 24 HR. <b>MO</b>	3	QL(60 per 30 days)
TIAZAC 300 MG, 360 MG, 420 MG CAPSULE, ER 24 HR. <b>MO</b>	3	QL(30 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 9. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • MO – Mail Order • PA - Prior Authorization • QL - Quantity Limit • ST - Step Therapy  
\$0 - Vaccine/Diabetic • DL - Dispensing Limit • LA - Limited Access

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
TIKOSYN 125 MCG, 250 MCG, 500 MCG CAPSULE <b>MO</b>	3	PA
timolol maleate 10 mg, 20 mg, 5 mg TABLET <b>MO</b>	1	
TOPROL XL 100 MG, 200 MG, 50 MG TABLET, ER 24 HR. <b>MO</b>	3	QL(60 per 30 days)
TOPROL XL 25 MG TABLET, ER 24 HR. <b>MO</b>	3	QL(90 per 30 days)
torsemide 10 mg, 100 mg, 5 mg TABLET <b>MO</b>	1	
torsemide 20 mg TABLET <b>MO</b>	1	
trandolapril 1 mg, 2 mg, 4 mg TABLET <b>MO</b>	1	
trandolapril-verapamil 1-240 mg, 2-180 mg, 2-240 mg, 4-240 mg TABLET, IR/ER 24 HR., BIPHASIC <b>MO</b>	1	
triamterene 100 mg, 50 mg CAPSULE <b>MO</b>	1	
triamterene-hydrochlorothiazid 37.5-25 mg CAPSULE <b>MO</b>	1	
triamterene-hydrochlorothiazid 37.5-25 mg TABLET <b>MO</b>	1	
triamterene-hydrochlorothiazid 75-50 mg TABLET <b>MO</b>	1	
TRIBENZOR 20-5-12.5 MG, 40-10-12.5 MG, 40-10-25 MG, 40-5-12.5 MG, 40-5-25 MG TABLET <b>MO</b>	3	PA,QL(30 per 30 days)
TRICOR 145 MG TABLET <b>MO</b>	3	PA,QL(30 per 30 days)
TRICOR 48 MG TABLET <b>MO</b>	3	PA,QL(60 per 30 days)
TRILIPIX 135 MG, 45 MG CAPSULE, DR/EC <b>MO</b>	3	PA,QL(30 per 30 days)
TWYNSTA 40-10 MG, 40-5 MG, 80-10 MG, 80-5 MG TABLET <b>MO</b>	3	PA,QL(30 per 30 days)
valsartan 160 mg TABLET <b>MO</b>	1	QL(60 per 30 days)
valsartan 320 mg, 40 mg, 80 mg TABLET <b>MO</b>	1	QL(60 per 30 days)
VALSARTAN 4 MG/ML SOLUTION <b>DL</b>	4	ST,QL(2400 per 30 days)
valsartan-hydrochlorothiazide 160-12.5 mg, 160-25 mg, 320-12.5 mg, 320-25 mg, 80-12.5 mg TABLET <b>MO</b>	1	QL(30 per 30 days)
VASCEPA 0.5 GRAM CAPSULE <b>MO</b>	2	QL(240 per 30 days)
VASCEPA 1 GRAM CAPSULE <b>MO</b>	2	QL(120 per 30 days)
VASERETIC 10-25 MG TABLET <b>MO</b>	3	
VASOTEC 10 MG, 2.5 MG, 20 MG, 5 MG TABLET	4	PA
VAZCULEP 10 MG/ML SOLUTION <b>MO</b>	3	
vecamyl 2.5 mg TABLET	4	QL(300 per 30 days)
verapamil 100 mg, 120 mg, 180 mg, 200 mg, 240 mg, 300 mg CAPSULE ER PELLETS 24 HR. <b>MO</b>	1	
verapamil 120 mg, 180 mg, 240 mg TABLET ER <b>MO</b>	1	
verapamil 120 mg, 40 mg, 80 mg TABLET <b>MO</b>	1	QL(120 per 30 days)
verapamil 2.5 mg/ml SOLUTION <b>MO</b>	1	
verapamil 2.5 mg/ml SYRINGE <b>MO</b>	1	
verapamil 360 mg CAPSULE ER PELLETS 24 HR. <b>MO</b>	1	QL(60 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 9. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • MO – Mail Order • PA - Prior Authorization • QL - Quantity Limit • ST - Step Therapy  
\$0 - Vaccine/Diabetic • DL - Dispensing Limit • LA - Limited Access

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
VERELAN 120 MG, 180 MG, 240 MG CAPSULE ER PELLETS 24 HR. <b>MO</b>	3	
VERELAN 360 MG CAPSULE ER PELLETS 24 HR. <b>MO</b>	3	QL(60 per 30 days)
VERELAN PM 100 MG, 200 MG, 300 MG CAPSULE ER PELLETS 24 HR. <b>MO</b>	3	PA
VERQUVO 10 MG, 2.5 MG, 5 MG TABLET <b>MO</b>	3	PA,QL(30 per 30 days)
VYTORIN 10-10 10-10 MG TABLET <b>MO</b>	3	PA,QL(30 per 30 days)
VYTORIN 10-20 10-20 MG TABLET <b>MO</b>	3	PA,QL(30 per 30 days)
VYTORIN 10-40 10-40 MG TABLET <b>MO</b>	3	PA,QL(30 per 30 days)
VYTORIN 10-80 10-80 MG TABLET <b>MO</b>	3	PA,QL(30 per 30 days)
WELCHOL 3.75 GRAM POWDER IN PACKET <b>MO</b>	3	QL(30 per 30 days)
WELCHOL 625 MG TABLET <b>MO</b>	3	QL(180 per 30 days)
ZESTORETIC 10-12.5 MG, 20-12.5 MG, 20-25 MG TABLET <b>MO</b>	3	
ZESTRIL 10 MG, 2.5 MG, 20 MG, 30 MG, 40 MG, 5 MG TABLET <b>MO</b>	3	PA
ZETIA 10 MG TABLET <b>MO</b>	3	PA,QL(30 per 30 days)
ZIAC 10-6.25 MG, 2.5-6.25 MG, 5-6.25 MG TABLET <b>MO</b>	3	PA
ZOCOR 10 MG, 20 MG, 40 MG, 80 MG TABLET <b>MO</b>	3	PA
ZYPITAMAG 2 MG, 4 MG TABLET <b>MO</b>	2	ST,QL(30 per 30 days)
<b>Central Nervous System Agents</b>		
ADDERALL 10 MG, 12.5 MG, 15 MG, 20 MG, 5 MG, 7.5 MG TABLET <b>MO</b>	1	PA,QL(90 per 30 days)
ADDERALL 30 MG TABLET <b>MO</b>	1	PA,QL(60 per 30 days)
ADDERALL XR 10 MG, 15 MG, 5 MG CAPSULE, ER 24 HR. <b>MO</b>	3	PA,QL(30 per 30 days)
ADDERALL XR 20 MG, 25 MG, 30 MG CAPSULE, ER 24 HR. <b>MO</b>	3	PA,QL(60 per 30 days)
ADZENYS ER 1.25 MG/ML SUSPENSION, IR/ER BIPHASIC <b>MO</b>	3	QL(450 per 30 days)
ADZENYS XR-ODT 12.5 MG, 15.7 MG, 18.8 MG, 3.1 MG, 6.3 MG, 9.4 MG TABLET, DISINTEGRATING ER BIPH <b>MO</b>	3	QL(30 per 30 days)
amphetamine 1.25 mg/ml SUSPENSION, IR/ER BIPHASIC <b>MO</b>	3	QL(450 per 30 days)
amphetamine sulfate 10 mg, 5 mg TABLET <b>MO</b>	1	QL(90 per 30 days)
AMPYRA 10 MG TABLET, ER 12 HR. <b>DL</b>	4	PA,QL(60 per 30 days)
APTENSIO XR 10 MG, 15 MG, 20 MG, 30 MG, 40 MG, 50 MG, 60 MG CAPSULE, ER SPRINKLE, BIPHASIC <b>MO</b>	3	QL(30 per 30 days)
atomoxetine 10 mg, 18 mg, 25 mg, 40 mg CAPSULE <b>MO</b>	1	QL(60 per 30 days)
atomoxetine 100 mg, 60 mg, 80 mg CAPSULE <b>MO</b>	1	QL(30 per 30 days)
AUBAGIO 14 MG, 7 MG TABLET <b>DL</b>	4	PA,QL(30 per 30 days)
AUSTEDO 12 MG, 9 MG TABLET <b>DL</b>	4	PA,QL(120 per 30 days)
AUSTEDO 6 MG TABLET <b>DL</b>	4	PA,QL(60 per 30 days)
AVONEX 30 MCG/0.5 ML PEN INJECTOR KIT <b>DL</b>	4	PA,QL(1 per 28 days)
AVONEX 30 MCG/0.5 ML SYRINGE KIT <b>DL</b>	4	PA,QL(1 per 28 days)

Need more information about the indicators displayed by the drug names? Please go to page 9. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • MO – Mail Order • PA - Prior Authorization • QL - Quantity Limit • ST - Step Therapy  
\$0 - Vaccine/Diabetic • DL - Dispensing Limit • LA - Limited Access

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
AZSTARYS 26.1 MG- 5.2 MG, 39.2 MG- 7.8 MG, 52.3 MG- 10.4 MG CAPSULE <b>MO</b>	3	QL(30 per 30 days)
BAFIERTAM 95 MG CAPSULE, DR/EC <b>DL</b>	4	PA,QL(120 per 30 days)
BETASERON 0.3 MG KIT <b>DL</b>	4	PA,QL(15 per 30 days)
clonidine hcl 0.1 mg TABLET, ER 12 HR. <b>MO</b>	1	QL(120 per 30 days)
CONCERTA 18 MG, 27 MG, 54 MG TABLET, ER 24 HR. <b>MO</b>	3	PA,QL(30 per 30 days)
CONCERTA 36 MG TABLET, ER 24 HR. <b>MO</b>	3	PA,QL(60 per 30 days)
COPAXONE 20 MG/ML SYRINGE <b>DL</b>	4	PA,QL(30 per 30 days)
COPAXONE 40 MG/ML SYRINGE <b>DL</b>	4	PA,QL(12 per 28 days)
COTEMPLA XR-ODT 17.3 MG, 8.6 MG TABLET, DISINTEGRATING ER BIPH <b>MO</b>	3	QL(30 per 30 days)
COTEMPLA XR-ODT 25.9 MG TABLET, DISINTEGRATING ER BIPH <b>MO</b>	3	QL(60 per 30 days)
dalfampridine 10 mg TABLET, ER 12 HR. <b>MO</b>	1	PA,QL(60 per 30 days)
DAYTRANA 10 MG/9 HR, 15 MG/9 HR, 20 MG/9 HR, 30 MG/9 HR PATCH, 24 HR. <b>MO</b>	3	QL(30 per 30 days)
DESOXYN 5 MG TABLET <b>DL</b>	4	PA,QL(150 per 30 days)
DEXEDRINE SPANSULE 10 MG CAPSULE, ER <b>DL</b>	4	PA,QL(180 per 30 days)
DEXEDRINE SPANSULE 15 MG CAPSULE, ER <b>DL</b>	4	PA,QL(120 per 30 days)
DEXEDRINE SPANSULE 5 MG CAPSULE, ER <b>DL</b>	4	PA,QL(60 per 30 days)
dexmethylphenidate 10 mg, 15 mg, 20 mg, 25 mg, 30 mg, 35 mg, 40 mg, 5 mg CAPSULE, ER, BIPHASIC <b>MO</b>	1	QL(30 per 30 days)
dexmethylphenidate 10 mg, 2.5 mg, 5 mg TABLET <b>MO</b>	1	QL(60 per 30 days)
dextroamphetamine sulfate 10 mg CAPSULE, ER <b>MO</b>	1	QL(180 per 30 days)
dextroamphetamine sulfate 10 mg TABLET <b>MO</b>	1	QL(180 per 30 days)
dextroamphetamine sulfate 15 mg CAPSULE, ER <b>MO</b>	1	QL(120 per 30 days)
dextroamphetamine sulfate 15 mg TABLET <b>MO</b>	1	QL(120 per 30 days)
dextroamphetamine sulfate 20 mg TABLET <b>MO</b>	1	QL(90 per 30 days)
dextroamphetamine sulfate 30 mg TABLET <b>MO</b>	1	QL(60 per 30 days)
dextroamphetamine sulfate 5 mg CAPSULE, ER <b>MO</b>	1	QL(60 per 30 days)
dextroamphetamine sulfate 5 mg TABLET <b>MO</b>	1	QL(150 per 30 days)
dextroamphetamine sulfate 5 mg/5 ml SOLUTION <b>MO</b>	1	QL(1800 per 30 days)
dextroamphetamine-amphetamine 10 mg, 12.5 mg, 15 mg, 20 mg, 5 mg, 7.5 mg TABLET <b>MO</b>	1	QL(90 per 30 days)
dextroamphetamine-amphetamine 10 mg, 15 mg, 5 mg CAPSULE, ER 24 HR. <b>MO</b>	1	QL(30 per 30 days)
dextroamphetamine-amphetamine 20 mg, 25 mg, 30 mg CAPSULE, ER 24 HR. <b>MO</b>	1	QL(60 per 30 days)
dextroamphetamine-amphetamine 30 mg TABLET <b>MO</b>	1	QL(60 per 30 days)
dimethyl fumarate 120 mg (14)- 240 mg (46), 240 mg CAPSULE, DR/EC <b>DL</b>	4	PA,QL(60 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 9. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • MO – Mail Order • PA - Prior Authorization • QL - Quantity Limit • ST - Step Therapy  
\$0 - Vaccine/Diabetic • DL - Dispensing Limit • LA - Limited Access

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
dimethyl fumarate 120 mg CAPSULE, DR/EC <b>DL</b>	4	PA,QL(14 per 30 days)
DYANAVEL XR 10 MG, 15 MG, 20 MG, 5 MG TABLET, IR/ER 24 HR., BIPHASIC <b>MO</b>	3	QL(30 per 30 days)
DYANAVEL XR 2.5 MG/ML SUSPENSION, IR/ER BIPHASIC <b>MO</b>	3	QL(240 per 30 days)
EVEKEO 10 MG, 5 MG TABLET <b>MO</b>	1	QL(90 per 30 days)
EVEKEO ODT 10 MG, 5 MG TABLET, DISINTEGRATING <b>MO</b>	3	QL(90 per 30 days)
EVEKEO ODT 15 MG, 20 MG TABLET, DISINTEGRATING <b>MO</b>	3	QL(60 per 30 days)
EXSERVAN 50 MG FILM <b>DL</b>	4	PA,QL(60 per 30 days)
EXTAVIA 0.3 MG KIT <b>DL</b>	4	PA,QL(15 per 30 days)
EXTAVIA 0.3 MG RECON SOLUTION <b>DL</b>	4	PA,QL(15 per 30 days)
fingolimod 0.5 mg CAPSULE <b>DL</b>	4	PA,QL(30 per 30 days)
FIRDAPSE 10 MG TABLET <b>DL</b>	4	PA,QL(240 per 30 days)
FOCALIN 10 MG, 2.5 MG, 5 MG TABLET <b>MO</b>	3	PA,QL(60 per 30 days)
FOCALIN XR 10 MG, 15 MG, 20 MG, 25 MG, 30 MG, 35 MG, 40 MG, 5 MG CAPSULE, ER, BIPHASIC <b>MO</b>	3	QL(30 per 30 days)
GILENYA 0.25 MG CAPSULE <b>DL</b>	4	PA,QL(30 per 30 days)
GILENYA 0.5 MG CAPSULE <b>DL</b>	4	PA,QL(30 per 30 days)
glatiramer 20 mg/ml SYRINGE <b>DL</b>	4	PA,QL(30 per 30 days)
glatiramer 40 mg/ml SYRINGE <b>DL</b>	4	PA,QL(12 per 28 days)
glatopa 20 mg/ml SYRINGE <b>DL</b>	4	PA,QL(30 per 30 days)
glatopa 40 mg/ml SYRINGE <b>DL</b>	4	PA,QL(12 per 28 days)
GRALISE 300 MG TABLET, ER 24 HR. <b>MO</b>	3	ST,QL(30 per 30 days)
GRALISE 600 MG TABLET, ER 24 HR. <b>MO</b>	3	ST,QL(90 per 30 days)
guanfacine 1 mg, 2 mg, 3 mg, 4 mg TABLET, ER 24 HR. <b>MO</b>	1	QL(30 per 30 days)
HORIZANT 300 MG, 600 MG TABLET ER <b>MO</b>	3	PA,QL(60 per 30 days)
INGREZZA 40 MG, 60 MG, 80 MG CAPSULE <b>DL</b>	4	PA,QL(30 per 30 days)
INGREZZA INITIATION PACK 40 MG (7)- 80 MG (21) CAPSULE, DOSE PACK <b>DL</b>	4	PA,QL(28 per 28 days)
INTUNIV ER 1 MG, 2 MG, 3 MG, 4 MG TABLET, ER 24 HR. <b>MO</b>	3	QL(30 per 30 days)
JORNAY PM 100 MG, 20 MG, 40 MG, 60 MG, 80 MG CAPSULE, DR, ER SPRINKLE <b>MO</b>	3	QL(30 per 30 days)
KAPVAY 0.1 MG TABLET, ER 12 HR. <b>MO</b>	3	QL(120 per 30 days)
KESIMPTA PEN 20 MG/0.4 ML PEN INJECTOR <b>DL</b>	4	PA,QL(1.2 per 28 days)
LEMTRADA 12 MG/1.2 ML SOLUTION <b>DL</b>	4	PA,QL(6 per 365 days)
LYRICA 100 MG, 150 MG, 200 MG, 25 MG, 50 MG, 75 MG CAPSULE <b>MO</b>	3	QL(90 per 30 days)
LYRICA 20 MG/ML SOLUTION <b>MO</b>	3	QL(900 per 30 days)
LYRICA 225 MG, 300 MG CAPSULE <b>MO</b>	3	QL(60 per 30 days)
LYRICA CR 165 MG, 82.5 MG TABLET, ER 24 HR. <b>MO</b>	3	PA,QL(30 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 9. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • MO – Mail Order • PA - Prior Authorization • QL - Quantity Limit • ST - Step Therapy  
\$0 - Vaccine/Diabetic • DL - Dispensing Limit • LA - Limited Access

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
LYRICA CR 330 MG TABLET, ER 24 HR. <b>MO</b>	3	PA,QL(60 per 30 days)
MAVENCLAD (10 TABLET PACK) 10 MG TABLET <b>DL</b>	4	PA
MAVENCLAD (4 TABLET PACK) 10 MG TABLET <b>DL</b>	4	PA
MAVENCLAD (5 TABLET PACK) 10 MG TABLET <b>DL</b>	4	PA
MAVENCLAD (6 TABLET PACK) 10 MG TABLET <b>DL</b>	4	PA
MAVENCLAD (7 TABLET PACK) 10 MG TABLET <b>DL</b>	4	PA
MAVENCLAD (8 TABLET PACK) 10 MG TABLET <b>DL</b>	4	PA
MAVENCLAD (9 TABLET PACK) 10 MG TABLET <b>DL</b>	4	PA
MAYZENT 0.25 MG TABLET <b>DL</b>	4	PA,QL(120 per 30 days)
MAYZENT 1 MG, 2 MG TABLET <b>DL</b>	4	PA,QL(30 per 30 days)
MAYZENT STARTER(FOR 1MG MAINT) 0.25 MG (7 TABS) TABLET, DOSE PACK <b>DL</b>	4	PA,QL(7 per 30 days)
MAYZENT STARTER(FOR 2MG MAINT) 0.25 MG (12 TABS) TABLET, DOSE PACK <b>DL</b>	4	PA,QL(12 per 30 days)
metadate er 20 mg TABLET ER <b>MO</b>	1	QL(90 per 30 days)
methamphetamine 5 mg TABLET <b>DL</b>	4	QL(150 per 30 days)
METHYLIN 10 MG/5 ML SOLUTION <b>MO</b>	3	PA,QL(900 per 30 days)
METHYLIN 5 MG/5 ML SOLUTION <b>MO</b>	3	PA,QL(1800 per 30 days)
methylphenidate 10 mg/9 hr, 15 mg/9 hr, 20 mg/9 hr, 30 mg/9 hr PATCH, 24 HR. <b>MO</b>	1	QL(30 per 30 days)
methylphenidate hcl 10 mg CHEWABLE TABLET <b>MO</b>	1	QL(180 per 30 days)
methylphenidate hcl 10 mg TABLET ER <b>MO</b>	1	QL(180 per 30 days)
methylphenidate hcl 10 mg, 15 mg, 20 mg, 30 mg, 40 mg, 50 mg, 60 mg CAPSULE, ER SPRINKLE, BIPHASIC <b>MO</b>	3	QL(30 per 30 days)
methylphenidate hcl 10 mg, 20 mg, 40 mg, 50 mg, 60 mg CAPSULE, ER, BIPHASIC <b>MO</b>	1	QL(30 per 30 days)
methylphenidate hcl 10 mg, 20 mg, 5 mg TABLET <b>MO</b>	1	QL(90 per 30 days)
methylphenidate hcl 10 mg/5 ml SOLUTION <b>MO</b>	1	QL(900 per 30 days)
methylphenidate hcl 18 mg, 27 mg, 54 mg, 72 mg TABLET, ER 24 HR. <b>MO</b>	1	QL(30 per 30 days)
methylphenidate hcl 2.5 mg, 5 mg CHEWABLE TABLET <b>MO</b>	1	QL(150 per 30 days)
methylphenidate hcl 20 mg TABLET ER <b>MO</b>	1	QL(90 per 30 days)
methylphenidate hcl 20 mg, 30 mg CAPSULE, ER, BIPHASIC <b>MO</b>	1	QL(60 per 30 days)
methylphenidate hcl 36 mg TABLET, ER 24 HR. <b>MO</b>	1	QL(60 per 30 days)
methylphenidate hcl 45 mg, 63 mg TABLET, ER 24 HR. <b>MO</b>	3	QL(30 per 30 days)
methylphenidate hcl 5 mg/5 ml SOLUTION <b>MO</b>	1	QL(1800 per 30 days)
MYDAYIS 12.5 MG, 25 MG, 37.5 MG, 50 MG CAPSULE ER TRIPHASIC 24 HR. <b>MO</b>	3	QL(30 per 30 days)
NUEDEXTA 20-10 MG CAPSULE	4	PA,QL(60 per 30 days)
OCREVUS 30 MG/ML SOLUTION	4	PA,QL(40 per 365 days)

Need more information about the indicators displayed by the drug names? Please go to page 9. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • MO – Mail Order • PA - Prior Authorization • QL - Quantity Limit • ST - Step Therapy  
\$0 - Vaccine/Diabetic • DL - Dispensing Limit • LA - Limited Access

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
PLEGRIDY 125 MCG/0.5 ML, 63 MCG/0.5 ML- 94 MCG/0.5 ML PEN INJECTOR <b>DL</b>	4	PA,QL(1 per 28 days)
PLEGRIDY 125 MCG/0.5 ML, 63 MCG/0.5 ML- 94 MCG/0.5 ML SYRINGE <b>DL</b>	4	PA,QL(1 per 28 days)
PONVORY 20 MG TABLET <b>DL</b>	4	PA,QL(30 per 30 days)
PONVORY 14-DAY STARTER PACK 2 MG (2) - 10 MG (3) TABLET, DOSE PACK <b>DL</b>	4	PA,QL(14 per 30 days)
pregabalin 100 mg, 150 mg, 50 mg, 75 mg CAPSULE <b>MO</b>	1	QL(90 per 30 days)
pregabalin 165 mg, 82.5 mg TABLET, ER 24 HR. <b>MO</b>	1	PA,QL(30 per 30 days)
pregabalin 20 mg/ml SOLUTION <b>MO</b>	1	QL(900 per 30 days)
pregabalin 200 mg, 25 mg CAPSULE <b>MO</b>	1	QL(90 per 30 days)
pregabalin 225 mg, 300 mg CAPSULE <b>MO</b>	1	QL(60 per 30 days)
pregabalin 330 mg TABLET, ER 24 HR. <b>MO</b>	1	PA,QL(60 per 30 days)
procentra 5 mg/5 ml SOLUTION <b>DL</b>	4	QL(1800 per 30 days)
QELBREE 100 MG CAPSULE, ER 24 HR. <b>MO</b>	3	PA,QL(30 per 30 days)
QELBREE 150 MG, 200 MG CAPSULE, ER 24 HR. <b>MO</b>	3	PA,QL(60 per 30 days)
QUILLCHEW ER 20 MG, 40 MG CHEWABLE TABLET, IR/ER BIPHASE <b>MO</b>	3	QL(30 per 30 days)
QUILLCHEW ER 30 MG CHEWABLE TABLET, IR/ER BIPHASE <b>MO</b>	3	QL(60 per 30 days)
QUILLIVANT XR 5 MG/ML (25 MG/5 ML) SUSPENSION, ER, RECON <b>MO</b>	3	QL(360 per 30 days)
RADICAVA 30 MG/100 ML SOLUTION <b>DL</b>	4	PA
RADICAVA ORS 105 MG/5 ML SUSPENSION <b>DL</b>	4	PA,QL(70 per 28 days)
RADICAVA ORS STARTER KIT SUSP 105 MG/5 ML SUSPENSION <b>DL</b>	4	PA,QL(70 per 28 days)
REBIF (WITH ALBUMIN) 22 MCG/0.5 ML, 44 MCG/0.5 ML SYRINGE <b>DL</b>	4	PA,QL(6 per 28 days)
REBIF REBIDOSE 22 MCG/0.5 ML, 44 MCG/0.5 ML PEN INJECTOR <b>DL</b>	4	PA,QL(6 per 28 days)
REBIF REBIDOSE 8.8MCG/0.2ML-22 MCG/0.5ML (6) PEN INJECTOR <b>DL</b>	4	PA,QL(4.2 per 28 days)
REBIF TITRATION PACK 8.8MCG/0.2ML-22 MCG/0.5ML (6) SYRINGE <b>DL</b>	4	PA,QL(4.2 per 28 days)
RELEXXII 45 MG, 63 MG TABLET, ER 24 HR. <b>MO</b>	3	QL(30 per 30 days)
relexxii 72 mg TABLET, ER 24 HR. <b>MO</b>	1	QL(30 per 30 days)
RELYVRIO 3-1 GRAM POWDER IN PACKET <b>DL</b>	4	PA,QL(56 per 28 days)
RILUTEK 50 MG TABLET <b>DL</b>	4	
riluzole 50 mg TABLET <b>MO</b>	1	
RITALIN 10 MG, 20 MG, 5 MG TABLET <b>MO</b>	3	PA,QL(90 per 30 days)
RITALIN LA 10 MG, 20 MG, 40 MG CAPSULE, ER, BIPHASIC <b>MO</b>	3	PA,QL(30 per 30 days)
RITALIN LA 30 MG CAPSULE, ER, BIPHASIC <b>MO</b>	3	PA,QL(60 per 30 days)
RUZURGI 10 MG TABLET <b>DL</b>	4	PA,QL(300 per 30 days)
SAVELLA 100 MG, 12.5 MG, 25 MG, 50 MG TABLET <b>MO</b>	2	QL(60 per 30 days)
SAVELLA 12.5 MG (5)-25 MG(8)-50 MG(42) TABLET, DOSE PACK <b>MO</b>	2	QL(55 per 28 days)
STRATTERA 10 MG, 18 MG, 25 MG, 40 MG CAPSULE <b>MO</b>	3	PA,QL(60 per 30 days)
STRATTERA 100 MG, 60 MG, 80 MG CAPSULE <b>MO</b>	3	PA,QL(30 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 9. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • MO – Mail Order • PA - Prior Authorization • QL - Quantity Limit • ST - Step Therapy  
\$0 - Vaccine/Diabetic • DL - Dispensing Limit • LA - Limited Access

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
TASCENO ODT 0.25 MG, 0.5 MG TABLET, DISINTEGRATING <b>DL</b>	4	PA,QL(30 per 30 days)
TECFIDERA 120 MG (14)- 240 MG (46), 240 MG CAPSULE, DR/EC <b>DL</b>	4	PA,QL(60 per 30 days)
TECFIDERA 120 MG CAPSULE, DR/EC <b>DL</b>	4	PA,QL(14 per 30 days)
tetrabenazine 12.5 mg TABLET <b>MO</b>	1	PA,QL(240 per 30 days)
tetrabenazine 25 mg TABLET <b>DL</b>	4	PA,QL(120 per 30 days)
TIGLUTIK 50 MG/10 ML SUSPENSION <b>DL</b>	4	PA,QL(600 per 30 days)
TYSABRI 300 MG/15 ML SOLUTION <b>DL</b>	4	PA,QL(15 per 28 days)
VUMERITY 231 MG CAPSULE, DR/EC <b>DL</b>	4	PA,QL(120 per 30 days)
VYVANSE 10 MG, 20 MG, 30 MG, 40 MG, 50 MG, 60 MG CHEWABLE TABLET <b>MO</b>	3	PA,QL(30 per 30 days)
VYVANSE 10 MG, 20 MG, 30 MG, 40 MG, 50 MG, 60 MG, 70 MG CAPSULE <b>MO</b>	3	PA,QL(30 per 30 days)
XELSTRYM 13.5 MG/9 HOUR, 18 MG/9 HOUR, 4.5 MG/9 HOUR, 9 MG/9 HOUR PATCH, 24 HR. <b>MO</b>	3	QL(30 per 30 days)
XENAZINE 12.5 MG TABLET	4	PA,QL(240 per 30 days)
XENAZINE 25 MG TABLET	4	PA,QL(120 per 30 days)
zenzedi 10 mg TABLET <b>MO</b>	1	QL(180 per 30 days)
ZENZEDI 15 MG TABLET <b>MO</b>	1	QL(120 per 30 days)
ZENZEDI 2.5 MG, 20 MG, 7.5 MG TABLET <b>MO</b>	1	QL(90 per 30 days)
ZENZEDI 30 MG TABLET <b>MO</b>	1	QL(60 per 30 days)
zenzedi 5 mg TABLET <b>MO</b>	1	QL(150 per 30 days)
ZEPOSIA 0.92 MG CAPSULE <b>DL</b>	4	PA,QL(30 per 30 days)
ZEPOSIA STARTER KIT 0.23-0.46-0.92 MG CAPSULE, DOSE PACK	4	PA,QL(37 per 37 days)
ZEPOSIA STARTER PACK 0.23 MG (4)- 0.46 MG (3) CAPSULE, DOSE PACK <b>DL</b>	4	PA,QL(7 per 7 days)
<b>Dental &amp; Oral Agents</b>		
cevimeline 30 mg CAPSULE <b>MO</b>	1	
chlorhexidine gluconate 0.12 % MOUTHWASH <b>MO</b>	1	
EVOXAC 30 MG CAPSULE <b>MO</b>	3	PA
KEPIVANCE 6.25 MG RECON SOLUTION <b>DL</b>	4	
oralone 0.1 % PASTE <b>MO</b>	1	
paroex oral rinse 0.12 % MOUTHWASH <b>MO</b>	1	
periogard 0.12 % MOUTHWASH <b>MO</b>	1	
pilocarpine hcl 5 mg, 7.5 mg TABLET <b>MO</b>	1	
SALAGEN (PILOCARPINE) 5 MG, 7.5 MG TABLET <b>MO</b>	3	
triamcinolone acetonide 0.1 % PASTE <b>MO</b>	1	
<b>Dermatological Agents</b>		
ABSORICA 10 MG, 20 MG, 25 MG, 30 MG, 35 MG CAPSULE	4	ST,QL(60 per 30 days)
ABSORICA 40 MG CAPSULE	4	ST,QL(120 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 9. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • MO – Mail Order • PA - Prior Authorization • QL - Quantity Limit • ST - Step Therapy  
\$0 - Vaccine/Diabetic • DL - Dispensing Limit • LA - Limited Access

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
ABSORICA LD 16 MG, 24 MG, 8 MG CAPSULE	4	ST,QL(60 per 30 days)
ABSORICA LD 32 MG CAPSULE	4	ST,QL(120 per 30 days)
ACANYA 1.2-2.5 % GEL WITH PUMP <b>MO</b>	3	QL(50 per 30 days)
accutane 10 mg, 20 mg, 30 mg CAPSULE <b>MO</b>	1	QL(60 per 30 days)
accutane 40 mg CAPSULE <b>MO</b>	1	QL(120 per 30 days)
acitretin 10 mg CAPSULE <b>MO</b>	1	PA,QL(90 per 30 days)
acitretin 17.5 mg CAPSULE <b>MO</b>	1	PA,QL(60 per 30 days)
acitretin 25 mg CAPSULE <b>MO</b>	1	PA
ACZONE 5 % GEL <b>MO</b>	3	QL(90 per 30 days)
ACZONE 7.5 % GEL WITH PUMP <b>MO</b>	3	QL(90 per 30 days)
adapalene 0.1 % CREAM <b>MO</b>	1	QL(45 per 30 days)
adapalene 0.1 % SOLUTION	4	QL(60 per 30 days)
adapalene 0.1 % SWAB <b>MO</b>	1	QL(30 per 30 days)
adapalene 0.1 %, 0.3 % GEL <b>MO</b>	1	QL(45 per 30 days)
adapalene 0.3 % GEL WITH PUMP <b>MO</b>	1	QL(45 per 30 days)
adapalene-benzoyl peroxide 0.1-2.5 % GEL WITH PUMP <b>MO</b>	1	QL(45 per 30 days)
adapalene-benzoyl peroxide 0.3-2.5 % GEL WITH PUMP <b>MO</b>	3	QL(60 per 30 days)
AKLIEF 0.005 % CREAM <b>MO</b>	3	PA,QL(90 per 30 days)
ALA-CORT 1 % CREAM <b>MO</b>	1	QL(240 per 30 days)
ALA-SCALP 2 % LOTION <b>MO</b>	1	QL(236.8 per 30 days)
alclometasone 0.05 % CREAM <b>MO</b>	1	QL(240 per 30 days)
alclometasone 0.05 % OINTMENT <b>MO</b>	1	QL(240 per 30 days)
ALDARA 5 % CREAM IN PACKET <b>MO</b>	3	PA,QL(12 per 30 days)
ALTABAX 1 % OINTMENT <b>MO</b>	3	
ALTRENO 0.05 % LOTION <b>MO</b>	3	PA,QL(90 per 30 days)
amcinonide 0.1 % CREAM <b>MO</b>	1	QL(120 per 30 days)
amcinonide 0.1 % LOTION <b>MO</b>	1	QL(120 per 30 days)
ammonium lactate 12 % CREAM <b>MO</b>	1	
ammonium lactate 12 % LOTION <b>MO</b>	1	
amnesteem 10 mg, 20 mg CAPSULE <b>MO</b>	1	QL(60 per 30 days)
amnesteem 40 mg CAPSULE <b>MO</b>	1	QL(120 per 30 days)
AMZEEQ 4 % FOAM <b>MO</b>	3	PA,QL(30 per 30 days)
anusol-hc 2.5 % CREAM W/PERINEAL APPLICATOR <b>MO</b>	1	QL(60 per 30 days)
apexicon e 0.05 % CREAM <b>MO</b>	1	QL(60 per 30 days)
ARAZLO 0.045 % LOTION <b>MO</b>	3	PA
ATRALIN 0.05 % GEL <b>MO</b>	3	PA,QL(45 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 9. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • MO – Mail Order • PA - Prior Authorization • QL - Quantity Limit • ST - Step Therapy  
\$0 - Vaccine/Diabetic • DL - Dispensing Limit • LA - Limited Access

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
AVITA 0.025 % CREAM <b>MO</b>	3	PA,QL(45 per 30 days)
AVITA 0.025 % GEL <b>MO</b>	3	PA,QL(45 per 30 days)
azelaic acid 15 % <b>GEL MO</b>	1	ST,QL(50 per 30 days)
AZELEX 20 % CREAM <b>MO</b>	3	QL(50 per 30 days)
BENZACLIN 1-5 % GEL <b>MO</b>	3	QL(50 per 30 days)
BENZACLIN PUMP 1-5 % GEL WITH PUMP <b>MO</b>	3	QL(50 per 30 days)
BENZAMYCIN 3-5 % GEL <b>MO</b>	3	QL(46.6 per 30 days)
beser 0.05 % LOTION <b>MO</b>	1	QL(240 per 30 days)
betamethasone dipropionate 0.05 % CREAM <b>MO</b>	1	QL(90 per 30 days)
betamethasone dipropionate 0.05 % LOTION <b>MO</b>	1	QL(120 per 30 days)
betamethasone dipropionate 0.05 % OINTMENT <b>MO</b>	1	QL(90 per 30 days)
betamethasone valerate 0.1 % CREAM <b>MO</b>	1	QL(180 per 30 days)
betamethasone valerate 0.1 % LOTION <b>MO</b>	1	QL(120 per 30 days)
betamethasone valerate 0.1 % OINTMENT <b>MO</b>	1	QL(180 per 30 days)
betamethasone valerate 0.12 % FOAM <b>MO</b>	1	QL(200 per 30 days)
betamethasone, augmented 0.05 % CREAM <b>MO</b>	1	QL(100 per 30 days)
betamethasone, augmented 0.05 % GEL <b>MO</b>	1	QL(100 per 30 days)
betamethasone, augmented 0.05 % LOTION <b>MO</b>	1	QL(120 per 30 days)
betamethasone, augmented 0.05 % OINTMENT <b>MO</b>	1	QL(100 per 30 days)
BRYHALI 0.01 % LOTION <b>MO</b>	3	ST,QL(200 per 30 days)
calcipotriene 0.005 % CREAM <b>MO</b>	1	PA,QL(120 per 30 days)
calcipotriene 0.005 % FOAM <b>MO</b>	1	ST,QL(120 per 28 days)
calcipotriene 0.005 % OINTMENT <b>MO</b>	1	QL(240 per 30 days)
calcipotriene 0.005 % SOLUTION <b>MO</b>	1	QL(60 per 30 days)
calcipotriene-betamethasone 0.005-0.064 % OINTMENT <b>MO</b>	1	PA,QL(60 per 30 days)
calcipotriene-betamethasone 0.005-0.064 % SUSPENSION <b>MO</b>	1	PA,QL(420 per 30 days)
calcitriol 3 mcg/gram OINTMENT <b>MO</b>	1	ST,QL(800 per 28 days)
CAPEX 0.01 % SHAMPOO <b>MO</b>	3	QL(840 per 30 days)
CARAC 0.5 % CREAM <b>DL</b>	4	PA,QL(60 per 30 days)
CENTANY 2 % OINTMENT <b>MO</b>	3	
claravis 10 mg, 20 mg, 30 mg CAPSULE <b>MO</b>	1	QL(60 per 30 days)
claravis 40 mg CAPSULE <b>MO</b>	1	QL(120 per 30 days)
CLEOCIN T 1 % LOTION <b>MO</b>	3	QL(60 per 30 days)
CLEOCIN T 1 % SOLUTION <b>MO</b>	3	QL(60 per 30 days)
clindacin etz 1 % SWAB <b>MO</b>	1	
clindacin p 1 % SWAB <b>MO</b>	1	

Need more information about the indicators displayed by the drug names? Please go to page 9. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • MO – Mail Order • PA - Prior Authorization • QL - Quantity Limit • ST - Step Therapy  
\$0 - Vaccine/Diabetic • DL - Dispensing Limit • LA - Limited Access

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
CLINDAGEL 1 % GEL, ONCE DAILY <b>DL</b>	4	PA,QL(75 per 30 days)
clindamycin phosphate 1 % FOAM <b>MO</b>	1	QL(100 per 30 days)
clindamycin phosphate 1 % GEL <b>MO</b>	1	QL(60 per 30 days)
clindamycin phosphate 1 % GEL, ONCE DAILY <b>MO</b>	1	PA,QL(75 per 30 days)
clindamycin phosphate 1 % LOTION <b>MO</b>	1	QL(60 per 30 days)
clindamycin phosphate 1 % SOLUTION <b>MO</b>	1	QL(60 per 30 days)
clindamycin phosphate 1 % SWAB <b>MO</b>	1	
clindamycin-benzoyl peroxide 1-5 % GEL <b>MO</b>	1	QL(50 per 30 days)
clindamycin-benzoyl peroxide 1-5 %, 1.2-2.5 % GEL WITH PUMP <b>MO</b>	1	QL(50 per 30 days)
clindamycin-benzoyl peroxide 1.2 %(1 % base) -5 % GEL <b>MO</b>	1	QL(45 per 30 days)
clindamycin-tretinoin 1.2-0.025 % GEL <b>MO</b>	1	QL(60 per 30 days)
clobetasol 0.05 % CREAM <b>MO</b>	1	QL(120 per 30 days)
clobetasol 0.05 % FOAM <b>MO</b>	1	QL(100 per 28 days)
clobetasol 0.05 % GEL <b>MO</b>	1	QL(120 per 28 days)
clobetasol 0.05 % LOTION <b>MO</b>	1	QL(240 per 28 days)
clobetasol 0.05 % OINTMENT <b>MO</b>	1	QL(120 per 28 days)
clobetasol 0.05 % SHAMPOO <b>MO</b>	1	QL(240 per 30 days)
clobetasol 0.05 % SOLUTION <b>MO</b>	1	QL(100 per 30 days)
clobetasol 0.05 % SPRAY, NON-AEROSOL <b>MO</b>	1	QL(240 per 30 days)
clobetasol-emollient 0.05 % CREAM <b>MO</b>	1	QL(120 per 30 days)
clobetasol-emollient 0.05 % FOAM <b>MO</b>	1	QL(100 per 30 days)
CLOBEX 0.05 % LOTION <b>MO</b>	3	ST,QL(240 per 28 days)
CLOBEX 0.05 % SHAMPOO <b>MO</b>	3	ST,QL(240 per 30 days)
CLOBEX 0.05 % SPRAY, NON-AEROSOL <b>MO</b>	3	ST,QL(240 per 30 days)
clocortolone pivalate 0.1 % CREAM <b>MO</b>	1	QL(180 per 30 days)
clodan 0.05 % SHAMPOO <b>MO</b>	1	QL(240 per 30 days)
CLODERM 0.1 % CREAM <b>MO</b>	3	PA,QL(180 per 30 days)
CONDYLOX 0.5 % GEL <b>MO</b>	3	
CORDRAN 0.025 % CREAM <b>MO</b>	3	ST,QL(240 per 30 days)
CORDRAN 0.05 % CREAM	4	ST,QL(240 per 30 days)
CORDRAN 0.05 % LOTION	4	ST,QL(240 per 30 days)
CORDRAN 0.05 % OINTMENT <b>MO</b>	3	ST,QL(240 per 30 days)
CORDRAN TAPE LARGE ROLL 4 MCG/CM2 TAPE	4	QL(2 per 30 days)
CORTEF 10 MG, 20 MG, 5 MG TABLET <b>MO</b>	3	
CORTISPORIN 1 % OINTMENT <b>MO</b>	3	
CORTISPORIN 3.5-10,000-0.5 MG/G-UNIT/G-% CREAM <b>MO</b>	3	

Need more information about the indicators displayed by the drug names? Please go to page 9. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • MO – Mail Order • PA - Prior Authorization • QL - Quantity Limit • ST - Step Therapy  
\$0 - Vaccine/Diabetic • DL - Dispensing Limit • LA - Limited Access

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
crotan 10 % LOTION <b>DL</b>	4	PA,QL(454 per 30 days)
CUTIVATE 0.05 % CREAM	4	PA,QL(240 per 30 days)
CUTIVATE 0.05 % LOTION	4	PA,QL(240 per 30 days)
dapsone 5 % GEL <b>MO</b>	1	QL(90 per 30 days)
dapsone 7.5 % GEL WITH PUMP <b>MO</b>	1	QL(90 per 30 days)
DERMA-SMOOTH/FS BODY OIL 0.01 % OIL <b>MO</b>	3	QL(118.28 per 30 days)
DERMA-SMOOTH/FS SCALP OIL 0.01 % OIL <b>MO</b>	3	QL(118.28 per 30 days)
DESONATE 0.05 % GEL <b>MO</b>	3	QL(240 per 30 days)
desonide 0.05 % CREAM <b>MO</b>	1	QL(240 per 30 days)
desonide 0.05 % GEL <b>MO</b>	1	QL(240 per 30 days)
desonide 0.05 % LOTION <b>MO</b>	1	QL(240 per 30 days)
desonide 0.05 % OINTMENT <b>MO</b>	1	QL(240 per 30 days)
DESOWEN 0.05 % CREAM <b>MO</b>	3	QL(240 per 30 days)
desoximetasone 0.05 % CREAM <b>MO</b>	1	QL(240 per 30 days)
desoximetasone 0.05 % GEL <b>MO</b>	1	QL(240 per 30 days)
desoximetasone 0.05 % OINTMENT <b>MO</b>	1	QL(240 per 30 days)
desoximetasone 0.25 % CREAM <b>MO</b>	1	QL(120 per 30 days)
desoximetasone 0.25 % OINTMENT <b>MO</b>	1	QL(120 per 30 days)
desoximetasone 0.25 % SPRAY, NON-AEROSOL <b>MO</b>	1	QL(100 per 30 days)
desrx 0.05 % GEL <b>MO</b>	1	QL(240 per 30 days)
diclofenac sodium 3 % GEL <b>MO</b>	1	PA
DIFFERIN 0.1 % CREAM <b>MO</b>	3	PA,QL(45 per 30 days)
DIFFERIN 0.1 % LOTION <b>MO</b>	3	QL(59 per 30 days)
DIFFERIN 0.3 % GEL WITH PUMP <b>MO</b>	3	QL(45 per 30 days)
diflorasone 0.05 % CREAM	4	QL(120 per 30 days)
diflorasone 0.05 % OINTMENT	4	QL(120 per 30 days)
DIPROLENE (AUGMENTED) 0.05 % OINTMENT <b>MO</b>	3	QL(100 per 30 days)
DOVONEX 0.005 % CREAM <b>MO</b>	3	PA,QL(120 per 30 days)
doxepin 5 % CREAM	4	PA,QL(45 per 30 days)
DUOBRII 0.01-0.045 % LOTION	4	PA,QL(200 per 28 days)
EFUDEX 5 % CREAM <b>MO</b>	3	PA
ELIDEL 1 % CREAM <b>MO</b>	3	PA,QL(100 per 30 days)
ELIMITE 5 % CREAM <b>MO</b>	3	
ENSTILAR 0.005-0.064 % FOAM <b>MO</b>	3	QL(120 per 30 days)
EPIDUO 0.1-2.5 % GEL WITH PUMP <b>MO</b>	3	QL(45 per 30 days)
EPIDUO FORTE 0.3-2.5 % GEL WITH PUMP <b>MO</b>	3	QL(60 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 9. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • MO – Mail Order • PA - Prior Authorization • QL - Quantity Limit • ST - Step Therapy  
\$0 - Vaccine/Diabetic • DL - Dispensing Limit • LA - Limited Access

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
EPIFOAM 1-1 % FOAM <b>MO</b>	1	
EPSOLAY 5 % CREAM <b>MO</b>	3	ST,QL(30 per 30 days)
ery pads 2 % SWAB <b>MO</b>	1	QL(60 per 30 days)
ERYGEL 2 % GEL <b>MO</b>	1	QL(60 per 30 days)
erythromycin with ethanol 2 % GEL <b>MO</b>	1	QL(60 per 30 days)
erythromycin with ethanol 2 % SOLUTION <b>MO</b>	1	QL(120 per 30 days)
erythromycin-benzoyl peroxide 3-5 % GEL <b>MO</b>	1	QL(46.6 per 30 days)
EUCRISA 2 % OINTMENT <b>MO</b>	3	PA,QL(100 per 30 days)
EURAX 10 % CREAM <b>MO</b>	3	PA
EURAX 10 % LOTION <b>MO</b>	3	PA,QL(454 per 30 days)
EVOCLIN 1 % FOAM <b>MO</b>	3	PA,QL(100 per 30 days)
FABIOR 0.1 % FOAM	4	PA,QL(100 per 30 days)
FINACEA 15 % FOAM <b>MO</b>	3	ST,QL(50 per 30 days)
FINACEA 15 % GEL <b>MO</b>	3	ST,QL(50 per 30 days)
fluocinolone 0.01 % OIL <b>MO</b>	1	QL(118.28 per 30 days)
fluocinolone 0.01 % SOLUTION <b>MO</b>	1	QL(180 per 30 days)
fluocinolone 0.01 %, 0.025 % CREAM <b>MO</b>	1	QL(120 per 30 days)
fluocinolone 0.025 % OINTMENT <b>MO</b>	1	QL(120 per 30 days)
fluocinolone and shower cap 0.01 % OIL <b>MO</b>	1	QL(118.28 per 30 days)
fluocinonide 0.05 % CREAM <b>MO</b>	1	QL(120 per 30 days)
fluocinonide 0.05 % GEL <b>MO</b>	1	QL(120 per 30 days)
fluocinonide 0.05 % OINTMENT <b>MO</b>	1	QL(120 per 30 days)
fluocinonide 0.05 % SOLUTION <b>MO</b>	1	QL(120 per 30 days)
fluocinonide 0.1 % CREAM <b>MO</b>	1	QL(120 per 28 days)
fluocinonide-e 0.05 % CREAM <b>MO</b>	1	QL(120 per 30 days)
fluocinonide-emollient 0.05 % CREAM <b>MO</b>	1	QL(120 per 30 days)
FLUOROPLEX 1 % CREAM <b>DL</b>	4	
fluorouracil 0.5 % CREAM <b>DL</b>	4	QL(60 per 30 days)
fluorouracil 2 % SOLUTION <b>MO</b>	1	QL(30 per 30 days)
fluorouracil 5 % CREAM <b>MO</b>	1	
fluorouracil 5 % SOLUTION <b>MO</b>	1	QL(60 per 30 days)
flurandrenolide 0.05 % CREAM <b>MO</b>	1	QL(240 per 30 days)
flurandrenolide 0.05 % LOTION <b>DL</b>	4	QL(240 per 30 days)
flurandrenolide 0.05 % OINTMENT <b>MO</b>	1	QL(240 per 30 days)
fluticasone propionate 0.005 % OINTMENT <b>MO</b>	1	QL(240 per 30 days)
fluticasone propionate 0.05 % CREAM <b>MO</b>	1	QL(240 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 9. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • MO – Mail Order • PA - Prior Authorization • QL - Quantity Limit • ST - Step Therapy  
\$0 - Vaccine/Diabetic • DL - Dispensing Limit • LA - Limited Access

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
fluticasone propionate 0.05 % LOTION <b>MO</b>	1	QL(240 per 30 days)
halcinonide 0.1 % CREAM <b>MO</b>	1	QL(120 per 30 days)
halobetasol propionate 0.05 % CREAM <b>MO</b>	1	QL(100 per 30 days)
halobetasol propionate 0.05 % FOAM	4	PA,QL(100 per 30 days)
halobetasol propionate 0.05 % OINTMENT <b>MO</b>	1	QL(100 per 30 days)
HALOG 0.1 % CREAM	4	QL(120 per 30 days)
HALOG 0.1 % OINTMENT <b>MO</b>	3	QL(120 per 30 days)
HALOG 0.1 % SOLUTION	4	QL(120 per 30 days)
hydrocortisone 1 % CREAM W/PERINEAL APPLICATOR <b>MO</b>	1	QL(28.4 per 30 days)
hydrocortisone 1 %, 2.5 % CREAM <b>MO</b>	1	QL(240 per 30 days)
hydrocortisone 1 %, 2.5 % OINTMENT <b>MO</b>	1	QL(240 per 30 days)
hydrocortisone 10 mg, 20 mg, 5 mg TABLET <b>MO</b>	1	
hydrocortisone 2.5 % CREAM W/PERINEAL APPLICATOR <b>MO</b>	1	QL(60 per 30 days)
hydrocortisone 2.5 % LOTION <b>MO</b>	1	QL(236 per 30 days)
hydrocortisone butyr-emollient 0.1 % CREAM <b>MO</b>	1	QL(240 per 30 days)
hydrocortisone butyrate 0.1 % CREAM <b>MO</b>	1	QL(240 per 30 days)
hydrocortisone butyrate 0.1 % LOTION <b>MO</b>	1	QL(236 per 30 days)
hydrocortisone butyrate 0.1 % OINTMENT <b>MO</b>	1	QL(180 per 30 days)
hydrocortisone butyrate 0.1 % SOLUTION <b>MO</b>	1	QL(240 per 30 days)
hydrocortisone valerate 0.2 % CREAM <b>MO</b>	1	QL(240 per 30 days)
hydrocortisone valerate 0.2 % OINTMENT <b>MO</b>	1	QL(240 per 30 days)
HYFTOR 0.2 % GEL <b>DL</b>	4	PA
imiquimod 3.75 % CREAM IN PACKET <b>MO</b>	3	ST,QL(28 per 28 days)
imiquimod 3.75 % CREAM, METERED DOSE PUMP <b>DL</b>	4	ST,QL(15 per 30 days)
imiquimod 5 % CREAM IN PACKET <b>MO</b>	1	QL(12 per 30 days)
IMPEKLO 0.05 % LOTION IN METERED DOSE PUMP <b>DL</b>	4	ST,QL(136 per 28 days)
isotretinoin 10 mg, 20 mg, 30 mg CAPSULE <b>MO</b>	1	QL(60 per 30 days)
isotretinoin 25 mg, 35 mg CAPSULE <b>DL</b>	4	QL(60 per 30 days)
isotretinoin 40 mg CAPSULE <b>MO</b>	1	QL(120 per 30 days)
ivermectin 1 % CREAM <b>MO</b>	1	ST,QL(45 per 30 days)
KLISYRI 1 % OINTMENT IN PACKET <b>DL</b>	4	PA,QL(5 per 30 days)
LEXETTE 0.05 % FOAM	4	PA,QL(100 per 30 days)
lindane 1 % SHAMPOO <b>MO</b>	1	QL(60 per 30 days)
LOCOID 0.1 % LOTION <b>MO</b>	3	QL(236 per 30 days)
LOCOID LIPOCREAM 0.1 % CREAM <b>MO</b>	3	QL(240 per 30 days)
LUXIQ 0.12 % FOAM <b>MO</b>	3	ST,QL(200 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 9. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • MO – Mail Order • PA - Prior Authorization • QL - Quantity Limit • ST - Step Therapy  
\$0 - Vaccine/Diabetic • DL - Dispensing Limit • LA - Limited Access

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
mafenide acetate 50 gram PACKET <b>MO</b>	1	
malathion 0.5 % LOTION <b>MO</b>	1	
methoxsalen 10 mg CAPSULE, LIQ FILLED, RAPID REL <b>DL</b>	4	
MIRVASO 0.33 % GEL WITH PUMP <b>MO</b>	3	ST,QL(30 per 30 days)
mometasone 0.1 % CREAM <b>MO</b>	1	QL(180 per 30 days)
mometasone 0.1 % OINTMENT <b>MO</b>	1	QL(180 per 30 days)
mometasone 0.1 % SOLUTION <b>MO</b>	1	QL(180 per 30 days)
mupirocin 2 % OINTMENT <b>MO</b>	1	
mupirocin calcium 2 % CREAM <b>MO</b>	1	ST
myorisan 10 mg, 20 mg, 30 mg CAPSULE <b>MO</b>	1	QL(60 per 30 days)
myorisan 40 mg CAPSULE <b>MO</b>	1	QL(120 per 30 days)
NATROBA 0.9 % SUSPENSION <b>MO</b>	3	QL(240 per 30 days)
NEO-SYNALAR 0.5 % (0.35 % BASE)-0.025 % CREAM <b>DL</b>	4	
neuac 1.2 %(1 % base) -5 % GEL <b>MO</b>	1	QL(45 per 30 days)
nolix 0.05 % CREAM <b>MO</b>	1	QL(240 per 30 days)
nolix 0.05 % LOTION <b>MO</b>	1	QL(240 per 30 days)
OLUX 0.05 % FOAM <b>MO</b>	3	PA,QL(100 per 28 days)
OLUX-E 0.05 % FOAM <b>MO</b>	3	PA,QL(100 per 30 days)
ONEXTON 1.2 %(1 % BASE) -3.75 % GEL <b>MO</b>	3	
ONEXTON 1.2 %(1 % BASE) -3.75 % GEL WITH PUMP <b>MO</b>	3	QL(50 per 30 days)
OPZELURA 1.5 % CREAM <b>DL</b>	4	PA,QL(240 per 28 days)
OTEZLA 30 MG TABLET <b>DL</b>	4	PA,QL(60 per 30 days)
OTEZLA STARTER 10 MG (4)-20 MG (4)-30 MG (47) TABLET, DOSE PACK	4	PA,QL(55 per 28 days)
OTEZLA STARTER 10 MG (4)-20 MG (4)-30 MG(19) TABLET, DOSE PACK	4	PA,QL(27 per 30 days)
OVIDE 0.5 % LOTION <b>MO</b>	3	PA
OXSORALEN ULTRA 10 MG CAPSULE, LIQ FILLED, RAPID REL <b>DL</b>	4	
PANDEL 0.1 % CREAM	4	QL(160 per 30 days)
permethrin 5 % CREAM <b>MO</b>	1	
pimecrolimus 1 % CREAM <b>MO</b>	1	PA,QL(100 per 30 days)
podofilox 0.5 % SOLUTION <b>MO</b>	1	QL(7 per 30 days)
prednicarbate 0.1 % CREAM <b>MO</b>	1	QL(240 per 30 days)
prednicarbate 0.1 % OINTMENT <b>MO</b>	1	QL(240 per 30 days)
procto-med hc 2.5 % CREAM W/PERINEAL APPLICATOR <b>MO</b>	1	QL(60 per 30 days)
procto-pak 1 % CREAM W/PERINEAL APPLICATOR <b>MO</b>	1	QL(28.4 per 30 days)
proctosol hc 2.5 % CREAM W/PERINEAL APPLICATOR <b>MO</b>	1	QL(60 per 30 days)
protozone-hc 2.5 % CREAM W/PERINEAL APPLICATOR <b>MO</b>	1	QL(60 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 9. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • MO – Mail Order • PA - Prior Authorization • QL - Quantity Limit • ST - Step Therapy  
\$0 - Vaccine/Diabetic • DL - Dispensing Limit • LA - Limited Access

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
PROTOPIC 0.03 %, 0.1 % OINTMENT <b>MO</b>	3	QL(200 per 30 days)
PRUDEXIN 5 % CREAM	4	PA,QL(45 per 30 days)
QBREXZA 2.4 % TOWELETTE <b>MO</b>	3	PA,QL(30 per 30 days)
REGRANEX 0.01 % GEL	4	PA
RETIN-A 0.01 %, 0.025 % GEL <b>MO</b>	3	PA,QL(45 per 30 days)
RETIN-A 0.025 %, 0.05 %, 0.1 % CREAM <b>MO</b>	3	PA,QL(45 per 30 days)
RETIN-A MICRO 0.04 %, 0.1 % GEL	4	PA,QL(45 per 30 days)
RETIN-A MICRO PUMP 0.04 %, 0.06 %, 0.08 %, 0.1 % GEL WITH PUMP	4	PA,QL(50 per 30 days)
RHOFADE 1 % CREAM <b>MO</b>	3	ST,QL(30 per 30 days)
SANTYL 250 UNIT/GRAM OINTMENT <b>MO</b>	3	QL(180 per 30 days)
selenium sulfide 2.5 % LOTION <b>MO</b>	1	QL(120 per 30 days)
SILVADENE 1 % CREAM <b>MO</b>	2	
silver sulfadiazine 1 % CREAM <b>MO</b>	1	
SOLARAZE 3 % GEL <b>MO</b>	3	PA
SOOLANTRA 1 % CREAM <b>MO</b>	3	ST,QL(45 per 30 days)
SORIATANE 10 MG CAPSULE <b>DL</b>	4	PA,QL(90 per 30 days)
SORIATANE 25 MG CAPSULE <b>DL</b>	4	PA
SORILUX 0.005 % FOAM	4	ST,QL(120 per 28 days)
spinosad 0.9 % SUSPENSION <b>MO</b>	3	QL(240 per 30 days)
SSD 1 % CREAM <b>MO</b>	1	
SULFAMYLYON 50 GRAM PACKET <b>MO</b>	3	
SULFAMYLYON 85 MG/G CREAM <b>MO</b>	3	
SYNALAR 0.01 % SOLUTION <b>MO</b>	3	QL(180 per 30 days)
TACLONEX 0.005-0.064 % OINTMENT	4	PA,QL(60 per 30 days)
TACLONEX 0.005-0.064 % SUSPENSION <b>DL</b>	4	PA,QL(420 per 30 days)
tacrolimus 0.03 %, 0.1 % OINTMENT <b>MO</b>	1	QL(200 per 30 days)
tazarotene 0.05 %, 0.1 % GEL <b>MO</b>	1	PA,QL(200 per 30 days)
tazarotene 0.1 % CREAM <b>MO</b>	1	PA,QL(120 per 30 days)
tazarotene 0.1 % FOAM <b>DL</b>	4	PA,QL(100 per 30 days)
TAZORAC 0.05 %, 0.1 % CREAM	4	PA,QL(120 per 30 days)
TAZORAC 0.05 %, 0.1 % GEL <b>MO</b>	3	PA,QL(200 per 30 days)
TEMOVATE 0.05 % CREAM <b>MO</b>	3	PA,QL(120 per 30 days)
TEMOVATE 0.05 % OINTMENT <b>MO</b>	3	PA,QL(120 per 28 days)
TEXACORT 2.5 % SOLUTION <b>MO</b>	1	QL(240 per 30 days)
TOLAK 4 % CREAM <b>MO</b>	3	PA
TOPICORT 0.05 % CREAM <b>MO</b>	1	QL(240 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 9. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • MO – Mail Order • PA - Prior Authorization • QL - Quantity Limit • ST - Step Therapy  
\$0 - Vaccine/Diabetic • DL - Dispensing Limit • LA - Limited Access

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
TOPICORT 0.05 % GEL <b>MO</b>	1	QL(240 per 30 days)
TOPICORT 0.05 % OINTMENT <b>MO</b>	3	QL(240 per 30 days)
TOPICORT 0.25 % CREAM <b>MO</b>	1	QL(120 per 30 days)
TOPICORT 0.25 % OINTMENT <b>MO</b>	1	QL(120 per 30 days)
TOPICORT 0.25 % SPRAY, NON-AEROSOL <b>MO</b>	3	QL(100 per 30 days)
tovet emollient 0.05 % FOAM <b>MO</b>	1	QL(100 per 30 days)
TRETIN-X 0.075 % CREAM <b>MO</b>	1	PA
tretinoin 0.01 %, 0.025 %, 0.05 % GEL <b>MO</b>	1	PA,QL(45 per 30 days)
tretinoin 0.025 %, 0.05 %, 0.1 % CREAM <b>MO</b>	1	PA,QL(45 per 30 days)
tretinoin microspheres 0.04 %, 0.1 % GEL <b>MO</b>	1	PA,QL(45 per 30 days)
tretinoin microspheres 0.04 %, 0.1 % GEL WITH PUMP <b>MO</b>	1	PA,QL(50 per 30 days)
TWYNEO 0.1-3 % CREAM <b>MO</b>	3	QL(30 per 30 days)
ULTRAVATE 0.05 % LOTION	4	QL(120 per 30 days)
UVADEX 20 MCG/ML SOLUTION <b>MO</b>	3	
VANOS 0.1 % CREAM <b>MO</b>	3	QL(120 per 28 days)
VECTICAL 3 MCG/GRAM OINTMENT	4	ST,QL(800 per 28 days)
VELTIN 1.2-0.025 % GEL <b>MO</b>	3	PA,QL(60 per 30 days)
VERDESO 0.05 % FOAM	4	QL(200 per 30 days)
VEREGEN 15 % OINTMENT	4	QL(30 per 30 days)
VTAMA 1 % CREAM <b>DL</b>	4	PA,QL(60 per 30 days)
WINLEVI 1 % CREAM <b>MO</b>	3	PA
XEPI 1 % CREAM <b>MO</b>	3	PA
zenatane 10 mg, 20 mg, 30 mg CAPSULE <b>MO</b>	1	QL(60 per 30 days)
zenatane 40 mg CAPSULE <b>MO</b>	1	QL(120 per 30 days)
ZIANA 1.2-0.025 % GEL <b>MO</b>	3	PA,QL(60 per 30 days)
ZILXI 1.5 % FOAM <b>MO</b>	3	PA,QL(30 per 30 days)
ZONALON 5 % CREAM	4	PA,QL(45 per 30 days)
ZYCLARA 2.5 %, 3.75 % CREAM, METERED DOSE PUMP <b>DL</b>	4	ST,QL(15 per 30 days)
ZYCLARA 3.75 % CREAM IN PACKET <b>MO</b>	3	ST,QL(28 per 28 days)
<b>Electrolytes/minerals/metals/vitamins</b>		
AMINOSYN 10 % 10 % PARENTERAL SOLUTION <b>MO</b>	3	BvsD
AMINOSYN 7 % WITH ELECTROLYTES 7 % PARENTERAL SOLUTION <b>MO</b>	3	BvsD
AMINOSYN 8.5 % 8.5 % PARENTERAL SOLUTION <b>MO</b>	3	BvsD
AMINOSYN 8.5 %-ELECTROLYTES 8.5 % PARENTERAL SOLUTION <b>MO</b>	3	BvsD
AMINOSYN II 10 % 10 % PARENTERAL SOLUTION <b>MO</b>	3	BvsD
AMINOSYN II 15 % 15 % PARENTERAL SOLUTION <b>MO</b>	3	BvsD

Need more information about the indicators displayed by the drug names? Please go to page 9. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • MO – Mail Order • PA - Prior Authorization • QL - Quantity Limit • ST - Step Therapy  
\$0 - Vaccine/Diabetic • DL - Dispensing Limit • LA - Limited Access

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
AMINOSYN II 7 % 7 % PARENTERAL SOLUTION <b>MO</b>	3	BvsD
AMINOSYN II 8.5 % 8.5 % PARENTERAL SOLUTION <b>MO</b>	3	BvsD
AMINOSYN II 8.5 %-ELECTROLYTES 8.5 % PARENTERAL SOLUTION <b>MO</b>	3	BvsD
AMINOSYN M 3.5 % 3.5 % PARENTERAL SOLUTION <b>MO</b>	3	BvsD
AMINOSYN-HBC 7% 7 % PARENTERAL SOLUTION <b>MO</b>	3	BvsD
AMINOSYN-PF 10 % 10 % PARENTERAL SOLUTION <b>MO</b>	3	BvsD
AMINOSYN-PF 7 % (SULFITE-FREE) 7 % PARENTERAL SOLUTION <b>MO</b>	3	BvsD
AMINOSYN-RF 5.2 % 5.2 % PARENTERAL SOLUTION <b>MO</b>	3	BvsD
AURYXIA 210 MG IRON TABLET <b>MO</b>	3	PA,QL(360 per 30 days)
bal-care dha 27-1-430 mg COMBO PACK, DR TAB/DR CAP <b>MO</b>	1	
c-nate dha 28 mg iron-1 mg -200 mg CAPSULE <b>MO</b>	1	
calcium acetate(phosphat bind) 667 mg CAPSULE <b>MO</b>	1	
calcium acetate(phosphat bind) 667 mg TABLET <b>MO</b>	1	
calcium chloride 100 mg/ml (10 %) SOLUTION <b>MO</b>	1	
calcium chloride 100 mg/ml (10 %) SYRINGE <b>MO</b>	1	
calcium gluconate 100 mg/ml (10%) SOLUTION <b>MO</b>	1	
CARBAGLU 200 MG TABLET, DISPERSIBLE <b>DL</b>	4	PA
carglumic acid 200 mg TABLET, DISPERSIBLE <b>DL</b>	4	PA
CARNITOR 100 MG/ML, 200 MG/ML SOLUTION <b>MO</b>	3	
CARNITOR 330 MG TABLET <b>MO</b>	3	
CARNITOR (SUGAR-FREE) 100 MG/ML SOLUTION <b>MO</b>	3	
CHEMET 100 MG CAPSULE <b>DL</b>	4	
CITRANATAL B-CALM (FE GLUC) 20 MG IRON-1 MG -25 MG/25 MG TABLET, SEQUENTIAL <b>MO</b>	3	
CLINIMIX 5%/D15W SULFITE FREE 5 % PARENTERAL SOLUTION <b>MO</b>	3	BvsD
CLINIMIX 4.25%/D10W SULF FREE 4.25 % PARENTERAL SOLUTION <b>MO</b>	3	BvsD
CLINIMIX 4.25%/D5W SULFIT FREE 4.25 % PARENTERAL SOLUTION <b>MO</b>	3	BvsD
CLINIMIX 5%-D20W(SULFITE-FREE) 5 % PARENTERAL SOLUTION <b>MO</b>	3	BvsD
CLINIMIX 6%-D5W (SULFITE-FREE) 6-5 % PARENTERAL SOLUTION <b>MO</b>	3	BvsD
CLINIMIX 8%-D10W(SULFITE-FREE) 8-10 % PARENTERAL SOLUTION <b>MO</b>	3	BvsD
CLINIMIX 8%-D14W(SULFITE-FREE) 8-14 % PARENTERAL SOLUTION <b>MO</b>	3	BvsD
CLINIMIX E 2.75%/D5W SULF FREE 2.75 % PARENTERAL SOLUTION <b>MO</b>	3	BvsD
CLINIMIX E 4.25%/D10W SUL FREE 4.25 % PARENTERAL SOLUTION <b>MO</b>	3	BvsD
CLINIMIX E 4.25%/D5W SULF FREE 4.25 % PARENTERAL SOLUTION <b>MO</b>	3	BvsD
CLINIMIX E 5%/D15W SULFIT FREE 5 % PARENTERAL SOLUTION <b>MO</b>	3	BvsD
CLINIMIX E 5%/D20W SULFIT FREE 5 % PARENTERAL SOLUTION <b>MO</b>	3	BvsD

Need more information about the indicators displayed by the drug names? Please go to page 9. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • MO – Mail Order • PA - Prior Authorization • QL - Quantity Limit • ST - Step Therapy  
\$0 - Vaccine/Diabetic • DL - Dispensing Limit • LA - Limited Access

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
CLINIMIX E 8%-D10W SULFITEFREE 8-10 % PARENTERAL SOLUTION <b>MO</b>	3	BvsD
CLINIMIX E 8%-D14W SULFITEFREE 8-14 % PARENTERAL SOLUTION <b>MO</b>	3	BvsD
CLINISOL SF 15 % 15 % PARENTERAL SOLUTION <b>MO</b>	1	BvsD
CLINOLIPID 20 % EMULSION <b>MO</b>	3	BvsD
clovique 250 mg CAPSULE <b>DL</b>	4	QL(240 per 30 days)
complete natal dha 29-1-250-200 mg COMBO PACK <b>MO</b>	1	
CUPRIMINE 250 MG CAPSULE <b>DL</b>	4	PA,QL(600 per 30 days)
d10 %-0.45 % sodium chloride PARENTERAL SOLUTION <b>MO</b>	1	
d2.5 %-0.45 % sodium chloride PARENTERAL SOLUTION <b>MO</b>	1	
d5 % and 0.9 % sodium chloride PARENTERAL SOLUTION <b>MO</b>	1	
d5 %-0.45 % sodium chloride PARENTERAL SOLUTION <b>MO</b>	1	
deferasirox 125 mg, 250 mg, 500 mg TABLET, DISPERSIBLE <b>DL</b>	4	PA
deferasirox 180 mg, 360 mg, 90 mg GRANULES IN PACKET <b>DL</b>	4	PA
deferasirox 180 mg, 360 mg, 90 mg TABLET <b>DL</b>	4	PA
deferiprone 1,000 mg TABLET <b>DL</b>	4	PA,QL(300 per 30 days)
deferiprone 500 mg TABLET <b>DL</b>	4	PA,QL(720 per 30 days)
deferoxamine 2 gram, 500 mg RECON SOLUTION <b>MO</b>	1	BvsD
DEPEN TITRATABS 250 MG TABLET	4	PA
DESFERAL 2 GRAM, 500 MG RECON SOLUTION <b>MO</b>	3	BvsD
dextrose 10 % and 0.2 % nacl PARENTERAL SOLUTION <b>MO</b>	1	
dextrose 10 % in water (d10w) 10 % PARENTERAL SOLUTION <b>MO</b>	1	
dextrose 20 % in water (d20w) 20 % PARENTERAL SOLUTION <b>MO</b>	1	
dextrose 25 % in water (d25w) SYRINGE <b>MO</b>	1	
dextrose 30 % in water (d30w) PARENTERAL SOLUTION <b>MO</b>	1	
dextrose 40 % in water (d40w) 40 % PARENTERAL SOLUTION <b>MO</b>	1	
dextrose 5 % in water (d5w) PARENTERAL SOLUTION <b>MO</b>	1	
dextrose 5 % in water (d5w) 5 % PIGGYBACK <b>MO</b>	1	
dextrose 5 %-lactated ringers PARENTERAL SOLUTION <b>MO</b>	1	
dextrose 5%-0.2 % sod chloride PARENTERAL SOLUTION <b>MO</b>	1	
dextrose 5%-0.3 % sod.chloride PARENTERAL SOLUTION <b>MO</b>	1	
dextrose 50 % in water (d50w) PARENTERAL SOLUTION <b>MO</b>	1	
dextrose 50 % in water (d50w) SYRINGE <b>MO</b>	1	
dextrose 70 % in water (d70w) PARENTERAL SOLUTION <b>MO</b>	1	
DUET DHA WITH OMEGA-3 25 MG IRON-1 MG -400 MG COMBO PACK <b>MO</b>	3	
electrolyte-48 in d5w PARENTERAL SOLUTION <b>MO</b>	1	
EXJADE 125 MG, 250 MG, 500 MG TABLET, DISPERSIBLE <b>DL</b>	4	PA

Need more information about the indicators displayed by the drug names? Please go to page 9. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • MO – Mail Order • PA - Prior Authorization • QL - Quantity Limit • ST - Step Therapy  
\$0 - Vaccine/Diabetic • DL - Dispensing Limit • LA - Limited Access

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
FERRIPROX 1,000 MG TABLET <b>DL</b>	4	PA,QL(300 per 30 days)
FERRIPROX 100 MG/ML SOLUTION <b>DL</b>	4	PA,QL(3600 per 30 days)
FERRIPROX 500 MG TABLET <b>DL</b>	4	PA,QL(720 per 30 days)
FERRIPROX (2 TIMES A DAY) 1,000 MG TABLET <b>DL</b>	4	PA,QL(300 per 30 days)
FOSRENOL 1,000 MG, 500 MG, 750 MG CHEWABLE TABLET	4	ST
FOSRENOL 1,000 MG, 750 MG POWDER IN PACKET	4	ST
FREAMINE III 10 % 10 % PARENTERAL SOLUTION <b>MO</b>	3	BvsD
GLYCOPHOS 1 MMOL/ML SOLUTION <b>MO</b>	1	
INTRALIPID 20 %, 30 % EMULSION <b>MO</b>	3	BvsD
IONOSOL-B IN D5W 5 % PARENTERAL SOLUTION <b>MO</b>	3	
IONOSOL-MB IN D5W 5 % PARENTERAL SOLUTION <b>MO</b>	3	
ISOLYTE S PH 7.4 PARENTERAL SOLUTION <b>MO</b>	3	
ISOLYTE-P IN 5 % DEXTROSE 5 % PARENTERAL SOLUTION <b>MO</b>	3	
ISOLYTE-S PARENTERAL SOLUTION <b>MO</b>	3	
JADENU 180 MG, 360 MG, 90 MG TABLET <b>DL</b>	4	PA
JADENU SPRINKLE 180 MG, 360 MG, 90 MG GRANULES IN PACKET <b>DL</b>	4	PA
JYNARQUE 15 MG (AM)/ 15 MG (PM), 30 MG (AM)/ 15 MG (PM), 45 MG (AM)/ 15 MG (PM), 60 MG (AM)/ 30 MG (PM), 90 MG (AM)/ 30 MG (PM) TABLET, SEQUENTIAL	4	PA,QL(56 per 28 days)
JYNARQUE 15 MG, 30 MG TABLET	4	PA,QL(60 per 30 days)
K-TAB 10 MEQ, 20 MEQ, 8 MEQ TABLET ER <b>MO</b>	3	
KABIVEN 3.31-9.8-3.9 % EMULSION <b>MO</b>	3	BvsD
kionex (with sorbitol) 15-19.3 gram/60 ml SUSPENSION <b>MO</b>	1	
klor-con 20 meq PACKET <b>MO</b>	1	QL(240 per 30 days)
KLOR-CON 10 10 MEQ TABLET ER <b>MO</b>	1	
KLOR-CON 8 8 MEQ TABLET ER <b>MO</b>	1	
klor-con m10 10 meq TABLET, ER PARTICLES/CRYSTALS <b>MO</b>	1	
KLOR-CON M15 15 MEQ TABLET, ER PARTICLES/CRYSTALS <b>MO</b>	1	
klor-con m20 20 meq TABLET, ER PARTICLES/CRYSTALS <b>MO</b>	1	
KOSHER PRENATAL PLUS IRON 30 MG IRON- 1 MG TABLET <b>MO</b>	3	
lactated ringers PARENTERAL SOLUTION <b>MO</b>	1	
lanthanum 1,000 mg, 500 mg, 750 mg CHEWABLE TABLET	4	ST
levocarnitine 100 mg/ml SOLUTION <b>MO</b>	1	
levocarnitine 330 mg TABLET <b>MO</b>	1	
levocarnitine (with sugar) 100 mg/ml SOLUTION <b>MO</b>	1	
LOKELMA 10 GRAM, 5 GRAM POWDER IN PACKET <b>MO</b>	3	PA,QL(30 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 9. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • MO – Mail Order • PA - Prior Authorization • QL - Quantity Limit • ST - Step Therapy  
\$0 - Vaccine/Diabetic • DL - Dispensing Limit • LA - Limited Access

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
m-natal plus 27 mg iron- 1 mg TABLET <b>MO</b>	1	
magnesium sulfate 4 meq/ml (50 %) SOLUTION <b>MO</b>	1	
magnesium sulfate 4 meq/ml SYRINGE <b>MO</b>	1	
magnesium sulfate in d5w 1 gram/100 ml PIGGYBACK <b>MO</b>	1	
magnesium sulfate in water 2 gram/50 ml (4 %), 4 gram/100 ml (4 %), 4 gram/50 ml (8 %) PIGGYBACK <b>MO</b>	1	
magnesium sulfate in water 20 gram/500 ml (4 %), 40 gram/1,000 ml (4 %) PARENTERAL SOLUTION <b>MO</b>	1	
NATACHEW (FE BIS-GLYCINATE) 28 MG IRON -1 MG CHEWABLE TABLET <b>MO</b>	3	
NEONATAL COMPLETE 29-1 MG TABLET <b>MO</b>	1	
NEONATAL PLUS VITAMIN 27 MG IRON- 1 MG TABLET <b>MO</b>	1	
NEONATAL-DHA 29-1-200-500 MG COMBO PACK <b>MO</b>	1	
NORMOSOL-M IN 5 % DEXTROSE PARENTERAL SOLUTION <b>MO</b>	3	
NORMOSOL-R PARENTERAL SOLUTION <b>MO</b>	3	
NORMOSOL-R IN 5 % DEXTROSE 5 % PARENTERAL SOLUTION <b>MO</b>	3	
NORMOSOL-R PH 7.4 PARENTERAL SOLUTION <b>MO</b>	3	
NUTRILIPID 20 % EMULSION <b>MO</b>	3	BvsD
O-CAL PRENATAL 15 MG IRON- 1,000 MCG TABLET <b>MO</b>	1	
OB COMPLETE ONE 40-10-1-300 MG CAPSULE <b>MO</b>	3	
OB COMPLETE PETITE 35 MG IRON-5 MG IRON-1 MG CAPSULE <b>MO</b>	3	
OB COMPLETE PREMIER 30-20-1 MG TABLET <b>MO</b>	3	
OMEGAVEN 10 % EMULSION <b>DL</b>	4	BvsD
penicillamine 250 mg CAPSULE <b>DL</b>	4	PA,QL(600 per 30 days)
penicillamine 250 mg TABLET <b>DL</b>	4	
PERIKABIVEN 2.36-6.8-3.5 % EMULSION <b>MO</b>	3	BvsD
PHOSLYRA 667 MG (169 MG CALCIUM)/5 ML SOLUTION <b>MO</b>	3	ST
PLASMA-LYTE 148 PARENTERAL SOLUTION <b>MO</b>	3	
PLASMA-LYTE A PARENTERAL SOLUTION <b>MO</b>	3	
plenamine 15 % PARENTERAL SOLUTION <b>MO</b>	1	BvsD
PLENAMINE 15 % PARENTERAL SOLUTION <b>MO</b>	1	BvsD
pnv-dha 27 mg iron-1 mg -300 mg CAPSULE <b>MO</b>	1	
pnv-omega 28-1-300 mg CAPSULE <b>MO</b>	1	
potassium acetate 2 meq/ml SOLUTION <b>MO</b>	1	
potassium chlorid-d5-0.45%nacl 10 meq/l, 20 meq/l, 30 meq/l, 40 meq/l PARENTERAL SOLUTION <b>MO</b>	1	
potassium chloride 10 meq CAPSULE, ER <b>MO</b>	1	

Need more information about the indicators displayed by the drug names? Please go to page 9. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • MO – Mail Order • PA - Prior Authorization • QL - Quantity Limit • ST - Step Therapy  
\$0 - Vaccine/Diabetic • DL - Dispensing Limit • LA - Limited Access

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
potassium chloride 10 meq, 20 meq TABLET ER <b>MO</b>	1	
potassium chloride 10 meq, 20 meq TABLET, ER PARTICLES/CRYSTALS <b>MO</b>	1	
potassium chloride 15 meq TABLET, ER PARTICLES/CRYSTALS <b>MO</b>	1	
potassium chloride 2 meq/ml SOLUTION <b>MO</b>	1	
potassium chloride 20 meq PACKET <b>MO</b>	1	QL(240 per 30 days)
potassium chloride 20 meq/15 ml LIQUID <b>MO</b>	1	QL(1125 per 30 days)
potassium chloride 40 meq/15 ml LIQUID <b>MO</b>	1	
potassium chloride 8 meq CAPSULE, ER <b>MO</b>	1	
potassium chloride 8 meq TABLET ER <b>MO</b>	1	
potassium chloride in 0.9%nacl 20 meq/l, 40 meq/l PARENTERAL SOLUTION <b>MO</b>	1	
potassium chloride in 5 % dex 10 meq/l, 20 meq/l, 30 meq/l, 40 meq/l PARENTERAL SOLUTION <b>MO</b>	1	
potassium chloride in lr-d5 20 meq/l, 40 meq/l PARENTERAL SOLUTION <b>MO</b>	1	
potassium chloride in water 10 meq/100 ml, 10 meq/50 ml, 20 meq/100 ml, 20 meq/50 ml, 30 meq/100 ml, 40 meq/100 ml PIGGYBACK <b>MO</b>	1	
potassium chloride-0.45 % nacl 20 meq/l PARENTERAL SOLUTION <b>MO</b>	1	
potassium chloride-d5-0.2%nacl 20 meq/l, 40 meq/l PARENTERAL SOLUTION <b>MO</b>	1	
potassium chloride-d5-0.3%nacl 20 meq/l PARENTERAL SOLUTION <b>MO</b>	1	
potassium chloride-d5-0.9%nacl 20 meq/l, 40 meq/l PARENTERAL SOLUTION <b>MO</b>	1	
potassium citrate 10 meq (1,080 mg), 15 meq, 5 meq (540 mg) TABLET ER <b>MO</b>	1	
pr natal 400 29-1-400 mg COMBO PACK <b>MO</b>	1	
pr natal 400 ec 29-1-400 mg COMBO PACK, DR TAB/DR CAP <b>MO</b>	1	
pr natal 430 29 mg iron-1 mg -430 mg COMBO PACK <b>MO</b>	1	
pr natal 430 ec 29-1-430 mg COMBO PACK, DR TAB/DR CAP <b>MO</b>	1	
PREMASOL 10 % 10 % PARENTERAL SOLUTION <b>MO</b>	1	BvsD
PRENATA 29 MG IRON- 1 MG CHEWABLE TABLET <b>MO</b>	1	
PRENATABS FA 29-1 MG TABLET <b>MO</b>	1	
prenatal plus (calcium carb) 27 mg iron- 1 mg TABLET <b>MO</b>	1	
prenatal plus dha 27 mg iron-1 mg -312 mg-250 mg COMBO PACK <b>MO</b>	3	
prenatal plus vitamin-mineral 27 mg iron- 1 mg TABLET <b>MO</b>	1	
prenatal vitamin plus low iron 27 mg iron- 1 mg TABLET <b>MO</b>	1	
prenatal-u 106.5-1 mg CAPSULE <b>MO</b>	1	
PRENATE ELITE 26 MG IRON- 1 MG TABLET <b>MO</b>	1	
preplus 27 mg iron- 1 mg TABLET <b>MO</b>	1	
PROCALAMINE 3% 3 % PARENTERAL SOLUTION <b>MO</b>	3	BvsD
PROSOL 20 % PARENTERAL SOLUTION <b>MO</b>	3	BvsD

Need more information about the indicators displayed by the drug names? Please go to page 9. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • MO – Mail Order • PA - Prior Authorization • QL - Quantity Limit • ST - Step Therapy  
\$0 - Vaccine/Diabetic • DL - Dispensing Limit • LA - Limited Access

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
RENAGEL 800 MG TABLET	4	ST
RENVELA 0.8 GRAM POWDER IN PACKET	4	PA,QL(540 per 30 days)
RENVELA 2.4 GRAM POWDER IN PACKET	4	PA,QL(180 per 30 days)
RENVELA 800 MG TABLET	4	PA,QL(540 per 30 days)
ringer's PARENTERAL SOLUTION <b>MO</b>	1	
SAMSCA 15 MG, 30 MG TABLET <b>DL</b>	4	PA,QL(60 per 30 days)
se-natal 19 chewable 29 mg iron- 1 mg CHEWABLE TABLET <b>MO</b>	1	
SELECT-OB 29 MG IRON- 1 MG CHEWABLE TABLET <b>MO</b>	3	
SELECT-OB (FOLIC ACID) 29 MG IRON- 1 MG CHEWABLE TABLET <b>MO</b>	3	
SELECT-OB + DHA 29 MG IRON-1 MG -250 MG COMBO PACK <b>MO</b>	3	
sevelamer carbonate 0.8 gram POWDER IN PACKET <b>MO</b>	1	QL(540 per 30 days)
sevelamer carbonate 2.4 gram POWDER IN PACKET <b>MO</b>	1	QL(180 per 30 days)
sevelamer carbonate 800 mg TABLET <b>MO</b>	1	QL(540 per 30 days)
sevelamer hcl 400 mg, 800 mg TABLET <b>MO</b>	1	ST
SMOFLIPID 20 % EMULSION <b>MO</b>	3	BvsD
sodium bicarbonate 8.4 % (1 meq/ml) SYRINGE <b>MO</b>	1	
sodium chloride 2.5 meq/ml PARENTERAL SOLUTION <b>MO</b>	1	
sodium chloride 0.45 % 0.45 % PARENTERAL SOLUTION <b>MO</b>	1	
sodium chloride 0.9 % PARENTERAL SOLUTION <b>MO</b>	1	
sodium chloride 0.9 % PIGGYBACK <b>MO</b>	1	
sodium chloride 0.9 % SOLUTION <b>MO</b>	1	
sodium chloride 3 % hypertonic 3 % PARENTERAL SOLUTION <b>MO</b>	1	
sodium chloride 5 % hypertonic 5 % PARENTERAL SOLUTION <b>MO</b>	1	
sodium phosphate 3 mmol/ml SOLUTION <b>MO</b>	1	
sodium polystyrene (sorb free) 15 gram/60 ml SUSPENSION <b>MO</b>	1	
sodium polystyrene sulfonate POWDER <b>MO</b>	1	
SPS (WITH SORBITOL) 15-20 GRAM/60 ML SUSPENSION <b>MO</b>	1	
SPS (WITH SORBITOL) 30-40 GRAM/120 ML ENEMA <b>MO</b>	1	
SYPRINE 250 MG CAPSULE <b>DL</b>	4	PA,QL(240 per 30 days)
THAM 36 MG/ML (0.3 M) SOLUTION <b>MO</b>	3	
tolvaptan 15 mg, 30 mg TABLET <b>DL</b>	4	PA,QL(60 per 30 days)
TPN ELECTROLYTES 35-20-5 MEQ/20 ML SOLUTION <b>MO</b>	3	
TRAVASOL 10 % 10 % PARENTERAL SOLUTION <b>MO</b>	3	BvsD
TRICARE 27 MG IRON- 1 MG TABLET <b>MO</b>	1	
trientine 250 mg CAPSULE <b>DL</b>	4	QL(240 per 30 days)
trinatal rx 1 60 mg iron-1 mg TABLET <b>MO</b>	1	

Need more information about the indicators displayed by the drug names? Please go to page 9. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • MO – Mail Order • PA - Prior Authorization • QL - Quantity Limit • ST - Step Therapy  
\$0 - Vaccine/Diabetic • DL - Dispensing Limit • LA - Limited Access

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
TRISTART DHA 31 MG IRON- 1 MG-200 MG CAPSULE <b>MO</b>	3	
triveen-duo dha 29-1-400 mg COMBO PACK <b>MO</b>	1	
TROPHAMINE 10 % 10 % PARENTERAL SOLUTION <b>MO</b>	3	BvsD
UROCIT-K 10 10 MEQ (1,080 MG) TABLET ER <b>MO</b>	3	
UROCIT-K 15 15 MEQ TABLET ER <b>MO</b>	3	
UROCIT-K 5 5 MEQ (540 MG) TABLET ER <b>MO</b>	3	
VAPRISOL IN 5 % DEXTROSE 20 MG/100 ML SOLUTION <b>MO</b>	3	
VELPHORO 500 MG CHEWABLE TABLET	4	ST
VELTASSA 16.8 GRAM, 25.2 GRAM, 8.4 GRAM POWDER IN PACKET <b>MO</b>	2	QL(30 per 30 days)
virt-c dha 35-1-200 mg CAPSULE <b>MO</b>	1	
virt-nate dha 28 mg iron-1 mg -200 mg CAPSULE <b>MO</b>	1	
virt-pn dha 27 mg iron-1 mg -300 mg CAPSULE <b>MO</b>	1	
virt-pn plus 28-1-300 mg CAPSULE <b>MO</b>	1	
VITAFOL FE PLUS 90 MG IRON- 1 MG-200 MG CAPSULE <b>MO</b>	3	
VITAFOL GUMMIES 3.33 MG IRON- 0.33 MG CHEWABLE TABLET <b>MO</b>	3	
VITAFOL NANO 18 MG IRON- 1 MG TABLET <b>MO</b>	3	
VITAFOL ULTRA 29 MG IRON- 1 MG-200 MG CAPSULE <b>MO</b>	3	
VITAFOL-OB 65-1 MG TABLET <b>MO</b>	3	
VITAFOL-OB+DHA 65-1-250 MG COMBO PACK <b>MO</b>	3	
VITAFOL-ONE 29 MG IRON- 1 MG-200 MG CAPSULE <b>MO</b>	3	
VITAMED MD ONE RX 30 MG IRON-1MG -200 MG CAPSULE <b>MO</b>	3	
VP-PNV-DHA 28 MG IRON- 1 MG-200 MG CAPSULE <b>MO</b>	3	
wescap-pn dha 27 mg iron-1 mg -300 mg CAPSULE <b>MO</b>	1	
wesnate dha 28 mg iron-1 mg -200 mg CAPSULE <b>MO</b>	1	
westab plus 27 mg iron- 1 mg TABLET <b>MO</b>	1	
westgel dha 31 mg iron- 1 mg-200 mg CAPSULE <b>MO</b>	1	
zatean-pn dha 27 mg iron-1 mg -300 mg CAPSULE <b>MO</b>	1	
zatean-pn plus 28-1-300 mg CAPSULE <b>MO</b>	1	
<b>Gastrointestinal Agents</b>		
ACIPHEX 20 MG TABLET, DR/EC <b>MO</b>	3	PA,QL(60 per 30 days)
ACIPHEX SPRINKLE 10 MG CAPSULE, DR SPRINKLE	4	QL(60 per 30 days)
ACIPHEX SPRINKLE 5 MG CAPSULE, DR SPRINKLE	4	QL(30 per 30 days)
ACTIGALL 300 MG CAPSULE <b>DL</b>	4	PA
AEMCOLO 194 MG TABLET, DR/EC <b>MO</b>	3	PA,QL(12 per 30 days)
alosetron 0.5 mg TABLET <b>MO</b>	1	PA,QL(60 per 30 days)
alosetron 1 mg TABLET	4	PA,QL(60 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 9. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • MO – Mail Order • PA - Prior Authorization • QL - Quantity Limit • ST - Step Therapy  
\$0 - Vaccine/Diabetic • DL - Dispensing Limit • LA - Limited Access

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
AMITIZA 24 MCG, 8 MCG CAPSULE <b>MO</b>	3	PA,QL(60 per 30 days)
amoxicil-clarithromy-lansopraz 500-500-30 mg COMBO PACK <b>MO</b>	1	ST,QL(112 per 30 days)
atropine 0.05 mg/ml, 0.1 mg/ml SYRINGE <b>MO</b>	1	
atropine in 0.9 % sod chloride 0.25 mg/5 ml (0.05 mg/ml) SYRINGE <b>MO</b>	1	
BENTYL 10 MG/ML SOLUTION <b>MO</b>	3	
CARAFATE 1 GRAM TABLET <b>MO</b>	3	
CARAFATE 100 MG/ML SUSPENSION <b>MO</b>	3	
CHENODAL 250 MG TABLET	4	PA
cimetidine 200 mg, 300 mg, 400 mg, 800 mg TABLET <b>MO</b>	1	
cimetidine hcl 300 mg/5 ml SOLUTION <b>MO</b>	1	
CLENPIQ 10 MG-3.5 GRAM -12 GRAM/160 ML SOLUTION <b>MO</b>	2	
constulose 10 gram/15 ml SOLUTION <b>MO</b>	1	
CUVPOSA 1 MG/5 ML (0.2 MG/ML) SOLUTION <b>MO</b>	3	
CYTOTEC 100 MCG, 200 MCG TABLET	4	
DARTISLA 1.7 MG TABLET, DISINTEGRATING <b>MO</b>	3	ST,QL(120 per 30 days)
DEXILANT 30 MG, 60 MG CAPSULE, DR, BIPHASIC <b>MO</b>	3	ST,QL(30 per 30 days)
dexlansoprazole 30 mg, 60 mg CAPSULE, DR, BIPHASIC <b>MO</b>	3	ST,QL(30 per 30 days)
dicyclomine 10 mg CAPSULE <b>MO</b>	1	
dicyclomine 10 mg/5 ml, 10 mg/ml SOLUTION <b>MO</b>	1	
dicyclomine 20 mg TABLET <b>MO</b>	1	
diphenoxylate-atropine 2.5-0.025 mg TABLET <b>MO</b>	1	
diphenoxylate-atropine 2.5-0.025 mg/5 ml LIQUID <b>MO</b>	1	
ENDARI 5 GRAM POWDER IN PACKET <b>DL</b>	4	PA,QL(180 per 30 days)
enulose 10 gram/15 ml SOLUTION <b>MO</b>	1	
esomeprazole magnesium 10 mg, 20 mg, 40 mg DR GRANULES IN PACKET <b>MO</b>	1	QL(30 per 30 days)
esomeprazole magnesium 20 mg CAPSULE, DR/EC <b>MO</b>	1	QL(60 per 30 days)
esomeprazole magnesium 40 mg CAPSULE, DR/EC <b>MO</b>	1	QL(60 per 30 days)
esomeprazole sodium 20 mg, 40 mg RECON SOLUTION <b>MO</b>	1	
ESOMEPRAZOLE STRONTIUM 49.3 MG CAPSULE, DR/EC <b>MO</b>	3	QL(30 per 30 days)
famotidine 10 mg/ml SOLUTION <b>MO</b>	1	
famotidine 20 mg, 40 mg TABLET <b>MO</b>	1	
famotidine 40 mg/5 ml (8 mg/ml) SUSPENSION <b>MO</b>	1	
famotidine (pf) 20 mg/2 ml SOLUTION <b>MO</b>	1	
famotidine (pf)-nacl (iso-os) 20 mg/50 ml PIGGYBACK <b>MO</b>	1	
GATTEX 30-VIAL 5 MG KIT <b>DL,LA</b>	4	PA
GATTEX ONE-VIAL 5 MG KIT <b>DL,LA</b>	4	PA

Need more information about the indicators displayed by the drug names? Please go to page 9. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • MO – Mail Order • PA - Prior Authorization • QL - Quantity Limit • ST - Step Therapy  
\$0 - Vaccine/Diabetic • DL - Dispensing Limit • LA - Limited Access

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
gavilyte-c 240-22.72-6.72 -5.84 gram RECON SOLUTION <b>MO</b>	1	
gavilyte-g 236-22.74-6.74 -5.86 gram RECON SOLUTION <b>MO</b>	1	
gavilyte-n 420 gram RECON SOLUTION <b>MO</b>	1	
generlac 10 gram/15 ml SOLUTION <b>MO</b>	1	
GLYCATE 1.5 MG TABLET <b>MO</b>	1	
glycopyrrolate 0.2 mg/ml, 1 mg/5 ml (0.2 mg/ml) SOLUTION <b>MO</b>	1	
glycopyrrolate 1 mg, 1.5 mg, 2 mg TABLET <b>MO</b>	1	
glycopyrrolate (pf) 0.6 mg/3 ml (0.2 mg/ml) SYRINGE <b>MO</b>	3	
glycopyrrolate (pf) in water 0.2 mg/ml SYRINGE <b>MO</b>	1	
GOLYTELY 236-22.74-6.74 -5.86 GRAM RECON SOLUTION <b>MO</b>	3	ST
helidac 250-500-262.4 mg COMBO PACK <b>DL</b>	4	PA,QL(224 per 30 days)
IBSRELA 50 MG TABLET <b>DL</b>	4	PA,QL(60 per 30 days)
KRISTALOSE 10 GRAM, 20 GRAM PACKET <b>MO</b>	1	
lactulose 10 gram PACKET <b>DL</b>	4	
lactulose 10 gram/15 ml (15 ml), 20 gram/30 ml SOLUTION <b>MO</b>	1	
lactulose 10 gram/15 ml SOLUTION <b>MO</b>	1	
lansoprazole 15 mg, 30 mg CAPSULE, DR/EC <b>MO</b>	1	QL(60 per 30 days)
lansoprazole 15 mg, 30 mg TABLET, DISINTEGRATING DR <b>MO</b>	1	QL(30 per 30 days)
LINZESS 145 MCG, 290 MCG, 72 MCG CAPSULE <b>MO</b>	2	QL(30 per 30 days)
LOMOTIL 2.5-0.025 MG TABLET <b>MO</b>	3	
loperamide 2 mg CAPSULE <b>MO</b>	1	
LOTRONEX 0.5 MG, 1 MG TABLET	4	PA,QL(60 per 30 days)
lubiprostone 24 mcg, 8 mcg CAPSULE <b>MO</b>	3	PA,QL(60 per 30 days)
methscopolamine 2.5 mg, 5 mg TABLET <b>MO</b>	1	
misoprostol 100 mcg TABLET <b>MO</b>	1	
misoprostol 200 mcg TABLET <b>MO</b>	1	
MOTEGRITY 1 MG, 2 MG TABLET <b>MO</b>	3	PA,QL(30 per 30 days)
MOTOFEN 1-0.025 MG TABLET <b>MO</b>	3	
MOVANTIK 12.5 MG, 25 MG TABLET <b>MO</b>	2	QL(30 per 30 days)
MOVIPREP 100-7.5-2.691 GRAM POWDER IN PACKET <b>MO</b>	3	ST
MYALEPT 5 MG/ML (FINAL CONC.) RECON SOLUTION <b>DL</b>	4	PA,QL(30 per 30 days)
MYTESI 125 MG TABLET, DR/EC	4	PA,QL(60 per 30 days)
NEXIUM 20 MG, 40 MG CAPSULE, DR/EC <b>MO</b>	3	PA,QL(60 per 30 days)
NEXIUM IV 40 MG RECON SOLUTION <b>MO</b>	3	PA
NEXIUM PACKET 10 MG, 2.5 MG, 20 MG, 40 MG, 5 MG DR GRANULES IN PACKET <b>MO</b>	3	QL(30 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 9. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • MO – Mail Order • PA - Prior Authorization • QL - Quantity Limit • ST - Step Therapy  
\$0 - Vaccine/Diabetic • DL - Dispensing Limit • LA - Limited Access

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
nizatidine 150 mg, 300 mg CAPSULE <b>MO</b>	1	
nizatidine 150 mg/10 ml SOLUTION <b>MO</b>	1	
NULYTELY LEMON-LIME 420 GRAM RECON SOLUTION <b>MO</b>	3	ST
NULYTELY WITH FLAVOR PACKS 420 GRAM RECON SOLUTION <b>MO</b>	3	ST
OCALIVA 10 MG, 5 MG TABLET <b>DL</b>	4	PA,QL(30 per 30 days)
OMECLAMOX-PAK 20 MG-500 MG- 500 MG (40) COMBO PACK <b>MO</b>	3	ST,QL(80 per 30 days)
omeprazole 10 mg CAPSULE, DR/EC <b>MO</b>	1	QL(60 per 30 days)
omeprazole 20 mg, 40 mg CAPSULE, DR/EC <b>MO</b>	1	QL(60 per 30 days)
omeprazole-sodium bicarbonate 20-1,680 mg, 40-1,680 mg PACKET	4	ST,QL(30 per 30 days)
omeprazole-sodium bicarbonate 20-1.1 mg-gram, 40-1.1 mg-gram CAPSULE <b>MO</b>	1	ST,QL(30 per 30 days)
opium tincture 10 mg/ml (morphine) TINCTURE <b>MO</b>	3	QL(180 per 30 days)
OSMOPREP 1.5 GRAM TABLET <b>MO</b>	3	ST
pantoprazole 20 mg, 40 mg TABLET, DR/EC <b>MO</b>	1	QL(60 per 30 days)
pantoprazole 40 mg DR GRANULES IN PACKET <b>MO</b>	1	QL(30 per 30 days)
pantoprazole 40 mg RECON SOLUTION <b>MO</b>	1	
peg 3350-electrolytes 236-22.74-6.74 -5.86 gram RECON SOLUTION <b>MO</b>	1	
peg-electrolyte soln 420 gram RECON SOLUTION <b>MO</b>	1	
peg-prep 5-210 mg-gram KIT <b>MO</b>	1	
peg3350-sod sul-nacl-kcl-asb-c 100-7.5-2.691 gram POWDER IN PACKET <b>MO</b>	1	ST
pepcid 20 mg, 40 mg TABLET <b>MO</b>	3	PA
PLENU 140-9-5.2 GRAM POWDER IN PACKET, SEQUENTIAL <b>MO</b>	3	ST
PREVACID 15 MG, 30 MG CAPSULE, DR/EC <b>MO</b>	3	PA,QL(60 per 30 days)
PREVACID SOLUTAB 15 MG, 30 MG TABLET, DISINTEGRATING DR <b>MO</b>	3	QL(30 per 30 days)
PRILOSEC 10 MG, 2.5 MG SUSPENSION, DR FOR RECON <b>MO</b>	3	
propantheline 15 mg TABLET <b>MO</b>	1	
PROTONIX 20 MG, 40 MG TABLET, DR/EC <b>MO</b>	3	PA,QL(60 per 30 days)
PROTONIX 40 MG DR GRANULES IN PACKET <b>MO</b>	3	QL(30 per 30 days)
PROTONIX 40 MG RECON SOLUTION <b>MO</b>	3	PA
PYLERA 140-125-125 MG CAPSULE <b>MO</b>	3	QL(120 per 30 days)
rabeprazole 20 mg TABLET, DR/EC <b>MO</b>	1	QL(60 per 30 days)
RELISTOR 12 MG/0.6 ML SOLUTION <b>DL</b>	4	PA,QL(36 per 30 days)
RELISTOR 12 MG/0.6 ML SYRINGE <b>DL</b>	4	PA,QL(36 per 28 days)
RELISTOR 150 MG TABLET <b>DL</b>	4	PA,QL(90 per 30 days)
RELISTOR 8 MG/0.4 ML SYRINGE <b>DL</b>	4	PA,QL(12 per 30 days)
RELTONE 200 MG CAPSULE <b>DL</b>	4	PA,QL(150 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 9. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • MO – Mail Order • PA - Prior Authorization • QL - Quantity Limit • ST - Step Therapy  
\$0 - Vaccine/Diabetic • DL - Dispensing Limit • LA - Limited Access

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
RELTONE 400 MG CAPSULE <b>DL</b>	4	PA,QL(60 per 30 days)
ROBINUL 1 MG TABLET <b>MO</b>	3	PA
ROBINUL FORTE 2 MG TABLET <b>MO</b>	3	PA
sodium,potassium,mag sulfates 17.5-3.13-1.6 gram RECON SOLUTION <b>MO</b>	3	ST
sucralfate 1 gram TABLET <b>MO</b>	1	
sucralfate 100 mg/ml SUSPENSION <b>MO</b>	1	
SUPREP BOWEL PREP KIT 17.5-3.13-1.6 GRAM RECON SOLUTION <b>MO</b>	3	ST
SUTAB 1.479-0.188- 0.225 GRAM TABLET <b>MO</b>	3	ST
SYMPROIC 0.2 MG TABLET <b>MO</b>	3	PA,QL(30 per 30 days)
TALICIA 10-250-12.5 MG CAPSULE, IR/DR, BIPHASIC <b>MO</b>	3	ST,QL(168 per 30 days)
trilyte with flavor packets 420 gram RECON SOLUTION <b>MO</b>	1	
TRULANCE 3 MG TABLET <b>MO</b>	3	PA,QL(30 per 30 days)
URSO 250 250 MG TABLET <b>MO</b>	3	PA
URSO FORTE 500 MG TABLET <b>MO</b>	3	PA
ursodiol 200 mg CAPSULE <b>DL</b>	4	PA,QL(150 per 30 days)
ursodiol 250 mg, 500 mg TABLET <b>MO</b>	1	
ursodiol 300 mg CAPSULE <b>MO</b>	1	
ursodiol 400 mg CAPSULE <b>DL</b>	4	PA,QL(60 per 30 days)
VIBERZI 100 MG, 75 MG TABLET	4	PA,QL(60 per 30 days)
VOQUEZNA DUAL PAK 20 MG (28)- 500 MG (84) COMBO PACK <b>MO</b>	3	ST,QL(112 per 30 days)
VOQUEZNA TRIPLE PAK 20-500-500 MG COMBO PACK <b>MO</b>	3	ST,QL(112 per 30 days)
XERMELO 250 MG TABLET <b>DL</b>	4	PA,QL(84 per 28 days)
XIFAXAN 200 MG TABLET	4	PA,QL(9 per 30 days)
XIFAXAN 550 MG TABLET	4	PA,QL(84 per 28 days)
ZEGERID 20-1,680 MG, 40-1,680 MG PACKET	4	ST,QL(30 per 30 days)
ZEGERID 20-1.1 MG-GRAM, 40-1.1 MG-GRAM CAPSULE	4	ST,QL(30 per 30 days)
ZELNORM 6 MG TABLET <b>MO</b>	3	PA,QL(60 per 30 days)
ZINPLAVA 25 MG/ML SOLUTION <b>DL</b>	4	PA
<b>Genetic/enzyme/protein Disorder: Replacement, Modifiers, Treatment</b>		
ALDURAZYME 2.9 MG/5 ML SOLUTION <b>DL</b>	4	PA
AMVUTTRA 25 MG/0.5 ML SYRINGE <b>DL</b>	4	PA,QL(0.5 per 90 days)
ARALAST NP 1,000 MG, 500 MG RECON SOLUTION <b>DL</b>	4	PA
betaine 1 gram/scoop POWDER <b>DL</b>	4	
BUPHENYL 0.94 GRAM/GRAM POWDER <b>DL</b>	4	PA
BUPHENYL 500 MG TABLET <b>DL</b>	4	PA
CERDELGA 84 MG CAPSULE <b>DL</b>	4	PA

Need more information about the indicators displayed by the drug names? Please go to page 9. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • MO – Mail Order • PA - Prior Authorization • QL - Quantity Limit • ST - Step Therapy  
\$0 - Vaccine/Diabetic • DL - Dispensing Limit • LA - Limited Access

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
CEREZYME 400 UNIT RECON SOLUTION <b>DL</b>	4	PA
CHOLBAM 250 MG, 50 MG CAPSULE	4	PA,QL(120 per 30 days)
CREON 12,000-38,000 -60,000 UNIT, 3,000-9,500- 15,000 UNIT, 36,000-114,000- 180,000 UNIT, 6,000-19,000 -30,000 UNIT CAPSULE, DR/EC <b>MO</b>	2	
CREON 24,000-76,000 -120,000 UNIT CAPSULE, DR/EC <b>MO</b>	2	
CRYSVITA 10 MG/ML, 20 MG/ML SOLUTION <b>DL</b>	4	PA,QL(2 per 28 days)
CRYSVITA 30 MG/ML SOLUTION <b>DL</b>	4	PA,QL(6 per 28 days)
CYSTADANE 1 GRAM/SCOOP POWDER <b>DL</b>	4	PA
CYSTAGON 150 MG, 50 MG CAPSULE <b>MO</b>	3	
ELAPRASE 6 MG/3 ML SOLUTION <b>DL</b>	4	PA
ELELYSO 200 UNIT RECON SOLUTION <b>DL</b>	4	PA
EVRYSDI 0.75 MG/ML RECON SOLUTION <b>DL</b>	4	PA,QL(240 per 30 days)
FABRAZYME 35 MG, 5 MG RECON SOLUTION <b>DL</b>	4	PA
GALAFOLD 123 MG CAPSULE <b>DL</b>	4	PA,QL(14 per 28 days)
GLASSIA 1 GRAM/50 ML (2 %) SOLUTION <b>DL</b>	4	PA
javygtor 100 mg TABLET, SOLUBLE <b>DL</b>	4	PA
javygtor 100 mg, 500 mg POWDER IN PACKET <b>DL</b>	4	PA
KANUMA 2 MG/ML SOLUTION <b>DL</b>	4	PA
KEVEYIS 50 MG TABLET <b>DL</b>	4	PA,QL(120 per 30 days)
KUVAN 100 MG TABLET, SOLUBLE <b>DL</b>	4	PA
KUVAN 100 MG, 500 MG POWDER IN PACKET <b>DL</b>	4	PA
LUMIZYME 50 MG RECON SOLUTION <b>DL</b>	4	PA
MEPSEVII 2 MG/ML SOLUTION <b>DL</b>	4	PA
miglustat 100 mg CAPSULE <b>DL</b>	4	PA,QL(90 per 30 days)
NAGLAZYME 5 MG/5 ML SOLUTION <b>DL</b>	4	PA
NEXVIAZYME 100 MG RECON SOLUTION <b>DL</b>	4	PA
nitisinone 10 mg, 2 mg, 5 mg CAPSULE <b>DL</b>	4	
NITYR 10 MG, 2 MG, 5 MG TABLET <b>DL</b>	4	
NULIBRY 9.5 MG RECON SOLUTION <b>DL</b>	4	PA
ONPATTRO 2 MG/ML SOLUTION <b>DL</b>	4	PA
ORFADIN 10 MG, 2 MG, 20 MG, 5 MG CAPSULE <b>DL</b>	4	
ORFADIN 4 MG/ML SUSPENSION <b>DL</b>	4	
PALYNZIQ 10 MG/0.5 ML SYRINGE <b>DL</b>	4	PA,QL(15 per 30 days)
PALYNZIQ 2.5 MG/0.5 ML SYRINGE <b>DL</b>	4	PA,QL(4 per 28 days)
PALYNZIQ 20 MG/ML SYRINGE <b>DL</b>	4	PA,QL(90 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 9. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • MO - Mail Order • PA - Prior Authorization • QL - Quantity Limit • ST - Step Therapy  
\$0 - Vaccine/Diabetic • DL - Dispensing Limit • LA - Limited Access

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
PANCREAZE 10,500-35,500- 61,500 UNIT, 16,800-56,800- 98,400 UNIT, 2,600-8,800- 15,200 UNIT, 21,000-54,700- 83,900 UNIT, 4,200-14,200- 24,600 UNIT CAPSULE, DR/EC	4	ST
PANCREAZE 37,000-97,300- 149,900 UNIT CAPSULE, DR/EC <b>DL</b>	4	ST
PERTZYE 16,000-57,500- 60,500 UNIT, 24,000-86,250- 90,750 UNIT, 4,000-14,375- 15,125 UNIT, 8,000-28,750- 30,250 UNIT CAPSULE, DR/EC	4	ST
PHEBURANE 483 MG/GRAM GRANULES <b>DL</b>	4	PA
PROSYSBI 25 MG CAPSULE, DR SPRINKLE	4	PA,QL(120 per 30 days)
PROSYSBI 300 MG DR GRANULES IN PACKET	4	PA,QL(210 per 30 days)
PROSYSBI 75 MG CAPSULE, DR SPRINKLE	4	PA,QL(780 per 30 days)
PROSYSBI 75 MG DR GRANULES IN PACKET	4	PA,QL(780 per 30 days)
PROLASTIN-C 1,000 MG (+/-)/20 ML SOLUTION <b>DL</b>	4	PA
PROLASTIN-C 1,000 MG RECON SOLUTION <b>DL</b>	4	PA
RAVICTI 1.1 GRAM/ML LIQUID <b>DL</b>	4	PA,QL(525 per 30 days)
REVCOVI 2.4 MG/1.5 ML (1.6 MG/ML) SOLUTION <b>DL</b>	4	
sapropterin 100 mg TABLET, SOLUBLE <b>DL</b>	4	PA
sapropterin 100 mg, 500 mg POWDER IN PACKET <b>DL</b>	4	PA
sodium phenylbutyrate 0.94 gram/gram POWDER <b>DL</b>	4	
sodium phenylbutyrate 500 mg TABLET <b>DL</b>	4	
STRENSIQ 18 MG/0.45 ML, 28 MG/0.7 ML, 40 MG/ML, 80 MG/0.8 ML SOLUTION <b>DL</b>	4	PA
SUCRAID 8,500 UNIT/ML SOLUTION <b>DL</b>	4	
TEGSEDI 284 MG/1.5 ML SYRINGE <b>DL</b>	4	PA,QL(6 per 28 days)
VIJOICE 125 MG, 50 MG TABLET <b>DL</b>	4	PA,QL(28 per 28 days)
VIJOICE 250 MG/DAY (200 MG X1-50 MG X1) TABLET <b>DL</b>	4	PA,QL(56 per 28 days)
VIOKACE 10,440-39,150- 39,150 UNIT, 20,880-78,300- 78,300 UNIT TABLET	4	ST
VPRIV 400 UNIT RECON SOLUTION <b>DL</b>	4	PA
VYNDAMAX 61 MG CAPSULE <b>DL</b>	4	PA,QL(30 per 30 days)
VYNDAQEL 20 MG CAPSULE <b>DL</b>	4	PA,QL(120 per 30 days)
XENPOZYME 20 MG RECON SOLUTION <b>DL</b>	4	PA
XURIDEN 2 GRAM GRANULES IN PACKET <b>DL</b>	4	PA,QL(120 per 30 days)
ZAVESCA 100 MG CAPSULE <b>DL</b>	4	PA,QL(90 per 30 days)
ZEMAIRA 1,000 MG RECON SOLUTION <b>DL</b>	4	PA

Need more information about the indicators displayed by the drug names? Please go to page 9. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • MO - Mail Order • PA - Prior Authorization • QL - Quantity Limit • ST - Step Therapy  
\$0 - Vaccine/Diabetic • DL - Dispensing Limit • LA - Limited Access

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
ZENPEP 10,000-32,000 -42,000 UNIT, 15,000-47,000 -63,000 UNIT, 20,000-63,000- 84,000 UNIT, 3,000-10,000 -14,000-UNIT, 40,000-126,000- 168,000 UNIT, 5,000-17,000- 24,000 UNIT CAPSULE, DR/EC <b>MO</b>	3	
ZENPEP 25,000-79,000- 105,000 UNIT CAPSULE, DR/EC <b>MO</b>	3	
ZOKINVY 50 MG, 75 MG CAPSULE <b>DL</b>	4	PA,QL(120 per 30 days)
<b>Genitourinary Agents</b>		
alfuzosin 10 mg TABLET, ER 24 HR. <b>MO</b>	1	
AVODART 0.5 MG CAPSULE <b>MO</b>	3	PA,QL(30 per 30 days)
bethanechol chloride 10 mg, 25 mg, 5 mg, 50 mg TABLET <b>MO</b>	1	
CIALIS 2.5 MG, 5 MG TABLET <b>MO</b>	3	PA
darifenacin 15 mg, 7.5 mg TABLET, ER 24 HR. <b>MO</b>	1	ST,QL(30 per 30 days)
DETROL 1 MG, 2 MG TABLET <b>MO</b>	3	PA,QL(60 per 30 days)
DETROL LA 2 MG, 4 MG CAPSULE, ER 24 HR. <b>MO</b>	3	PA,QL(30 per 30 days)
DITROPAN XL 10 MG, 5 MG TABLET, ER 24 HR. <b>MO</b>	3	PA,QL(60 per 30 days)
dutasteride 0.5 mg CAPSULE <b>MO</b>	1	QL(30 per 30 days)
dutasteride-tamsulosin 0.5-0.4 mg CAPSULE ER MULTIPHASE 24 HR. <b>MO</b>	1	QL(30 per 30 days)
ELMIRON 100 MG CAPSULE <b>MO</b>	3	QL(90 per 30 days)
ENTADFI 5-5 MG CAPSULE <b>MO</b>	3	PA,QL(182 per 365 days)
fesoterodine 4 mg, 8 mg TABLET, ER 24 HR. <b>MO</b>	1	QL(30 per 30 days)
finasteride 5 mg TABLET <b>MO</b>	1	QL(30 per 30 days)
flavoxate 100 mg TABLET <b>MO</b>	1	
FLOMAX 0.4 MG CAPSULE <b>MO</b>	3	
GELNIQUE 10 % (100 MG/GRAM) GEL IN PACKET <b>MO</b>	3	ST,QL(30 per 30 days)
GEMTESA 75 MG TABLET <b>MO</b>	3	QL(30 per 30 days)
JALYN 0.5-0.4 MG CAPSULE ER MULTIPHASE 24 HR. <b>MO</b>	3	PA,QL(30 per 30 days)
MYRBETRIQ 25 MG, 50 MG TABLET, ER 24 HR. <b>MO</b>	2	QL(30 per 30 days)
MYRBETRIQ 8 MG/ML SUSPENSION, ER, RECON <b>MO</b>	2	QL(300 per 30 days)
oxybutynin chloride 10 mg, 5 mg TABLET, ER 24 HR. <b>MO</b>	1	QL(60 per 30 days)
oxybutynin chloride 15 mg TABLET, ER 24 HR. <b>MO</b>	1	QL(60 per 30 days)
oxybutynin chloride 5 mg TABLET <b>MO</b>	1	
oxybutynin chloride 5 mg/5 ml SYRUP <b>MO</b>	1	
OXYTROL 3.9 MG/24 HR PATCH, SEMIWEEKLY <b>MO</b>	3	ST,QL(8 per 28 days)
PROSCAR 5 MG TABLET <b>MO</b>	3	PA,QL(30 per 30 days)
RAPAFLO 4 MG, 8 MG CAPSULE <b>MO</b>	3	PA,QL(30 per 30 days)
silodosin 4 mg, 8 mg CAPSULE <b>MO</b>	1	QL(30 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 9. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • MO – Mail Order • PA - Prior Authorization • QL - Quantity Limit • ST - Step Therapy  
\$0 - Vaccine/Diabetic • DL - Dispensing Limit • LA - Limited Access

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
solifenacain 10 mg, 5 mg TABLET <b>MO</b>	1	QL(30 per 30 days)
tadalafil 2.5 mg, 5 mg TABLET <b>MO</b>	1	PA
tamsulosin 0.4 mg CAPSULE <b>MO</b>	1	
THIOLA 100 MG TABLET <b>DL</b>	4	
THIOLA EC 100 MG, 300 MG TABLET, DR/EC <b>DL</b>	4	
tiopronin 100 mg TABLET <b>DL</b>	4	
tolterodine 1 mg, 2 mg TABLET <b>MO</b>	1	QL(60 per 30 days)
tolterodine 2 mg, 4 mg CAPSULE, ER 24 HR. <b>MO</b>	1	QL(30 per 30 days)
TOVIAZ 4 MG, 8 MG TABLET, ER 24 HR. <b>MO</b>	3	PA,QL(30 per 30 days)
trospium 20 mg TABLET <b>MO</b>	1	
trospium 60 mg CAPSULE, ER 24 HR. <b>MO</b>	1	QL(30 per 30 days)
UROXATRAL 10 MG TABLET, ER 24 HR. <b>MO</b>	3	
VESICARE 10 MG, 5 MG TABLET <b>MO</b>	3	PA,QL(30 per 30 days)
VESICARE LS 1 MG/ML SUSPENSION <b>MO</b>	3	PA,QL(300 per 30 days)
<b>Hormonal Agents, Stimulant/replacement/modifying (adrenal)</b>		
a-hydrocort 100 mg RECON SOLUTION <b>MO</b>	1	
ACTHAR 80 UNIT/ML GEL <b>DL</b>	4	PA,QL(30 per 30 days)
ALKINDI SPRINKLE 0.5 MG, 1 MG, 2 MG, 5 MG CAPSULE, SPRINKLE <b>DL</b>	4	PA
betamethasone acet,sod phos 6 mg/ml SUSPENSION <b>MO</b>	1	
CELESTONE SOLUSPAN 6 MG/ML SUSPENSION <b>MO</b>	3	
CORTROPHIN GEL 80 UNIT/ML GEL <b>DL</b>	4	PA,QL(30 per 30 days)
DEPO-MEDROL 20 MG/ML, 40 MG/ML, 80 MG/ML SUSPENSION <b>MO</b>	3	
dexabliss 1.5 mg (39 tabs) TABLET, DOSE PACK <b>MO</b>	1	
dexamethasone 0.5 mg, 0.75 mg, 1 mg, 1.5 mg, 2 mg, 4 mg, 6 mg TABLET <b>MO</b>	1	
dexamethasone 0.5 mg/5 ml ELIXIR <b>MO</b>	1	
dexamethasone 0.5 mg/5 ml SOLUTION <b>MO</b>	1	
dexamethasone 1.5 mg (21 tabs), 1.5 mg (35 tabs), 1.5 mg (51 tabs) TABLET, DOSE PACK <b>MO</b>	1	
dexamethasone intensol 1 mg/ml DROPS <b>MO</b>	1	
dexamethasone sodium phos (pf) 10 mg/ml SOLUTION <b>MO</b>	1	
dexamethasone sodium phos (pf) 10 mg/ml SYRINGE <b>MO</b>	1	
dexamethasone sodium phosphate 10 mg/ml, 4 mg/ml SOLUTION <b>MO</b>	1	
dexamethasone sodium phosphate 4 mg/ml SYRINGE <b>MO</b>	1	
DXEVO 1.5 MG (39 TABS) TABLET, DOSE PACK <b>MO</b>	1	
EMFLAZA 18 MG, 30 MG, 36 MG, 6 MG TABLET	4	PA
EMFLAZA 22.75 MG/ML SUSPENSION	4	PA

Need more information about the indicators displayed by the drug names? Please go to page 9. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • MO - Mail Order • PA - Prior Authorization • QL - Quantity Limit • ST - Step Therapy  
\$0 - Vaccine/Diabetic • DL - Dispensing Limit • LA - Limited Access

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
fludrocortisone 0.1 mg TABLET <b>MO</b>	1	
HEMADY 20 MG TABLET <b>MO</b>	3	PA,QL(24 per 28 days)
hidex 1.5 mg (21 tabs) TABLET, DOSE PACK <b>MO</b>	1	
KENALOG 0.147 MG/GRAM AEROSOL <b>MO</b>	3	QL(200 per 30 days)
KENALOG 10 MG/ML, 40 MG/ML SUSPENSION <b>MO</b>	3	
KENALOG-80 80 MG/ML SUSPENSION <b>MO</b>	3	
MEDROL 16 MG, 2 MG, 32 MG, 4 MG, 8 MG TABLET <b>MO</b>	3	BvsD
MEDROL (PAK) 4 MG TABLET, DOSE PACK <b>MO</b>	3	
methylprednisolone 16 mg, 32 mg, 4 mg, 8 mg TABLET <b>MO</b>	1	BvsD
methylprednisolone 4 mg TABLET, DOSE PACK <b>MO</b>	1	
methylprednisolone acetate 40 mg/ml, 80 mg/ml SUSPENSION <b>MO</b>	1	
methylprednisolone sodium succ 1,000 mg, 125 mg, 40 mg, 500 mg RECON SOLUTION <b>MO</b>	1	
millipred 5 mg TABLET <b>MO</b>	1	BvsD
millipred dp 5 mg (21 tabs), 5 mg (48 tabs) TABLET, DOSE PACK <b>MO</b>	1	
ORAPRED ODT 10 MG, 15 MG, 30 MG TABLET, DISINTEGRATING <b>MO</b>	3	
PEDIAPRED 5 MG BASE/5 ML (6.7 MG/5 ML) SOLUTION <b>MO</b>	3	
prednisolone 15 mg/5 ml SOLUTION <b>MO</b>	1	
prednisolone sodium phosphate 10 mg, 15 mg, 30 mg TABLET, DISINTEGRATING <b>MO</b>	1	
prednisolone sodium phosphate 10 mg/5 ml, 15 mg/5 ml (3 mg/ml), 20 mg/5 ml (4 mg/ml), 25 mg/5 ml (5 mg/ml), 5 mg base/5 ml (6.7 mg/5 ml) SOLUTION <b>MO</b>	1	
prednisone 1 mg, 2.5 mg, 50 mg TABLET <b>MO</b>	1	BvsD
prednisone 10 mg, 20 mg, 5 mg TABLET <b>MO</b>	1	BvsD
prednisone 10 mg, 5 mg TABLET, DOSE PACK <b>MO</b>	1	
prednisone 5 mg/5 ml SOLUTION <b>MO</b>	1	BvsD
prednisone intensol 5 mg/ml CONCENTRATE <b>MO</b>	1	BvsD
RAYOS 1 MG, 2 MG, 5 MG TABLET, DR/EC <b>DL</b>	4	PA
SOLU-CORTEF 100 MG RECON SOLUTION <b>MO</b>	3	
SOLU-CORTEF ACT-O-VIAL (PF) 1,000 MG/8 ML, 100 MG/2 ML, 250 MG/2 ML, 500 MG/4 ML RECON SOLUTION <b>MO</b>	3	
SOLU-MEDROL 1,000 MG, 2 GRAM, 500 MG RECON SOLUTION <b>MO</b>	3	
SOLU-MEDROL (PF) 1,000 MG/8 ML, 125 MG/2 ML, 40 MG/ML, 500 MG/4 ML RECON SOLUTION <b>MO</b>	3	
taperdex 1.5 mg (21 tabs), 1.5 mg (27 tabs), 1.5 mg (49 tabs) TABLET, DOSE PACK <b>MO</b>	1	

Need more information about the indicators displayed by the drug names? Please go to page 9. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • MO – Mail Order • PA - Prior Authorization • QL - Quantity Limit • ST - Step Therapy  
\$0 - Vaccine/Diabetic • DL - Dispensing Limit • LA - Limited Access

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
triamcinolone acetonide 0.025 %, 0.05 %, 0.1 %, 0.5 % OINTMENT <b>MO</b>	1	
triamcinolone acetonide 0.025 %, 0.1 % LOTION <b>MO</b>	1	
triamcinolone acetonide 0.025 %, 0.5 % CREAM <b>MO</b>	1	
triamcinolone acetonide 0.1 % CREAM <b>MO</b>	1	
triamcinolone acetonide 0.147 mg/gram AEROSOL <b>MO</b>	1	QL(200 per 30 days)
triamcinolone acetonide 40 mg/ml SUSPENSION <b>MO</b>	1	
trianex 0.05 % OINTMENT <b>MO</b>	1	
triderm 0.1 %, 0.5 % CREAM <b>MO</b>	1	
tritocin 0.05 % OINTMENT <b>MO</b>	1	
VERIPRED 20 20 MG/5 ML (4 MG/ML) SOLUTION <b>MO</b>	1	
ZCORT 1.5 MG (25 TABS) TABLET, DOSE PACK <b>MO</b>	1	
ZILRETTA 32 MG SUSPENSION, ER, RECON <b>MO</b>	3	PA
<b>Hormonal Agents, Stimulant/replacement/modifying (pituitary)</b>		
CHORIONIC GONADOTROPIN, HUMAN 10,000 UNIT RECON SOLUTION <b>MO</b>	3	PA
DDAVP 0.1 MG TABLET <b>MO</b>	3	PA
DDAVP 0.1 MG/ML (REFRIGERATE), 4 MCG/ML SOLUTION <b>MO</b>	3	PA
DDAVP 0.2 MG TABLET	4	PA
desmopressin 0.1 mg, 0.2 mg TABLET <b>MO</b>	1	
desmopressin 10 mcg/spray (0.1 ml) SPRAY WITH PUMP <b>MO</b>	1	PA,QL(25 per 30 days)
desmopressin 10 mcg/spray (0.1 ml) SPRAY, NON-AEROSOL <b>MO</b>	1	PA,QL(25 per 30 days)
desmopressin 4 mcg/ml SOLUTION <b>DL</b>	4	
EGRIFTA SV 2 MG RECON SOLUTION <b>DL</b>	4	PA,QL(30 per 30 days)
GENOTROPIN 12 MG/ML (36 UNIT/ML), 5 MG/ML (15 UNIT/ML) CARTRIDGE <b>DL</b>	4	PA
GENOTROPIN MINIQUICK 0.2 MG/0.25 ML, 0.4 MG/0.25 ML, 0.6 MG/0.25 ML, 0.8 MG/0.25 ML, 1 MG/0.25 ML, 1.2 MG/0.25 ML, 1.4 MG/0.25 ML, 1.6 MG/0.25 ML, 1.8 MG/0.25 ML, 2 MG/0.25 ML SYRINGE <b>DL</b>	4	PA
HUMATROPE 12 MG (36 UNIT), 24 MG (72 UNIT), 6 MG (18 UNIT) CARTRIDGE <b>DL</b>	4	PA
HUMATROPE 5 (15 UNIT) MG RECON SOLUTION <b>DL</b>	4	PA
INCRELEX 10 MG/ML SOLUTION <b>DL</b>	4	PA
NOCDURNA (MEN) 55.3 MCG TABLET, DISINTEGRATING <b>MO</b>	3	PA,QL(30 per 30 days)
NOCDURNA (WOMEN) 27.7 MCG TABLET, DISINTEGRATING <b>MO</b>	3	PA,QL(30 per 30 days)
NORDITROPIN FLEXPRO 10 MG/1.5 ML (6.7 MG/ML), 15 MG/1.5 ML (10 MG/ML), 30 MG/3 ML (10 MG/ML), 5 MG/1.5 ML (3.3 MG/ML) PEN INJECTOR <b>DL</b>	4	PA
NOVAREL 10,000 UNIT, 5,000 UNIT RECON SOLUTION <b>MO</b>	3	PA
NUTROPIN AQ NUSPIN 10 MG/2 ML (5 MG/ML), 20 MG/2 ML (10 MG/ML), 5 MG/2 ML (2.5 MG/ML) PEN INJECTOR <b>DL</b>	4	PA

Need more information about the indicators displayed by the drug names? Please go to page 9. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • MO – Mail Order • PA - Prior Authorization • QL - Quantity Limit • ST - Step Therapy  
\$0 - Vaccine/Diabetic • DL - Dispensing Limit • LA - Limited Access

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
OMNITROPE 10 MG/1.5 ML (6.7 MG/ML), 5 MG/1.5 ML (3.3 MG/ML) CARTRIDGE <b>DL</b>	4	PA
OMNITROPE 5.8 MG RECON SOLUTION <b>DL</b>	4	PA
PREGNYL 10,000 UNIT RECON SOLUTION <b>MO</b>	3	PA
SAIZEN 5 MG RECON SOLUTION <b>DL</b>	4	PA,QL(28 per 28 days)
SAIZEN 8.8 MG RECON SOLUTION <b>DL</b>	4	PA
SAIZEN SAIZENPREP 8.8 MG/1.51 ML (FINAL CONC.) CARTRIDGE <b>DL</b>	4	PA
SEROSTIM 4 MG, 5 MG, 6 MG RECON SOLUTION <b>DL</b>	4	PA,QL(28 per 28 days)
SKYTROFA 11 MG, 7.6 MG, 9.1 MG CARTRIDGE <b>DL</b>	4	PA,QL(8 per 28 days)
SKYTROFA 13.3 MG, 3 MG, 3.6 MG, 4.3 MG, 5.2 MG, 6.3 MG CARTRIDGE <b>DL</b>	4	PA,QL(4 per 28 days)
ZOMACTON 10 MG RECON SOLUTION <b>DL</b>	4	PA
ZOMACTON 5 MG RECON SOLUTION <b>DL</b>	4	PA,QL(28 per 28 days)
ZORBTIVE 8.8 MG RECON SOLUTION <b>DL</b>	4	PA
<b>Hormonal Agents, Stimulant/replacement/modifying (prostaglandins)</b>		
carboprost tromethamine 250 mcg/ml SOLUTION <b>MO</b>	1	
HEMABATE 250 MCG/ML SOLUTION <b>MO</b>	3	
<b>Hormonal Agents, Stimulant/replacement/modifying (sex Hormones/modifiers)</b>		
ACTIVELLA 1-0.5 MG TABLET <b>MO</b>	3	
afirmelle 0.1-20 mg-mcg TABLET <b>MO</b>	1	
ALORA 0.025 MG/24 HR, 0.05 MG/24 HR, 0.075 MG/24 HR, 0.1 MG/24 HR PATCH, SEMIWEEKLY <b>MO</b>	3	QL(8 per 28 days)
altavera (28) 0.15-0.03 mg TABLET <b>MO</b>	1	
alyacen 1/35 (28) 1-35 mg-mcg TABLET <b>MO</b>	1	
alyacen 7/7/7 (28) 0.5/0.75/1 mg- 35 mcg TABLET <b>MO</b>	1	
amabelz 0.5-0.1 mg, 1-0.5 mg TABLET <b>MO</b>	1	
amethia 0.15 mg-30 mcg (84)/10 mcg (7) TABLET, DOSE PACK, 3 MONTH <b>MO</b>	3	QL(91 per 90 days)
amethia lo 0.1 mg-20 mcg (84)/10 mcg (7) TABLET, DOSE PACK, 3 MONTH <b>MO</b>	1	QL(91 per 90 days)
amethyst (28) 90-20 mcg (28) TABLET <b>MO</b>	1	
ANADROL-50 50 MG TABLET	4	
ANDRODERM 2 MG/24 HOUR PATCH, 24 HR. <b>MO</b>	3	PA,QL(90 per 30 days)
ANDRODERM 4 MG/24 HR PATCH, 24 HR. <b>MO</b>	3	PA,QL(30 per 30 days)
ANDROGEL 1 % (25 MG/2.5GRAM), 1 % (50 MG/5 GRAM) GEL IN PACKET <b>MO</b>	3	PA,QL(300 per 30 days)
ANDROGEL 1.62 % (20.25 MG/1.25 GRAM) GEL IN PACKET	4	PA,QL(37.5 per 30 days)
ANDROGEL 1.62 % (40.5 MG/2.5 GRAM) GEL IN PACKET	4	PA,QL(150 per 30 days)
ANDROGEL 20.25 MG/1.25 GRAM (1.62 %) GEL IN METERED DOSE PUMP <b>DL</b>	4	PA,QL(150 per 30 days)
ANDROID 10 MG CAPSULE	4	

Need more information about the indicators displayed by the drug names? Please go to page 9. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • MO – Mail Order • PA - Prior Authorization • QL - Quantity Limit • ST - Step Therapy  
\$0 - Vaccine/Diabetic • DL - Dispensing Limit • LA - Limited Access

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
ANGELIQ 0.25-0.5 MG, 0.5-1 MG TABLET <b>MO</b>	3	
ANNOVERA 0.15-0.013 MG/24 HOUR RING <b>MO</b>	3	QL(1 per 365 days)
apri 0.15-0.03 mg TABLET <b>MO</b>	1	
aranelle (28) 0.5/1/0.5-35 mg-mcg TABLET <b>MO</b>	1	
ashlyna 0.15 mg-30 mcg (84)/10 mcg (7) TABLET, DOSE PACK, 3 MONTH <b>MO</b>	1	QL(91 per 90 days)
aubra 0.1-20 mg-mcg TABLET <b>MO</b>	1	
aubra eq 0.1-20 mg-mcg TABLET <b>MO</b>	1	
aurovela 1.5/30 (21) 1.5-30 mg-mcg TABLET <b>MO</b>	1	
aurovela 1/20 (21) 1-20 mg-mcg TABLET <b>MO</b>	1	
aurovela 24 fe 1 mg-20 mcg (24)/75 mg (4) TABLET <b>MO</b>	1	
aurovela fe 1-20 (28) 1 mg-20 mcg (21)/75 mg (7) TABLET <b>MO</b>	1	
aurovela fe 1.5/30 (28) 1.5 mg-30 mcg (21)/75 mg (7) TABLET <b>MO</b>	1	
AVEED 750 MG/3 ML (250 MG/ML) SOLUTION	4	PA
aviane 0.1-20 mg-mcg TABLET <b>MO</b>	1	
AYGESTIN 5 MG TABLET <b>MO</b>	1	
ayuna 0.15-0.03 mg TABLET <b>MO</b>	1	
azurette (28) 0.15-0.02 mgx21 /0.01 mg x 5 TABLET <b>MO</b>	1	
BALCOLTRA 0.1 MG-0.02 MG (21)/36.5 MG(7) TABLET <b>MO</b>	3	
balziva (28) 0.4-35 mg-mcg TABLET <b>MO</b>	1	
bekyree (28) 0.15-0.02 mgx21 /0.01 mg x 5 TABLET <b>MO</b>	1	
BEYAZ 3-0.02-0.451 MG (24) (4) TABLET <b>MO</b>	3	
BIJUVA 1-100 MG CAPSULE <b>MO</b>	3	QL(30 per 30 days)
blisovi 24 fe 1 mg-20 mcg (24)/75 mg (4) TABLET <b>MO</b>	1	
blisovi fe 1.5/30 (28) 1.5 mg-30 mcg (21)/75 mg (7) TABLET <b>MO</b>	1	
blisovi fe 1/20 (28) 1 mg-20 mcg (21)/75 mg (7) TABLET <b>MO</b>	1	
briellyn 0.4-35 mg-mcg TABLET <b>MO</b>	1	
camila 0.35 mg TABLET <b>MO</b>	1	
camrese 0.15 mg-30 mcg (84)/10 mcg (7) TABLET, DOSE PACK, 3 MONTH <b>MO</b>	3	QL(91 per 90 days)
camrese lo 0.1 mg-20 mcg (84)/10 mcg (7) TABLET, DOSE PACK, 3 MONTH <b>MO</b>	1	QL(91 per 90 days)
caziant (28) 0.1/.125/.15-25 mg-mcg TABLET <b>MO</b>	1	
charlotte 24 fe 1 mg-20 mcg(24) /75 mg (4) CHEWABLE TABLET <b>MO</b>	1	
chateal (28) 0.15-0.03 mg TABLET <b>MO</b>	1	
chateal eq (28) 0.15-0.03 mg TABLET <b>MO</b>	1	
CLIMARA 0.025 MG/24 HR, 0.0375 MG/24 HR, 0.05 MG/24 HR, 0.06 MG/24 HR, 0.075 MG/24 HR, 0.1 MG/24 HR PATCH, WEEKLY <b>MO</b>	3	QL(4 per 28 days)
CLIMARA PRO 0.045-0.015 MG/24 HR PATCH, WEEKLY <b>MO</b>	3	QL(4 per 28 days)

Need more information about the indicators displayed by the drug names? Please go to page 9. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • MO – Mail Order • PA - Prior Authorization • QL - Quantity Limit • ST - Step Therapy  
\$0 - Vaccine/Diabetic • DL - Dispensing Limit • LA - Limited Access

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
COMBIPATCH 0.05-0.14 MG/24 HR, 0.05-0.25 MG/24 HR PATCH, SEMIWEEKLY <b>MO</b>	3	QL(8 per 28 days)
CRINONE 4 %, 8 % GEL <b>MO</b>	3	
cryselle (28) 0.3-30 mg-mcg TABLET <b>MO</b>	1	
cyclafem 1/35 (28) 1-35 mg-mcg TABLET <b>MO</b>	1	
cyclafem 7/7/7 (28) 0.5/0.75/1 mg- 35 mcg TABLET <b>MO</b>	1	
cyred 0.15-0.03 mg TABLET <b>MO</b>	1	
cyred eq 0.15-0.03 mg TABLET <b>MO</b>	1	
danazol 100 mg, 200 mg, 50 mg CAPSULE <b>MO</b>	1	
dasetta 1/35 (28) 1-35 mg-mcg TABLET <b>MO</b>	1	
dasetta 7/7/7 (28) 0.5/0.75/1 mg- 35 mcg TABLET <b>MO</b>	1	
daysee 0.15 mg-30 mcg (84)/10 mcg (7) TABLET, DOSE PACK, 3 MONTH <b>MO</b>	1	QL(91 per 90 days)
deblitane 0.35 mg TABLET <b>MO</b>	1	
DELESTROGEN 10 MG/ML, 20 MG/ML, 40 MG/ML OIL <b>MO</b>	3	
DEPO-ESTRADIOL 5 MG/ML OIL <b>MO</b>	1	QL(5 per 30 days)
DEPO-PROVERA 150 MG/ML SUSPENSION <b>MO</b>	3	QL(1 per 90 days)
DEPO-PROVERA 150 MG/ML SYRINGE <b>MO</b>	3	QL(1 per 90 days)
DEPO-SUBQ PROVERA 104 104 MG/0.65 ML SYRINGE <b>MO</b>	3	QL(0.65 per 90 days)
DEPO-TESTOSTERONE 100 MG/ML, 200 MG/ML OIL <b>MO</b>	1	
desog-e.estradiol/e.estradiol 0.15-0.02 mgx21 /0.01 mg x 5 TABLET <b>MO</b>	1	
desogestrel-ethinyl estradiol 0.15-0.03 mg TABLET <b>MO</b>	1	
DIVIGEL 0.25 MG/0.25 GRAM (0.1 %), 0.5 MG/0.5 GRAM (0.1 %), 0.75 MG/0.75 GRAM (0.1%), 1 MG/GRAM (0.1 %), 1.25 MG/1.25 GRAM (0.1 %) GEL IN PACKET <b>MO</b>	3	
dolishale 90-20 mcg (28) TABLET <b>MO</b>	1	
dotti 0.025 mg/24 hr, 0.0375 mg/24 hr, 0.05 mg/24 hr, 0.075 mg/24 hr, 0.1 mg/24 hr PATCH, SEMIWEEKLY <b>MO</b>	1	QL(8 per 28 days)
drospirenone-e.estradiol-lm.fa 3-0.02-0.451 mg (24) (4), 3-0.03-0.451 mg (21) (7) TABLET <b>MO</b>	1	
drospirenone-ethinyl estradiol 3-0.02 mg, 3-0.03 mg TABLET <b>MO</b>	1	
DUAVEE 0.45-20 MG TABLET <b>MO</b>	3	PA,QL(30 per 30 days)
ELESTRIN 0.87 GRAM/ACTUATION GEL IN METERED DOSE PUMP <b>MO</b>	3	QL(52 per 30 days)
elinest 0.3-30 mg-mcg TABLET <b>MO</b>	1	
ELLA 30 MG TABLET <b>MO</b>	2	QL(1 per 30 days)
eluryng 0.12-0.015 mg/24 hr RING <b>MO</b>	1	QL(1 per 28 days)
emoquette 0.15-0.03 mg TABLET <b>MO</b>	1	
ENDOMETRIN 100 MG INSERT <b>MO</b>	3	

Need more information about the indicators displayed by the drug names? Please go to page 9. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • MO – Mail Order • PA - Prior Authorization • QL - Quantity Limit • ST - Step Therapy  
\$0 - Vaccine/Diabetic • DL - Dispensing Limit • LA - Limited Access

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
enpresse 50-30 (6)/75-40 (5)/125-30(10) TABLET <b>MO</b>	1	
enskyce 0.15-0.03 mg TABLET <b>MO</b>	1	
errin 0.35 mg TABLET <b>MO</b>	1	
estarrylla 0.25-35 mg-mcg TABLET <b>MO</b>	1	
ESTRACE 0.01 % (0.1 MG/GRAM) CREAM <b>MO</b>	3	PA
ESTRACE 0.5 MG, 1 MG, 2 MG TABLET <b>MO</b>	1	
estradiol 0.01 % (0.1 mg/gram) CREAM <b>MO</b>	1	
estradiol 0.025 mg/24 hr, 0.0375 mg/24 hr, 0.05 mg/24 hr, 0.06 mg/24 hr, 0.075 mg/24 hr, 0.1 mg/24 hr PATCH, WEEKLY <b>MO</b>	1	QL(4 per 28 days)
estradiol 0.025 mg/24 hr, 0.0375 mg/24 hr, 0.05 mg/24 hr, 0.075 mg/24 hr, 0.1 mg/24 hr PATCH, SEMIWEEKLY <b>MO</b>	1	QL(8 per 28 days)
estradiol 0.25 mg/0.25 gram (0.1 %), 0.5 mg/0.5 gram (0.1 %), 0.75 mg/0.75 gram (0.1%), 1 mg/gram (0.1 %), 1.25 mg/1.25 gram (0.1 %) GEL IN PACKET <b>MO</b>	1	
estradiol 0.5 mg, 1 mg, 10 mcg, 2 mg TABLET <b>MO</b>	1	
estradiol valerate 20 mg/ml, 40 mg/ml OIL <b>MO</b>	1	
estradiol-norethindrone acet 0.5-0.1 mg, 1-0.5 mg TABLET <b>MO</b>	1	
ESTRING 2 MG (7.5 MCG /24 HOUR) RING <b>MO</b>	3	QL(1 per 90 days)
ESTROGEL 1.25 GRAM/ACTUATION GEL IN METERED DOSE PUMP <b>MO</b>	3	
ESTROSTEP FE-28 1-20(5)/1-30(7) /1MG-35MCG (9) TABLET <b>MO</b>	3	
ethynodiol diac-eth estradiol 1-35 mg-mcg, 1-50 mg-mcg TABLET <b>MO</b>	1	
etonogestrel-ethinyl estradiol 0.12-0.015 mg/24 hr RING <b>MO</b>	1	QL(1 per 28 days)
EVAMIST 1.53 MG/SPRAY (1.7%) SPRAY, NON-AEROSOL <b>MO</b>	3	
EVISTA 60 MG TABLET <b>MO</b>	3	PA,QL(30 per 30 days)
falmina (28) 0.1-20 mg-mcg TABLET <b>MO</b>	1	
FEMHRT LOW DOSE 0.5-2.5 MG-MCG TABLET <b>MO</b>	3	
FEMRING 0.05 MG/24 HR, 0.1 MG/24 HR RING <b>MO</b>	3	QL(1 per 90 days)
femynor 0.25-35 mg-mcg TABLET <b>MO</b>	1	
finzala 1 mg-20 mcg(24) /75 mg (4) CHEWABLE TABLET <b>MO</b>	1	
FORTESTA 10 MG/0.5 GRAM /ACTUATION GEL IN METERED DOSE PUMP <b>MO</b>	3	PA,QL(120 per 30 days)
fyavolv 0.5-2.5 mg-mcg, 1-5 mg-mcg TABLET <b>MO</b>	1	
gemmily 1 mg-20 mcg (24)/75 mg (4) CAPSULE <b>MO</b>	1	
GENERESS FE 0.8MG-25MCG(24) AND 75 MG (4) CHEWABLE TABLET <b>MO</b>	3	
gianvi (28) 3-0.02 mg TABLET <b>MO</b>	1	
hailey 1.5-30 mg-mcg TABLET <b>MO</b>	1	
hailey 24 fe 1 mg-20 mcg (24)/75 mg (4) TABLET <b>MO</b>	1	
hailey fe 1.5/30 (28) 1.5 mg-30 mcg (21)/75 mg (7) TABLET <b>MO</b>	1	

Need more information about the indicators displayed by the drug names? Please go to page 9. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • MO – Mail Order • PA - Prior Authorization • QL - Quantity Limit • ST - Step Therapy  
\$0 - Vaccine/Diabetic • DL - Dispensing Limit • LA - Limited Access

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
hailey fe 1/20 (28) 1 mg-20 mcg (21)/75 mg (7) TABLET <b>MO</b>	1	
haloette 0.12-0.015 mg/24 hr RING <b>MO</b>	1	QL(1 per 28 days)
heather 0.35 mg TABLET <b>MO</b>	1	
hydroxyprogesterone(pf)(preg presv) 250 mg/ml (1 ml) OIL <b>DL</b>	4	PA
hydroxyprogesterone cap(ppres) 250 mg/ml OIL	4	PA
hydroxyprogesterone caproate 250 mg/ml OIL	4	PA
iclevia 0.15 mg-30 mcg (91) TABLET, DOSE PACK, 3 MONTH <b>MO</b>	1	QL(91 per 90 days)
incassia 0.35 mg TABLET <b>MO</b>	1	
isibloom 0.15-0.03 mg TABLET <b>MO</b>	1	
jaimiess 0.15 mg-30 mcg (84)/10 mcg (7) TABLET, DOSE PACK, 3 MONTH <b>MO</b>	1	QL(91 per 90 days)
jasmiel (28) 3-0.02 mg TABLET <b>MO</b>	1	
JATENZO 158 MG, 198 MG CAPSULE <b>DL</b>	4	PA,QL(120 per 30 days)
JATENZO 237 MG CAPSULE <b>DL</b>	4	PA,QL(60 per 30 days)
jencycla 0.35 mg TABLET <b>MO</b>	1	
jinteli 1-5 mg-mcg TABLET <b>MO</b>	1	
jolessa 0.15 mg-30 mcg (91) TABLET, DOSE PACK, 3 MONTH <b>MO</b>	1	QL(91 per 90 days)
juleber 0.15-0.03 mg TABLET <b>MO</b>	1	
junel 1.5/30 (21) 1.5-30 mg-mcg TABLET <b>MO</b>	1	
junel 1/20 (21) 1-20 mg-mcg TABLET <b>MO</b>	1	
junel fe 1.5/30 (28) 1.5 mg-30 mcg (21)/75 mg (7) TABLET <b>MO</b>	1	
junel fe 1/20 (28) 1 mg-20 mcg (21)/75 mg (7) TABLET <b>MO</b>	1	
junel fe 24 1 mg-20 mcg (24)/75 mg (4) TABLET <b>MO</b>	1	
kaitlib fe 0.8mg-25mcg(24) and 75 mg (4) CHEWABLE TABLET <b>MO</b>	1	
kalliga 0.15-0.03 mg TABLET <b>MO</b>	1	
kariva (28) 0.15-0.02 mgx21 /0.01 mg x 5 TABLET <b>MO</b>	1	
kelnor 1-50 (28) 1-50 mg-mcg TABLET <b>MO</b>	1	
kelnor 1/35 (28) 1-35 mg-mcg TABLET <b>MO</b>	1	
kurvelo (28) 0.15-0.03 mg TABLET <b>MO</b>	1	
l norgest/e.estriadiol-e.estrad 0.1 mg-20 mcg (84)/10 mcg (7), 0.15 mg-20 mcg/ 0.15 mg-25 mcg, 0.15 mg-30 mcg (84)/10 mcg (7) TABLET, DOSE PACK, 3 MONTH <b>MO</b>	1	QL(91 per 90 days)
larin 1.5/30 (21) 1.5-30 mg-mcg TABLET <b>MO</b>	1	
larin 1/20 (21) 1-20 mg-mcg TABLET <b>MO</b>	1	
larin 24 fe 1 mg-20 mcg (24)/75 mg (4) TABLET <b>MO</b>	1	
larin fe 1.5/30 (28) 1.5 mg-30 mcg (21)/75 mg (7) TABLET <b>MO</b>	1	
larin fe 1/20 (28) 1 mg-20 mcg (21)/75 mg (7) TABLET <b>MO</b>	1	

Need more information about the indicators displayed by the drug names? Please go to page 9. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • MO – Mail Order • PA - Prior Authorization • QL - Quantity Limit • ST - Step Therapy  
\$0 - Vaccine/Diabetic • DL - Dispensing Limit • LA - Limited Access

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
larissia 0.1-20 mg-mcg TABLET <b>MO</b>	1	
LAYOLIS FE 0.8MG-25MCG(24) AND 75 MG (4) CHEWABLE TABLET <b>MO</b>	3	
leena 28 0.5/1/0.5-35 mg-mcg TABLET <b>MO</b>	1	
lessina 0.1-20 mg-mcg TABLET <b>MO</b>	1	
levonest (28) 50-30 (6)/75-40 (5)/125-30(10) TABLET <b>MO</b>	1	
levonorg-eth estrad triphasic 50-30 (6)/75-40 (5)/125-30(10) TABLET <b>MO</b>	1	
levonorgestrel-ethinyl estrad 0.1-20 mg-mcg, 0.15-0.03 mg, 90-20 mcg (28) TABLET <b>MO</b>	1	
levonorgestrel-ethinyl estrad 0.15 mg-30 mcg (91) TABLET, DOSE PACK, 3 MONTH <b>MO</b>	1	QL(91 per 90 days)
levora-28 0.15-0.03 mg TABLET <b>MO</b>	1	
lillow (28) 0.15-0.03 mg TABLET <b>MO</b>	1	
LO LOESTRIN FE 1 MG-10 MCG (24)/10 MCG (2) TABLET <b>MO</b>	3	
lo-zumandimine (28) 3-0.02 mg TABLET <b>MO</b>	1	
LOESTRIN 1.5/30 (21) 1.5-30 MG-MCG TABLET <b>MO</b>	1	
LOESTRIN 1/20 (21) 1-20 MG-MCG TABLET <b>MO</b>	1	
LOESTRIN FE 1.5/30 (28-DAY) 1.5 MG-30 MCG (21)/75 MG (7) TABLET <b>MO</b>	1	
LOESTRIN FE 1/20 (28-DAY) 1 MG-20 MCG (21)/75 MG (7) TABLET <b>MO</b>	1	
lojaimiess 0.1 mg-20 mcg (84)/10 mcg (7) TABLET, DOSE PACK, 3 MONTH <b>MO</b>	1	QL(91 per 90 days)
loryna (28) 3-0.02 mg TABLET <b>MO</b>	1	
LOSEASONIQUE 0.1 MG-20 MCG (84)/10 MCG (7) TABLET, DOSE PACK, 3 MONTH <b>MO</b>	3	QL(91 per 90 days)
low-ogestrel (28) 0.3-30 mg-mcg TABLET <b>MO</b>	1	
lutera (28) 0.1-20 mg-mcg TABLET <b>MO</b>	1	
lyeq 0.35 mg TABLET <b>MO</b>	1	
lyllana 0.025 mg/24 hr, 0.0375 mg/24 hr, 0.05 mg/24 hr, 0.075 mg/24 hr, 0.1 mg/24 hr PATCH, SEMIWEEKLY <b>MO</b>	1	QL(8 per 28 days)
lyza 0.35 mg TABLET <b>MO</b>	1	
MAKENA 250 MG/ML, 250 MG/ML (1 ML) OIL <b>DL</b>	4	PA
MAKENA (PF) 275 MG/1.1 ML AUTO-INJECTOR <b>DL</b>	4	PA
marlissa (28) 0.15-0.03 mg TABLET <b>MO</b>	1	
medroxyprogesterone 10 mg, 2.5 mg, 5 mg TABLET <b>MO</b>	1	
medroxyprogesterone 150 mg/ml SUSPENSION <b>MO</b>	1	QL(1 per 90 days)
medroxyprogesterone 150 mg/ml SYRINGE <b>MO</b>	1	QL(1 per 90 days)
megestrol 20 mg, 40 mg TABLET <b>MO</b>	1	
megestrol 400 mg/10 ml (10 ml), 400 mg/10 ml (40 mg/ml), 625 mg/5 ml (125 mg/ml) SUSPENSION <b>MO</b>	1	

Need more information about the indicators displayed by the drug names? Please go to page 9. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • MO – Mail Order • PA - Prior Authorization • QL - Quantity Limit • ST - Step Therapy  
\$0 - Vaccine/Diabetic • DL - Dispensing Limit • LA - Limited Access

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
melodetta 24 fe 1 mg-20 mcg(24) /75 mg (4) CHEWABLE TABLET <b>MO</b>	1	
MENEST 0.3 MG, 0.625 MG, 1.25 MG TABLET <b>MO</b>	1	
MENOSTAR 14 MCG/24 HR PATCH, WEEKLY <b>MO</b>	3	QL(8 per 28 days)
merzee 1 mg-20 mcg (24)/75 mg (4) CAPSULE <b>MO</b>	1	
METHITEST 10 MG TABLET <b>DL</b>	4	
methyltestosterone 10 mg CAPSULE	4	
mibelas 24 fe 1 mg-20 mcg(24) /75 mg (4) CHEWABLE TABLET <b>MO</b>	1	
microgestin 1.5/30 (21) 1.5-30 mg-mcg TABLET <b>MO</b>	1	
microgestin 1/20 (21) 1-20 mg-mcg TABLET <b>MO</b>	1	
microgestin 24 fe 1 mg-20 mcg (24)/75 mg (4) TABLET <b>MO</b>	1	
microgestin fe 1.5/30 (28) 1.5 mg-30 mcg (21)/75 mg (7) TABLET <b>MO</b>	1	
microgestin fe 1/20 (28) 1 mg-20 mcg (21)/75 mg (7) TABLET <b>MO</b>	1	
mini 0.25-35 mg-mcg TABLET <b>MO</b>	1	
mimvey 1-0.5 mg TABLET <b>MO</b>	1	
MINASTRIN 24 FE 1 MG-20 MCG(24) /75 MG (4) CHEWABLE TABLET <b>MO</b>	3	
MINIVELLE 0.025 MG/24 HR, 0.0375 MG/24 HR, 0.05 MG/24 HR, 0.075 MG/24 HR, 0.1 MG/24 HR PATCH, SEMIWEEKLY <b>MO</b>	3	QL(8 per 28 days)
MIRCETTE (28) 0.15-0.02 MGX21 /0.01 MG X 5 TABLET <b>MO</b>	1	
mono-linyah 0.25-35 mg-mcg TABLET <b>MO</b>	1	
NATAZIA 3 MG/2 MG-2 MG/ 2 MG-3 MG/1 MG TABLET <b>MO</b>	3	
NATESTO 5.5 MG/0.122 GRAM/ACTUATION GEL IN METERED DOSE PUMP <b>MO</b>	3	PA,QL(21.96 per 30 days)
necon 0.5/35 (28) 0.5-35 mg-mcg TABLET <b>MO</b>	1	
NEXTSTELLIS 3 MG- 14.2 MG (28) TABLET <b>MO</b>	3	
nikki (28) 3-0.02 mg TABLET <b>MO</b>	1	
nora-be 0.35 mg TABLET <b>MO</b>	1	
noreth-ethinyl estradiol-iron 0.4mg-35mcg(21) and 75 mg (7), 0.8mg-25mcg(24) and 75 mg (4) CHEWABLE TABLET <b>MO</b>	1	
norethindrone (contraceptive) 0.35 mg TABLET <b>MO</b>	1	
norethindrone ac-eth estradiol 0.5-2.5 mg-mcg, 1-20 mg-mcg, 1-5 mg-mcg, 1.5-30 mg-mcg TABLET <b>MO</b>	1	
norethindrone acetate 5 mg TABLET <b>MO</b>	1	
norethindrone-e.estradol-iron 1 mg-20 mcg (21)/75 mg (7), 1-20(5)/1-30(7) /1mg-35mcg (9), 1.5 mg-30 mcg (21)/75 mg (7) TABLET <b>MO</b>	1	
norethindrone-e.estradol-iron 1 mg-20 mcg (24)/75 mg (4) CAPSULE <b>MO</b>	1	
norethindrone-e.estradol-iron 1 mg-20 mcg(24) /75 mg (4) CHEWABLE TABLET <b>MO</b>	1	

Need more information about the indicators displayed by the drug names? Please go to page 9. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • MO – Mail Order • PA - Prior Authorization • QL - Quantity Limit • ST - Step Therapy  
\$0 - Vaccine/Diabetic • DL - Dispensing Limit • LA - Limited Access

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
norgestimate-ethinyl estradiol 0.18/0.215/0.25 mg-25 mcg, 0.18/0.215/0.25 mg-35 mcg (28), 0.25-35 mg-mcg TABLET <b>MO</b>	1	
norlyda 0.35 mg TABLET <b>MO</b>	1	
nortrel 0.5/35 (28) 0.5-35 mg-mcg TABLET <b>MO</b>	1	
nortrel 1/35 (21) 1-35 mg-mcg (21) TABLET <b>MO</b>	1	
nortrel 1/35 (28) 1-35 mg-mcg TABLET <b>MO</b>	1	
nortrel 7/7/7 (28) 0.5/0.75/1 mg- 35 mcg TABLET <b>MO</b>	1	
NUVARING 0.12-0.015 MG/24 HR RING <b>MO</b>	3	QL(1 per 28 days)
nylia 1/35 (28) 1-35 mg-mcg TABLET <b>MO</b>	1	
nylia 7/7/7 (28) 0.5/0.75/1 mg- 35 mcg TABLET <b>MO</b>	1	
nymyo 0.25-35 mg-mcg TABLET <b>MO</b>	1	
ocella 3-0.03 mg TABLET <b>MO</b>	1	
orsythia 0.1-20 mg-mcg TABLET <b>MO</b>	1	
ORTHO MICRONOR 0.35 MG TABLET <b>MO</b>	3	
ORTHO TRI-CYCLEN (28) 0.18/0.215/0.25 MG-35 MCG (28) TABLET <b>MO</b>	3	
ORTHO-NOVUM 7/7/7 (28) 0.5/0.75/1 MG- 35 MCG TABLET <b>MO</b>	1	
OSPHENA 60 MG TABLET <b>MO</b>	2	PA
oxandrolone 10 mg TABLET <b>MO</b>	1	PA,QL(60 per 30 days)
oxandrolone 2.5 mg TABLET <b>MO</b>	1	PA,QL(120 per 30 days)
philith 0.4-35 mg-mcg TABLET <b>MO</b>	1	
pimtrea (28) 0.15-0.02 mgx21 /0.01 mg x 5 TABLET <b>MO</b>	1	
pirmella 0.5/0.75/1 mg- 35 mcg, 1-35 mg-mcg TABLET <b>MO</b>	1	
portia 28 0.15-0.03 mg TABLET <b>MO</b>	1	
PREFEST 1 MG (15)/1 MG- 0.09 MG (15) TABLET <b>MO</b>	1	
PREMARIN 0.3 MG, 0.45 MG, 0.625 MG, 0.9 MG, 1.25 MG TABLET <b>MO</b>	3	
PREMARIN 0.625 MG/GRAM CREAM <b>MO</b>	2	
PREMARIN 25 MG RECON SOLUTION <b>MO</b>	3	
PREMPHASE 0.625 MG (14)/ 0.625MG-5MG(14) TABLET <b>MO</b>	3	
PREMPRO 0.3-1.5 MG, 0.45-1.5 MG, 0.625-2.5 MG, 0.625-5 MG TABLET <b>MO</b>	3	
previfem 0.25-35 mg-mcg TABLET <b>MO</b>	1	
progesterone 50 mg/ml OIL <b>MO</b>	1	
progesterone micronized 100 mg, 200 mg CAPSULE <b>MO</b>	1	
PROMETRIUM 100 MG, 200 MG CAPSULE <b>MO</b>	3	
PROVERA 10 MG, 2.5 MG, 5 MG TABLET <b>MO</b>	3	
QUARTETTE 0.15 MG-20 MCG/ 0.15 MG-25 MCG TABLET, DOSE PACK, 3 MONTH <b>MO</b>	3	QL(91 per 90 days)

Need more information about the indicators displayed by the drug names? Please go to page 9. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • MO – Mail Order • PA - Prior Authorization • QL - Quantity Limit • ST - Step Therapy  
\$0 - Vaccine/Diabetic • DL - Dispensing Limit • LA - Limited Access

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
raloxifene 60 mg TABLET <b>MO</b>	1	QL(30 per 30 days)
reclipsen (28) 0.15-0.03 mg TABLET <b>MO</b>	1	
rivelsa 0.15 mg-20 mcg / 0.15 mg-25 mcg TABLET, DOSE PACK, 3 MONTH <b>MO</b>	1	QL(91 per 90 days)
SAFYRAL 3-0.03-0.451 MG (21) (7) TABLET <b>MO</b>	3	
SEASONIQUE 0.15 MG-30 MCG (84)/10 MCG (7) TABLET, DOSE PACK, 3 MONTH <b>MO</b>	3	QL(91 per 90 days)
setlakin 0.15 mg-30 mcg (91) TABLET, DOSE PACK, 3 MONTH <b>MO</b>	1	QL(91 per 90 days)
sharobel 0.35 mg TABLET <b>MO</b>	1	
simliya (28) 0.15-0.02 mgx21 /0.01 mg x 5 TABLET <b>MO</b>	1	
simpesse 0.15 mg-30 mcg (84)/10 mcg (7) TABLET, DOSE PACK, 3 MONTH <b>MO</b>	1	QL(91 per 90 days)
SLYND 4 MG (28) TABLET <b>MO</b>	3	
sprintec (28) 0.25-35 mg-mcg TABLET <b>MO</b>	1	
sronyx 0.1-20 mg-mcg TABLET <b>MO</b>	1	
syeda 3-0.03 mg TABLET <b>MO</b>	1	
tarina 24 fe 1 mg-20 mcg (24)/75 mg (4) TABLET <b>MO</b>	1	
tarina fe 1-20 eq (28) 1 mg-20 mcg (21)/75 mg (7) TABLET <b>MO</b>	1	
tarina fe 1/20 (28) 1 mg-20 mcg (21)/75 mg (7) TABLET <b>MO</b>	1	
taysofy 1 mg-20 mcg (24)/75 mg (4) CAPSULE <b>MO</b>	1	
TAYTULLA 1 MG-20 MCG (24)/75 MG (4) CAPSULE <b>MO</b>	3	
TESTIM 50 MG/5 GRAM (1 %) GEL <b>MO</b>	3	PA,QL(300 per 30 days)
testosterone 1 % (25 mg/2.5gram), 1 % (50 mg/5 gram) GEL IN PACKET <b>MO</b>	1	PA,QL(300 per 30 days)
testosterone 1.62 % (20.25 mg/1.25 gram) GEL IN PACKET <b>MO</b>	1	PA,QL(37.5 per 30 days)
testosterone 1.62 % (40.5 mg/2.5 gram) GEL IN PACKET <b>MO</b>	1	PA,QL(150 per 30 days)
testosterone 10 mg/0.5 gram /actuation GEL IN METERED DOSE PUMP <b>MO</b>	1	PA,QL(120 per 30 days)
testosterone 12.5 mg/ 1.25 gram (1 %) GEL IN METERED DOSE PUMP <b>MO</b>	1	PA,QL(300 per 30 days)
testosterone 20.25 mg/1.25 gram (1.62 %) GEL IN METERED DOSE PUMP <b>MO</b>	1	PA,QL(150 per 30 days)
testosterone 30 mg/actuation (1.5 ml) SOLUTION IN METERED DOSE PUMP <b>MO</b>	3	PA,QL(180 per 30 days)
testosterone 50 mg/5 gram (1 %) GEL <b>MO</b>	3	PA,QL(300 per 30 days)
testosterone cypionate 100 mg/ml, 200 mg/ml OIL <b>MO</b>	1	
testosterone enanthate 200 mg/ml OIL <b>MO</b>	1	QL(24 per 90 days)
TESTRED 10 MG CAPSULE	4	
tilia fe 1-20(5)/1-30(7) /1mg-35mcg (9) TABLET <b>MO</b>	1	
TLANDO 112.5 MG CAPSULE <b>MO</b>	3	PA,QL(120 per 30 days)
tri femynor 0.18/0.215/0.25 mg-35 mcg (28) TABLET <b>MO</b>	1	
tri-estarrylla 0.18/0.215/0.25 mg-35 mcg (28) TABLET <b>MO</b>	1	
tri-legest fe 1-20(5)/1-30(7) /1mg-35mcg (9) TABLET <b>MO</b>	1	

Need more information about the indicators displayed by the drug names? Please go to page 9. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • MO – Mail Order • PA - Prior Authorization • QL - Quantity Limit • ST - Step Therapy  
\$0 - Vaccine/Diabetic • DL - Dispensing Limit • LA - Limited Access

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
tri-linyah 0.18/0.215/0.25 mg-35 mcg (28) TABLET <b>MO</b>	1	
tri-lo-estarrylla 0.18/0.215/0.25 mg-25 mcg TABLET <b>MO</b>	1	
tri-lo-marzia 0.18/0.215/0.25 mg-25 mcg TABLET <b>MO</b>	1	
tri-lo-mili 0.18/0.215/0.25 mg-25 mcg TABLET <b>MO</b>	1	
tri-lo-sprintec 0.18/0.215/0.25 mg-25 mcg TABLET <b>MO</b>	1	
tri-mili 0.18/0.215/0.25 mg-35 mcg (28) TABLET <b>MO</b>	1	
tri-nymyo 0.18/0.215/0.25 mg-35 mcg (28) TABLET <b>MO</b>	1	
tri-previfem (28) 0.18/0.215/0.25 mg-35 mcg (28) TABLET <b>MO</b>	1	
tri-sprintec (28) 0.18/0.215/0.25 mg-35 mcg (28) TABLET <b>MO</b>	1	
tri-vylibra 0.18/0.215/0.25 mg-35 mcg (28) TABLET <b>MO</b>	1	
tri-vylibra lo 0.18/0.215/0.25 mg-25 mcg TABLET <b>MO</b>	1	
trivora (28) 50-30 (6)/75-40 (5)/125-30(10) TABLET <b>MO</b>	1	
tulana 0.35 mg TABLET <b>MO</b>	1	
TYBLUME 0.1 MG- 20 MCG CHEWABLE TABLET <b>MO</b>	3	
tydemy 3-0.03-0.451 mg (21) (7) TABLET <b>MO</b>	1	
VAGIFEM 10 MCG TABLET <b>MO</b>	3	PA
velivet triphasic regimen (28) 0.1/.125/.15-25 mg-mcg TABLET <b>MO</b>	1	
vestura (28) 3-0.02 mg TABLET <b>MO</b>	1	
vienna 0.1-20 mg-mcg TABLET <b>MO</b>	1	
viorele (28) 0.15-0.02 mgx21 /0.01 mg x 5 TABLET <b>MO</b>	1	
VIVELLE-DOT 0.025 MG/24 HR, 0.0375 MG/24 HR, 0.05 MG/24 HR, 0.075 MG/24 HR, 0.1 MG/24 HR PATCH, SEMIWEEKLY <b>MO</b>	3	QL(8 per 28 days)
VOGELXO 1 % (50 MG/5 GRAM) GEL IN PACKET <b>MO</b>	3	PA,QL(300 per 30 days)
VOGELXO 12.5 MG/ 1.25 GRAM (1 %) GEL IN METERED DOSE PUMP <b>MO</b>	3	PA,QL(300 per 30 days)
VOGELXO 50 MG/5 GRAM (1 %) GEL <b>MO</b>	3	PA,QL(300 per 30 days)
volnea (28) 0.15-0.02 mgx21 /0.01 mg x 5 TABLET <b>MO</b>	1	
vyfemla (28) 0.4-35 mg-mcg TABLET <b>MO</b>	1	
vylibra 0.25-35 mg-mcg TABLET <b>MO</b>	1	
wera (28) 0.5-35 mg-mcg TABLET <b>MO</b>	1	
wymzya fe 0.4mg-35mcg(21) and 75 mg (7) CHEWABLE TABLET <b>MO</b>	1	
xulane 150-35 mcg/24 hr PATCH, WEEKLY <b>MO</b>	1	QL(3 per 28 days)
XYOSTED 100 MG/0.5 ML, 50 MG/0.5 ML, 75 MG/0.5 ML AUTO-INJECTOR <b>MO</b>	3	PA,QL(2 per 28 days)
YASMIN (28) 3-0.03 MG TABLET <b>MO</b>	3	
YAZ (28) 3-0.02 MG TABLET <b>MO</b>	3	
yuvafem 10 mcg TABLET <b>MO</b>	1	
zafemy 150-35 mcg/24 hr PATCH, WEEKLY <b>MO</b>	1	QL(3 per 28 days)

Need more information about the indicators displayed by the drug names? Please go to page 9. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • MO – Mail Order • PA - Prior Authorization • QL - Quantity Limit • ST - Step Therapy  
\$0 - Vaccine/Diabetic • DL - Dispensing Limit • LA - Limited Access

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
zarah 3-0.03 mg TABLET <b>MO</b>	1	
zovia 1-35 (28) 1-35 mg-mcg TABLET <b>MO</b>	1	
zovia 1/35e (28) 1-35 mg-mcg TABLET <b>MO</b>	1	
zumandimine (28) 3-0.03 mg TABLET <b>MO</b>	1	
<b>Hormonal Agents, Stimulant/replacement/modifying (thyroid)</b>		
ARMOUR THYROID 120 MG, 15 MG, 180 MG, 240 MG, 30 MG, 300 MG, 60 MG, 90 MG TABLET <b>MO</b>	2	
CYTOMEL 25 MCG, 5 MCG, 50 MCG TABLET <b>MO</b>	3	
ERMEZA 30 MCG/ML SOLUTION <b>MO</b>	3	
EUTHYROX 100 MCG, 112 MCG, 125 MCG, 137 MCG, 150 MCG, 175 MCG, 200 MCG, 25 MCG, 50 MCG, 75 MCG, 88 MCG TABLET <b>MO</b>	1	
LEVO-T 100 MCG, 112 MCG, 125 MCG, 137 MCG, 150 MCG, 175 MCG, 200 MCG, 25 MCG, 300 MCG, 50 MCG, 75 MCG, 88 MCG TABLET <b>MO</b>	2	
levothyroxine 100 mcg RECON SOLUTION <b>MO</b>	1	
levothyroxine 100 mcg, 112 mcg, 125 mcg, 13 mcg, 137 mcg, 150 mcg, 175 mcg, 200 mcg, 25 mcg, 50 mcg, 75 mcg, 88 mcg CAPSULE <b>MO</b>	1	
levothyroxine 100 mcg, 112 mcg, 125 mcg, 137 mcg, 150 mcg, 25 mcg, 50 mcg, 75 mcg, 88 mcg TABLET <b>MO</b>	1	
levothyroxine 100 mcg/ml, 20 mcg/ml, 40 mcg/ml SOLUTION <b>MO</b>	1	
levothyroxine 175 mcg, 200 mcg, 300 mcg TABLET <b>MO</b>	1	
levothyroxine 200 mcg, 500 mcg RECON SOLUTION <b>DL</b>	4	
LEVOXYL 100 MCG, 112 MCG, 125 MCG, 137 MCG, 150 MCG, 175 MCG, 200 MCG, 25 MCG, 50 MCG, 75 MCG, 88 MCG TABLET <b>MO</b>	1	
liothyronine 10 mcg/ml SOLUTION <b>MO</b>	1	
liothyronine 25 mcg, 5 mcg, 50 mcg TABLET <b>MO</b>	1	
SYNTHROID 100 MCG, 112 MCG, 125 MCG, 137 MCG, 150 MCG, 175 MCG, 200 MCG, 25 MCG, 300 MCG, 50 MCG, 75 MCG, 88 MCG TABLET <b>MO</b>	2	
THYQUIDITY 20 MCG/ML SOLUTION <b>MO</b>	3	
TIROSINT 100 MCG, 112 MCG, 125 MCG, 13 MCG, 137 MCG, 150 MCG, 175 MCG, 200 MCG, 25 MCG, 50 MCG, 75 MCG, 88 MCG CAPSULE <b>MO</b>	3	
TIROSINT-SOL 100 MCG/ML, 112 MCG/ML, 125 MCG/ML, 13 MCG/ML, 137 MCG/ML, 150 MCG/ML, 175 MCG/ML, 200 MCG/ML, 25 MCG/ML, 37.5 MCG/ML, 44 MCG/ML, 50 MCG/ML, 62.5 MCG/ML, 75 MCG/ML, 88 MCG/ML SOLUTION <b>MO</b>	3	
TRIOSTAT 10 MCG/ML SOLUTION <b>MO</b>	3	
UNITHROID 100 MCG, 112 MCG, 125 MCG, 137 MCG, 150 MCG, 175 MCG, 200 MCG, 25 MCG, 300 MCG, 50 MCG, 75 MCG, 88 MCG TABLET <b>MO</b>	2	

Need more information about the indicators displayed by the drug names? Please go to page 9. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • MO - Mail Order • PA - Prior Authorization • QL - Quantity Limit • ST - Step Therapy  
\$0 - Vaccine/Diabetic • DL - Dispensing Limit • LA - Limited Access

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
<b>Hormonal Agents, Suppressant (adrenal)</b>		
LYSODREN 500 MG TABLET <b>DL</b>	4	
<b>Hormonal Agents, Suppressant (pituitary)</b>		
BYNFEZIA 2,500 MCG/ML PEN INJECTOR <b>DL</b>	4	PA
cabergoline 0.5 mg TABLET <b>MO</b>	1	QL(16 per 28 days)
ELIGARD 7.5 MG (1 MONTH) SYRINGE <b>MO</b>	3	PA
ELIGARD (3 MONTH) 22.5 MG SYRINGE <b>MO</b>	3	PA
ELIGARD (4 MONTH) 30 MG SYRINGE <b>MO</b>	3	PA
ELIGARD (6 MONTH) 45 MG SYRINGE <b>MO</b>	3	PA
FENSOLVI 45 MG SYRINGE	4	PA,QL(1 per 180 days)
FIRMAGON 120 MG RECON SOLUTION <b>DL</b>	4	PA
FIRMAGON KIT W DILUENT SYRINGE 120 MG RECON SOLUTION <b>DL</b>	4	PA
FIRMAGON KIT W DILUENT SYRINGE 80 MG RECON SOLUTION <b>MO</b>	3	PA
lanreotide 120 mg/0.5 ml SYRINGE <b>DL</b>	4	PA,QL(0.5 per 28 days)
leuprolide 1 mg/0.2 ml KIT <b>MO</b>	1	
leuprolide (3 month) 22.5 mg SUSPENSION FOR RECONSTITUTION <b>MO</b>	3	PA,QL(1 per 90 days)
LUPANETA PACK (1 MONTH) 3.75 MG -5 MG (30) KIT, SYRINGE/TABLET <b>DL</b>	4	PA,QL(1 per 30 days)
LUPANETA PACK (3 MONTH) 11.25 MG -5 MG (90) KIT, SYRINGE/TABLET	4	PA,QL(1 per 90 days)
LUPRON DEPOT 3.75 MG SYRINGE KIT <b>MO</b>	3	PA,QL(1 per 30 days)
LUPRON DEPOT 7.5 MG SYRINGE KIT <b>DL</b>	4	PA,QL(1 per 30 days)
LUPRON DEPOT (3 MONTH) 11.25 MG, 22.5 MG SYRINGE KIT <b>MO</b>	3	PA,QL(1 per 90 days)
LUPRON DEPOT (4 MONTH) 30 MG SYRINGE KIT <b>MO</b>	3	PA,QL(1 per 112 days)
LUPRON DEPOT (6 MONTH) 45 MG SYRINGE KIT	4	PA,QL(1 per 168 days)
LUPRON DEPOT-PED 11.25 MG KIT <b>DL</b>	4	PA,QL(1 per 28 days)
LUPRON DEPOT-PED 15 MG, 7.5 MG (PED) KIT <b>DL</b>	4	PA,QL(1 per 28 days)
LUPRON DEPOT-PED (3 MONTH) 11.25 MG, 30 MG SYRINGE KIT	4	PA,QL(1 per 90 days)
MYCAPSSA 20 MG CAPSULE, DR/EC <b>DL</b>	4	PA,QL(112 per 28 days)
octreotide acetate 1,000 mcg/ml, 100 mcg/ml, 200 mcg/ml, 50 mcg/ml, 500 mcg/ml SOLUTION <b>MO</b>	1	PA
octreotide acetate 100 mcg/ml (1 ml), 50 mcg/ml (1 ml), 500 mcg/ml (1 ml) SYRINGE <b>MO</b>	1	PA
ORGOVYX 120 MG TABLET <b>DL</b>	4	PA,QL(32 per 30 days)
ORILISSA 150 MG TABLET <b>DL</b>	4	PA,QL(28 per 28 days)
ORILISSA 200 MG TABLET <b>DL</b>	4	PA,QL(56 per 28 days)
SANDOSTATIN 100 MCG/ML, 50 MCG/ML, 500 MCG/ML SOLUTION <b>DL</b>	4	PA
SANDOSTATIN LAR DEPOT 10 MG, 20 MG, 30 MG SUSPENSION, ER, RECON <b>DL</b>	4	PA

Need more information about the indicators displayed by the drug names? Please go to page 9. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • MO – Mail Order • PA - Prior Authorization • QL - Quantity Limit • ST - Step Therapy  
\$0 - Vaccine/Diabetic • DL - Dispensing Limit • LA - Limited Access

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
SIGNIFOR 0.3 MG/ML (1 ML), 0.6 MG/ML (1 ML), 0.9 MG/ML (1 ML) SOLUTION <b>DL</b>	4	PA,QL(60 per 30 days)
SIGNIFOR LAR 10 MG, 20 MG, 30 MG, 40 MG, 60 MG SUSPENSION FOR RECONSTITUTION <b>DL</b>	4	PA,QL(1 per 28 days)
SOMATULINE DEPOT 120 MG/0.5 ML SYRINGE <b>DL</b>	4	PA,QL(0.5 per 28 days)
SOMATULINE DEPOT 60 MG/0.2 ML SYRINGE <b>DL</b>	4	PA,QL(0.2 per 28 days)
SOMATULINE DEPOT 90 MG/0.3 ML SYRINGE <b>DL</b>	4	PA,QL(0.3 per 28 days)
SOMAVERT 10 MG, 15 MG, 20 MG RECON SOLUTION <b>DL</b>	4	PA,QL(60 per 30 days)
SOMAVERT 25 MG, 30 MG RECON SOLUTION <b>DL</b>	4	PA,QL(30 per 30 days)
SYNAREL 2 MG/ML SPRAY, NON-AEROSOL <b>DL</b>	4	
TRELSTAR 11.25 MG, 22.5 MG SUSPENSION FOR RECONSTITUTION	4	PA
TRELSTAR 3.75 MG SUSPENSION FOR RECONSTITUTION <b>DL</b>	4	PA
TRIPTODUR 22.5 MG SUSPENSION FOR RECONSTITUTION	4	PA,QL(1 per 168 days)
ZOLADEX 10.8 MG IMPLANT <b>MO</b>	3	PA,QL(1 per 84 days)
ZOLADEX 3.6 MG IMPLANT <b>MO</b>	3	PA,QL(1 per 28 days)
<b>Hormonal Agents, Suppressant (thyroid)</b>		
methimazole 10 mg, 5 mg TABLET <b>MO</b>	1	
propylthiouracil 50 mg TABLET <b>MO</b>	1	
TAPAZOLE 10 MG, 5 MG TABLET <b>MO</b>	1	
<b>Immunological Agents</b>		
ACTEMRA 162 MG/0.9 ML SYRINGE <b>DL</b>	4	PA,QL(3.6 per 28 days)
ACTEMRA ACTPEN 162 MG/0.9 ML PEN INJECTOR <b>DL</b>	4	PA,QL(3.6 per 28 days)
ACTHIB (PF) 10 MCG/0.5 ML RECON SOLUTION <b>\$0,DL</b>	1	
ACTIMMUNE 100 MCG/0.5 ML SOLUTION <b>DL</b>	4	PA
ADACEL(TDAP ADOLESN/ADULT)(PF) 2 LF-(2.5-5-3-5 MCG)-5LF/0.5 ML SUSPENSION <b>\$0,DL</b>	1	
ADACEL(TDAP ADOLESN/ADULT)(PF) 2 LF-(2.5-5-3-5 MCG)-5LF/0.5 ML SYRINGE <b>\$0,DL</b>	1	
ADBRY 150 MG/ML SYRINGE <b>DL</b>	4	PA,QL(6 per 28 days)
ARAVA 10 MG, 20 MG TABLET	4	PA,QL(30 per 30 days)
ARCALYST 220 MG RECON SOLUTION	4	PA
ASCENIV 10 % SOLUTION <b>DL</b>	4	PA
ASTAGRAF XL 0.5 MG, 1 MG, 5 MG CAPSULE, ER 24 HR. <b>MO</b>	3	BvsD
ATGAM 50 MG/ML SOLUTION	4	PA
AVSOLA 100 MG RECON SOLUTION <b>DL</b>	4	PA
AZASAN 100 MG, 75 MG TABLET <b>MO</b>	1	BvsD

Need more information about the indicators displayed by the drug names? Please go to page 9. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • MO – Mail Order • PA - Prior Authorization • QL - Quantity Limit • ST - Step Therapy  
\$0 - Vaccine/Diabetic • DL - Dispensing Limit • LA - Limited Access

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
azathioprine 100 mg, 50 mg, 75 mg TABLET <b>MO</b>	1	BvsD
azathioprine sodium 100 mg RECON SOLUTION <b>MO</b>	1	BvsD
BCG VACCINE, LIVE (PF) 50 MG SUSPENSION FOR RECONSTITUTION <b>\$0,DL</b>	1	
BENLYSTA 120 MG RECON SOLUTION <b>DL</b>	4	PA,QL(20 per 28 days)
BENLYSTA 200 MG/ML AUTO-INJECTOR <b>DL</b>	4	PA,QL(8 per 28 days)
BENLYSTA 200 MG/ML SYRINGE <b>DL</b>	4	PA,QL(8 per 28 days)
BENLYSTA 400 MG RECON SOLUTION <b>DL</b>	4	PA,QL(6 per 28 days)
BERINERT 500 UNIT (10 ML) KIT <b>DL</b>	4	PA,QL(15 per 30 days)
BERINERT 500 UNIT (10 ML) RECON SOLUTION <b>DL</b>	4	PA,QL(15 per 30 days)
BESREMI 500 MCG/ML SYRINGE <b>DL</b>	4	PA,QL(2 per 28 days)
BEXSERO 50-50-50-25 MCG/0.5 ML SYRINGE <b>\$0,DL</b>	1	
BIVIGAM 10 % SOLUTION <b>DL</b>	4	PA
BOOSTRIX TDAP 2.5-8-5 LF-MCG-LF/0.5ML SUSPENSION <b>\$0,DL</b>	1	
BOOSTRIX TDAP 2.5-8-5 LF-MCG-LF/0.5ML SYRINGE <b>\$0,DL</b>	1	
CELLCEPT 200 MG/ML SUSPENSION FOR RECONSTITUTION	4	BvsD
CELLCEPT 250 MG CAPSULE	4	BvsD
CELLCEPT 500 MG TABLET	4	BvsD
CELLCEPT INTRAVENOUS 500 MG RECON SOLUTION <b>MO</b>	3	BvsD
CIBINQO 100 MG, 200 MG, 50 MG TABLET <b>DL</b>	4	PA,QL(30 per 30 days)
CIMZIA 400 MG/2 ML (200 MG/ML X 2) SYRINGE KIT <b>DL</b>	4	PA,QL(3 per 30 days)
CIMZIA POWDER FOR RECONST 400 MG (200 MG X 2 VIALS) KIT <b>DL</b>	4	PA,QL(3 per 30 days)
CIMZIA STARTER KIT 400 MG/2 ML (200 MG/ML X 2) SYRINGE KIT <b>DL</b>	4	PA,QL(3 per 30 days)
CINRYZE 500 UNIT (5 ML) RECON SOLUTION <b>DL</b>	4	PA,QL(20 per 30 days)
COSENTYX 150 MG/ML SYRINGE <b>DL</b>	4	PA,QL(8 per 28 days)
COSENTYX 75 MG/0.5 ML SYRINGE <b>DL</b>	4	PA,QL(2 per 28 days)
COSENTYX (2 SYRINGES) 150 MG/ML SYRINGE <b>DL</b>	4	PA,QL(8 per 28 days)
COSENTYX PEN 150 MG/ML PEN INJECTOR <b>DL</b>	4	PA,QL(8 per 28 days)
COSENTYX PEN (2 PENS) 150 MG/ML PEN INJECTOR <b>DL</b>	4	PA,QL(8 per 28 days)
CUTAQUIG 16.5 % SOLUTION <b>DL</b>	4	PA
cyclosporine 100 mg, 25 mg CAPSULE <b>MO</b>	1	BvsD
cyclosporine modified 100 mg, 25 mg, 50 mg CAPSULE <b>MO</b>	1	BvsD
cyclosporine modified 100 mg/ml SOLUTION <b>MO</b>	1	BvsD
CYTOGAM 50 MG/ML SOLUTION <b>DL</b>	4	PA
DAPTACEL (DTAP PEDIATRIC) (PF) 15-10-5 LF-MCG-LF/0.5ML SUSPENSION <b>\$0,DL</b>	1	

Need more information about the indicators displayed by the drug names? Please go to page 9. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • MO – Mail Order • PA - Prior Authorization • QL - Quantity Limit • ST - Step Therapy  
\$0 - Vaccine/Diabetic • DL - Dispensing Limit • LA - Limited Access

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
DENGVAXIA (PF) 10EXP4.5-6 CCID50/0.5 ML SUSPENSION FOR RECONSTITUTION <b>MO</b>	1	
DUPIXENT PEN 200 MG/1.14 ML PEN INJECTOR <b>DL</b>	4	PA,QL(3.42 per 28 days)
DUPIXENT PEN 300 MG/2 ML PEN INJECTOR <b>DL</b>	4	PA,QL(8 per 28 days)
DUPIXENT SYRINGE 100 MG/0.67 ML SYRINGE <b>DL</b>	4	PA,QL(1.34 per 28 days)
DUPIXENT SYRINGE 200 MG/1.14 ML SYRINGE <b>DL</b>	4	PA,QL(3.42 per 28 days)
DUPIXENT SYRINGE 300 MG/2 ML SYRINGE <b>DL</b>	4	PA,QL(8 per 28 days)
ENBREL 25 MG (1 ML) RECON SOLUTION <b>DL</b>	4	PA,QL(8 per 28 days)
ENBREL 25 MG/0.5 ML (0.5), 50 MG/ML (1 ML) SYRINGE <b>DL</b>	4	PA,QL(8 per 28 days)
ENBREL 25 MG/0.5 ML SOLUTION <b>DL</b>	4	PA,QL(8 per 28 days)
ENBREL MINI 50 MG/ML (1 ML) CARTRIDGE <b>DL</b>	4	PA,QL(8 per 28 days)
ENBREL SURECLICK 50 MG/ML (1 ML) PEN INJECTOR <b>DL</b>	4	PA,QL(8 per 28 days)
ENGERIX-B (PF) 20 MCG/ML SUSPENSION <b>\$0,DL</b>	1	BvsD
ENGERIX-B (PF) 20 MCG/ML SYRINGE <b>\$0,DL</b>	1	BvsD
ENGERIX-B PEDIATRIC (PF) 10 MCG/0.5 ML SYRINGE <b>\$0,DL</b>	1	BvsD
ENJAYMO 50 MG/ML SOLUTION <b>DL</b>	4	PA
ENSPRYNG 120 MG/ML SYRINGE <b>DL</b>	4	PA,QL(2 per 28 days)
ENTYVIO 300 MG RECON SOLUTION	4	PA,QL(8 per 365 days)
ENVARSUS XR 0.75 MG, 1 MG TABLET, ER 24 HR. <b>MO</b>	3	PA
ENVARSUS XR 4 MG TABLET, ER 24 HR. <b>MO</b>	3	PA
everolimus (immunosuppressive) 0.25 mg TABLET <b>MO</b>	1	BvsD,QL(60 per 30 days)
everolimus (immunosuppressive) 0.5 mg TABLET	4	BvsD,QL(120 per 30 days)
everolimus (immunosuppressive) 0.75 mg TABLET	4	BvsD,QL(60 per 30 days)
everolimus (immunosuppressive) 1 mg TABLET <b>DL</b>	4	BvsD,QL(60 per 30 days)
FIRAZYR 30 MG/3 ML SYRINGE <b>DL</b>	4	PA,QL(18 per 30 days)
FLEBOGAMMA DIF 10 %, 5 % SOLUTION <b>DL</b>	4	PA
GAMASTAN 15-18 % RANGE SOLUTION <b>MO</b>	3	PA
GAMASTAN S/D 15-18 % RANGE SOLUTION <b>MO</b>	3	PA
GAMIFANT 5 MG/ML SOLUTION <b>DL</b>	4	PA
GAMMAGARD LIQUID 10 % SOLUTION <b>DL</b>	4	PA
GAMMAGARD S-D (IGA < 1 MCG/ML) 10 GRAM, 5 GRAM RECON SOLUTION <b>DL</b>	4	PA
GAMMAKED 1 GRAM/10 ML (10 %), 10 GRAM/100 ML (10 %), 20 GRAM/200 ML (10 %), 5 GRAM/50 ML (10 %) SOLUTION <b>DL</b>	4	PA
GAMMAPLEX 10 % SOLUTION <b>DL</b>	4	PA
GAMMAPLEX (WITH SORBITOL) 5 % SOLUTION <b>DL</b>	4	PA
GAMUNEX-C 1 GRAM/10 ML (10 %) SOLUTION <b>DL</b>	4	PA

Need more information about the indicators displayed by the drug names? Please go to page 9. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • MO – Mail Order • PA - Prior Authorization • QL - Quantity Limit • ST - Step Therapy  
\$0 - Vaccine/Diabetic • DL - Dispensing Limit • LA - Limited Access

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
GAMUNEX-C 10 GRAM/100 ML (10 %), 2.5 GRAM/25 ML (10 %), 20 GRAM/200 ML (10 %), 40 GRAM/400 ML (10 %), 5 GRAM/50 ML (10 %) SOLUTION <b>DL</b>	4	PA
GARDASIL 9 (PF) 0.5 ML SUSPENSION <b>\$0,DL</b>	1	
GARDASIL 9 (PF) 0.5 ML SYRINGE <b>\$0,DL</b>	1	
gengraf 100 mg, 25 mg CAPSULE <b>MO</b>	1	BvsD
gengraf 100 mg/ml SOLUTION <b>MO</b>	1	BvsD
HAEGARDA 2,000 UNIT, 3,000 UNIT RECON SOLUTION <b>DL</b>	4	PA,QL(24 per 28 days)
HAVRIX (PF) 1,440 ELISA UNIT/ML, 720 ELISA UNIT/0.5 ML SYRINGE <b>\$0,DL</b>	1	
HIBERIX (PF) 10 MCG/0.5 ML RECON SOLUTION <b>\$0,DL</b>	1	
HIZENTRA 1 GRAM/5 ML (20 %), 10 GRAM/50 ML (20 %), 2 GRAM/10 ML (20 %), 4 GRAM/20 ML (20 %) SOLUTION <b>DL</b>	4	PA
HIZENTRA 1 GRAM/5 ML (20 %), 2 GRAM/10 ML (20 %), 4 GRAM/20 ML (20 %) SYRINGE <b>DL</b>	4	PA
HUMIRA 40 MG/0.8 ML SYRINGE KIT <b>DL</b>	4	PA,QL(6 per 28 days)
HUMIRA PEN 40 MG/0.8 ML PEN INJECTOR KIT <b>DL</b>	4	PA,QL(6 per 28 days)
HUMIRA PEN CROHNS-UC-HS START 40 MG/0.8 ML PEN INJECTOR KIT <b>DL</b>	4	PA,QL(6 per 28 days)
HUMIRA PEN PSOR-UVEITS-ADOL HS 40 MG/0.8 ML PEN INJECTOR KIT <b>DL</b>	4	PA,QL(6 per 28 days)
HUMIRA(CF) 10 MG/0.1 ML SYRINGE KIT <b>DL</b>	4	PA,QL(2 per 28 days)
HUMIRA(CF) 20 MG/0.2 ML, 40 MG/0.4 ML SYRINGE KIT <b>DL</b>	4	PA,QL(6 per 28 days)
HUMIRA(CF) PEDI CROHNS STARTER 80 MG/0.8 ML, 80 MG/0.8 ML-40 MG/0.4 ML SYRINGE KIT <b>DL</b>	4	PA,QL(6 per 28 days)
HUMIRA(CF) PEN 40 MG/0.4 ML, 80 MG/0.8 ML PEN INJECTOR KIT <b>DL</b>	4	PA,QL(6 per 28 days)
HUMIRA(CF) PEN CROHNS-UC-HS 80 MG/0.8 ML PEN INJECTOR KIT <b>DL</b>	4	PA,QL(6 per 28 days)
HUMIRA(CF) PEN PEDIATRIC UC 80 MG/0.8 ML PEN INJECTOR KIT <b>DL</b>	4	PA,QL(6 per 28 days)
HUMIRA(CF) PEN PSOR-UV-ADOL HS 80 MG/0.8 ML-40 MG/0.4 ML PEN INJECTOR KIT <b>DL</b>	4	PA,QL(6 per 28 days)
HYPERRAB (PF) 300 UNIT/ML SOLUTION <b>DL</b>	4	BvsD
HYPERRAB S/D (PF) 150 UNIT/ML SOLUTION <b>DL</b>	4	BvsD
HYPERTET (PF) 250 UNIT/ML SYRINGE <b>MO</b>	3	BvsD
icatibant 30 mg/3 ml SYRINGE <b>DL</b>	4	PA,QL(18 per 30 days)
ILUMYA 100 MG/ML SYRINGE	4	PA,QL(6 per 365 days)
IMOGRAB RABIES-HT (PF) 150 UNIT/ML SOLUTION <b>MO</b>	3	BvsD
IMOVAX RABIES VACCINE (PF) 2.5 UNIT RECON SOLUTION <b>\$0,DL</b>	1	BvsD
IMURAN 50 MG TABLET <b>MO</b>	3	PA
INFANRIX (DTAP) (PF) 25-58-10 LF-MCG-LF/0.5ML SUSPENSION <b>\$0,DL</b>	1	
INFANRIX (DTAP) (PF) 25-58-10 LF-MCG-LF/0.5ML SYRINGE <b>\$0,DL</b>	1	

Need more information about the indicators displayed by the drug names? Please go to page 9. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • MO – Mail Order • PA - Prior Authorization • QL - Quantity Limit • ST - Step Therapy  
\$0 - Vaccine/Diabetic • DL - Dispensing Limit • LA - Limited Access

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
INFLECTRA 100 MG RECON SOLUTION <b>DL</b>	4	PA
INFLIXIMAB 100 MG RECON SOLUTION <b>DL</b>	4	PA
INTRON A 10 MILLION UNIT (1 ML), 18 MILLION UNIT (1 ML) RECON SOLUTION <b>MO</b>	3	PA
INTRON A 10 MILLION UNIT/ML, 6 MILLION UNIT/ML SOLUTION <b>DL</b>	4	PA
INTRON A 50 MILLION UNIT (1 ML) RECON SOLUTION <b>MO</b>	2	PA
IPOL 40-8-32 UNIT/0.5 ML SUSPENSION <b>\$0,DL</b>	1	
IXIARO (PF) 6 MCG/0.5 ML SYRINGE <b>\$0,DL</b>	1	
KEDRAB (PF) 150 UNIT/ML SOLUTION <b>DL</b>	4	BvsD
KEVZARA 150 MG/1.14 ML, 200 MG/1.14 ML PEN INJECTOR <b>DL</b>	4	PA,QL(2.28 per 28 days)
KEVZARA 150 MG/1.14 ML, 200 MG/1.14 ML SYRINGE <b>DL</b>	4	PA,QL(2.28 per 28 days)
KINERET 100 MG/0.67 ML SYRINGE <b>DL</b>	4	PA,QL(20.1 per 30 days)
KINRIX (PF) 25 LF-58 MCG-10 LF/0.5 ML SUSPENSION <b>\$0,DL</b>	1	
KINRIX (PF) 25 LF-58 MCG-10 LF/0.5 ML SYRINGE <b>\$0,DL</b>	1	
leflunomide 10 mg, 20 mg TABLET <b>MO</b>	1	QL(30 per 30 days)
LUPKYNIS 7.9 MG CAPSULE <b>DL</b>	4	PA,QL(180 per 30 days)
M-M-R II (PF) 1,000-12,500 TCID50/0.5 ML RECON SOLUTION <b>\$0,DL</b>	1	
MENACTRA (PF) 4 MCG/0.5 ML SOLUTION <b>\$0,DL</b>	1	
MENQUADFI (PF) 10 MCG/0.5 ML SOLUTION <b>\$0,MO</b>	1	
MENVEO A-C-Y-W-135-DIP (PF) 10-5 MCG/0.5 ML KIT <b>\$0,DL</b>	1	
MENVEO A-C-Y-W-135-DIP (PF) 10-5 MCG/0.5 ML SOLUTION <b>\$0,DL</b>	1	
methotrexate sodium 2.5 mg TABLET <b>MO</b>	1	BvsD
methotrexate sodium 25 mg/ml SOLUTION <b>MO</b>	1	
methotrexate sodium (pf) 1 gram RECON SOLUTION <b>MO</b>	1	
methotrexate sodium (pf) 25 mg/ml SOLUTION <b>MO</b>	1	
MONJUVI 200 MG RECON SOLUTION <b>DL</b>	4	PA
mycophenolate mofetil 200 mg/ml SUSPENSION FOR RECONSTITUTION <b>MO</b>	1	BvsD
mycophenolate mofetil 250 mg CAPSULE <b>MO</b>	1	BvsD
mycophenolate mofetil 500 mg TABLET <b>MO</b>	1	BvsD
mycophenolate mofetil (hcl) 500 mg RECON SOLUTION <b>MO</b>	1	BvsD
mycophenolate sodium 180 mg, 360 mg TABLET, DR/EC <b>MO</b>	1	BvsD
MYFORTIC 180 MG TABLET, DR/EC <b>MO</b>	3	BvsD
MYFORTIC 360 MG TABLET, DR/EC	4	BvsD
NEORAL 100 MG, 25 MG CAPSULE <b>MO</b>	3	BvsD
NEORAL 100 MG/ML SOLUTION <b>MO</b>	3	BvsD
OCTAGAM 10 %, 5 % SOLUTION <b>DL</b>	4	PA

Need more information about the indicators displayed by the drug names? Please go to page 9. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • MO – Mail Order • PA - Prior Authorization • QL - Quantity Limit • ST - Step Therapy  
\$0 - Vaccine/Diabetic • DL - Dispensing Limit • LA - Limited Access

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
OLUMIANT 1 MG, 2 MG, 4 MG TABLET <b>DL</b>	4	PA,QL(30 per 30 days)
ORENCIA 125 MG/ML SYRINGE <b>DL</b>	4	PA,QL(4 per 28 days)
ORENCIA 50 MG/0.4 ML SYRINGE <b>DL</b>	4	PA,QL(1.6 per 28 days)
ORENCIA 87.5 MG/0.7 ML SYRINGE <b>DL</b>	4	PA,QL(2.8 per 28 days)
ORENCIA CLICKJECT 125 MG/ML AUTO-INJECTOR <b>DL</b>	4	PA,QL(4 per 28 days)
ORLADEYO 110 MG, 150 MG CAPSULE <b>DL</b>	4	PA,QL(28 per 28 days)
OTREXUP (PF) 10 MG/0.4 ML, 12.5 MG/0.4 ML, 15 MG/0.4 ML, 17.5 MG/0.4 ML, 20 MG/0.4 ML, 22.5 MG/0.4 ML, 25 MG/0.4 ML AUTO-INJECTOR <b>MO</b>	3	PA,QL(1.6 per 28 days)
PANZYGA 10 % SOLUTION <b>DL</b>	4	PA
PEDIARIX (PF) 10 MCG-25LF-25 MCG-10LF/0.5 ML SYRINGE <b>\$0,DL</b>	1	
PEDVAX HIB (PF) 7.5 MCG/0.5 ML SOLUTION <b>\$0,DL</b>	1	
PEGASYS 180 MCG/0.5 ML SYRINGE <b>DL</b>	4	PA,QL(2 per 28 days)
PEGASYS 180 MCG/ML SOLUTION <b>DL</b>	4	PA,QL(4 per 28 days)
PEGINTRON 50 MCG/0.5 ML KIT <b>DL</b>	4	PA,QL(4 per 28 days)
PENTACEL (PF) 15 LF UNIT-20 MCG-5 LF/0.5 ML, 15LF-48MCG-62DU -10 MCG/0.5ML KIT <b>\$0,DL</b>	1	
PREHEVBRI (PF) 10 MCG/ML SUSPENSION <b>\$0,DL</b>	1	BvsD
PRIORIX (PF) 10EXP3.4-4.2- 3.3CCID50/0.5ML SUSPENSION FOR RECONSTITUTION <b>\$0,DL</b>	1	
PRIVIGEN 10 % SOLUTION <b>DL</b>	4	PA
PROGRAF 0.2 MG, 1 MG GRANULES IN PACKET <b>MO</b>	3	BvsD
PROGRAF 0.5 MG, 1 MG, 5 MG CAPSULE <b>MO</b>	3	BvsD
PROQUAD (PF) 10EXP3-4.3-3- 3.99 TCID50/0.5 SUSPENSION FOR RECONSTITUTION <b>\$0,DL</b>	1	
QUADRACEL (PF) 15 LF-48 MCG- 5 LF UNIT/0.5ML SUSPENSION <b>\$0,DL</b>	1	
QUADRACEL (PF) 15 LF-48 MCG- 5 LF UNIT/0.5ML SYRINGE <b>\$0,DL</b>	1	
RABAVERT (PF) 2.5 UNIT SUSPENSION FOR RECONSTITUTION <b>\$0,DL</b>	1	BvsD
RAPAMUNE 0.5 MG, 1 MG, 2 MG TABLET	4	BvsD
RAPAMUNE 1 MG/ML SOLUTION	4	BvsD
RASUVO (PF) 10 MG/0.2 ML AUTO-INJECTOR <b>MO</b>	3	PA,QL(0.8 per 28 days)
RASUVO (PF) 12.5 MG/0.25 ML AUTO-INJECTOR <b>MO</b>	3	PA,QL(1 per 28 days)
RASUVO (PF) 15 MG/0.3 ML AUTO-INJECTOR <b>MO</b>	3	PA,QL(1.2 per 28 days)
RASUVO (PF) 17.5 MG/0.35 ML AUTO-INJECTOR <b>MO</b>	3	PA,QL(1.4 per 28 days)
RASUVO (PF) 20 MG/0.4 ML AUTO-INJECTOR <b>MO</b>	3	PA,QL(1.6 per 28 days)
RASUVO (PF) 22.5 MG/0.45 ML AUTO-INJECTOR <b>MO</b>	3	PA,QL(1.8 per 28 days)
RASUVO (PF) 25 MG/0.5 ML AUTO-INJECTOR <b>MO</b>	3	PA,QL(2 per 28 days)
RASUVO (PF) 30 MG/0.6 ML AUTO-INJECTOR <b>MO</b>	3	PA,QL(2.4 per 28 days)

Need more information about the indicators displayed by the drug names? Please go to page 9. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • MO – Mail Order • PA - Prior Authorization • QL - Quantity Limit • ST - Step Therapy  
\$0 – Vaccine/Diabetic • DL – Dispensing Limit • LA – Limited Access

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
RASUVO (PF) 7.5 MG/0.15 ML AUTO-INJECTOR <b>MO</b>	3	PA,QL(0.6 per 28 days)
RECOMBIVAX HB (PF) 10 MCG/ML, 40 MCG/ML, 5 MCG/0.5 ML SUSPENSION <b>\$0,DL</b>	1	BvsD
RECOMBIVAX HB (PF) 10 MCG/ML, 5 MCG/0.5 ML SYRINGE <b>\$0,DL</b>	1	BvsD
REDITREX (PF) 10 MG/0.4 ML SYRINGE <b>MO</b>	3	PA,QL(1.6 per 28 days)
REDITREX (PF) 12.5 MG/0.5 ML SYRINGE <b>MO</b>	3	PA,QL(2 per 28 days)
REDITREX (PF) 15 MG/0.6 ML SYRINGE <b>MO</b>	3	PA,QL(2.4 per 28 days)
REDITREX (PF) 17.5 MG/0.7 ML SYRINGE <b>MO</b>	3	PA,QL(2.8 per 28 days)
REDITREX (PF) 20 MG/0.8 ML SYRINGE <b>MO</b>	3	PA,QL(3.2 per 28 days)
REDITREX (PF) 22.5 MG/0.9 ML SYRINGE <b>MO</b>	3	PA,QL(3.6 per 28 days)
REDITREX (PF) 25 MG/ML SYRINGE <b>MO</b>	3	PA,QL(4 per 28 days)
REDITREX (PF) 7.5 MG/0.3 ML SYRINGE <b>MO</b>	3	PA,QL(1.2 per 28 days)
REMICADE 100 MG RECON SOLUTION <b>DL</b>	4	PA
RENFLEXIS 100 MG RECON SOLUTION <b>DL</b>	4	PA
REZUROCK 200 MG TABLET <b>DL</b>	4	PA,QL(30 per 30 days)
RHOPHYLAC 1,500 UNIT (300 MCG)/2 ML SYRINGE <b>MO</b>	3	
RIDAURA 3 MG CAPSULE	4	PA
RINVOQ 15 MG, 30 MG TABLET, ER 24 HR. <b>DL</b>	4	PA,QL(30 per 30 days)
RINVOQ 45 MG TABLET, ER 24 HR. <b>DL</b>	4	PA,QL(56 per 365 days)
ROTARIX 10EXP6 CCID50/ML SUSPENSION FOR RECONSTITUTION <b>\$0,DL</b>	1	
ROTATEQ VACCINE 2 ML SOLUTION <b>\$0,DL</b>	1	
RUCONEST 2,100 UNIT RECON SOLUTION <b>DL</b>	4	PA,QL(8 per 28 days)
sajazir 30 mg/3 ml SYRINGE <b>DL</b>	4	PA,QL(18 per 30 days)
SANDIMMUNE 100 MG, 25 MG CAPSULE <b>MO</b>	3	BvsD
SANDIMMUNE 100 MG/ML SOLUTION <b>MO</b>	3	BvsD
SAPHNELO 300 MG/2 ML (150 MG/ML) SOLUTION <b>DL</b>	4	PA,QL(2 per 28 days)
SHINGRIX (PF) 50 MCG/0.5 ML SUSPENSION FOR RECONSTITUTION <b>\$0,DL</b>	1	
SILIQ 210 MG/1.5 ML SYRINGE <b>DL</b>	4	PA,QL(6 per 28 days)
SIMPONI 100 MG/ML PEN INJECTOR <b>DL</b>	4	PA,QL(3 per 28 days)
SIMPONI 100 MG/ML SYRINGE <b>DL</b>	4	PA,QL(3 per 28 days)
SIMPONI 50 MG/0.5 ML PEN INJECTOR <b>DL</b>	4	PA,QL(0.5 per 30 days)
SIMPONI 50 MG/0.5 ML SYRINGE <b>DL</b>	4	PA,QL(0.5 per 30 days)
SIMPONI ARIA 12.5 MG/ML SOLUTION <b>DL</b>	4	PA,QL(20 per 28 days)
SIMULECT 10 MG, 20 MG RECON SOLUTION <b>DL</b>	4	BvsD
sirolimus 0.5 mg, 1 mg, 2 mg TABLET <b>MO</b>	1	BvsD
sirolimus 1 mg/ml SOLUTION <b>MO</b>	1	BvsD

Need more information about the indicators displayed by the drug names? Please go to page 9. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • MO – Mail Order • PA - Prior Authorization • QL - Quantity Limit • ST - Step Therapy  
\$0 - Vaccine/Diabetic • DL - Dispensing Limit • LA - Limited Access

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
SKYRIZI 150 MG/ML PEN INJECTOR	4	PA,QL(6 per 365 days)
SKYRIZI 150 MG/ML SYRINGE	4	PA,QL(6 per 365 days)
SKYRIZI 150MG/1.66ML(75 MG/0.83 ML X2) SYRINGE KIT	4	PA,QL(6 per 365 days)
SKYRIZI 180 MG/1.2 ML (150 MG/ML) WEARABLE INJECTOR <b>DL</b>	4	PA,QL(8.4 per 365 days)
SKYRIZI 360 MG/2.4 ML (150 MG/ML) WEARABLE INJECTOR <b>DL</b>	4	PA,QL(16.8 per 365 days)
SKYRIZI 60 MG/ML SOLUTION <b>DL</b>	4	PA,QL(30 per 365 days)
SKYRIZI 75 MG/0.83 ML SYRINGE	4	PA,QL(9.96 per 365 days)
SOLIRIS 300 MG/30 ML SOLUTION <b>DL</b>	4	PA
SOTYKTU 6 MG TABLET <b>DL</b>	4	PA,QL(30 per 30 days)
SPEVIGO 60 MG/ML SOLUTION <b>DL</b>	4	PA,QL(30 per 84 days)
STELARA 130 MG/26 ML SOLUTION <b>DL</b>	4	PA,QL(104 per 30 days)
STELARA 45 MG/0.5 ML SOLUTION <b>DL</b>	4	PA,QL(1.5 per 84 days)
STELARA 45 MG/0.5 ML SYRINGE <b>DL</b>	4	PA,QL(1.5 per 84 days)
STELARA 90 MG/ML SYRINGE <b>DL</b>	4	PA,QL(3 per 84 days)
SYLVANT 100 MG, 400 MG RECON SOLUTION <b>DL</b>	4	PA
tacrolimus 0.5 mg, 1 mg, 5 mg CAPSULE <b>MO</b>	1	BvsD
TAKHZYRO 300 MG/2 ML (150 MG/ML) SOLUTION <b>DL</b>	4	PA,QL(4 per 28 days)
TAKHZYRO 300 MG/2 ML (150 MG/ML) SYRINGE <b>DL</b>	4	PA,QL(4 per 28 days)
TALTZ AUTOINJECTOR 80 MG/ML AUTO-INJECTOR <b>DL</b>	4	PA,QL(4 per 28 days)
TALTZ AUTOINJECTOR (2 PACK) 80 MG/ML AUTO-INJECTOR <b>DL</b>	4	PA,QL(4 per 28 days)
TALTZ AUTOINJECTOR (3 PACK) 80 MG/ML AUTO-INJECTOR <b>DL</b>	4	PA,QL(4 per 28 days)
TALTZ SYRINGE 80 MG/ML SYRINGE <b>DL</b>	4	PA,QL(4 per 28 days)
TAVNEOS 10 MG CAPSULE <b>DL</b>	4	PA,QL(180 per 30 days)
TDVAX 2-2 LF UNIT/0.5 ML SUSPENSION <b>\$0,DL</b>	1	
TENIVAC (PF) 5 LF UNIT- 2 LF UNIT/0.5ML SUSPENSION <b>\$0,DL</b>	1	
TENIVAC (PF) 5-2 LF UNIT/0.5 ML SYRINGE <b>\$0,DL</b>	1	
TETANUS,DIPHTHERIA TOX PED(PF) 5-25 LF UNIT/0.5 ML SUSPENSION <b>\$0,DL</b>	1	
TEZSPIRE 210 MG/1.91 ML (110 MG/ML) SYRINGE <b>DL</b>	4	PA,QL(1.91 per 28 days)
THYMOGLOBULIN 25 MG RECON SOLUTION <b>MO</b>	3	PA
TICOVAC 1.2 MCG/0.25 ML, 2.4 MCG/0.5 ML SYRINGE <b>DL</b>	1	
TREMFYA 100 MG/ML AUTO-INJECTOR	4	PA,QL(8 per 365 days)
TREMFYA 100 MG/ML SYRINGE	4	PA,QL(8 per 365 days)
TREXALL 10 MG, 15 MG, 5 MG, 7.5 MG TABLET <b>MO</b>	1	BvsD
TRUMENBA 120 MCG/0.5 ML SYRINGE <b>\$0,DL</b>	1	
TWINRIX (PF) 720 ELISA UNIT- 20 MCG/ML SYRINGE <b>\$0,DL</b>	1	
TYPHIM VI 25 MCG/0.5 ML SOLUTION <b>\$0,DL</b>	1	

Need more information about the indicators displayed by the drug names? Please go to page 9. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • MO – Mail Order • PA - Prior Authorization • QL - Quantity Limit • ST - Step Therapy  
\$0 – Vaccine/Diabetic • DL – Dispensing Limit • LA – Limited Access

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
TYPHIM VI 25 MCG/0.5 ML SYRINGE \$0,DL	1	
ULTOMIRIS 10 MG/ML, 100 MG/ML SOLUTION	4	PA
UPLIZNA 10 MG/ML SOLUTION DL	4	PA,QL(120 per 365 days)
VAQTA (PF) 25 UNIT/0.5 ML, 50 UNIT/ML SUSPENSION \$0,DL	1	
VAQTA (PF) 25 UNIT/0.5 ML, 50 UNIT/ML SYRINGE \$0,DL	1	
VARIVAX (PF) 1,350 UNIT/0.5 ML SUSPENSION FOR RECONSTITUTION \$0,DL	1	
VARIZIG 125 UNIT/1.2 ML SOLUTION DL	4	PA,QL(12 per 30 days)
VYVGART 20 MG/ML SOLUTION DL	4	PA
WINRHO SDF 1,500 UNIT (300 MCG)/1.3 ML, 15000 UNIT(3000 MCG)/13 ML, 2,500 UNIT (500 MCG)/2.2 ML, 5,000 UNIT(1000 MCG)/4.4 ML SOLUTION DL	4	BvsD
XATMEP 2.5 MG/ML SOLUTION MO	3	PA
XELJANZ 1 MG/ML SOLUTION DL	4	PA,QL(300 per 30 days)
XELJANZ 10 MG, 5 MG TABLET DL	4	PA,QL(60 per 30 days)
XELJANZ XR 11 MG, 22 MG TABLET, ER 24 HR. DL	4	PA,QL(30 per 30 days)
XEMBIFY 1 GRAM/5 ML (20 %), 10 GRAM/50 ML (20 %), 2 GRAM/10 ML (20 %), 4 GRAM/20 ML (20 %) SOLUTION DL	4	PA
XOLAIR 150 MG RECON SOLUTION DL,LA	4	PA,QL(8 per 28 days)
XOLAIR 150 MG/ML SYRINGE DL,LA	4	PA,QL(8 per 28 days)
XOLAIR 75 MG/0.5 ML SYRINGE DL,LA	4	PA,QL(4 per 28 days)
YF-VAX (PF) 10 EXP4.74 UNIT/0.5 ML SUSPENSION FOR RECONSTITUTION \$0,DL	1	
ZORTRESS 0.25 MG, 0.75 MG, 1 MG TABLET	4	BvsD,QL(60 per 30 days)
ZORTRESS 0.5 MG TABLET	4	BvsD,QL(120 per 30 days)
<b>Inflammatory Bowel Disease Agents</b>		
APRISO 0.375 GRAM CAPSULE, ER 24 HR. MO	3	ST,QL(120 per 30 days)
ASACOL HD 800 MG TABLET, DR/EC	4	ST,QL(180 per 30 days)
AZULFIDINE 500 MG TABLET MO	3	
AZULFIDINE EN-TABS 500 MG TABLET, DR/EC MO	3	
balsalazide 750 mg CAPSULE MO	1	
budesonide 3 mg CAPSULE, DR/EC MO	1	PA
budesonide 9 mg TABLET, DR/ER MO	1	PA,QL(30 per 30 days)
CANASA 1,000 MG SUPPOSITORY	4	ST,QL(30 per 30 days)
COLAZAL 750 MG CAPSULE	4	PA
CORTENEMA 100 MG/60 ML ENEMA MO	3	
CORTIFOAM 10 % (80 MG) FOAM MO	3	
DELZICOL 400 MG CAPSULE (WITH DR TABLETS) MO	3	ST,QL(180 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 9. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • MO – Mail Order • PA - Prior Authorization • QL - Quantity Limit • ST - Step Therapy  
\$0 - Vaccine/Diabetic • DL - Dispensing Limit • LA - Limited Access

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
DIPENTUM 250 MG CAPSULE	4	ST,QL(120 per 30 days)
ENTOCORT EC 3 MG CAPSULE, DR/EC	4	PA
hydrocortisone 100 mg/60 ml ENEMA <b>MO</b>	1	
LIALDA 1.2 GRAM TABLET, DR/EC <b>MO</b>	3	ST,QL(120 per 30 days)
mesalamine 0.375 gram CAPSULE, ER 24 HR. <b>MO</b>	1	QL(120 per 30 days)
mesalamine 1,000 mg SUPPOSITORY <b>MO</b>	1	ST,QL(30 per 30 days)
mesalamine 1.2 gram TABLET, DR/EC <b>MO</b>	1	ST,QL(120 per 30 days)
mesalamine 4 gram/60 ml ENEMA <b>MO</b>	1	QL(1800 per 30 days)
mesalamine 400 mg CAPSULE (WITH DR TABLETS) <b>MO</b>	1	ST,QL(180 per 30 days)
mesalamine 500 mg CAPSULE, ER <b>DL</b>	4	ST,QL(300 per 30 days)
mesalamine 800 mg TABLET, DR/EC <b>MO</b>	1	ST,QL(180 per 30 days)
ORTIKOS 6 MG, 9 MG CAPSULE, ER <b>DL</b>	4	PA,QL(30 per 30 days)
PENTASA 250 MG CAPSULE, ER	4	ST,QL(150 per 30 days)
PENTASA 500 MG CAPSULE, ER	4	ST,QL(300 per 30 days)
PROCTOFOAM HC 1-1 % FOAM <b>MO</b>	1	
ROWASA 4 GRAM/60 ML ENEMA <b>MO</b>	3	QL(1800 per 30 days)
SFROWASA 4 GRAM/60 ML ENEMA <b>MO</b>	3	QL(1800 per 30 days)
sulfasalazine 500 mg TABLET <b>MO</b>	1	
sulfasalazine 500 mg TABLET, DR/EC <b>MO</b>	1	
TARPEYO 4 MG CAPSULE, DR/EC <b>DL</b>	4	PA,QL(120 per 30 days)
UCERIS 2 MG/ACTUATION FOAM	4	PA
UCERIS 9 MG TABLET, DR/ER	4	PA,QL(30 per 30 days)
<b>Metabolic Bone Disease Agents</b>		
ACTONEL 150 MG TABLET <b>MO</b>	3	PA,QL(1 per 30 days)
ACTONEL 35 MG TABLET <b>MO</b>	3	PA,QL(4 per 28 days)
alendronate 10 mg, 5 mg TABLET <b>MO</b>	1	QL(30 per 30 days)
alendronate 35 mg TABLET <b>MO</b>	1	QL(4 per 28 days)
alendronate 70 mg TABLET <b>MO</b>	1	QL(4 per 28 days)
alendronate 70 mg/75 ml SOLUTION <b>MO</b>	1	QL(300 per 28 days)
ATELVIA 35 MG TABLET, DR/EC <b>MO</b>	3	PA,QL(4 per 28 days)
BINOSTO 70 MG TABLET, EFFERVESCENT <b>MO</b>	3	ST,QL(4 per 28 days)
BONIVA 150 MG TABLET <b>MO</b>	3	PA,QL(1 per 28 days)
calcitonin (salmon) 200 unit/actuation SPRAY, NON-AEROSOL <b>MO</b>	1	QL(3.7 per 28 days)
calcitonin (salmon) 200 unit/ml SOLUTION <b>DL</b>	4	
calcitriol 0.25 mcg, 0.5 mcg CAPSULE <b>MO</b>	1	
calcitriol 1 mcg/ml SOLUTION <b>MO</b>	1	

Need more information about the indicators displayed by the drug names? Please go to page 9. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • MO - Mail Order • PA - Prior Authorization • QL - Quantity Limit • ST - Step Therapy  
\$0 - Vaccine/Diabetic • DL - Dispensing Limit • LA - Limited Access

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
cinacalcet 30 mg, 60 mg TABLET <b>MO</b>	1	QL(60 per 30 days)
cinacalcet 90 mg TABLET <b>MO</b>	1	QL(120 per 30 days)
doxercalciferol 0.5 mcg, 1 mcg, 2.5 mcg CAPSULE <b>MO</b>	1	
doxercalciferol 4 mcg/2 ml SOLUTION <b>MO</b>	1	
EVENITY 105 MG/1.17 ML, 210MG/2.34ML ( 105MG/1.17MLX2) SYRINGE <b>DL</b>	4	PA,QL(2.34 per 30 days)
FORTEO 20 MCG/DOSE (600MCG/2.4ML) PEN INJECTOR <b>DL</b>	4	PA,QL(2.4 per 28 days)
FOSAMAX 70 MG TABLET <b>MO</b>	3	PA,QL(4 per 28 days)
FOSAMAX PLUS D 70 MG- 2,800 UNIT, 70 MG- 5,600 UNIT TABLET <b>MO</b>	3	ST,QL(4 per 28 days)
HECTOROL 2 MCG/ML SOLUTION <b>MO</b>	2	
HECTOROL 4 MCG/2 ML SOLUTION <b>MO</b>	3	
ibandronate 150 mg TABLET <b>MO</b>	1	QL(1 per 28 days)
ibandronate 3 mg/3 ml SOLUTION <b>MO</b>	1	PA,QL(3 per 90 days)
ibandronate 3 mg/3 ml SYRINGE <b>MO</b>	1	PA,QL(3 per 90 days)
MIACALCIN 200 UNIT/ML SOLUTION <b>DL</b>	4	
NATPARA 100 MCG/DOSE, 25 MCG/DOSE, 50 MCG/DOSE, 75 MCG/DOSE CARTRIDGE <b>DL,LA</b>	4	PA,QL(2 per 28 days)
pamidronate 30 mg/10 ml (3 mg/ml) SOLUTION <b>MO</b>	1	QL(30 per 21 days)
pamidronate 60 mg/10 ml (6 mg/ml), 90 mg/10 ml (9 mg/ml) SOLUTION <b>MO</b>	1	QL(10 per 21 days)
paricalcitol 1 mcg, 2 mcg CAPSULE <b>MO</b>	1	QL(30 per 30 days)
paricalcitol 2 mcg/ml SOLUTION <b>MO</b>	1	QL(24 per 30 days)
paricalcitol 4 mcg CAPSULE <b>MO</b>	1	QL(12 per 30 days)
paricalcitol 5 mcg/ml SOLUTION <b>MO</b>	1	QL(48 per 28 days)
PROLIA 60 MG/ML SYRINGE <b>MO</b>	3	QL(1 per 180 days)
RAYALDEE 30 MCG CAPSULE, ER 24 HR. <b>DL</b>	4	QL(60 per 30 days)
RECLAST 5 MG/100 ML PIGGYBACK <b>MO</b>	3	PA,QL(100 per 365 days)
risedronate 150 mg TABLET <b>MO</b>	1	QL(1 per 30 days)
risedronate 30 mg, 5 mg TABLET <b>MO</b>	1	QL(30 per 30 days)
risedronate 35 mg TABLET <b>MO</b>	1	QL(4 per 28 days)
risedronate 35 mg TABLET, DR/EC <b>MO</b>	1	QL(4 per 28 days)
ROCALTROL 0.25 MCG, 0.5 MCG CAPSULE <b>MO</b>	3	
ROCALTROL 1 MCG/ML SOLUTION <b>MO</b>	3	
SENSIPAR 30 MG, 60 MG TABLET	4	QL(60 per 30 days)
SENSIPAR 90 MG TABLET	4	QL(120 per 30 days)
TYMLOS 80 MCG (3,120 MCG/1.56 ML) PEN INJECTOR <b>DL</b>	4	PA,QL(1.56 per 30 days)
XGEVA 120 MG/1.7 ML (70 MG/ML) SOLUTION <b>DL</b>	4	PA,QL(1.7 per 28 days)
ZEMPLAR 1 MCG, 2 MCG CAPSULE <b>MO</b>	3	QL(30 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 9. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • MO – Mail Order • PA - Prior Authorization • QL - Quantity Limit • ST - Step Therapy  
\$0 - Vaccine/Diabetic • DL - Dispensing Limit • LA - Limited Access

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
ZEMPLAR 2 MCG/ML SOLUTION <b>DL</b>	4	QL(24 per 30 days)
ZEMPLAR 5 MCG/ML SOLUTION <b>DL</b>	4	QL(48 per 28 days)
zoledronic ac-mannitol-0.9nacl 4 mg/100 ml PIGGYBACK <b>MO</b>	1	QL(300 per 21 days)
zoledronic acid 4 mg RECON SOLUTION <b>MO</b>	1	
zoledronic acid 4 mg/5 ml SOLUTION <b>MO</b>	1	QL(15 per 21 days)
zoledronic acid-mannitol-water 4 mg/100 ml PIGGYBACK <b>MO</b>	1	QL(300 per 21 days)
zoledronic acid-mannitol-water 5 mg/100 ml PIGGYBACK <b>MO</b>	1	PA,QL(100 per 365 days)
<b>Miscellaneous Therapeutic Agents</b>		
1ST TIER UNIFINE PENTIPS 29 GAUGE X 1/2", 31 GAUGE X 1/4", 31 GAUGE X 3/16", 31 GAUGE X 5/16", 32 GAUGE X 5/32" NEEDLE <b>\$0,MO</b>	1	
1ST TIER UNIFINE PENTIPS PLUS 29 GAUGE X 1/2", 31 GAUGE X 1/4", 31 GAUGE X 3/16", 31 GAUGE X 5/16", 32 GAUGE X 5/32" NEEDLE <b>\$0,MO</b>	1	
ABOUTTIME PEN NEEDLE 30 GAUGE X 5/16", 31 GAUGE X 3/16", 31 GAUGE X 5/16", 32 GAUGE X 5/32" NEEDLE <b>\$0,MO</b>	1	
ACETADOTE 200 MG/ML (20 %) SOLUTION <b>MO</b>	3	
acetaminophen 1,000 mg/100 ml (10 mg/ml), 500 mg/50 ml (10 mg/ml) SOLUTION <b>MO</b>	1	
acetic acid 0.25 % SOLUTION <b>MO</b>	1	
acetylcysteine 200 mg/ml (20 %) SOLUTION <b>MO</b>	1	
ADAKVEO 10 MG/ML SOLUTION <b>DL</b>	4	PA
ADVOCATE PEN NEEDLE 29 GAUGE X 1/2", 31 GAUGE X 3/16", 31 GAUGE X 5/16", 33 GAUGE X 5/32" NEEDLE <b>\$0,MO</b>	1	
ADVOCATE SYRINGES 0.3 ML 29 GAUGE X 1/2", 0.3 ML 30 GAUGE X 5/16", 0.3 ML 31 GAUGE X 5/16", 0.5 ML 29 GAUGE X 1/2", 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16", 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16, 1 ML 31 GAUGE X 5/16 SYRINGE <b>\$0,MO</b>	1	
ALCOHOL PADS PADS, MEDICATED <b>\$0,MO</b>	1	
ALCOHOL PREP PADS PADS, MEDICATED <b>\$0,MO</b>	1	
ALCOHOL SWABS PADS, MEDICATED <b>\$0,MO</b>	1	
ALCOHOL WIPES PADS, MEDICATED <b>\$0,MO</b>	1	
ALLZITAL 25-325 MG TABLET <b>MO</b>	1	QL(360 per 30 days)
AMMONUL 10-10 % SOLUTION <b>DL</b>	4	
ASSURE ID DUO-SHIELD 30 GAUGE X 3/16", 30 GAUGE X 5/16" NEEDLE <b>\$0,MO</b>	1	
ASSURE ID INSULIN SAFETY 0.5 ML 29 GAUGE X 1/2", 0.5 ML 31 GAUGE X 15/64", 1 ML 29 GAUGE X 1/2", 1 ML 31 GAUGE X 15/64" SYRINGE <b>\$0,MO</b>	1	
ASSURE ID PEN NEEDLE 30 GAUGE X 3/16", 30 GAUGE X 5/16", 31 GAUGE X 3/16" NEEDLE <b>\$0,MO</b>	1	
AUTOJECT 2 INJECTION DEVICE INSULIN PEN <b>\$0,MO</b>	1	

Need more information about the indicators displayed by the drug names? Please go to page 9. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • MO – Mail Order • PA - Prior Authorization • QL - Quantity Limit • ST - Step Therapy  
\$0 - Vaccine/Diabetic • DL - Dispensing Limit • LA - Limited Access

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
AUTOPEN 1 TO 21 UNITS INSULIN PEN \$0,MO	1	
AUTOPEN 2 TO 42 UNITS INSULIN PEN \$0,MO	1	
BAL IN OIL 100 MG/ML SOLUTION MO	3	
BAND-AID GAUZE PADS 2 X 2 " BANDAGE \$0,MO	1	
BD ALCOHOL SWABS PADS, MEDICATED \$0,MO	1	
BD AUTOSHIELD DUO PEN NEEDLE 30 GAUGE X 3/16" NEEDLE \$0,MO	1	
BD ECLIPSE LUER-LOK 1 ML 30 GAUGE X 1/2" SYRINGE \$0,MO	1	
BD INSULIN SYRINGE 0.3 ML 29 GAUGE X 1/2", 0.5 ML 29 GAUGE X 1/2", 1 ML 25 GAUGE X 5/8", 1 ML 25 X 1", 1 ML 26 X 1/2", 1 ML 27 GAUGE X 1/2", 1 ML 28 GAUGE X 1/2", 1 ML 29 GAUGE X 1/2" SYRINGE \$0,MO	1	
BD INSULIN SYRINGE (HALF UNIT) 0.3 ML 31 GAUGE X 5/16" SYRINGE \$0,MO	1	
BD INSULIN SYRINGE MICRO-FINE 1 ML 28 GAUGE X 1/2" SYRINGE \$0,MO	1	
BD INSULIN SYRINGE SAFETY-LOK 1 ML 29 GAUGE X 1/2" SYRINGE \$0,MO	1	
BD INSULIN SYRINGE SLIP TIP 1 ML SYRINGE \$0,MO	1	
BD INSULIN SYRINGE U-500 1/2 ML 31 GAUGE X 15/64" SYRINGE \$0,MO	1	
BD INSULIN SYRINGE ULTRA-FINE 0.3 ML 30 GAUGE X 1/2", 0.3 ML 31 GAUGE X 5/16", 0.5 ML 30 GAUGE X 1/2", 0.5 ML 31 GAUGE X 5/16", 1 ML 30 GAUGE X 1/2", 1 ML 31 GAUGE X 5/16 SYRINGE \$0,MO	1	
BD LO-DOSE MICRO-FINE IV 1/2 ML 28 GAUGE X 1/2" SYRINGE \$0,MO	1	
BD LO-DOSE ULTRA-FINE 0.5 ML 29 GAUGE X 1/2" SYRINGE \$0,MO	1	
BD NANO 2ND GEN PEN NEEDLE 32 GAUGE X 5/32" NEEDLE \$0,MO	1	
BD SAFETYGLIDE INSULIN SYRINGE 0.3 ML 29 GAUGE X 1/2", 0.3 ML 31 GAUGE X 15/64", 0.3 ML 31 GAUGE X 5/16", 0.5 ML 29 GAUGE X 1/2", 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 15/64", 1 ML 29 GAUGE X 1/2", 1 ML 31 GAUGE X 15/64" SYRINGE \$0,MO	1	
BD SAFETYGLIDE SYRINGE 1 ML 27 GAUGE X 5/8" SYRINGE \$0,MO	1	
BD ULTRA-FINE MICRO PEN NEEDLE 32 GAUGE X 1/4" NEEDLE \$0,MO	1	
BD ULTRA-FINE MINI PEN NEEDLE 31 GAUGE X 3/16" NEEDLE \$0,MO	1	
BD ULTRA-FINE NANO PEN NEEDLE 32 GAUGE X 5/32" NEEDLE \$0,MO	1	
BD ULTRA-FINE ORIG PEN NEEDLE 29 GAUGE X 1/2" NEEDLE \$0,MO	1	
BD ULTRA-FINE SHORT PEN NEEDLE 31 GAUGE X 5/16" NEEDLE \$0,MO	1	
BD VEO INSULIN SYR (HALF UNIT) 0.3 ML 31 GAUGE X 15/64" SYRINGE \$0,MO	1	
BD VEO INSULIN SYRINGE UF 0.3 ML 31 GAUGE X 15/64", 1 ML 31 GAUGE X 15/64", 1/2 ML 31 GAUGE X 15/64" SYRINGE \$0,MO	1	
BORDERED GAUZE 2 X 2 " BANDAGE \$0,MO	1	
bupap 50-300 mg TABLET MO	1	QL(180 per 30 days)
butalbital-acetaminop-caf-cod 50-300-40-30 mg CAPSULE DL	1	QL(180 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 9. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • MO - Mail Order • PA - Prior Authorization • QL - Quantity Limit • ST - Step Therapy  
\$0 - Vaccine/Diabetic • DL - Dispensing Limit • LA - Limited Access

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
butalbital-acetaminop-caf-cod 50-325-40-30 mg CAPSULE <b>DL</b>	1	QL(360 per 30 days)
butalbital-acetaminophen 25-325 mg TABLET <b>MO</b>	1	QL(360 per 30 days)
butalbital-acetaminophen 50-300 mg CAPSULE <b>MO</b>	1	QL(180 per 30 days)
butalbital-acetaminophen 50-300 mg, 50-325 mg TABLET <b>MO</b>	1	QL(180 per 30 days)
butalbital-acetaminophen-caff 50-300-40 mg, 50-325-40 mg CAPSULE <b>MO</b>	1	QL(180 per 30 days)
butalbital-acetaminophen-caff 50-325-40 mg TABLET <b>MO</b>	1	QL(180 per 30 days)
butalbital-aspirin-caffeine 50-325-40 mg CAPSULE <b>MO</b>	1	QL(180 per 30 days)
butalbital-aspirin-caffeine 50-325-40 mg TABLET <b>MO</b>	1	QL(180 per 30 days)
BYLVAY 1,200 MCG CAPSULE <b>DL</b>	4	PA,QL(150 per 30 days)
BYLVAY 200 MCG PELLET <b>DL</b>	4	PA,QL(360 per 30 days)
BYLVAY 400 MCG CAPSULE <b>DL</b>	4	PA,QL(420 per 30 days)
BYLVAY 600 MCG PELLET <b>DL</b>	4	PA,QL(120 per 30 days)
CAFCIT 60 MG/3 ML (20 MG/ML) SOLUTION <b>MO</b>	3	
caffeine citrate 60 mg/3 ml (20 mg/ml) SOLUTION <b>MO</b>	1	
calcium disodium versenate 200 mg/ml SOLUTION <b>MO</b>	1	
CAREFINE PEN NEEDLE 29 GAUGE X 1/2", 30 GAUGE X 5/16", 31 GAUGE X 1/4", 31 GAUGE X 5/16", 32 GAUGE X 1/4", 32 GAUGE X 3/16", 32 GAUGE X 5/32" NEEDLE <b>\$0,MO</b>	1	
CARETOUCH ALCOHOL PREP PAD PADS, MEDICATED <b>\$0,MO</b>	1	
CARETOUCH INSULIN SYRINGE 0.3 ML 31 GAUGE X 5/16", 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16", 1 ML 28 X 5/16", 1 ML 29 GAUGE X 5/16, 1 ML 30 GAUGE X 5/16, 1 ML 31 GAUGE X 5/16 SYRINGE <b>\$0,MO</b>	1	
CARETOUCH PEN NEEDLE 29 GAUGE X 1/2", 31 GAUGE X 1/4", 31 GAUGE X 3/16", 31 GAUGE X 5/16", 32 GAUGE X 3/16", 32 GAUGE X 5/32" NEEDLE <b>\$0,MO</b>	1	
CERVIDIL 10 MG INSERT, ER <b>MO</b>	3	
CINVANTI 7.2 MG/ML EMULSION <b>MO</b>	3	PA,QL(36 per 28 days)
CLARINEX-D 12 HOUR 2.5-120 MG TABLET, ER 12 HR., MULTIPHASE <b>MO</b>	3	ST,QL(60 per 30 days)
CLICKFINE PEN NEEDLE 31 GAUGE X 1/4", 31 GAUGE X 5/16", 32 GAUGE X 5/32" NEEDLE <b>\$0,MO</b>	1	
COMFORT EZ INSULIN SYRINGE 0.3 ML 29 GAUGE X 1/2", 0.3 ML 30 GAUGE X 1/2", 0.3 ML 30 GAUGE X 5/16", 0.3 ML 31 GAUGE X 5/16", 0.5 ML 29 GAUGE X 1/2", 0.5 ML 30 GAUGE X 1/2", 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16", 1 ML 28 GAUGE X 1/2", 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16, 1 ML 31 GAUGE X 5/16, 1/2 ML 28 GAUGE X 1/2" SYRINGE <b>\$0,MO</b>	1	

Need more information about the indicators displayed by the drug names? Please go to page 9. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • MO – Mail Order • PA - Prior Authorization • QL - Quantity Limit • ST - Step Therapy  
\$0 - Vaccine/Diabetic • DL - Dispensing Limit • LA - Limited Access

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
COMFORT EZ PEN NEEDLES 29 GAUGE X 1/2", 31 GAUGE X 1/4", 31 GAUGE X 3/16", 31 GAUGE X 5/16", 32 GAUGE X 1/4", 32 GAUGE X 3/16", 32 GAUGE X 5/16", 32 GAUGE X 5/32", 33 GAUGE X 1/4", 33 GAUGE X 3/16", 33 GAUGE X 5/16", 33 GAUGE X 5/32" NEEDLE \$0,MO	1	
COMFORT TOUCH PEN NEEDLE 31 GAUGE X 1/4", 31 GAUGE X 3/16", 31 GAUGE X 5/16", 31 GAUGE X 5/32", 32 GAUGE X 1/4", 32 GAUGE X 3/16", 32 GAUGE X 5/16", 32 GAUGE X 5/32", 33 GAUGE X 1/4", 33 GAUGE X 3/16", 33 GAUGE X 5/32" NEEDLE \$0,MO	1	
CURITY ALCOHOL SWABS PADS, MEDICATED \$0,MO	1	
CURITY GAUZE 2 X 2 " BANDAGE \$0,MO	1	
DEFITELIO 80 MG/ML SOLUTION DL	4	PA
DERMACEA 2 X 2 " BANDAGE \$0,MO	1	
DOJOLVI 8.3 KCAL/ML LIQUID DL	4	PA
DROPLET INSULIN SYR(HALF UNIT) 0.5 ML 29 GAUGE X 1/2", 0.5 ML 30 GAUGE X 1/2", 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 15/64", 0.5 ML 31 GAUGE X 5/16", 0.5ML 30 GAUGE X 15/64" SYRINGE \$0,MO	1	
DROPLET INSULIN SYRINGE 0.3 ML 29 GAUGE X 1/2", 0.3 ML 30 GAUGE X 1/2", 0.3 ML 30 GAUGE X 15/64", 0.3 ML 30 GAUGE X 5/16", 0.3 ML 31 GAUGE X 15/64", 0.3 ML 31 GAUGE X 5/16", 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 1/2", 1 ML 30 GAUGE X 15/64", 1 ML 30 GAUGE X 5/16, 1 ML 31 GAUGE X 15/64", 1 ML 31 GAUGE X 5/16 SYRINGE \$0,MO	1	
DROPLET MICRON PEN NEEDLE 34 GAUGE X 9/64" NEEDLE \$0,MO	1	
DROPLET PEN NEEDLE 29 GAUGE X 1/2", 29 GAUGE X 3/8", 30 GAUGE X 5/16", 31 GAUGE X 1/4", 31 GAUGE X 3/16", 31 GAUGE X 5/16", 32 GAUGE X 1/4", 32 GAUGE X 3/16", 32 GAUGE X 5/16", 32 GAUGE X 5/32" NEEDLE \$0,MO	1	
DROPSAFE ALCOHOL PREP PADS PADS, MEDICATED \$0,MO	1	
DROPSAFE PEN NEEDLE 31 GAUGE X 1/4", 31 GAUGE X 3/16", 31 GAUGE X 5/16" NEEDLE \$0,MO	1	
DROXIA 200 MG, 300 MG, 400 MG CAPSULE MO	2	
EASY COMFORT ALCOHOL PAD PADS, MEDICATED \$0,MO	1	
EASY COMFORT INSULIN SYRINGE 0.3 ML 30 GAUGE X 5/16", 0.5 ML 30 GAUGE X 1/2", 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16", 1 ML 30 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16, 1 ML 31 GAUGE X 5/16, 1 ML 32 GAUGE X 5/16", 1/2 ML 32 GAUGE X 5/16" SYRINGE \$0,MO	1	
EASY COMFORT PEN NEEDLES 31 GAUGE X 1/4", 31 GAUGE X 3/16", 31 GAUGE X 5/16", 32 GAUGE X 5/32", 33 GAUGE X 1/4", 33 GAUGE X 3/16", 33 GAUGE X 5/32" NEEDLE \$0,MO	1	
EASY GLIDE INSULIN SYRINGE 0.3 ML 31 GAUGE X 15/64", 1 ML 31 GAUGE X 15/64", 1/2 ML 31 GAUGE X 15/64" SYRINGE \$0,MO	1	
EASY GLIDE PEN NEEDLE 33 GAUGE X 5/32" NEEDLE \$0,MO	1	

Need more information about the indicators displayed by the drug names? Please go to page 9. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • MO - Mail Order • PA - Prior Authorization • QL - Quantity Limit • ST - Step Therapy  
\$0 - Vaccine/Diabetic • DL - Dispensing Limit • LA - Limited Access

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
EASY TOUCH 29 GAUGE X 1/2", 31 GAUGE X 1/4", 31 GAUGE X 3/16", 31 GAUGE X 5/16", 32 GAUGE X 1/4", 32 GAUGE X 3/16", 32 GAUGE X 5/32" NEEDLE \$0,MO	1	
EASY TOUCH ALCOHOL PREP PADS PADS, MEDICATED \$0,MO	1	
EASY TOUCH FLIPLOCK INSULIN 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16", 1 ML 31 GAUGE X 5/16" SYRINGE \$0,MO	1	
EASY TOUCH INSULIN SAFETY SYR 0.5 ML 29 GAUGE X 1/2", 0.5 ML 30 GAUGE X 5/16", 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 1/2" SYRINGE \$0,MO	1	
EASY TOUCH INSULIN SYRINGE 0.3 ML 30 GAUGE X 1/2", 0.3 ML 30 GAUGE X 5/16", 0.3 ML 31 GAUGE X 5/16", 0.5 ML 29 GAUGE X 1/2", 0.5 ML 30 GAUGE X 1/2", 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16", 1 ML 27 GAUGE X 1/2", 1 ML 27 GAUGE X 5/8", 1 ML 28 GAUGE X 1/2", 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16", 1 ML 31 GAUGE X 5/16, 1/2 ML 27 GAUGE X 1/2", 1/2 ML 28 GAUGE X 1/2" SYRINGE \$0,MO	1	
EASY TOUCH LUER LOCK INSULIN 1 ML SYRINGE \$0,MO	1	
EASY TOUCH PEN NEEDLE 30 GAUGE X 5/16" NEEDLE \$0,MO	1	
EASY TOUCH SAFETY PEN NEEDLE 29 GAUGE X 3/16", 29 GAUGE X 5/16", 30 GAUGE X 1/4", 30 GAUGE X 3/16", 30 GAUGE X 5/16" NEEDLE \$0,MO	1	
EASY TOUCH SHEATHLOCK INSULIN 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16", 1 ML 31 GAUGE X 5/16" SYRINGE \$0,MO	1	
EASY TOUCH UNI-SLIP 1 ML SYRINGE \$0,MO	1	
ELYXYB 120 MG/4.8 ML (25 MG/ML) SOLUTION DL	4	ST,QL(43.2 per 30 days)
EMPAVELI 1,080 MG/20 ML SOLUTION DL	4	PA,QL(160 per 28 days)
ESGIC 50-325-40 MG CAPSULE MO	1	QL(180 per 30 days)
ESGIC 50-325-40 MG TABLET MO	1	QL(180 per 30 days)
EXEL INSULIN 0.3 ML 29 GAUGE X 1/2", 0.5 ML 30 GAUGE X 5/16", 1 ML 30 GAUGE X 5/16, 1/2 ML 28 GAUGE X 1/2" SYRINGE \$0,MO	1	
fioricet 50-300-40 mg CAPSULE MO	1	QL(180 per 30 days)
FIORICET WITH CODEINE 50-300-40-30 MG CAPSULE DL	3	QL(180 per 30 days)
FIORINAL 50-325-40 MG CAPSULE MO	3	QL(180 per 30 days)
flumazenil 0.1 mg/ml SOLUTION MO	1	
fomepizole 1 gram/ml SOLUTION MO	1	
FREESTYLE PRECISION 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16", 1 ML 30 GAUGE X 5/16, 1 ML 31 GAUGE X 5/16 SYRINGE \$0,MO	1	
GAUZE BANDAGE 2 X 2 " BANDAGE \$0,MO	1	
GAUZE PAD 2 X 2 " BANDAGE \$0,MO	1	
GIVLAARI 189 MG/ML SOLUTION DL	4	PA

Need more information about the indicators displayed by the drug names? Please go to page 9. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • MO – Mail Order • PA - Prior Authorization • QL - Quantity Limit • ST - Step Therapy  
\$0 - Vaccine/Diabetic • DL - Dispensing Limit • LA - Limited Access

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
HEALTHWISE INSULIN SYRINGE 0.3 ML 30 GAUGE X 5/16", 0.3 ML 31 GAUGE X 5/16", 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16", 1 ML 30 GAUGE X 5/16, 1 ML 31 GAUGE X 5/16 SYRINGE \$0,MO	1	
HEALTHWISE PEN NEEDLE 31 GAUGE X 3/16", 31 GAUGE X 5/16", 32 GAUGE X 5/32" NEEDLE \$0,MO	1	
HEALTHY ACCENTS UNIFINE PENTIP 29 GAUGE X 1/2", 31 GAUGE X 1/4", 31 GAUGE X 3/16", 31 GAUGE X 5/16", 32 GAUGE X 5/32" NEEDLE \$0,MO	1	
INCONTROL ALCOHOL PADS PADS, MEDICATED \$0,MO	1	
INCONTROL PEN NEEDLE 29 GAUGE X 1/2", 31 GAUGE X 1/4", 31 GAUGE X 3/16", 31 GAUGE X 5/16", 32 GAUGE X 5/32" NEEDLE \$0,MO	1	
INSULIN SYR/NDL U100 HALF MARK 0.3 ML 31 GAUGE X 1/4" SYRINGE \$0,MO	1	
INSULIN SYRINGE 0.5 ML 29 GAUGE X 1/2", 1 ML 29 GAUGE X 1/2" SYRINGE \$0,MO	1	
INSULIN SYRINGE MICROFINE 1 ML 27 GAUGE X 5/8", 1/2 ML 28 GAUGE X 1/2" SYRINGE \$0,MO	1	
INSULIN SYRINGE NEEDLELESS 1 ML SYRINGE \$0,MO	1	
INSULIN SYRINGE-NEEDLE U-100 0.3 ML 29 GAUGE, 0.3 ML 29 GAUGE X 1/2", 0.3 ML 30, 0.3 ML 30 GAUGE X 1/2", 0.3 ML 30 GAUGE X 5/16", 0.3 ML 31 GAUGE X 1/4", 0.3 ML 31 GAUGE X 15/64", 0.3 ML 31 GAUGE X 5/16", 0.5 ML 29 GAUGE X 1/2", 0.5 ML 30 GAUGE X 1/2", 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16", 1 ML 27 GAUGE X 1/2", 1 ML 28 GAUGE, 1 ML 28 GAUGE X 1/2", 1 ML 29 GAUGE X 1/2", 1 ML 29 GAUGE X 7/16", 1 ML 30 GAUGE X 1/2", 1 ML 30 GAUGE X 3/8", 1 ML 30 GAUGE X 5/16, 1 ML 30 GAUGE X 7/16", 1 ML 31 GAUGE X 1/4", 1 ML 31 GAUGE X 15/64", 1 ML 31 GAUGE X 5/16, 1/2 ML 27 GAUGE X 1/2", 1/2 ML 28 GAUGE, 1/2 ML 28 GAUGE X 1/2", 1/2 ML 29, 1/2 ML 30 GAUGE, 1/2 ML 31 GAUGE X 1/4", 1/2 ML 31 GAUGE X 15/64" SYRINGE \$0,MO	1	
INSUPEN 29 GAUGE X 1/2", 30 GAUGE X 5/16", 31 GAUGE X 1/4", 31 GAUGE X 3/16", 31 GAUGE X 5/16", 32 GAUGE X 1/4", 32 GAUGE X 5/16", 32 GAUGE X 5/32", 33 GAUGE X 5/32" NEEDLE \$0,MO	1	
ISTURISA 1 MG TABLET DL	4	PA,QL(240 per 30 days)
ISTURISA 10 MG TABLET DL	4	PA,QL(180 per 30 days)
ISTURISA 5 MG TABLET DL	4	PA,QL(60 per 30 days)
IV PREP WIPES PADS, MEDICATED \$0,MO	1	
KORLYM 300 MG TABLET DL	4	PA,QL(120 per 30 days)
lactated ringers SOLUTION MO	1	
LAGEVRIO (EUA) 200 MG CAPSULE MO	3	QL(40 per 5 days)
LITE TOUCH INSULIN PEN NEEDLES 29 GAUGE X 1/2", 31 GAUGE X 1/4", 31 GAUGE X 3/16", 31 GAUGE X 5/16" NEEDLE \$0,MO	1	

Need more information about the indicators displayed by the drug names? Please go to page 9. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • MO – Mail Order • PA - Prior Authorization • QL - Quantity Limit • ST - Step Therapy  
\$0 - Vaccine/Diabetic • DL - Dispensing Limit • LA - Limited Access

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
LITE TOUCH INSULIN SYRINGE 0.3 ML 29 GAUGE X 1/2", 0.3 ML 30 GAUGE X 5/16", 0.3 ML 31 GAUGE X 5/16", 0.5 ML 29 GAUGE X 1/2", 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16", 1 ML 28 GAUGE, 1 ML 28 GAUGE X 1/2", 1 ML 29 GAUGE, 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16", 1 ML 30 GAUGE X 7/16", 1 ML 31 GAUGE X 5/16", 1/2 ML 28 GAUGE, 1/2 ML 28 GAUGE X 1/2", 1/2 ML 29, 1/2 ML 30 GAUGE SYRINGE \$0,MO	1	
LITHOSTAT 250 MG TABLET DL	4	
LIVMARLI 9.5 MG/ML SOLUTION DL	4	PA,QL(90 per 30 days)
MAGELLAN INSULIN SAFETY SYRNG 0.3 ML 29 GAUGE X 1/2", 0.5 ML 29 GAUGE X 1/2", 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16" SYRINGE \$0,MO	1	
MAGELLAN SYRINGE 0.3 ML 30 X 5/16", 0.5 ML 30 GAUGE X 5/16" SYRINGE \$0,MO	1	
MAXI-COMFORT INSULIN SYRINGE 1 ML 28 GAUGE X 1/2", 1/2 ML 28 GAUGE X 1/2" SYRINGE \$0,MO	1	
MAXICOMFORT II PEN NEEDLE 31 GAUGE X 1/4" NEEDLE \$0,MO	1	
MAXICOMFORT INSULIN SYRINGE 1 ML 27 GAUGE X 1/2", 1/2 ML 27 GAUGE X 1/2" SYRINGE \$0,MO	1	
MAXICOMFORT SAFETY PEN NEEDLE 29 GAUGE X 3/16", 29 GAUGE X 5/16" NEEDLE \$0,MO	1	
methergine 0.2 mg TABLET MO	3	
methylergonovine 0.2 mg TABLET DL	4	
methylergonovine 0.2 mg/ml (1 ml) SOLUTION MO	1	
MICRODOT INSULIN PEN NEEDLE 31 GAUGE X 1/4", 32 GAUGE X 5/32", 33 GAUGE X 5/32" NEEDLE \$0,MO	1	
MINI ULTRA-THIN II 31 GAUGE X 3/16" NEEDLE \$0,MO	1	
MONOJECT INSULIN SAFETY SYRINGE 0.3 ML 29 GAUGE X 1/2", 0.3 ML 30 GAUGE X 5/16", 0.5 ML 29 GAUGE X 1/2", 0.5 ML 30 GAUGE X 5/16", 29 GAUGE X 1/2" SYRINGE \$0,MO	1	
MONOJECT INSULIN SYRINGE 0.3 ML 29 GAUGE X 1/2", 0.3 ML 30 GAUGE X 5/16", 0.3 ML 31 GAUGE X 5/16", 0.5 ML 29 GAUGE X 1/2", 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16", 1 ML, 1 ML 25 GAUGE X 5/8", 1 ML 27 GAUGE X 1/2", 1 ML 28 GAUGE X 1/2", 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16, 1 ML 31 GAUGE X 5/16, 1/2 ML 28 GAUGE X 1/2" SYRINGE \$0,MO	1	
MONOJECT SYRINGE 1/2 ML 28 GAUGE SYRINGE \$0,MO	1	
MONOJECT ULTRA COMFORT INSULIN 1/2 ML 28 GAUGE SYRINGE \$0,MO	1	
MYFEMBREE 40-1-0.5 MG TABLET DL	4	PA,QL(28 per 28 days)
neomycin-polymyxin b gu 40 mg-200,000 unit/ml SOLUTION MO	1	
NOVOFINE 32 32 GAUGE X 1/4" NEEDLE \$0,MO	1	
NOVOFINE AUTOCOVER 30 GAUGE X 1/3" NEEDLE \$0,MO	1	

Need more information about the indicators displayed by the drug names? Please go to page 9. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • MO - Mail Order • PA - Prior Authorization • QL - Quantity Limit • ST - Step Therapy  
\$0 - Vaccine/Diabetic • DL - Dispensing Limit • LA - Limited Access

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
NOVOFINE PLUS 32 GAUGE X 1/6" NEEDLE \$0,MO	1	
NOVOPEN ECHO INSULIN PEN \$0,MO	1	
NOVOTWIST 32 GAUGE X 1/5" NEEDLE \$0,MO	1	
NURTEC ODT 75 MG TABLET, DISINTEGRATING	4	PA,QL(18 per 30 days)
OMNIPOD 5 G6 INTRO KIT (GEN 5) CARTRIDGE \$0,MO	2	
OMNIPOD 5 G6 PODS (GEN 5) CARTRIDGE \$0,MO	2	
OMNIPOD CLASSIC PODS (GEN 3) CARTRIDGE \$0,MO	2	
OMNIPOD DASH INTRO KIT (GEN 4) CARTRIDGE \$0,MO	2	
OMNIPOD DASH PODS (GEN 4) CARTRIDGE \$0,MO	2	
ORIAHNN 300-1-0.5MG(AM) /300 MG(PM) CAPSULE, SEQUENTIAL DL	4	PA,QL(56 per 28 days)
orlistat 120 mg CAPSULE MO	3	PA
OXBRYTA 300 MG TABLET FOR SUSPENSION DL	4	PA,QL(150 per 30 days)
OXBRYTA 500 MG TABLET DL	4	PA,QL(90 per 30 days)
OXLUMO 94.5 MG/0.5 ML SOLUTION	4	PA
oxytocin 10 unit/ml SOLUTION MO	1	
PAXLOVID (EUA) 150-100 MG TABLET, DOSE PACK MO	3	QL(40 per 10 days)
PAXLOVID (EUA) 300 MG (150 MG X 2)-100 MG TABLET, DOSE PACK MO	3	QL(60 per 10 days)
PEN NEEDLE 29 GAUGE X 1/2", 30 GAUGE X 5/16", 31 GAUGE X 1/4", 31 GAUGE X 3/16", 31 GAUGE X 5/16", 32 GAUGE X 5/32" NEEDLE \$0,MO	1	
PEN NEEDLE, DIABETIC 29 GAUGE X 1/2", 29 GAUGE X 15/32", 30 GAUGE X 5/16", 31 GAUGE X 1/3", 31 GAUGE X 1/4", 31 GAUGE X 1/6", 31 GAUGE X 13/64", 31 GAUGE X 15/64", 31 GAUGE X 3/16", 31 GAUGE X 5/16", 31 GAUGE X 5/32", 32 GAUGE X 1/4", 32 GAUGE X 3/16", 32 GAUGE X 5/16", 32 GAUGE X 5/32", 33 GAUGE X 1/4", 33 GAUGE X 3/16", 33 GAUGE X 5/32" NEEDLE \$0,MO	1	
PEN NEEDLE, DIABETIC, SAFETY 31 GAUGE X 3/16", 31 GAUGE X 5/32" NEEDLE \$0,MO	1	
PENTIPS 29 GAUGE X 1/2", 31 GAUGE X 1/4", 31 GAUGE X 3/16", 31 GAUGE X 5/16", 32 GAUGE X 1/4", 32 GAUGE X 5/32" NEEDLE \$0,MO	1	
PHEXXI 1.8-1-0.4 % GEL MO	3	QL(60 per 30 days)
PHYSIOLYTE 140-5-3-98 MEQ/L SOLUTION MO	1	
PHYSIOSOL IRRIGATION 140-5-3-98 MEQ/L SOLUTION MO	1	
PIP PEN NEEDLE 31 GAUGE X 3/16", 32 GAUGE X 5/32" NEEDLE \$0,MO	1	
PITOCIN 10 UNIT/ML SOLUTION MO	3	
PREVENT DROPSAFE PEN NEEDLE 31 GAUGE X 1/4", 31 GAUGE X 5/16" NEEDLE \$0,MO	1	
PRIALT 100 MCG/ML, 25 MCG/ML SOLUTION	4	PA

Need more information about the indicators displayed by the drug names? Please go to page 9. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • MO – Mail Order • PA - Prior Authorization • QL - Quantity Limit • ST - Step Therapy  
\$0 – Vaccine/Diabetic • DL – Dispensing Limit • LA – Limited Access

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
PRO COMFORT ALCOHOL PADS PADS, MEDICATED \$0,MO	1	
PRO COMFORT INSULIN SYRINGE 0.5 ML 30 GAUGE X 1/2", 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16", 1 ML 30 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16, 1 ML 31 GAUGE X 5/16 SYRINGE \$0,MO	1	
PRO COMFORT PEN NEEDLE 31 GAUGE X 5/16", 32 GAUGE X 1/4", 32 GAUGE X 3/16", 32 GAUGE X 5/32" NEEDLE \$0,MO	1	
PRODIGY INSULIN SYRINGE 0.3 ML 31 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16", 1 ML 28 GAUGE X 1/2" SYRINGE \$0,MO	1	
promethazine vc 6.25-5 mg/5 ml SYRUP MO	1	
promethazine-phenylephrine 6.25-5 mg/5 ml SYRUP MO	1	
protamine 10 mg/ml SOLUTION MO	1	
PURE COMFORT ALCOHOL PADS PADS, MEDICATED \$0,MO	1	
PURE COMFORT PEN NEEDLE 32 GAUGE X 1/4", 32 GAUGE X 3/16", 32 GAUGE X 5/16", 32 GAUGE X 5/32" NEEDLE \$0,MO	1	
QUTENZA 8 % KIT DL	4	PA
REBYOTA 150 ML ENEMA DL	4	PA
RECORLEV 150 MG TABLET DL	4	PA,QL(240 per 30 days)
RECTIV 0.4 % (W/W) OINTMENT MO	3	QL(30 per 30 days)
RELION NEEDLES 31 GAUGE X 1/4" NEEDLE \$0,MO	1	
RELION PEN NEEDLES 32 GAUGE X 5/32" NEEDLE \$0,MO	1	
RENACIDIN 1980.6 MG-59.4 MG-980.4MG/30ML SOLUTION MO	3	
ribavirin 6 gram RECON SOLUTION DL	4	BvsD
RIMSO-50 50 % SOLUTION	4	
ringer's SOLUTION MO	1	
SAFESNAP INSULIN SYRINGE 0.3 ML 30 GAUGE X 5/16", 0.5 ML 29 GAUGE X 1/2", 0.5 ML 30 GAUGE X 5/16", 1 ML 28 GAUGE X 1/2", 1 ML 29 GAUGE X 1/2" SYRINGE \$0,MO	1	
SAFETY PEN NEEDLE 31 GAUGE X 3/16" NEEDLE \$0,MO	1	
SECURESAFE PEN NEEDLE 30 GAUGE X 5/16" NEEDLE \$0,MO	1	
SEMPREX-D 8-60 MG CAPSULE MO	3	
SIKLOS 1,000 MG, 100 MG TABLET MO	3	PA
SKY SAFETY PEN NEEDLE 30 GAUGE X 3/16", 30 GAUGE X 5/16" NEEDLE \$0,MO	1	
sodium benzoate-sod phenylacet 10-10 % SOLUTION DL	4	
sodium chloride 0.9 % SOLUTION MO	1	
sorbitol-mannitol 2.7-0.54 gram/100 ml SOLUTION MO	1	
SURE COMFORT ALCOHOL PREP PADS PADS, MEDICATED \$0,MO	1	
SURE COMFORT INS. SYR. U-100 0.5 ML 29 GAUGE X 1/2" SYRINGE \$0,MO	1	

Need more information about the indicators displayed by the drug names? Please go to page 9. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • MO – Mail Order • PA - Prior Authorization • QL - Quantity Limit • ST - Step Therapy  
\$0 - Vaccine/Diabetic • DL - Dispensing Limit • LA - Limited Access

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
SURE COMFORT INSULIN SYRINGE 0.3 ML 29 GAUGE X 1/2", 0.3 ML 30 GAUGE X 1/2", 0.3 ML 30 GAUGE X 5/16", 0.3 ML 31 GAUGE X 1/4", 0.3 ML 31 GAUGE X 5/16", 0.5 ML 30 GAUGE X 1/2", 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16", 1 ML 28 GAUGE X 1/2", 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16, 1 ML 31 GAUGE X 1/4", 1 ML 31 GAUGE X 5/16, 1/2 ML 28 GAUGE X 1/2", 1/2 ML 31 GAUGE X 1/4" SYRINGE \$0,MO	1	
SURE COMFORT PEN NEEDLE 29 GAUGE X 1/2", 30 GAUGE X 5/16", 31 GAUGE X 3/16", 31 GAUGE X 5/16", 32 GAUGE X 1/4", 32 GAUGE X 5/32" NEEDLE \$0,MO	1	
SURE COMFORT SAFETY PEN NEEDLE 31 GAUGE X 1/4", 32 GAUGE X 5/32" NEEDLE \$0,MO	1	
SURE-FINE PEN NEEDLES 29 GAUGE X 1/2", 31 GAUGE X 3/16", 31 GAUGE X 5/16" NEEDLE \$0,MO	1	
SURE-JECT INSULIN SYRINGE 0.3 ML 29 GAUGE X 1/2", 0.3 ML 30 GAUGE X 5/16", 0.3 ML 31 GAUGE X 5/16", 0.5 ML 29 GAUGE X 1/2", 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16", 1 ML 28 GAUGE X 1/2", 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16, 1 ML 31 GAUGE X 5/16, 1/2 ML 28 GAUGE X 1/2" SYRINGE \$0,MO	1	
SURE-PREP ALCOHOL PREP PADS PADS, MEDICATED \$0,MO	1	
SYNAGIS 100 MG/ML, 50 MG/0.5 ML SOLUTION DL	4	PA
TECHLITE INSULIN SYRINGE 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16, 1 ML 31 GAUGE X 15/64", 1 ML 31 GAUGE X 5/16 SYRINGE \$0,MO	1	
TECHLITE INSULIN SYR(HALF UNIT) 0.3 ML 29 GAUGE X 1/2", 0.3 ML 30 GAUGE X 1/2", 0.3 ML 30 GAUGE X 5/16", 0.3 ML 31 GAUGE X 15/64", 0.3 ML 31 GAUGE X 5/16", 0.5 ML 29 GAUGE X 1/2", 0.5 ML 30 GAUGE X 1/2", 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 15/64", 0.5 ML 31 GAUGE X 5/16" SYRINGE \$0,MO	1	
TECHLITE PEN NEEDLE 29 GAUGE X 1/2", 29 GAUGE X 3/8", 31 GAUGE X 1/4", 31 GAUGE X 3/16", 31 GAUGE X 5/16", 32 GAUGE X 1/4", 32 GAUGE X 5/16", 32 GAUGE X 5/32" NEEDLE \$0,MO	1	
tencon 50-325 mg TABLET MO	1	QL(180 per 30 days)
TEPEZZA 500 MG RECON SOLUTION DL	4	PA
TERUMO INSULIN SYRINGE 0.3 ML 30 X 3/8", 0.5 ML 29 GAUGE X 1/2", 1 ML 27 GAUGE X 1/2", 1 ML 28 GAUGE X 1/2", 1 ML 29 GAUGE X 1/2", 1/2 ML 27 GAUGE X 1/2", 1/2 ML 28 GAUGE X 1/2", 1/2 ML 30 X 3/8" SYRINGE \$0,MO	1	
THINPRO INSULIN SYRINGE 0.3 ML 29 GAUGE X 1/2", 0.3 ML 30 X 3/8", 0.3 ML 31 X 3/8", 0.5 ML 29 GAUGE X 1/2", 0.5 ML 31 X 3/8", 1 ML 28 GAUGE X 1/2", 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 3/8", 1 ML 31 X 3/8", 1/2 ML 28 GAUGE X 1/2", 1/2 ML 30 X 3/8" SYRINGE \$0,MO	1	
TOPCARE CLICKFINE 31 GAUGE X 1/4", 31 GAUGE X 5/16" NEEDLE \$0,MO	1	

Need more information about the indicators displayed by the drug names? Please go to page 9. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • MO - Mail Order • PA - Prior Authorization • QL - Quantity Limit • ST - Step Therapy  
\$0 - Vaccine/Diabetic • DL - Dispensing Limit • LA - Limited Access

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
TOPCARE ULTRA COMFORT 0.3 ML 29 GAUGE X 1/2", 0.3 ML 30 GAUGE X 5/16", 0.3 ML 31 GAUGE X 5/16", 0.5 ML 29 GAUGE X 1/2", 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16", 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16, 1 ML 31 GAUGE X 5/16 SYRINGE \$0,MO	1	
TRUE COMFORT ALCOHOL PADS PADS, MEDICATED \$0,MO	1	
TRUE COMFORT INSULIN SYRINGE 0.5 ML 31 GAUGE X 5/16", 1 ML 31 GAUGE X 5/16 SYRINGE \$0,MO	1	
TRUE COMFORT PEN NEEDLE 31 GAUGE X 1/4", 31 GAUGE X 3/16", 31 GAUGE X 5/16", 32 GAUGE X 1/4", 32 GAUGE X 3/16", 32 GAUGE X 5/32", 33 GAUGE X 1/4", 33 GAUGE X 3/16", 33 GAUGE X 5/32" NEEDLE \$0,MO	1	
TRUE COMFORT PRO ALCOHOL PADS PADS, MEDICATED \$0,MO	1	
TRUE COMFORT PRO INS SYRINGE 0.5 ML 30 GAUGE X 1/2", 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16", 1 ML 30 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16, 1 ML 31 GAUGE X 5/16, 1 ML 32 GAUGE X 5/16", 1/2 ML 32 GAUGE X 5/16" SYRINGE \$0,MO	1	
TRUEPLUS INSULIN 0.3 ML 29 GAUGE X 1/2", 0.3 ML 30 GAUGE X 5/16", 0.3 ML 31 GAUGE X 5/16", 0.5 ML 29 GAUGE X 1/2", 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16", 1 ML 28 GAUGE X 1/2", 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16, 1 ML 31 GAUGE X 5/16, 1/2 ML 28 GAUGE X 1/2" SYRINGE \$0,MO	1	
TRUEPLUS PEN NEEDLE 29 GAUGE X 1/2", 31 GAUGE X 1/4", 31 GAUGE X 3/16", 31 GAUGE X 5/16", 32 GAUGE X 5/32" NEEDLE \$0,MO	1	
UBRELVY 100 MG, 50 MG TABLET	4	PA,QL(16 per 30 days)
ULTICARE 0.3 ML 30 GAUGE X 1/2", 0.3 ML 31 GAUGE X 5/16", 0.5 ML 30 GAUGE X 1/2", 0.5 ML 31 GAUGE X 5/16", 1 ML 30 GAUGE X 1/2", 1 ML 31 GAUGE X 5/16 SYRINGE \$0,MO	1	
ULTICARE INSULIN SYRINGE 0.3 ML 31 GAUGE X 1/4", 1 ML 31 GAUGE X 1/4", 1/2 ML 31 GAUGE X 1/4" SYRINGE \$0,MO	1	
ULTICARE INSULN SYR(HALF UNIT) 0.3 ML 31 GAUGE X 1/4" SYRINGE \$0,MO	1	
ULTICARE PEN NEEDLE 29 GAUGE X 1/2", 31 GAUGE X 1/4", 31 GAUGE X 3/16", 31 GAUGE X 5/16", 32 GAUGE X 1/4", 32 GAUGE X 5/32" NEEDLE \$0,MO	1	
ULTICARE SAFETY PEN NEEDLE 30 GAUGE X 3/16", 30 GAUGE X 5/16" NEEDLE \$0,MO	1	
ULTIGUARD SAFEPACK-INSULIN SYR 0.3 ML 30 X 1/2", 0.3 ML 31 X 5/16", 1 ML 30 X 1/2", 1 ML 31 X 5/16", 1/2 ML 30 X 1/2", 1/2 ML 31 X 5/16" SYRINGE \$0,MO	1	
ULTIGUARD SAFEPACK-PEN NEEDLE 29 GAUGE X 1/2", 31 GAUGE X 1/4", 31 GAUGE X 3/16", 31 GAUGE X 5/16", 32 GAUGE X 1/4", 32 GAUGE X 5/32" NEEDLE \$0,MO	1	
ULTILET ALCOHOL SWAB PADS, MEDICATED \$0,MO	1	

Need more information about the indicators displayed by the drug names? Please go to page 9. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • MO - Mail Order • PA - Prior Authorization • QL - Quantity Limit • ST - Step Therapy  
\$0 - Vaccine/Diabetic • DL - Dispensing Limit • LA - Limited Access

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
ULTILET INSULIN SYRINGE 0.3 ML 29 GAUGE, 0.3 ML 29 GAUGE X 1/2", 0.3 ML 30 GAUGE X 5/16", 0.3 ML 31 GAUGE X 5/16", 0.5 ML 29 GAUGE X 1/2", 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16", 1 ML 29 GAUGE, 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16, 1 ML 31 GAUGE X 5/16, 1/2 ML 29 SYRINGE \$0,MO	1	
ULTILET PEN NEEDLE 29 GAUGE, 32 GAUGE X 5/32" NEEDLE \$0,MO	1	
ULTRA CMFT INS SYR (HALF UNIT) 0.3 ML 29 GAUGE X 1/2", 0.3 ML 31 GAUGE X 5/16" SYRINGE \$0,MO	1	
ULTRA COMFORT INSULIN SYRINGE 0.3 ML 29 GAUGE X 1/2", 0.3 ML 30, 0.3 ML 30 GAUGE X 5/16", 0.3 ML 31 GAUGE X 5/16", 0.5 ML 29 GAUGE X 1/2", 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16", 1 ML 28 GAUGE, 1 ML 28 GAUGE X 1/2", 1 ML 29 GAUGE, 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16, 1 ML 30 GAUGE X 7/16", 1 ML 31 GAUGE X 5/16, 1/2 ML 28 GAUGE, 1/2 ML 28 GAUGE X 1/2", 1/2 ML 29, 1/2 ML 30 GAUGE SYRINGE \$0,MO	1	
ULTRA FLO INSUL SYR(HALF UNIT) 0.3 ML 30 GAUGE X 1/2", 0.3 ML 30 GAUGE X 5/16", 0.3 ML 31 GAUGE X 5/16" SYRINGE \$0,MO	1	
ULTRA FLO INSULIN SYRINGE 0.3 ML 29 GAUGE X 1/2", 0.3 ML 30 GAUGE X 5/16", 0.3 ML 31 GAUGE X 5/16", 0.5 ML 29 GAUGE X 1/2" SYRINGE \$0,MO	1	
ULTRA FLO PEN NEEDLE 29 GAUGE X 1/2", 31 GAUGE X 3/16", 31 GAUGE X 5/16", 32 GAUGE X 5/32", 33 GAUGE X 5/32" NEEDLE \$0,MO	1	
ULTRA THIN PEN NEEDLE 32 GAUGE X 5/32" NEEDLE \$0,MO	1	
ULTRA-THIN II (SHORT) INS SYR 0.3 ML 30 GAUGE X 5/16", 0.3 ML 31 GAUGE X 5/16", 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16", 1 ML 30 GAUGE X 5/16, 1 ML 31 GAUGE X 5/16 SYRINGE \$0,MO	1	
ULTRA-THIN II (SHORT) PEN NDL 31 GAUGE X 5/16" NEEDLE \$0,MO	1	
ULTRA-THIN II INS PEN NEEDLES 29 GAUGE X 1/2" NEEDLE \$0,MO	1	
ULTRA-THIN II INSULIN SYRINGE 0.5 ML 29 GAUGE X 1/2", 1 ML 29 GAUGE X 1/2" SYRINGE \$0,MO	1	
ULTRACARE INSULIN SYRINGE 0.3 ML 30 GAUGE X 5/16", 0.3 ML 31 GAUGE X 5/16", 0.5 ML 30 GAUGE X 1/2", 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16", 1 ML 30 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16, 1 ML 31 GAUGE X 5/16 SYRINGE \$0,MO	1	
ULTRACARE PEN NEEDLE 31 GAUGE X 1/4", 31 GAUGE X 3/16", 31 GAUGE X 5/16", 32 GAUGE X 1/4", 32 GAUGE X 3/16", 32 GAUGE X 5/32", 33 GAUGE X 5/32" NEEDLE \$0,MO	1	
UNIFINE PEN NEEDLE 32 GAUGE X 5/32" NEEDLE \$0,MO	1	
UNIFINE PENTIPS 29 GAUGE, 29 GAUGE X 1/2", 31 GAUGE X 1/4", 31 GAUGE X 3/16", 31 GAUGE X 5/16", 32 GAUGE X 1/4", 32 GAUGE X 5/32", 33 GAUGE X 5/32" NEEDLE \$0,MO	1	
UNIFINE PENTIPS MAXFLOW 30 GAUGE X 3/16" NEEDLE \$0,MO	1	

Need more information about the indicators displayed by the drug names? Please go to page 9. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • MO - Mail Order • PA - Prior Authorization • QL - Quantity Limit • ST - Step Therapy  
\$0 - Vaccine/Diabetic • DL - Dispensing Limit • LA - Limited Access

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
UNIFINE PENTIPS PLUS 29 GAUGE X 1/2", 31 GAUGE X 1/4", 31 GAUGE X 3/16", 31 GAUGE X 5/16", 32 GAUGE X 5/32", 33 GAUGE X 5/32" NEEDLE \$0,MO	1	
UNIFINE PENTIPS PLUS MAXFLOW 30 GAUGE X 3/16" NEEDLE \$0,MO	1	
UNIFINE SAFECONTROL 30 GAUGE X 3/16", 30 GAUGE X 5/16", 32 GAUGE X 5/32" NEEDLE \$0,MO	1	
UNIFINE ULTRA PEN NEEDLE 31 GAUGE X 1/4", 31 GAUGE X 3/16", 31 GAUGE X 5/16", 32 GAUGE X 5/32" NEEDLE \$0,MO	1	
V-GO 20 DEVICE \$0,MO	2	
V-GO 30 DEVICE \$0,MO	2	
V-GO 40 DEVICE \$0,MO	2	
vanatol lq 50-325-40 mg/15 ml SOLUTION	4	QL(450 per 30 days)
vanatol s 50-325-40 mg/15 ml SOLUTION	4	QL(450 per 30 days)
VANISHPOINT INSULIN SYRINGE 1 ML 30 GAUGE X 3/16" SYRINGE \$0,MO	1	
VANISHPOINT SYRINGE 0.5 ML 30 GAUGE X 1/2", 1 ML 29 GAUGE X 1/2" SYRINGE \$0,MO	1	
VERIFINE PEN NEEDLE 31 GAUGE X 1/4", 31 GAUGE X 5/16", 32 GAUGE X 3/16", 32 GAUGE X 5/32" NEEDLE \$0,MO	1	
VIRAZOLE 6 GRAM RECON SOLUTION DL	4	BvsD
VOXZOGO 0.4 MG, 0.56 MG, 1.2 MG RECON SOLUTION DL	4	PA,QL(30 per 30 days)
vtol lq 50-325-40 mg/15 ml SOLUTION	4	QL(450 per 30 days)
water for irrigation, sterile SOLUTION MO	1	
WEBCOL PADS, MEDICATED \$0,MO	1	
XENICAL 120 MG CAPSULE MO	3	PA
ZEBUTAL 50-325-40 MG CAPSULE MO	1	QL(180 per 30 days)
zingiber 1.2 mg-40 mg- 124.1 mg-100 mg TABLET MO	1	
ZYNRELEF 200 MG-6 MG /7 ML, 400 MG-12 MG /14 ML ER SOLUTION MO	3	
<b>Ophthalmic Agents</b>		
ACULAR 0.5 % DROPS MO	3	ST,QL(10 per 30 days)
ACULAR LS 0.4 % DROPS MO	3	ST,QL(10 per 30 days)
ACUVAIL (PF) 0.45 % DROPPERETTE MO	3	ST
ak-poly-bac 500-10,000 unit/gram OINTMENT MO	1	
AKTEN (PF) 3.5 % GEL MO	3	
ALCAINE 0.5 % DROPS MO	1	
ALOCRIL 2 % DROPS MO	3	
ALOMIDE 0.1 % DROPS MO	3	
ALPHAGAN P 0.1 % DROPS MO	2	

Need more information about the indicators displayed by the drug names? Please go to page 9. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • MO – Mail Order • PA - Prior Authorization • QL - Quantity Limit • ST - Step Therapy  
\$0 - Vaccine/Diabetic • DL - Dispensing Limit • LA - Limited Access

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
ALPHAGAN P 0.15 % DROPS <b>MO</b>	3	PA
ALREX 0.2 % DROPS, SUSPENSION <b>MO</b>	3	ST
apraclonidine 0.5 % DROPS <b>MO</b>	1	
atropine 1 % DROPS <b>MO</b>	1	
AZASITE 1 % DROPS <b>MO</b>	3	ST,QL(2.5 per 25 days)
azelastine 0.05 % DROPS <b>MO</b>	1	
AZOPT 1 % DROPS, SUSPENSION <b>MO</b>	3	ST,QL(10 per 28 days)
bacitracin 500 unit/gram OINTMENT <b>MO</b>	1	
bacitracin-polymyxin b 500-10,000 unit/gram OINTMENT <b>MO</b>	1	
balanced salt SOLUTION <b>MO</b>	1	
bepotastine besilate 1.5 % DROPS <b>MO</b>	1	ST,QL(5 per 25 days)
BEPREVE 1.5 % DROPS <b>MO</b>	3	ST,QL(5 per 25 days)
BESIVANCE 0.6 % DROPS, SUSPENSION <b>MO</b>	3	ST
BETADINE OPHTHALMIC PREP 5 % SOLUTION <b>MO</b>	3	
betaxolol 0.5 % DROPS <b>MO</b>	1	
BETIMOL 0.25 %, 0.5 % DROPS <b>MO</b>	3	ST
BETOPTICS 0.25 % DROPS, SUSPENSION <b>MO</b>	3	ST
bimatoprost 0.03 % DROPS <b>MO</b>	1	QL(2.5 per 25 days)
BLEPH-10 10 % DROPS <b>MO</b>	1	
BLEPHAMIDE 10-0.2 % DROPS, SUSPENSION <b>MO</b>	3	
BLEPHAMIDE S.O.P. 10-0.2 % OINTMENT <b>MO</b>	1	
brimonidine 0.15 % DROPS <b>MO</b>	1	
brimonidine 0.2 % DROPS <b>MO</b>	1	
brinzolamide 1 % DROPS, SUSPENSION <b>MO</b>	1	ST,QL(10 per 28 days)
bromfenac 0.09 % DROPS <b>MO</b>	1	QL(1.7 per 30 days)
BROMSITE 0.075 % DROPS <b>MO</b>	3	ST,QL(5 per 30 days)
BSS SOLUTION <b>MO</b>	3	
BSS PLUS SOLUTION <b>MO</b>	3	
carteolol 1 % DROPS <b>MO</b>	1	
CEQUA 0.09 % DROPPERETTE <b>MO</b>	3	PA,QL(60 per 30 days)
CILOXAN 0.3 % DROPS <b>MO</b>	3	
CILOXAN 0.3 % OINTMENT <b>MO</b>	3	
ciprofloxacin hcl 0.3 % DROPS <b>MO</b>	1	
COMBIGAN 0.2-0.5 % DROPS <b>MO</b>	2	QL(5 per 25 days)
COSOPT 22.3-6.8 MG/ML DROPS <b>MO</b>	3	ST
COSOPT (PF) 2-0.5 % DROPPERETTE <b>MO</b>	3	ST,QL(60 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 9. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • MO – Mail Order • PA - Prior Authorization • QL - Quantity Limit • ST - Step Therapy  
\$0 - Vaccine/Diabetic • DL - Dispensing Limit • LA - Limited Access

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
cromolyn 4 % DROPS <b>MO</b>	1	
CYSTADROPS 0.37 % DROPS <b>DL</b>	4	PA,QL(20 per 28 days)
CYSTARAN 0.44 % DROPS <b>DL</b>	4	PA,QL(60 per 28 days)
dexamethasone sodium phosphate 0.1 % DROPS <b>MO</b>	1	
DEXTENZA 0.4 MG INSERT <b>MO</b>	3	QL(1 per 30 days)
diclofenac sodium 0.1 % DROPS <b>MO</b>	1	
dorzolamide 2 % DROPS <b>MO</b>	1	
dorzolamide-timolol 22.3-6.8 mg/ml DROPS <b>MO</b>	1	
dorzolamide-timolol (pf) 2-0.5 % DROPPERETTE <b>MO</b>	1	QL(60 per 30 days)
DUREZOL 0.05 % DROPS <b>MO</b>	2	
DURYSTA 10 MCG IMPLANT <b>DL</b>	4	PA
epinastine 0.05 % DROPS <b>MO</b>	1	ST,QL(5 per 25 days)
erythromycin 5 mg/gram (0.5 %) OINTMENT <b>MO</b>	1	QL(3.5 per 28 days)
EYSUVIS 0.25 % DROPS, SUSPENSION <b>MO</b>	2	QL(16.6 per 30 days)
FLAREX 0.1 % DROPS, SUSPENSION <b>MO</b>	3	ST
fluorometholone 0.1 % DROPS, SUSPENSION <b>MO</b>	1	
flurbiprofen sodium 0.03 % DROPS <b>MO</b>	1	
FML FORTE 0.25 % DROPS, SUSPENSION <b>MO</b>	3	ST
FML LIQUIFILM 0.1 % DROPS, SUSPENSION <b>MO</b>	3	ST
FML S.O.P. 0.1 % OINTMENT <b>MO</b>	3	ST
gatifloxacin 0.5 % DROPS <b>MO</b>	1	QL(2.5 per 25 days)
gentak 0.3 % (3 mg/gram) OINTMENT <b>MO</b>	1	
gentamicin 0.3 % DROPS <b>MO</b>	1	
ILEVRO 0.3 % DROPS, SUSPENSION <b>MO</b>	2	QL(3 per 30 days)
INVELTYS 1 % DROPS, SUSPENSION <b>MO</b>	3	ST
IOPIDINE 1 % DROPPERETTE <b>MO</b>	3	
ISOPTO CARPINE 1 %, 2 %, 4 % DROPS <b>MO</b>	3	
ISTALOL 0.5 % DROPS, ONCE DAILY <b>MO</b>	3	
ketorolac 0.4 % DROPS <b>MO</b>	1	QL(10 per 30 days)
ketorolac 0.5 % DROPS <b>MO</b>	1	QL(10 per 30 days)
LACRISERT 5 MG INSERT <b>MO</b>	3	
LASTACAFT 0.25 % DROPS <b>MO</b>	3	ST
latanoprost 0.005 % DROPS <b>MO</b>	1	QL(5 per 25 days)
levobunolol 0.5 % DROPS <b>MO</b>	1	
levofloxacin 0.5 %, 1.5 % DROPS <b>MO</b>	1	
LOTEMAX 0.5 % DROPS, GEL <b>MO</b>	3	ST

Need more information about the indicators displayed by the drug names? Please go to page 9. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • MO - Mail Order • PA - Prior Authorization • QL - Quantity Limit • ST - Step Therapy  
\$0 - Vaccine/Diabetic • DL - Dispensing Limit • LA - Limited Access

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
LOTEMAX 0.5 % DROPS, SUSPENSION <b>MO</b>	3	ST
LOTEMAX 0.5 % OINTMENT <b>MO</b>	3	ST
LOTEMAX SM 0.38 % DROPS, GEL <b>MO</b>	3	
loteprednol etabonate 0.5 % DROPS, GEL <b>MO</b>	1	ST
loteprednol etabonate 0.5 % DROPS, SUSPENSION <b>MO</b>	1	ST
LUMIGAN 0.01 % DROPS <b>MO</b>	2	QL(2.5 per 25 days)
MAXIDEX 0.1 % DROPS, SUSPENSION <b>MO</b>	3	ST
MAXITROL 3.5 MG/G-10,000 UNIT/G-0.1 % OINTMENT <b>MO</b>	3	
MAXITROL 3.5MG/ML-10,000 UNIT/ML-0.1 % DROPS, SUSPENSION <b>MO</b>	1	
metipranolol 0.3 % DROPS <b>MO</b>	1	
MIOSTAT 0.01 % SOLUTION <b>MO</b>	3	
MOXEZA 0.5 % DROPS, VISCOUS <b>MO</b>	3	ST
moxifloxacin 0.5 % DROPS <b>MO</b>	1	
moxifloxacin 0.5 % DROPS, VISCOUS <b>MO</b>	1	ST
NATACYN 5 % DROPS, SUSPENSION <b>MO</b>	3	
neo-polycin 3.5-400-10,000 mg-unit-unit/g OINTMENT <b>MO</b>	1	
neo-polycin hc 3.5-400-10,000 mg-unit/g-1% OINTMENT <b>MO</b>	1	
neomycin-bacitracin-poly-hc 3.5-400-10,000 mg-unit/g-1% OINTMENT <b>MO</b>	1	
neomycin-bacitracin-polymyxin 3.5-400-10,000 mg-unit-unit/g OINTMENT <b>MO</b>	1	
neomycin-polymyxin b-dexameth 3.5 mg/g-10,000 unit/g-0.1 % OINTMENT <b>MO</b>	1	
neomycin-polymyxin b-dexameth 3.5mg/ml-10,000 unit/ml-0.1 % DROPS, SUSPENSION <b>MO</b>	1	
neomycin-polymyxin-gramicidin 1.75 mg-10,000 unit-0.025mg/ml DROPS <b>MO</b>	1	
neomycin-polymyxin-hc 3.5-10,000-10 mg-unit-mg/ml DROPS, SUSPENSION <b>MO</b>	1	
NEVANAC 0.1 % DROPS, SUSPENSION <b>MO</b>	3	ST
OCUFLOX 0.3 % DROPS <b>MO</b>	3	
ofloxacin 0.3 % DROPS <b>MO</b>	1	
olopatadine 0.1 % DROPS <b>MO</b>	1	ST
olopatadine 0.2 % DROPS <b>MO</b>	1	
OXERVATE 0.002 % DROPS <b>DL</b>	4	PA,QL(112 per 365 days)
PHOSPHOLINE IODIDE 0.125 % DROPS <b>MO</b>	3	
pilocarpine hcl 1 %, 2 %, 4 % DROPS <b>MO</b>	1	
polycin 500-10,000 unit/gram OINTMENT <b>MO</b>	1	
polymyxin b sulf-trimethoprim 10,000 unit- 1 mg/ml DROPS <b>MO</b>	1	
POLYTRIM 10,000 UNIT- 1 MG/ML DROPS <b>MO</b>	3	
PRED FORTE 1 % DROPS, SUSPENSION <b>MO</b>	3	ST

Need more information about the indicators displayed by the drug names? Please go to page 9. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • MO – Mail Order • PA - Prior Authorization • QL - Quantity Limit • ST - Step Therapy  
\$0 - Vaccine/Diabetic • DL - Dispensing Limit • LA - Limited Access

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
PRED MILD 0.12 % DROPS, SUSPENSION <b>MO</b>	3	ST
PRED-G 0.3-1 % DROPS, SUSPENSION <b>MO</b>	3	
PRED-G S.O.P. 0.3-0.6 % OINTMENT <b>MO</b>	3	
prednisolone acetate 1 % DROPS, SUSPENSION <b>MO</b>	1	
prednisolone sodium phosphate 1 % DROPS <b>MO</b>	1	
PROLENSA 0.07 % DROPS <b>MO</b>	3	ST,QL(3 per 30 days)
proparacaine 0.5 % DROPS <b>MO</b>	1	
RESTASIS 0.05 % DROPPERETTE <b>MO</b>	2	QL(60 per 30 days)
RESTASIS MULTIDOSE 0.05 % DROPS <b>MO</b>	2	QL(5.5 per 25 days)
RHOPRESSA 0.02 % DROPS <b>MO</b>	2	ST,QL(2.5 per 25 days)
ROCKLATAN 0.02-0.005 % DROPS <b>MO</b>	2	ST,QL(2.5 per 25 days)
SIMBRINZA 1-0.2 % DROPS, SUSPENSION <b>MO</b>	3	ST,QL(16 per 30 days)
sulfacetamide sodium 10 % DROPS <b>MO</b>	1	
sulfacetamide-prednisolone 10 %-0.23 % (0.25 %) DROPS <b>MO</b>	1	
tafluprost (pf) 0.0015 % DROPPERETTE <b>MO</b>	3	ST,QL(30 per 30 days)
timolol maleate 0.25 % DROPS <b>MO</b>	1	
timolol maleate 0.25 %, 0.5 % GEL FORMING SOLUTION <b>MO</b>	1	
timolol maleate 0.5 % DROPS <b>MO</b>	1	
timolol maleate 0.5 % DROPS, ONCE DAILY <b>MO</b>	1	
timolol maleate (pf) 0.25 %, 0.5 % DROPPERETTE <b>MO</b>	1	
TIMOPTIC 0.25 %, 0.5 % DROPS <b>MO</b>	3	ST
TIMOPTIC OCUDOSE (PF) 0.25 %, 0.5 % DROPPERETTE <b>MO</b>	3	ST
TIMOPTIC-XE 0.25 %, 0.5 % GEL FORMING SOLUTION <b>MO</b>	3	PA
TOBRADEX 0.3-0.1 % DROPS, SUSPENSION <b>MO</b>	3	
TOBRADEX 0.3-0.1 % OINTMENT <b>MO</b>	3	
TOBRADEX ST 0.3-0.05 % DROPS, SUSPENSION <b>MO</b>	3	
tobramycin 0.3 % DROPS <b>MO</b>	1	
tobramycin-dexamethasone 0.3-0.1 % DROPS, SUSPENSION <b>MO</b>	1	
TOBREX 0.3 % DROPS <b>MO</b>	3	
TOBREX 0.3 % OINTMENT <b>MO</b>	3	
TRAVATAN Z 0.004 % DROPS <b>MO</b>	3	ST,QL(2.5 per 25 days)
travoprost 0.004 % DROPS <b>MO</b>	1	QL(2.5 per 25 days)
trifluridine 1 % DROPS <b>MO</b>	1	
TRUSOPT 2 % DROPS <b>MO</b>	3	
TYRVAYA 0.03 MG/SPRAY SPRAY, METERED, NON-AEROSOL <b>MO</b>	3	PA,QL(8.4 per 30 days)
VERKAZIA 0.1 % DROPPERETTE <b>DL</b>	4	PA,QL(120 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 9. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • MO – Mail Order • PA - Prior Authorization • QL - Quantity Limit • ST - Step Therapy  
\$0 - Vaccine/Diabetic • DL - Dispensing Limit • LA - Limited Access

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
VIGAMOX 0.5 % DROPS <b>MO</b>	3	PA
VUITY 1.25 % DROPS <b>MO</b>	3	
VYZULTA 0.024 % DROPS <b>MO</b>	3	QL(5 per 30 days)
XALATAN 0.005 % DROPS <b>MO</b>	3	PA,QL(5 per 25 days)
XELPROS 0.005 % DROPS, EMULSION <b>MO</b>	3	ST,QL(2.5 per 25 days)
XIIDRA 5 % DROPPERETTE <b>MO</b>	3	PA,QL(60 per 30 days)
ZERVIATE 0.24 % DROPPERETTE <b>MO</b>	3	QL(60 per 30 days)
ZIOPTAN (PF) 0.0015 % DROPPERETTE <b>MO</b>	3	ST,QL(30 per 30 days)
ZYLET 0.3-0.5 % DROPS, SUSPENSION <b>MO</b>	3	
ZYMAXID 0.5 % DROPS <b>MO</b>	3	ST,QL(2.5 per 25 days)
<b>Otic Agents</b>		
CIPRO HC 0.2-1 % DROPS, SUSPENSION <b>MO</b>	3	
CIPRODEX 0.3-0.1 % DROPS, SUSPENSION <b>MO</b>	3	QL(7.5 per 30 days)
ciprofloxacin hcl 0.2 % DROPPERETTE <b>MO</b>	1	
ciprofloxacin-dexamethasone 0.3-0.1 % DROPS, SUSPENSION <b>MO</b>	3	QL(7.5 per 30 days)
ciprofloxacin-fluocinolone 0.3-0.025 % (0.25 ml) SOLUTION <b>MO</b>	3	
CORTISPORIN-TC 3.3-3-10-0.5 MG/ML DROPS, SUSPENSION <b>MO</b>	3	
DERMOTIC OIL 0.01 % DROPS <b>MO</b>	3	
flac otic oil 0.01 % DROPS <b>MO</b>	1	
fluocinolone acetonide oil 0.01 % DROPS <b>MO</b>	1	
hydrocortisone-acetic acid 1-2 % DROPS <b>MO</b>	1	
neomycin-polymyxin-hc 3.5-10,000-1 mg/ml-unit/ml-% DROPS, SUSPENSION <b>MO</b>	1	
neomycin-polymyxin-hc 3.5-10,000-1 mg/ml-unit/ml-% SOLUTION <b>MO</b>	1	
ofloxacin 0.3 % DROPS <b>MO</b>	1	
OTOVEL 0.3-0.025 % (0.25 ML) SOLUTION <b>MO</b>	3	
<b>Respiratory Tract/pulmonary Agents</b>		
ACCOLATE 10 MG, 20 MG TABLET <b>MO</b>	3	PA,QL(60 per 30 days)
acetylcysteine 100 mg/ml (10 %), 200 mg/ml (20 %) SOLUTION <b>MO</b>	1	BvsD
ADCIRCA 20 MG TABLET <b>DL</b>	4	PA,QL(60 per 30 days)
ADEMPAS 0.5 MG, 1 MG, 1.5 MG, 2 MG, 2.5 MG TABLET <b>DL,LA</b>	4	PA,QL(90 per 30 days)
ADRENALIN 1 MG/ML, 1 MG/ML (1 ML) SOLUTION <b>MO</b>	3	
ADVAIR DISKUS 100-50 MCG/DOSE, 250-50 MCG/DOSE, 500-50 MCG/DOSE BLISTER WITH DEVICE <b>MO</b>	2	QL(60 per 30 days)
ADVAIR HFA 115-21 MCG/ACTUATION, 230-21 MCG/ACTUATION, 45-21 MCG/ACTUATION HFA AEROSOL INHALER <b>MO</b>	2	QL(12 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 9. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • MO – Mail Order • PA - Prior Authorization • QL - Quantity Limit • ST - Step Therapy  
\$0 - Vaccine/Diabetic • DL - Dispensing Limit • LA - Limited Access

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
AIRDUO DIGIHALER 113 MCG-14 MCG/ACTUATION, 232-14 MCG/ACTUATION, 55-14 MCG/ACTUATION AEROSOL POWDER BREATH ACTIV. <b>MO</b>	3	ST,QL(1 per 30 days)
AIRDUO RESPICLICK 113-14 MCG/ACTUATION, 232-14 MCG/ACTUATION, 55-14 MCG/ACTUATION AEROSOL POWDER BREATH ACTIV. <b>MO</b>	3	ST,QL(1 per 30 days)
albuterol sulfate 0.63 mg/3 ml, 1.25 mg/3 ml, 2.5 mg /3 ml (0.083 %), 2.5 mg/0.5 ml, 5 mg/ml SOLUTION FOR NEBULIZATION <b>MO</b>	1	BvsD
albuterol sulfate 2 mg, 4 mg TABLET <b>MO</b>	1	
albuterol sulfate 2 mg/5 ml SYRUP <b>MO</b>	1	
albuterol sulfate 4 mg, 8 mg TABLET, ER 12 HR. <b>MO</b>	1	
albuterol sulfate 90 mcg/actuation HFA AEROSOL INHALER <b>MO</b>	1	QL(36 per 30 days)
ALVESCO 160 MCG/ACTUATION, 80 MCG/ACTUATION HFA AEROSOL INHALER <b>MO</b>	3	ST,QL(18.3 per 28 days)
alyq 20 mg TABLET <b>MO</b>	1	PA,QL(60 per 30 days)
ambrisentan 10 mg, 5 mg TABLET <b>DL</b>	4	PA,QL(30 per 30 days)
aminophylline 250 mg/10 ml, 500 mg/20 ml SOLUTION <b>MO</b>	1	
ANORO ELLIPTA 62.5-25 MCG/ACTUATION BLISTER WITH DEVICE <b>MO</b>	3	PA,QL(60 per 30 days)
arformoterol 15 mcg/2 ml SOLUTION FOR NEBULIZATION <b>MO</b>	1	PA,QL(120 per 30 days)
ARMONAIR DIGIHALER 113 MCG/ACTUATION, 232 MCG/ACTUATION, 55 MCG/ACTUATION AEROSOL POWDER BREATH ACTIV. <b>MO</b>	3	ST,QL(1 per 30 days)
ARNUITY ELLIPTA 100 MCG/ACTUATION, 200 MCG/ACTUATION, 50 MCG/ACTUATION BLISTER WITH DEVICE <b>MO</b>	2	QL(30 per 30 days)
ASMANEX HFA 100 MCG/ACTUATION, 200 MCG/ACTUATION, 50 MCG/ACTUATION HFA AEROSOL INHALER <b>MO</b>	3	ST,QL(13 per 30 days)
ASMANEX TWISTHALER 110 MCG/ ACTUATION (30), 220 MCG/ ACTUATION (120), 220 MCG/ ACTUATION (14), 220 MCG/ ACTUATION (30), 220 MCG/ ACTUATION (60) AEROSOL POWDER BREATH ACTIV. <b>MO</b>	3	ST,QL(1 per 28 days)
ATROVENT HFA 17 MCG/ACTUATION HFA AEROSOL INHALER <b>MO</b>	3	QL(25.8 per 30 days)
azelastine 137 mcg (0.1 %) AEROSOL SPRAY <b>MO</b>	1	QL(30 per 25 days)
azelastine 205.5 mcg (0.15 %) SPRAY, NON-AEROSOL <b>MO</b>	1	QL(30 per 25 days)
azelastine-fluticasone 137-50 mcg/spray SPRAY, NON-AEROSOL <b>MO</b>	1	ST,QL(23 per 28 days)
BECONASE AQ 42 MCG (0.042 %) SPRAY, NON-AEROSOL <b>MO</b>	3	ST,QL(50 per 30 days)
BEVESPI AEROSPHERE 9-4.8 MCG HFA AEROSOL INHALER <b>MO</b>	3	QL(10.7 per 30 days)
bosentan 125 mg, 62.5 mg TABLET <b>DL</b>	4	PA,QL(60 per 30 days)
BREO ELLIPTA 100-25 MCG/DOSE, 200-25 MCG/DOSE BLISTER WITH DEVICE <b>MO</b>	2	QL(60 per 30 days)
BREZTRI AEROSPHERE 160-9-4.8 MCG/ACTUATION HFA AEROSOL INHALER <b>MO</b>	2	QL(10.7 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 9. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • MO – Mail Order • PA - Prior Authorization • QL - Quantity Limit • ST - Step Therapy  
\$0 - Vaccine/Diabetic • DL - Dispensing Limit • LA - Limited Access

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
BRONCHITOL 40 MG CAPSULE, W/INHALATION DEVICE <b>DL</b>	4	PA,QL(560 per 28 days)
BROVANA 15 MCG/2 ML SOLUTION FOR NEBULIZATION	4	PA,QL(120 per 30 days)
budesonide 0.25 mg/2 ml, 0.5 mg/2 ml, 1 mg/2 ml SUSPENSION FOR NEBULIZATION <b>MO</b>	1	BvsD
carbinoxamine maleate 4 mg TABLET <b>MO</b>	1	
carbinoxamine maleate 4 mg/5 ml LIQUID <b>MO</b>	1	
carbinoxamine maleate 6 mg TABLET <b>MO</b>	1	QL(120 per 30 days)
CAYSTON 75 MG/ML SOLUTION FOR NEBULIZATION <b>DL</b>	4	PA,QL(84 per 28 days)
cetirizine 1 mg/ml SOLUTION <b>MO</b>	1	QL(300 per 30 days)
CINQAIR 10 MG/ML SOLUTION <b>DL</b>	4	PA
CLARINEX 5 MG TABLET <b>MO</b>	3	PA,QL(30 per 30 days)
clemastine 0.5 mg/5 ml SYRUP <b>DL</b>	4	PA,QL(1800 per 30 days)
clemastine 2.68 mg TABLET <b>MO</b>	1	
COMBIVENT RESPIMAT 20-100 MCG/ACTUATION MIST <b>MO</b>	3	QL(4 per 20 days)
cromolyn 100 mg/5 ml CONCENTRATE <b>MO</b>	1	
cromolyn 20 mg/2 ml SOLUTION FOR NEBULIZATION	4	BvsD
cyproheptadine 2 mg/5 ml SYRUP <b>MO</b>	1	
cyproheptadine 4 mg TABLET <b>MO</b>	1	
DALIRESP 250 MCG TABLET <b>MO</b>	2	QL(28 per 365 days)
DALIRESP 500 MCG TABLET <b>MO</b>	2	QL(30 per 30 days)
desloratadine 2.5 mg, 5 mg TABLET, DISINTEGRATING <b>MO</b>	1	ST,QL(30 per 30 days)
desloratadine 5 mg TABLET <b>MO</b>	1	QL(30 per 30 days)
dexchlorpheniramine maleate 2 mg/5 ml SOLUTION <b>MO</b>	1	PA
DIPHEN 12.5 MG/5 ML ELIXIR <b>MO</b>	1	
diphen 12.5 mg/5 ml ELIXIR <b>MO</b>	1	
diphenhydramine hcl 12.5 mg/5 ml ELIXIR <b>MO</b>	1	
diphenhydramine hcl 50 mg/ml SOLUTION <b>MO</b>	1	
diphenhydramine hcl 50 mg/ml SYRINGE <b>MO</b>	1	
DOPRAM 20 MG/ML SOLUTION <b>MO</b>	3	
DUAKLIR PRESSAIR 400-12 MCG/ACTUATION AEROSOL POWDER BREATH ACTIV.	4	PA,QL(1 per 30 days)
DULERA 100-5 MCG/ACTUATION, 200-5 MCG/ACTUATION, 50-5 MCG/ACTUATION HFA AEROSOL INHALER <b>MO</b>	3	ST,QL(13 per 30 days)
DYMISTA 137-50 MCG/SPRAY SPRAY, NON-AEROSOL <b>MO</b>	3	ST,QL(23 per 28 days)
ELIXOPHYLLIN 80 MG/15 ML ELIXIR <b>MO</b>	1	
epinephrine 0.15 mg/0.15 ml, 0.15 mg/0.3 ml, 0.3 mg/0.3 ml AUTO-INJECTOR <b>MO</b>	1	QL(4 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 9. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • MO – Mail Order • PA - Prior Authorization • QL - Quantity Limit • ST - Step Therapy  
\$0 - Vaccine/Diabetic • DL - Dispensing Limit • LA - Limited Access

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
EPIPEN 0.3 MG/0.3 ML AUTO-INJECTOR <b>MO</b>	3	PA,QL(4 per 30 days)
EPIPEN 2-PAK 0.3 MG/0.3 ML AUTO-INJECTOR <b>MO</b>	3	PA,QL(4 per 30 days)
EPIPEN JR 0.15 MG/0.3 ML AUTO-INJECTOR <b>MO</b>	3	PA,QL(4 per 30 days)
EPIPEN JR 2-PAK 0.15 MG/0.3 ML AUTO-INJECTOR <b>MO</b>	3	PA,QL(4 per 30 days)
epoprostenol 0.5 mg, 1.5 mg RECON SOLUTION <b>DL</b>	4	PA
epoprostenol (glycine) 0.5 mg, 1.5 mg RECON SOLUTION <b>DL</b>	4	PA
ESBRIET 267 MG CAPSULE <b>DL</b>	4	PA,QL(270 per 30 days)
ESBRIET 267 MG TABLET <b>DL</b>	4	PA,QL(270 per 30 days)
ESBRIET 801 MG TABLET <b>DL</b>	4	PA,QL(90 per 30 days)
FASENRA 30 MG/ML SYRINGE <b>DL</b>	4	PA,QL(1 per 28 days)
FASENRA PEN 30 MG/ML AUTO-INJECTOR <b>DL</b>	4	PA,QL(1 per 28 days)
FLOVENT DISKUS 100 MCG/ACTUATION BLISTER WITH DEVICE <b>MO</b>	2	QL(60 per 30 days)
FLOVENT DISKUS 250 MCG/ACTUATION, 50 MCG/ACTUATION BLISTER WITH DEVICE <b>MO</b>	2	QL(60 per 30 days)
FLOVENT HFA 110 MCG/ACTUATION HFA AEROSOL INHALER <b>MO</b>	2	QL(24 per 30 days)
FLOVENT HFA 220 MCG/ACTUATION HFA AEROSOL INHALER <b>MO</b>	2	QL(24 per 30 days)
FLOVENT HFA 44 MCG/ACTUATION HFA AEROSOL INHALER <b>MO</b>	2	QL(10.6 per 30 days)
flunisolide 25 mcg (0.025 %) SPRAY, NON-AEROSOL <b>MO</b>	1	QL(50 per 30 days)
fluticasone propion-salmeterol 100-50 mcg/dose, 500-50 mcg/dose BLISTER WITH DEVICE <b>MO</b>	1	QL(60 per 30 days)
fluticasone propion-salmeterol 113-14 mcg/actuation, 232-14 mcg/actuation, 55-14 mcg/actuation AEROSOL POWDER BREATH ACTIV. <b>MO</b>	2	QL(1 per 30 days)
fluticasone propion-salmeterol 250-50 mcg/dose BLISTER WITH DEVICE <b>MO</b>	1	QL(60 per 30 days)
fluticasone propionate 50 mcg/actuation SPRAY, SUSPENSION <b>MO</b>	1	QL(16 per 30 days)
formoterol fumarate 20 mcg/2 ml SOLUTION FOR NEBULIZATION <b>MO</b>	1	PA,QL(120 per 30 days)
GASTROCROM 100 MG/5 ML CONCENTRATE <b>MO</b>	3	
GRASTEK 2,800 BAU SUBLINGUAL TABLET <b>MO</b>	3	PA,QL(30 per 30 days)
hydroxyzine pamoate 100 mg, 50 mg CAPSULE <b>MO</b>	1	
hydroxyzine pamoate 25 mg CAPSULE <b>MO</b>	1	
INCRUSE ELLIPTA 62.5 MCG/ACTUATION BLISTER WITH DEVICE <b>MO</b>	3	PA,QL(30 per 30 days)
ipratropium bromide 0.02 % SOLUTION <b>MO</b>	1	BvsD
ipratropium bromide 21 mcg (0.03 %) SPRAY, NON-AEROSOL <b>MO</b>	1	QL(30 per 30 days)
ipratropium bromide 42 mcg (0.06 %) SPRAY, NON-AEROSOL <b>MO</b>	1	QL(45 per 30 days)
ipratropium-albuterol 0.5 mg-3 mg(2.5 mg base)/3 ml SOLUTION FOR NEBULIZATION <b>MO</b>	1	BvsD
KALYDECO 150 MG TABLET <b>DL</b>	4	PA,QL(60 per 30 days)
KALYDECO 25 MG, 50 MG, 75 MG GRANULES IN PACKET <b>DL</b>	4	PA,QL(56 per 28 days)

Need more information about the indicators displayed by the drug names? Please go to page 9. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • MO – Mail Order • PA - Prior Authorization • QL - Quantity Limit • ST - Step Therapy  
\$0 - Vaccine/Diabetic • DL - Dispensing Limit • LA - Limited Access

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
KARBINAL ER 4 MG/5 ML SUSPENSION, ER 12 HR. <b>MO</b>	3	
LETAIRIS 10 MG, 5 MG TABLET <b>DL</b>	4	PA,QL(30 per 30 days)
levalbuterol hcl 0.31 mg/3 ml, 0.63 mg/3 ml, 1.25 mg/0.5 ml, 1.25 mg/3 ml SOLUTION FOR NEBULIZATION <b>MO</b>	1	BvsD
levalbuterol tartrate 45 mcg/actuation HFA AEROSOL INHALER <b>MO</b>	1	ST,QL(30 per 30 days)
levocetirizine 2.5 mg/5 ml SOLUTION <b>MO</b>	1	QL(300 per 30 days)
levocetirizine 5 mg TABLET <b>MO</b>	1	QL(30 per 30 days)
LONHALA MAGNAIR REFILL 25 MCG/ML SOLUTION FOR NEBULIZATION	4	PA,QL(60 per 30 days)
LONHALA MAGNAIR STARTER 25 MCG/ML SOLUTION FOR NEBULIZATION	4	PA,QL(60 per 365 days)
metaproterenol 10 mg/5 ml SYRUP <b>MO</b>	1	
mometasone 50 mcg/actuation SPRAY, NON-AEROSOL <b>MO</b>	1	QL(34 per 30 days)
montelukast 10 mg TABLET <b>MO</b>	1	QL(30 per 30 days)
montelukast 4 mg GRANULES IN PACKET <b>MO</b>	1	QL(30 per 30 days)
montelukast 4 mg, 5 mg CHEWABLE TABLET <b>MO</b>	1	QL(30 per 30 days)
NASONEX 50 MCG/ACTUATION SPRAY, NON-AEROSOL <b>MO</b>	3	QL(34 per 30 days)
NUCALA 100 MG RECON SOLUTION <b>DL</b>	4	PA,QL(3 per 28 days)
NUCALA 100 MG/ML AUTO-INJECTOR <b>DL</b>	4	PA,QL(3 per 28 days)
NUCALA 100 MG/ML SYRINGE <b>DL</b>	4	PA,QL(3 per 28 days)
NUCALA 40 MG/0.4 ML SYRINGE <b>DL</b>	4	PA,QL(0.4 per 28 days)
ODACTRA 12 SQ-HDM SUBLINGUAL TABLET <b>MO</b>	3	PA,QL(30 per 30 days)
OFEV 100 MG, 150 MG CAPSULE <b>DL,LA</b>	4	PA,QL(60 per 30 days)
olopatadine 0.6 % SPRAY, NON-AEROSOL <b>MO</b>	1	ST,QL(30.5 per 30 days)
OMNARIS 50 MCG SPRAY, NON-AEROSOL <b>MO</b>	3	ST,QL(12.5 per 30 days)
OPSUMIT 10 MG TABLET <b>DL,LA</b>	4	PA,QL(30 per 30 days)
ORALAIR 100 INDX REACTIVITY, 100 IR (3) /300 IR (6), 300 INDX REACTIVITY SUBLINGUAL TABLET <b>MO</b>	3	PA,QL(30 per 30 days)
ORENITRAM 0.125 MG TABLET ER <b>DL</b>	4	PA,QL(1000 per 30 days)
ORENITRAM 0.25 MG TABLET ER <b>DL</b>	4	PA,QL(500 per 30 days)
ORENITRAM 1 MG TABLET ER <b>DL</b>	4	PA,QL(720 per 30 days)
ORENITRAM 2.5 MG TABLET ER <b>DL</b>	4	PA,QL(300 per 30 days)
ORENITRAM 5 MG TABLET ER <b>DL</b>	4	PA,QL(150 per 30 days)
ORKAMBI 100-125 MG, 150-188 MG, 75-94 MG GRANULES IN PACKET <b>DL</b>	4	PA,QL(56 per 28 days)
ORKAMBI 100-125 MG, 200-125 MG TABLET <b>DL</b>	4	PA,QL(112 per 28 days)
PATANASE 0.6 % SPRAY, NON-AEROSOL <b>MO</b>	3	ST,QL(30.5 per 30 days)
PERFOROMIST 20 MCG/2 ML SOLUTION FOR NEBULIZATION <b>DL</b>	4	PA,QL(120 per 30 days)
pirfenidone 267 mg TABLET <b>DL</b>	1	PA,QL(270 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 9. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • MO – Mail Order • PA - Prior Authorization • QL - Quantity Limit • ST - Step Therapy  
\$0 - Vaccine/Diabetic • DL - Dispensing Limit • LA - Limited Access

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
pirfenidone 534 mg TABLET <b>DL</b>	1	PA,QL(90 per 30 days)
pirfenidone 801 mg TABLET <b>MO</b>	1	PA,QL(90 per 30 days)
PROAIR DIGIHALER 90 MCG/ACTUATION AEROSOL POWDER BREATH ACTIV. <b>MO</b>	3	ST,QL(2 per 30 days)
PROAIR HFA 90 MCG/ACTUATION HFA AEROSOL INHALER <b>MO</b>	3	ST,QL(36 per 30 days)
PROAIR RESPICLICK 90 MCG/ACTUATION AEROSOL POWDER BREATH ACTIV. <b>MO</b>	3	ST,QL(2 per 30 days)
PROVENTIL HFA 90 MCG/ACTUATION HFA AEROSOL INHALER <b>MO</b>	3	ST,QL(36 per 30 days)
PULMICORT 0.25 MG/2 ML, 0.5 MG/2 ML, 1 MG/2 ML SUSPENSION FOR NEBULIZATION <b>MO</b>	3	BvsD
PULMICORT FLEXHALER 180 MCG/ACTUATION, 90 MCG/ACTUATION AEROSOL POWDER BREATH ACTIV. <b>MO</b>	3	ST,QL(2 per 30 days)
PULMOZYME 1 MG/ML SOLUTION <b>DL</b>	4	BvsD
QNASL 40 MCG/ACTUATION HFA AEROSOL INHALER <b>MO</b>	3	ST,QL(6.8 per 30 days)
QNASL 80 MCG/ACTUATION HFA AEROSOL INHALER <b>MO</b>	3	ST,QL(10.6 per 30 days)
QUZYTIR 10 MG/ML SOLUTION <b>MO</b>	3	
QVAR REDIHALER 40 MCG/ACTUATION HFA AEROSOL BREATH ACTIVATED <b>MO</b>	3	ST,QL(10.6 per 30 days)
QVAR REDIHALER 80 MCG/ACTUATION HFA AEROSOL BREATH ACTIVATED <b>MO</b>	3	ST,QL(21.2 per 30 days)
RAGWITEK 12 AMB A 1 UNIT SUBLINGUAL TABLET <b>MO</b>	3	PA,QL(30 per 30 days)
REMODULIN 1 MG/ML, 10 MG/ML, 2.5 MG/ML, 5 MG/ML SOLUTION <b>DL</b>	4	PA
REVATIO 10 MG/ML SUSPENSION FOR RECONSTITUTION <b>DL</b>	4	PA,QL(180 per 30 days)
REVATIO 20 MG TABLET <b>DL</b>	4	PA,QL(90 per 30 days)
roflumilast 250 mcg TABLET <b>MO</b>	1	QL(28 per 365 days)
roflumilast 500 mcg TABLET <b>MO</b>	1	QL(30 per 30 days)
RYALTRIS 665-25 MCG/SPRAY SPRAY, NON-AEROSOL <b>MO</b>	3	ST,QL(29 per 30 days)
RYCLORA 2 MG/5 ML SOLUTION <b>MO</b>	1	
RYVENT 6 MG TABLET <b>MO</b>	1	QL(120 per 30 days)
SEREVENT DISKUS 50 MCG/DOSE BLISTER WITH DEVICE <b>MO</b>	3	PA,QL(60 per 30 days)
sildenafil (pulm.hypertension) 10 mg/ml SUSPENSION FOR RECONSTITUTION <b>DL</b>	4	PA,QL(180 per 30 days)
sildenafil (pulm.hypertension) 20 mg TABLET <b>MO</b>	1	PA,QL(90 per 30 days)
SINGULAIR 10 MG TABLET <b>MO</b>	3	PA,QL(30 per 30 days)
SINGULAIR 4 MG GRANULES IN PACKET <b>MO</b>	3	PA,QL(30 per 30 days)
SINGULAIR 4 MG, 5 MG CHEWABLE TABLET <b>MO</b>	3	PA,QL(30 per 30 days)
SPIRIVA RESPIMAT 1.25 MCG/ACTUATION, 2.5 MCG/ACTUATION MIST <b>MO</b>	2	QL(4 per 28 days)
SPIRIVA WITH HANDIHALER 18 MCG CAPSULE, W/INHALATION DEVICE <b>MO</b>	2	QL(30 per 30 days)
STIOLTO RESPIMAT 2.5-2.5 MCG/ACTUATION MIST <b>MO</b>	2	QL(4 per 28 days)
STRIVERDI RESPIMAT 2.5 MCG/ACTUATION MIST <b>MO</b>	2	QL(4 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 9. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • MO – Mail Order • PA - Prior Authorization • QL - Quantity Limit • ST - Step Therapy  
\$0 - Vaccine/Diabetic • DL - Dispensing Limit • LA - Limited Access

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
SYMBICORT 160-4.5 MCG/ACTUATION, 80-4.5 MCG/ACTUATION HFA AEROSOL INHALER <b>MO</b>	2	QL(10.2 per 30 days)
SYMDEKO 100-150 MG (D) / 150 MG (N), 50-75 MG (D) / 75 MG (N) TABLET, SEQUENTIAL <b>DL</b>	4	PA,QL(56 per 28 days)
SYMJEPI 0.15 MG/0.3 ML, 0.3 MG/0.3 ML SYRINGE <b>MO</b>	2	QL(4 per 30 days)
tadalafil (pulm. hypertension) 20 mg TABLET <b>MO</b>	1	PA,QL(60 per 30 days)
TADLIQ 20 MG/5 ML (4 MG/ML) SUSPENSION <b>DL</b>	4	PA,QL(300 per 30 days)
terbutaline 1 mg/ml SOLUTION <b>MO</b>	1	
terbutaline 2.5 mg, 5 mg TABLET <b>MO</b>	1	
THEO-24 100 MG, 200 MG, 300 MG, 400 MG CAPSULE, ER 24 HR. <b>MO</b>	1	
theophylline 300 mg, 450 mg TABLET, ER 12 HR. <b>MO</b>	1	
theophylline 400 mg, 600 mg TABLET, ER 24 HR. <b>MO</b>	1	
theophylline 80 mg/15 ml ELIXIR <b>MO</b>	1	
theophylline 80 mg/15 ml SOLUTION <b>MO</b>	1	
theophylline in dextrose 5 % 200 mg/100 ml, 200 mg/50 ml, 400 mg/250 ml, 800 mg/250 ml PARENTERAL SOLUTION <b>MO</b>	1	
TOBI PODHALER 28 MG CAPSULE, W/INHALATION DEVICE <b>DL</b>	4	PA,QL(224 per 28 days)
TRACLEER 125 MG, 62.5 MG TABLET <b>DL</b>	4	PA,QL(60 per 30 days)
TRACLEER 32 MG TABLET FOR SUSPENSION <b>DL</b>	4	PA,QL(120 per 30 days)
TRELEGY ELLIPTA 100-62.5-25 MCG, 200-62.5-25 MCG BLISTER WITH DEVICE <b>MO</b>	2	QL(60 per 30 days)
treprostinil sodium 1 mg/ml, 10 mg/ml, 2.5 mg/ml, 5 mg/ml SOLUTION <b>DL</b>	4	PA
TRIKAFTA 100-50-75 MG(D) /150 MG (N), 50-25-37.5 MG (D)/75 MG (N) TABLET, SEQUENTIAL <b>DL</b>	4	PA,QL(84 per 28 days)
TUDORZA PRESSAIR 400 MCG/ACTUATION AEROSOL POWDER BREATH ACTIV. <b>MO</b>	3	PA,QL(1 per 30 days)
TYVASO 1.74 MG/2.9 ML (0.6 MG/ML) SOLUTION FOR NEBULIZATION <b>DL</b>	4	PA
TYVASO DPI 16 MCG (112)- 32 MCG (84) CARTRIDGE WITH INHALER <b>DL</b>	4	PA,QL(196 per 28 days)
TYVASO DPI 16 MCG, 32 MCG, 48 MCG, 64 MCG CARTRIDGE WITH INHALER <b>DL</b>	4	PA,QL(112 per 28 days)
TYVASO DPI 16(112)-32(112) -48(28) MCG CARTRIDGE WITH INHALER <b>DL</b>	4	PA,QL(252 per 28 days)
TYVASO DPI 32-48 MCG CARTRIDGE WITH INHALER <b>DL</b>	4	PA,QL(224 per 28 days)
TYVASO INSTITUTIONAL START KIT 1.74 MG/2.9 ML SOLUTION FOR NEBULIZATION <b>DL</b>	4	PA
TYVASO REFILL KIT 1.74 MG/2.9 ML (0.6 MG/ML) SOLUTION FOR NEBULIZATION <b>DL</b>	4	PA
TYVASO STARTER KIT 1.74 MG/2.9 ML SOLUTION FOR NEBULIZATION <b>DL</b>	4	PA

Need more information about the indicators displayed by the drug names? Please go to page 9. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • MO – Mail Order • PA - Prior Authorization • QL - Quantity Limit • ST - Step Therapy  
\$0 - Vaccine/Diabetic • DL - Dispensing Limit • LA - Limited Access

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
UPTRAVI 1,000 MCG, 1,200 MCG, 1,400 MCG, 1,600 MCG, 200 MCG, 400 MCG, 600 MCG, 800 MCG TABLET <b>DL</b>	4	PA,QL(60 per 30 days)
UPTRAVI 1,800 MCG RECON SOLUTION <b>DL</b>	4	PA
UPTRAVI 200 MCG (140)- 800 MCG (60) TABLET, DOSE PACK <b>DL</b>	4	PA,QL(200 per 30 days)
VELETRI 0.5 MG, 1.5 MG RECON SOLUTION <b>DL</b>	4	PA
VENTAVIS 10 MCG/ML SOLUTION FOR NEBULIZATION <b>DL</b>	4	PA,QL(150 per 30 days)
VENTAVIS 20 MCG/ML SOLUTION FOR NEBULIZATION <b>DL</b>	4	PA,QL(90 per 30 days)
VENTOLIN HFA 90 MCG/ACTUATION HFA AEROSOL INHALER <b>MO</b>	2	QL(36 per 30 days)
VISTARIL 25 MG, 50 MG CAPSULE <b>MO</b>	3	
wixela inhbar 100-50 mcg/dose, 250-50 mcg/dose, 500-50 mcg/dose BLISTER WITH DEVICE <b>MO</b>	1	QL(60 per 30 days)
XHANCE 93 MCG/ACTUATION AEROSOL BREATH ACTIVATED <b>MO</b>	3	PA,QL(32 per 30 days)
XOPENEX 0.31 MG/3 ML, 0.63 MG/3 ML, 1.25 MG/3 ML SOLUTION FOR NEBULIZATION <b>MO</b>	3	BvsD
XOPENEX CONCENTRATE 1.25 MG/0.5 ML SOLUTION FOR NEBULIZATION <b>MO</b>	3	BvsD
XOPENEX HFA 45 MCG/ACTUATION HFA AEROSOL INHALER <b>MO</b>	3	ST,QL(30 per 30 days)
YUPELRI 175 MCG/3 ML SOLUTION FOR NEBULIZATION	4	PA,QL(90 per 30 days)
zafirlukast 10 mg TABLET <b>MO</b>	1	QL(60 per 30 days)
zafirlukast 20 mg TABLET <b>MO</b>	1	QL(60 per 30 days)
ZETONNA 37 MCG/ACTUATION HFA AEROSOL INHALER <b>MO</b>	3	ST,QL(6.1 per 28 days)
zileuton 600 mg TABLET, ER 12 HR., MULTIPHASE	4	ST,QL(120 per 30 days)
ZYFLO 600 MG TABLET	4	ST,QL(120 per 30 days)
<b>Skeletal Muscle Relaxants</b>		
AMRIX 15 MG, 30 MG CAPSULE, ER 24 HR. <b>DL</b>	4	ST,QL(21 per 30 days)
carisoprodol 250 mg, 350 mg TABLET <b>MO</b>	1	QL(120 per 30 days)
carisoprodol-aspirin 200-325 mg TABLET <b>MO</b>	1	
carisoprodol-aspirin-codeine 200-325-16 mg TABLET <b>DL</b>	1	QL(360 per 30 days)
chlorzoxazone 250 mg TABLET <b>DL</b>	4	ST,QL(360 per 30 days)
chlorzoxazone 375 mg, 750 mg TABLET <b>MO</b>	1	ST,QL(120 per 30 days)
chlorzoxazone 500 mg TABLET <b>MO</b>	1	ST
cyclobenzaprine 10 mg, 5 mg TABLET <b>MO</b>	1	
cyclobenzaprine 15 mg, 30 mg CAPSULE, ER 24 HR. <b>MO</b>	1	ST,QL(21 per 30 days)
cyclobenzaprine 7.5 mg TABLET <b>MO</b>	1	QL(90 per 30 days)
FEXMID 7.5 MG TABLET <b>MO</b>	1	ST,QL(90 per 30 days)
LORZONE 375 MG TABLET <b>MO</b>	1	ST,QL(120 per 30 days)
LORZONE 750 MG TABLET <b>DL</b>	4	ST,QL(120 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 9. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • MO – Mail Order • PA - Prior Authorization • QL - Quantity Limit • ST - Step Therapy  
\$0 - Vaccine/Diabetic • DL - Dispensing Limit • LA - Limited Access

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
metaxall 800 mg TABLET <b>MO</b>	1	QL(120 per 30 days)
metaxalone 400 mg, 800 mg TABLET <b>MO</b>	1	ST,QL(120 per 30 days)
methocarbamol 1,000 mg TABLET <b>DL</b>	4	PA
methocarbamol 100 mg/ml SOLUTION <b>MO</b>	1	
methocarbamol 500 mg, 750 mg TABLET <b>MO</b>	1	
norgesic 25-385-30 mg TABLET <b>DL</b>	4	PA,QL(240 per 30 days)
NORGESIC FORTE 50-770-60 MG TABLET <b>DL</b>	4	PA,QL(120 per 30 days)
orphenadrine citrate 100 mg TABLET ER <b>MO</b>	1	
orphenadrine citrate 30 mg/ml SOLUTION <b>MO</b>	1	ST
orphenadrine-asa-caffeine 25-385-30 mg TABLET <b>DL</b>	4	PA,QL(240 per 30 days)
orphenadrine-asa-caffeine 50-770-60 mg TABLET <b>DL</b>	4	PA,QL(120 per 30 days)
orphengesic forte 50-770-60 mg TABLET <b>DL</b>	4	PA,QL(120 per 30 days)
ROBAXIN 100 MG/ML SOLUTION <b>DL</b>	4	
ROBAXIN-750 750 MG TABLET <b>MO</b>	3	
SKELAXIN 800 MG TABLET <b>DL</b>	4	PA,QL(120 per 30 days)
SOMA 250 MG, 350 MG TABLET <b>DL</b>	4	PA,QL(120 per 30 days)
vanadom 350 mg TABLET <b>MO</b>	1	QL(120 per 30 days)
<b>Sleep Disorder Agents</b>		
AMBIEN 10 MG, 5 MG TABLET <b>MO</b>	3	PA,QL(30 per 30 days)
AMBIEN CR 12.5 MG, 6.25 MG TABLET, ER MULTIPHASE <b>MO</b>	3	PA,QL(30 per 30 days)
armodafinil 150 mg, 200 mg, 250 mg TABLET <b>MO</b>	1	PA,QL(30 per 30 days)
armodafinil 50 mg TABLET <b>MO</b>	1	PA,QL(60 per 30 days)
BELSOMRA 10 MG TABLET <b>MO</b>	2	QL(60 per 30 days)
BELSOMRA 15 MG, 20 MG TABLET <b>MO</b>	2	QL(30 per 30 days)
BELSOMRA 5 MG TABLET <b>MO</b>	2	QL(120 per 30 days)
DAYVIGO 10 MG, 5 MG TABLET <b>MO</b>	3	PA,QL(30 per 30 days)
doxepin 3 mg, 6 mg TABLET <b>MO</b>	1	QL(30 per 30 days)
EDLUAR 10 MG SUBLINGUAL TABLET <b>MO</b>	3	
EDLUAR 5 MG SUBLINGUAL TABLET <b>MO</b>	3	QL(30 per 30 days)
estazolam 1 mg, 2 mg TABLET <b>DL</b>	1	QL(30 per 30 days)
eszopiclone 1 mg, 2 mg, 3 mg TABLET <b>MO</b>	1	QL(30 per 30 days)
flurazepam 15 mg CAPSULE <b>DL</b>	1	QL(60 per 30 days)
flurazepam 30 mg CAPSULE <b>DL</b>	1	QL(30 per 30 days)
HALCION 0.25 MG TABLET <b>DL</b>	3	PA,QL(30 per 30 days)
HETLIOZ 20 MG CAPSULE <b>DL</b>	4	PA,QL(30 per 30 days)
HETLIOZ LQ 4 MG/ML SUSPENSION <b>DL</b>	4	PA,QL(158 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 9. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • MO – Mail Order • PA - Prior Authorization • QL - Quantity Limit • ST - Step Therapy  
\$0 - Vaccine/Diabetic • DL - Dispensing Limit • LA - Limited Access

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
LUNESTA 1 MG, 2 MG, 3 MG TABLET <b>MO</b>	3	PA,QL(30 per 30 days)
modafinil 100 mg, 200 mg TABLET <b>MO</b>	1	PA,QL(60 per 30 days)
NUVIGIL 150 MG, 200 MG, 250 MG TABLET	4	PA,QL(30 per 30 days)
NUVIGIL 50 MG TABLET	4	PA,QL(60 per 30 days)
PROVIGIL 100 MG, 200 MG TABLET	4	PA,QL(60 per 30 days)
QUVIVIQ 25 MG, 50 MG TABLET <b>MO</b>	3	PA,QL(30 per 30 days)
ramelteon 8 mg TABLET <b>MO</b>	1	ST,QL(30 per 30 days)
RESTORIL 15 MG, 22.5 MG, 30 MG, 7.5 MG CAPSULE <b>DL</b>	4	PA,QL(30 per 30 days)
ROZEREM 8 MG TABLET <b>MO</b>	3	ST,QL(30 per 30 days)
SILENOR 3 MG, 6 MG TABLET <b>MO</b>	3	QL(30 per 30 days)
sodium oxybate 500 mg/ml SOLUTION <b>DL,LA</b>	4	PA,QL(540 per 30 days)
SUNOSI 150 MG, 75 MG TABLET <b>MO</b>	3	PA,QL(30 per 30 days)
temazepam 15 mg, 30 mg CAPSULE <b>DL</b>	1	QL(30 per 30 days)
temazepam 22.5 mg, 7.5 mg CAPSULE <b>DL</b>	1	QL(30 per 30 days)
triazolam 0.125 mg, 0.25 mg TABLET <b>DL</b>	1	QL(30 per 30 days)
WAKIX 17.8 MG, 4.45 MG TABLET <b>DL</b>	4	PA,QL(60 per 30 days)
XYREM 500 MG/ML SOLUTION <b>DL,LA</b>	4	PA,QL(540 per 30 days)
XYWAV 0.5 GRAM/ML SOLUTION <b>DL</b>	4	PA,QL(540 per 30 days)
zaleplon 10 mg, 5 mg CAPSULE <b>MO</b>	1	QL(30 per 30 days)
zolpidem 1.75 mg, 3.5 mg SUBLINGUAL TABLET <b>MO</b>	1	QL(30 per 30 days)
zolpidem 10 mg, 5 mg TABLET <b>MO</b>	1	QL(30 per 30 days)
zolpidem 12.5 mg, 6.25 mg TABLET, ER MULTIPHASE <b>MO</b>	1	QL(30 per 30 days)
ZOLPIMIST 5 MG/SPRAY (0.1 ML) SPRAY, NON-AEROSOL <b>MO</b>	3	QL(23.1 per 365 days)

Need more information about the indicators displayed by the drug names? Please go to page 9. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • MO – Mail Order • PA - Prior Authorization • QL - Quantity Limit • ST - Step Therapy  
\$0 - Vaccine/Diabetic • DL - Dispensing Limit • LA - Limited Access

## Humana Group Medicare Plan Coverage of Additional Prescription Drugs

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
<b>Cough/Cold - Mail Order Available</b>		
benzonatate 100 mg, 150 mg, 200 mg CAPSULE	1	
bromfed dm 2-30-10 mg/5 ml SYRUP	1	
brompheniramine-pseudoeph-dm 2-30-10 mg/5 ml SYRUP	1	
HYCODAN 5-1.5 MG/5 ML (5 ML) SYRUP	1	
HYCODAN (WITH HOMATROPINE) 5-1.5 MG TABLET	1	
HYCODAN (WITH HOMATROPINE) 5-1.5 MG/5 ML SYRUP	1	
hydrocodone-chlorpheniramine 10-8 mg/5 ml SUSPENSION, ER 12 HR.	1	
hydrocodone-homatropine 5-1.5 mg TABLET	1	
hydrocodone-homatropine 5-1.5 mg/5 ml, 5-1.5 mg/5 ml (5 ml) SYRUP	1	
hydromet 5-1.5 mg/5 ml SYRUP	1	
OBREDON 2.5-200 MG/5 ML SOLUTION	3	
promethazine vc-codeine 6.25-5-10 mg/5 ml SYRUP	1	
promethazine-codeine 6.25-10 mg/5 ml SYRUP	1	
promethazine-dm 6.25-15 mg/5 ml SYRUP	1	
promethazine-phenyleph-codeine 6.25-5-10 mg/5 ml SYRUP	1	
RESPA-AR 8-90-0.24 MG TABLET, ER 12 HR.	3	
TESSALON PERLES 100 MG CAPSULE	3	
TUSSICAPS 10-8 MG CAPSULE, ER 12 HR.	1	
TUXARIN ER 8-54.3 MG TABLET, ER 12 HR.	3	
TUZISTRA XR 14.7-2.8 MG/5 ML SUSPENSION, ER 12 HR.	3	
<b>Fertility - Mail Order Available</b>		
cetrorelix 0.25 mg KIT	1	
CETROTIDE 0.25 MG KIT	3	
clomid 50 mg TABLET	1	
clomiphene citrate 50 mg TABLET	1	

Your Humana Group Medicare Plan plan has additional coverage of some drugs. These drugs are not normally covered under Medicare Part D. These drugs are not subject to the Medicare appeals process. The amount you pay when you fill a prescription for these drugs does not count toward your total drug costs (in other words, the amount you pay does not help you qualify for catastrophic coverage).

B vs D - Part B vs Part D • MO - Mail Order • PA - Prior Authorization • QL - Quantity Limit • ST - Step Therapy  
\$0 - Vaccine/Diabetic • DL - Dispensing Limit • LA - Limited Access

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
<b>Fertility - Mail Order Available</b>		
FOLLISTIM AQ 300 UNIT/0.36 ML, 600 UNIT/0.72 ML, 900 UNIT/1.08 ML CARTRIDGE	3	
fyremadel 250 mcg/0.5 ml SYRINGE	1	
GANIRELIX 250 MCG/0.5 ML SYRINGE	3	
ganirelix 250 mcg/0.5 ml SYRINGE	3	
GONAL-F 1,050 UNIT, 450 UNIT RECON SOLUTION	3	
GONAL-F RFF 75 UNIT RECON SOLUTION	3	
GONAL-F RFF REDI-JECT 300/0.5 UNIT/ML, 450/0.75 UNIT/ML, 900/1.5 UNIT/ML PEN INJECTOR	3	
MENOPUR 75 UNIT RECON SOLUTION	3	
OVIDREL 250 MCG/0.5 ML SYRINGE	3	
<b>Vitamins/Minerals - Mail Order Available</b>		
ascorbic acid (vitamin c) 500 mg/ml SOLUTION	1	
b complex 100 100-2-100-2-2 mg/ml SOLUTION	1	
b-complex injection 100-2-100-2-2 mg/ml SOLUTION	1	
cyanocobalamin (vitamin b-12) 1,000 mcg/ml SOLUTION	1	
dodex 1,000 mcg/ml SOLUTION	1	
DRISDOL 1,250 MCG (50,000 UNIT) CAPSULE	3	
ergocalciferol (vitamin d2) 1,250 mcg (50,000 unit) CAPSULE	1	
folic acid 1 mg TABLET	1	
folic acid 5 mg/ml SOLUTION	1	
hydroxocobalamin 1,000 mcg/ml SOLUTION	1	
INFUVITE ADULT 3,300 UNIT- 150 MCG/10 ML SOLUTION	3	
INFUVITE PEDIATRIC 80 MG-400 UNIT- 200 MCG/5 ML SOLUTION	3	
M.V.I. ADULT 3,300 UNIT- 150 MCG/10 ML SOLUTION	3	
M.V.I. PEDIATRIC 80-400-200 MG-UNIT-MCG RECON SOLUTION	3	
M.V.I.-12 (WITHOUT VITAMIN K) 3,300 UNIT-200 UNIT/10 ML SOLUTION	3	

Your Humana Group Medicare Plan plan has additional coverage of some drugs. These drugs are not normally covered under Medicare Part D. These drugs are not subject to the Medicare appeals process. The amount you pay when you fill a prescription for these drugs does not count toward your total drug costs (in other words, the amount you pay does not help you qualify for catastrophic coverage).

B vs D - Part B vs Part D • MO - Mail Order • PA - Prior Authorization • QL - Quantity Limit • ST - Step Therapy  
\$0 - Vaccine/Diabetic • DL - Dispensing Limit • LA - Limited Access

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
<b>Vitamins/Minerals - Mail Order Available</b>		
MEPHYTON 5 MG TABLET	3	
NASCOBAL 500 MCG/SPRAY SPRAY, NON-AEROSOL	3	
phytonadione (vitamin k1) 1 mg/0.5 ml SYRINGE	1	
phytonadione (vitamin k1) 1 mg/0.5 ml, 10 mg/ml SOLUTION	1	
phytonadione (vitamin k1) 5 mg TABLET	1	
POTABA 500 MG CAPSULE	3	
pyridoxine (vitamin b6) 100 mg/ml SOLUTION	1	
thiamine hcl (vitamin b1) 100 mg/ml SOLUTION	1	
vitamin d2 1,250 mcg (50,000 unit) CAPSULE	1	
vitamin k 1 mg/0.5 ml SOLUTION	1	
vitamin k1 10 mg/ml SOLUTION	1	
<b>Weight Loss - Mail Order Available</b>		
adipex-p 37.5 mg CAPSULE	1	
ADIPEX-P 37.5 MG TABLET	1	
benzphetamine 50 mg TABLET	1	
CONTRAVE 8-90 MG TABLET ER	3	QL(120 per 30 days)
diethylpropion 25 mg TABLET	1	
diethylpropion 75 mg TABLET ER	1	
lomaira 8 mg TABLET	1	
phendimetrazine tartrate 105 mg CAPSULE, ER	3	
phendimetrazine tartrate 35 mg TABLET	1	
phentermine 15 mg, 30 mg, 37.5 mg CAPSULE	1	
phentermine 37.5 mg TABLET	1	
PLENITY 0.75 GRAM CAPSULE	3	
PLENITY (WELCOME KIT) 0.75 GRAM CAPSULE	3	

Your Humana Group Medicare Plan plan has additional coverage of some drugs. These drugs are not normally covered under Medicare Part D. These drugs are not subject to the Medicare appeals process. The amount you pay when you fill a prescription for these drugs does not count toward your total drug costs (in other words, the amount you pay does not help you qualify for catastrophic coverage).

B vs D - Part B vs Part D • MO - Mail Order • PA - Prior Authorization • QL - Quantity Limit • ST - Step Therapy  
\$0 - Vaccine/Diabetic • DL - Dispensing Limit • LA - Limited Access

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
<b>Weight Loss - Mail Order Available</b>		
QSYMIA 11.25-69 MG, 15-92 MG, 3.75-23 MG, 7.5-46 MG CAPSULE ER MULTIPHASE 24 HR.	3	QL(30 per 30 days)
SAXENDA 3 MG/0.5 ML (18 MG/3 ML) PEN INJECTOR	3	
WEGOVY 0.25 MG/0.5 ML, 0.5 MG/0.5 ML, 1 MG/0.5 ML, 1.7 MG/0.75 ML, 2.4 MG/0.75 ML PEN INJECTOR	3	

Your Humana Group Medicare Plan plan has additional coverage of some drugs. These drugs are not normally covered under Medicare Part D. These drugs are not subject to the Medicare appeals process. The amount you pay when you fill a prescription for these drugs does not count toward your total drug costs (in other words, the amount you pay does not help you qualify for catastrophic coverage).

B vs D - Part B vs Part D • MO - Mail Order • PA - Prior Authorization • QL - Quantity Limit • ST - Step Therapy  
\$0 - Vaccine/Diabetic • DL - Dispensing Limit • LA - Limited Access

# Index

<b>A</b>		
a-hydrocort...	125	acetazolamide... 82
abacavir...	65, 66	acetic acid... 20, 151
abacavir-lamivudine...	66	acetylcysteine... 151, 168
abacavir-lamivudine-zidovudine...	66	ACIPHEX SPRINKLE... 117
ABELCET...	40	ACIPHEX... 117
ABILIFY MAINTENA...	61	acitretin... 102
ABILIFY MYCITE MAINTENANCE KIT...	61, 62	ACTEMRA ACTPEN... 140
ABILIFY MYCITE STARTER KIT...	62	ACTEMRA... 140
ABILIFY MYCITE...	61	ACTHAR... 125
ABILIFY...	61	ACTHIB (PF)... 140
abiraterone...	47	ACTICLATE... 20
ABOUTTIME PEN NEEDLE...	151	ACTIGALL... 117
ABRAXANE...	47	ACTIMMUNE... 140
ABSORICA LD...	102	ACTIQ... 10
ABSORICA...	101	ACTIVELLA... 128
acamprosate...	19	ACTONEL... 149
ACANYA...	102	ACTOPLUS MET... 73
acarbose...	73	ACTOS... 73
ACCOLATE...	168	ACULAR LS... 163
ACCUPRIL...	82	ACULAR... 163
ACCURETIC...	82	ACUVAIL (PF)... 163
accutane...	102	acyclovir sodium... 66
acebutolol...	82	acyclovir... 66
ACETADOTE...	151	ACZONE... 102
acetaminophen...	151	ADACEL(TDAP ADOLESN/ADULT)(PF)... 140
acetaminophen-caff-dihydrocod...	10	ADAKVEO... 151
acetaminophen-codeine...	10	adapalene... 102
acetazolamide sodium...	82	adapalene-benzoyl peroxide... 102
		ADBRY... 140
		ADCETRIS... 47
		ADCIRCA... 168
		ADDERALL XR... 96
		ADDERALL... 96
		adefovir... 66
		ADEMPAS... 168
		adenosine... 82
		adipex-p... 180
		ADLARITY... 34
		ADLYXIN... 73
		ADMELOG SOLOSTAR U-100 INSULIN... 73
		ADMELOG U-100 INSULIN LISPRO... 73
		ADRENALIN... 168
		adriamycin... 47
		adrucil... 47
		ADVAIR DISKUS... 168
		ADVAIR HFA... 168
		ADVOCATE PEN NEEDLE... 151
		ADVOCATE SYRINGES... 151
		ADZENYS ER... 96
		ADZENYS XR-ODT... 96
		AEMCOLO... 117
		AFINITOR DISPERZ... 47
		AFINITOR... 47
		afirmelle... 128
		AFREZZA... 73
		AGGRASTAT CONCENTRATE... 78
		AGGRASTAT IN SODIUM CHLORIDE... 78
		AGRYLIN... 78
		AIMOVIG AUTOINJECTOR... 44

AIRDUO DIGIHALER...	169	allopurinol sodium...	43	amethia lo...	128
AIRDUO RESPICLICK...	169	allopurinol...	43	amethia...	128
AJOVY AUTOINJECTOR...	44	ALLZITAL...	151	amethyst (28)...	128
AJOVY SYRINGE...	44	almotriptan malate...	44	AMICAR...	78
ak-poly-bac...	163	ALOCRIL...	163	amikacin...	20
AKLIEF...	102	ALOMIDE...	163	amiloride...	82
AKTEN (PF)...	163	ALOPRIM...	43	amiloride-hydrochlorothiazide...	82
AKYNZEO (FOSNETUPITANT)...	39	ALORA...	128	aminocaproic acid...	78
AKYNZEO (NETUPITANT)...	39	alosetron...	117	aminophylline...	169
ALA-CORT...	102	ALPHAGAN P...	163, 164	AMINOSYN II 10 %...	110
ALA-SCALP...	102	alprazolam intensol...	71	AMINOSYN II 15 %...	110
albendazole...	58	alprazolam...	71	AMINOSYN II 7 %...	111
ALBENZA...	58	ALREX...	164	AMINOSYN II 8.5 %...	111
albuterol sulfate...	169	ALTABAX...	102	AMINOSYN II 8.5 %-ELECTROLYTES...	
ALCAINE...	163	ALTACE...	82	111	
alclometasone...	102	altavera (28)...	128	AMINOSYN M 3.5 %...	111
ALCOHOL PADS...	151	ALTOPREV...	82	AMINOSYN 10 %...	110
ALCOHOL PREP PADS...	151	ALTRENO...	102	AMINOSYN 7 % WITH	
ALCOHOL SWABS...	151	ALUNBRIG...	47	ELECTROLYTES...	110
ALCOHOL WIPES...	151	ALVESCO...	169	AMINOSYN 8.5 %...	110
ALDACTAZIDE...	82	alyacen 1/35 (28)...	128	AMINOSYN 8.5 %-ELECTROLYTES...	
ALDACTONE...	82	alyacen 7/7/7 (28)...	128	110	
ALDARA...	102	ALYMSYS...	47	AMINOSYN-HBC 7%...	111
ALDURAZYME...	121	alyq...	169	AMINOSYN-PF 10 %...	111
ALECENSA...	47	amabelz...	128	AMINOSYN-PF 7 % (SULFITE-FREE)...	
alendronate...	149	amantadine hcl...	59	111	
alfuzosin...	124	AMARYL...	73	AMINOSYN-RF 5.2 %...	111
ALIMTA...	47	AMBIEN CR...	176	amiodarone...	82
ALIQOPA...	47	AMBIEN...	176	AMITIZA...	118
aliskiren...	82	AMBISOME...	40	amitriptyline...	35
ALKERAN (AS HCL)...	47	ambrisentan...	169	amitriptyline-chlordiazepoxide...	35
ALKERAN...	47	amcinonide...	102	amlodipine...	82
ALKINDI SPRINKLE...	125	AMERGE...	44	amlodipine-atorvastatin...	82
				amlodipine-benazepril...	82

amlodipine-olmesartan... 82	ANORO ELLIPTA... 169	ariPIPRAZOLE... 62
amlodipine-valsartan... 82	ANTARA... 83	ARISTADA INITIO... 62
amlodipine-valsartan-hcthiazid... 83	ANTIVERT... 39	ARISTADA... 62
ammonium lactate... 102	anusol-hc... 102	ARIIXTRA... 79
AMMONUL... 151	ANZEMET... 39	armodafinil... 176
amnesteem... 102	APADAZ... 10	ARMONAIR DIGIHALER... 169
amoxapine... 35	apexicon e... 102	ARMOUR THYROID... 138
amoxicil-clarithromy-lansopraz... 118	APIDRA SOLOSTAR U-100 INSULIN... 73	ARNUITY ELLIPTA... 169
amoxicillin... 20	APIDRA U-100 INSULIN... 73	AROMASIN... 47
amoxicillin-pot clavulanate... 20, 21	APLENZIN... 35	ARRANON... 47
amphetamine sulfate... 96	APOKYN... 59	arsenic trioxide... 47
amphetamine... 96	apomorphine... 60	ARTHROTEC 50... 10
amphotericin b liposome... 41	apraclonidine... 164	ARTHROTEC 75... 10
amphotericin b... 41	aprepitant... 39	ASACOL HD... 148
ampicillin sodium... 21	APRETUDE... 66	ASCENIV... 140
ampicillin... 21	apri... 129	ascomp with codeine... 10
ampicillin-sulbactam... 21	APRISO... 148	ascorbic acid (vitamin c)... 179
AMPYRA... 96	APTENSIO XR... 96	asenapine maleate... 62
AMRIX... 175	APTIOM... 30	ashlyna... 129
AMVUTTRA... 121	APTIVUS (WITH VITAMIN E)... 66	ASMANEX HFA... 169
AMZEEQ... 102	APTIVUS... 66	ASMANEX TWISTHALER... 169
ANADROL-50... 128	ARALAST NP... 121	ASPARLAS... 47
ANAFRANIL... 35	aranelle (28)... 129	aspirin-dipyridamole... 79
anagrelide... 78	ARANESP (IN POLYSORBATE)... 78, 79	ASPRUZY SPRINKLE... 83
ANAPROX DS... 10	ARAVA... 140	ASSURE ID DUO-SHIELD... 151
anastrozole... 47	ARAZLO... 102	ASSURE ID INSULIN SAFETY... 151
ANCOBON... 41	ARCALYST... 140	ASSURE ID PEN NEEDLE... 151
ANDRODERM... 128	arformoterol... 169	ASTAGRAF XL... 140
ANDROGEL... 128	ARICEPT... 34	ATACAND HCT... 83
ANDROID... 128	ARIKAYCE... 21	ATACAND... 83
ANGELIQ... 129	ARIMIDEX... 47	atazanavir... 66
ANNOVERA... 129		ATELVIA... 149
		atenolol... 83

atenolol-chlorthalidone... 83	AVASTIN... 47	<b>B</b>
ATGAM... 140	AVEED... 129	b complex 100... 179
ATIVAN... 71	AVELOX IN NACL (ISO-OSMOTIC)... 21	b-complex injection... 179
atomoxetine... 96	aviane... 129	bacitracin... 21, 164
atorvastatin... 83	avidoxy... 21	bacitracin-polymyxin b... 164
atovaquone... 58	AVITA... 103	baclofen... 65
atovaquone-proguanil... 58	AVODART... 124	BACTRIM DS... 21
ATRALIN... 102	AVONEX... 96	BACTRIM... 21
ATRIPLA... 66	AVSOLA... 140	BAFIERTAM... 97
atropine in 0.9 % sod chloride... 118	AVYCAZ... 21	BAL IN OIL... 152
atropine... 118, 164	AYGESTIN... 129	bal-care dha... 111
ATROVENT HFA... 169	ayuna... 129	balanced salt... 164
AUBAGIO... 96	AYVAKIT... 47	BALCOLTRA... 129
aubra eq... 129	azacitidine... 47	balsalazide... 148
aubra... 129	AZACTAM... 21	BALVERSA... 47
AUGMENTIN ES-600... 21	AZASAN... 140	balziva (28)... 129
AUGMENTIN XR... 21	AZASITE... 164	BAND-AID GAUZE PADS... 152
AUGMENTIN... 21	azathioprine sodium... 141	BANZEL... 30
aurovela fe 1.5/30 (28)... 129	azathioprine... 141	BAQSIMI... 73
aurovela fe 1-20 (28)... 129	azelaic acid... 103	BARACLUDE... 66
aurovela 1.5/30 (21)... 129	azelastine... 164, 169	BASAGLAR KWIKPEN U-100
aurovela 1/20 (21)... 129	azelastine-fluticasone... 169	INSULIN... 73
aurovela 24 fe... 129	AZELEX... 103	BASAGLAR TEMPO
AURYXIA... 111	AZILECT... 60	PEN(U-100)INSLN... 73
AUSTEDO... 96	azithromycin... 21	BAVENCIO... 47
AUTOJECT 2 INJECTION DEVICE... 151	AZOPT... 164	BAXDELA... 21
AUTOPEN 1 TO 21 UNITS... 152	AZOR... 83	BCG VACCINE, LIVE (PF)... 141
AUTOPEN 2 TO 42 UNITS... 152	AZSTARYS... 97	BD ALCOHOL SWABS... 152
AUVELITY... 35	aztreonam... 21	BD AUTOSHIELD DUO PEN NEEDLE... 152
AVALIDE... 83	AZULFIDINE EN-TABS... 148	BD ECLIPSE LUER-LOK... 152
AVANDIA... 73	AZULFIDINE... 148	BD INSULIN SYRINGE (HALF UNIT)... 152
AVAPRO... 83	azurette (28)... 129	

BD INSULIN SYRINGE MICRO-FINE... 152	BENDEKA... 48	BETHKIS... 21
BD INSULIN SYRINGE SAFETY-LOK... 152	BENICAR HCT... 83	BETIMOL... 164
BD INSULIN SYRINGE SLIP TIP... 152	BENICAR... 83	BETOPTIC S... 164
BD INSULIN SYRINGE U-500... 152	BENLYSTA... 141	BEVESPI AEROSPHERE... 169
BD INSULIN SYRINGE ULTRA-FINE... 152	BENTYL... 118	bexarotene... 48
BD INSULIN SYRINGE... 152	BENZACLIN PUMP... 103	BEXSERO... 141
BD LO-DOSE MICRO-FINE IV... 152	BENZACLIN... 103	BEYAZ... 129
BD LO-DOSE ULTRA-FINE... 152	BENZAMYCIN... 103	bicalutamide... 48
BD NANO 2ND GEN PEN NEEDLE... 152	benzhydrocodone-acetaminophen... 10	BICILLIN C-R... 21
BD SAFETYGLIDE INSULIN SYRINGE... 152	benznidazole... 58, 59	BICILLIN L-A... 21
BD SAFETYGLIDE SYRINGE... 152	benzonatate... 178	BICNU... 48
BD ULTRA-FINE MICRO PEN NEEDLE... 152	benzphetamine... 180	BIDIL... 83
BD ULTRA-FINE MINI PEN NEEDLE... 152	benztropine... 60	BIJUVA... 129
BD ULTRA-FINE NANO PEN NEEDLE... 152	bepotastine besilate... 164	BIKTARVY... 66
BD ULTRA-FINE ORIG PEN NEEDLE... 152	BEPREVE... 164	BILTRICIDE... 59
BD ULTRA-FINE SHORT PEN NEEDLE... 152	BERINERT... 141	bimatoprost... 164
BD VEO INSULIN SYR (HALF UNIT)... 152	beser... 103	BINOSTO... 149
BD VEO INSULIN SYRINGE UF... 152	BESIVANCE... 164	BIORPHEN... 83
BECONASE AQ... 169	BESPONSA... 48	bisoprolol fumarate... 83
bekyree (28)... 129	BESREMI... 141	bisoprolol-hydrochlorothiazide... 83
BELBUCA... 10	BETADINE OPHTHALMIC PREP... 164	BIVIGAM... 141
BELEODAQ... 47	betaine... 121	BLENREP... 48
BELSOMRA... 176	betamethasone acet,sod phos... 125	bleomycin... 48
benazepril... 83	betamethasone dipropionate... 103	BLEPH-10... 164
benazepril-hydrochlorothiazide... 83	betamethasone valerate... 103	BLEPHAMIDE S.O.P.... 164
bendamustine... 48	betamethasone, augmented... 103	BLEPHAMIDE... 164
	BETAPACE AF... 83	blisovi fe 1.5/30 (28)... 129
	BETAPACE... 83	blisovi fe 1/20 (28)... 129
	BETASERON... 97	blisovi 24 fe... 129
	betaxolol... 83, 164	BONIVA... 149
	bethanechol chloride... 124	BONJESTA... 39
		BOOSTRIX TDAP... 141
		BORDERED GAUZE... 152

BORTEZOMIB... 48	bupivacaine hcl... 18	cabergoline... 139
bosentan... 169	bupivacaine-dextrose-water(pf)... 18	CABLIVI... 79
BOSULIF... 48	bupivacaine-epinephrine (pf)... 18	CABOMETYX... 48
BRAFTOVI... 48	bupivacaine-epinephrine bitart... 18	CADUET... 84
BREO ELLIPTA... 169	bupivacaine-epinephrine... 18	CAFCIT... 153
bretylium tosylate... 83	BUPRENEX... 10	CAFERGOT... 44
BREVIBLOC IN NACL (ISO-OSM)... 83	buprenorphine hcl... 10, 19	caffeine citrate... 153
BREVIBLOC... 83	buprenorphine... 10	CALAN SR... 84
BREZTRI AEROSPHERE... 169	buprenorphine-naloxone... 19	calcipotriene... 103
briellyn... 129	bupropion hcl (smoking deter)... 19	calcipotriene-betamethasone... 103
BRILINTA... 79	bupropion hcl... 35, 36	calcitonin (salmon)... 149
brimonidine... 164	buspirone... 71	calcitriol... 103, 149
brinzolamide... 164	busulfan... 48	calcium acetate(phosphat bind)... 111
BRISDELLE... 35	BUSULFEX... 48	calcium chloride... 111
BRIVIACT... 30	butalbital compound w/codeine... 10	calcium disodium versenate... 153
bromfed dm... 178	butalbital-acetaminop-caf-cod... 152, 153	calcium gluconate... 111
bromfenac... 164	butalbital-acetaminophen... 153	CALDOLOR... 10
bromocriptine... 60	butalbital-acetaminophen-caff... 153	CALQUENCE (ACALABRUTINIB MAL)... 48
brompheniramine-pseudoeph-dm... 178	butalbital-aspirin-caffeine... 153	CALQUENCE... 48
BROMSITE... 164	butorphanol... 10	CAMBIA... 10
BRONCHITOL... 170	BUTRANS... 10	camila... 129
BROVANA... 170	BYDUREON BCISE... 73	CAMPTOSAR... 48
BRUKINSA... 48	BYDUREON... 73	camrese lo... 129
BRYHALI... 103	BYETTA... 73	camrese... 129
BSS PLUS... 164	BYLVAY... 153	CAMZYOS... 84
BSS... 164	BYNFEZIA... 139	CANASA... 148
budesonide... 148, 170	BYSTOLIC... 83, 84	CANCIDAS... 41
bumetanide... 83	c-nate dha... 111	candesartan... 84
BUNAVAIL... 19	CABENUVA... 66	candesartan-hydrochlorothiazid... 84
bupap... 152		CAPASTAT... 46
BUPHENYL... 121		CAPEX... 103
bupivacaine (pf)... 18		

**C**

CAPLYTA... 62	carmustine... 48	cefprozil... 22
CAPRELSA... 48	CARNITOR (SUGAR-FREE)... 111	ceftazidime in d5w... 22
captopril... 84	CARNITOR... 111	ceftazidime... 22
captopril-hydrochlorothiazide... 84	CAROSPIR... 84	ceftriaxone in dextrose,iso-os... 22
CARAC... 103	carteolol... 164	ceftriaxone... 22
CARAFATE... 118	cartia xt... 84	cefuroxime axetil... 22
CARBAGLU... 111	carvedilol phosphate... 84	cefuroxime sodium... 22
carbamazepine... 30	carvedilol... 84	CELEBREX... 10
CARBATROL... 30	CASODEX... 48	celecoxib... 10
carbidopa... 60	caspofungin... 41	CELESTONE SOLUSPAN... 125
carbidopa-levodopa... 60	cataflam... 10	CELEXA... 36
carbidopa-levodopa-entacapone... 60	CATAPRES... 84	CELLCEPT INTRAVENOUS... 141
carbinoxamine maleate... 170	CATAPRES-TTS-1... 84	CELLCEPT... 141
CARBOCAINE (PF)... 18	CATAPRES-TTS-2... 84	CELONTIN... 30
CARBOCAINE WITH NEO-COBEFRIN... 18	CATAPRES-TTS-3... 84	CENTANY... 103
CARBOCAINE... 18	CAYSTON... 170	cephalexin... 22, 23
carboplatin... 48	caziant (28)... 129	CEQUA... 164
carboprost tromethamine... 128	cefaclor... 22	CERDELGA... 121
CARDIZEM CD... 84	cefadroxil... 22	CEREBYX... 30
CARDIZEM LA... 84	cefazolin in dextrose (iso-os)... 22	CEREZYME... 122
CARDIZEM... 84	cefazolin... 22	CERVIDIL... 153
CARDURA XL... 84	cefdinir... 22	cetirizine... 170
CARDURA... 84	cefepime in dextrose 5 %... 22	cetrorelix... 178
CAREFINE PEN NEEDLE... 153	cefepime... 22	CETROTIDE... 178
CARETOUCH ALCOHOL PREP PAD... 153	cefixime... 22	cevimeline... 101
CARETOUCH INSULIN SYRINGE... 153	CEFOTAN... 22	CHANTIX CONTINUING MONTH BOX... 19
CARETOUCH PEN NEEDLE... 153	cefotaxime... 22	CHANTIX STARTING MONTH BOX... 19
carglumic acid... 111	cefotetan in dextrose, iso-osm... 22	CHANTIX... 19
carisoprodol... 175	cefotetan... 22	charlotte 24 fe... 129
carisoprodol-aspirin... 175	cefoxitin in dextrose, iso-osm... 22	chateal (28)... 129
carisoprodol-aspirin-codeine... 175	cefoxitin... 22	chateal eq (28)... 129
	cefpodoxime... 22	

CHEMET...	111	CINVANTI...	153	clindamycin hcl...	23
CHENODAL...	118	CIPRO HC...	168	clindamycin in 0.9 % sod chlor...	23
chloramphenicol sod succinate...	23	CIPRO...	23	clindamycin in 5 % dextrose...	23
chlordiazepoxide hcl...	71	CIPRODEX...	168	clindamycin pediatric...	23
chlorhexidine gluconate...	101	ciprofloxacin hcl...	23, 164, 168	clindamycin phosphate...	23, 104
chlorprocaine (pf)...	18	ciprofloxacin in 5 % dextrose...	23	clindamycin-benzoyl peroxide...	104
chloroquine phosphate...	59	ciprofloxacin...	23	clindamycin-tretinoin...	104
chlorothiazide sodium...	84	ciprofloxacin-dexamethasone...	168	CLINDESSE...	23
chlorpromazine...	62	ciprofloxacin-fluocinolone...	168	CLINIMIX E 2.75%/D5W SULF FREE...	111
chlorthalidone...	84	cisplatin...	48	CLINIMIX E 4.25%/D10W SUL...	FREE... 111
chlorzoxazone...	175	citalopram...	36	CLINIMIX E 4.25%/D5W SULF FREE...	111
CHOLBAM...	122	CITRANATAL B-CALM (FE GLUC)...	111	CLINIMIX E 5%/D15W SULFIT FREE...	111
cholestyramine (with sugar)...	84	cladribine...	48	CLINIMIX E 5%/D20W SULFIT FREE...	111
cholestyramine light...	84	CLAFORAN...	23	CLINIMIX E 8%-D10W	SULFITEFREE... 112
cholestyramine-aspartame...	84	claravis...	103	CLINIMIX E 8%-D14W	SULFITEFREE... 112
CHORIONIC GONADOTROPIN,		CLARINEX...	170	CLINIMIX 4.25%/D10W SULF FREE...	111
HUMAN...	127	CLARINEX-D 12 HOUR...	153	CLINIMIX 4.25%/D5W SULFIT FREE...	111
CIALIS...	124	clarithromycin...	23	CLINIMIX 4.25%/D15W SULFIT FREE...	111
CIBINQO...	141	clemastine...	170	CLINIMIX 4.25%/D20W SULFIT FREE...	111
ciclodan...	41	CLENPIQ...	118	CLINIMIX 8%-D10W	SULFITEFREE... 112
ciclopirox...	41	CLEOCIN HCL...	23	CLINIMIX 8%-D14W	SULFITEFREE... 112
cidofovir...	66	CLEOCIN PEDIATRIC...	23	CLINIMIX 4.25%/D10W SULF FREE...	111
cilostazol...	79	CLEOCIN T...	103	CLINIMIX 4.25%/D5W SULFIT FREE...	111
CILOXAN...	164	CLEOCIN...	23	CLINIMIX 4.25%/D15W SULFITE FREE...	111
CIMDUO...	66	CLEVIPREX...	85	CLINIMIX 5%-D20W(SULFITE-FREE)... 111	
cimetidine hcl...	118	CLICKFINE PEN NEEDLE...	153	CLINIMIX 5%/D15W SULFITE FREE...	111
cimetidine...	118	CLIMARA PRO...	129	CLINIMIX 6%-D5W	(SULFITE-FREE)... 111
CIMZIA POWDER FOR RECONST...		CLIMARA...	129	CLINIMIX 8%-D10W(SULFITE-FREE)... 111	
141		clindacin etz...	103	CLINIMIX 8%-D14W(SULFITE-FREE)... 111	
CIMZIA STARTER KIT...	141	clindacin p...	103	CLINISOL SF 15 %... 112	
CIMZIA...	141	CLINDAGEL...	104		
cinacalcet...	150				
CINQAIR...	170				
CINRYZE...	141				

CLINOLIPID...	112	colestipol...	85	CORTEF...	104
clobazam...	30	colistin (colistimethate na)...	23	CORTENEMA...	148
clobetasol...	104	COLY-MYCIN M PARENTERAL...	23	CORTIFOAM...	148
clobetasol-emollient...	104	COMBIGAN...	164	CORTISPORIN...	104
CLOBEX...	104	COMBIPATCH...	130	CORTISPORIN-TC...	168
clocortolone pivalate...	104	COMBIVENT RESPIMAT...	170	CORTROPHIN GEL...	125
clodan...	104	COMBIVIR...	66	CONVERT...	85
CLODERM...	104	COMETRIQ...	48	COSELA...	49
clofarabine...	48	COMFORT EZ INSULIN SYRINGE...	153	COSENTYX (2 SYRINGES)...	141
CLOLAR...	48	COMFORT EZ PEN NEEDLES...	154	COSENTYX PEN (2 PENS)...	141
clomid...	178	COMFORT TOUCH PEN NEEDLE...	154	COSENTYX PEN...	141
clomiphene citrate...	178	COMPazine...	39	COSENTYX...	141
clomipramine...	36	COMPLERA...	66	COSMEGEN...	49
clonazepam...	71	complete natal dha...	112	COSOPT (PF)...	164
clonidine hcl...	85, 97	compro...	39	COSOPT...	164
clonidine...	85	COMTAN...	60	COTELLIC...	49
clopidogrel...	79	CONCERTA...	97	COTEMPLA XR-ODT...	97
clorazepate dipotassium...	71	CONDYLOX...	104	COZAAR...	85
CLOROTEKAL...	18	CONJUPRI...	85	CREON...	122
clotrimazole...	41	constulose...	118	CRESEMBA...	41
clotrimazole-betamethasone...	41	CONTRAVE...	180	CRESTOR...	85
clovique...	112	CONZIP...	11	CRINONE...	130
clozapine...	62	COPAXONE...	97	CRIXIVAN...	66
CLOZARIL...	62	COPIKTRA...	48	cromolyn...	165, 170
COARTEM...	59	CORDRAN TAPE LARGE ROLL...	104	crotan...	105
codeine sulfate...	10, 11	CORDRAN...	104	cryselle (28)...	130
codeine-butalbital-asa-caff...	11	COREG CR...	85	CRYSVITA...	122
COGENTIN...	60	COREG...	85	CUBICIN RF...	23
COLAZAL...	148	coremino...	23	CUBICIN...	23
colchicine...	43	CORGARD...	85	CUPRIMINE...	112
colesevelam...	85	CORLANOR...	85	CURITY ALCOHOL SWABS...	154
COlestid FLAVORED...	85	CORLOPAM...	85	CURITY GAUZE...	154
COlestid...	85			CUTAQUIG...	141

CUTIVATE... 105	dactinomycin... 49	DELSTRIGO... 66
CUVPOSA... 118	dalfampridine... 97	DELZICOL... 148
cyanocobalamin (vitamin b-12)... 179	DALIRESP... 170	demeclocycline... 24
cyclafem 1/35 (28)... 130	DALVANCE... 23	DEMEROL (PF)... 11
cyclafem 7/7/7 (28)... 130	danazol... 130	DEMEROL... 11
cyclobenzaprine... 175	DANTRIUM... 65	DEMSEER... 85
cyclophosphamide... 49	dantrolene... 65	DENAVIR... 66
cycloserine... 46	DANYELZA... 49	DENGVAXIA (PF)... 142
CYCLOSET... 73	dapsone... 46, 105	DEPAKOTE ER... 30
cyclosporine modified... 141	DAPTACEL (DTAP PEDIATRIC) (PF)... 141	DEPAKOTE SPRINKLES... 30
cyclosporine... 141	daptomycin... 24	DEPAKOTE... 30
CYKLOKAPRON... 79	DARAPRIM... 59	DEPEN TITRATABS... 112
CYMBALTA... 36	darifenacin... 124	DEPO-ESTRADOL... 130
cyproheptadine... 170	DARTISLA... 118	DEPO-MEDROL... 125
CYRAMZA... 49	DARZALEX FASPRO... 49	DEPO-PROVERA... 130
cyred eq... 130	DARZALEX... 49	DEPO-SUBQ PROVERA 104... 130
cyred... 130	dasetta 1/35 (28)... 130	DEPO-TESTOSTERONE... 130
CYSTADANE... 122	dasetta 7/7/7 (28)... 130	DERMA-SMOOTH/FS BODY OIL... 105
CYSTADROPS... 165	daunorubicin... 49	DERMA-SMOOTH/FS SCALP OIL... 105
CYSTAGON... 122	DAURISMO... 49	DERMACEA... 154
CYSTARAN... 165	DAYPRO... 11	DERMOTIC OIL... 168
cytarabine (pf)... 49	daysee... 130	DESCOZY... 66
cytarabine... 49	DAYTRANA... 97	DESFERAL... 112
CYTOGAM... 141	DAYVIGO... 176	desipramine... 36
CYTOMEL... 138	DDAVP... 127	desloratadine... 170
CYTOTEC... 118	deblitane... 130	desmopressin... 127
CYTOVENE... 66	decitabine... 49	desog-e.estradiol/e.estradiol... 130
<b>D</b>		
D.H.E.45... 44	deferasirox... 112	desogestrel-ethinyl estradiol... 130
dabigatran etexilate... 79	deferiprone... 112	DESONATE... 105
dacarbazine... 49	deferoxamine... 112	desonide... 105
DACOGEN... 49	DEFITELIO... 154	DESOWEN... 105
	DELESTROGEN... 130	

desoximetasone... 105	dextrose 5 % in water (d5w)... 112	digoxin... 85
DESOXYN... 97	dextrose 5 %-lactated ringers... 112	dihydroergotamine... 44
desrx... 105	dextrose 5%-0.2 % sod chloride... 112	DILANTIN EXTENDED... 30
desvenlafaxine succinate... 36	dextrose 5%-0.3 % sod.chloride... 112	DILANTIN INFATABS... 30
desvenlafaxine... 36	dextrose 50 % in water (d50w)... 112	DILANTIN... 30
DETROL LA... 124	dextrose 70 % in water (d70w)... 112	DILANTIN-125... 30
DETROL... 124	DHIVY... 60	DILATRATE-SR... 85
dexabliss... 125	DIACOMIT... 30	DILAUDID... 11
dexamethasone intensol... 125	DIASTAT ACUDIAL... 30	dilt-xr... 85
dexamethasone sodium phos (pf)... 125	DIASTAT... 30	diltiazem hcl... 85, 86
dexamethasone sodium phosphate... 125, 165	diazepam intensol... 72	dimenhydrinate... 39
dexamethasone... 125	diazepam... 30, 71, 72	dimethyl fumarate... 97, 98
dexchlorpheniramine maleate... 170	diazoxide... 73	DIOVAN HCT... 86
DEXEDRINE SPANSULE... 97	DIBENZYLINE... 85	DIOVAN... 86
DEXILANT... 118	DICLEGIS... 39	DIPENTUM... 149
dexlansoprazole... 118	diclofenac epolamine... 11	DIPHEN... 170
dexmethylphenidate... 97	diclofenac potassium... 11	diphenhydramine hcl... 170
dexrazoxane hcl... 49	diclofenac sodium... 11, 105, 165	diphenoxylate-atropine... 118
DEXTENZA... 165	diclofenac-misoprostol... 11	DIPROLENE (AUGMENTED)... 105
dextroamphetamine sulfate... 97	dicloxacillin... 24	dipyridamole... 79
dextroamphetamine-amphetamine... 97	dicyclomine... 118	disopyramide phosphate... 86
dextrose 10 % and 0.2 % nacl... 112	didanosine... 66	disulfiram... 20
dextrose 10 % in water (d10w)... 112	diethylpropion... 180	DITROPAN XL... 124
dextrose 20 % in water (d20w)... 112	DIFFERIN... 105	DIURIL IV... 86
dextrose 25 % in water (d25w)... 112	DIFCID... 24	DIURIL... 86
dextrose 30 % in water (d30w)... 112	diflorasone... 105	divalproex... 30
dextrose 40 % in water (d40w)... 112	DIFLUCAN... 41	DIVIGEL... 130
	diflunisal... 11	dobutamine in d5w... 86
	digitek... 85	dobutamine... 86
	digox... 85	DOCEFREZ... 49
		docetaxel... 49
		dodex... 179
		dofetilide... 86

DOJOLVI... 154	DROPLET INSULIN SYRINGE... 154	DYMISTA... 170
dolishale... 130	DROPLET MICRON PEN NEEDLE... 154	DYRENIUM... 86
donepezil... 35	DROPLET PEN NEEDLE... 154	d10 %-0.45 % sodium chloride... 112
dopamine in 5 % dextrose... 86	DROPSAFE ALCOHOL PREP PADS... 154	d2.5 %-0.45 % sodium chloride... 112
dopamine... 86	DROPSAFE PEN NEEDLE... 154	d5 % and 0.9 % sodium chloride... 112
DOPRAM... 170	drospirenone-e.estradol-lm.fa... 130	d5 %-0.45 % sodium chloride... 112
DOPTELET (10 TAB PACK)... 79	drospirenone-ethinyl estradiol... 130	
DOPTELET (15 TAB PACK)... 79	DROXIA... 154	<b>E</b>
DOPTELET (30 TAB PACK)... 79	droxidopa... 86	E.E.S. GRANULES... 24
DORYX MPC... 24	DUAKLIR PRESSAIR... 170	E.E.S. 400... 24
DORYX... 24	DUAVEE... 130	EASY COMFORT ALCOHOL PAD... 154
dorzolamide... 165	DUET DHA WITH OMEGA-3... 112	EASY COMFORT INSULIN SYRINGE... 154
dorzolamide-timolol (pf)... 165	DUETACT... 73	EASY COMFORT PEN NEEDLES... 154
dorzolamide-timolol... 165	DUEXIS... 11	EASY GLIDE INSULIN SYRINGE... 154
dotti... 130	DULERA... 170	EASY GLIDE PEN NEEDLE... 154
DOVATO... 66	duloxetine... 36	EASY TOUCH ALCOHOL PREP PADS... 155
DOVONEX... 105	DUOBRII... 105	EASY TOUCH FLIPLOCK INSULIN... 155
doxazosin... 86	DUOPA... 60	EASY TOUCH INSULIN SAFETY SYR... 155
doxepin... 72, 105, 176	DUPIXENT PEN... 142	EASY TOUCH INSULIN SYRINGE... 155
doxercalciferol... 150	DUPIXENT SYRINGE... 142	EASY TOUCH LUER LOCK INSULIN... 155
DOXIL... 49	DURAGESIC... 11	EASY TOUCH PEN NEEDLE... 155
doxorubicin... 49	DURAMORPH (PF)... 11	EASY TOUCH SAFETY PEN NEEDLE... 155
doxorubicin, peg-liposomal... 49	DUREZOL... 165	EASY TOUCH SHEATHLOCK INSULIN... 155
doxy-100... 24	DURYSTA... 165	EASY TOUCH UNI-SLIP... 155
doxycycline hyclate... 24	dutasteride... 124	EASY TOUCH... 155
doxycycline monohydrate... 24	dutasteride-tamsulosin... 124	EC-NAPROSYN... 11
doxylamine-pyridoxine (vit b6)... 39	DUTOPROL... 86	
DRISDOL... 179	DUZALLO... 43	
DRIZALMA SPRINKLE... 36	dvorah... 11	
dronabinol... 39	DXEVO... 125	
droperidol... 62	DYANAVEL XR... 98	
DROPLET INSULIN SYR(HALF UNIT)... 154		

ec-naproxen... 12	ELLENCE... 49	enpresse... 131
econazole... 41	ELMIRON... 124	enskyce... 131
EDARBI... 86	eluryng... 130	ENSPRYNG... 142
EDARBYCLOR... 86	ELYXYB... 155	ENSTILAR... 105
EDECRIN... 86	ELZONRIS... 49	entacapone... 60
EDLUAR... 176	EMCYT... 49	ENTADFI... 124
EDURANT... 66	EMEND (FOSAPREPITANT)... 39	entecavir... 67
efavirenz... 67	EMEND... 39	ENTOCORT EC... 149
efavirenz-emtricitabin-tenofov... 67	EMFLAZA... 125	ENTRESTO... 86
efavirenz-lamivu-tenofov disop... 67	EMGALITY PEN... 44	ENTYVIO... 142
EFFEXOR XR... 36	EMGALITY SYRINGE... 44	enulose... 118
EFFIENT... 79	emoquette... 130	ENVARSUS XR... 142
EFUDEX... 105	EMPAVELI... 155	EPANED... 87
EGATEN... 59	EMPLICITI... 50	EPCLUSA... 67
EGRIFTA SV... 127	EMSAM... 36	EPIDIOLEX... 30
ELAPRASE... 122	emtricitabine... 67	EPIDUO FORTE... 105
electrolyte-48 in d5w... 112	emtricitabine-tenofovir (tdf)... 67	EPIDUO... 105
ELELYSO... 122	EMTRIVA... 67	EPIFOAM... 106
ELESTRIN... 130	emverm... 59	epinastine... 165
eletriptan... 44	enalapril maleate... 86	epinephrine... 170
ELIDEL... 105	enalapril-hydrochlorothiazide... 86	EPIPEN JR 2-PAK... 171
ELIGARD (3 MONTH)... 139	enalaprilat... 86	EPIPEN JR... 171
ELIGARD (4 MONTH)... 139	ENBREL MINI... 142	EPIPEN 2-PAK... 171
ELIGARD (6 MONTH)... 139	ENBREL SURECLICK... 142	EPIPEN... 171
ELIGARD... 139	ENBREL... 142	epirubicin... 50
ELIMITE... 105	ENDARI... 118	epitol... 31
elinest... 130	endocet... 12	EPIVIR HBV... 67
ELIQUIS DVT-PE TREAT 30D START... 79	ENDOMETRIN... 130	EPIVIR... 67
ELIQUIS... 79	ENGERIX-B (PF)... 142	eplerenone... 87
ELITEK... 49	ENGERIX-B PEDIATRIC (PF)... 142	EPOGEN... 79
ELIXOPHYLLIN... 170	ENHERTU... 50	epoprostenol (glycine)... 171
ELLA... 130	ENJAYMO... 142	epoprostenol... 171
	enoxaparin... 79	EPRONTIA... 44

eprosartan... 87	escitalopram oxalate... 36	EVEKEO ODT... 98
EPSOLAY... 106	ESGIC... 155	EVEKEO... 98
eptifibatide... 79	esmolol in nacl (iso-osm)... 87	EVENITY... 150
EPZICOM... 67	esmolol... 87	everolimus (antineoplastic)... 50
EQUETRO... 31	esomeprazole magnesium... 118	everolimus (immunosuppressive)... 142
ERAXIS(WATER DILUENT)... 41	esomeprazole sodium... 118	
ERBITUX... 50	ESOMEPRAZOLE STRONTIUM... 118	EVISTA... 131
ergocalciferol (vitamin d2)... 179	estarrylla... 131	EVKEEZA... 87
ergoloid... 35	estazolam... 176	EVOCLIN... 106
ERGOMAR... 44	ESTRACE... 131	EVOMELA... 50
ergotamine-caffeine... 44	estradiol valerate... 131	EVOTAZ... 67
ERIVEDGE... 50	estradiol... 131	EVOXAC... 101
ERLEADA... 50	estradiol-norethindrone acet... 131	EVRYSDI... 122
erlotinib... 50	ESTRING... 131	EXEL INSULIN... 155
ERMEZA... 138	ESTROGEL... 131	EXELDERM... 41
errin... 131	ESTROSTEP FE-28... 131	EXELON PATCH... 35
ERTACZO... 41	eszopiclone... 176	exemestane... 50
ertapenem... 24	ethacrynone sodium... 87	EXFORGE HCT... 87
ERWINAZE... 50	ethacrynic acid... 87	EXFORGE... 87
ery pads... 106	ethambutol... 46	EXJADE... 112
ERY-TAB... 24	ethosuximide... 31	EXKIVITY... 50
ERYGEL... 106	ethynodiol diac-eth estradiol... 131	EXSERVAN... 98
ERYPED 200... 24	ETHYOL... 50	EXTAVIA... 98
ERYPED 400... 24	etodolac... 12	EXTINA... 41
ERYTHROCIN (AS STEARATE)... 25	etonogestrel-ethynodiol estradiol... 131	EYSUVIS... 165
ERYTHROCIN... 25	ETOPOPHOS... 50	EZALLOR SPRINKLE... 87
erythromycin ethylsuccinate... 25	etoposide... 50	ezetimibe... 87
erythromycin lactobionate... 25	etravirine... 67	ezetimibe-rosuvastatin... 87
erythromycin with ethanol... 106	EUCRISA... 106	ezetimibe-simvastatin... 87
erythromycin... 25, 165	EULEXIN... 50	<b>F</b>
erythromycin-benzoyl peroxide... 106	EURAX... 106	FABIOR... 106
ESBRIET... 171	EUTHYROX... 138	FABRAZYME... 122
	EVAMIST... 131	falmina (28)... 131

famciclovir... 67	fesoterodine... 124	FLOMAX... 124
famotidine (pf)... 118	FETROJA... 25	FLOVENT DISKUS... 171
famotidine (pf)-nacl (iso-osm)... 118	FETZIMA... 36	FLOVENT HFA... 171
famotidine... 118	FEXMID... 175	flouxuridine... 50
FANAPT... 62	FIASP FLEXTOUCH U-100 INSULIN... 73	fluconazole in nacl (iso-osm)... 41
FARESTON... 50	FIASP PENFILL U-100 INSULIN... 73	fluconazole... 41
FARXIGA... 73	FIASP U-100 INSULIN... 73	flucytosine... 41
FASENRA PEN... 171	FIBRICOR... 87	fludarabine... 50
FASENRA... 171	FINACEA... 106	fludrocortisone... 126
FASLODEX... 50	finasteride... 124	FLUMADINE... 67
febuxostat... 43	fingolimod... 98	flumazenil... 155
felbamate... 31	FINTEPLA... 31	flunisolide... 171
FELBATOL... 31	finzala... 131	fluocinolone acetonide oil... 168
FELDENE... 12	FIORICET WITH CODEINE... 155	fluocinolone and shower cap... 106
felodipine... 87	fioricet... 155	fluocinolone... 106
FEMARA... 50	FIORINAL... 155	fluocinonide... 106
FEMHRT LOW DOSE... 131	FIORINAL-CODEINE #3... 12	fluocinonide-e... 106
FEMRING... 131	FIRAZYR... 142	fluocinonide-emollient... 106
femynor... 131	FIRDAPSE... 98	fluorometholone... 165
fenofibrate micronized... 87	FIRMAGON KIT W DILUENT SYRINGE... 139	FLUOROPLEX... 106
fenofibrate nanocrystallized... 87	FIRMAGON... 139	fluorouracil... 50, 106
fenofibrate... 87	FIRVANQ... 25	fluoxetine... 36, 37
fenofibric acid (choline)... 87	flac otic oil... 168	fluphenazine decanoate... 63
fenofibric acid... 87	FLAGYL... 25	fluphenazine hcl... 63
FENOGLIDE... 87	FLAREX... 165	flurandrenolide... 106
fenoprofen... 12	flavoxate... 124	flurazepam... 176
FENSOLVI... 139	FLEBOGAMMA DIF... 142	flurbiprofen sodium... 165
fentanyl citrate (pf)... 12	flecainide... 87	flurbiprofen... 12
fentanyl citrate... 12	FLECTOR... 12	flutamide... 50
fentanyl... 12	FLEQSUVY... 65	fluticasone propion-salmeterol... 171
FENTORA... 12	FLOLIPID... 87	fluticasone propionate... 106, 107, 171
FERRIPROX (2 TIMES A DAY)... 113		
FERRIPROX... 113		

fluvastatin... 87, 88	FROVA... 44	gatifloxacin... 165
fluvoxamine... 37	frovatriptan... 44	GATTEX ONE-VIAL... 118
FML FORTE... 165	FULPHILA... 80	GATTEX 30-VIAL... 118
FML LIQUIFILM... 165	fulvestrant... 50	GAUZE BANDAGE... 155
FML S.O.P.... 165	FURADANTIN... 25	GAUZE PAD... 155
FOCALIN XR... 98	FUROSCIX... 88	gavilyte-c... 119
FOCALIN... 98	furosemide... 88	gavilyte-g... 119
folic acid... 179	FUSILEV... 50	gavilyte-n... 119
FOLLISTIM AQ... 179	FUZEON... 67	GAVRETO... 50
FOLOTYN... 50	fyavolv... 131	GAZYVA... 50
fomepizole... 155	FYCOMPA... 31	GELNIQUE... 124
fondaparinux... 79	FYLNETRA... 80	gemcitabine... 50, 51
FORFIVO XL... 37	fyremadel... 179	gemfibrozil... 88
formoterol fumarate... 171	<b>G</b>	
FORTAMET... 73	gabapentin... 31	gemmily... 131
FORTAZ... 25	GABITRIL... 31	GEMTESA... 124
FORTEO... 150	GALAFOLD... 122	GENERESS FE... 131
FORTESTA... 131	galantamine... 35	generlac... 119
FOSAMAX PLUS D... 150	GAMASTAN S/D... 142	gengraf... 143
FOSAMAX... 150	GAMASTAN... 142	GENOTROPIN MINIQUICK... 127
fosamprenavir... 67	GAMIFANT... 142	GENOTROPIN... 127
fosaprepitant... 39	GAMMAGARD LIQUID... 142	gentak... 165
foscarnet... 67	GAMMAGARD S-D (IGA < 1 MCG/ML)... 142	gentamicin in nacl (iso-osm)... 25
FOSCAVIR... 67	GAMMAKED... 142	gentamicin sulfate (ped) (pf)... 25
fosfomycin tromethamine... 25	GAMMAPLEX (WITH SORBITOL)... 142	gentamicin sulfate (pf)... 25
fosinopril... 88	GAMMAPLEX... 142	gentamicin... 25, 165
fosinopril-hydrochlorothiazide... 88	GAMUNEX-C... 142, 143	GENVOYA... 67
fosphenytoin... 31	ganciclovir sodium... 67	GEODON... 63
FOSRENOL... 113	GANIRELIX... 179	gianvi (28)... 131
FOTIVDA... 50	GARDASIL 9 (PF)... 143	GILENYA... 98
FRAGMIN... 79, 80	GASTROCROM... 171	GILOTRIF... 51
FREAMINE III 10 %... 113		GIMOTI... 39
FREESTYLE PRECISION... 155		GIVLAARI... 155
		GLASSIA... 122

glatiramer... 98	granisetron hcl... 39	HEALTHWISE INSULIN SYRINGE... 156
glatopa... 98	GRANIX... 80	HEALTHWISE PEN NEEDLE... 156
GLEEVEC... 51	GRASTEK... 171	HEALTHY ACCENTS UNIFINE PENTIP... 156
glimepiride... 73	griseofulvin microsize... 41	heather... 132
glipizide... 73	griseofulvin ultramicrosize... 41	HECTOROL... 150
glipizide-metformin... 74	guanfacine... 88, 98	helidac... 119
GLOPERBA... 43	guanidine... 46	HEMABATE... 128
GLUCAGEN HYPOKIT... 74	GVOKE HYPOPEN 1-PACK... 74	HEMADY... 126
GLUCAGON (HCL) EMERGENCY KIT... 74	GVOKE HYPOPEN 2-PACK... 74	HEMANGEOL... 88
glucagon emergency kit (human)... 74	GVOKE PFS 1-PACK SYRINGE... 74	heparin (porcine)... 80
GLUCOTROL XL... 74	GVOKE PFS 2-PACK SYRINGE... 74	heparin, porcine (pf)... 80
GLUCOTROL... 74	GVOKE... 74	HEPSERA... 68
GLUMETZA... 74	gynazole-1... 42	HERCEPTIN HYLECTA... 51
glyburide micronized... 74	<b>H</b>	HERCEPTIN... 51
glyburide... 74	HAEGARDA... 143	HERZUMA... 51
glyburide-metformin... 74	hailey fe 1.5/30 (28)... 131	HETLIOZ LQ... 176
GLYCATE... 119	hailey fe 1/20 (28)... 132	HETLIOZ... 176
GLYCOPHOS... 113	hailey 24 fe... 131	HIBERIX (PF)... 143
glycopyrrolate (pf) in water... 119	hailey... 131	hidex... 126
glycopyrrolate (pf)... 119	HALAVEN... 51	HIPREX... 25
glycopyrrolate... 119	halcinonide... 107	HIZENTRA... 143
glydo... 18	HALCION... 176	HORIZANT... 98
GLYNASE... 74	HALDOL DECANOATE... 63	HUMALOG JUNIOR KWIKPEN U-100... 74
GLYXAMBI... 74	HALDOL... 63	HUMALOG KWIKPEN INSULIN... 74
GOCOVRI... 60	halobetasol propionate... 107	HUMALOG MIX 50-50 INSULN U-100... 74
GOLYTELY... 119	haloette... 132	HUMALOG MIX 50-50 KWIKPEN... 74
GONAL-F RFF REDI-JECT... 179	HALOG... 107	HUMALOG MIX 75-25 KWIKPEN... 74
GONAL-F RFF... 179	haloperidol decanoate... 63	HUMALOG MIX 75-25(U-100)INSULN... 74
GONAL-F... 179	haloperidol lactate... 63	HUMALOG TEMPO PEN(U-100)INSULN... 74
GONITRO... 88	haloperidol... 63	
GRALISE... 98	HARVONI... 67	
granisetron (pf)... 39	HAVRIX (PF)... 143	

HUMALOG U-100 INSULIN... 74	HYDREA... 51	I
HUMATIN... 25	hydrochlorothiazide... 88	ibandronate... 150
HUMATROPE... 127	hydrocodone bitartrate... 12	IBRANCE... 51
HUMIRA PEN CROHNS-UC-HS START... 143	hydrocodone-acetaminophen... 12	IBSRELA... 119
HUMIRA PEN PSOR-UVEITS-ADOL HS... 143	hydrocodone-chlorpheniramine... 178	ibu... 13
HUMIRA PEN... 143	hydrocodone-homatropine... 178	ibuprofen... 13
HUMIRA... 143	hydrocodone-ibuprofen... 12	ibuprofen-famotidine... 13
HUMIRA(CF) PEDI CROHNS STARTER... 143	hydrocortisone butyr-emollient... 107	ibutilide fumarate... 88
HUMIRA(CF) PEN CROHNS-UC-HS... 143	hydrocortisone butyrate... 107	icatibant... 143
HUMIRA(CF) PEN PEDIATRIC UC... 143	hydrocortisone valerate... 107	iclevia... 132
HUMIRA(CF) PEN PSOR-UV-ADOL HS... 143	hydrocortisone... 107, 149	ICLUSIG... 51
HUMIRA(CF) PEN... 143	hydrocortisone-acetic acid... 168	IDAMYCIN PFS... 51
HUMIRA(CF)... 143	hydromet... 178	idarubicin... 51
HUMULIN N NPH INSULIN KWIKPEN... 74	hydromorphone (pf)... 13	IDHIFA... 51
HUMULIN N NPH U-100 INSULIN... 74	hydromorphone... 12, 13	IFEX... 51
HUMULIN R REGULAR U-100 INSULN... 74	hydroxocobalamin... 179	ifosfamide... 51
HUMULIN R U-500 (CONC) INSULIN... 74	hydroxychloroquine... 59	ILEVRO... 165
HUMULIN R U-500 (CONC) KWIKPEN... 75	hydroxyprogester(pf)(preg presv)... 132	ILUMYA... 143
HUMULIN 70/30 U-100 INSULIN... 74	hydroxyprogesterone cap(ppres)... 132	imatinib... 51
HUMULIN 70/30 U-100 KWIKPEN... 74	hydroxyprogesterone caproate... 132	IMBRUICA... 51
HYCAMTIN... 51	hydroxyurea... 51	IMFINZI... 51
HYCODAN (WITH HOMATROPINE)... 178	hydroxyzine hcl... 72	imipenem-cilastatin... 25
HYCODAN... 178	hydroxyzine pamoate... 171	imipramine hcl... 37
hydralazine... 88	HYFTOR... 107	imipramine pamoate... 37
	HYPERRAB (PF)... 143	imiquimod... 107
	HYPERRAB S/D (PF)... 143	IMITREX STATDOSE PEN... 44
	HYPERTET (PF)... 143	IMITREX STATDOSE REFILL... 44
	HYSINGLA ER... 13	IMITREX... 44
	HYZAAR... 88	IMJUDO... 51
		IMLYGIC... 51
		IMOGLAM RABIES-HT (PF)... 143
		IMOVAZ RABIES VACCINE (PF)... 143
		IMPAVIDO... 59

IMPEKLO... 107	INSULIN LISPRO	irbesartan-hydrochlorothiazide... 88
IMURAN... 143	PROTAMIN-LISPRO... 75	IRESSA... 52
INBRIJA... 60	INSULIN LISPRO... 75	irinotecan... 52
incassia... 132	INSULIN SYR/NDL U100 HALF MARK... 156	ISENTRESS HD... 68
INCONTROL ALCOHOL PADS... 156	INSULIN SYRINGE MICROFINE... 156	ISENTRESS... 68
INCONTROL PEN NEEDLE... 156	INSULIN SYRINGE NEEDLELESS... 156	isibloom... 132
INCRELEX... 127	INSULIN SYRINGE... 156	ISOLYTE S PH 7.4... 113
INCRUSE ELLIPTA... 171	INSULIN SYRINGE-NEEDLE U-100... 156	ISOLYTE-P IN 5 % DEXTROSE... 113
indapamide... 88	INSUPEN... 156	ISONIAZID... 113
INDERAL LA... 88	INTEGRILIN... 80	ISOPTO CARPINE... 46
INDOCIN... 13	INTELENCE... 68	ISORDIL TITRADOSE... 165
indomethacin sodium... 13	INTRALIPID... 113	ISORDIL... 88
indomethacin... 13	INTRON A... 144	isosorbide dinitrate... 88
INFANRIX (DTAP) (PF)... 143	INTUNIV ER... 98	isosorbide mononitrate... 88
INFLECTRA... 144	INVANZ... 25	isosorbide-hydralazine... 88
INFLIXIMAB... 144	INVEGA HAFYERA... 63	isotretinoin... 107
INFUGEM... 51	INVEGA SUSTENNA... 63	isradipine... 89
INFUMORPH P/F... 13	INVEGA TRINZA... 63	ISTALOL... 165
INFUVITE ADULT... 179	INVEGA... 63	ISTODAX... 52
INFUVITE PEDIATRIC... 179	INVELTYS... 165	ISTURISA... 156
INGREZZA INITIATION PACK... 98	INVIRASE... 68	ISUPREL... 89
INGREZZA... 98	INVOKAMET XR... 75	itraconazole... 42
INLYTA... 52	INVOKAMET... 75	IV PREP WIPES... 156
INNOPRAN XL... 88	INVOKANA... 75	ivermectin... 59, 107
INQOVI... 52	IONOSOL-B IN D5W... 113	IXEMPRA... 52
INREBIC... 52	IONOSOL-MB IN D5W... 113	IXIARO (PF)... 144
INSPRA... 88	IOPIDINE... 165	J
INSULIN ASP PRT-INSULIN ASPART... 75	IPOL... 144	JADENU SPRINKLE... 113
INSULIN ASPART U-100... 75	ipratropium bromide... 171	JADENU... 113
INSULIN DEGLUDEC... 75	ipratropium-albuterol... 171	jaimiess... 132
INSULIN GLARGINE... 75	irbesartan... 88	JAKAFI... 52
INSULIN GLARGINE-YFGN... 75		JALYN... 124

jantoven... 80	kalliga... 132	KINERET... 144	
JANUMET XR... 75	KALYDECO... 171	KINRIX (PF)... 144	
JANUMET... 75	KANJINTI... 52	kionex (with sorbitol)... 113	
JANUVIA... 75	KANUMA... 122	KISQALI FEMARA CO-PACK... 52	
JARDIANCE... 75	KAPSPARGO SPRINKLE... 89	KISQALI... 52	
jasmiel (28)... 132	KAPVAY... 98	KITABIS PAK... 25	
JATENZO... 132	KARBINAL ER... 172	KLARON... 25	
javygtor... 122	kariva (28)... 132	KLISYRI... 107	
JEMPERLI... 52	KATERZIA... 89	KLONOPIN... 72	
jencycla... 132	KAZANO... 75	klor-con m10... 113	
JENTADUETO XR... 75	KEDRAB (PF)... 144	KLOR-CON M15... 113	
JENTADUETO... 75	KEFLEX... 25	klor-con m20... 113	
JEVTANA... 52	kelnor 1-50 (28)... 132	KLOR-CON 10... 113	
jinteli... 132	kelnor 1/35 (28)... 132	KLOR-CON 8... 113	
jolessa... 132	KENALOG... 126	klor-con... 113	
JORNAY PM... 98	KENALOG-80... 126	KLOXXADO... 20	
JUBLIA... 42	KENGREAL... 80	KOMBIGLYZE XR... 75	
juleber... 132	KEPIVANCE... 101	KORLYM... 156	
JULUCA... 68	KEPPRA XR... 31	KOSELUGO... 52	
junel fe 1.5/30 (28)... 132	KEPPRA... 31	KOSHER PRENATAL PLUS IRON... 113	
junel fe 1/20 (28)... 132	KERENDIA... 89	KRAZATI... 52	
junel fe 24... 132	KERYDIN... 42	KRINTAFEL... 59	
junel 1.5/30 (21)... 132	KESIMPTA PEN... 98	KRISTALOSE... 119	
junel 1/20 (21)... 132	ketoconazole... 42	kurvelo (28)... 132	
JUXTAPID... 89	ketodan... 42	KUVAN... 122	
JYNARQUE... 113	ketoprofen... 13	KYNMOBI... 60	
<b>K</b>			
K-TAB... 113	ketorolac... 13, 165	KYPROLIS... 52	
KABIVEN... 113	KEVEYIS... 122	<b>L</b>	
KADCYLA... 52	KEVZARA... 144	l norgest/e.estradol-e.estrad... 132	
KADIAN... 13	KEYTRUDA... 52	LABETALOL IN DEXTROSE,ISO-OSM... 89	
kaitlib fe... 132	KHAPZORY... 52	LABETALOL IN NACL (ISO-OSMOT)... 89	
KALETRA... 68	KIMMTRAK... 52		
	KIMYRSA... 25		

labetalol... 89	lapatinib... 52	LEVEMIR FLEXPEN... 76
lacosamide... 31	larin fe 1.5/30 (28)... 132	LEVEMIR FLEXTOUCH U-100
LACRISERT... 165	larin fe 1/20 (28)... 132	INSULN... 76
lactated ringers... 113, 156	larin 1.5/30 (21)... 132	LEVEMIR U-100 INSULIN... 76
lactulose... 119	larin 1/20 (21)... 132	levetiracetam in nacl (iso-os)... 32
LAGEVRIO (EUA)... 156	larin 24 fe... 132	levetiracetam... 32
LAMICTAL ODT STARTER (BLUE)... 31	larissia... 133	LEVO-T... 138
LAMICTAL ODT STARTER (GREEN)... 31	LASIX... 89	levobunolol... 165
LAMICTAL ODT STARTER (ORANGE)... 31	LASTACRAFT... 165	levocarnitine (with sugar)... 113
LAMICTAL ODT... 31	latanoprost... 165	levocarnitine... 113
LAMICTAL STARTER (BLUE) KIT... 31	LATUDA... 63	levocetirizine... 172
LAMICTAL STARTER (GREEN) KIT... 31	LAYOLIS FE... 133	levofloxacin in d5w... 25
LAMICTAL STARTER (ORANGE) KIT... 32	LAZANDA... 13	levofloxacin... 25, 165
LAMICTAL XR STARTER (BLUE)... 32	ledipasvir-sofosbuvir... 68	levoleucovorin calcium... 53
LAMICTAL XR STARTER (GREEN)... 32	leena 28... 133	levonest (28)... 133
LAMICTAL XR STARTER (ORANGE)... 32	leflunomide... 144	levonorg-eth estrad triphasic... 133
LAMICTAL XR... 32	LEMTRADA... 98	levonorgestrel-ethinyl estrad... 133
LAMICTAL... 31	lenalidomide... 52	LEVOPHED (BITARTRATE)... 89
lamivudine... 68	LENVIMA... 52	levora-28... 133
lamivudine-zidovudine... 68	LEQVIO... 89	levorphanol tartrate... 14
lamotrigine... 32	LESCOL XL... 89	levothyroxine... 138
LAMPIT... 59	LESCOL... 89	LEVOXYL... 138
LANOXIN PEDIATRIC... 89	lessina... 133	LEVULAN... 53
LANOXIN... 89	LETAIRIS... 172	LEXAPRO... 37
lanreotide... 139	letrozole... 53	LEXETTE... 107
lansoprazole... 119	leucovorin calcium... 53	LEXIVA... 68
lanthanum... 113	LEUKERAN... 53	LIALDA... 149
LANTUS SOLOSTAR U-100 INSULIN... 76	LEUKINE... 80	LIBTAYO... 53
LANTUS U-100 INSULIN... 76	leuprolide (3 month)... 139	LICART... 14
	leuprolide... 139	lidocaine (pf) in d7.5w... 18
	levalbuterol hcl... 172	lidocaine (pf)... 18, 89
	levalbuterol tartrate... 172	lidocaine hcl... 18
	levamlodipine... 89	lidocaine in 5 % dextrose (pf)... 89

lidocaine viscous... 18	LODOSYN... 60	loteprednol etabonate... 166
lidocaine... 18	LOESTRIN FE 1.5/30 (28-DAY)... 133	LOTREL... 90
lidocaine-epinephrine bit... 18	LOESTRIN FE 1/20 (28-DAY)... 133	LOTRONEX... 119
lidocaine-epinephrine... 18	LOESTRIN 1.5/30 (21)... 133	lovastatin... 90
lidocaine-prilocaine... 18	LOESTRIN 1/20 (21)... 133	LOVAZA... 90
LIDODERM... 18	lofena... 14	LOVENOX... 80
lillow (28)... 133	lojaimiess... 133	low-ogestrel (28)... 133
LINCOCIN... 26	LOKELMA... 113	loxapine succinate... 63
lincomycin... 26	lomaira... 180	lubiprostone... 119
lindane... 107	LOMOTIL... 119	LUCEMYRA... 20
linezolid in dextrose 5%... 26	LONHALA MAGNAIR REFILL... 172	luliconazole... 42
linezolid... 26	LONHALA MAGNAIR STARTER... 172	LUMAKRAS... 53
linezolid-0.9% sodium chloride... 26	LONSURF... 53	LUMIGAN... 166
LINZESS... 119	loperamide... 119	LUMIZYME... 122
liothyronine... 138	LOPID... 89	LUMOXITI... 53
LIPITOR... 89	lopinavir-ritonavir... 68	LUNESTA... 177
LIPOFEN... 89	LOPRESSOR... 89	LUPANETA PACK (1 MONTH)... 139
lisinopril... 89	LOPROX (AS OLAMINE)... 42	LUPANETA PACK (3 MONTH)... 139
lisinopril-hydrochlorothiazide... 89	LOPROX... 42	LUPKYNIS... 144
LITE TOUCH INSULIN PEN NEEDLES... 156	lorazepam intensol... 72	LUPRON DEPOT (3 MONTH)... 139
LITE TOUCH INSULIN SYRINGE... 157	lorazepam... 72	LUPRON DEPOT (4 MONTH)... 139
lithium carbonate... 72	LORBRENA... 53	LUPRON DEPOT (6 MONTH)... 139
LITHOBID... 72	LOREEV XR... 72	LUPRON DEPOT... 139
LITHOSTAT... 157	lortab elixir... 14	LUPRON DEPOT-PED (3 MONTH)... 139
LIVALO... 89	loryna (28)... 133	LUPRON DEPOT-PED... 139
LIVMARLI... 157	LORZONE... 175	lutera (28)... 133
LIVTENCITY... 68	losartan... 90	LUXIQ... 107
LO LOESTRIN FE... 133	losartan-hydrochlorothiazide... 90	LUZU... 42
lo-zumandimine (28)... 133	LOSEASONIQUE... 133	LYBALVI... 63
LOCOID LIPOCREAM... 107	LOTEMAX SM... 166	lyleq... 133
LOCOID... 107	LOTEMAX... 165, 166	lyllana... 133
LODINE... 14	LOTENSIN HCT... 90	LYNPARZA... 53
	LOTENSIN... 90	

LYRICA CR... 98, 99	mannitol 10 %... 90	MAXITROL... 166
LYRICA... 98	mannitol 20 %... 90	MAXZIDE... 90
LYSODREN... 139	mannitol 25 %... 90	MAXZIDE-25MG... 90
LYSTEDA... 80	mannitol 5 %... 90	MAYZENT STARTER(FOR 1MG MAINT)... 99
LYTGOBI... 53	maraviroc... 68	MAYZENT STARTER(FOR 2MG MAINT)... 99
LYUMJEV KWIKPEN U-100 INSULIN... 76	MARCAINE (PF)... 18	MAYZENT... 99
LYUMJEV KWIKPEN U-200 INSULIN... 76	MARCAINE SPINAL (PF)... 18	meclizine... 39
LYUMJEV TEMPO PEN(U-100)INSULN... 76	MARCAINE... 18	meclofenamate... 14
LYUMJEV U-100 INSULIN... 76	MARCAINE-EPINEPHRINE (PF)... 19	MEDROL (PAK)... 126
LYVISPAH... 65	MARCAINE-EPINEPHRINE... 18	MEDROL... 126
lyza... 133	MARGENZA... 53	medroxyprogesterone... 133
<b>M</b>		
M.V.I. ADULT... 179	MARPLAN... 37	mefenamic acid... 14
M.V.I. PEDIATRIC... 179	MATULANE... 53	mfloquine... 59
M.V.I.-12 (WITHOUT VITAMIN K)... 179	matzim la... 90	megestrol... 133
M-M-R II (PF)... 144	MAVENCLAD (10 TABLET PACK)... 99	MEKINIST... 53
m-natal plus... 114	MAVENCLAD (4 TABLET PACK)... 99	MEKTOVI... 53
MACROBID... 26	MAVENCLAD (5 TABLET PACK)... 99	melodetta 24 fe... 134
MACRODANTIN... 26	MAVENCLAD (6 TABLET PACK)... 99	meloxicam submicronized... 14
mafенide acetate... 108	MAVENCLAD (7 TABLET PACK)... 99	meloxicam... 14
MAGELLAN INSULIN SAFETY SYRNG... 157	MAVENCLAD (8 TABLET PACK)... 99	melphalan hcl... 53
MAGELLAN SYRINGE... 157	MAVENCLAD (9 TABLET PACK)... 99	melphalan... 53
magnesium sulfate in d5w... 114	MAVYRET... 68	memantine... 35
magnesium sulfate in water... 114	MAXALT... 44	MENACTRA (PF)... 144
magnesium sulfate... 114	MAXALT-MLT... 44	MENEST... 134
MAKENA (PF)... 133	MAXI-COMFORT INSULIN SYRINGE... 157	MENOPUR... 179
MAKENA... 133	MAXICOMFORT II PEN NEEDLE... 157	MENOSTAR... 134
MALARONE PEDIATRIC... 59	MAXICOMFORT INSULIN SYRINGE... 157	MENQUADFI (PF)... 144
MALARONE... 59	MAXICOMFORT SAFETY PEN NEEDLE... 157	MENTAX... 42
malathion... 108	MAXIDEX... 166	MENVEO A-C-Y-W-135-DIP (PF)... 144
		meperidine (pf)... 14
		meperidine... 14

MEPHYTON... 180	methscopolamine... 119	MICARDIS... 90
meprobamate... 72	methyldopa... 90	miconazole nitrate-zinc ox-pet... 42
MEPRON... 59	methyldopa-hydrochlorothiazide... 90	miconazole-3... 42
MEPSEVII... 122	methyldopate... 90	MICRODOT INSULIN PEN NEEDLE... 157
mercaptopurine... 53	methylergonovine... 157	microgestin fe 1.5/30 (28)... 134
meropenem... 26	METHYLIN... 99	microgestin fe 1/20 (28)... 134
meropenem-0.9% sodium chloride... 26	methylphenidate hcl... 99	microgestin 1.5/30 (21)... 134
MERREM... 26	methylphenidate... 99	microgestin 1/20 (21)... 134
merzee... 134	methylprednisolone acetate... 126	microgestin 24 fe... 134
mesalamine... 149	methylprednisolone sodium succ... 126	midodrine... 90
mesna... 53	methylprednisolone... 126	migergot... 44
MESNEX... 53	methyltestosterone... 134	miglitol... 76
MESTINON TIMESPAN... 46	metipranolol... 166	miglustat... 122
MESTINON... 46	metoclopramide hcl... 40	MIGRAL... 44
metadate er... 99	metolazone... 90	mili... 134
metaproterenol... 172	metoprolol succinate... 90	millipred dp... 126
metaxall... 176	metoprolol ta-hydrochlorothiaz... 90	millipred... 126
metaxalone... 176	metoprolol tartrate... 90	milrinone in 5 % dextrose... 91
metformin... 76	METRO I.V.... 26	milrinone... 91
methadone intensol... 14	METROCREAM... 26	mimvey... 134
methadone... 14	METROGEL VAGINAL... 26	MINASTRIN 24 FE... 134
METHADOSE... 14	METROGEL... 26	MINI ULTRA-THIN II... 157
methamphetamine... 99	METROLOTION... 26	MINIPRESS... 91
methazolamide... 90	metronidazole in nacl (iso-os)... 26	minitran... 91
methenamine hippurate... 26	metronidazole... 26	MINIVELLE... 134
methergine... 157	metyrosine... 90	MINOCIN... 26
methimazole... 140	mexiletine... 90	minocycline... 26
METHITEST... 134	MIACALCIN... 150	MINOLIRA ER... 26
methocarbamol... 176	mibelas 24 fe... 134	minoxidil... 91
methotrexate sodium (pf)... 144	micafungin... 42	MIOSTAT... 166
methotrexate sodium... 144	MICARDIS HCT... 90	MIRAPEX ER... 60
methoxsalen... 108		MIRAPEX... 60

MIRCERA... 80	MOVIPREP... 119	nafcillin in dextrose iso-osm... 27
MIRCETTE (28)... 134	MOXEZA... 166	nafcillin... 27
mirtazapine... 37	moxifloxacin... 27, 166	naftifine... 42
MIRVASO... 108	moxifloxacin-sod.ace,sul-water... 27	NAFTIN... 42
misoprostol... 119	moxifloxacin-sod.chloride(iso)... 27	NAGLAZYME... 122
MITIGARE... 43	MOZOBIL... 80	nalbuphine... 15
mitigo (pf)... 14	MS CONTIN... 15	NALFON... 15
mitomycin... 53	MULPLETA... 80	nalmefene... 20
mitoxantrone... 53	MULTAQ... 91	nalocet... 15
MOBIC... 14	mupirocin calcium... 108	naloxone... 20
modafinil... 177	mupirocin... 108	naltrexone... 20
moexipril... 91	MUTAMYCIN... 53	NAMENDA TITRATION PAK... 35
molindone... 63	MVASI... 53	NAMENDA XR... 35
mometasone... 108, 172	MYALEPT... 119	NAMENDA... 35
monodoxine nl... 26	MYAMBUTOL... 46	NAMZARIC... 35
MONJUVI... 144	MYCAMINE... 42	NAPRELAN CR... 15
mono-linyah... 134	MYCAPSSA... 139	NAPROSYN... 15
MONODOX... 26	MYCOBUTIN... 46	naproxen sodium... 15, 16
MONOJECT INSULIN SAFETY SYRING... 157	mycophenolate mofetil (hcl)... 144	naproxen... 15
MONOJECT INSULIN SYRINGE... 157	mycophenolate mofetil... 144	naproxen-esomeprazole... 16
MONOJECT SYRINGE... 157	mycophenolate sodium... 144	naratriptan... 44
MONOJECT ULTRA COMFORT INSULIN... 157	MYDAYIS... 99	NARCAN... 20
montelukast... 172	MYFEMBREE... 157	NARDIL... 37
MONUROL... 27	MYFORTIC... 144	NAROPIN (PF)... 19
morgidox... 27	MYLOTARG... 53	NASCOBAL... 180
morphine (pf)... 15	myorisan... 108	NASONEX... 172
morphine concentrate... 15	MYRBETRIQ... 124	NATACHEW (FE BIS-GLYCINATE)... 114
morphine... 14, 15	mysoline... 32	NATACYN... 166
MOTEGRITY... 119	MYTESI... 119	NATAZIA... 134
MOTOFEN... 119	<b>N</b>	nateglinide... 76
MOUNJARO... 76	nabumetone... 15	NATESTO... 134
MOVANTIK... 119	nadolol... 91	NATPARA... 150

NATROBA...	108	NEUPRO...	60	nitrofurantoin monohyd/m-cryst...
NAVELBINE...	53	NEURONTIN...	32	27
NAYZILAM...	32	NEVANAC...	166	nitrofurantoin... 27
nebivolol...	91	nevirapine...	68	nitroglycerin in 5 % dextrose... 92
NEBUPENT...	59	NEXAVAR...	54	nitroglycerin... 91, 92
necon 0.5/35 (28)...	134	NEXIUM IV...	119	NITROLINGUAL... 92
nefazodone...	37	NEXIUM PACKET...	119	NITROSTAT... 92
nelarabine...	53	NEXIUM...	119	NITYR... 122
NEMBUTAL SODIUM...	32	NEXLETOL...	91	NIVESTYM... 81
neo-polycin hc...	166	NEXLIZET...	91	nizatidine... 120
neo-polycin...	166	NEXTERONE...	91	NOCDURNA (MEN)... 127
NEO-SYNALAR...	108	NEXTSTELLIS...	134	NOCDURNA (WOMEN)... 127
neomycin...	27	NEXVIAZYME...	122	nolix... 108
neomycin-bacitracin-poly-hc...	166	niacin...	91	nora-be... 134
neomycin-bacitracin-polymyxin...	166	niacor...	91	NORCO... 16
neomycin-polymyxin b gu...	157	NIASPAN EXTENDED-RELEASE...	91	NORDITROPIN FLEXPRO... 127
neomycin-polymyxin b-dexameth...	166	nicardipine...	91	norepinephrine bitartrate... 92
neomycin-polymyxin-gramicidin...	166	NICOTROL NS...	20	noreth-ethinyl estradiol-iron... 134
neomycin-polymyxin-hc...	166, 168	NICOTROL...	20	norethindrone (contraceptive)... 134
NEONATAL COMPLETE...	114	nifedipine...	91	norethindrone ac-eth estradiol... 134
NEONATAL PLUS VITAMIN...	114	nikki (28)...	134	norethindrone acetate... 134
NEONATAL-DHA...	114	NILANDRON...	54	norethindrone-e.estradol-iron... 134
NEORAL...	144	nilutamide...	54	NORGESIC FORTE... 176
NERLYNX...	54	nimodipine...	91	norgesic... 176
NESACAIN...	19	NINLARO...	54	norgestimate-ethinyl estradiol... 135
NESACAIN-MPF...	19	NIPENT...	54	NORITATE... 27
NESINA...	76	nisoldipine...	91	NORLIQVA... 92
neuac...	108	nitazoxanide...	59	norlyda... 135
NEULASTA ONPRO...	80	nitisinone...	122	NORMOSOL-M IN 5 % DEXTROSE... 114
NEULASTA...	80	NITRO-BID...	91	
NEUPOGEN...	80	NITRO-DUR...	91	
		nitrofurantoin macrocrystal...	27	

NORMOSOL-R IN 5 % DEXTROSE...	NOVOLOG PENFILL U-100 INSULIN...	O-CAL PRENATAL...
114	76	114
NORMOSOL-R PH 7.4... 114	NOVOLOG U-100 INSULIN ASPART...	OB COMPLETE ONE...
NORMOSOL-R... 114	76	114
NORPACE CR... 92	NOVOPEN ECHO... 158	OB COMPLETE PETITE...
NORPACE... 92	NOVOTWIST... 158	114
NORPRAMIN... 37	NOXAFILE...	OB COMPLETE PREMIER...
NORTHERA... 92	NUBEQA...	114
nortrel 0.5/35 (28)... 135	NUCALA...	OBREDON...
nortrel 1/35 (21)... 135	NUCYNTA ER...	178
nortrel 1/35 (28)... 135	NUCYNTA...	OCALIVA...
nortrel 7/7/7 (28)... 135	NUEDEXTA...	120
nortriptyline... 37	NULIBRY...	ocella...
NORVASC... 92	NULYTELY LEMON-LIME...	135
NORVIR... 68, 69	NULYTELY WITH FLAVOR PACKS...	OCREVUS...
NOURIANZ... 60	120	144
NOVAREL... 127	NUPLAZID...	octreotide acetate...
NOVOFINE AUTOCOVER... 157	NURTEC ODT...	139
NOVOFINE PLUS... 158	NUTRILIPID...	OCUFLOX...
NOVOFINE 32... 157	NUTROPIN AQ NUSPIN...	ODACTRA...
NOVOLIN N FLEXPEN... 76	127	ODEFSEY...
NOVOLIN N NPH U-100 INSULIN...	NUVARING...	69
76	NUVESSA...	ODOMZO...
NOVOLIN R FLEXPEN... 76	NUVIGIL...	54
NOVOLIN R REGULAR U-100	NUZYRA...	OFEV...
INSULN... 76	nyamyc...	172
NOVOLIN 70-30 FLEXPEN U-100...	nylia 1/35 (28)... 135	ofloxacin...
76	nylia 7/7/7 (28)... 135	OGIVRI...
NOVOLIN 70/30 U-100 INSULIN...	NYMALIZE...	olanzapine...
76	nymyo...	63, 64
NOVOLOG FLEXPEN U-100	nystatin...	olanzapine-fluoxetine...
INSULIN... 76	42	37
NOVOLOG MIX 70-30 U-100	nystatin-triamcinolone...	OLINVYK...
INSULN... 76	43	16
NOVOLOG MIX 70-30FLEXPEN	nystop...	olmesartan...
U-100... 76	NYVEPRIA...	92
	81	olmesartan-amlodipin-hcthiazid...
		92
		olmesartan-hydrochlorothiazide...
		92
		olopatadine...
		166, 172
		OLUMIANT...
		145
		OLUX...
		108
		OLUX-E...
		108
		OMECLAMOX-PAK...
		120
		omega-3 acid ethyl esters...
		92
		OMEGAVEN...
		114
		omeprazole...
		120

omeprazole-sodium bicarbonate... 120	ORBACTIV... 27	OVIDREL... 179
OMNARIS... 172	ORENCIA CLICKJECT... 145	oxacillin in dextrose(iso-osm)... 27
OMNIPOD CLASSIC PODS (GEN 3)... 158	ORENCIA... 145	oxacillin... 27
OMNIPOD DASH INTRO KIT (GEN 4)... 158	ORENITRAM... 172	oxaliplatin... 54
OMNIPOD DASH PODS (GEN 4)... 158	ORFADIN... 122	oxandrolone... 135
OMNIPOD 5 G6 INTRO KIT (GEN 5)... 158	ORGOVYX... 139	oxaprozin... 16
OMNIPOD 5 G6 PODS (GEN 5)... 158	ORIAHNN... 158	OXAYDO... 16
OMNITROPE... 128	ORILISSA... 139	oxazepam... 72
ONCASPAR... 54	ORKAMBI... 172	OXBRYTA... 158
ondansetron hcl (pf)... 40	ORLADEYO... 145	oxcarbazepine... 32, 33
ondansetron hcl... 40	orlistat... 158	OXERVATE... 166
ondansetron... 40	orphenadrine citrate... 176	oxiconazole... 43
ONEXTON... 108	orphenadrine-asa-caffeine... 176	OXISTAT... 43
ONFI... 32	orphengesic forte... 176	OXLUMO... 158
ONGENTYS... 60	orsythia... 135	OXSORALEN ULTRA... 108
ONGLYZA... 76	ORTHO MICRONOR... 135	OXTELLAR XR... 33
ONIVYDE... 54	ORTHO TRI-CYCLEN (28)... 135	oxybutynin chloride... 124
ONPATTRO... 122	ORTHO-NOVUM 7/7/7 (28)... 135	oxycodone... 16
ONTRUZANT... 54	ORTIKOS... 149	oxycodone-acetaminophen... 16
ONUREG... 54	oseltamivir... 69	oxycodone-aspirin... 16
ONZETRA XSAIL... 44	OSENI... 77	OXYCONTIN... 16
OPDIVO... 54	OSMITROL 10 %... 92	oxymorphone... 16
OPDUALAG... 54	OSMITROL 15 %... 92	oxytocin... 158
opium tincture... 120	OSMITROL 20 %... 92	OXYTROL... 124
OPSUMIT... 172	OSMITROL 5 %... 92	OZEMPIC... 77
OPZELURA... 108	OSMOLEX ER... 60	<b>P</b>
ORACEA... 27	OSMOPREP... 120	PACERONE... 92
ORALAIR... 172	OSPHENA... 135	paclitaxel protein-bound... 54
oralone... 101	OTEZLA STARTER... 108	paclitaxel... 54
ORAPRED ODT... 126	OTEZLA... 108	PADCEV... 54
	OTOVEL... 168	paliperidone... 64
	OTREXUP (PF)... 145	PALYNZIQ... 122
	OVIDE... 108	PAMELOR... 37

pamidronate... 150	PEN NEEDLE, DIABETIC... 158	PHEBURANE... 123
PANCREAZE... 123	PEN NEEDLE, DIABETIC, SAFETY... 158	phendimetrazine tartrate... 180
PANDEL... 108	penciclovir... 69	phenelzine... 38
PANRETIN... 54	penicillamine... 114	PHENERGAN... 40
pantoprazole... 120	penicillin g pot in dextrose... 27	phenobarbital sodium... 33
PANZYGA... 145	penicillin g potassium... 27	phenobarbital... 33
paraplatin... 54	penicillin g procaine... 27	phenoxybenzamine... 92
paricalcitol... 150	penicillin g sodium... 27	phentermine... 180
PARLODEL... 61	penicillin v potassium... 27	phenylephrine hcl... 93
PARNATE... 37	PENNNSAID... 16	PHENYTEK... 33
paroex oral rinse... 101	PENTACEL (PF)... 145	phenytoin sodium extended... 33
paromomycin... 27	PENTAM... 59	phenytoin sodium... 33
paroxetine hcl... 37	pentamidine... 59	phenytoin... 33
paroxetine mesylate(menop.sym)... 37	PENTASA... 149	PHESGO... 54
PASER... 46	pentazocine-naloxone... 16	PHEXXI... 158
PATANASE... 172	PENTIPS... 158	philith... 135
PAXIL CR... 37	pentobarbital sodium... 33	PHOSLYRA... 114
PAXIL... 37	pentoxifylline... 92	PHOSPHOLINE IODIDE... 166
PAXLOVID (EUA)... 158	pepcid... 120	PHYSIOLYTE... 158
PEDIAPRED... 126	PERCOCET... 16	PHYSISOL IRRIGATION... 158
PEDIARIX (PF)... 145	PERFOROMIST... 172	phytonadione (vitamin k1)... 180
PEDVAX HIB (PF)... 145	PERIKABIVEN... 114	PIFELTRO... 69
peg 3350-electrolytes... 120	perindopril erbumine... 92	pilocarpine hcl... 101, 166
peg-electrolyte soln... 120	periogard... 101	pimecrolimus... 108
peg-prep... 120	PERJETA... 54	pimozide... 64
PEGASYS... 145	permethrin... 108	pimtrea (28)... 135
PEGINTRON... 145	perphenazine... 64	pindolol... 93
peg3350-sod sul-nacl-kcl-asb-c... 120	perphenazine-amitriptyline... 38	pioglitazone... 77
PEMAZYRE... 54	PERSERIS... 64	pioglitazone-glimepiride... 77
pemetrexed disodium... 54	PERTZYE... 123	pioglitazone-metformin... 77
pemetrexed... 54	PEXEVA... 38	PIP PEN NEEDLE... 158
PEN NEEDLE... 158	pfizerpen-g... 27	piperacillin-tazobactam... 27
		PIQRAY... 54

pirfenidone...	172, 173	potassium chlorid-d5-0.45%nacl...	prednicarbate...	108
pirmella...	135	114	prednisolone acetate...	167
piroxicam...	17	potassium chloride in lr-d5...	prednisolone sodium phosphate...	126, 167
PITOCIN...	158	115	prednisolone...	126
PLAQUENIL...	59	potassium chloride in water...	prednisone intensol...	126
PLASMA-LYTE A...	114	115	prednisone...	126
PLASMA-LYTE 148...	114	potassium chloride in 0.9%nacl...	PREFEST...	135
PLAVIX...	81	115	pregabalin...	100
PLEGRIDY...	100	potassium chloride in 5 % dex...	PREGNYL...	128
plenamine...	114	115	PREHEVBARIO (PF)...	145
PLENITY (WELCOME KIT)...	180	potassium chloride-d5-0.2%nacl...	PREMARIN...	135
PLENITY...	180	115	PREMASOL 10 %...	115
PLENVU...	120	potassium chloride-d5-0.3%nacl...	PREMPHASE...	135
PLIAGLIS...	19	115	PREMPRO...	135
pnv-dha...	114	potassium chloride-0.45 % nacl...	PRENATA...	115
pnv-omega...	114	115	PRENATABS FA...	115
podofilox...	108	potassium citrate...	prenatal plus (calcium carb)...	115
POLIVY...	55	115	prenatal plus dha...	115
polocaine...	19	POTELIGEO...	prenatal plus vitamin-mineral...	115
polocaine-mpf...	19	55	prenatal vitamin plus low iron...	115
polycin...	166	pr natal 400 ec...	prenatal-u...	115
polymyxin b sulf-trimethoprim...	166	115	PRENATE ELITE...	115
polymyxin b sulfate...	27	pr natal 400...	preplus...	115
POLYTRIM...	166	115	PRESTALIA...	93
POMALYST...	55	pr natal 430 ec...	PRETOMANID...	46
PONVORY 14-DAY STARTER PACK...	100	115	PREVACID SOLUTAB...	120
PONVORY...	100	PRADAXA...	PREVACID...	120
portia 28...	135	81	prevalite...	93
PORTRAZZA...	55	PRALUENT PEN...	PREVENT DROPSAFE PEN NEEDLE...	158
posaconazole...	43	61	previfem...	135
POTABA...	180	prasugrel...	PREVYMIS...	69
potassium acetate...	114	93		
		PRAVACHOL...		
		pravastatin...		
		praziquantel...		
		prazosin...		
		PRECOSE...		
		PRED FORTE...		
		PRED MILD...		
		PRED-G S.O.P....		
		PRED-G...		

PREZCOBIX... 69	procto-pak... 108	PROSCAR... 124
PREZISTA... 69	PROCTOFOAM HC... 149	PROSOL 20 %... 115
PRIALT... 158	proctosol hc... 108	protamine... 159
PRIFTIN... 46	protozone-hc... 108	PROTONIX... 120
PRILOSEC... 120	PROCYSBI... 123	PROTOPIC... 109
primaquine... 59	PRODIGY INSULIN SYRINGE... 159	protriptyline... 38
PRIMAXIN IV... 27	progesterone micronized... 135	PROVENTIL HFA... 173
primidone... 33	progesterone... 135	PROVERA... 135
primlev... 17	PROGLYCEM... 77	PROVIGIL... 177
PRIMSOL... 27	PROGRAF... 145	PROZAC... 38
PRINVIL... 93	PROLASTIN-C... 123	PRUDOXIN... 109
PRIORIX (PF)... 145	prolate... 17	PULMICORT FLEXHALER... 173
PRISTIQ... 38	PROLENSA... 167	PULMICORT... 173
PRIVIGEN... 145	PROLEUKIN... 55	PULMOZYME... 173
PRO COMFORT ALCOHOL PADS... 159	PROLIA... 150	PURE COMFORT ALCOHOL PADS... 159
PRO COMFORT INSULIN SYRINGE... 159	PROMACTA... 81	PURE COMFORT PEN NEEDLE... 159
PRO COMFORT PEN NEEDLE... 159	promethazine vc... 159	PURIXAN... 55
PROAIR DIGIHALER... 173	promethazine vc-codeine... 178	PYLERA... 120
PROAIR HFA... 173	promethazine... 40	pyrazinamide... 46
PROAIR RESPICLICK... 173	promethazine-codeine... 178	pyridostigmine bromide... 46
probenecid... 43	promethazine-dm... 178	pyridoxine (vitamin b6)... 180
probenecid-colchicine... 43	promethazine-phenyleph-codeine... 178	pyrimethamine... 59
procainamide... 93	promethazine-phenylephrine... 159	PYRUKYND... 81
PROCALAMINE 3%... 115	promethegan... 40	<b>Q</b>
PROCARDIA XL... 93	PROMETRIUM... 135	QBRELIS... 93
PROCARDIA... 93	propafenone... 93	QBREXZA... 109
procentra... 100	propantheline... 120	QUELBREE... 100
prochlorperazine edisylate... 40	proparacaine... 167	QINLOCK... 55
prochlorperazine maleate... 40	propranolol... 93	QNASL... 173
prochlorperazine... 40	propranolol-hydrochlorothiazid... 93	QSYMIA... 181
PROCRIT... 81	propylthiouracil... 140	QTERN... 77
procto-med hc... 108	PROQUAD (PF)... 145	QUADRACEL (PF)... 145

QUALAQUIN... 59	rasagiline... 61	REMERON... 38
QUARTETTE... 135	RASUVO (PF)... 145, 146	REMICADE... 146
QUDEXY XR... 44, 45	RAVICTI... 123	REMODULIN... 173
QUESTRAN LIGHT... 93	RAYALDEE... 150	RENACIDIN... 159
QUESTRAN... 93	RAYOS... 126	RENAGEL... 116
quetiapine... 64	RAZADYNE ER... 35	RENFLEXIS... 146
QUILLCHEW ER... 100	REBIF (WITH ALBUMIN)... 100	RENVELA... 116
QUILLIVANT XR... 100	REBIF REBIDOSE... 100	repaglinide... 77
quinapril... 93	REBIF TITRATION PACK... 100	repaglinide-metformin... 77
quinapril-hydrochlorothiazide... 93	REBLOZYL... 81	REPATHA PUSHTRONEX... 93
quinidine gluconate... 93	REBYOTA... 159	REPATHA SURECLICK... 93
quinidine sulfate... 93	RECARBRI... 27	REPATHA SYRINGE... 93
quinine sulfate... 59	RECLAST... 150	RESPA-AR... 178
QULIPTA... 45	reclipsen (28)... 136	RESTASIS MULTIDOSE... 167
QUTENZA... 159	RECOMBIVAX HB (PF)... 146	RESTASIS... 167
QUVIVIQ... 177	RECORLEV... 159	RESTORIL... 177
QUZYTIR... 173	RECTIV... 159	RETACRIT... 81
QVAR REDIHALER... 173	REDITREX (PF)... 146	RETEVMO... 55
<b>R</b>		
RABAVERT (PF)... 145	REGLAN... 40	RETIN-A MICRO PUMP... 109
rabeprazole... 120	REGONOL... 46	RETIN-A MICRO... 109
RADICAVA ORS STARTER KIT SUSP... 100	REGRANEX... 109	RETIN-A... 109
RADICAVA ORS... 100	RELAFEN DS... 17	RETROVIR... 69
RADICAVA... 100	RELAFEN... 17	REVATIO... 173
RAGWITEK... 173	RELENZA DISKHALER... 69	REVCOV... 123
raloxifene... 136	RELEUKO... 81	revonto... 65
ramelteon... 177	RELEXXII... 100	REXULTI... 64
ramipril... 93	RELION NEEDLES... 159	REYATAZ... 69
RANEXA... 93	RELION PEN NEEDLES... 159	REVVOW... 45
ranolazine... 93	RELISTOR... 120	REZLIDHIA... 55
RAPAFLO... 124	RELPAX... 45	REZUROCK... 146
RAPAMUNE... 145	RELTONE... 120, 121	RHOFADE... 109
	RELYVRIO... 100	RHOPHYLAC... 146
	REMERON SOLTAB... 38	RHOPRESSA... 167

RIABNI... 55	ROCKLATAN... 167	SAFESNAP INSULIN SYRINGE... 159
RIASTAP... 81	roflumilast... 173	SAFETY PEN NEEDLE... 159
ribavirin... 69, 159	romidepsin... 55	SAFYRAL... 136
RIDAURA... 146	ropinirole... 61	SAIZEN SAIZENPREP... 128
rifabutin... 46	ropivacaine (pf)... 19	SAIZEN... 128
RIFADIN... 46	rosadan... 27, 28	sajazir... 146
rifampin... 46	rosuvastatin... 93	SALAGEN (PILOCARPINE)... 101
RILUTEK... 100	ROSZET... 94	SAMSCA... 116
riluzole... 100	ROTARIX... 146	SANCUSO... 40
rimantadine... 69	ROTATEQ VACCINE... 146	SANDIMMUNE... 146
RIMSO-50... 159	ROWASA... 149	SANDOSTATIN LAR DEPOT... 139
ringer's... 116, 159	roweepra xr... 33	SANDOSTATIN... 139
RINVOQ... 146	roweepra... 33	SANTYL... 109
RIOMET ER... 77	ROXICODONE... 17	SAPHNELO... 146
RIOMET... 77	ROZEREM... 177	SAPHRIS... 64
risedronate... 150	ROZLYTREK... 55	sapropterin... 123
RISPERDAL CONSTA... 64	RUBRACA... 55	SARCLISA... 55
RISPERDAL... 64	RUCONEST... 146	SAVAYSA... 81
risperidone... 64	rufinamide... 33	SAVELLA... 100
RITALIN LA... 100	RUKOBIA... 69	SAXENDA... 181
RITALIN... 100	RUXIENCE... 55	SCEMBLIX... 55
ritonavir... 69	RUZURGI... 100	scopolamine base... 40
RITUXAN HYCELA... 55	RYALTRIS... 173	se-natal 19 chewable... 116
RITUXAN... 55	RYBELSUS... 77	SEASONIQUE... 136
rivastigmine tartrate... 35	RYBREVANT... 55	SECONAL SODIUM... 33
rivastigmine... 35	RYCLORA... 173	SECUADO... 64
rivelsa... 136	RYDAPT... 55	SECURESAFE PEN NEEDLE... 159
rizatriptan... 45	RYLAZE... 55	SEGLENTIS... 17
ROBAXIN... 176	RYTARY... 61	SEGLUROMET... 77
ROBAXIN-750... 176	RYTHMOL SR... 94	SELECT-OB (FOLIC ACID)... 116
ROBINUL FORTE... 121	RYVENT... 173	SELECT-OB + DHA... 116
ROBINUL... 121	<b>S</b>	SELECT-OB... 116
ROCALTROL... 150	SABRIL... 33	selegiline hcl... 61

selenium sulfide... 109	SILVADENE... 109	sodium oxybate... 177
SELZENTRY... 69	silver sulfadiazine... 109	sodium phenylbutyrate... 123
SEMGLEE PEN U-100 INSULIN... 77	SIMBRINZA... 167	sodium phosphate... 116
SEMGLEE U-100 INSULIN... 77	simliya (28)... 136	sodium polystyrene (sorb free)... 116
SEMGLEE(INSULIN GLARG-YFGN)PEN... 77	simpesse... 136	sodium polystyrene sulfonate... 116
SEMGLEE(INSULIN GLARGINE-YFGN)... 77	SIMPONI ARIA... 146	sodium,potassium,mag sulfates... 121
SEMPREX-D... 159	SIMPONI... 146	SOLARAZE... 109
SENSIPAR... 150	SIMULECT... 146	solifenacin... 125
SENSORCAINE... 19	simvastatin... 94	SOLIQUA 100/33... 77
sensorcaine-epinephrine... 19	SINEMET... 61	SOLIRIS... 147
sensorcaine-mdp spinal... 19	SINGULAIR... 173	SOLODYN... 28
sensorcaine-mdp... 19	sirolimus... 146	SOLOSEC... 28
sensorcaine-mdp/epinephrine... 19	SIRTURO... 46, 47	SOLTAMOX... 55
SEREVENT DISKUS... 173	SITAVIG... 69	SOLU-CORTEF ACT-O-VIAL (PF)... 126
SEROQUEL XR... 64, 65	SIVEXTRO... 28	SOLU-CORTEF... 126
SEROQUEL... 64	SKELAXIN... 176	SOLU-MEDROL (PF)... 126
SEROSTIM... 128	SKLICE... 59	SOLU-MEDROL... 126
sertraline... 38	SKY SAFETY PEN NEEDLE... 159	SOMA... 176
setlakin... 136	SKYRIZI... 147	SOMATULINE DEPOT... 140
sevelamer carbonate... 116	SKYTROFA... 128	SOMAVERT... 140
sevelamer hcl... 116	SLYND... 136	SOOLANTRA... 109
SEYSARA... 28	SMOFLIPID... 116	sorafenib... 55
SFROWASA... 149	SOAANZ... 94	sorbitol-mannitol... 159
sharobel... 136	sodium benzoate-sod phenylacet... 159	SORIATANE... 109
SHINGRIX (PF)... 146	sodium bicarbonate... 116	SORILUX... 109
SIGNIFOR LAR... 140	sodium chloride 0.45 %... 116	sorine... 94
SIGNIFOR... 140	sodium chloride 0.9 %... 116	sotalol af... 94
SIKLOS... 159	sodium chloride 3 % hypertonic... 116	sotalol... 94
sildenafil (pulm.hypertension)... 173	sodium chloride 5 % hypertonic... 116	SOTYKTU... 147
SILENOR... 177	sodium chloride... 116, 159	SOTYLIZE... 94
SILIQ... 146	SODIUM EDECIN... 94	SOVALDI... 69, 70
silodosin... 124		

SPEVIGO... 147	STRIVERDI RESPIMAT... 173	SURE COMFORT PEN NEEDLE... 160
spinosad... 109	STROMECTOL... 59	SURE COMFORT SAFETY PEN NEEDLE... 160
SPIRIVA RESPIMAT... 173	SUBOXONE... 20	SURE-FINE PEN NEEDLES... 160
SPIRIVA WITH HANDIHALER... 173	SUBSYS... 17	SURE-JECT INSULIN SYRINGE... 160
spironolacton-hydrochlorothiaz... 94	subvenite starter (blue) kit... 33	SURE-PREP ALCOHOL PREP PADS... 160
spironolactone... 94	subvenite starter (green) kit... 33	SUSTIVA... 70
SPORANOX PULSEPAK... 43	subvenite starter (orange) kit... 33	SUTAB... 121
SPORANOX... 43	subvenite... 33	SUTENT... 55
sprintec (28)... 136	SUCRAID... 123	syeda... 136
SPRITAM... 33	sucralfate... 121	SYLVANT... 147
SPRIX... 17	SULAR... 94	SYMBICORT... 174
SPRYCEL... 55	sulfacetamide sodium (acne)... 28	SYMBYAX... 38
SPS (WITH SORBITOL)... 116	sulfacetamide sodium... 28, 167	SYMDEKO... 174
sronyx... 136	sulfacetamide-prednisolone... 167	SYMFI LO... 70
SSD... 109	sulfadiazine... 28	SYMFI... 70
STALEVO 100... 61	sulfamethoxazole-trimethoprim... 28	SYMJEPI... 174
STALEVO 125... 61	SULFAMYLON... 109	SYMLINPEN 120... 77
STALEVO 150... 61	sulfasalazine... 149	SYMLINPEN 60... 77
STALEVO 200... 61	SULFATRIM... 28	SYMPAZAN... 33
STALEVO 50... 61	sulindac... 17	SYMPROIC... 121
STALEVO 75... 61	sumatriptan succinate... 45	SYMTUZA... 70
STARLIX... 77	sumatriptan... 45	SYNAGIS... 160
stavudine... 70	sumatriptan-naproxen... 45	SYNALAR... 109
STEGLATRO... 77	sunitinib... 55	SYNAREL... 140
STEGLUJAN... 77	SUNOSI... 177	SYNDROS... 40
STELARA... 147	SUPRAX... 28	SYNERA... 19
STIOLTO RESPIMAT... 173	SUPREP BOWEL PREP KIT... 121	SYNERCID... 28
STIVARGA... 55	SURE COMFORT ALCOHOL PREP PADS... 159	SYNJARDY XR... 77
STRATTERA... 100	SURE COMFORT INS. SYR. U-100... 159	SYNJARDY... 77
STRENSIQ... 123	SURE COMFORT INSULIN SYRINGE... 160	SYNRIBO... 55
streptomycin... 28		SYNTROID... 138
STRIBILD... 70		

SYPRINE... 116	TASCENO ODT... 101	TEMOVATE... 109
<b>T</b>		
TABLOID... 56	TASIGNA... 56	temsirolimus... 56
TABRECTA... 56	TASMAR... 61	tencon... 160
TACLONEX... 109	tavaborole... 43	teniposide... 56
tacrolimus... 109, 147	TAVALISSE... 81	TENIVAC (PF)... 147
tadalafil (pulm. hypertension)... 174	TAVNEOS... 147	tenofovir disoproxil fumarate... 70
tadalafil... 125	taysofy... 136	TENORETIC 100... 94
TADLIQ... 174	TAYTULLA... 136	TENORETIC 50... 94
TAFINLAR... 56	tazarotene... 109	TENORMIN... 94
tafluprost (pf)... 167	tazicef... 28	TEPADINA... 56
TAGRISSO... 56	TAZORAC... 109	TEPEZZA... 160
TAKHYRO... 147	tatzia xt... 94	TEPMETKO... 56
TALICIA... 121	TAZVERIK... 56	terazosin... 94
TALTZ AUTOINJECTOR (2 PACK)... 147	TDVAX... 147	terbinafine hcl... 43
TALTZ AUTOINJECTOR (3 PACK)... 147	TECENTRIQ... 56	terbutaline... 174
TALTZ AUTOINJECTOR... 147	TECFIDERA... 101	terconazole... 43
TALTZ SYRINGE... 147	TECHLITE INSULIN SYRINGE... 160	TERUMO INSULIN SYRINGE... 160
TALZENNA... 56	TECHLITE INSULN SYR(HALF UNIT)... 160	TESSALON PERLES... 178
TAMIFLU... 70	TECHLITE PEN NEEDLE... 160	TESTIM... 136
tamoxifen... 56	TECVAYLI... 56	testosterone cypionate... 136
tamsulosin... 125	TEFLARO... 28	testosterone enanthate... 136
TAPAZOLE... 140	TEGRETOL XR... 34	testosterone... 136
taperdex... 126	TEGRETOL... 33	TESTRED... 136
TARCEVA... 56	TEGSEDI... 123	TETANUS,DIPHTHERIA TOX PED(PF)... 147
TARGADOX... 28	TEKTURNA HCT... 94	tetrabenazine... 101
TARGETIN... 56	TEKTURNA... 94	tetracycline... 28
tarina fe 1-20 eq (28)... 136	telmisartan... 94	TEXACORT... 109
tarina fe 1/20 (28)... 136	telmisartan-amlodipine... 94	TEZSPIRE... 147
tarina 24 fe... 136	telmisartan-hydrochlorothiazid... 94	THALITONE... 94
TARKA... 94	temazepam... 177	THALOMID... 56
TARPEYO... 149	TEMIXYS... 70	THAM... 116
	TEMODAR... 56	THEO-24... 174

theophylline in dextrose 5 %... 174	TIVORBEX... 17	TOUJEOL SOLOSTAR U-300 INSULIN... 77
theophylline... 174	tizanidine... 65	tovet emollient... 110
thiamine hcl (vitamin b1)... 180	TLANDO... 136	TOVIAZ... 125
THINPRO INSULIN SYRINGE... 160	TOBI PODHALER... 174	TPN ELECTROLYTES... 116
THIOLA EC... 125	TOBI... 28	TRACLEER... 174
THIOLA... 125	TOBRADEX ST... 167	TRADJENTA... 77
thioridazine... 65	TOBRADEX... 167	tramadol... 17
thiotepa... 56	tobramycin in 0.225 % nacl... 28	tramadol-acetaminophen... 17
thiothixene... 65	tobramycin sulfate... 28	trandolapril... 95
THYMOGLOBULIN... 147	tobramycin with nebulizer... 28	trandolapril-verapamil... 95
THYQUIDITY... 138	tobramycin... 28, 167	tranexamic acid... 81
tiadylt er... 94	tobramycin-dexamethasone... 167	TRANSDERM-SCOP... 40
tiagabine... 34	TOBREX... 167	TRANXENE T-TAB... 72
TIAZAC... 94	TOLAK... 109	tranylcypromine... 38
TIBSOVO... 56	tolcapone... 61	TRAVASOL 10 %... 116
TICOVAC... 147	tolmetin... 17	TRAVATAN Z... 167
TIGAN... 40	TOLSURA... 43	travoprost... 167
tigecycline... 28	tolterodine... 125	TRAZIMERA... 56
TIGLUTIK... 101	tolvaptan... 116	trazodone... 38
TIKOSYN... 95	TOPAMAX... 45	TREANDA... 56
tilia fe... 136	TOPCARE CLICKFINE... 160	TRECATOR... 47
timolol maleate (pf)... 167	TOPCARE ULTRA COMFORT... 161	TRELEGY ELLIPTA... 174
timolol maleate... 95, 167	TOPICORT... 109, 110	TRELSTAR... 140
TIMOPTIC OCUDOSE (PF)... 167	topiramate... 45	TREMFYA... 147
TIMOPTIC... 167	toposar... 56	treprostil sodium... 174
TIMOPTIC-XE... 167	topotecan... 56	TRESIBA FLEXTOUCH U-100... 77
tinidazole... 28	TOPROL XL... 95	TRESIBA FLEXTOUCH U-200... 78
tiopronin... 125	toremifene... 56	TRESIBA U-100 INSULIN... 78
TIROSINT... 138	TORISEL... 56	TRETIN-X... 110
TIROSINT-SOL... 138	torsemide... 95	tretinoin (antineoplastic)... 57
TIVDAK... 56	TOSYMRA... 45	tretinoin microspheres... 110
TIVICAY PD... 70	TOTECT... 56	tretinoin... 110
TIVICAY... 70	TOUJEOL MAX U-300 SOLOSTAR... 77	

TREXALL... 147	TRILEPTAL... 34	TRUEPLUS PEN NEEDLE... 161
TREXIMET... 45	TRILIPIX... 95	TRULANCE... 121
TREZIX... 17	trilyte with flavor packets... 121	TRULICITY... 78
tri-femynor... 136	trimethobenzamide... 40	TRUMENBA... 147
tri-estarylla... 136	trimethoprim... 28	TRUSELTIQ... 57
tri-legest fe... 136	trimipramine... 38	TRUSOPT... 167
tri-linyah... 137	trinatal rx 1... 116	TRUVADA... 70
tri-lo-estarylla... 137	TRINTELLIX... 38	TRUXIMA... 57
tri-lo-marzia... 137	TRIOSTAT... 138	TUDORZA PRESSAIR... 174
tri-lo-mili... 137	TRIPTODUR... 140	TUKYSA... 57
tri-lo-sprintec... 137	TRISENOX... 57	tulana... 137
tri-mili... 137	TRISTART DHA... 117	TURALIO... 57
tri-nymyo... 137	tritocin... 127	TUSSICAPS... 178
tri-previfem (28)... 137	TRIUMEQ PD... 70	UXARIN ER... 178
tri-sprintec (28)... 137	TRIUMEQ... 70	TUZISTRA XR... 178
tri-vylibra lo... 137	triveen-duo dha... 117	TWINRIX (PF)... 147
tri-vylibra... 137	trivora (28)... 137	TWYNNEO... 110
triamcinolone acetonide... 101, 127	TRIZIVIR... 70	TWYNSTA... 95
triamterene... 95	TRODELVY... 57	TYBLUME... 137
triamterene-hydrochlorothiazid... 95	TROGARZO... 70	TYBOST... 70
trianex... 127	TROKENDI XR... 45	tydemy... 137
triazolam... 177	TROPHAMINE 10 %... 117	TYGACIL... 28
TRIBENZOR... 95	trospium... 125	TYKERB... 57
TRICARE... 116	TRUDHESA... 45	TYMLOS... 150
TRICOR... 95	TRUE COMFORT ALCOHOL PADS... 161	TYPHIM VI... 147, 148
triderm... 127	TRUE COMFORT INSULIN SYRINGE... 161	TYRVAYA... 167
trientine... 116	TRUE COMFORT PEN NEEDLE... 161	TYSABRI... 101
trifluoperazine... 65	TRUE COMFORT PRO ALCOHOL PADS... 161	TYVASO DPI... 174
trifluridine... 167	TRUE COMFORT PRO INS SYRINGE... 161	TYVASO INSTITUTIONAL START KIT... 174
trihexyphenidyl... 61	TRUEPLUS INSULIN... 161	TYVASO REFILL KIT... 174
TRIJARDY XR... 78		TYVASO STARTER KIT... 174
TRIKAFTA... 174		TYVASO... 174

<b>U</b>	ULTRACARE INSULIN SYRINGE... 162 ULTRACARE PEN NEEDLE... 162 ULTRACET... 17 ULTRAM... 17 ULTRAVATE... 110 UNASYN... 28 UNIFINE PEN NEEDLE... 162 UNIFINE PENTIPS MAXFLOW... 162 UNIFINE PENTIPS PLUS MAXFLOW... 163 UNIFINE PENTIPS PLUS... 163 UNIFINE PENTIPS... 162 UNIFINE SAFECONTROL... 163 UNIFINE ULTRA PEN NEEDLE... 163 UNITHROID... 138 UNITUXIN... 57 UPLIZNA... 148 UPTRAVI... 175 UROCIT-K 10... 117 UROCIT-K 15... 117 UROCIT-K 5... 117 UROXATRAL... 125 URSO FORTE... 121 URSO 250... 121 ursodiol... 121 UVADEX... 110	VALCHLOR... 57 VALCYTE... 70 valganciclovir... 70 VALIUM... 72 valproate sodium... 34 valproic acid (as sodium salt)... 34 valproic acid... 34 valrubicin... 57 valsartan... 95 valsartan-hydrochlorothiazide... 95 VALSTAR... 57 VALTOCO... 34 VALTREX... 70 vanadom... 176 vanatol lq... 163 vanatol s... 163 VANCOCIN... 29 vancomycin in dextrose 5 %... 29 vancomycin in 0.9 % sodium chl... 29 vancomycin... 29 vancomycin-water inject (peg)... 29 VANDAZOLE... 29 VANISHPOINT INSULIN SYRINGE... 163 VANISHPOINT SYRINGE... 163 VANOS... 110 VAPRISOL IN 5 % DEXTROSE... 117 VAQTA (PF)... 148 varenicline... 20 VARIVAX (PF)... 148 VARIZIG... 148 VARUBI... 40
		<b>V</b>
	V-GO 20... 163 V-GO 30... 163 V-GO 40... 163 VABOMERE... 28 VAGIFEM... 137 valacyclovir... 70	

VASCEPA... 95	vestura (28)... 137	virt-nate dha... 117
VASERETIC... 95	VFEND IV... 43	virt-pn dha... 117
VASOTEC... 95	VFEND... 43	virt-pn plus... 117
VAZCULEP... 95	VIBATIV... 29	VISTARIL... 175
vecamyl... 95	VIBERZI... 121	VISTOGARD... 57
VECTIBIX... 57	VIBRAMYCIN (CALCIUM)... 29	VITAFOL FE PLUS... 117
VECTICAL... 110	VIBRAMYCIN (MONO)... 29	VITAFOL GUMMIES... 117
VELCADE... 57	VIBRAMYCIN... 29	VITAFOL NANO... 117
VELETRI... 175	VICTOZA 2-PAK... 78	VITAFOL ULTRA... 117
velivet triphasic regimen (28)... 137	VICTOZA 3-PAK... 78	VITAFOL-OB... 117
VELPHORO... 117	VIDAZA... 57	VITAFOL-OB+DHA... 117
VELTASSA... 117	VIEKIRA PAK... 70	VITAFOL-ONE... 117
VELTIN... 110	vienna... 137	VITAMED MD ONE RX... 117
VEMLIDY... 70	vigabatrin... 34	vitamin d2... 180
VENCLEXTA STARTING PACK... 57	vigadrone... 34	vitamin k... 180
VENCLEXTA... 57	VIGAMOX... 168	vitamin k1... 180
VENLAFAXINE BESYLATE... 38	VIIBRYD... 38	VITRAKVI... 57
venlafaxine... 38	VIJOICE... 123	vivacaine... 19
VENTAVIS... 175	vilazodone... 38	VIVELLE-DOT... 137
VENTOLIN HFA... 175	VIMOVO... 17	VIVITROL... 20
verapamil... 95	VIMPAT... 34	VIVJOA... 43
VERDESO... 110	vinblastine... 57	VIVLODEX... 17
VEREGEN... 110	vincasar pfs... 57	VIZIMPRO... 57
VERELAN PM... 96	vincristine... 57	VOCABRIA... 71
VERELAN... 96	vinorelbine... 57	VOGELXO... 137
VERIFINE PEN NEEDLE... 163	VIOKACE... 123	volnea (28)... 137
VERIPRED 20... 127	viorele (28)... 137	VOLTAREN... 17
VERKAZIA... 167	VIRACEPT... 70	VOLTAREN-XR... 17
VERQUVO... 96	VIRAMUNE XR... 70	VONJO... 57
VERSACLOZ... 65	VIRAMUNE... 70	VOQUEZNA DUAL PAK... 121
VERZENIO... 57	VIRAZOLE... 163	VOQUEZNA TRIPLE PAK... 121
VESICARE LS... 125	VIREAD... 71	voriconazole... 43
VESICARE... 125	virt-c dha... 117	VOSEVI... 71

VOTRIENT... 57	wera (28)... 137	XERAVA... 29	
VOXZOGO... 163	wescap-pn dha... 117	XERESE... 71	
VP-PNV-DHA... 117	wesnate dha... 117	XERMELO... 121	
VPRIV... 123	westab plus... 117	XGEVA... 150	
VRAYLAR... 65	westgel dha... 117	XHANCE... 175	
VTAMA... 110	WINLEVI... 110	XIFAXAN... 121	
vtol lq... 163	WINRHO SDF... 148	XIGDUO XR... 78	
VUITY... 168	wixela inhub... 175	XiIDRA... 168	
VUMERITY... 101	wymzya fe... 137	XIMINO... 29	
VUSION... 43	<b>X</b>		
VYEPTI... 45	XACIATO... 29	XOLAIR... 148	
vyfemla (28)... 137	XADAGO... 61	XOLEGEL... 43	
vylibra... 137	XALATAN... 168	XOPENEX CONCENTRATE... 175	
VYNDAMAX... 123	XALKORI... 58	XOPENEX HFA... 175	
VYNDAQEL... 123	XANAX XR... 72	XOPENEX... 175	
VYTORIN 10-10... 96	XANAX... 72	XOSPATA... 58	
VYTORIN 10-20... 96	XARELTO DVT-PE TREAT 30D START... 82	XPOVIO... 58	
VYTORIN 10-40... 96	XARELTO... 81, 82	XTAMPZA ER... 17	
VYTORIN 10-80... 96	XATMEP... 148	XTANDI... 58	
VYVANSE... 101	XCOPRI MAINTENANCE PACK... 34	xulane... 137	
VYVGART... 148	XCOPRI TITRATION PACK... 34	XULTOPHY 100/3.6... 78	
VYXEOS... 57	XCOPRI... 34	XURIDEN... 123	
VYZULTA... 168	XELJANZ XR... 148	XYOSTED... 137	
<b>W</b>		XYREM... 177	
WAKIX... 177	XELJANZ... 148	XYWAV... 177	
warfarin... 81	XELPROS... 168	<b>Y</b>	
water for irrigation, sterile... 163	XELSTRYM... 101	YASMIN (28)... 137	
WEBCOL... 163	XEMBIFY... 148	YAZ (28)... 137	
WEGOVY... 181	XENAZINE... 101	YERVOY... 58	
WELCHOL... 96	XENICAL... 163	YF-VAX (PF)... 148	
WELIREG... 58	XENLETA... 29	YONDELIS... 58	
WELLBUTRIN SR... 38	XENPOZYME... 123	YONSA... 58	
WELLBUTRIN XL... 38	XEPI... 110	YOSPRALA... 82	

YUPELRI... 175	ZEPOSIA STARTER PACK... 101	ZOLADEX... 140
yuvafem... 137	ZEPOSIA... 101	zoledronic ac-mannitol-0.9nacl... 151
<b>Z</b>	<b>ZEPZELCA... 58</b>	<b>zoledronic acid... 151</b>
zafemy... 137	ZERBAXA... 29	zoledronic acid-mannitol-water... 151
zafirlukast... 175	ZERVIATE... 168	ZOLINZA... 58
zaleplon... 177	ZESTORETIC... 96	zolmitriptan... 45, 46
ZALTRAP... 58	ZESTRIL... 96	ZOLOFT... 39
ZANAFLEX... 65	ZETIA... 96	zolpidem... 177
ZANOSAR... 58	ZETONNA... 175	ZOLPIMIST... 177
zarah... 138	ZIAC... 96	ZOMACTON... 128
ZARONTIN... 34	ZIAGEN... 71	ZOMIG ZMT... 46
ZARXIO... 82	ZIANA... 110	ZOMIG... 46
zatean-pn dha... 117	zidovudine... 71	ZONALON... 110
zatean-pn plus... 117	ZIEXTENZO... 82	ZONEGRAN... 34
ZAVESCA... 123	zileuton... 175	ZONISADE... 34
ZCORT... 127	ZILRETTA... 127	zonisamide... 34
ZEBUTAL... 163	ZILXI... 110	ZONTIVITY... 82
ZEGALOGUE AUTOINJECTOR... 78	ZIMHI... 20	ZORBTIVE... 128
ZEGALOGUE SYRINGE... 78	zingiber... 163	ZORTRESS... 148
ZEGERID... 121	ZINPLAVA... 121	ZORVOLEX... 17
ZEJULA... 58	ZIOPTAN (PF)... 168	ZOSYN IN DEXTROSE (ISO-OSM)... 29
ZELAPAR... 61	ziprasidone hcl... 65	zovia 1-35 (28)... 138
ZELBORAF... 58	ziprasidone mesylate... 65	zovia 1/35e (28)... 138
ZELNORM... 121	ZIPSOR... 17	ZOVIRAX... 71
ZEMAIRA... 123	ZIRABEV... 58	ZTALMY... 34
ZEMBRACE SYMTOUCH... 45	ZIRGAN... 71	ZTLIDO... 19
ZEMDRI... 29	ZITHROMAX TRI-PAK... 29	ZUBSOLV... 20
ZEMPLAR... 150, 151	ZITHROMAX Z-PAK... 29	ZULRESSO... 39
zenatane... 110	ZITHROMAX... 29	zumandimine (28)... 138
ZENPEP... 124	ZOCOR... 96	ZYCLARA... 110
zenzedi... 101	ZOFRAN... 40	ZYDELIG... 58
ZEPATIER... 71	ZOHYDRO ER... 17	
ZEPOSIA STARTER KIT... 101	ZOKINVY... 124	

ZYFLO... 175  
ZYKADIA... 58  
ZYLET... 168  
ZYLOPRIM... 44  
ZYMAXID... 168  
ZYNLONTA... 58  
ZYNRELEF... 163  
ZYPITAMAG... 96  
ZYPREXA RELPREVV... 65  
ZYPREXA ZYDIS... 65  
ZYPREXA... 65  
ZYTIGA... 58  
ZYVOX... 29  
1ST TIER UNIFINE PENTIPS PLUS...  
151  
1ST TIER UNIFINE PENTIPS... 151

## **Important!**

---

### **At Humana, it is important you are treated fairly.**

Humana Inc. and its subsidiaries do not discriminate or exclude people because of their race, color, national origin, age, disability, sex, sexual orientation, gender, gender identity, ancestry, ethnicity, marital status, religion, or language. Discrimination is against the law. Humana and its subsidiaries comply with applicable federal civil rights laws. If you believe that you have been discriminated against by Humana or its subsidiaries, there are ways to get help.

- You may file a complaint, also known as a grievance:  
Discrimination Grievances, P.O. Box 14618, Lexington, KY 40512-4618  
If you need help filing a grievance, call **1-888-700-2263** or if you use a **TTY**,  
call **711**.
- You can also file a civil rights complaint with the **U.S. Department of Health and Human Services**, Office for Civil Rights electronically through the Office for Civil Rights Complaint Portal, available at <https://ocrportal.hhs.gov/ocr/portal/lobby.jsf>, or at **U.S. Department of Health and Human Services**, 200 Independence Avenue, SW, Room 509F, HHH Building, Washington, DC 20201, **1-800-368-1019**, **800-537-7697 (TDD)**.
- **California residents:** You may also call the California Department of Insurance toll-free hotline number: **1-800-927-HELP (4357)**, to file a grievance.

Complaint forms are available at <https://www.hhs.gov/ocr/office/file/index.html>.

**Auxiliary aids and services, free of charge, are available to you. 1-888-700-2263 (TTY: 711)**

Humana provides free auxiliary aids and services, such as qualified sign language interpreters, video remote interpretation, and written information in other formats to people with disabilities when such auxiliary aids and services are necessary to ensure an equal opportunity to participate.

## Multi-Language Insert

### Multi-language Interpreter Services

**English:** We have free interpreter services to answer any questions you may have about our health or drug plan. To get an interpreter, just call us at 1-877-320-1235 (TTY: 711). Someone who speaks English can help you. This is a free service.

**Spanish:** Tenemos servicios de intérprete sin costo alguno para responder cualquier pregunta que pueda tener sobre nuestro plan de salud o medicamentos. Para hablar con un intérprete, por favor llame al 1-877-320-1235 (TTY: 711). Alguien que hable español le podrá ayudar. Este es un servicio gratuito.

**Chinese Mandarin:** 我们提供免费的翻译服务，帮助您解答关于健康或药物保险的任何疑问。如果您需要此翻译服务，请致电 1-877-320-1235 (TTY: 711)。我们的中文工作人员很乐意帮助您。这是一项免费服务。

**Chinese Cantonese:** 您對我們的健康或藥物保險可能存有疑問，為此我們提供免費的翻譯服務。如需翻譯服務，請致電 1-877-320-1235 (TTY: 711)。我們講中文的人員將樂意為您提供幫助。這是一項免費服務。

**Tagalog:** Mayroon kaming libreng serbisyo sa pagsasaling-wika upang masagot ang anumang mga katanungan ninyo hinggil sa aming planong pangkalusugan o panggamot. Upang makakuha ng tagasaling-wika, tawagan lamang kami sa 1-877-320-1235 (TTY: 711). Maaari kayong tulungan ng isang nakakapagsalita ng Tagalog. Ito ay libreng serbisyo.

**French:** Nous proposons des services gratuits d'interprétation pour répondre à toutes vos questions relatives à notre régime de santé ou d'assurance-médicaments. Pour accéder au service d'interprétation, il vous suffit de nous appeler au 1-877-320-1235 (TTY: 711). Un interlocuteur parlant Français pourra vous aider. Ce service est gratuit.

**Vietnamese:** Chúng tôi có dịch vụ thông dịch miễn phí để trả lời các câu hỏi về chương sức khỏe và chương trình thuốc men. Nếu quý vị cần thông dịch viên xin gọi 1-877-320-1235 (TTY: 711) sẽ có nhân viên nói tiếng Việt giúp đỡ quý vị. Đây là dịch vụ miễn phí.

**German:** Unser kostenloser Dolmetscherservice beantwortet Ihren Fragen zu unserem Gesundheits- und Arzneimittelplan. Unsere Dolmetscher erreichen Sie unter 1-877-320-1235 (TTY: 711). Man wird Ihnen dort auf Deutsch weiterhelfen. Dieser Service ist kostenlos.

**Korean:** 당사는 의료 보험 또는 약품 보험에 관한 질문에 답해 드리고자 무료 통역 서비스를 제공하고 있습니다. 통역 서비스를 이용하려면 전화 1-877-320-1235 (TTY: 711) 번으로 문의해 주십시오. 한국어를 하는 담당자가 도와 드릴 것입니다. 이 서비스는 무료로 운영됩니다.

**Russian:** Если у вас возникнут вопросы относительно страхового или медикаментного плана, вы можете воспользоваться нашими бесплатными услугами переводчиков. Чтобы воспользоваться услугами переводчика, позвоните нам по телефону 1-877-320-1235 (TTY: 711). Вам окажет помощь сотрудник, который говорит по-русски. Данная услуга бесплатная.

**Arabic:** إننا نقدم خدمات المترجم الفوري المجانية للإجابة عن أي أسئلة تتعلق بالصحة أو جدول الأدوية لدينا. للحصول على مترجم فوري، ليس عليك سوى الاتصال بنا على (TTY: 711) 1-877-320-1235. سيقوم شخص ما يتحدث العربية بمساعدتك. هذه خدمة مجانية.

**Hindi:** हमारे स्वास्थ्य या दवा की योजना के बारे में आपके किसी भी प्रश्न के जवाब देने के लिए हमारे पास मुफ्त दुभाषिया सेवाएँ उपलब्ध हैं। एक दुभाषिया प्राप्त करने के लिए, बस हमें 1-877-320-1235 (TTY: 711) पर फोन करें। कोई व्यक्ति जो हिन्दी बोलता है आपकी मदद कर सकता है। यह एक मुफ्त सेवा है।

**Italian:** È disponibile un servizio di interpretariato gratuito per rispondere a eventuali domande sul nostro piano sanitario e farmaceutico. Per un interprete, contattare il numero 1-877-320-1235 (TTY: 711). Un nostro incaricato che parla Italiano fornirà l'assistenza necessaria. È un servizio gratuito.

**Portuguese:** Dispomos de serviços de interpretação gratuitos para responder a qualquer questão que tenha acerca do nosso plano de saúde ou de medicação. Para obter um intérprete, contacte-nos através do número 1-877-320-1235 (TTY: 711). Irá encontrar alguém que fale o idioma Português para o ajudar. Este serviço é gratuito.

**French Creole:** Nou genyen sèvis entèprèt gratis pou reponn tout kesyon ou ta genyen konsènan plan medikal oswa dwòg nou an. Pou jwenn yon entèprèt, jis rele nou nan 1-877-320-1235 (TTY: 711). Yon moun ki pale Kreyòl kapab ede w. Sa a se yon sèvis ki gratis.

**Polish:** Umożliwiamy bezpłatne skorzystanie z usług tłumacza ustnego, który pomoże w uzyskaniu odpowiedzi na temat planu zdrowotnego lub dawkowania leków. Aby skorzystać z pomocy tłumacza znającego język polski, należy zadzwonić pod numer 1-877-320-1235 (TTY: 711). Ta usługa jest bezpłatna.

**Japanese:** 当社の健康健康保険と薬品処方薬プランに関するご質問にお答えするために、無料の通訳サービスがありますございます。通訳をご用命になるには、1-877-320-1235 (TTY: 711) にお電話ください。日本語を話す人者が支援いたします。これは無料のサービスです。

## Notes

## Notes

## Notes



The Humana logo consists of the word "Humana" in a bold, black, sans-serif font. A registered trademark symbol (®) is positioned at the top right of the letter "a".

This formulary was updated on 01/01/2023. For more recent information or other questions, please contact the NC State Health Plan Humana Customer Care Team with any questions at 1-888-700-2263 or, for TTY users, 711, or visit [our.humana.com/ncshp](http://our.humana.com/ncshp).



Dale R. Folwell, CPA  
STATE TREASURER OF NORTH CAROLINA  
DALE R. FOLWELL, CPA

