

2024

Prescription Drug Guide

NC State Health Plan Formulary

List of covered drugs

PLEASE READ: THIS DOCUMENT CONTAINS INFORMATION
ABOUT THE DRUGS WE COVER IN THIS PLAN.

42

Formulary 24800 Version 1

This formulary was updated on 02/01/2024. For more recent information or other questions, please contact the NC State Health Plan Humana Customer Care Team with any questions at 1-888-700-2263 or for TTY users, 711, or visit **your.humana.com/ncshp**. Monday through Friday, from 8 a.m. - 9 p.m., Eastern time. Our automated phone system is available after hours, weekends, and holidays. Our website is also available 24 hours a day, 7 days a week, by visiting **our.humana.com/ncshp**.

Humana[®]



Dale R. Folwell, CPA
STATE TREASURER OF NORTH CAROLINA
DALE R. FOLWELL, CPA

Welcome to Humana Group Medicare Plan!

Note to existing members: This formulary has changed since last year. Please review this document to make sure that it still contains the drugs you take. When this drug list (formulary) refers to "we," "us", or "our," it means Humana. When it refers to "plan" or "our plan," it means Humana Group Medicare Plan. This document includes a list of the drugs (formulary) for our plan which is current as of February 2024. For an updated formulary, please contact us. Our contact information, along with the date we last updated the formulary, appears on the front and back cover pages. You must generally use network pharmacies to use your prescription drug benefit. Benefits, formulary, pharmacy network, and/or copayments/coinsurance may change on January 1 of each year, and from time to time during the year.

What is the formulary?

A formulary is the entire list of covered drugs or medications selected by Humana Group Medicare Plan. The terms formulary and Drug List may be used interchangeably throughout communications regarding changes to your pharmacy benefits. Humana Group Medicare Plan worked with a team of doctors and pharmacists to make a formulary that represents the prescription drugs we think you need for a quality treatment program. The Humana Group Medicare Plan will generally cover the drugs listed in the formulary as long as the drug is medically necessary, the prescription is filled at a Humana Group Medicare Plan network pharmacy, and other plan rules are followed. For more information on how to fill your medications, please review your Evidence of Coverage.

Can the formulary change?

Most changes in drug coverage happen on January 1, but we may add or remove drugs on the Drug List during the year, move them to different cost sharing tiers, or add new restrictions. We must follow Medicare rules in making these changes.

Changes that can affect you this year: In the below cases, you will be affected by coverage changes during the year:

- **New generic drugs.** We may immediately remove a brand name drug on our Drug List if we are replacing it with a new generic drug that will appear on the same or lower cost sharing tier and with the same or fewer restrictions. Also, when adding the new generic drug, we may decide to keep the brand name drug on our Drug List, but immediately move it to a different cost sharing tier or add new restrictions. If you are currently taking that brand name drug, we may not tell you in advance before we make that change, but we will later provide you with information about the specific change(s) we have made.
 - If we make such a change, you or your prescriber can ask us to make an exception and continue to cover the brand name drug for you. The notice we provide you will also include information on how to request an exception, and you can also find information in the section below titled "How do I request an exception to the Humana formulary?"
- **Drugs removed from the market.** If the Food and Drug Administration deems a drug on our formulary to be unsafe or the drug's manufacturer removes the drug from the market, we will immediately remove the drug from our formulary and provide notice to members who take the drug.
- **Other changes.** We may make other changes that affect members currently taking a drug. For instance, we may add a generic drug that is not new to market to replace a brand name drug currently on the formulary or add new restrictions to the brand name drug or move it to a different cost sharing tier or both. Or we may make changes based on new clinical guidelines. If we remove drugs from our formulary, or add prior authorization, quantity limits and/or step therapy restrictions on a drug or move a drug to a higher cost sharing tier, we must notify affected members of the change at least 30 days before the change becomes effective, or at the time the member requests a refill of the drug, at which time the member will receive a 30-day supply of the drug.

We will notify members who are affected by the following changes to the formulary:

- When a drug is removed from the formulary.
- When prior authorization, quantity limits, or step-therapy restrictions are added to a drug or made more restrictive.
- When a drug is moved to a higher cost sharing tier.

If we make these other changes, you or your prescriber can ask us to make an exception and continue to cover the brand name drug for you. The notice we provide you will also include information on how to request an exception, and you can also find information in the section below titled "How do I request an exception to the Humana formulary?"

Changes that will not affect you if you are currently taking the drug. Generally, if you are taking a drug on our 2024 formulary that was covered at the beginning of the year, we will not discontinue or reduce coverage of the drug during the 2024 coverage year except as described above. This means these drugs will remain available at the same cost share and with no new restrictions for those members taking them for the remainder of the coverage year. You will not get direct notice this year about changes that do not affect you. However, on January 1 of the next year, such changes would affect you, and it is important to check the Drug List for the new benefit year for any changes to drugs.

What if you are affected by a Drug List change?

We will notify you by mail at least 30 days before one of these changes happens or we will provide a 30-day refill of the affected medicine with notice of the change.

The enclosed formulary is current as of February 2024. We will update the printed formularies each month and they will be available on your.humana.com/ncshp.

How do I use the formulary?

There are two ways to find your drug in the formulary:

Medical condition

The formulary starts on page 11. We have put the drugs into groups depending on the type of medical conditions that they are used to treat. For example, drugs that treat a heart condition are listed under the category "Cardiovascular Agents." If you know what medical condition your drug is used for, look for the category name in the list that begins on page 11. Then look under the category name for your drug. The formulary also lists the Tier and Utilization Management Requirements for each drug (see page 5 for more information on Utilization Management Requirements).

Alphabetical listing

If you are not sure about your drug's group, you should look for your drug in the Index that begins on page 199. The Index is an alphabetical list of all of the drugs included in this document. Both brand-name drugs and generic drugs are listed. Look in the Index to search for your drug. Next to each drug, you will see the page number where you can find coverage information. Turn to the page listed in the Index and find the name of the drug in the first column of the list.

Prescription drugs are grouped into one of four tiers.

Humana Group Medicare Plan covers both brand-name drugs and generic drugs. A generic drug is approved by the FDA as having the same active ingredient as the brand-name drug. Generally, generic drugs cost less than brand-name drugs.

- **Tier 1 - Generic or Preferred Generic:** Generic or brand drugs that are available at the lowest cost share for the plan
- **Tier 2 - Preferred Brand:** Generic or brand drugs that the plan offers at a higher cost to you than Tier 1 Generic or Preferred Generic, and at a lower cost to you than Tier 3 Non-Preferred Drug
- **Tier 3 - Non-Preferred Drug:** Generic or brand drugs that the plan offers at a higher cost to you than Tier 2 Preferred Brand drug
- **Tier 4 - Specialty Tier:** Some injectables and other high-cost drugs

How much will I pay for covered drugs?

Humana Group Medicare Plan pays part of the costs for your covered drugs and you pay part of the costs, too.

The amount of money you pay depends on:

- Which tier your drug is on
- Whether you fill your prescription at a network pharmacy
- Your current drug payment stage - please read your Evidence of Coverage (EOC) for more information

If you qualified for extra help with your drug costs, your costs may be different from those described above. Please refer to your Evidence of Coverage (EOC) or call NC State Health Plan Humana Customer Care to find out what your costs are.

Are there any restrictions on my coverage?

Some covered drugs may have additional requirements or limits on coverage. These are called Utilization Management Requirements. These requirements and limits may include:

- **Prior Authorization (PA):** Humana Group Medicare Plan requires you to get prior authorization for certain drugs to be covered under your plan. This means that you will need to get approval from Humana Group Medicare Plan before you fill your prescriptions. If you do not get approval, Humana Group Medicare Plan may not cover the drug.
- **Quantity Limits (QL):** For some drugs, Humana Group Medicare Plan limits the amount of the drug that is covered. Humana Group Medicare Plan might limit how many refills you can get or how much of a drug you can get each time you fill your prescription. For example, if it is normally considered safe to take only one pill per day for a certain drug, we may limit coverage for your prescription to no more than one pill per day. Some drugs are limited to a 30-day supply regardless of tier placement.
- **Step Therapy (ST):** In some cases, Humana Group Medicare Plan requires that you first try certain drugs to treat your medical condition before coverage is available for another drug for that condition. For example, if Drug A and Drug B both treat your medical condition, Humana Group Medicare Plan may not cover Drug B unless you try Drug A first. If Drug A does not work for you, Humana Group Medicare Plan will then cover Drug B.
- **Part B versus Part D (B vs D):** Some drugs may be covered under Medicare Part B or Part D, depending upon the circumstances. Information may need to be submitted to the Humana Group Medicare Plan that describes the use and the place where you receive and take the drug so a determination can be made.

For drugs that need prior authorization or step therapy, or drugs that fall outside of quantity limits, your health care provider can fax information about your condition and need for those drugs to Humana Group Medicare Plan at **1-877-486-2621**. Representatives are available Monday - Friday, 8 a.m. - 8 p.m. (EST).

You can find out if your drug has any additional requirements or limits by looking in the formulary that begins on page 11.

You can also visit your.humana.com/ncshp to get more information about the restrictions applied to specific covered drugs.

You can ask Humana Group Medicare Plan to make an exception to these restrictions or limits. See the section "**How do I request an exception to the Humana formulary?**" on page 6 for information about how to request an exception.

What if my drug is not on the formulary?

If your drug is not included in this list of covered drugs, visit your.humana.com/ncshp to see if your plan covers your drug. You can also call NC State Health Plan Humana Customer Care and ask if your drug is covered.

If Humana Group Medicare Plan does not cover your drug, you have two options:

- You can ask NC State Health Plan Humana Customer Care for a list of similar drugs that Humana Group Medicare Plan covers. Show the list to your doctor and ask them to prescribe a similar drug that is covered by Humana Group Medicare Plan.
- You can ask Humana Group Medicare Plan to make an exception and cover your drug. See below for information about how to request an exception.

Talk to your health care provider to decide if you should switch to another drug that is covered or if you should request a formulary exception so that it can be considered for coverage.

How do I request an exception to the Humana formulary?

You can ask Humana Group Medicare Plan to make an exception to the coverage rules. There are several types of exceptions that you can ask to be made.

- **Formulary exception:** You can request that your drug be covered if it is not on the formulary. If approved, this drug will be covered at a pre-determined cost sharing level, and you would not be able to ask us to provide the drug at a lower cost sharing level.
- **Utilization restriction exception:** You can request coverage restrictions or limits not be applied to your drug. For example, if your drug has a quantity limit, you can ask for the limit not to be applied and to cover more doses of the drug.
- **Tier exception:** You can request a higher level of coverage for your drug. For example, if your drug is usually considered a non-preferred drug, you can request it to be covered as a preferred drug instead. This would lower how much money you must pay for your drug. Please remember a higher level of coverage cannot be requested for the drug if approval was granted to cover a drug that was not on the formulary. *You can ask us to cover a formulary drug at a lower cost-sharing level, unless the drug is on the specialty tier.*

Generally, Humana Group Medicare Plan will only approve your request for an exception if the alternative drugs included on the plan's formulary, the lower cost sharing drug, or other restrictions would not be as effective in treating your health condition and/or would cause adverse medical effects.

You should contact us to ask for an initial coverage decision for a formulary, tier, or utilization restriction exception. **When you ask for an exception, you should submit a statement from your health care provider that supports your request. This is called a supporting statement.**

Generally, we must make the decision within 72 hours of receiving your health care provider's supporting statement. You can request a fast, or expedited, exception if you or your health care provider thinks your health would seriously suffer if you wait as long as 72 hours for a decision. If your request to expedite is granted, we must give you a decision no later than 24 hours after we receive your health care provider's supporting statement.

Will my plan cover my drugs if they are not on the formulary?

You may take drugs that your plan does not cover, or you may talk to your provider about taking a different drug that your plan covers, but that drug might have a Utilization Management Requirement, such as a Prior Authorization or Step Therapy, that keeps you from getting the drug right away. In certain cases, we may cover as much as a 30-day supply of your drug during the first 90 days you are a member of the plan.

Here is what we will do for each of your current Part D drugs that are not on the formulary, or if you have limited ability to get your drugs:

- We will temporarily cover a 30-day supply of your drug unless you have a prescription written for fewer days (in which case we will allow multiple fills to provide up to a total of 30 days of a drug) when you go to a pharmacy.
- There will be no coverage for the drugs after your first 30-day supply, even if you have been a member of the plan for less than 90 days, unless a formulary exception has been approved.

If you are a resident of a long-term care facility and you take Part D drugs that are not on the formulary, we will cover a 31-day supply unless you have a prescription written for fewer days (in which case we will allow multiple fills to provide up to a total of 31 days of a drug) during the first 90 days you are a member of our plan. We will cover a 31-day emergency supply of your drug unless you have a prescription for fewer days (in which we will allow multiple fills to provide up to a total of 31 days of a drug) while you request a formulary exception if:

- You need a drug that is not on the formulary *or*
- You have limited ability to get your drugs *and*
- You are past the first 90 days of membership in the plan

Throughout the plan year, your treatment setting (the place where you receive and take your medicine) may change. These changes include:

- Members who are discharged from a hospital or skilled-nursing facility to a home setting
- Members who are admitted to a hospital or skilled-nursing facility from a home setting
- Members who transfer from one skilled-nursing facility to another and use a different pharmacy
- Members who end their skilled-nursing facility Medicare Part A stay (where payments include all pharmacy charges) and who now need to use their Part D plan benefit
- Members who give up Hospice Status and go back to standard Medicare Part A and B coverage
- Members discharged from chronic psychiatric hospitals with highly individualized drug regimens

For these changes in treatment settings, Humana Group Medicare Plan will cover as much as a 31-day temporary supply of a Part D-covered drug when you fill your prescription at a pharmacy. If you change treatment settings multiple times within the same month, you may have to request an exception or prior authorization and receive approval for continued coverage of your drug. Humana Group Medicare Plan will review requests for continuation of therapy on a case-by-case basis understanding when you are on a stabilized drug regimen that, if changed, is known to have risks.

Transition extension

Humana Group Medicare Plan will consider on a case-by-case basis an extension of the transition period if your exception request or appeal has not been processed by the end of your initial transition period. We will continue to provide necessary drugs to you if your transition period is extended.

A Transition Policy is available on **your.humana.com/ncshp** in the same area where the Prescription Drug Guides are displayed.

CenterWell Pharmacy™

You may fill your medications at any network pharmacy. CenterWell Pharmacy – Humana's mail-delivery pharmacy is one option. To get started or learn more, visit **CenterWellPharmacy.com**. You can also call CenterWell Pharmacy at **1-844-222-2151 (TTY: 711)** Monday – Friday, 8 a.m. to 11 p.m. (EST), and Saturday, 8 a.m. to 6:30 p.m. (EST).

Other pharmacies are available in our network.

For More Information

For more detailed information about your Humana Group Medicare Plan prescription drug coverage, please read your Evidence of Coverage (EOC) and other plan materials.

If you have general questions about Medicare prescription drug coverage, please call Medicare at **1-800-MEDICARE (1-800-633-4227)** 24 hours a day, seven days a week. **TTY** users should call **1-877-486-2048**. You can also visit **www.medicare.gov**.

Humana Group Medicare Plan Formulary

The formulary that begins on the next page provides coverage information about the drugs covered by Humana Group Medicare Plan. If you have trouble finding your drug in the list, turn to the Index that begins on page 199.

Your plan has additional coverage of some drugs. These drugs are not normally covered under Medicare Part D and are not subject to the Medicare appeals process. These drugs are listed separately on page 195.

How to read your formulary

The first column of the chart lists categories of medical conditions in alphabetical order. The drug names are then listed in alphabetical order within each category. Brand-name drugs are CAPITALIZED and generic drugs are listed in lower-case italics. Next to the drug name or Utilization Management column, you may see an indicator to tell you about additional coverage information for that drug. You might see the following indicators:

\$0 - Most vaccines and diabetic supplies covered 100% with no member cost.

DL - Dispensing Limit; Drugs that may be limited to a 30 day supply, regardless of tier placement.

MO - Drugs that are typically available through mail-order. Please contact your mail-order pharmacy to make sure your drug is available.

LA - Limited Access; The health plan has authorized certain pharmacies to dispense this medicine, as it requires extra handling, doctor coordination or patient education. Please call the number on the back of your ID card for additional information.

CI - Covered insulin products; Part D insulin products covered by your plan. For more information on cost sharing for your covered insulin products, please refer to your Evidence of Coverage.

PDS - Preferred Diabetic Supplies; BD and HTL-Droplet are the preferred diabetic syringe and pen needle brands for the plan.

The second column lists the tier of the drug. See page 5 for more details on the drug tiers in your plan.

The third column shows the Utilization Management Requirements for the drug. Humana Group Medicare Plan may have special requirements for covering that drug. If the column is blank, then there are no utilization requirements for that drug. The supply for each drug is based on benefits and whether your health care provider prescribes a supply for 30, 60, or 90 days. The amount of any quantity limits will also be in this column (Example: "QL - 30 for 30 days" means you can only get 30 doses every 30 days). See page 5 for more information about these requirements.

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
ANALGESICS		
acetaminophen-caff-dihydrocod 320.5-30-16 mg CAPSULE DL	1	QL(300 per 30 days)
acetaminophen-codeine 120 mg-12 mg /5 ml (5 ml), 120-12 mg/5 ml, 300 mg-30 mg /12.5 ml SOLUTION DL	1	QL(2700 per 30 days)
acetaminophen-codeine 300-15 mg TABLET DL	1	QL(390 per 30 days)
acetaminophen-codeine 300-30 mg TABLET DL	1	QL(360 per 30 days)
acetaminophen-codeine 300-60 mg TABLET DL	1	QL(180 per 30 days)
ACTIQ 1,200 MCG, 1,600 MCG, 200 MCG, 400 MCG, 600 MCG, 800 MCG LOZENGE DL	4	PA,QL(120 per 30 days)
ANAPROX DS 550 MG TABLET MO	3	
APADAZ 4.08-325 MG, 6.12-325 MG, 8.16-325 MG TABLET DL	3	
ARTHROTEC 50 50-200 MG-MCG TABLET, IR, DR, BIPHASIC MO	3	PA
ARTHROTEC 75 75-200 MG-MCG TABLET, IR, DR, BIPHASIC MO	3	PA
ascomp with codeine 30-50-325-40 mg CAPSULE DL	1	QL(360 per 30 days)
BELBUCA 150 MCG, 300 MCG, 450 MCG, 600 MCG, 75 MCG, 750 MCG, 900 MCG FILM DL	3	QL(60 per 30 days)
benzhydrocodone-acetaminophen 4.08-325 mg, 6.12-325 mg, 8.16-325 mg TABLET DL	3	
BUPRENEX 0.3 MG/ML SOLUTION DL	3	QL(240 per 30 days)
buprenorphine 10 mcg/hour, 15 mcg/hour, 20 mcg/hour, 5 mcg/hour, 7.5 mcg/hour PATCH, WEEKLY DL	1	PA,QL(4 per 28 days)
buprenorphine hcl 0.3 mg/ml SYRINGE DL	1	QL(240 per 30 days)
butalbital compound w/codeine 30-50-325-40 mg CAPSULE DL	1	QL(360 per 30 days)
butorphanol 1 mg/ml SOLUTION DL	1	QL(960 per 30 days)
butorphanol 10 mg/ml SPRAY, NON-AEROSOL DL	1	QL(5 per 28 days)
butorphanol 2 mg/ml SOLUTION DL	1	QL(480 per 30 days)
BUTRANS 10 MCG/HOUR, 15 MCG/HOUR, 20 MCG/HOUR, 5 MCG/HOUR, 7.5 MCG/HOUR PATCH, WEEKLY DL	3	PA,QL(4 per 28 days)
CALDOLOR 800 MG/200 ML (4 MG/ML) PIGGYBACK MO	3	
CALDOLOR 800 MG/8 ML (100 MG/ML) RECON SOLUTION MO	3	
CAMBIA 50 MG POWDER IN PACKET DL	4	ST,QL(9 per 30 days)
cataflam 50 mg TABLET MO	1	
CELEBREX 100 MG, 200 MG, 400 MG, 50 MG CAPSULE MO	3	PA,QL(60 per 30 days)
celecoxib 100 mg, 200 mg CAPSULE MO	1	QL(60 per 30 days)
celecoxib 400 mg, 50 mg CAPSULE MO	1	QL(60 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL- Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • \$0 – Vaccine/Diabetic • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
codeine sulfate 15 mg, 30 mg TABLET DL	1	QL(360 per 30 days)
codeine sulfate 60 mg TABLET DL	1	QL(180 per 30 days)
codeine-butalbital-asa-caff 30-50-325-40 mg CAPSULE DL	1	QL(360 per 30 days)
CONZIP 100 MG, 200 MG, 300 MG CAPSULE, ER, BIPHASIC DL	3	ST,QL(30 per 30 days)
DAYPRO 600 MG TABLET MO	3	
DEMEROL 50 MG/ML SOLUTION DL	3	QL(720 per 30 days)
DEMEROL (PF) 100 MG/2 ML SOLUTION DL	3	QL(360 per 30 days)
DEMEROL (PF) 100 MG/ML SYRINGE DL	3	QL(360 per 30 days)
DEMEROL (PF) 25 MG/ML SYRINGE DL	3	QL(1440 per 30 days)
DEMEROL (PF) 50 MG/ML SYRINGE DL	3	QL(720 per 30 days)
DEMEROL (PF) 75 MG/ML SYRINGE DL	3	QL(480 per 30 days)
diclofenac epolamine 1.3 % PATCH, 12 HR. MO	1	PA,QL(60 per 30 days)
diclofenac potassium 25 mg CAPSULE MO	3	ST,QL(120 per 30 days)
diclofenac potassium 25 mg TABLET DL	4	
diclofenac potassium 50 mg POWDER IN PACKET MO	3	ST,QL(9 per 30 days)
diclofenac potassium 50 mg TABLET MO	1	
diclofenac sodium 1 % GEL MO	1	QL(1000 per 30 days)
diclofenac sodium 1.5 % DROPS MO	1	PA,QL(300 per 30 days)
diclofenac sodium 100 mg TABLET, ER 24 HR. MO	1	
diclofenac sodium 20 mg/gram /actuation(2 %) SOLUTION IN METERED DOSE PUMP DL	4	PA,QL(224 per 28 days)
diclofenac sodium 25 mg, 50 mg TABLET, DR/EC MO	1	
diclofenac sodium 75 mg TABLET, DR/EC MO	1	
diclofenac-misoprostol 50-200 mg-mcg, 75-200 mg-mcg TABLET, IR, DR, BIPHASIC MO	1	
diflunisal 500 mg TABLET MO	1	
DILAUDID 1 MG/ML LIQUID DL	3	PA,QL(2400 per 30 days)
DILAUDID 2 MG, 4 MG TABLET DL	3	PA,QL(360 per 30 days)
DILAUDID 8 MG TABLET DL	3	PA,QL(240 per 30 days)
DUEXIS 800-26.6 MG TABLET DL	4	PA,QL(90 per 30 days)
DURAMORPH (PF) 0.5 MG/ML SOLUTION DL	3	BvsD,QL(7200 per 30 days)
DURAMORPH (PF) 1 MG/ML SOLUTION DL	3	BvsD,QL(3600 per 30 days)
dvorah 325-30-16 mg TABLET DL	1	QL(300 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL- Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • \$0 - Vaccine/Diabetic • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
EC-NAPROSYN 375 MG, 500 MG TABLET, DR/EC MO	3	PA
ec-naproxen 375 mg TABLET, DR/EC MO	3	PA
ec-naproxen 500 mg TABLET, DR/EC MO	1	
endocet 10-325 mg, 2.5-325 mg, 5-325 mg, 7.5-325 mg TABLET DL	1	QL(360 per 30 days)
etodolac 200 mg, 300 mg CAPSULE MO	1	
etodolac 400 mg, 500 mg TABLET MO	1	
etodolac 400 mg, 500 mg, 600 mg TABLET, ER 24 HR. MO	1	
FELDENE 10 MG, 20 MG CAPSULE MO	3	
fenoprofen 200 mg, 400 mg CAPSULE MO	1	ST
fenoprofen 600 mg TABLET MO	1	ST
fentanyl 100 mcg/hr, 12 mcg/hr, 25 mcg/hr, 37.5 mcg/hour, 50 mcg/hr, 62.5 mcg/hour, 75 mcg/hr, 87.5 mcg/hour PATCH. 72 HR. DL	1	QL(20 per 30 days)
fentanyl citrate 1,200 mcg, 1,600 mcg, 400 mcg, 600 mcg, 800 mcg LOZENGE DL	4	PA,QL(120 per 30 days)
fentanyl citrate 100 mcg, 200 mcg, 400 mcg, 600 mcg, 800 mcg TABLET, EFFERVESCENT DL	4	PA,QL(120 per 30 days)
fentanyl citrate 200 mcg LOZENGE DL	1	PA,QL(120 per 30 days)
fentanyl citrate (pf) 50 mcg/ml SOLUTION DL	1	BvsD,QL(720 per 30 days)
FENTORA 100 MCG, 200 MCG, 400 MCG, 600 MCG, 800 MCG TABLET, EFFERVESCENT DL	4	PA,QL(120 per 30 days)
FLECTOR 1.3 % PATCH, 12 HR. MO	3	PA,QL(60 per 30 days)
flurbiprofen 100 mg TABLET MO	1	
hydrocodone bitartrate 10 mg, 15 mg, 20 mg, 30 mg, 40 mg CAPSULE, ER 12 HR. DL	1	ST,QL(90 per 30 days)
hydrocodone bitartrate 100 mg, 120 mg, 20 mg, 30 mg, 40 mg, 60 mg, 80 mg TABLET, ER 24 HR. DL	1	ST,QL(30 per 30 days)
hydrocodone bitartrate 50 mg CAPSULE, ER 12 HR. DL	1	ST,QL(120 per 30 days)
hydrocodone-acetaminophen 10-300 mg, 5-300 mg, 7.5-300 mg TABLET DL	1	QL(390 per 30 days)
hydrocodone-acetaminophen 10-325 mg, 5-325 mg, 7.5-325 mg TABLET DL	1	QL(360 per 30 days)
hydrocodone-acetaminophen 10-325 mg/15 ml(15 ml) SOLUTION DL	1	QL(2700 per 30 days)
hydrocodone-acetaminophen 2.5-325 mg TABLET DL	1	QL(360 per 30 days)
hydrocodone-acetaminophen 7.5-325 mg/15 ml SOLUTION DL	1	QL(5520 per 30 days)
hydrocodone-ibuprofen 10-200 mg, 5-200 mg, 7.5-200 mg TABLET DL	1	QL(150 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL- Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • \$0 - Vaccine/Diabetic • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
hydromorphone 0.5 mg/0.5 ml, 1 mg/ml SYRINGE DL	1	BvsD,QL(720 per 30 days)
hydromorphone 1 mg/ml LIQUID DL	1	QL(2400 per 30 days)
hydromorphone 1 mg/ml SOLUTION DL	1	BvsD,QL(720 per 30 days)
hydromorphone 12 mg TABLET, ER 24 HR. DL	1	ST,QL(180 per 30 days)
hydromorphone 16 mg TABLET, ER 24 HR. DL	1	ST,QL(120 per 30 days)
hydromorphone 2 mg, 4 mg TABLET DL	1	QL(360 per 30 days)
hydromorphone 2 mg/ml SOLUTION DL	1	BvsD,QL(360 per 30 days)
hydromorphone 2 mg/ml SYRINGE DL	1	BvsD,QL(360 per 30 days)
hydromorphone 32 mg TABLET, ER 24 HR. DL	1	ST,QL(60 per 30 days)
hydromorphone 4 mg/ml SYRINGE DL	1	BvsD,QL(180 per 30 days)
hydromorphone 8 mg TABLET DL	1	QL(240 per 30 days)
hydromorphone 8 mg TABLET, ER 24 HR. DL	1	ST,QL(240 per 30 days)
hydromorphone (pf) 1 mg/ml SOLUTION DL	1	BvsD,QL(720 per 30 days)
hydromorphone (pf) 10 mg/ml SOLUTION DL	1	BvsD,QL(144 per 30 days)
hydromorphone (pf) 4 mg/ml SOLUTION DL	1	BvsD,QL(180 per 30 days)
HYSINGLA ER 100 MG, 120 MG, 20 MG, 30 MG, 40 MG, 60 MG, 80 MG TABLET, ER 24 HR. DL	3	ST,QL(30 per 30 days)
ibu 400 mg, 600 mg, 800 mg TABLET MO	1	
ibuprofen 100 mg/5 ml SUSPENSION MO	1	
ibuprofen 400 mg TABLET MO	1	
ibuprofen 600 mg, 800 mg TABLET MO	1	
ibuprofen-famotidine 800-26.6 mg TABLET MO	1	PA,QL(90 per 30 days)
INDOCIN 25 MG/5 ML SUSPENSION DL	4	
INDOCIN 50 MG SUPPOSITORY MO	3	
indomethacin 25 mg, 50 mg CAPSULE MO	1	
indomethacin 25 mg/5 ml SUSPENSION DL	4	
indomethacin 50 mg SUPPOSITORY MO	1	
indomethacin 75 mg CAPSULE, ER MO	1	
indomethacin sodium 1 mg RECON SOLUTION MO	1	
INFUMORPH P/F 10 MG/ML SOLUTION DL	3	BvsD,QL(360 per 30 days)
INFUMORPH P/F 25 MG/ML SOLUTION DL	3	BvsD,QL(150 per 30 days)
ketoprofen 200 mg CAPSULE ER PELLETS 24 HR. MO	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL- Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • \$0 - Vaccine/Diabetic • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
ketoprofen 25 mg CAPSULE MO	1	ST
ketoprofen 50 mg, 75 mg CAPSULE MO	1	ST
ketorolac 10 mg TABLET MO	1	QL(20 per 30 days)
ketorolac 15 mg/ml, 30 mg/ml, 30 mg/ml (1 ml), 60 mg/2 ml SOLUTION MO	1	
ketorolac 15 mg/ml, 30 mg/ml, 60 mg/2 ml SYRINGE MO	1	
ketorolac 15.75 mg/spray SPRAY, NON-AEROSOL DL	4	PA,QL(5 per 30 days)
LAZANDA 100 MCG/SPRAY, 400 MCG/SPRAY SPRAY, NON-AEROSOL DL	4	PA,QL(30 per 30 days)
levorphanol tartrate 2 mg TABLET DL	4	ST,QL(240 per 30 days)
levorphanol tartrate 3 mg TABLET DL	4	ST,QL(150 per 30 days)
LICART 1.3 % PATCH, 24 HR. MO	3	PA,QL(30 per 30 days)
LODINE 400 MG TABLET MO	3	PA
lofena 25 mg TABLET DL	4	
lortab elixir 10-300 mg/15 ml SOLUTION DL	1	QL(6000 per 30 days)
meclofenamate 100 mg, 50 mg CAPSULE MO	1	
mefenamic acid 250 mg CAPSULE MO	1	
meloxicam 15 mg TABLET MO	1	QL(30 per 30 days)
meloxicam 7.5 mg TABLET MO	1	QL(60 per 30 days)
meloxicam submicronized 10 mg, 5 mg CAPSULE DL	4	PA,QL(30 per 30 days)
meperidine 10 mg/ml CARTRIDGE DL	1	QL(3600 per 30 days)
meperidine 50 mg TABLET DL	1	QL(480 per 30 days)
meperidine 50 mg/5 ml SOLUTION DL	1	QL(720 per 30 days)
meperidine (pf) 100 mg/ml SOLUTION DL	1	QL(360 per 30 days)
meperidine (pf) 25 mg/ml SOLUTION DL	1	QL(1440 per 30 days)
meperidine (pf) 50 mg/ml SOLUTION DL	1	QL(720 per 30 days)
methadone 10 mg TABLET DL	1	QL(240 per 30 days)
methadone 10 mg/5 ml SOLUTION DL	1	QL(1800 per 30 days)
methadone 10 mg/ml CONCENTRATE DL	1	QL(360 per 30 days)
methadone 10 mg/ml SOLUTION DL	1	QL(360 per 30 days)
methadone 5 mg TABLET DL	1	QL(480 per 30 days)
methadone 5 mg/5 ml SOLUTION DL	1	QL(3600 per 30 days)
methadone intensol 10 mg/ml CONCENTRATE DL	1	QL(360 per 30 days)
METHADOSE 10 MG/ML CONCENTRATE DL	3	QL(360 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL- Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • \$0 - Vaccine/Diabetic • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
mitigo (pf) 10 mg/ml SOLUTION DL	3	BvsD,QL(360 per 30 days)
mitigo (pf) 25 mg/ml SOLUTION DL	3	BvsD,QL(150 per 30 days)
MOBIC 15 MG TABLET MO	3	PA,QL(30 per 30 days)
MOBIC 7.5 MG TABLET MO	3	PA,QL(60 per 30 days)
morphine 10 mg, 100 mg, 20 mg, 30 mg, 50 mg, 60 mg, 80 mg CAPSULE ER PELLETS DL	1	ST,QL(60 per 30 days)
morphine 10 mg/5 ml SOLUTION DL	1	QL(2700 per 30 days)
morphine 10 mg/ml SOLUTION DL	1	BvsD,QL(360 per 30 days)
morphine 10 mg/ml SYRINGE DL	1	BvsD,QL(360 per 30 days)
morphine 100 mg TABLET ER DL	1	QL(180 per 30 days)
morphine 120 mg, 60 mg, 75 mg, 90 mg CAPSULE ER MULTIPHASE 24 HR. DL	1	ST,QL(60 per 30 days)
morphine 15 mg TABLET ER DL	1	QL(120 per 30 days)
morphine 15 mg, 30 mg TABLET DL	1	QL(180 per 30 days)
morphine 2 mg/ml SOLUTION DL	1	BvsD,QL(1800 per 30 days)
morphine 2 mg/ml SYRINGE DL	1	BvsD,QL(1800 per 30 days)
morphine 2 mg/ml, 4 mg/ml, 5 mg/ml SYRINGE DL	1	BvsD
morphine 20 mg/5 ml (4 mg/ml) SOLUTION DL	1	QL(1350 per 30 days)
morphine 200 mg TABLET ER DL	1	QL(90 per 30 days)
morphine 30 mg, 45 mg CAPSULE ER MULTIPHASE 24 HR. DL	1	ST,QL(30 per 30 days)
morphine 30 mg, 60 mg TABLET ER DL	1	QL(120 per 30 days)
morphine 4 mg/ml SOLUTION DL	1	BvsD,QL(900 per 30 days)
morphine 4 mg/ml SYRINGE DL	1	BvsD,QL(900 per 30 days)
morphine 5 mg/ml SOLUTION DL	1	BvsD,QL(720 per 30 days)
morphine 8 mg/ml SOLUTION DL	1	BvsD,QL(450 per 30 days)
morphine 8 mg/ml SYRINGE DL	1	BvsD,QL(450 per 30 days)
morphine (pf) 0.5 mg/ml SOLUTION DL	1	BvsD,QL(7200 per 30 days)
morphine (pf) 1 mg/ml SOLUTION DL	1	BvsD,QL(3600 per 30 days)
morphine (pf) 30 mg/30 ml (1 mg/ml) PATIENT CONTROL ANALGESIA SOLN DL	1	BvsD,QL(3600 per 30 days)
morphine concentrate 100 mg/5 ml (20 mg/ml) SOLUTION DL	1	QL(540 per 30 days)
MS CONTIN 100 MG TABLET ER DL	3	PA,QL(180 per 30 days)
MS CONTIN 15 MG, 30 MG, 60 MG TABLET ER DL	3	PA,QL(120 per 30 days)
MS CONTIN 200 MG TABLET ER DL	3	PA,QL(90 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL- Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • \$0 - Vaccine/Diabetic • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
<i>nabumetone 500 mg, 750 mg TABLET</i> MO	1	
<i>nalbuphine 10 mg/ml SOLUTION</i> DL	1	QL(240 per 30 days)
<i>nalbuphine 20 mg/ml SOLUTION</i> DL	1	QL(120 per 30 days)
NALFON 400 MG CAPSULE MO	3	ST
NALFON 600 MG TABLET MO	1	ST
<i>nalocet 2.5-300 mg TABLET</i> DL	4	PA,QL(360 per 30 days)
NAPRELAN CR 375 MG TABLET, ER 24 HR., MULTIPHASE DL	4	ST,QL(120 per 30 days)
NAPRELAN CR 500 MG TABLET, ER 24 HR., MULTIPHASE DL	4	ST,QL(90 per 30 days)
NAPRELAN CR 750 MG TABLET, ER 24 HR., MULTIPHASE DL	4	ST,QL(60 per 30 days)
NAPROSYN 500 MG TABLET MO	3	PA
<i>naproxen 125 mg/5 ml SUSPENSION</i> MO	1	
<i>naproxen 250 mg, 375 mg TABLET</i> MO	1	
<i>naproxen 375 mg, 500 mg TABLET, DR/EC</i> MO	1	
<i>naproxen 500 mg TABLET</i> MO	1	
<i>naproxen sodium 275 mg, 550 mg TABLET</i> MO	1	
<i>naproxen sodium 375 mg TABLET, ER 24 HR., MULTIPHASE</i> MO	1	ST,QL(120 per 30 days)
<i>naproxen sodium 500 mg TABLET, ER 24 HR., MULTIPHASE</i> MO	1	ST,QL(90 per 30 days)
<i>naproxen sodium 750 mg TABLET, ER 24 HR., MULTIPHASE</i> MO	1	ST,QL(60 per 30 days)
<i>naproxen-esomeprazole 375-20 mg, 500-20 mg TABLET, IR, DR, BIPHASIC</i> DL	4	PA,QL(60 per 30 days)
NUCYNTA 100 MG, 50 MG, 75 MG TABLET DL	4	ST,QL(180 per 30 days)
NUCYNTA ER 100 MG, 150 MG, 200 MG, 250 MG TABLET, ER 12 HR. DL	4	ST,QL(60 per 30 days)
NUCYNTA ER 50 MG TABLET, ER 12 HR. DL	3	ST,QL(60 per 30 days)
OLINVYK 1 MG/ML SOLUTION DL	4	PA
OLINVYK 30 MG/30 ML (1 MG/ML) PATIENT CONTROL ANALGESIA SOLN DL	4	PA
<i>oxaprozin 600 mg TABLET</i> MO	1	
OXAYDO 5 MG, 7.5 MG TABLET, ORAL ONLY DL	4	PA,QL(360 per 30 days)
<i>oxycodone 10 mg, 15 mg, 20 mg, 30 mg, 40 mg, 60 mg TABLET, ER 12 HR.</i> DL	3	PA,QL(90 per 30 days)
<i>oxycodone 10 mg, 15 mg, 5 mg TABLET</i> DL	1	QL(360 per 30 days)
<i>oxycodone 20 mg, 30 mg TABLET</i> DL	1	QL(360 per 30 days)
<i>oxycodone 20 mg/ml CONCENTRATE</i> DL	1	QL(270 per 30 days)
<i>oxycodone 5 mg CAPSULE</i> DL	1	QL(360 per 30 days)
<i>oxycodone 5 mg/5 ml SOLUTION</i> DL	1	QL(5400 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL- Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • \$0 - Vaccine/Diabetic • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
<i>oxycodone 80 mg TABLET, ER 12 HR. DL</i>	3	PA,QL(120 per 30 days)
<i>oxycodone-acetaminophen 10-300 mg, 5-300 mg, 7.5-300 mg TABLET DL</i>	4	PA,QL(390 per 30 days)
<i>oxycodone-acetaminophen 10-300 mg/5 ml SOLUTION DL</i>	4	PA,QL(900 per 30 days)
<i>oxycodone-acetaminophen 10-325 mg, 5-325 mg, 7.5-325 mg TABLET DL</i>	1	QL(360 per 30 days)
<i>oxycodone-acetaminophen 2.5-300 mg TABLET DL</i>	1	PA,QL(360 per 30 days)
<i>oxycodone-acetaminophen 2.5-325 mg TABLET DL</i>	1	QL(360 per 30 days)
<i>oxycodone-acetaminophen 5-325 mg/5 ml SOLUTION DL</i>	1	QL(1800 per 30 days)
OXYCONTIN 10 MG, 15 MG, 20 MG, 30 MG, 40 MG, 60 MG TABLET, ER 12 HR. DL	3	PA,QL(90 per 30 days)
OXYCONTIN 80 MG TABLET, ER 12 HR. DL	3	PA,QL(120 per 30 days)
<i>oxymorphone 10 mg, 15 mg, 20 mg, 30 mg, 5 mg, 7.5 mg TABLET, ER 12 HR. DL</i>	1	ST,QL(60 per 30 days)
<i>oxymorphone 10 mg, 5 mg TABLET DL</i>	1	QL(360 per 30 days)
<i>oxymorphone 40 mg TABLET, ER 12 HR. DL</i>	4	ST,QL(60 per 30 days)
PENNSAID 2 % SOLUTION IN PACKET DL	4	PA
PENNSAID 20 MG/GRAM /ACTUATION(2 %) SOLUTION IN METERED DOSE PUMP DL	4	PA,QL(224 per 28 days)
<i>pentazocine-naloxone 50-0.5 mg TABLET DL</i>	1	QL(360 per 30 days)
PERCOCET 10-325 MG, 5-325 MG, 7.5-325 MG TABLET DL	4	PA,QL(360 per 30 days)
PERCOCET 2.5-325 MG TABLET DL	1	PA,QL(360 per 30 days)
<i>piroxicam 10 mg, 20 mg CAPSULE MO</i>	1	
<i>primlev 10-300 mg, 5-300 mg, 7.5-300 mg TABLET DL</i>	4	PA,QL(390 per 30 days)
<i>prolate 10-300 mg, 5-300 mg, 7.5-300 mg TABLET DL</i>	4	PA,QL(390 per 30 days)
PROLATE 10-300 MG/5 ML SOLUTION DL	4	PA,QL(900 per 30 days)
RELAFEN 500 MG, 750 MG TABLET DL	4	ST
RELAFEN DS 1,000 MG TABLET DL	4	ST,QL(60 per 30 days)
ROXICODONE 15 MG TABLET DL	3	PA,QL(360 per 30 days)
ROXICODONE 30 MG TABLET DL	4	PA,QL(360 per 30 days)
ROXYBOND 15 MG, 30 MG TABLET, ORAL ONLY DL	4	PA,QL(180 per 30 days)
ROXYBOND 5 MG TABLET, ORAL ONLY DL	4	PA,QL(360 per 30 days)
SEGLENTIS 44-56 MG TABLET DL	3	PA,QL(120 per 30 days)
SPRIX 15.75 MG/SPRAY SPRAY, NON-AEROSOL DL	4	PA,QL(5 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL- Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • \$0 – Vaccine/Diabetic • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
SUBSYS 1,200 MCG (600 MCG/SPRAY X 2), 1,600 MCG (800 MCG/SPRAY X 2), 100 MCG/SPRAY, 200 MCG/SPRAY, 400 MCG/SPRAY, 600 MCG/SPRAY, 800 MCG/SPRAY SPRAY, NON-AEROSOL DL	4	PA,QL(120 per 30 days)
sulindac 150 mg, 200 mg TABLET MO	1	
tolmetin 200 mg TABLET MO	1	
tramadol 100 mg TABLET DL	1	QL(120 per 30 days)
tramadol 100 mg, 200 mg, 300 mg CAPSULE, ER, BIPHASIC DL	1	ST,QL(30 per 30 days)
tramadol 100 mg, 200 mg, 300 mg TABLET, ER 24 HR. DL	1	ST,QL(30 per 30 days)
tramadol 100 mg, 200 mg, 300 mg TABLET, ER 24 HR., MULTIPHASE DL	1	ST,QL(30 per 30 days)
tramadol 25 mg TABLET DL	1	QL(180 per 30 days)
tramadol 50 mg TABLET DL	1	QL(240 per 30 days)
tramadol-acetaminophen 37.5-325 mg TABLET DL	1	QL(240 per 30 days)
TREZIX 320.5-30-16 MG CAPSULE DL	1	QL(300 per 30 days)
ULTRACET 37.5-325 MG TABLET DL	3	QL(240 per 30 days)
ULTRAM 50 MG TABLET DL	3	QL(240 per 30 days)
VIMOVO 375-20 MG, 500-20 MG TABLET, IR, DR, BIPHASIC DL	4	PA,QL(60 per 30 days)
VIVLODEX 10 MG, 5 MG CAPSULE DL	4	PA,QL(30 per 30 days)
XTAMPZA ER 13.5 MG, 18 MG, 27 MG, 36 MG, 9 MG CAPSULE ER SPRINKLE 12 HR. DL	2	QL(60 per 30 days)
ZIPSOR 25 MG CAPSULE DL	4	ST,QL(120 per 30 days)
ZORVOLEX 18 MG, 35 MG CAPSULE MO	3	ST,QL(90 per 30 days)
ANESTHETICS		
bupivacaine (pf) 0.25 % (2.5 mg/ml), 0.5 % (5 mg/ml), 0.75 % (7.5 mg/ml) SOLUTION MO	1	
bupivacaine hcl 0.25 % (2.5 mg/ml), 0.5 % (5 mg/ml) SOLUTION MO	1	
bupivacaine-dextrose-water(pf) 0.75 % (7.5 mg/ml) SOLUTION MO	1	
bupivacaine-epinephrine 0.25 %-1:200,000, 0.5 %-1:200,000 SOLUTION MO	1	
bupivacaine-epinephrine (pf) 0.25 %-1:200,000, 0.5 %-1:200,000 SOLUTION MO	1	
CARBOCAINE 1 % (10 MG/ML) SOLUTION MO	3	
CARBOCAINE (PF) 10 MG/ML (1 %), 15 MG/ML (1.5 %), 20 MG/ML (2 %) SOLUTION MO	3	
CARBOCAINE WITH NEO-COBEFRIN 2 % -1:20,000 CARTRIDGE MO	1	
chloroprocaine (pf) 20 mg/ml (2 %), 30 mg/ml (3 %) SOLUTION MO	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL- Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • \$0 - Vaccine/Diabetic • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
CLOROTEKAL 10 MG/ML (1 %) SOLUTION MO	3	
dermacinrx lidocan 5 % ADHESIVE PATCH, MEDICATED DL	4	PA,QL(90 per 30 days)
EXPAREL (PF) 1.3 % (13.3 MG/ML) SUSPENSION MO	3	
glydo 2 % JELLY IN APPLICATOR MO	1	
lidocaine 5 % ADHESIVE PATCH, MEDICATED MO	1	PA,QL(90 per 30 days)
lidocaine 5 % OINTMENT MO	1	PA
lidocaine (pf) in d7.5w 50 mg/ml (5 %) SOLUTION MO	1	
lidocaine (pf) 10 mg/ml (1 %), 15 mg/ml (1.5 %), 20 mg/ml (2 %), 40 mg/ml (4 %), 5 mg/ml (0.5 %) SOLUTION MO	1	
lidocaine hcl 10 mg/ml (1 %), 2 %, 20 mg/ml (2 %), 4 %, 4 % (40 mg/ml), 5 mg/ml (0.5 %) SOLUTION MO	1	
lidocaine hcl 2 % JELLY MO	1	
lidocaine hcl 2 % JELLY IN APPLICATOR MO	1	
lidocaine viscous 2 % SOLUTION MO	1	
lidocaine-epinephrine 0.5 %-1:200,000, 1 %-1:100,000, 2 %-1:100,000 SOLUTION MO	1	
lidocaine-epinephrine bit 2 %-1:100,000, 2 %-1:50,000 CARTRIDGE MO	1	
lidocaine-prilocaine 2.5-2.5 % CREAM MO	1	
lidocan iii 5 % ADHESIVE PATCH, MEDICATED DL	4	PA,QL(90 per 30 days)
LIDODERM 5 % ADHESIVE PATCH, MEDICATED DL	4	PA,QL(90 per 30 days)
lignospan standard 2 %-1:100,000 CARTRIDGE MO	1	
MARCAINE 0.25 % (2.5 MG/ML), 0.5 % (5 MG/ML) SOLUTION MO	3	
MARCAINE (PF) 0.25 % (2.5 MG/ML), 0.5 % (5 MG/ML), 0.75 % (7.5 MG/ML) SOLUTION MO	3	
MARCAINE SPINAL (PF) 0.75 % (7.5 MG/ML) SOLUTION MO	3	
MARCAINE-EPINEPHRINE 0.25 %-1:200,000, 0.5 %-1:200,000 SOLUTION MO	3	
marcaine-epinephrine 0.5 %-1:200,000 CARTRIDGE MO	1	
MARCAINE-EPINEPHRINE (PF) 0.25 %-1:200,000, 0.5 %-1:200,000 SOLUTION MO	3	
NAROPIN (PF) 10 MG/ML (1 %), 2 MG/ML (0.2 %), 5 MG/ML (0.5 %), 7.5 MG/ML (0.75 %) SOLUTION MO	3	
NESACAINE 10 MG/ML (1 %), 20 MG/ML (2 %) SOLUTION MO	3	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL- Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • \$0 - Vaccine/Diabetic • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
NESACAINE-MPF 20 MG/ML (2 %), 30 MG/ML (3 %) SOLUTION MO	3	
PLIAGLIS 7-7 % CREAM MO	3	
polocaine 1 % (10 mg/ml), 2 % SOLUTION MO	1	
polocaine-mpf 10 mg/ml (1 %), 15 mg/ml (1.5 %), 20 mg/ml (2 %) SOLUTION MO	1	
ropivacaine (pf) 10 mg/ml (1 %), 2 mg/ml (0.2 %), 5 mg/ml (0.5 %), 7.5 mg/ml (0.75 %) SOLUTION MO	1	
SENSORCAINE 0.25 % (2.5 MG/ML), 0.5 % (5 MG/ML) SOLUTION MO	1	
sensorcaine-epinephrine 0.25 %-1:200,000, 0.5 %-1:200,000 SOLUTION MO	1	
SENSORCAINE-MPF 0.25 % (2.5 MG/ML), 0.5 % (5 MG/ML), 0.75 % (7.5 MG/ML) SOLUTION MO	1	
sensorcaine-mpf 0.25 % (2.5 mg/ml), 0.5 % (5 mg/ml), 0.75 % (7.5 mg/ml) SOLUTION MO	1	
sensorcaine-mpf spinal 0.75 % (7.5 mg/ml) SOLUTION MO	1	
sensorcaine-mpf/epinephrine 0.25 %-1:200,000 SOLUTION MO	1	
SENSORCAINE-MPF/EPINEPHRINE 0.5 %-1:200,000, 0.75 %-1:200,000 SOLUTION MO	1	
SYNERA 70-70 MG PATCH, MEDICATED SELF-HEATING DL	4	PA
vivacaine 0.5 %-1:200,000 CARTRIDGE MO	1	
ZTLIDO 1.8 % ADHESIVE PATCH, MEDICATED MO	3	PA,QL(90 per 30 days)
ANTI-ADDICTION/SUBSTANCE ABUSE TREATMENT AGENTS		
acamprosate 333 mg TABLET, DR/EC MO	1	
buprenorphine hcl 2 mg, 8 mg SUBLINGUAL TABLET MO	1	QL(90 per 30 days)
buprenorphine-naloxone 12-3 mg FILM MO	1	QL(60 per 30 days)
buprenorphine-naloxone 2-0.5 mg, 4-1 mg, 8-2 mg FILM MO	1	QL(90 per 30 days)
buprenorphine-naloxone 2-0.5 mg, 8-2 mg SUBLINGUAL TABLET MO	3	PA,QL(90 per 30 days)
bupropion hcl (smoking deter) 150 mg TABLET, ER 12 HR. MO	1	QL(90 per 30 days)
CHANTIX 1 MG TABLET MO	3	PA,QL(56 per 28 days)
CHANTIX CONTINUING MONTH BOX 1 MG TABLET MO	3	PA,QL(56 per 28 days)
CHANTIX STARTING MONTH BOX 0.5 MG (11)- 1 MG (42) TABLET, DOSE PACK MO	3	PA,QL(53 per 28 days)
disulfiram 250 mg, 500 mg TABLET MO	1	
KLOXXADO 8 MG/ACTUATION SPRAY, NON-AEROSOL MO	3	PA,QL(2 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL- Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • \$0 – Vaccine/Diabetic • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
LUCEMYRA 0.18 MG TABLET DL	4	PA,QL(224 per 365 days)
<i>nalmefene</i> 1 mg/ml SOLUTION MO	1	
<i>naloxone</i> 0.4 mg/ml SOLUTION MO	1	
<i>naloxone</i> 0.4 mg/ml, 1 mg/ml SYRINGE MO	1	
<i>naloxone</i> 4 mg/actuation SPRAY, NON-AEROSOL MO	2	QL(2 per 30 days)
<i>naltrexone</i> 50 mg TABLET MO	1	
NARCAN 4 MG/ACTUATION SPRAY, NON-AEROSOL MO	3	PA,QL(2 per 30 days)
NICOTROL 10 MG CARTRIDGE MO	3	
NICOTROL NS 10 MG/ML SPRAY, NON-AEROSOL MO	3	
OPVEE 2.7 MG/ACTUATION SPRAY, NON-AEROSOL MO	3	PA,QL(2 per 30 days)
SUBOXONE 12-3 MG FILM MO	3	PA,QL(60 per 30 days)
SUBOXONE 2-0.5 MG, 4-1 MG, 8-2 MG FILM MO	3	PA,QL(90 per 30 days)
<i>varenicline</i> 0.5 mg (11)- 1 mg (42) TABLET, DOSE PACK MO	1	QL(53 per 28 days)
<i>varenicline</i> 0.5 mg, 1 mg TABLET MO	1	QL(56 per 28 days)
VIVITROL 380 MG SUSPENSION, ER, RECON DL	4	QL(1 per 28 days)
ZIMHI 5 MG/0.5 ML SYRINGE MO	3	PA,QL(1 per 30 days)
ZUBSOLV 0.7-0.18 MG, 1.4-0.36 MG SUBLINGUAL TABLET MO	1	QL(90 per 30 days)
ZUBSOLV 11.4-2.9 MG SUBLINGUAL TABLET MO	1	QL(30 per 30 days)
ZUBSOLV 2.9-0.71 MG, 5.7-1.4 MG SUBLINGUAL TABLET MO	1	QL(90 per 30 days)
ZUBSOLV 8.6-2.1 MG SUBLINGUAL TABLET MO	1	QL(60 per 30 days)
ANTIBACTERIALS		
<i>acetic acid</i> 2 % SOLUTION MO	1	
ACTICLATE 150 MG TABLET DL	4	ST,QL(30 per 30 days)
ACTICLATE 75 MG TABLET DL	4	ST,QL(60 per 30 days)
<i>amikacin</i> 1,000 mg/4 ml, 500 mg/2 ml SOLUTION MO	1	
<i>amoxicillin</i> 125 mg, 250 mg CHEWABLE TABLET MO	1	
<i>amoxicillin</i> 125 mg/5 ml, 200 mg/5 ml, 250 mg/5 ml, 400 mg/5 ml SUSPENSION FOR RECONSTITUTION MO	1	
<i>amoxicillin</i> 250 mg CAPSULE MO	1	
<i>amoxicillin</i> 500 mg CAPSULE MO	1	
<i>amoxicillin</i> 500 mg TABLET MO	1	
<i>amoxicillin</i> 875 mg TABLET MO	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL- Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • \$0 - Vaccine/Diabetic • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
amoxicillin-pot clavulanate 1,000-62.5 mg TABLET, ER 12 HR. MO	1	
amoxicillin-pot clavulanate 200-28.5 mg, 400-57 mg CHEWABLE TABLET MO	1	
amoxicillin-pot clavulanate 200-28.5 mg/5 ml, 250-62.5 mg/5 ml, 400-57 mg/5 ml, 600-42.9 mg/5 ml SUSPENSION FOR RECONSTITUTION MO	1	
amoxicillin-pot clavulanate 250-125 mg, 500-125 mg TABLET MO	1	
amoxicillin-pot clavulanate 875-125 mg TABLET MO	1	
ampicillin 500 mg CAPSULE MO	1	
ampicillin sodium 1 gram, 10 gram, 125 mg, 2 gram, 250 mg, 500 mg RECON SOLUTION MO	1	
ampicillin-sulbactam 1.5 gram, 15 gram, 3 gram RECON SOLUTION MO	1	
ARIKAYCE 590 MG/8.4 ML SUSPENSION FOR NEBULIZATION DL	4	PA,QL(235.2 per 28 days)
AUGMENTIN 125-31.25 MG/5 ML, 250-62.5 MG/5 ML SUSPENSION FOR RECONSTITUTION DL	4	
AUGMENTIN 500-125 MG TABLET MO	3	PA
AUGMENTIN ES-600 600-42.9 MG/5 ML SUSPENSION FOR RECONSTITUTION MO	3	
AUGMENTIN XR 1,000-62.5 MG TABLET, ER 12 HR. MO	3	
AVELOX IN NACL (ISO-OSMOTIC) 400 MG/250 ML PIGGYBACK MO	3	PA
avidoxy 100 mg TABLET MO	1	ST
AVYCAZ 2.5 GRAM RECON SOLUTION DL	4	
AZACTAM 1 GRAM, 2 GRAM RECON SOLUTION MO	3	PA
azithromycin 1 gram PACKET MO	1	
azithromycin 100 mg/5 ml, 200 mg/5 ml SUSPENSION FOR RECONSTITUTION MO	1	
azithromycin 250 mg TABLET MO	1	
azithromycin 500 mg RECON SOLUTION MO	1	
azithromycin 500 mg, 600 mg TABLET MO	1	
aztreonam 1 gram, 2 gram RECON SOLUTION MO	1	
bacitracin 50,000 unit RECON SOLUTION MO	1	
BACTRIM 400-80 MG TABLET MO	3	
BACTRIM DS 800-160 MG TABLET MO	3	
BAXDELA 300 MG RECON SOLUTION DL	4	QL(28 per 14 days)
BAXDELA 450 MG TABLET DL	4	QL(28 per 14 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL- Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • \$0 - Vaccine/Diabetic • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
BETHKIS 300 MG/4 ML SOLUTION FOR NEBULIZATION DL	4	PA
BICILLIN C-R 1,200,000 UNIT/ 2 ML(600K/600K), 1,200,000 UNIT/ 2 ML(900K/300K) SYRINGE MO	3	
BICILLIN L-A 1,200,000 UNIT/2 ML, 2,400,000 UNIT/4 ML, 600,000 UNIT/ML SYRINGE MO	3	
cefaclor 125 mg/5 ml, 250 mg/5 ml, 375 mg/5 ml SUSPENSION FOR RECONSTITUTION MO	1	
cefaclor 250 mg, 500 mg CAPSULE MO	1	
cefaclor 500 mg TABLET, ER 12 HR. MO	1	
cefadroxil 1 gram TABLET MO	1	
cefadroxil 250 mg/5 ml, 500 mg/5 ml SUSPENSION FOR RECONSTITUTION MO	1	
cefadroxil 500 mg CAPSULE MO	1	
cefazolin 1 gram, 10 gram, 2 gram, 500 mg RECON SOLUTION MO	1	
CEFAZOLIN 2 GRAM, 3 GRAM RECON SOLUTION MO	1	
cefazolin in dextrose (iso-os) 1 gram/50 ml, 2 gram/100 ml, 2 gram/50 ml PIGGYBACK MO	1	
cefdinir 125 mg/5 ml, 250 mg/5 ml SUSPENSION FOR RECONSTITUTION MO	1	
cefdinir 300 mg CAPSULE MO	1	
cefepime 1 gram, 2 gram RECON SOLUTION MO	1	
cefepime in dextrose 5 % 1 gram/50 ml, 2 gram/50 ml PIGGYBACK MO	1	
cefepime in dextrose,iso-osm 1 gram/50 ml, 2 gram/100 ml PIGGYBACK MO	3	
cefixime 100 mg/5 ml, 200 mg/5 ml SUSPENSION FOR RECONSTITUTION MO	1	
cefixime 400 mg CAPSULE MO	1	
cefotaxime 1 gram RECON SOLUTION MO	1	
cefotetan 1 gram, 10 gram, 2 gram RECON SOLUTION MO	1	
cefoxitin 1 gram, 10 gram, 2 gram RECON SOLUTION MO	1	
cefoxitin in dextrose, iso-osm 1 gram/50 ml, 2 gram/50 ml PIGGYBACK MO	1	
cefpodoxime 100 mg, 200 mg TABLET MO	1	
cefpodoxime 100 mg/5 ml, 50 mg/5 ml SUSPENSION FOR RECONSTITUTION MO	1	
cefprozil 125 mg/5 ml, 250 mg/5 ml SUSPENSION FOR RECONSTITUTION MO	1	
cefprozil 250 mg, 500 mg TABLET MO	1	
ceftazidime 1 gram, 2 gram, 6 gram RECON SOLUTION MO	1	
ceftazidime in d5w 1 gram/50 ml, 2 gram/50 ml PIGGYBACK MO	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL- Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • \$0 – Vaccine/Diabetic • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
ceftriaxone 1 gram, 10 gram, 100 gram, 2 gram, 250 mg, 500 mg RECON SOLUTION MO	1	
ceftriaxone in dextrose,iso-os 1 gram/50 ml, 2 gram/50 ml PIGGYBACK MO	1	
cefuroxime axetil 250 mg, 500 mg TABLET MO	1	
cefuroxime sodium 1.5 gram, 7.5 gram, 750 mg RECON SOLUTION MO	1	
cephalexin 125 mg/5 ml, 250 mg/5 ml SUSPENSION FOR RECONSTITUTION MO	1	
cephalexin 250 mg, 500 mg TABLET MO	1	
cephalexin 250 mg, 750 mg CAPSULE MO	1	
cephalexin 500 mg CAPSULE MO	1	
chloramphenicol sod succinate 1 gram RECON SOLUTION MO	1	
CIPRO 250 MG, 500 MG TABLET MO	3	
CIPRO 250 MG/5 ML, 500 MG/5 ML SUSPENSION, MICROCAPSULE RECON MO	3	
ciprofloxacin 250 mg/5 ml, 500 mg/5 ml SUSPENSION, MICROCAPSULE RECON MO	1	
ciprofloxacin hcl 100 mg, 250 mg, 750 mg TABLET MO	1	
ciprofloxacin hcl 500 mg TABLET MO	1	
ciprofloxacin in 5 % dextrose 200 mg/100 ml, 400 mg/200 ml PIGGYBACK MO	1	
CLAFORAN 1 GRAM, 10 GRAM, 2 GRAM RECON SOLUTION MO	3	
clarithromycin 125 mg/5 ml SUSPENSION FOR RECONSTITUTION MO	1	
clarithromycin 250 mg, 500 mg TABLET MO	1	
clarithromycin 250 mg/5 ml SUSPENSION FOR RECONSTITUTION MO	1	
clarithromycin 500 mg TABLET, ER 24 HR. MO	1	
CLEOCIN 100 MG SUPPOSITORY MO	3	
CLEOCIN 150 MG/ML SOLUTION MO	1	
CLEOCIN 2 % CREAM MO	3	PA
CLEOCIN HCL 150 MG, 300 MG, 75 MG CAPSULE MO	3	
CLEOCIN PEDIATRIC 75 MG/5 ML RECON SOLUTION MO	1	
clindamycin hcl 150 mg, 75 mg CAPSULE MO	1	
clindamycin hcl 300 mg CAPSULE MO	1	
clindamycin in 0.9 % sod chlor 300 mg/50 ml, 600 mg/50 ml, 900 mg/50 ml PIGGYBACK MO	1	
clindamycin in 5 % dextrose 300 mg/50 ml, 600 mg/50 ml, 900 mg/50 ml PIGGYBACK MO	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL- Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • \$0 - Vaccine/Diabetic • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
clindamycin palmitate hcl 75 mg/5 ml RECON SOLUTION MO	1	
clindamycin pediatric 75 mg/5 ml RECON SOLUTION MO	1	
clindamycin phosphate 150 mg/ml SOLUTION MO	1	
clindamycin phosphate 2 % CREAM MO	1	
CLINDESSE 2 % CREAM, ER MO	3	
colistin (colistimethate na) 150 mg RECON SOLUTION MO	1	
COLY-MYCIN M PARENTERAL 150 MG RECON SOLUTION DL	4	
coremino 135 mg, 45 mg, 90 mg TABLET, ER 24 HR. MO	1	ST,QL(30 per 30 days)
CUBICIN 500 MG RECON SOLUTION DL	4	
CUBICIN RF 500 MG RECON SOLUTION DL	4	
DALVANCE 500 MG SOLUTION DL	4	QL(4 per 28 days)
daptomycin 350 mg RECON SOLUTION MO	1	
daptomycin 500 mg RECON SOLUTION DL	4	
daptomycin in 0.9 % sod chlor 1,000 mg/100 ml, 350 mg/50 ml, 500 mg/50 ml, 700 mg/100 ml PIGGYBACK MO	3	
demeclocycline 150 mg TABLET MO	1	QL(240 per 30 days)
demeclocycline 300 mg TABLET MO	1	QL(120 per 30 days)
dicloxacillin 250 mg, 500 mg CAPSULE MO	1	
DIFICID 200 MG TABLET DL	4	
DIFICID 40 MG/ML SUSPENSION FOR RECONSTITUTION DL	4	
DORYX 200 MG TABLET, DR/EC MO	3	ST,QL(30 per 30 days)
DORYX 50 MG TABLET, DR/EC MO	3	ST,QL(60 per 30 days)
DORYX 80 MG TABLET, DR/EC DL	4	ST,QL(60 per 30 days)
DORYX MPC 120 MG TABLET, DR/EC MO	3	ST,QL(60 per 30 days)
DORYX MPC 60 MG TABLET, DR/EC DL	4	ST,QL(60 per 30 days)
doxy-100 100 mg RECON SOLUTION MO	1	
doxycycline hyclate 100 mg CAPSULE MO	1	
doxycycline hyclate 100 mg RECON SOLUTION MO	1	
doxycycline hyclate 100 mg TABLET MO	1	
doxycycline hyclate 100 mg TABLET, DR/EC MO	1	ST,QL(90 per 30 days)
doxycycline hyclate 150 mg TABLET MO	1	ST,QL(30 per 30 days)
doxycycline hyclate 150 mg, 50 mg, 75 mg TABLET, DR/EC MO	1	ST,QL(60 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL- Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • \$0 - Vaccine/Diabetic • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
doxycycline hyclate 20 mg TABLET MO	1	
doxycycline hyclate 200 mg TABLET, DR/EC MO	1	ST,QL(30 per 30 days)
doxycycline hyclate 50 mg CAPSULE MO	1	
doxycycline hyclate 50 mg TABLET MO	1	ST,QL(180 per 30 days)
doxycycline hyclate 75 mg TABLET MO	1	ST,QL(60 per 30 days)
doxycycline hyclate 80 mg TABLET, DR/EC DL	4	ST,QL(60 per 30 days)
doxycycline monohydrate 100 mg, 150 mg, 50 mg, 75 mg TABLET MO	1	
doxycycline monohydrate 100 mg, 50 mg CAPSULE MO	1	
doxycycline monohydrate 150 mg CAPSULE MO	1	QL(30 per 30 days)
doxycycline monohydrate 25 mg/5 ml SUSPENSION FOR RECONSTITUTION MO	1	
doxycycline monohydrate 40 mg CAPSULE, IR/DR, BIPHASIC MO	1	ST,QL(30 per 30 days)
doxycycline monohydrate 75 mg CAPSULE MO	1	QL(60 per 30 days)
E.E.S. 400 400 MG TABLET MO	1	
E.E.S. GRANULES 200 MG/5 ML SUSPENSION FOR RECONSTITUTION MO	3	
ertapenem 1 gram RECON SOLUTION MO	1	
ERY-TAB 250 MG, 333 MG, 500 MG TABLET, DR/EC MO	1	
ERYPED 200 200 MG/5 ML SUSPENSION FOR RECONSTITUTION MO	3	
ERYPED 400 400 MG/5 ML SUSPENSION FOR RECONSTITUTION DL	4	
ERYTHROCIN 500 MG RECON SOLUTION MO	1	
ERYTHROCIN (AS STEARATE) 250 MG TABLET MO	1	
erythromycin 250 mg CAPSULE, DR/EC MO	1	
erythromycin 250 mg, 333 mg, 500 mg TABLET, DR/EC MO	1	
erythromycin 250 mg, 500 mg TABLET MO	1	
erythromycin ethylsuccinate 200 mg/5 ml, 400 mg/5 ml SUSPENSION FOR RECONSTITUTION MO	1	
erythromycin ethylsuccinate 400 mg TABLET MO	1	
erythromycin lactobionate 500 mg RECON SOLUTION MO	1	
FETROJA 1 GRAM RECON SOLUTION DL	4	QL(84 per 14 days)
FIRVANQ 25 MG/ML, 50 MG/ML RECON SOLUTION MO	3	
FLAGYL 375 MG CAPSULE MO	3	QL(320 per 30 days)
fosfomycin tromethamine 3 gram PACKET MO	1	
FURADANTIN 25 MG/5 ML SUSPENSION MO	3	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL- Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • \$0 - Vaccine/Diabetic • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
gentamicin 0.1 % CREAM MO	1	
gentamicin 0.1 % OINTMENT MO	1	
gentamicin 20 mg/2 ml, 40 mg/ml SOLUTION MO	1	
gentamicin in nacl (iso-osm) 100 mg/100 ml, 100 mg/50 ml, 120 mg/100 ml, 60 mg/50 ml, 70 mg/50 ml, 80 mg/100 ml, 80 mg/50 ml, 90 mg/100 ml PIGGYBACK MO	1	
gentamicin sulfate (ped) (pf) 20 mg/2 ml SOLUTION MO	1	
gentamicin sulfate (pf) 100 mg/10 ml, 60 mg/6 ml SOLUTION MO	1	
HIPREX 1 GRAM TABLET MO	3	PA
HUMATIN 250 MG CAPSULE DL	4	
imipenem-cilastatin 250 mg, 500 mg RECON SOLUTION MO	1	
INVANZ 1 GRAM RECON SOLUTION MO	3	
KIMYRSA 1,200 MG RECON SOLUTION DL	4	QL(1 per 30 days)
KITABIS PAK 300 MG/5 ML SOLUTION FOR NEBULIZATION DL	4	PA
KLARON 10 % SUSPENSION MO	3	QL(118 per 30 days)
levofloxacin 25 mg/ml, 250 mg/10 ml SOLUTION MO	1	
levofloxacin 250 mg, 750 mg TABLET MO	1	
levofloxacin 500 mg TABLET MO	1	
levofloxacin in d5w 250 mg/50 ml, 500 mg/100 ml, 750 mg/150 ml PIGGYBACK MO	1	
LINCOCIN 300 MG/ML SOLUTION MO	3	
lincomycin 300 mg/ml SOLUTION MO	1	
linezolid 100 mg/5 ml SUSPENSION FOR RECONSTITUTION DL	4	QL(1800 per 30 days)
linezolid 600 mg TABLET MO	1	QL(60 per 30 days)
linezolid in dextrose 5% 600 mg/300 ml PIGGYBACK MO	1	
linezolid-0.9% sodium chloride 600 mg/300 ml PARENTERAL SOLUTION MO	1	
MACROBID 100 MG CAPSULE MO	3	
MACRODANTIN 100 MG, 25 MG, 50 MG CAPSULE MO	3	
meropenem 1 gram, 500 mg RECON SOLUTION MO	1	
meropenem-0.9% sodium chloride 1 gram/50 ml, 500 mg/50 ml PIGGYBACK MO	1	
methenamine hippurate 1 gram TABLET MO	1	
METRO I.V. 500 MG/100 ML PIGGYBACK MO	3	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL- Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • \$0 - Vaccine/Diabetic • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
METROCREAM 0.75 % CREAM MO	3	PA
METROGEL 1 % GEL MO	3	ST
METROLOTION 0.75 % LOTION MO	3	PA
metronidazole 0.75 % CREAM MO	1	
metronidazole 0.75 % LOTION MO	1	
metronidazole 0.75 %, 0.75 % (37.5mg/5 gram), 1 % GEL MO	1	
metronidazole 1 % GEL WITH PUMP MO	1	
metronidazole 250 mg TABLET MO	1	
metronidazole 375 mg CAPSULE MO	1	QL(320 per 30 days)
metronidazole 500 mg TABLET MO	1	
metronidazole in nacl (iso-os) 500 mg/100 ml PIGGYBACK MO	1	
MINOCIN 100 MG RECON SOLUTION DL	4	PA
minocycline 100 mg, 50 mg, 75 mg CAPSULE MO	1	
minocycline 100 mg, 50 mg, 75 mg TABLET MO	1	
minocycline 105 mg, 115 mg, 135 mg, 45 mg, 55 mg, 65 mg, 80 mg, 90 mg TABLET, ER 24 HR. MO	1	ST,QL(30 per 30 days)
MINOLIRA ER 105 MG, 135 MG TABLET, IR/ER 24 HR., BIPHASIC MO	3	ST,QL(30 per 30 days)
mondoxyne nl 100 mg CAPSULE MO	1	
mondoxyne nl 75 mg CAPSULE MO	1	ST,QL(60 per 30 days)
MONODOX 100 MG, 50 MG CAPSULE MO	3	ST
MONODOX 75 MG CAPSULE MO	3	ST,QL(60 per 30 days)
MONUROL 3 GRAM PACKET MO	3	
morgidox 100 mg, 50 mg CAPSULE MO	1	ST
moxifloxacin 400 mg TABLET MO	1	
moxifloxacin-sod.ace,sul-water 400 mg/250 ml PIGGYBACK MO	1	
moxifloxacin-sod.chloride(iso) 400 mg/250 ml PIGGYBACK MO	1	
nafcillin 1 gram, 10 gram, 2 gram RECON SOLUTION MO	1	
nafcillin in dextrose iso-osm 1 gram/50 ml, 2 gram/100 ml PIGGYBACK DL	4	
neomycin 500 mg TABLET MO	1	
nitrofurantoin 25 mg/5 ml, 50 mg/5 ml SUSPENSION DL	4	
nitrofurantoin macrocrystal 100 mg, 25 mg, 50 mg CAPSULE MO	1	
nitrofurantoin monohyd/m-cryst 100 mg CAPSULE MO	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL- Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • \$0 - Vaccine/Diabetic • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
NORITATE 1 % CREAM DL	4	ST,QL(60 per 30 days)
NUVESSA 1.3 % (65 MG/5 GRAM) GEL MO	3	
NUZYRA 100 MG RECON SOLUTION DL	4	
NUZYRA 150 MG TABLET DL	4	QL(30 per 14 days)
ofloxacin 300 mg, 400 mg TABLET MO	1	
ORACEA 40 MG CAPSULE, IR/DR, BIPHASIC MO	3	ST,QL(30 per 30 days)
ORBACTIV 400 MG RECON SOLUTION DL	4	QL(3 per 28 days)
oxacillin 1 gram, 10 gram, 2 gram RECON SOLUTION MO	1	
oxacillin in dextrose(iso-osm) 1 gram/50 ml, 2 gram/50 ml PIGGYBACK MO	3	
paromomycin 250 mg CAPSULE MO	1	
penicillin g pot in dextrose 1 million unit/50 ml, 2 million unit/50 ml, 3 million unit/50 ml PIGGYBACK MO	3	
penicillin g potassium 20 million unit, 5 million unit RECON SOLUTION MO	1	
penicillin g procaine 1.2 million unit/2 ml, 600,000 unit/ml SYRINGE MO	1	
penicillin g sodium 5 million unit RECON SOLUTION MO	1	
penicillin v potassium 125 mg/5 ml, 250 mg/5 ml RECON SOLUTION MO	1	
penicillin v potassium 250 mg, 500 mg TABLET MO	1	
pfizerpen-g 20 million unit, 5 million unit RECON SOLUTION MO	1	
piperacillin-tazobactam 13.5 gram, 2.25 gram, 3.375 gram, 4.5 gram, 40.5 gram RECON SOLUTION MO	1	
polymyxin b sulfate 500,000 unit RECON SOLUTION MO	1	
PRIMAXIN IV 500 MG RECON SOLUTION MO	3	
PRIMSOL 50 MG/5 ML SOLUTION MO	3	
RECARBRIO 1.25 GRAM RECON SOLUTION DL	4	
rosadan 0.75 % CREAM MO	1	ST
rosadan 0.75 % GEL MO	1	ST
SEYSARA 100 MG, 150 MG, 60 MG TABLET MO	3	ST,QL(30 per 30 days)
SIVEXTRO 200 MG RECON SOLUTION DL	4	QL(6 per 28 days)
SIVEXTRO 200 MG TABLET DL	4	QL(6 per 28 days)
SOLODYN 105 MG, 115 MG, 55 MG, 65 MG, 80 MG TABLET, ER 24 HR. DL	4	ST,QL(30 per 30 days)
SOLOSEC 2 GRAM DR GRANULES IN PACKET MO	3	PA
streptomycin 1 gram RECON SOLUTION DL	4	
sulfacetamide sodium 10 % OINTMENT MO	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL- Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • \$0 - Vaccine/Diabetic • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
sulfacetamide sodium (acne) 10 % SUSPENSION MO	1	QL(118 per 30 days)
sulfadiazine 500 mg TABLET MO	1	
sulfamethoxazole-trimethoprim 200-40 mg/5 ml SUSPENSION MO	1	
sulfamethoxazole-trimethoprim 400-80 mg TABLET MO	1	
sulfamethoxazole-trimethoprim 400-80 mg/5 ml SOLUTION MO	1	
sulfamethoxazole-trimethoprim 800-160 mg TABLET MO	1	
SULFATRIM 200-40 MG/5 ML SUSPENSION MO	3	
SUPRAX 100 MG/5 ML SUSPENSION FOR RECONSTITUTION MO	1	
SYNERCID 500 MG RECON SOLUTION DL	4	
TARGADOX 50 MG TABLET MO	1	ST,QL(180 per 30 days)
tazicef 1 gram, 2 gram, 6 gram RECON SOLUTION MO	1	
TEFLARO 400 MG, 600 MG RECON SOLUTION DL	4	
tetracycline 250 mg, 500 mg CAPSULE MO	1	
tigecycline 50 mg RECON SOLUTION DL	4	
tinidazole 250 mg, 500 mg TABLET MO	1	
TOBI 300 MG/5 ML SOLUTION FOR NEBULIZATION DL	4	PA
tobramycin 300 mg/4 ml SOLUTION FOR NEBULIZATION DL	4	PA
tobramycin in 0.225 % nacl 300 mg/5 ml SOLUTION FOR NEBULIZATION MO	1	PA
tobramycin sulfate 1.2 gram RECON SOLUTION DL	4	
tobramycin sulfate 10 mg/ml, 40 mg/ml SOLUTION MO	1	
tobramycin with nebulizer 300 mg/5 ml SOLUTION FOR NEBULIZATION DL	4	PA
trimethoprim 100 mg TABLET MO	1	
TYGACIL 50 MG RECON SOLUTION DL	4	
UNASYN 1.5 GRAM, 15 GRAM, 3 GRAM RECON SOLUTION MO	3	
VABOMERE 2 GRAM RECON SOLUTION DL	4	QL(84 per 14 days)
VANOCIN 125 MG CAPSULE MO	3	PA,QL(120 per 30 days)
VANOCIN 250 MG CAPSULE DL	4	PA,QL(240 per 30 days)
vancomycin 1,000 mg, 1.25 gram, 1.5 gram, 10 gram, 25 mg/ml, 250 mg, 5 gram, 50 mg/ml, 500 mg, 750 mg RECON SOLUTION MO	1	
vancomycin 125 mg CAPSULE MO	1	PA,QL(120 per 30 days)
vancomycin 250 mg CAPSULE MO	1	PA,QL(240 per 30 days)
vancomycin in 0.9 % sodium chl 1 gram/200 ml, 500 mg/100 ml, 750 mg/150 ml PIGGYBACK MO	3	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL- Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • \$0 - Vaccine/Diabetic • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
vancomycin in dextrose 5 % 1 gram/200 ml, 750 mg/150 ml PIGGYBACK MO	3	
vancomycin in dextrose 5 % 500 mg/100 ml PIGGYBACK DL	3	
vancomycin-diluent combo no.1 1 gram/200 ml, 1.5 gram/300 ml, 500 mg/100 ml PIGGYBACK DL	3	
vancomycin-diluent combo no.1 1.25 gram/250 ml, 1.75 gram/350 ml, 2 gram/400 ml, 750 mg/150 ml PIGGYBACK MO	3	
VANDAZOLE 0.75 % (37.5MG/5 GRAM) GEL MO	3	
VIBATIV 750 MG RECON SOLUTION DL	4	
VIBRAMYCIN 100 MG CAPSULE MO	3	
VIBRAMYCIN (CALCIUM) 50 MG/5 ML SYRUP MO	3	ST
XACIATO 2 % GEL MO	3	
XENLETA 150 MG/15 ML SOLUTION DL	4	QL(210 per 7 days)
XENLETA 600 MG TABLET DL	4	
XERAVA 100 MG, 50 MG RECON SOLUTION MO	3	
XIMINO 135 MG, 90 MG CAPSULE, ER 24 HR. DL	4	ST,QL(30 per 30 days)
XIMINO 45 MG CAPSULE, ER 24 HR. MO	3	ST,QL(30 per 30 days)
ZEMDRI 50 MG/ML SOLUTION DL	4	
ZERBAXA 1.5 GRAM RECON SOLUTION DL	4	
ZITHROMAX 1 GRAM PACKET MO	3	
ZITHROMAX 100 MG/5 ML, 200 MG/5 ML SUSPENSION FOR RECONSTITUTION MO	3	
ZITHROMAX 250 MG, 500 MG TABLET MO	3	
ZITHROMAX 500 MG RECON SOLUTION MO	3	
ZITHROMAX TRI-PAK 500 MG TABLET MO	3	
ZITHROMAX Z-PAK 250 MG TABLET MO	3	
ZOSYN IN DEXTROSE (ISO-OSM) 2.25 GRAM/50 ML, 3.375 GRAM/50 ML, 4.5 GRAM/100 ML PIGGYBACK MO	3	
ZYVOX 100 MG/5 ML SUSPENSION FOR RECONSTITUTION DL	4	PA,QL(1800 per 30 days)
ZYVOX 200 MG/100 ML, 600 MG/300 ML PIGGYBACK MO	3	
ZYVOX 600 MG TABLET DL	4	PA,QL(60 per 30 days)
ANTICONVULSANTS		
APTiom 200 MG, 400 MG TABLET	4	PA,QL(30 per 30 days)
APTiom 600 MG, 800 MG TABLET	4	PA,QL(60 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL- Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • \$0 – Vaccine/Diabetic • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
BANZEL 200 MG TABLET DL	4	PA,QL(480 per 30 days)
BANZEL 40 MG/ML SUSPENSION DL	4	PA,QL(2760 per 30 days)
BANZEL 400 MG TABLET DL	4	PA,QL(240 per 30 days)
BRIVIACT 10 MG, 100 MG, 25 MG, 50 MG, 75 MG TABLET	4	PA,QL(60 per 30 days)
BRIVIACT 10 MG/ML SOLUTION	4	PA,QL(600 per 30 days)
BRIVIACT 50 MG/5 ML SOLUTION	4	PA
carbamazepine 100 mg CHEWABLE TABLET MO	1	
carbamazepine 100 mg, 200 mg TABLET, ER 12 HR. MO	1	QL(120 per 30 days)
carbamazepine 100 mg, 200 mg, 300 mg CAPSULE ER MULTIPHASE 12 HR. MO	1	
carbamazepine 100 mg/5 ml, 200 mg/10 ml SUSPENSION MO	1	
carbamazepine 200 mg TABLET MO	1	
carbamazepine 400 mg TABLET, ER 12 HR. MO	1	QL(225 per 30 days)
CARBATROL 100 MG, 200 MG, 300 MG CAPSULE ER MULTIPHASE 12 HR. MO	3	
CELONTIN 300 MG CAPSULE MO	3	
CEREBYX 100 MG PE/2 ML, 500 MG PE/10 ML SOLUTION MO	3	
clobazam 10 mg, 20 mg TABLET DL	1	PA
clobazam 2.5 mg/ml SUSPENSION DL	1	PA
DEPAKOTE 125 MG, 250 MG, 500 MG TABLET, DR/EC MO	3	
DEPAKOTE ER 250 MG, 500 MG TABLET, ER 24 HR. MO	3	
DEPAKOTE SPRINKLES 125 MG CAPSULE, DR SPRINKLE MO	3	
DIACOMIT 250 MG, 500 MG CAPSULE DL	4	PA,QL(180 per 30 days)
DIACOMIT 250 MG, 500 MG POWDER IN PACKET DL	4	PA,QL(180 per 30 days)
DIASTAT 2.5 MG KIT DL	3	PA
DIASTAT ACUDIAL 12.5-15-17.5-20 MG, 5-7.5-10 MG KIT DL	3	PA
diazepam 12.5-15-17.5-20 mg, 2.5 mg, 5-7.5-10 mg KIT DL	1	
DILANTIN 30 MG CAPSULE MO	1	
DILANTIN EXTENDED 100 MG CAPSULE MO	1	
DILANTIN INFATABS 50 MG CHEWABLE TABLET MO	1	
DILANTIN-125 125 MG/5 ML SUSPENSION MO	3	
divalproex 125 mg CAPSULE, DR SPRINKLE MO	1	
divalproex 125 mg, 250 mg, 500 mg TABLET, DR/EC MO	1	
divalproex 250 mg, 500 mg TABLET, ER 24 HR. MO	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL- Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • \$0 - Vaccine/Diabetic • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
EPIDIOLEX 100 MG/ML SOLUTION DL	4	PA
epitol 200 mg TABLET MO	1	
EQUETRO 100 MG, 200 MG, 300 MG CAPSULE ER MULTIPHASE 12 HR. MO	3	PA
ethosuximide 250 mg CAPSULE MO	1	
ethosuximide 250 mg/5 ml SOLUTION MO	1	
felbamate 400 mg, 600 mg TABLET MO	1	
felbamate 600 mg/5 ml SUSPENSION MO	1	
FELBATOL 400 MG, 600 MG TABLET DL	4	PA
FELBATOL 600 MG/5 ML SUSPENSION DL	4	PA
FINTEPLA 2.2 MG/ML SOLUTION DL,LA	4	PA,QL(360 per 30 days)
fosphenytoin 100 mg pe/2 ml, 500 mg pe/10 ml SOLUTION MO	1	
FYCOMPA 0.5 MG/ML SUSPENSION	4	PA,QL(680 per 28 days)
FYCOMPA 10 MG, 12 MG, 4 MG, 6 MG, 8 MG TABLET	4	PA,QL(30 per 30 days)
FYCOMPA 2 MG TABLET MO	3	PA,QL(30 per 30 days)
gabapentin 100 mg, 300 mg, 400 mg CAPSULE MO	1	QL(270 per 30 days)
gabapentin 250 mg/5 ml, 250 mg/5 ml (5 ml), 300 mg/6 ml (6 ml) SOLUTION MO	1	QL(2250 per 30 days)
gabapentin 600 mg, 800 mg TABLET MO	1	QL(180 per 30 days)
GABITRIL 12 MG, 16 MG, 2 MG, 4 MG TABLET DL	4	PA
KEPPRA 1,000 MG, 500 MG, 750 MG TABLET	4	PA
KEPPRA 100 MG/ML, 500 MG/5 ML SOLUTION	4	PA
KEPPRA 250 MG TABLET MO	3	PA
KEPPRA XR 500 MG TABLET, ER 24 HR.	4	PA,QL(180 per 30 days)
KEPPRA XR 750 MG TABLET, ER 24 HR.	4	PA,QL(120 per 30 days)
lacosamide 10 mg/ml SOLUTION MO	1	QL(1395 per 30 days)
lacosamide 100 mg, 150 mg, 200 mg, 50 mg TABLET MO	1	QL(60 per 30 days)
lacosamide 200 mg/20 ml SOLUTION MO	1	
LAMICTAL 100 MG, 150 MG, 200 MG, 25 MG TABLET	4	
LAMICTAL 25 MG, 5 MG TABLET, CHEWABLE DISPERSIBLE	4	
LAMICTAL ODT 100 MG, 200 MG, 25 MG, 50 MG TABLET, DISINTEGRATING	4	
LAMICTAL ODT STARTER (BLUE) 25 MG (21) -50 MG (7) TABLET, DISINTEGRATING,DOSE PK	4	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL- Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • \$0 – Vaccine/Diabetic • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
LAMICTAL ODT STARTER (GREEN) 50 MG (42) -100 MG (14) TABLET, DISINTEGRATING,DOSE PK	4	
LAMICTAL ODT STARTER (ORANGE) 25 MG(14)-50 MG (14)-100 MG (7) TABLET, DISINTEGRATING,DOSE PK	4	
LAMICTAL STARTER (BLUE) KIT 25 MG (35) TABLET, DOSE PACK MO	3	
LAMICTAL STARTER (GREEN) KIT 25 MG (84) -100 MG (14) TABLET, DOSE PACK MO	3	
LAMICTAL STARTER (ORANGE) KIT 25 MG (42) -100 MG (7) TABLET, DOSE PACK MO	3	
LAMICTAL XR 100 MG, 200 MG, 25 MG, 250 MG, 300 MG, 50 MG TABLET, ER 24 HR.	4	
LAMICTAL XR STARTER (BLUE) 25 MG (21) -50 MG (7) TABLET, ER, DOSE PACK MO	3	
LAMICTAL XR STARTER (GREEN) 50 MG(14)-100MG (14)-200 MG (7) TABLET, ER, DOSE PACK MO	3	
LAMICTAL XR STARTER (ORANGE) 25MG (14)-50 MG (14)-100MG (7) TABLET, ER, DOSE PACK MO	3	
lamotrigine 100 mg, 200 mg TABLET MO	1	
lamotrigine 100 mg, 200 mg, 25 mg, 250 mg, 300 mg, 50 mg TABLET, ER 24 HR. MO	1	
lamotrigine 100 mg, 200 mg, 25 mg, 50 mg TABLET, DISINTEGRATING MO	1	
lamotrigine 150 mg, 25 mg TABLET MO	1	
lamotrigine 25 mg (21) -50 mg (7), 25 mg(14)-50 mg (14)-100 mg (7), 50 mg (42) -100 mg (14) TABLET, DISINTEGRATING,DOSE PK MO	1	
lamotrigine 25 mg (35), 25 mg (42) -100 mg (7), 25 mg (84) -100 mg (14) TABLET, DOSE PACK MO	1	
lamotrigine 25 mg, 5 mg TABLET, CHEWABLE DISPERSIBLE MO	1	
levetiracetam 1,000 mg, 250 mg, 750 mg TABLET MO	1	
levetiracetam 100 mg/ml, 500 mg/5 ml SOLUTION MO	1	
levetiracetam 500 mg TABLET MO	1	
levetiracetam 500 mg TABLET, ER 24 HR. MO	1	QL(180 per 30 days)
levetiracetam 500 mg/5 ml (5 ml) SOLUTION MO	1	QL(900 per 30 days)
levetiracetam 750 mg TABLET, ER 24 HR. MO	1	QL(120 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL- Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • \$0 – Vaccine/Diabetic • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
levetiracetam in nacl (iso-os) 1,000 mg/100 ml, 1,500 mg/100 ml, 500 mg/100 ml PIGGYBACK MO	1	
methsuximide 300 mg CAPSULE MO	1	
MYSOLINE 250 MG, 50 MG TABLET DL	4	PA
NAYZILAM 5 MG/SPRAY (0.1 ML) SPRAY, NON-AEROSOL DL	3	QL(10 per 30 days)
NEMBUTAL SODIUM 50 MG/ML SOLUTION MO	1	
NEURONTIN 100 MG, 300 MG, 400 MG CAPSULE MO	3	PA,QL(270 per 30 days)
NEURONTIN 250 MG/5 ML SOLUTION DL	4	PA,QL(2250 per 30 days)
NEURONTIN 600 MG, 800 MG TABLET	4	PA,QL(180 per 30 days)
ONFI 10 MG, 20 MG TABLET DL	4	PA
ONFI 2.5 MG/ML SUSPENSION DL	4	PA
oxcarbazepine 150 mg, 300 mg, 600 mg TABLET MO	1	
oxcarbazepine 300 mg/5 ml (60 mg/ml) SUSPENSION MO	1	
OXTELLAR XR 150 MG, 300 MG, 600 MG TABLET, ER 24 HR.	4	ST
pentobarbital sodium 50 mg/ml SOLUTION MO	1	
phenobarbital 100 mg, 16.2 mg, 32.4 mg, 64.8 mg, 97.2 mg TABLET MO	1	QL(90 per 30 days)
phenobarbital 15 mg, 60 mg TABLET MO	1	QL(120 per 30 days)
phenobarbital 20 mg/5 ml (4 mg/ml) ELIXIR MO	1	QL(1500 per 30 days)
phenobarbital 30 mg TABLET MO	1	QL(300 per 30 days)
phenobarbital sodium 130 mg/ml, 65 mg/ml SOLUTION DL	4	
PHENYTEK 200 MG, 300 MG CAPSULE MO	1	
phenytoin 100 mg/4 ml, 125 mg/5 ml SUSPENSION MO	1	
phenytoin 50 mg CHEWABLE TABLET MO	1	
phenytoin sodium 50 mg/ml SOLUTION MO	1	
phenytoin sodium 50 mg/ml SYRINGE MO	1	
phenytoin sodium extended 100 mg, 200 mg, 300 mg CAPSULE MO	1	
primidone 125 mg, 250 mg TABLET MO	1	
primidone 50 mg TABLET MO	1	
roweepra 1,000 mg, 500 mg, 750 mg TABLET MO	1	
roweepra xr 500 mg TABLET, ER 24 HR. MO	1	QL(180 per 30 days)
roweepra xr 750 mg TABLET, ER 24 HR. MO	1	QL(120 per 30 days)
rufinamide 200 mg TABLET MO	1	PA,QL(480 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL- Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • \$0 - Vaccine/Diabetic • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
rufinamide 40 mg/ml SUSPENSION MO	1	PA,QL(2760 per 30 days)
rufinamide 400 mg TABLET MO	1	PA,QL(240 per 30 days)
SABRIL 500 MG POWDER IN PACKET DL	4	PA,QL(180 per 30 days)
SABRIL 500 MG TABLET DL	4	PA,QL(180 per 30 days)
SEZABY 100 MG RECON SOLUTION DL	4	
SPRITAM 1,000 MG TABLET FOR SUSPENSION MO	3	ST,QL(90 per 30 days)
SPRITAM 250 MG TABLET FOR SUSPENSION MO	3	ST,QL(360 per 30 days)
SPRITAM 500 MG TABLET FOR SUSPENSION MO	3	ST,QL(180 per 30 days)
SPRITAM 750 MG TABLET FOR SUSPENSION MO	3	ST,QL(120 per 30 days)
subvenite 100 mg, 150 mg, 200 mg, 25 mg TABLET MO	1	
subvenite starter (blue) kit 25 mg (35) TABLET, DOSE PACK MO	1	
subvenite starter (green) kit 25 mg (84) -100 mg (14) TABLET, DOSE PACK MO	1	
subvenite starter (orange) kit 25 mg (42) -100 mg (7) TABLET, DOSE PACK MO	1	
SYMPAZAN 10 MG, 20 MG, 5 MG FILM DL	4	PA,QL(60 per 30 days)
TEGRETOL 100 MG/5 ML SUSPENSION MO	3	
TEGRETOL 200 MG TABLET MO	3	
TEGRETOL XR 100 MG, 200 MG TABLET, ER 12 HR. MO	3	QL(120 per 30 days)
TEGRETOL XR 400 MG TABLET, ER 12 HR. MO	3	QL(225 per 30 days)
tiagabine 12 mg, 16 mg, 2 mg, 4 mg TABLET MO	1	
TRILEPTAL 150 MG TABLET MO	3	PA
TRILEPTAL 300 MG, 600 MG TABLET	4	PA
TRILEPTAL 300 MG/5 ML (60 MG/ML) SUSPENSION	4	PA
valproate sodium 500 mg/5 ml (100 mg/ml) SOLUTION MO	1	
valproic acid 250 mg CAPSULE MO	1	
valproic acid (as sodium salt) 250 mg/5 ml, 250 mg/5 ml (5 ml), 500 mg/10 ml (10 ml) SOLUTION MO	1	
VALTOCO 10 MG/SPRAY (0.1 ML), 15 MG/2 SPRAY (7.5/0.1ML X 2), 20 MG/2 SPRAY (10MG/0.1ML X2), 5 MG/SPRAY (0.1 ML) SPRAY, NON-AEROSOL DL	4	QL(10 per 30 days)
vigabatrin 500 mg POWDER IN PACKET DL	4	PA,QL(180 per 30 days)
vigabatrin 500 mg TABLET DL	4	PA,QL(180 per 30 days)
vigadrone 500 mg POWDER IN PACKET DL	4	PA,QL(180 per 30 days)
vigadrone 500 mg TABLET DL	4	PA,QL(180 per 30 days)
vigpoder 500 mg POWDER IN PACKET DL	4	PA,QL(180 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL- Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • \$0 - Vaccine/Diabetic • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
VIMPAT 10 MG/ML SOLUTION DL	4	PA,QL(1395 per 30 days)
VIMPAT 100 MG, 150 MG, 200 MG TABLET DL	4	PA,QL(60 per 30 days)
VIMPAT 200 MG/20 ML SOLUTION DL	4	PA
VIMPAT 50 MG TABLET MO	3	PA,QL(60 per 30 days)
XCOPRI 100 MG, 50 MG TABLET DL	4	QL(30 per 30 days)
XCOPRI 150 MG, 200 MG TABLET DL	4	QL(60 per 30 days)
XCOPRI MAINTENANCE PACK 250MG/DAY(150 MG X1-100MG X1), 350 MG/DAY (200 MG X1-150MG X1) TABLET DL	4	QL(56 per 28 days)
XCOPRI TITRATION PACK 12.5 MG (14)- 25 MG (14) TABLET, DOSE PACK MO	3	QL(28 per 28 days)
XCOPRI TITRATION PACK 150 MG (14)- 200 MG (14), 50 MG (14)- 100 MG (14) TABLET, DOSE PACK DL	4	QL(28 per 28 days)
ZARONTIN 250 MG CAPSULE MO	3	
ZARONTIN 250 MG/5 ML SOLUTION MO	1	
ZONEGRAN 100 MG, 25 MG CAPSULE	4	PA
ZONISADE 100 MG/5 ML SUSPENSION MO	3	PA,QL(900 per 30 days)
zonisamide 100 mg, 25 mg, 50 mg CAPSULE MO	1	
ZTALMY 50 MG/ML SUSPENSION DL	4	PA,QL(1080 per 30 days)
ANTIDEMENTIA AGENTS		
ADLARITY 10 MG/24 HOUR, 5 MG/24 HOUR PATCH, WEEKLY MO	3	ST,QL(4 per 28 days)
ARICEPT 10 MG TABLET MO	3	PA,QL(60 per 30 days)
ARICEPT 23 MG, 5 MG TABLET MO	3	PA,QL(30 per 30 days)
donepezil 10 mg TABLET MO	1	QL(60 per 30 days)
donepezil 10 mg, 5 mg TABLET, DISINTEGRATING MO	1	QL(30 per 30 days)
donepezil 23 mg TABLET MO	1	QL(30 per 30 days)
donepezil 5 mg TABLET MO	1	QL(30 per 30 days)
ergoloid 1 mg TABLET MO	1	
EXELON PATCH 13.3 MG/24 HOUR, 4.6 MG/24 HOUR, 9.5 MG/24 HOUR PATCH, 24 HR. MO	3	PA,QL(30 per 30 days)
galantamine 12 mg, 4 mg, 8 mg TABLET MO	1	QL(60 per 30 days)
galantamine 16 mg, 24 mg, 8 mg CAPSULE ER PELLETS 24 HR. MO	1	QL(30 per 30 days)
galantamine 4 mg/ml SOLUTION MO	1	QL(200 per 30 days)
memantine 10 mg, 5 mg TABLET MO	1	PA,QL(60 per 30 days)
memantine 14 mg, 21 mg, 28 mg, 7 mg CAPSULE ER SPRINKLE 24 HR. MO	1	PA,QL(30 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL- Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • \$0 - Vaccine/Diabetic • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
memantine 2 mg/ml SOLUTION MO	1	PA,QL(360 per 30 days)
memantine 5-10 mg TABLET, DOSE PACK MO	1	PA,QL(98 per 30 days)
NAMENDA 10 MG, 5 MG TABLET MO	3	PA,QL(60 per 30 days)
NAMENDA TITRATION PAK 5-10 MG TABLET, DOSE PACK MO	3	PA,QL(98 per 30 days)
NAMENDA XR 14 MG, 21 MG, 28 MG, 7 MG CAPSULE ER SPRINKLE 24 HR. MO	3	PA,QL(30 per 30 days)
NAMENDA XR 7-14-21-28 MG CAPSULE ER SPRINKLE 24 HR. MO	3	PA,QL(28 per 28 days)
NAMZARIC 14-10 MG, 21-10 MG, 28-10 MG, 7-10 MG CAPSULE ER SPRINKLE 24 HR. MO	2	QL(30 per 30 days)
NAMZARIC 7/14/21/28 MG-10 MG CAPSULE ER SPRINKLE 24 HR. MO	2	QL(28 per 28 days)
RAZADYNE ER 16 MG, 24 MG, 8 MG CAPSULE ER PELLETS 24 HR. MO	3	PA,QL(30 per 30 days)
rivastigmine 13.3 mg/24 hour, 4.6 mg/24 hour, 9.5 mg/24 hour PATCH, 24 HR. MO	1	QL(30 per 30 days)
rivastigmine tartrate 1.5 mg, 3 mg CAPSULE MO	1	QL(90 per 30 days)
rivastigmine tartrate 4.5 mg, 6 mg CAPSULE MO	1	QL(60 per 30 days)
ANTIDEPRESSANTS		
amitriptyline 10 mg, 100 mg, 150 mg, 50 mg, 75 mg TABLET MO	1	
amitriptyline 25 mg TABLET MO	1	
amitriptyline-chlordiazepoxide 12.5-5 mg, 25-10 mg TABLET DL	1	
amoxapine 100 mg, 150 mg, 25 mg, 50 mg TABLET MO	1	
ANAFRANIL 25 MG, 50 MG, 75 MG CAPSULE DL	4	
APLENZIN 174 MG, 348 MG, 522 MG TABLET, ER 24 HR.	4	ST,QL(30 per 30 days)
AUVELITY 45-105 MG TABLET, IR/ER, BIPHASIC MO	3	PA,QL(60 per 30 days)
BRISDELLE 7.5 MG CAPSULE MO	3	QL(30 per 30 days)
bupropion hcl 100 mg TABLET, SR 12 HR. MO	1	QL(120 per 30 days)
bupropion hcl 100 mg, 75 mg TABLET MO	1	QL(180 per 30 days)
bupropion hcl 150 mg TABLET, ER 24 HR. MO	1	QL(90 per 30 days)
bupropion hcl 150 mg TABLET, SR 12 HR. MO	1	QL(90 per 30 days)
bupropion hcl 200 mg TABLET, SR 12 HR. MO	1	QL(60 per 30 days)
bupropion hcl 300 mg TABLET, ER 24 HR. MO	1	QL(60 per 30 days)
bupropion hcl 450 mg TABLET, ER 24 HR. MO	1	ST,QL(30 per 30 days)
CELEXA 10 MG, 40 MG TABLET MO	3	PA,QL(30 per 30 days)
CELEXA 20 MG TABLET MO	3	PA,QL(60 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL- Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • \$0 - Vaccine/Diabetic • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
<i>citalopram 10 mg, 40 mg TABLET</i> MO	1	QL(30 per 30 days)
<i>citalopram 10 mg/5 ml SOLUTION</i> MO	1	
<i>citalopram 20 mg TABLET</i> MO	1	QL(60 per 30 days)
CITALOPRAM 30 MG CAPSULE MO	3	QL(30 per 30 days)
<i>clomipramine 25 mg, 50 mg, 75 mg CAPSULE</i> MO	1	
CYMBALTA 20 MG CAPSULE, DR/EC MO	3	PA,QL(120 per 30 days)
CYMBALTA 30 MG CAPSULE, DR/EC MO	3	PA,QL(90 per 30 days)
CYMBALTA 60 MG CAPSULE, DR/EC MO	3	PA,QL(60 per 30 days)
<i>desipramine 10 mg, 100 mg, 150 mg, 25 mg, 50 mg, 75 mg TABLET</i> MO	1	
<i>desvenlafaxine 100 mg, 50 mg TABLET, ER 24 HR.</i> MO	3	ST,QL(30 per 30 days)
<i>desvenlafaxine succinate 100 mg, 25 mg, 50 mg TABLET, ER 24 HR.</i> MO	1	QL(30 per 30 days)
DRIZALMA SPRINKLE 20 MG, 30 MG, 40 MG, 60 MG CAPSULE, DR SPRINKLE MO	3	PA,QL(60 per 30 days)
<i>duloxetine 20 mg CAPSULE, DR/EC</i> MO	1	QL(120 per 30 days)
<i>duloxetine 30 mg CAPSULE, DR/EC</i> MO	1	QL(90 per 30 days)
<i>duloxetine 40 mg CAPSULE, DR/EC</i> MO	1	QL(60 per 30 days)
<i>duloxetine 60 mg CAPSULE, DR/EC</i> MO	1	QL(60 per 30 days)
EFFEXOR XR 150 MG CAPSULE, ER 24 HR. MO	3	PA,QL(60 per 30 days)
EFFEXOR XR 37.5 MG, 75 MG CAPSULE, ER 24 HR. MO	3	PA,QL(90 per 30 days)
EMSAM 12 MG/24 HR, 6 MG/24 HR, 9 MG/24 HR PATCH, 24 HR.	4	PA,QL(30 per 30 days)
<i>escitalopram oxalate 10 mg TABLET</i> MO	1	QL(45 per 30 days)
<i>escitalopram oxalate 20 mg, 5 mg TABLET</i> MO	1	QL(30 per 30 days)
<i>escitalopram oxalate 5 mg/5 ml SOLUTION</i> MO	1	QL(600 per 30 days)
FETZIMA 120 MG, 20 MG, 40 MG, 80 MG CAPSULE, ER 24 HR. MO	3	PA,QL(30 per 30 days)
FETZIMA 20 MG (2)- 40 MG (26) CAPSULE, ER 24 HR. MO	3	PA,QL(28 per 28 days)
<i>fluoxetine 10 mg CAPSULE</i> MO	1	QL(60 per 30 days)
<i>fluoxetine 10 mg TABLET</i> MO	1	QL(240 per 30 days)
<i>fluoxetine 20 mg CAPSULE</i> MO	1	QL(120 per 30 days)
<i>fluoxetine 20 mg TABLET</i> MO	1	QL(120 per 30 days)
<i>fluoxetine 20 mg/5 ml (4 mg/ml) SOLUTION</i> MO	1	
<i>fluoxetine 40 mg CAPSULE</i> MO	1	QL(60 per 30 days)
<i>fluoxetine 60 mg TABLET</i> MO	1	QL(30 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL- Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • \$0 - Vaccine/Diabetic • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
fluoxetine 90 mg CAPSULE, DR/EC MO	1	QL(4 per 28 days)
fluvoxamine 100 mg, 150 mg CAPSULE, ER 24 HR. MO	1	QL(60 per 30 days)
fluvoxamine 100 mg, 25 mg, 50 mg TABLET MO	1	QL(90 per 30 days)
FORFIVO XL 450 MG TABLET, ER 24 HR. MO	3	ST,QL(30 per 30 days)
imipramine hcl 10 mg TABLET MO	1	
imipramine hcl 25 mg, 50 mg TABLET MO	1	
imipramine pamoate 100 mg, 125 mg, 150 mg, 75 mg CAPSULE MO	1	
LEXAPRO 10 MG TABLET MO	3	PA,QL(45 per 30 days)
LEXAPRO 20 MG, 5 MG TABLET MO	3	PA,QL(30 per 30 days)
MARPLAN 10 MG TABLET MO	3	
mirtazapine 15 mg, 30 mg, 45 mg TABLET, DISINTEGRATING MO	1	QL(30 per 30 days)
mirtazapine 15 mg, 30 mg, 7.5 mg TABLET MO	1	
mirtazapine 45 mg TABLET MO	1	
NARDIL 15 MG TABLET MO	3	
nefazodone 100 mg, 150 mg, 200 mg, 250 mg, 50 mg TABLET MO	1	
NORPRAMIN 10 MG, 25 MG TABLET MO	3	
nortriptyline 10 mg, 25 mg, 50 mg, 75 mg CAPSULE MO	1	
nortriptyline 10 mg/5 ml SOLUTION MO	1	
olanzapine-fluoxetine 12-25 mg, 12-50 mg, 3-25 mg, 6-25 mg, 6-50 mg CAPSULE MO	1	QL(30 per 30 days)
PAMELOR 10 MG, 25 MG, 50 MG, 75 MG CAPSULE DL	4	
PARNATE 10 MG TABLET DL	4	
paroxetine hcl 10 mg TABLET MO	1	QL(30 per 30 days)
paroxetine hcl 10 mg/5 ml SUSPENSION MO	1	
paroxetine hcl 12.5 mg, 37.5 mg TABLET, ER 24 HR. MO	1	QL(60 per 30 days)
paroxetine hcl 20 mg TABLET MO	1	QL(30 per 30 days)
paroxetine hcl 25 mg TABLET, ER 24 HR. MO	1	QL(90 per 30 days)
paroxetine hcl 30 mg, 40 mg TABLET MO	1	QL(60 per 30 days)
paroxetine mesylate(menop.sym) 7.5 mg CAPSULE MO	1	QL(30 per 30 days)
PAXIL 10 MG, 20 MG TABLET MO	3	QL(30 per 30 days)
PAXIL 10 MG/5 ML SUSPENSION MO	3	PA
PAXIL 30 MG, 40 MG TABLET MO	3	QL(60 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL- Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • \$0 - Vaccine/Diabetic • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
PAXIL CR 12.5 MG, 37.5 MG TABLET, ER 24 HR. MO	3	QL(60 per 30 days)
PAXIL CR 25 MG TABLET, ER 24 HR. MO	3	QL(90 per 30 days)
perphenazine-amitriptyline 2-10 mg, 2-25 mg, 4-10 mg, 4-25 mg, 4-50 mg TABLET MO	1	
PEXEVA 10 MG, 20 MG TABLET MO	3	QL(30 per 30 days)
PEXEVA 30 MG, 40 MG TABLET MO	3	QL(60 per 30 days)
phenelzine 15 mg TABLET MO	1	
PRISTIQ 100 MG, 25 MG, 50 MG TABLET, ER 24 HR. MO	3	PA,QL(30 per 30 days)
protriptyline 10 mg, 5 mg TABLET MO	1	
PROZAC 10 MG, 40 MG CAPSULE	4	PA,QL(60 per 30 days)
PROZAC 20 MG CAPSULE	4	PA,QL(120 per 30 days)
REMERON 15 MG, 30 MG TABLET MO	3	
REMERON SOLTAB 15 MG, 30 MG, 45 MG TABLET, DISINTEGRATING MO	3	QL(30 per 30 days)
sertraline 100 mg TABLET MO	1	QL(60 per 30 days)
SERTRALINE 150 MG, 200 MG CAPSULE MO	3	QL(30 per 30 days)
sertraline 20 mg/ml CONCENTRATE MO	1	
sertraline 25 mg, 50 mg TABLET MO	1	QL(90 per 30 days)
SYMBYAX 12-50 MG, 3-25 MG, 6-25 MG, 6-50 MG CAPSULE MO	3	PA,QL(30 per 30 days)
tranylcypromine 10 mg TABLET MO	1	
trazodone 100 mg, 150 mg, 50 mg TABLET MO	1	
trazodone 300 mg TABLET MO	1	
trimipramine 100 mg, 25 mg, 50 mg CAPSULE MO	1	
TRINTELLIX 10 MG, 20 MG, 5 MG TABLET MO	3	ST,QL(30 per 30 days)
venlafaxine 100 mg, 25 mg, 37.5 mg, 50 mg, 75 mg TABLET MO	1	
venlafaxine 150 mg CAPSULE, ER 24 HR. MO	1	QL(60 per 30 days)
venlafaxine 150 mg, 225 mg, 37.5 mg TABLET, ER 24 HR. MO	1	QL(30 per 30 days)
venlafaxine 37.5 mg CAPSULE, ER 24 HR. MO	1	QL(90 per 30 days)
venlafaxine 75 mg CAPSULE, ER 24 HR. MO	1	QL(90 per 30 days)
venlafaxine 75 mg TABLET, ER 24 HR. MO	1	QL(60 per 30 days)
VENLAFAXINE BESYLATE 112.5 MG TABLET, ER 24 HR. MO	3	QL(60 per 30 days)
VIIBRYD 10 MG (7)- 20 MG (23) TABLET, DOSE PACK MO	3	PA,QL(30 per 30 days)
VIIBRYD 10 MG, 20 MG, 40 MG TABLET MO	3	PA,QL(30 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL- Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • \$0 - Vaccine/Diabetic • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
<i>vilazodone 10 mg, 20 mg, 40 mg TABLET</i> MO	1	PA,QL(30 per 30 days)
WELLBUTRIN SR 100 MG TABLET, SR 12 HR. MO	3	PA,QL(120 per 30 days)
WELLBUTRIN SR 150 MG TABLET, SR 12 HR. MO	3	PA,QL(90 per 30 days)
WELLBUTRIN SR 200 MG TABLET, SR 12 HR. MO	3	PA,QL(60 per 30 days)
WELLBUTRIN XL 150 MG TABLET, ER 24 HR.	4	PA,QL(90 per 30 days)
WELLBUTRIN XL 300 MG TABLET, ER 24 HR.	4	PA,QL(60 per 30 days)
ZOLOFT 100 MG TABLET MO	3	PA,QL(60 per 30 days)
ZOLOFT 20 MG/ML CONCENTRATE MO	3	PA
ZOLOFT 25 MG, 50 MG TABLET MO	3	PA,QL(90 per 30 days)
ZULRESSO 5 MG/ML SOLUTION DL	4	PA,QL(100 per 365 days)
ZURZUVAE 20 MG, 25 MG CAPSULE DL	4	PA,QL(28 per 365 days)
ZURZUVAE 30 MG CAPSULE DL	4	PA,QL(14 per 365 days)
ANTIEMETICS		
AKYNZEO (FOSNETUPITANT) 235 MG-0.25 MG /20 ML SOLUTION DL	4	PA,QL(80 per 28 days)
AKYNZEO (FOSNETUPITANT) 235-0.25 MG RECON SOLUTION DL	4	PA,QL(4 per 28 days)
AKYNZEO (NETUPITANT) 300-0.5 MG CAPSULE DL	4	PA
ANTIVERT 25 MG CHEWABLE TABLET MO	3	
ANTIVERT 50 MG TABLET MO	3	
ANZEMET 50 MG TABLET MO	3	BvsD,QL(4 per 28 days)
APONVIE 7.2 MG/ML EMULSION MO	3	
<i>aprepitant 125 mg (1)- 80 mg (2) CAPSULE, DOSE PACK</i> MO	1	BvsD
<i>aprepitant 125 mg, 40 mg CAPSULE</i> MO	1	BvsD,QL(2 per 28 days)
<i>aprepitant 80 mg CAPSULE</i> MO	1	BvsD,QL(4 per 28 days)
BONJESTA 20-20 MG TABLET, IR, DR, BIPHASIC MO	3	QL(60 per 30 days)
COMPAZINE 10 MG, 5 MG TABLET MO	3	BvsD
COMPAZINE 25 MG SUPPOSITORY MO	1	
<i>compro 25 mg SUPPOSITORY</i> MO	1	
DICLEGIS 10-10 MG TABLET, DR/EC MO	3	QL(120 per 30 days)
<i>dimenhydrinate 50 mg/ml SOLUTION</i> MO	1	
<i>doxylamine-pyridoxine (vit b6) 10-10 mg TABLET, DR/EC</i> MO	1	QL(120 per 30 days)
<i>dronabinol 10 mg, 2.5 mg, 5 mg CAPSULE</i> MO	1	BvsD,QL(120 per 30 days)
EMEND 125 MG (1)- 80 MG (2) CAPSULE, DOSE PACK MO	3	BvsD

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL- Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • \$0 - Vaccine/Diabetic • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
EMEND 125 MG (25 MG/ ML FINAL CONC.) SUSPENSION FOR RECONSTITUTION MO	3	BvsD,QL(3 per 28 days)
EMEND 80 MG CAPSULE MO	3	BvsD,QL(4 per 28 days)
EMEND (FOSAPREPITANT) 150 MG RECON SOLUTION MO	3	PA
<i>fosaprepitant 150 mg RECON SOLUTION</i> MO	1	PA
GIMOTI 15 MG/SPRAY SPRAY WITH PUMP DL	4	PA,QL(9.8 per 28 days)
<i>granisetron (pf) 1 mg/ml (1 ml), 100 mcg/ml SOLUTION</i> MO	1	
<i>granisetron hcl 1 mg TABLET</i> MO	1	BvsD,QL(28 per 28 days)
<i>granisetron hcl 1 mg/ml, 1 mg/ml (1 ml) SOLUTION</i> MO	1	
MARINOL 10 MG, 2.5 MG, 5 MG CAPSULE DL	4	BvsD,QL(120 per 30 days)
<i>meclizine 12.5 mg TABLET</i> MO	1	
<i>meclizine 25 mg TABLET</i> MO	1	
<i>meclizine 50 mg TABLET</i> MO	3	
<i>metoclopramide hcl 10 mg TABLET, DISINTEGRATING</i> MO	1	QL(180 per 30 days)
<i>metoclopramide hcl 10 mg, 5 mg TABLET</i> MO	1	
<i>metoclopramide hcl 5 mg TABLET, DISINTEGRATING</i> MO	1	QL(360 per 30 days)
<i>metoclopramide hcl 5 mg/5 ml, 5 mg/ml SOLUTION</i> MO	1	
<i>metoclopramide hcl 5 mg/ml SYRINGE</i> MO	1	
<i>ondansetron 4 mg TABLET, DISINTEGRATING</i> MO	1	BvsD
<i>ondansetron 8 mg TABLET, DISINTEGRATING</i> MO	1	BvsD
<i>ondansetron hcl 2 mg/ml SOLUTION</i> MO	1	
<i>ondansetron hcl 4 mg TABLET</i> MO	1	BvsD
<i>ondansetron hcl 4 mg/5 ml SOLUTION</i> MO	1	BvsD,QL(450 per 30 days)
<i>ondansetron hcl 8 mg TABLET</i> MO	1	BvsD
<i>ondansetron hcl (pf) 4 mg/2 ml SOLUTION</i> MO	1	
<i>ondansetron hcl (pf) 4 mg/2 ml SYRINGE</i> MO	1	
PHENERGAN 25 MG/ML, 50 MG/ML SOLUTION MO	1	
<i>prochlorperazine 25 mg SUPPOSITORY</i> MO	1	
<i>prochlorperazine edisylate 10 mg/2 ml (5 mg/ml), 5 mg/ml SOLUTION</i> MO	1	
<i>prochlorperazine maleate 10 mg, 5 mg TABLET</i> MO	1	BvsD
<i>promethazine 12.5 mg, 25 mg, 50 mg SUPPOSITORY</i> MO	1	
<i>promethazine 12.5 mg, 50 mg TABLET</i> MO	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL- Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • \$0 - Vaccine/Diabetic • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
promethazine 25 mg TABLET MO	1	
promethazine 25 mg/ml, 50 mg/ml SOLUTION MO	1	
promethazine 6.25 mg/5 ml SYRUP MO	1	
promethegan 12.5 mg, 25 mg, 50 mg SUPPOSITORY MO	1	
REGLAN 10 MG, 5 MG TABLET MO	3	
SANCUSO 3.1 MG/24 HOUR PATCH, WEEKLY DL	4	QL(4 per 30 days)
scopolamine base 1 mg over 3 days PATCH, 3 DAY MO	1	QL(10 per 30 days)
SYNDROS 5 MG/ML SOLUTION DL	4	PA
TIGAN 100 MG/ML SOLUTION MO	3	
TRANSDERM-SCOP 1 MG OVER 3 DAYS PATCH, 3 DAY MO	3	QL(10 per 30 days)
trimethobenzamide 300 mg CAPSULE MO	1	BvsD
VARUBI 90 MG TABLET DL	4	PA
ANTIFUNGALS		
ABELCET 5 MG/ML SUSPENSION MO	3	BvsD
AMBISOME 50 MG SUSPENSION FOR RECONSTITUTION DL	4	BvsD
amphotericin b 50 mg RECON SOLUTION MO	1	BvsD
amphotericin b liposome 50 mg SUSPENSION FOR RECONSTITUTION DL	4	BvsD
ANCOBON 250 MG, 500 MG CAPSULE MO	3	
CANCIDAS 50 MG, 70 MG RECON SOLUTION DL	4	PA
caspofungin 50 mg RECON SOLUTION DL	4	
caspofungin 70 mg RECON SOLUTION MO	1	
ciclodan 8 % SOLUTION MO	1	QL(13.2 per 30 days)
ciclopirox 0.77 % CREAM MO	1	QL(90 per 30 days)
ciclopirox 0.77 % GEL MO	1	QL(100 per 30 days)
ciclopirox 0.77 % SUSPENSION MO	1	QL(60 per 30 days)
ciclopirox 1 % SHAMPOO MO	1	QL(120 per 30 days)
ciclopirox 8 % SOLUTION MO	1	QL(13.2 per 30 days)
clotrimazole 1 % CREAM MO	1	
clotrimazole 1 % SOLUTION MO	1	
clotrimazole 10 mg TROCHE MO	1	
clotrimazole-betamethasone 1-0.05 % CREAM MO	1	QL(180 per 30 days)
clotrimazole-betamethasone 1-0.05 % LOTION MO	1	QL(90 per 28 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL- Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • \$0 - Vaccine/Diabetic • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
CRESEMBA 186 MG, 74.5 MG CAPSULE DL	4	PA
CRESEMBA 372 MG RECON SOLUTION DL	4	PA
DIFLUCAN 10 MG/ML, 40 MG/ML SUSPENSION FOR RECONSTITUTION DL	4	PA
DIFLUCAN 100 MG, 150 MG, 200 MG, 50 MG TABLET MO	3	PA
econazole 1 % CREAM MO	1	PA,QL(85 per 30 days)
ERAXIS(WATER DILUENT) 100 MG, 50 MG RECON SOLUTION DL	4	
ERTACZO 2 % CREAM DL	4	QL(60 per 30 days)
EXELDERM 1 % CREAM MO	3	
EXELDERM 1 % SOLUTION MO	3	QL(60 per 30 days)
EXTINA 2 % FOAM MO	3	QL(100 per 30 days)
fluconazole 10 mg/ml, 40 mg/ml SUSPENSION FOR RECONSTITUTION MO	1	
fluconazole 100 mg, 200 mg, 50 mg TABLET MO	1	
fluconazole 150 mg TABLET MO	1	
fluconazole in nacl (iso-osm) 100 mg/50 ml, 200 mg/100 ml, 400 mg/200 ml PIGGYBACK MO	1	
flucytosine 250 mg, 500 mg CAPSULE DL	4	
griseofulvin microsize 125 mg/5 ml SUSPENSION MO	1	
griseofulvin microsize 500 mg TABLET MO	1	
griseofulvin ultramicrosize 125 mg, 250 mg TABLET MO	1	
gynazole-1 2 % CREAM MO	1	
itraconazole 10 mg/ml SOLUTION MO	1	
itraconazole 100 mg CAPSULE MO	1	QL(120 per 30 days)
JUBLIA 10 % SOLUTION W/APPLICATOR DL	4	PA,QL(4 per 28 days)
KERYDIN 5 % SOLUTION W/APPLICATOR MO	3	PA,QL(10 per 30 days)
ketoconazole 2 % CREAM MO	1	QL(60 per 30 days)
ketoconazole 2 % FOAM MO	1	QL(100 per 30 days)
ketoconazole 2 % SHAMPOO MO	1	QL(120 per 30 days)
ketoconazole 200 mg TABLET MO	1	PA
ketodan 2 % FOAM MO	1	QL(100 per 30 days)
klayesta 100,000 unit/gram POWDER MO	1	PA
LOPROX 1 % SHAMPOO MO	3	PA,QL(120 per 30 days)
LOPROX (AS OLAMINE) 0.77 % CREAM MO	3	PA,QL(90 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL- Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • \$0 - Vaccine/Diabetic • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
LOPROX (AS OLAMINE) 0.77 % SUSPENSION MO	3	PA,QL(60 per 30 days)
<i>luliconazole 1 % CREAM</i> MO	1	ST,QL(60 per 28 days)
LUZU 1 % CREAM MO	3	ST,QL(60 per 28 days)
MENTAX 1 % CREAM MO	3	QL(30 per 30 days)
<i>micafungin 100 mg, 50 mg RECON SOLUTION</i> DL	4	
<i>miconazole nitrate-zinc ox-pet 0.25-15-81.35 % OINTMENT</i> MO	1	
<i>miconazole-3 200 mg SUPPOSITORY</i> MO	1	
MYCAMINE 100 MG, 50 MG RECON SOLUTION DL	4	
<i>naftifine 1 % CREAM</i> MO	1	ST,QL(90 per 30 days)
<i>naftifine 1 % GEL</i> MO	1	ST,QL(90 per 30 days)
<i>naftifine 2 % CREAM</i> MO	1	ST,QL(120 per 30 days)
<i>naftifine 2 % GEL</i> MO	1	ST,QL(120 per 30 days)
NAFTIN 1 % GEL MO	3	ST,QL(90 per 30 days)
NAFTIN 2 % GEL MO	3	ST,QL(120 per 30 days)
NOXAFIL 100 MG TABLET, DR/EC DL	4	PA
NOXAFIL 200 MG/5 ML (40 MG/ML) SUSPENSION DL	4	PA,QL(840 per 28 days)
NOXAFIL 300 MG SUSPENSION, DR FOR RECON DL	4	PA,QL(32 per 30 days)
NOXAFIL 300 MG/16.7 ML SOLUTION DL	4	PA
<i>nyamyc 100,000 unit/gram POWDER</i> MO	1	PA
<i>nystatin 100,000 unit/gram CREAM</i> MO	1	
<i>nystatin 100,000 unit/gram OINTMENT</i> MO	1	
<i>nystatin 100,000 unit/gram POWDER</i> MO	1	PA
<i>nystatin 100,000 unit/ml SUSPENSION</i> MO	1	
<i>nystatin 500,000 unit TABLET</i> MO	1	
<i>nystatin-triamcinolone 100,000-0.1 unit/g-% CREAM</i> MO	1	
<i>nystatin-triamcinolone 100,000-0.1 unit/gram-% OINTMENT</i> MO	1	
<i>nystop 100,000 unit/gram POWDER</i> MO	1	PA
<i>oxiconazole 1 % CREAM</i> MO	1	PA,QL(60 per 30 days)
OXISTAT 1 % CREAM MO	3	QL(60 per 30 days)
OXISTAT 1 % LOTION MO	3	PA
<i>posaconazole 100 mg TABLET, DR/EC</i> DL	4	PA
<i>posaconazole 200 mg/5 ml (40 mg/ml) SUSPENSION</i> DL	4	PA,QL(840 per 28 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL- Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • \$0 - Vaccine/Diabetic • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
posaconazole 300 mg/16.7 ml SOLUTION DL	4	PA
REZZAYO 200 MG RECON SOLUTION DL	4	PA
SPORANOX 10 MG/ML SOLUTION DL	4	
SPORANOX 100 MG CAPSULE DL	4	PA,QL(120 per 30 days)
SPORANOX PULSEPAK 100 MG CAPSULE MO	3	PA,QL(120 per 30 days)
tavaborole 5 % SOLUTION W/APPLICATOR MO	1	PA,QL(10 per 30 days)
terbinafine hcl 250 mg TABLET MO	1	
terconazole 0.4 %, 0.8 % CREAM MO	1	
terconazole 80 mg SUPPOSITORY MO	1	
TOLSURA 65 MG CAPSULE, SOLID DISPERSION DL	4	PA,QL(120 per 30 days)
VFEND 200 MG, 50 MG TABLET MO	3	PA,QL(120 per 30 days)
VFEND 200 MG/5 ML (40 MG/ML) SUSPENSION FOR RECONSTITUTION DL	4	PA,QL(400 per 30 days)
VFEND IV 200 MG RECON SOLUTION MO	3	PA
VIVJOA 150 MG CAPSULE MO	3	PA
voriconazole 200 mg RECON SOLUTION MO	1	PA
voriconazole 200 mg, 50 mg TABLET MO	1	PA,QL(120 per 30 days)
voriconazole 200 mg/5 ml (40 mg/ml) SUSPENSION FOR RECONSTITUTION DL	4	PA,QL(400 per 30 days)
VUSION 0.25-15-81.35 % OINTMENT MO	3	
XOLEGEL 2 % GEL MO	3	
ANTIGOUT AGENTS		
allopurinol 100 mg, 300 mg TABLET MO	1	
allopurinol 200 mg TABLET MO	3	
allopurinol sodium 500 mg RECON SOLUTION MO	1	
ALOPRIM 500 MG RECON SOLUTION MO	3	
colchicine 0.6 mg TABLET MO	2	QL(120 per 30 days)
DUZALLO 200-200 MG, 200-300 MG TABLET MO	3	PA,QL(30 per 30 days)
febuxostat 40 mg, 80 mg TABLET MO	1	ST,QL(30 per 30 days)
GLOPERBA 0.6 MG/5 ML SOLUTION MO	3	PA,QL(300 per 30 days)
MITIGARE 0.6 MG CAPSULE MO	2	
probenecid 500 mg TABLET MO	1	
probenecid-colchicine 500-0.5 mg TABLET MO	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL- Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • \$0 - Vaccine/Diabetic • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
ULORIC 40 MG, 80 MG TABLET MO	3	ST,QL(30 per 30 days)
ZYLOPRIM 100 MG TABLET MO	3	
ANTIMIGRAINE AGENTS		
AIMOVIG AUTOINJECTOR 140 MG/ML AUTO-INJECTOR MO	3	PA,QL(1 per 30 days)
AIMOVIG AUTOINJECTOR 70 MG/ML AUTO-INJECTOR MO	3	PA,QL(2 per 30 days)
AJOVY AUTOINJECTOR 225 MG/1.5 ML AUTO-INJECTOR MO	3	PA,QL(1.5 per 30 days)
AJOVY SYRINGE 225 MG/1.5 ML SYRINGE MO	3	PA,QL(1.5 per 30 days)
<i>almotriptan malate 12.5 mg, 6.25 mg TABLET</i> MO	1	ST,QL(9 per 30 days)
AMERGE 1 MG, 2.5 MG TABLET MO	3	PA,QL(9 per 30 days)
D.H.E.45 1 MG/ML SOLUTION DL	4	
<i>dihydroergotamine 0.5 mg/pump act. (4 mg/ml) SPRAY, NON-AEROSOL</i> DL	4	PA,QL(8 per 30 days)
<i>dihydroergotamine 1 mg/ml SOLUTION</i> DL	4	PA
<i>eletriptan 20 mg, 40 mg TABLET</i> MO	1	ST,QL(9 per 30 days)
EMGALITY PEN 120 MG/ML PEN INJECTOR MO	3	PA,QL(2 per 30 days)
EMGALITY SYRINGE 120 MG/ML SYRINGE MO	3	PA,QL(2 per 30 days)
EMGALITY SYRINGE 300 MG/3 ML (100 MG/ML X 3) SYRINGE MO	3	PA,QL(3 per 30 days)
EPRONTIA 25 MG/ML SOLUTION MO	3	PA,QL(480 per 30 days)
ERGOMAR 2 MG SUBLINGUAL TABLET DL	4	QL(20 per 28 days)
<i>ergotamine-caffeine 1-100 mg TABLET</i> MO	1	QL(40 per 30 days)
FROVA 2.5 MG TABLET DL	4	ST,QL(12 per 30 days)
<i>frovatriptan 2.5 mg TABLET</i> MO	1	ST,QL(12 per 30 days)
IMITREX 100 MG TABLET DL	4	PA,QL(9 per 30 days)
IMITREX 20 MG/ACTUATION, 5 MG/ACTUATION SPRAY, NON-AEROSOL DL	4	PA,QL(12 per 30 days)
IMITREX 25 MG, 50 MG TABLET MO	3	PA,QL(9 per 30 days)
IMITREX 6 MG/0.5 ML SOLUTION DL	4	PA,QL(6 per 30 days)
IMITREX STATDOSE PEN 4 MG/0.5 ML, 6 MG/0.5 ML PEN INJECTOR MO	3	PA,QL(6 per 30 days)
IMITREX STATDOSE REFILL 4 MG/0.5 ML, 6 MG/0.5 ML CARTRIDGE DL	4	PA,QL(6 per 30 days)
MAXALT 10 MG TABLET MO	3	PA,QL(12 per 30 days)
MAXALT-MLT 10 MG TABLET, DISINTEGRATING MO	3	PA,QL(12 per 30 days)
<i>migergot 2-100 mg SUPPOSITORY</i> DL	4	QL(20 per 28 days)
MIGRANAL 0.5 MG/PUMP ACT. (4 MG/ML) SPRAY, NON-AEROSOL DL	4	QL(8 per 30 days)
<i>naratriptan 1 mg, 2.5 mg TABLET</i> MO	1	QL(9 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL- Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • \$0 - Vaccine/Diabetic • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
ONZETRA XSAIL 11 MG AEROSOL POWDER BREATH ACTIV. MO	3	ST,QL(16 per 30 days)
QUDEXY XR 100 MG, 50 MG CAPSULE ER SPRINKLE 24 HR. DL	4	PA,QL(30 per 30 days)
QUDEXY XR 150 MG, 200 MG CAPSULE ER SPRINKLE 24 HR. DL	4	PA,QL(60 per 30 days)
QUDEXY XR 25 MG CAPSULE ER SPRINKLE 24 HR. DL	4	PA,QL(90 per 30 days)
QULIPTA 10 MG, 30 MG, 60 MG TABLET MO	3	PA,QL(30 per 30 days)
RELPAX 20 MG, 40 MG TABLET DL	4	ST,QL(9 per 30 days)
REYVOW 100 MG TABLET MO	3	PA,QL(8 per 30 days)
REYVOW 50 MG TABLET MO	3	PA,QL(4 per 30 days)
<i>rizatriptan</i> 10 mg TABLET MO	1	QL(12 per 30 days)
<i>rizatriptan</i> 10 mg, 5 mg TABLET, DISINTEGRATING MO	1	QL(12 per 30 days)
<i>rizatriptan</i> 5 mg TABLET MO	1	QL(12 per 30 days)
<i>sumatriptan</i> 20 mg/actuation, 5 mg/actuation SPRAY, NON-AEROSOL MO	1	QL(12 per 30 days)
<i>sumatriptan succinate</i> 100 mg TABLET MO	1	QL(9 per 30 days)
<i>sumatriptan succinate</i> 25 mg, 50 mg TABLET MO	1	QL(9 per 30 days)
<i>sumatriptan succinate</i> 4 mg/0.5 ml, 6 mg/0.5 ml CARTRIDGE MO	3	QL(6 per 30 days)
<i>sumatriptan succinate</i> 4 mg/0.5 ml, 6 mg/0.5 ml PEN INJECTOR MO	1	QL(6 per 30 days)
<i>sumatriptan succinate</i> 6 mg/0.5 ml SOLUTION MO	1	QL(6 per 30 days)
<i>sumatriptan succinate</i> 6 mg/0.5 ml SYRINGE MO	1	QL(6 per 30 days)
<i>sumatriptan-naproxen</i> 85-500 mg TABLET MO	1	ST,QL(18 per 30 days)
TOPAMAX 100 MG, 200 MG, 50 MG TABLET	4	QL(120 per 30 days)
TOPAMAX 15 MG, 25 MG CAPSULE, SPRINKLE	4	
TOPAMAX 25 MG TABLET MO	3	QL(90 per 30 days)
<i>topiramate</i> 100 mg, 200 mg TABLET MO	1	QL(120 per 30 days)
<i>topiramate</i> 100 mg, 50 mg CAPSULE ER SPRINKLE 24 HR. MO	3	PA,QL(30 per 30 days)
<i>topiramate</i> 100 mg, 50 mg CAPSULE, ER 24 HR. MO	1	PA,QL(30 per 30 days)
<i>topiramate</i> 15 mg, 25 mg CAPSULE, SPRINKLE MO	1	
<i>topiramate</i> 150 mg, 200 mg CAPSULE ER SPRINKLE 24 HR. MO	3	PA,QL(60 per 30 days)
<i>topiramate</i> 200 mg CAPSULE, ER 24 HR. DL	4	PA,QL(60 per 30 days)
<i>topiramate</i> 25 mg CAPSULE ER SPRINKLE 24 HR. MO	3	PA,QL(90 per 30 days)
<i>topiramate</i> 25 mg CAPSULE, ER 24 HR. MO	1	PA,QL(90 per 30 days)
<i>topiramate</i> 25 mg TABLET MO	1	QL(90 per 30 days)
<i>topiramate</i> 50 mg TABLET MO	1	QL(120 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL- Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • \$0 - Vaccine/Diabetic • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
TOSYMRA 10 MG/ACTUATION SPRAY, NON-AEROSOL MO	3	ST,QL(12 per 30 days)
TREXIMET 85-500 MG TABLET DL	4	ST,QL(18 per 30 days)
TROKENDI XR 100 MG, 50 MG CAPSULE, ER 24 HR.	4	PA,QL(30 per 30 days)
TROKENDI XR 200 MG CAPSULE, ER 24 HR.	4	PA,QL(60 per 30 days)
TROKENDI XR 25 MG CAPSULE, ER 24 HR.	4	PA,QL(90 per 30 days)
TRUDHESA 0.725 MG/PUMP ACT. (4 MG/ML) SPRAY, NON-AEROSOL DL	4	PA,QL(8 per 30 days)
VYEPTI 100 MG/ML SOLUTION MO	3	PA,QL(3 per 90 days)
ZEMBRACE SYMTOUCH 3 MG/0.5 ML PEN INJECTOR DL	4	ST,QL(6 per 30 days)
zolmitriptan 2.5 mg TABLET MO	1	ST,QL(9 per 30 days)
zolmitriptan 2.5 mg TABLET, DISINTEGRATING MO	1	ST,QL(9 per 30 days)
zolmitriptan 2.5 mg, 5 mg SPRAY, NON-AEROSOL MO	1	ST,QL(12 per 30 days)
zolmitriptan 5 mg TABLET MO	1	ST,QL(6 per 30 days)
zolmitriptan 5 mg TABLET, DISINTEGRATING MO	1	ST,QL(6 per 30 days)
zomig 2.5 mg TABLET DL	4	ST,QL(9 per 30 days)
ZOMIG 2.5 MG TABLET DL	4	ST,QL(9 per 30 days)
ZOMIG 2.5 MG, 5 MG SPRAY, NON-AEROSOL MO	3	ST,QL(12 per 30 days)
zomig 5 mg TABLET DL	4	ST,QL(6 per 30 days)
ZOMIG 5 MG TABLET DL	4	ST,QL(6 per 30 days)
ANTIMYASTHENIC AGENTS		
MESTINON 60 MG TABLET	4	PA
MESTINON 60 MG/5 ML SYRUP	4	
MESTINON TIMESPAN 180 MG TABLET ER	4	PA
pyridostigmine bromide 180 mg TABLET ER MO	1	
pyridostigmine bromide 30 mg, 60 mg TABLET MO	1	
pyridostigmine bromide 60 mg/5 ml SYRUP MO	1	
REGONOL 5 MG/ML SOLUTION MO	3	
ANTIMYCOBACTERIALS		
cycloserine 250 mg CAPSULE DL	4	
dapsone 100 mg, 25 mg TABLET MO	1	
ethambutol 100 mg, 400 mg TABLET MO	1	
isoniazid 100 mg, 300 mg TABLET MO	1	
isoniazid 100 mg/ml, 50 mg/5 ml SOLUTION MO	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL- Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • \$0 - Vaccine/Diabetic • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
MYAMBUTOL 400 MG TABLET MO	3	
MYCOBUTIN 150 MG CAPSULE MO	3	
PASER 4 GRAM DR GRANULES IN PACKET MO	1	
PRETOMANID 200 MG TABLET MO	3	PA,QL(30 per 30 days)
PRIFTIN 150 MG TABLET MO	3	
<i>pyrazinamide 500 mg TABLET</i> MO	1	
<i>rifabutin 150 mg CAPSULE</i> MO	1	
RIFADIN 600 MG RECON SOLUTION MO	3	
<i>rifampin 150 mg, 300 mg CAPSULE</i> MO	1	
<i>rifampin 600 mg RECON SOLUTION</i> MO	1	
SIRTURO 100 MG, 20 MG TABLET DL	4	PA
TRECTOR 250 MG TABLET MO	3	
ANTINEOPLASTICS		
<i>abiraterone 250 mg TABLET</i> DL	4	PA,QL(120 per 30 days)
<i>abiraterone 500 mg TABLET</i> DL	4	PA,QL(60 per 30 days)
ABRAXANE 100 MG SUSPENSION FOR RECONSTITUTION DL	4	PA
ADCETRIS 50 MG RECON SOLUTION DL	4	PA
ADRIAMYCIN 50 MG RECON SOLUTION MO	1	BvsD
<i>adrucil 2.5 gram/50 ml SOLUTION</i> MO	1	BvsD
AFINITOR 10 MG, 2.5 MG, 5 MG, 7.5 MG TABLET DL	4	PA,QL(30 per 30 days)
AFINITOR DISPERZ 2 MG, 3 MG, 5 MG TABLET FOR SUSPENSION DL	4	PA
AKEEGA 100-500 MG, 50-500 MG TABLET DL	4	PA,QL(60 per 30 days)
ALECENSA 150 MG CAPSULE DL	4	PA,QL(240 per 30 days)
ALIMTA 100 MG, 500 MG RECON SOLUTION DL	4	PA
ALIQOPA 60 MG RECON SOLUTION DL	4	PA,QL(3 per 28 days)
ALKERAN 2 MG TABLET MO	3	BvsD
ALKERAN (AS HCL) 50 MG RECON SOLUTION MO	3	
ALUNBRIG 180 MG, 90 MG TABLET DL	4	PA,QL(30 per 30 days)
ALUNBRIG 30 MG TABLET DL	4	PA,QL(180 per 30 days)
ALUNBRIG 90 MG (7)- 180 MG (23) TABLET, DOSE PACK DL	4	PA,QL(30 per 30 days)
ALYMSYS 25 MG/ML SOLUTION DL	4	PA
<i>anastrozole 1 mg TABLET</i> MO	1	QL(30 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL- Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • \$0 - Vaccine/Diabetic • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
ARIMIDEX 1 MG TABLET DL	4	PA,QL(30 per 30 days)
AROMASIN 25 MG TABLET DL	4	PA,QL(60 per 30 days)
ARRANON 250 MG/50 ML SOLUTION DL	4	
<i>arsenic trioxide 1 mg/ml, 2 mg/ml SOLUTION</i> DL	4	PA
ASPARLAS 750 UNIT/ML SOLUTION DL	4	PA
AUGTYRO 40 MG CAPSULE DL	4	PA,QL(240 per 30 days)
AVASTIN 25 MG/ML SOLUTION DL	4	PA
AYVAKIT 100 MG, 200 MG, 25 MG, 300 MG, 50 MG TABLET DL	4	PA,QL(30 per 30 days)
<i>azacitidine 100 mg RECON SOLUTION</i> DL	4	PA
BALVERSA 3 MG TABLET DL	4	PA,QL(90 per 30 days)
BALVERSA 4 MG TABLET DL	4	PA,QL(60 per 30 days)
BALVERSA 5 MG TABLET DL	4	PA,QL(30 per 30 days)
BAVENCIO 20 MG/ML SOLUTION DL	4	PA
BELEODAQ 500 MG RECON SOLUTION DL	4	PA
BELRAPZO 25 MG/ML SOLUTION DL	4	PA
<i>bendamustine 100 mg, 25 mg RECON SOLUTION</i> DL	4	PA
<i>bendamustine 25 mg/ml SOLUTION</i> DL	4	PA
BENDEKA 25 MG/ML SOLUTION DL	4	PA
BESPONSA 0.9 MG (0.25 MG/ML INITIAL) RECON SOLUTION DL	4	PA
<i>bexarotene 1 % GEL</i> DL	4	PA,QL(240 per 30 days)
<i>bexarotene 75 mg CAPSULE</i> DL	4	PA,QL(300 per 30 days)
<i>bicalutamide 50 mg TABLET</i> MO	1	QL(30 per 30 days)
BICNU 100 MG RECON SOLUTION MO	3	
<i>bleomycin 15 unit, 30 unit RECON SOLUTION</i> MO	1	BvsD
BORTEZOMIB 1 MG, 2.5 MG RECON SOLUTION DL	4	PA
<i>bortezomib 3.5 mg RECON SOLUTION</i> DL	4	PA
BOSULIF 100 MG CAPSULE DL	4	PA,QL(180 per 30 days)
BOSULIF 100 MG TABLET DL	4	PA,QL(120 per 30 days)
BOSULIF 400 MG, 500 MG TABLET DL	4	PA,QL(30 per 30 days)
BOSULIF 50 MG CAPSULE DL	4	PA,QL(360 per 30 days)
BRAFTOVI 75 MG CAPSULE DL	4	PA,QL(180 per 30 days)
BRUKINSA 80 MG CAPSULE DL	4	PA,QL(120 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL- Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • \$0 - Vaccine/Diabetic • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
<i>busulfan</i> 60 mg/10 ml SOLUTION MO	1	
BUSULFEX 60 MG/10 ML SOLUTION MO	3	
CABOMETYX 20 MG, 40 MG, 60 MG TABLET DL	4	PA,QL(30 per 30 days)
CALQUENCE 100 MG CAPSULE DL	4	PA,QL(60 per 30 days)
CALQUENCE (ACALABRUTINIB MAL) 100 MG TABLET DL	4	PA,QL(60 per 30 days)
CAMPTOSAR 100 MG/5 ML, 300 MG/15 ML, 40 MG/2 ML SOLUTION DL	4	
CAPRELSA 100 MG TABLET DL,LA	4	PA,QL(60 per 30 days)
CAPRELSA 300 MG TABLET DL,LA	4	PA,QL(30 per 30 days)
<i>carboplatin</i> 10 mg/ml SOLUTION MO	1	
<i>carmustine</i> 100 mg RECON SOLUTION MO	1	
CASODEX 50 MG TABLET DL	4	QL(30 per 30 days)
<i>cisplatin</i> 1 mg/ml SOLUTION MO	1	
<i>cladribine</i> 10 mg/10 ml SOLUTION DL	4	BvsD
<i>clofarabine</i> 1 mg/ml SOLUTION DL	4	
CLOLAR 1 MG/ML SOLUTION DL	4	
COLUMVI 1 MG/ML SOLUTION DL	4	PA
COMETRIQ 100 MG/DAY(80 MG X1-20 MG X1) CAPSULE DL	4	PA,QL(56 per 28 days)
COMETRIQ 140 MG/DAY(80 MG X1-20 MG X3) CAPSULE DL	4	PA,QL(112 per 28 days)
COMETRIQ 60 MG/DAY (20 MG X 3/DAY) CAPSULE DL	4	PA,QL(84 per 28 days)
COPIKTRA 15 MG, 25 MG CAPSULE DL	4	PA,QL(56 per 28 days)
COSMEGEN 0.5 MG RECON SOLUTION DL	4	
COTELLIC 20 MG TABLET DL	4	PA,QL(63 per 28 days)
<i>cyclophosphamide</i> 1 gram, 2 gram, 500 mg RECON SOLUTION MO	1	BvsD
CYCLOPHOSPHAMIDE 200 MG/ML SOLUTION MO	1	BvsD
<i>cyclophosphamide</i> 200 mg/ml, 500 mg/ml SOLUTION MO	1	BvsD
<i>cyclophosphamide</i> 25 mg, 50 mg CAPSULE MO	1	BvsD
<i>cyclophosphamide</i> 25 mg, 50 mg TABLET MO	1	BvsD
CYRAMZA 10 MG/ML SOLUTION DL	4	PA
<i>cytarabine</i> 20 mg/ml SOLUTION MO	1	BvsD
<i>cytarabine</i> (pf) 100 mg/5 ml (20 mg/ml), 2 gram/20 ml (100 mg/ml), 20 mg/ml SOLUTION MO	1	BvsD
<i>dacarbazine</i> 100 mg, 200 mg RECON SOLUTION MO	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL- Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • \$0 – Vaccine/Diabetic • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
DACOGEN 50 MG RECON SOLUTION DL	4	PA
dactinomycin 0.5 mg RECON SOLUTION DL	4	
DANYELZA 4 MG/ML SOLUTION DL	4	PA,QL(120 per 28 days)
DARZALEX 20 MG/ML SOLUTION DL	4	PA
DARZALEX FASPRO 1,800 MG-30,000 UNIT/15 ML SOLUTION DL	4	PA
daunorubicin 5 mg/ml SOLUTION MO	1	
DAURISMO 100 MG TABLET DL	4	PA,QL(30 per 30 days)
DAURISMO 25 MG TABLET DL	4	PA,QL(60 per 30 days)
decitabine 50 mg RECON SOLUTION DL	4	PA
dexrazoxane hcl 250 mg, 500 mg RECON SOLUTION MO	1	
DOCEFREZ 20 MG RECON SOLUTION MO	3	
DOCEFREZ 80 MG RECON SOLUTION DL	4	
docetaxel 160 mg/16 ml (10 mg/ml), 160 mg/8 ml (20 mg/ml), 20 mg/2 ml (10 mg/ml), 20 mg/ml (1 ml), 80 mg/4 ml (20 mg/ml), 80 mg/8 ml (10 mg/ml) SOLUTION MO	1	
DOXIL 2 MG/ML SUSPENSION DL	4	PA
doxorubicin 10 mg, 50 mg RECON SOLUTION MO	1	BvsD
doxorubicin 10 mg/5 ml, 2 mg/ml, 20 mg/10 ml, 50 mg/25 ml SOLUTION MO	1	BvsD
doxorubicin, peg-liposomal 2 mg/ml SUSPENSION DL	4	PA
ELITEK 1.5 MG, 7.5 MG RECON SOLUTION DL	4	PA
ELLENC 200 MG/100 ML, 50 MG/25 ML SOLUTION DL	4	
ELREXFIO 40 MG/ML SOLUTION DL	4	PA
ELZONRIS 1,000 MCG/ML SOLUTION DL	4	PA,QL(10 per 21 days)
EMCYT 140 MG CAPSULE MO	3	
EMPLICITI 300 MG, 400 MG RECON SOLUTION DL	4	PA
ENHERTU 100 MG RECON SOLUTION DL	4	PA
epirubicin 200 mg/100 ml, 50 mg/25 ml SOLUTION MO	1	
EPKINLY 4 MG/0.8 ML, 48 MG/0.8 ML SOLUTION DL	4	PA
ERBITUX 100 MG/50 ML, 200 MG/100 ML SOLUTION DL	4	PA
ERIVEDGE 150 MG CAPSULE DL	4	PA,QL(28 per 28 days)
ERLEADA 240 MG TABLET DL	4	PA,QL(30 per 30 days)
ERLEADA 60 MG TABLET DL	4	PA,QL(120 per 30 days)
erlotinib 100 mg, 150 mg TABLET MO	1	PA,QL(30 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL- Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • \$0 - Vaccine/Diabetic • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
erlotinib 25 mg TABLET MO	1	PA,QL(90 per 30 days)
ETHYOL 500 MG RECON SOLUTION DL	4	
ETOPOPHOS 100 MG RECON SOLUTION MO	3	
etoposide 20 mg/ml SOLUTION MO	1	
EULEXIN 125 MG CAPSULE DL	4	PA
everolimus (antineoplastic) 10 mg, 2.5 mg, 5 mg, 7.5 mg TABLET DL	4	PA,QL(30 per 30 days)
everolimus (antineoplastic) 2 mg, 3 mg, 5 mg TABLET FOR SUSPENSION DL	4	PA
EVOMELA 50 MG RECON SOLUTION DL	4	
exemestane 25 mg TABLET MO	1	QL(60 per 30 days)
EXKIVITY 40 MG CAPSULE DL	4	PA,QL(120 per 30 days)
FARESTON 60 MG TABLET DL	4	QL(30 per 30 days)
FASLODEX 250 MG/5 ML SYRINGE DL	4	PA,QL(30 per 30 days)
FEMARA 2.5 MG TABLET MO	3	PA,QL(30 per 30 days)
floxuridine 0.5 gram RECON SOLUTION MO	1	BvsD
fludarabine 50 mg RECON SOLUTION MO	1	
fludarabine 50 mg/2 ml SOLUTION DL	4	
fluorouracil 1 gram/20 ml, 2.5 gram/50 ml, 5 gram/100 ml, 500 mg/10 ml SOLUTION MO	1	BvsD
flutamide 125 mg CAPSULE MO	1	
FOLOTYN 20 MG/ML (1 ML), 40 MG/2 ML (20 MG/ML) SOLUTION DL	4	PA
FOTIVDA 0.89 MG, 1.34 MG CAPSULE DL	4	PA,QL(21 per 28 days)
FRUZAQLA 1 MG CAPSULE DL	4	PA,QL(84 per 28 days)
FRUZAQLA 5 MG CAPSULE DL	4	PA,QL(21 per 28 days)
fulvestrant 250 mg/5 ml SYRINGE MO	1	PA,QL(30 per 30 days)
FUSILEV 50 MG RECON SOLUTION DL	4	PA
FYARRO 100 MG SUSPENSION FOR RECONSTITUTION DL	4	PA
GAVRETO 100 MG CAPSULE DL,LA	4	PA,QL(120 per 30 days)
GAZYVA 1,000 MG/40 ML SOLUTION DL	4	PA,QL(120 per 28 days)
gefitinib 250 mg TABLET DL	4	PA,QL(30 per 30 days)
gemcitabine 1 gram, 2 gram, 200 mg RECON SOLUTION MO	1	
gemcitabine 1 gram/26.3 ml (38 mg/ml), 2 gram/52.6 ml (38 mg/ml), 200 mg/5.26 ml (38 mg/ml) SOLUTION MO	1	
GILOTRIF 20 MG, 30 MG, 40 MG TABLET DL,LA	4	PA,QL(30 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL- Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • \$0 - Vaccine/Diabetic • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
GLEEVEC 100 MG TABLET DL	4	PA,QL(90 per 30 days)
GLEEVEC 400 MG TABLET DL	4	PA,QL(60 per 30 days)
GLEOSTINE 10 MG, 40 MG CAPSULE	4	PA
GLEOSTINE 100 MG CAPSULE DL	4	PA
HALAVEN 1 MG/2 ML (0.5 MG/ML) SOLUTION DL	4	
HERCEPTIN 150 MG, 420 MG RECON SOLUTION DL	4	PA
HERCEPTIN HYLECTA 600 MG-10,000 UNIT/5 ML SOLUTION DL	4	PA,QL(5 per 21 days)
HERZUMA 150 MG, 420 MG RECON SOLUTION DL	4	PA
HYCANTIN 4 MG RECON SOLUTION DL	4	
HYDREA 500 MG CAPSULE MO	3	
<i>hydroxyurea 500 mg CAPSULE MO</i>	1	
IBRANCE 100 MG, 125 MG, 75 MG CAPSULE DL	4	PA,QL(21 per 28 days)
IBRANCE 100 MG, 125 MG, 75 MG TABLET DL	4	PA,QL(21 per 28 days)
ICLUSIG 10 MG, 30 MG, 45 MG TABLET DL	4	PA,QL(30 per 30 days)
ICLUSIG 15 MG TABLET DL	4	PA,QL(60 per 30 days)
IDAMYCIN PFS 1 MG/ML SOLUTION DL	4	
<i>idarubicin 1 mg/ml SOLUTION DL</i>	4	
IDHIFA 100 MG, 50 MG TABLET DL	4	PA,QL(30 per 30 days)
IFEX 1 GRAM, 3 GRAM RECON SOLUTION MO	3	
<i>ifosfamide 1 gram, 3 gram RECON SOLUTION MO</i>	1	
<i>ifosfamide 1 gram/20 ml, 3 gram/60 ml SOLUTION MO</i>	1	
<i>imatinib 100 mg TABLET DL</i>	4	PA,QL(90 per 30 days)
<i>imatinib 400 mg TABLET DL</i>	4	PA,QL(60 per 30 days)
IMBRUVICA 140 MG CAPSULE DL	4	PA,QL(120 per 30 days)
IMBRUVICA 420 MG, 560 MG TABLET DL	4	PA,QL(28 per 28 days)
IMBRUVICA 70 MG CAPSULE DL	4	PA,QL(28 per 28 days)
IMBRUVICA 70 MG/ML SUSPENSION DL	4	PA
IMFINZI 50 MG/ML SOLUTION DL	4	PA
IMJUDO 20 MG/ML SOLUTION DL	4	PA
IMLYGIC 10EXP6 (1 MILLION) PFU/ML SUSPENSION DL	4	PA,QL(4 per 365 days)
IMLYGIC 10EXP8 (100 MILLION) PFU/ML SUSPENSION DL	4	PA,QL(8 per 28 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL- Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • \$0 – Vaccine/Diabetic • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
INFUGEM 1,200 MG/120 ML (10 MG/ML), 1,300 MG/130 ML (10 MG/ML), 1,400 MG/140 ML (10 MG/ML), 1,500 MG/150 ML (10 MG/ML), 1,600 MG/160 ML (10 MG/ML), 1,700 MG/170 ML (10 MG/ML), 1,800 MG/180 ML (10 MG/ML), 1,900 MG/190 ML (10 MG/ML), 2,000 MG/200 ML (10 MG/ML), 2,200 MG/220 ML (10 MG/ML) PIGGYBACK DL	4	
INLYTA 1 MG TABLET DL	4	PA,QL(180 per 30 days)
INLYTA 5 MG TABLET DL	4	PA,QL(60 per 30 days)
INQOVI 35-100 MG TABLET DL	4	PA,QL(5 per 28 days)
INREBIC 100 MG CAPSULE DL	4	PA,QL(120 per 30 days)
IRESSA 250 MG TABLET DL	4	PA,QL(30 per 30 days)
irinotecan 100 mg/5 ml, 300 mg/15 ml, 40 mg/2 ml, 500 mg/25 ml SOLUTION MO	1	
ISTODAX 10 MG/2 ML RECON SOLUTION DL	4	PA
IWILFIN 192 MG TABLET DL	4	PA,QL(240 per 30 days)
IXEMPRA 15 MG, 45 MG RECON SOLUTION DL	4	PA
JAKAFI 10 MG, 15 MG, 20 MG, 25 MG, 5 MG TABLET DL	4	PA,QL(60 per 30 days)
JAYPIRCA 100 MG, 50 MG TABLET DL	4	PA,QL(90 per 30 days)
JEMPERLI 50 MG/ML SOLUTION	4	PA,QL(20 per 42 days)
JEVTANA 10 MG/ML (FIRST DILUTION) SOLUTION DL	4	PA
KADCYLA 100 MG, 160 MG RECON SOLUTION DL	4	PA
KANJINTI 150 MG, 420 MG RECON SOLUTION DL	4	PA
KEYTRUDA 25 MG/ML SOLUTION DL	4	PA
KHAPZORY 175 MG, 300 MG RECON SOLUTION DL	4	PA
KIMMTRAK 100 MCG/0.5 ML SOLUTION DL	4	PA
KISQALI 200 MG/DAY (200 MG X 1) TABLET DL	4	PA,QL(21 per 28 days)
KISQALI 400 MG/DAY (200 MG X 2) TABLET DL	4	PA,QL(42 per 28 days)
KISQALI 600 MG/DAY (200 MG X 3) TABLET DL	4	PA,QL(63 per 28 days)
KISQALI FEMARA CO-PACK 200 MG/DAY(200 MG X 1)-2.5 MG TABLET DL	4	PA,QL(49 per 28 days)
KISQALI FEMARA CO-PACK 400 MG/DAY(200 MG X 2)-2.5 MG TABLET DL	4	PA,QL(70 per 28 days)
KISQALI FEMARA CO-PACK 600 MG/DAY(200 MG X 3)-2.5 MG TABLET DL	4	PA,QL(91 per 28 days)
KOSELUGO 10 MG CAPSULE DL	4	PA,QL(240 per 30 days)
KOSELUGO 25 MG CAPSULE DL	4	PA,QL(120 per 30 days)
KRAZATI 200 MG TABLET DL	4	PA,QL(180 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL- Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • \$0 – Vaccine/Diabetic • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
KYPROLIS 10 MG RECON SOLUTION DL	4	PA,QL(6 per 28 days)
KYPROLIS 30 MG RECON SOLUTION DL	4	PA,QL(3 per 28 days)
KYPROLIS 60 MG RECON SOLUTION DL	4	PA,QL(12 per 28 days)
<i>lapatinib</i> 250 mg TABLET DL	4	PA,QL(180 per 30 days)
<i>lenalidomide</i> 10 mg, 15 mg, 2.5 mg, 20 mg, 25 mg, 5 mg CAPSULE DL	4	PA,QL(28 per 28 days)
LENVIMA 10 MG/DAY (10 MG X 1), 4 MG CAPSULE DL	4	PA,QL(30 per 30 days)
LENVIMA 12 MG/DAY (4 MG X 3), 18 MG/DAY (10 MG X 1-4 MG X2), 24 MG/DAY(10 MG X 2-4 MG X 1) CAPSULE DL	4	PA,QL(90 per 30 days)
LENVIMA 14 MG/DAY(10 MG X 1-4 MG X 1), 20 MG/DAY (10 MG X 2), 8 MG/DAY (4 MG X 2) CAPSULE DL	4	PA,QL(60 per 30 days)
<i>letrozole</i> 2.5 mg TABLET MO	1	QL(30 per 30 days)
<i>leucovorin calcium</i> 10 mg, 15 mg, 25 mg, 5 mg TABLET MO	1	
<i>leucovorin calcium</i> 10 mg/ml SOLUTION MO	1	
<i>leucovorin calcium</i> 100 mg, 200 mg, 350 mg, 50 mg, 500 mg RECON SOLUTION MO	1	
LEUKERAN 2 MG TABLET DL	4	
<i>levoleucovorin calcium</i> 10 mg/ml SOLUTION MO	1	PA
<i>levoleucovorin calcium</i> 50 mg RECON SOLUTION MO	1	PA
LEVULAN 20 % SOLUTION MO	3	
LIBTAYO 50 MG/ML SOLUTION DL	4	PA,QL(7 per 21 days)
LONSURF 15-6.14 MG TABLET DL	4	PA,QL(100 per 30 days)
LONSURF 20-8.19 MG TABLET DL	4	PA,QL(80 per 30 days)
LOQTORZI 240 MG/6 ML (40 MG/ML) SOLUTION DL	4	PA
LORBRENA 100 MG TABLET DL	4	PA,QL(30 per 30 days)
LORBRENA 25 MG TABLET DL	4	PA,QL(90 per 30 days)
LUMAKRAS 120 MG TABLET DL	4	PA,QL(240 per 30 days)
LUMAKRAS 320 MG TABLET DL	4	PA,QL(90 per 30 days)
LUNSUMIO 1 MG/ML SOLUTION DL	4	PA
LYNPARZA 100 MG, 150 MG TABLET DL	4	PA,QL(120 per 30 days)
LYTGOBI 4 MG TABLET DL	4	PA,QL(140 per 28 days)
MARGENZA 25 MG/ML SOLUTION DL	4	PA
MATULANE 50 MG CAPSULE DL	4	
MEKINIST 0.05 MG/ML RECON SOLUTION DL	4	PA,QL(1170 per 28 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL- Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • \$0 – Vaccine/Diabetic • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
MEKINIST 0.5 MG TABLET DL	4	PA,QL(120 per 30 days)
MEKINIST 2 MG TABLET DL	4	PA,QL(30 per 30 days)
MEKTOVI 15 MG TABLET DL	4	PA,QL(180 per 30 days)
melphalan 2 mg TABLET MO	1	BvsD
melphalan hcl 50 mg RECON SOLUTION MO	1	
mercaptopurine 50 mg TABLET MO	1	
mesna 100 mg/ml SOLUTION MO	1	
MESNEX 100 MG/ML SOLUTION DL	4	
MESNEX 400 MG TABLET MO	3	
mitomycin 20 mg, 40 mg, 5 mg RECON SOLUTION DL	4	
mitoxantrone 2 mg/ml CONCENTRATE MO	1	
MUTAMYCIN 20 MG, 40 MG, 5 MG RECON SOLUTION DL	4	
MVASI 25 MG/ML SOLUTION DL	4	PA
MYLOTARG 4.5 MG (1 MG/ML INITIAL CONC) RECON SOLUTION DL	4	PA
nelarabine 250 mg/50 ml SOLUTION DL	4	
NERLYNX 40 MG TABLET DL	4	PA,QL(180 per 30 days)
NEXAVAR 200 MG TABLET DL	4	PA,QL(120 per 30 days)
NILANDRON 150 MG TABLET DL	4	PA,QL(60 per 30 days)
nilutamide 150 mg TABLET DL	4	QL(60 per 30 days)
NINLARO 2.3 MG, 3 MG, 4 MG CAPSULE DL	4	PA,QL(3 per 28 days)
NIPENT 10 MG RECON SOLUTION DL	4	
NUBEQA 300 MG TABLET DL	4	PA,QL(120 per 30 days)
ODOMZO 200 MG CAPSULE DL	4	PA,QL(30 per 30 days)
OGIVRI 150 MG, 420 MG RECON SOLUTION DL	4	PA
OGSIVEO 50 MG TABLET DL	4	PA,QL(180 per 30 days)
OJJAARA 100 MG, 150 MG, 200 MG TABLET DL	4	PA,QL(30 per 30 days)
ONCASPAR 750 UNIT/ML SOLUTION DL	4	PA
ONIVYDE 4.3 MG/ML DISPERSION DL	4	PA
ONTRUZANT 150 MG, 420 MG RECON SOLUTION DL	4	PA
ONUREG 200 MG, 300 MG TABLET DL	4	PA,QL(14 per 28 days)
OPDIVO 100 MG/10 ML SOLUTION DL	4	PA,QL(40 per 28 days)
OPDIVO 120 MG/12 ML, 240 MG/24 ML SOLUTION DL	4	PA,QL(48 per 28 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL- Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • \$0 - Vaccine/Diabetic • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
OPDIVO 40 MG/4 ML SOLUTION DL	4	PA,QL(16 per 28 days)
OPDUALAG 240-80 MG/20 ML SOLUTION DL	4	PA,QL(40 per 28 days)
ORSERDU 345 MG TABLET DL	4	PA,QL(30 per 30 days)
ORSERDU 86 MG TABLET DL	4	PA,QL(90 per 30 days)
oxaliplatin 100 mg, 50 mg RECON SOLUTION MO	1	
oxaliplatin 100 mg/20 ml, 200 mg/40 ml, 50 mg/10 ml (5 mg/ml) SOLUTION MO	1	
paclitaxel 6 mg/ml CONCENTRATE MO	1	
paclitaxel protein-bound 100 mg SUSPENSION FOR RECONSTITUTION DL	4	PA
PADCEV 20 MG RECON SOLUTION DL	4	PA,QL(21 per 28 days)
PADCEV 30 MG RECON SOLUTION DL	4	PA,QL(15 per 28 days)
PANRETIN 0.1 % GEL DL	4	PA
paraplatin 10 mg/ml SOLUTION MO	1	
pazopanib 200 mg TABLET DL	4	PA,QL(120 per 30 days)
PEMAZYRE 13.5 MG, 4.5 MG, 9 MG TABLET DL	4	PA,QL(28 per 28 days)
pemetrexed 1 gram, 100 mg, 500 mg RECON SOLUTION DL	4	PA
pemetrexed disodium 1,000 mg, 100 mg, 500 mg, 750 mg RECON SOLUTION DL	4	PA
pemetrexed disodium 25 mg/ml SOLUTION DL	4	PA
PERJETA 420 MG/14 ML (30 MG/ML) SOLUTION DL	4	PA
PHESGO 1,200 MG-600MG- 30000 UNIT/15ML SOLUTION DL	4	PA,QL(15 per 21 days)
PHESGO 600 MG-600 MG- 20000 UNIT/10ML SOLUTION DL	4	PA,QL(10 per 21 days)
PIQRAY 200 MG/DAY (200 MG X 1) TABLET DL	4	PA,QL(28 per 28 days)
PIQRAY 250 MG/DAY (200 MG X1-50 MG X1), 300 MG/DAY (150 MG X 2) TABLET DL	4	PA,QL(56 per 28 days)
POLIVY 140 MG RECON SOLUTION DL	4	PA,QL(2 per 21 days)
POLIVY 30 MG RECON SOLUTION DL	4	PA,QL(8 per 21 days)
POMALYST 1 MG, 2 MG, 3 MG, 4 MG CAPSULE DL	4	PA,QL(21 per 28 days)
PORTRAZZA 800 MG/50 ML (16 MG/ML) SOLUTION DL	4	PA,QL(100 per 21 days)
POTELIGEO 4 MG/ML SOLUTION DL	4	PA
pralatrexate 20 mg/ml (1 ml), 40 mg/2 ml (20 mg/ml) SOLUTION DL	4	PA
PROLEUKIN 22 MILLION UNIT RECON SOLUTION DL	4	
PURIXAN 20 MG/ML SUSPENSION DL	4	QL(300 per 30 days)
QINLOCK 50 MG TABLET DL	4	PA,QL(90 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL- Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • \$0 – Vaccine/Diabetic • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
RETEVMO 40 MG CAPSULE DL	4	PA,QL(180 per 30 days)
RETEVMO 80 MG CAPSULE DL	4	PA,QL(120 per 30 days)
REZLIDHIA 150 MG CAPSULE DL	4	PA,QL(60 per 30 days)
RIABNI 10 MG/ML SOLUTION DL	4	PA
RITUXAN 10 MG/ML CONCENTRATE DL	4	PA
RITUXAN HYCELA 1400 MG/11.7 ML (120 MG/ML) SOLUTION DL	4	PA,QL(46.8 per 28 days)
RITUXAN HYCELA 1600 MG/13.4 ML (120 MG/ML) SOLUTION DL	4	PA,QL(13.4 per 28 days)
<i>romidepsin 10 mg/2 ml RECON SOLUTION</i> DL	4	PA
ROMIDEPSIN 5 MG/ML SOLUTION DL	4	PA
ROZLYTREK 100 MG CAPSULE DL	4	PA,QL(150 per 30 days)
ROZLYTREK 200 MG CAPSULE DL	4	PA,QL(90 per 30 days)
ROZLYTREK 50 MG PELLETS IN PACKET DL	4	PA,QL(360 per 30 days)
RUBRACA 200 MG, 250 MG, 300 MG TABLET DL	4	PA,QL(120 per 30 days)
RUXIENCE 10 MG/ML SOLUTION DL	4	PA
RYBREVANT 50 MG/ML SOLUTION DL	4	PA,QL(784 per 365 days)
RYDAPT 25 MG CAPSULE DL	4	PA,QL(224 per 28 days)
RYLAZE 10 MG/0.5 ML SOLUTION DL	4	PA
SARCLISA 20 MG/ML SOLUTION DL	4	PA
SCEMBLIX 20 MG TABLET DL	4	PA,QL(60 per 30 days)
SCEMBLIX 40 MG TABLET DL	4	PA,QL(300 per 30 days)
SOLTAMOX 20 MG/10 ML SOLUTION DL	4	
<i>sorafenib 200 mg TABLET</i> DL	4	PA,QL(120 per 30 days)
SPRYCEL 100 MG, 50 MG, 70 MG, 80 MG TABLET DL	4	PA,QL(60 per 30 days)
SPRYCEL 140 MG TABLET DL	4	PA,QL(30 per 30 days)
SPRYCEL 20 MG TABLET DL	4	PA,QL(90 per 30 days)
STIVARGA 40 MG TABLET DL	4	PA,QL(84 per 28 days)
<i>sunitinib malate 12.5 mg, 25 mg, 37.5 mg, 50 mg CAPSULE</i> DL	4	PA,QL(28 per 28 days)
SUTENT 12.5 MG, 25 MG, 37.5 MG, 50 MG CAPSULE DL	4	PA,QL(28 per 28 days)
SYNRIBO 3.5 MG RECON SOLUTION DL	4	PA
TABLOID 40 MG TABLET MO	3	
TABRECTA 150 MG, 200 MG TABLET DL	4	PA,QL(112 per 28 days)
TAFINLAR 10 MG TABLET FOR SUSPENSION DL	4	PA,QL(840 per 28 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL- Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • \$0 - Vaccine/Diabetic • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
TAFINLAR 50 MG CAPSULE DL	4	PA,QL(180 per 30 days)
TAFINLAR 75 MG CAPSULE DL	4	PA,QL(120 per 30 days)
TAGRISSO 40 MG, 80 MG TABLET DL	4	PA,QL(30 per 30 days)
TALVEY 2 MG/ML, 40 MG/ML SOLUTION DL	4	PA
TALZENNA 0.1 MG, 0.35 MG, 0.5 MG, 0.75 MG, 1 MG CAPSULE DL	4	PA,QL(30 per 30 days)
TALZENNA 0.25 MG CAPSULE DL	4	PA,QL(90 per 30 days)
<i>tamoxifen 10 mg, 20 mg TABLET</i> MO	1	
TARCEVA 100 MG, 150 MG TABLET DL	4	PA,QL(30 per 30 days)
TARCEVA 25 MG TABLET DL	4	PA,QL(90 per 30 days)
TARGRETIN 1 % GEL DL	4	PA,QL(240 per 30 days)
TARGRETIN 75 MG CAPSULE DL	4	PA,QL(300 per 30 days)
TASIGNA 150 MG, 200 MG, 50 MG CAPSULE DL	4	PA,QL(120 per 30 days)
TAZVERIK 200 MG TABLET DL	4	PA,QL(240 per 30 days)
TECENTRIQ 1,200 MG/20 ML (60 MG/ML) SOLUTION DL	4	PA,QL(20 per 21 days)
TECENTRIQ 840 MG/14 ML (60 MG/ML) SOLUTION DL	4	PA,QL(28 per 28 days)
TECVAYLI 10 MG/ML, 90 MG/ML SOLUTION DL	4	PA
TEMODAR 100 MG RECON SOLUTION DL	4	PA,QL(27 per 30 days)
<i>temsirolimus 30 mg/3 ml (10 mg/ml) (first) RECON SOLUTION</i> DL	4	PA,QL(8 per 28 days)
<i>teniposide 50 mg/5 ml SOLUTION</i> MO	1	
TEPADINA 100 MG, 15 MG RECON SOLUTION DL	4	
TEPMETKO 225 MG TABLET DL	4	PA,QL(60 per 30 days)
THALOMID 100 MG, 200 MG, 50 MG CAPSULE DL	4	PA,QL(30 per 30 days)
THALOMID 150 MG CAPSULE DL	4	PA,QL(60 per 30 days)
<i>thiotepa 100 mg RECON SOLUTION</i> DL	4	
<i>thiotepa 15 mg RECON SOLUTION</i> MO	1	
TIBSOVO 250 MG TABLET DL	4	PA,QL(60 per 30 days)
TIVDAK 40 MG RECON SOLUTION DL	4	PA,QL(5 per 21 days)
<i>toposar 20 mg/ml SOLUTION</i> MO	1	
<i>topotecan 4 mg RECON SOLUTION</i> MO	1	
<i>topotecan 4 mg/4 ml (1 mg/ml) SOLUTION</i> MO	1	
<i>toremifene 60 mg TABLET</i>	4	QL(30 per 30 days)
TORISEL 30 MG/3 ML (10 MG/ML) (FIRST) RECON SOLUTION DL	4	PA,QL(8 per 28 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL- Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • \$0 - Vaccine/Diabetic • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
TOTECT 500 MG RECON SOLUTION DL	4	
TRAZIMERA 150 MG, 420 MG RECON SOLUTION DL	4	PA
TREANDA 100 MG, 25 MG RECON SOLUTION DL	4	PA
<i>tretinoin (antineoplastic) 10 mg CAPSULE</i> DL	4	
TRISENOX 2 MG/ML SOLUTION DL	4	PA
TRODELVY 180 MG RECON SOLUTION DL	4	PA
TRUQAP 160 MG, 200 MG TABLET DL	4	PA,QL(64 per 28 days)
TRUSELTIQ 100 MG/DAY (100 MG X 1) CAPSULE DL	4	PA,QL(21 per 28 days)
TRUSELTIQ 125 MG/DAY(100 MG X1-25MG X1), 50 MG/DAY (25 MG X 2) CAPSULE DL	4	PA,QL(42 per 28 days)
TRUSELTIQ 75 MG/DAY (25 MG X 3) CAPSULE DL	4	PA,QL(63 per 28 days)
TRUXIMA 10 MG/ML SOLUTION DL	4	PA
TUKYSA 150 MG TABLET DL	4	PA,QL(120 per 30 days)
TUKYSA 50 MG TABLET DL	4	PA,QL(300 per 30 days)
TURALIO 125 MG, 200 MG CAPSULE DL,LA	4	PA,QL(120 per 30 days)
TYKERB 250 MG TABLET DL	4	PA,QL(180 per 30 days)
UNITUXIN 3.5 MG/ML SOLUTION DL	4	PA
VALCHLOR 0.016 % GEL DL	4	PA,QL(60 per 28 days)
<i>valrubicin 40 mg/ml SOLUTION</i> DL	4	PA,QL(80 per 28 days)
VALSTAR 40 MG/ML SOLUTION DL	4	PA,QL(80 per 28 days)
VANFLYTA 17.7 MG, 26.5 MG TABLET DL	4	PA,QL(56 per 28 days)
VECTIBIX 100 MG/5 ML (20 MG/ML), 400 MG/20 ML (20 MG/ML) SOLUTION DL	4	PA
VEGZELMA 25 MG/ML SOLUTION DL	4	PA
VELCADE 3.5 MG RECON SOLUTION DL	4	PA
VENCLEXTA 10 MG TABLET MO	2	PA,QL(56 per 28 days)
VENCLEXTA 100 MG TABLET DL	4	PA,QL(180 per 30 days)
VENCLEXTA 50 MG TABLET MO	2	PA,QL(28 per 28 days)
VENCLEXTA STARTING PACK 10 MG-50 MG- 100 MG TABLET, DOSE PACK DL	4	PA,QL(42 per 28 days)
VERZENIO 100 MG, 150 MG, 200 MG, 50 MG TABLET DL	4	PA,QL(60 per 30 days)
VIDAZA 100 MG RECON SOLUTION DL	4	PA
<i>vinblastine 1 mg/ml SOLUTION</i> MO	1	BvsD
<i>vincasar pfs 1 mg/ml, 2 mg/2 ml SOLUTION</i> MO	1	BvsD

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL- Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • \$0 – Vaccine/Diabetic • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
vincristine 1 mg/ml, 2 mg/2 ml SOLUTION MO	1	BvsD
vinorelbine 10 mg/ml, 50 mg/5 ml SOLUTION MO	1	
VISTOGARD 10 GRAM GRANULES IN PACKET DL	4	QL(20 per 365 days)
VITRAKVI 100 MG CAPSULE DL	4	PA,QL(60 per 30 days)
VITRAKVI 20 MG/ML SOLUTION DL	4	PA,QL(300 per 30 days)
VITRAKVI 25 MG CAPSULE DL	4	PA,QL(180 per 30 days)
VIZIMPRO 15 MG, 30 MG, 45 MG TABLET DL	4	PA,QL(30 per 30 days)
VONJO 100 MG CAPSULE DL	4	PA,QL(120 per 30 days)
VOTRIENT 200 MG TABLET DL	4	PA,QL(120 per 30 days)
VYXEOS 44-100 MG RECON SOLUTION DL	4	PA
WELIREG 40 MG TABLET DL	4	PA,QL(90 per 30 days)
XALKORI 150 MG PELLET DL	4	PA,QL(180 per 30 days)
XALKORI 20 MG PELLET DL	4	PA,QL(120 per 30 days)
XALKORI 200 MG, 250 MG CAPSULE DL	4	PA,QL(120 per 30 days)
XALKORI 50 MG PELLET DL	4	PA,QL(240 per 30 days)
XOSPATA 40 MG TABLET DL	4	PA,QL(90 per 30 days)
XPOVIO 100 MG/WEEK (50 MG X 2), 40MG TWICE WEEK (40 MG X 2), 80 MG/WEEK (40 MG X 2) TABLET DL	4	PA,QL(8 per 28 days)
XPOVIO 40 MG/WEEK (40 MG X 1), 60 MG/WEEK (60 MG X 1) TABLET DL	4	PA,QL(4 per 28 days)
XPOVIO 60MG TWICE WEEK (120 MG/WEEK) TABLET DL	4	PA,QL(24 per 28 days)
XPOVIO 80MG TWICE WEEK (160 MG/WEEK) TABLET DL	4	PA,QL(32 per 28 days)
XTANDI 40 MG CAPSULE DL	4	PA,QL(120 per 30 days)
XTANDI 40 MG TABLET DL	4	PA,QL(120 per 30 days)
XTANDI 80 MG TABLET DL	4	PA,QL(60 per 30 days)
YERVOY 200 MG/40 ML (5 MG/ML), 50 MG/10 ML (5 MG/ML) SOLUTION DL	4	PA
YONDELIS 1 MG RECON SOLUTION DL	4	PA
YONSA 125 MG TABLET DL	4	PA,QL(120 per 30 days)
ZALTRAP 100 MG/4 ML (25 MG/ML), 200 MG/8 ML (25 MG/ML) SOLUTION DL	4	PA
ZANOSAR 1 GRAM RECON SOLUTION MO	3	
ZEJULA 100 MG CAPSULE DL	4	PA,QL(90 per 30 days)
ZEJULA 100 MG, 200 MG, 300 MG TABLET DL	4	PA,QL(30 per 30 days)
ZELBORAF 240 MG TABLET DL	4	PA,QL(240 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL- Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • \$0 - Vaccine/Diabetic • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
ZEPZELCA 4 MG RECON SOLUTION DL	4	PA
ZIRABEV 25 MG/ML SOLUTION DL	4	PA
ZOLINZA 100 MG CAPSULE DL	4	PA,QL(120 per 30 days)
ZYDELIG 100 MG, 150 MG TABLET DL	4	PA,QL(60 per 30 days)
ZYKADIA 150 MG TABLET DL	4	PA,QL(150 per 30 days)
ZYNLONTA 10 MG RECON SOLUTION DL	4	PA
ZYNYZ 500 MG/20 ML SOLUTION DL	4	PA,QL(20 per 28 days)
ZYTIGA 250 MG TABLET DL	4	PA,QL(120 per 30 days)
ZYTIGA 500 MG TABLET DL	4	PA,QL(60 per 30 days)
ANTIPARASITICS		
<i>albendazole</i> 200 mg TABLET MO	1	
ALBENZA 200 MG TABLET DL	4	
<i>atovaquone</i> 750 mg/5 ml SUSPENSION MO	1	
<i>atovaquone-proguanil</i> 250-100 mg, 62.5-25 mg TABLET MO	1	
<i>benznidazole</i> 100 mg, 12.5 mg TABLET MO	3	
BILTRICIDE 600 MG TABLET DL	4	PA
<i>chloroquine phosphate</i> 250 mg, 500 mg TABLET MO	1	
COARTEM 20-120 MG TABLET MO	3	QL(24 per 30 days)
DARAPRIM 25 MG TABLET DL	4	PA,QL(90 per 30 days)
EGATEN 250 MG TABLET MO	3	
<i>emverm</i> 100 mg CHEWABLE TABLET DL	4	
<i>hydroxychloroquine</i> 100 mg, 300 mg, 400 mg TABLET MO	1	
<i>hydroxychloroquine</i> 200 mg TABLET MO	1	
IMPAVIDO 50 MG CAPSULE DL	4	QL(84 per 28 days)
<i>ivermectin</i> 3 mg TABLET MO	1	
KRINTAFEL 150 MG TABLET MO	2	QL(4 per 180 days)
LAMPIT 120 MG, 30 MG TABLET MO	3	
MALARONE 250-100 MG TABLET MO	3	PA
MALARONE PEDIATRIC 62.5-25 MG TABLET MO	3	PA
<i>mefloquine</i> 250 mg TABLET MO	1	
MEPRON 750 MG/5 ML SUSPENSION DL	4	
NEBUPENT 300 MG RECON SOLUTION MO	3	BvsD

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL- Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • \$0 - Vaccine/Diabetic • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
nitazoxanide 500 mg TABLET DL	4	
PENTAM 300 MG RECON SOLUTION MO	3	
pentamidine 300 mg RECON SOLUTION MO	1	
pentamidine 300 mg RECON SOLUTION MO	1	BvsD
PLAQUENIL 200 MG TABLET MO	3	PA
praziquantel 600 mg TABLET MO	1	
primaquine 26.3 mg TABLET MO	1	
pyrimethamine 25 mg TABLET DL	4	QL(90 per 30 days)
QUALAQUIN 324 MG CAPSULE MO	3	PA,QL(42 per 7 days)
quinine sulfate 324 mg CAPSULE MO	1	PA,QL(42 per 7 days)
STROMECTOL 3 MG TABLET MO	3	PA
ANTIPARKINSON AGENTS		
amantadine hcl 100 mg CAPSULE MO	1	
amantadine hcl 100 mg TABLET MO	1	
amantadine hcl 50 mg/5 ml SOLUTION MO	1	
APOKYN 10 MG/ML CARTRIDGE DL	4	PA,QL(84 per 28 days)
apomorphine 10 mg/ml CARTRIDGE DL	4	PA,QL(84 per 28 days)
AZILECT 0.5 MG, 1 MG TABLET DL	4	PA,QL(30 per 30 days)
benztropine 0.5 mg, 1 mg, 2 mg TABLET MO	1	
benztropine 1 mg/ml SOLUTION MO	1	
bromocriptine 2.5 mg TABLET MO	1	
bromocriptine 5 mg CAPSULE MO	1	QL(600 per 30 days)
carbidopa 25 mg TABLET MO	1	
carbidopa-levodopa 10-100 mg, 25-100 mg, 25-250 mg TABLET, DISINTEGRATING MO	1	
carbidopa-levodopa 10-100 mg, 25-250 mg TABLET MO	1	
carbidopa-levodopa 25-100 mg TABLET MO	1	
carbidopa-levodopa 25-100 mg, 50-200 mg TABLET ER MO	1	
carbidopa-levodopa-entacapone 12.5-50-200 mg, 18.75-75-200 mg, 25-100-200 mg, 31.25-125-200 mg, 37.5-150-200 mg TABLET MO	1	QL(240 per 30 days)
carbidopa-levodopa-entacapone 50-200-200 mg TABLET MO	1	
COMTAN 200 MG TABLET MO	3	PA,QL(300 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL- Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • \$0 - Vaccine/Diabetic • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
DHIVY 25-100 MG TABLET MO	3	
DUOPA 4.63-20 MG/ML INTESTINAL PUMP SUSPENSION DL	4	PA,QL(2800 per 28 days)
entacapone 200 mg TABLET MO	1	QL(300 per 30 days)
GOCOVRI 137 MG CAPSULE, ER 24 HR.	4	PA,QL(60 per 30 days)
GOCOVRI 68.5 MG CAPSULE, ER 24 HR.	4	PA,QL(30 per 30 days)
INBRIJA 42 MG CAPSULE DL	4	PA,QL(300 per 30 days)
INBRIJA 42 MG CAPSULE, W/INHALATION DEVICE DL	4	PA,QL(300 per 30 days)
LODOSYN 25 MG TABLET DL	4	PA
MIRAPEX ER 0.375 MG, 0.75 MG, 1.5 MG, 2.25 MG, 3 MG, 3.75 MG, 4.5 MG TABLET, ER 24 HR. MO	3	ST,QL(30 per 30 days)
NEUPRO 1 MG/24 HOUR, 2 MG/24 HOUR, 3 MG/24 HOUR, 4 MG/24 HOUR, 6 MG/24 HOUR, 8 MG/24 HOUR PATCH, 24 HR. MO	3	ST,QL(30 per 30 days)
NOURIANZ 20 MG, 40 MG TABLET DL	4	PA,QL(30 per 30 days)
ONGENTYS 25 MG, 50 MG CAPSULE MO	3	PA,QL(30 per 30 days)
OSMOLEX ER 129 MG, 193 MG, 258 MG TABLET, IR/ER 24 HR., BIPHASIC MO	3	PA,QL(30 per 30 days)
OSMOLEX ER 322 MG/DAY(129 MG X1-193MG X1) TABLET, IR/ER 24 HR., BIPHASIC MO	3	PA,QL(60 per 30 days)
PARLODEL 2.5 MG TABLET MO	3	PA
PARLODEL 5 MG CAPSULE MO	3	PA,QL(600 per 30 days)
pramipexole 0.125 mg, 0.25 mg, 0.5 mg, 0.75 mg, 1 mg, 1.5 mg TABLET MO	1	
pramipexole 0.375 mg, 0.75 mg, 1.5 mg, 2.25 mg, 3 mg, 3.75 mg, 4.5 mg TABLET, ER 24 HR. MO	1	ST,QL(30 per 30 days)
rasagiline 0.5 mg, 1 mg TABLET MO	1	PA,QL(30 per 30 days)
ropinirole 0.25 mg, 0.5 mg, 1 mg, 2 mg, 3 mg, 4 mg, 5 mg TABLET MO	1	
ropinirole 12 mg, 2 mg, 4 mg, 6 mg, 8 mg TABLET, ER 24 HR. MO	1	ST,QL(90 per 30 days)
RYTARY 23.75-95 MG CAPSULE, ER MO	3	ST,QL(360 per 30 days)
RYTARY 36.25-145 MG CAPSULE, ER MO	3	ST,QL(270 per 30 days)
RYTARY 48.75-195 MG CAPSULE, ER MO	3	ST,QL(360 per 30 days)
RYTARY 61.25-245 MG CAPSULE, ER MO	3	ST,QL(300 per 30 days)
selegiline hcl 5 mg CAPSULE MO	1	
selegiline hcl 5 mg TABLET MO	1	
SINEMET 10-100 MG, 25-100 MG TABLET MO	3	PA
STALEVO 100 25-100-200 MG TABLET DL	4	PA,QL(240 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL- Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • \$0 - Vaccine/Diabetic • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
STALEVO 125 31.25-125-200 MG TABLET DL	4	PA,QL(240 per 30 days)
STALEVO 150 37.5-150-200 MG TABLET DL	4	PA,QL(240 per 30 days)
STALEVO 200 50-200-200 MG TABLET DL	4	PA
STALEVO 50 12.5-50-200 MG TABLET DL	4	PA,QL(240 per 30 days)
STALEVO 75 18.75-75-200 MG TABLET DL	4	PA,QL(240 per 30 days)
TASMAR 100 MG TABLET DL	4	PA
tolcapone 100 mg TABLET DL	4	PA
trihexyphenidyl 0.4 mg/ml ELIXIR MO	1	
trihexyphenidyl 2 mg, 5 mg TABLET MO	1	
XADAGO 100 MG, 50 MG TABLET	4	PA,QL(30 per 30 days)
ZELAPAR 1.25 MG TABLET, DISINTEGRATING DL	4	
ANTIPSYCHOTICS		
ABILIFY 10 MG, 15 MG, 2 MG, 20 MG, 30 MG, 5 MG TABLET MO	3	PA
ABILIFY ASIMTUFII 720 MG/2.4 ML SUSPENSION, ER, SYRINGE	4	QL(2.4 per 56 days)
ABILIFY ASIMTUFII 960 MG/3.2 ML SUSPENSION, ER, SYRINGE	4	QL(3.2 per 56 days)
ABILIFY MAINTENA 300 MG, 400 MG SUSPENSION, ER, RECON DL	4	QL(1 per 28 days)
ABILIFY MAINTENA 300 MG, 400 MG SUSPENSION, ER, SYRINGE DL	4	QL(1 per 28 days)
ABILIFY MYCITE 10 MG, 15 MG, 2 MG, 20 MG, 5 MG TABLET WITH SENSOR AND PATCH DL	4	PA,QL(30 per 30 days)
ABILIFY MYCITE 30 MG TABLET WITH SENSOR AND PATCH DL	4	PA,QL(30 per 30 days)
ABILIFY MYCITE MAINTENANCE KIT 10 MG, 30 MG TABLET WITH SENSOR AND STRIP DL	4	PA,QL(30 per 30 days)
ABILIFY MYCITE MAINTENANCE KIT 15 MG, 2 MG, 20 MG, 5 MG TABLET WITH SENSOR AND STRIP DL	4	PA,QL(30 per 30 days)
ABILIFY MYCITE STARTER KIT 10 MG TABLET W/SENSOR AND STRIP, POD DL	4	PA,QL(30 per 30 days)
ABILIFY MYCITE STARTER KIT 15 MG, 2 MG, 20 MG, 30 MG, 5 MG TABLET W/SENSOR AND STRIP, POD DL	4	PA,QL(30 per 30 days)
aripiprazole 1 mg/ml SOLUTION MO	1	QL(750 per 30 days)
aripiprazole 10 mg, 15 mg TABLET, DISINTEGRATING MO	1	QL(60 per 30 days)
aripiprazole 10 mg, 15 mg, 2 mg, 20 mg, 30 mg, 5 mg TABLET MO	1	
ARISTADA 1,064 MG/3.9 ML SUSPENSION, ER, SYRINGE	4	QL(3.9 per 56 days)
ARISTADA 441 MG/1.6 ML SUSPENSION, ER, SYRINGE	4	QL(1.6 per 28 days)
ARISTADA 662 MG/2.4 ML SUSPENSION, ER, SYRINGE	4	QL(2.4 per 28 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL- Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • \$0 - Vaccine/Diabetic • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
ARISTADA 882 MG/3.2 ML SUSPENSION, ER, SYRINGE	4	QL(3.2 per 28 days)
ARISTADA INITIO 675 MG/2.4 ML SUSPENSION, ER, SYRINGE	4	QL(2.4 per 42 days)
asenapine maleate 10 mg, 2.5 mg, 5 mg SUBLINGUAL TABLET MO	1	PA,QL(60 per 30 days)
CAPLYTA 10.5 MG, 21 MG CAPSULE DL	4	PA,QL(30 per 30 days)
CAPLYTA 42 MG CAPSULE	4	PA,QL(30 per 30 days)
chlorpromazine 10 mg, 25 mg TABLET MO	1	BvsD
chlorpromazine 100 mg, 200 mg, 50 mg TABLET MO	1	
chlorpromazine 100 mg/ml, 30 mg/ml CONCENTRATE MO	1	
chlorpromazine 25 mg/ml SOLUTION MO	1	
clozapine 100 mg TABLET MO	1	QL(270 per 30 days)
clozapine 100 mg TABLET, DISINTEGRATING MO	1	PA,QL(270 per 30 days)
clozapine 12.5 mg TABLET, DISINTEGRATING MO	1	PA
clozapine 150 mg TABLET, DISINTEGRATING MO	1	PA,QL(180 per 30 days)
clozapine 200 mg TABLET MO	1	QL(135 per 30 days)
clozapine 200 mg TABLET, DISINTEGRATING MO	1	PA,QL(135 per 30 days)
clozapine 25 mg TABLET MO	1	QL(1080 per 30 days)
clozapine 25 mg TABLET, DISINTEGRATING MO	1	PA,QL(1080 per 30 days)
clozapine 50 mg TABLET MO	1	
CLOZARIL 100 MG TABLET DL	4	QL(270 per 30 days)
CLOZARIL 200 MG TABLET DL	4	QL(135 per 30 days)
CLOZARIL 25 MG TABLET DL	4	QL(1080 per 30 days)
CLOZARIL 50 MG TABLET DL	4	
droperidol 2.5 mg/ml SOLUTION MO	1	
FANAPT 1 MG, 10 MG, 12 MG, 2 MG, 4 MG, 6 MG, 8 MG TABLET DL	4	PA,QL(60 per 30 days)
FANAPT 1MG(2)-2MG(2)- 4MG(2)-6MG(2) TABLET, DOSE PACK MO	3	PA,QL(56 per 28 days)
fluphenazine decanoate 25 mg/ml SOLUTION MO	1	
fluphenazine hcl 1 mg, 10 mg, 2.5 mg, 5 mg TABLET MO	1	
fluphenazine hcl 2.5 mg/5 ml ELIXIR MO	1	
fluphenazine hcl 2.5 mg/ml SOLUTION MO	1	
fluphenazine hcl 5 mg/ml CONCENTRATE MO	1	
GEODON 20 MG, 40 MG, 60 MG, 80 MG CAPSULE DL	4	PA
GEODON 20 MG/ML (FINAL CONC.) RECON SOLUTION MO	3	PA

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL- Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • \$0 – Vaccine/Diabetic • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
HALDOL DECANOATE 100 MG/ML, 50 MG/ML SOLUTION MO	3	PA
haloperidol 0.5 mg, 1 mg, 10 mg, 2 mg, 20 mg, 5 mg TABLET MO	1	
haloperidol decanoate 100 mg/ml, 50 mg/ml SOLUTION MO	1	
haloperidol lactate 2 mg/ml CONCENTRATE MO	1	
haloperidol lactate 5 mg/ml SOLUTION MO	1	
haloperidol lactate 5 mg/ml SYRINGE MO	1	
INVEGA 1.5 MG, 3 MG, 9 MG TABLET, ER 24 HR. DL	4	PA,QL(30 per 30 days)
INVEGA 6 MG TABLET, ER 24 HR. DL	4	PA,QL(60 per 30 days)
INVEGA HAFYERA 1,092 MG/3.5 ML SYRINGE	4	QL(3.5 per 180 days)
INVEGA HAFYERA 1,560 MG/5 ML SYRINGE	4	QL(5 per 180 days)
INVEGA SUSTENNA 117 MG/0.75 ML, 234 MG/1.5 ML, 78 MG/0.5 ML SYRINGE DL	4	QL(1.5 per 28 days)
INVEGA SUSTENNA 156 MG/ML SYRINGE DL	4	QL(1 per 28 days)
INVEGA SUSTENNA 39 MG/0.25 ML SYRINGE MO	3	QL(1.5 per 28 days)
INVEGA TRINZA 273 MG/0.88 ML SYRINGE	4	QL(0.88 per 90 days)
INVEGA TRINZA 410 MG/1.32 ML SYRINGE	4	QL(1.32 per 90 days)
INVEGA TRINZA 546 MG/1.75 ML SYRINGE	4	QL(1.75 per 90 days)
INVEGA TRINZA 819 MG/2.63 ML SYRINGE	4	QL(2.63 per 90 days)
LATUDA 120 MG, 20 MG, 40 MG, 60 MG TABLET	4	PA,QL(30 per 30 days)
LATUDA 80 MG TABLET	4	PA,QL(60 per 30 days)
loxapine succinate 10 mg, 25 mg, 5 mg, 50 mg CAPSULE MO	1	
lurasidone 120 mg, 20 mg, 40 mg, 60 mg TABLET MO	1	QL(30 per 30 days)
lurasidone 80 mg TABLET MO	1	QL(60 per 30 days)
LYBALVI 10-10 MG, 15-10 MG, 20-10 MG, 5-10 MG TABLET DL	4	PA,QL(30 per 30 days)
molindone 10 mg TABLET MO	1	PA,QL(240 per 30 days)
molindone 25 mg TABLET MO	1	PA,QL(270 per 30 days)
molindone 5 mg TABLET MO	1	PA,QL(360 per 30 days)
NUPLAZID 10 MG TABLET DL	4	PA,QL(30 per 30 days)
NUPLAZID 34 MG CAPSULE DL	4	PA,QL(30 per 30 days)
olanzapine 10 mg RECON SOLUTION MO	1	
olanzapine 10 mg, 15 mg, 2.5 mg, 20 mg, 5 mg, 7.5 mg TABLET MO	1	
olanzapine 10 mg, 5 mg TABLET, DISINTEGRATING MO	1	QL(30 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL- Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • \$0 - Vaccine/Diabetic • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
olanzapine 15 mg, 20 mg TABLET, DISINTEGRATING MO	1	QL(60 per 30 days)
paliperidone 1.5 mg, 3 mg, 9 mg TABLET, ER 24 HR. MO	1	QL(30 per 30 days)
paliperidone 6 mg TABLET, ER 24 HR. MO	1	QL(60 per 30 days)
perphenazine 16 mg, 2 mg, 4 mg, 8 mg TABLET MO	1	
PERSERIS 120 MG, 90 MG SUSPENSION, ER, SYRINGE DL	4	QL(1 per 28 days)
pimozide 1 mg, 2 mg TABLET MO	1	
quetiapine 100 mg TABLET MO	1	QL(90 per 30 days)
quetiapine 150 mg TABLET MO	1	QL(30 per 30 days)
quetiapine 150 mg TABLET, ER 24 HR. MO	1	QL(90 per 30 days)
quetiapine 200 mg TABLET MO	1	QL(120 per 30 days)
quetiapine 200 mg TABLET, ER 24 HR. MO	1	QL(30 per 30 days)
quetiapine 25 mg, 50 mg TABLET MO	1	QL(120 per 30 days)
quetiapine 300 mg, 400 mg TABLET MO	1	QL(60 per 30 days)
quetiapine 300 mg, 400 mg TABLET, ER 24 HR. MO	1	QL(60 per 30 days)
quetiapine 50 mg TABLET, ER 24 HR. MO	1	QL(120 per 30 days)
REXULTI 0.25 MG, 0.5 MG, 1 MG, 2 MG, 3 MG, 4 MG TABLET MO	3	PA,QL(30 per 30 days)
RISPERDAL 0.5 MG TABLET MO	3	QL(120 per 30 days)
RISPERDAL 1 MG, 2 MG TABLET MO	3	QL(60 per 30 days)
RISPERDAL 1 MG/ML SOLUTION DL	4	
RISPERDAL 3 MG, 4 MG TABLET DL	4	QL(60 per 30 days)
RISPERDAL CONSTA 12.5 MG/2 ML, 25 MG/2 ML SUSPENSION, ER, RECON MO	3	QL(2 per 28 days)
RISPERDAL CONSTA 37.5 MG/2 ML, 50 MG/2 ML SUSPENSION, ER, RECON DL	4	QL(2 per 28 days)
risperidone 0.25 mg, 1 mg, 2 mg, 3 mg, 4 mg TABLET MO	1	QL(60 per 30 days)
risperidone 0.25 mg, 1 mg, 2 mg, 3 mg, 4 mg TABLET, DISINTEGRATING MO	1	ST,QL(60 per 30 days)
risperidone 0.5 mg TABLET MO	1	QL(120 per 30 days)
risperidone 0.5 mg TABLET, DISINTEGRATING MO	1	ST,QL(120 per 30 days)
risperidone 1 mg/ml SOLUTION MO	1	
SAPHRIS 10 MG, 2.5 MG, 5 MG SUBLINGUAL TABLET DL	4	PA,QL(60 per 30 days)
SECUADO 3.8 MG/24 HOUR, 5.7 MG/24 HOUR, 7.6 MG/24 HOUR PATCH, 24 HR. DL	4	PA,QL(30 per 30 days)
SEROQUEL 100 MG TABLET MO	3	QL(90 per 30 days)
SEROQUEL 200 MG, 25 MG, 50 MG TABLET MO	3	QL(120 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL- Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • \$0 - Vaccine/Diabetic • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
SEROQUEL 300 MG, 400 MG TABLET MO	3	QL(60 per 30 days)
SEROQUEL XR 150 MG TABLET, ER 24 HR. MO	3	PA,QL(90 per 30 days)
SEROQUEL XR 200 MG TABLET, ER 24 HR. MO	3	PA,QL(30 per 30 days)
SEROQUEL XR 300 MG, 400 MG TABLET, ER 24 HR. MO	3	PA,QL(60 per 30 days)
SEROQUEL XR 50 MG TABLET, ER 24 HR. MO	3	PA,QL(120 per 30 days)
SEROQUEL XR 50 MG(3)-200 MG (1)-300 MG(11) TABLET, ER 24 HR., DOSE PACK MO	3	PA,QL(15 per 30 days)
thioridazine 10 mg, 100 mg, 25 mg, 50 mg TABLET MO	1	
thiothixene 1 mg, 10 mg, 2 mg, 5 mg CAPSULE MO	1	
trifluoperazine 1 mg, 10 mg, 2 mg, 5 mg TABLET MO	1	
UZEDY 100 MG/0.28 ML SUSPENSION, ER, SYRINGE DL	4	QL(0.28 per 28 days)
UZEDY 125 MG/0.35 ML SUSPENSION, ER, SYRINGE DL	4	QL(0.35 per 28 days)
UZEDY 150 MG/0.42 ML SUSPENSION, ER, SYRINGE	4	QL(0.42 per 56 days)
UZEDY 200 MG/0.56 ML SUSPENSION, ER, SYRINGE	4	QL(0.56 per 56 days)
UZEDY 250 MG/0.7 ML SUSPENSION, ER, SYRINGE	4	QL(0.7 per 56 days)
UZEDY 50 MG/0.14 ML SUSPENSION, ER, SYRINGE DL	4	QL(0.14 per 28 days)
UZEDY 75 MG/0.21 ML SUSPENSION, ER, SYRINGE DL	4	QL(0.21 per 28 days)
VERSACLOZ 50 MG/ML SUSPENSION DL	4	PA,QL(540 per 30 days)
VRAYLAR 1.5 MG (1)- 3 MG (6) CAPSULE, DOSE PACK MO	3	PA
VRAYLAR 1.5 MG, 3 MG, 4.5 MG, 6 MG CAPSULE	4	PA,QL(30 per 30 days)
ziprasidone hcl 20 mg, 40 mg, 60 mg, 80 mg CAPSULE MO	1	
ziprasidone mesylate 20 mg/ml (final conc.) RECON SOLUTION MO	1	
ZYPREXA 10 MG RECON SOLUTION MO	3	
ZYPREXA 10 MG, 15 MG, 2.5 MG, 20 MG, 5 MG, 7.5 MG TABLET	4	
ZYPREXA RELPREVV 210 MG SUSPENSION FOR RECONSTITUTION MO	3	QL(4 per 28 days)
ZYPREXA RELPREVV 300 MG SUSPENSION FOR RECONSTITUTION	4	QL(2 per 28 days)
ZYPREXA RELPREVV 405 MG SUSPENSION FOR RECONSTITUTION	4	QL(1 per 28 days)
ZYPREXA ZYDIS 10 MG TABLET, DISINTEGRATING	4	QL(30 per 30 days)
ZYPREXA ZYDIS 15 MG, 20 MG TABLET, DISINTEGRATING	4	QL(60 per 30 days)
ZYPREXA ZYDIS 5 MG TABLET, DISINTEGRATING MO	3	QL(30 per 30 days)
ANTISPASTICITY AGENTS		
baclofen 10 mg TABLET MO	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL- Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • \$0 - Vaccine/Diabetic • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
baclofen 10 mg/5 ml (2 mg/ml) SOLUTION DL	4	
baclofen 20 mg TABLET MO	1	
baclofen 25 mg/5 ml (5 mg/ml) SUSPENSION DL	4	QL(480 per 30 days)
baclofen 5 mg TABLET MO	1	QL(90 per 30 days)
DANTRIUM 20 MG RECON SOLUTION MO	3	
DANTRIUM 25 MG, 50 MG CAPSULE MO	3	
dantrolene 100 mg, 25 mg, 50 mg CAPSULE MO	1	
dantrolene 20 mg RECON SOLUTION MO	1	
FLEQSUVY 25 MG/5 ML (5 MG/ML) SUSPENSION DL	4	QL(480 per 30 days)
LYVISPAH 10 MG, 20 MG GRANULES IN PACKET DL	4	ST,QL(120 per 30 days)
LYVISPAH 5 MG GRANULES IN PACKET MO	3	ST,QL(270 per 30 days)
revonto 20 mg RECON SOLUTION MO	1	
tizanidine 2 mg, 4 mg TABLET MO	1	
tizanidine 2 mg, 4 mg, 6 mg CAPSULE MO	1	ST
ZANAFLEX 2 MG, 4 MG, 6 MG CAPSULE MO	3	ST
ZANAFLEX 4 MG TABLET MO	3	ST
ANTIVIRALS		
abacavir 20 mg/ml SOLUTION MO	1	QL(960 per 30 days)
abacavir 300 mg TABLET MO	1	QL(60 per 30 days)
abacavir-lamivudine 600-300 mg TABLET MO	1	QL(30 per 30 days)
acyclovir 200 mg CAPSULE MO	1	
acyclovir 200 mg/5 ml SUSPENSION MO	1	
acyclovir 400 mg TABLET MO	1	
acyclovir 5 % CREAM MO	3	PA,QL(5 per 30 days)
acyclovir 5 % OINTMENT MO	1	PA,QL(30 per 30 days)
acyclovir 800 mg TABLET MO	1	
acyclovir sodium 1,000 mg, 500 mg RECON SOLUTION MO	1	BvsD
acyclovir sodium 50 mg/ml SOLUTION MO	1	BvsD
adefovir 10 mg TABLET MO	1	
APRETUDE 600 MG/3 ML (200 MG/ML) SUSPENSION, ER DL	4	QL(21 per 365 days)
APTIVUS 250 MG CAPSULE DL	4	QL(120 per 30 days)
atazanavir 150 mg, 200 mg CAPSULE MO	1	QL(60 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL- Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • \$0 – Vaccine/Diabetic • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
atazanavir 300 mg CAPSULE MO	1	QL(30 per 30 days)
ATRIPLA 600-200-300 MG TABLET DL	4	QL(30 per 30 days)
BARACLUDE 0.05 MG/ML SOLUTION MO	3	QL(630 per 30 days)
BARACLUDE 0.5 MG, 1 MG TABLET DL	4	PA,QL(30 per 30 days)
BIKTARVY 30-120-15 MG, 50-200-25 MG TABLET DL	4	QL(30 per 30 days)
CABENUVA 400 MG/2 ML- 600 MG/2 ML, 600 MG/3 ML- 900 MG/3 ML SUSPENSION, ER DL	4	QL(50 per 365 days)
cidofovir 75 mg/ml SOLUTION DL	4	
CIMDUO 300-300 MG TABLET DL	4	QL(30 per 30 days)
COMBIVIR 150-300 MG TABLET DL	4	QL(60 per 30 days)
COMPLERA 200-25-300 MG TABLET DL	4	QL(30 per 30 days)
darunavir 600 mg TABLET DL	4	QL(60 per 30 days)
darunavir 800 mg TABLET DL	4	QL(30 per 30 days)
DELSTRIGO 100-300-300 MG TABLET DL	4	QL(30 per 30 days)
DENAVIR 1 % CREAM MO	3	PA
DESCOVY 120-15 MG TABLET DL	4	QL(30 per 30 days)
DESCOVY 200-25 MG TABLET DL	4	QL(30 per 30 days)
didanosine 250 mg, 400 mg CAPSULE, DR/EC MO	1	QL(30 per 30 days)
DOVATO 50-300 MG TABLET DL	4	QL(30 per 30 days)
EDURANT 25 MG TABLET DL	4	QL(30 per 30 days)
efavirenz 200 mg CAPSULE MO	1	QL(120 per 30 days)
efavirenz 50 mg CAPSULE MO	1	QL(480 per 30 days)
efavirenz 600 mg TABLET MO	1	QL(30 per 30 days)
efavirenz-emtricitabin-tenofovir 600-200-300 mg TABLET DL	1	QL(30 per 30 days)
efavirenz-lamivudine-tenofovir disoproxil fumarate 400-300-300 mg, 600-300-300 mg TABLET DL	4	QL(30 per 30 days)
emtricitabine 200 mg CAPSULE MO	1	QL(30 per 30 days)
emtricitabine-tenofovir (tdf) 100-150 mg, 133-200 mg, 167-250 mg, 200-300 mg TABLET MO	1	QL(30 per 30 days)
EMTRIVA 10 MG/ML SOLUTION MO	3	QL(680 per 28 days)
EMTRIVA 200 MG CAPSULE MO	3	QL(30 per 30 days)
entecavir 0.5 mg, 1 mg TABLET MO	1	QL(30 per 30 days)
EPCLUSA 150-37.5 MG PELLETS IN PACKET DL	4	PA,QL(28 per 28 days)
EPCLUSA 200-50 MG PELLETS IN PACKET DL	4	PA,QL(56 per 28 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL- Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • \$0 - Vaccine/Diabetic • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
EPCLUSA 200-50 MG, 400-100 MG TABLET DL	4	PA,QL(28 per 28 days)
EPIVIR 10 MG/ML SOLUTION MO	3	QL(900 per 30 days)
EPIVIR 150 MG TABLET MO	3	QL(60 per 30 days)
EPIVIR 300 MG TABLET MO	3	QL(30 per 30 days)
EPIVIR HBV 100 MG TABLET MO	3	QL(90 per 30 days)
EPIVIR HBV 25 MG/5 ML (5 MG/ML) SOLUTION MO	3	
EPZICOM 600-300 MG TABLET DL	4	QL(30 per 30 days)
<i>etravirine</i> 100 mg TABLET DL	4	QL(120 per 30 days)
<i>etravirine</i> 200 mg TABLET DL	4	QL(60 per 30 days)
EVOTAZ 300-150 MG TABLET DL	4	QL(30 per 30 days)
<i>famciclovir</i> 125 mg, 250 mg, 500 mg TABLET MO	1	QL(90 per 30 days)
FLUMADINE 100 MG TABLET MO	3	
<i>fosamprenavir</i> 700 mg TABLET DL	4	QL(120 per 30 days)
<i>foscarnet</i> 24 mg/ml SOLUTION MO	1	BvsD
FOSCAVIR 24 MG/ML SOLUTION MO	3	BvsD
FUZEON 90 MG RECON SOLUTION DL	4	QL(60 per 30 days)
<i>ganciclovir sodium</i> 50 mg/ml SOLUTION MO	1	BvsD
<i>ganciclovir sodium</i> 500 mg RECON SOLUTION MO	1	BvsD
GENVOYA 150-150-200-10 MG TABLET DL	4	QL(30 per 30 days)
HARVONI 33.75-150 MG PELLETS IN PACKET DL	4	PA,QL(28 per 28 days)
HARVONI 45-200 MG PELLETS IN PACKET DL	4	PA,QL(56 per 28 days)
HARVONI 45-200 MG TABLET DL	4	PA,QL(28 per 28 days)
HARVONI 90-400 MG TABLET DL	4	PA,QL(28 per 28 days)
HEPSERA 10 MG TABLET DL	4	
INTELENCE 100 MG TABLET DL	4	QL(120 per 30 days)
INTELENCE 200 MG TABLET DL	4	QL(60 per 30 days)
INTELENCE 25 MG TABLET MO	3	QL(120 per 30 days)
ISENTRESS 100 MG CHEWABLE TABLET DL	4	QL(180 per 30 days)
ISENTRESS 100 MG POWDER IN PACKET MO	2	QL(300 per 30 days)
ISENTRESS 25 MG CHEWABLE TABLET MO	3	QL(180 per 30 days)
ISENTRESS 400 MG TABLET DL	4	QL(120 per 30 days)
ISENTRESS HD 600 MG TABLET DL	4	QL(60 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL- Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • \$0 - Vaccine/Diabetic • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
JULUCA 50-25 MG TABLET DL	4	QL(30 per 30 days)
KALETRA 100-25 MG TABLET MO	3	QL(300 per 30 days)
KALETRA 200-50 MG TABLET MO	3	QL(150 per 30 days)
KALETRA 400-100 MG/5 ML SOLUTION DL	4	
lamivudine 10 mg/ml SOLUTION MO	1	QL(900 per 30 days)
lamivudine 100 mg TABLET MO	1	QL(90 per 30 days)
lamivudine 150 mg TABLET MO	1	QL(60 per 30 days)
lamivudine 300 mg TABLET MO	1	QL(30 per 30 days)
lamivudine-zidovudine 150-300 mg TABLET MO	1	QL(60 per 30 days)
LEXIVA 50 MG/ML SUSPENSION MO	3	QL(1575 per 28 days)
LEXIVA 700 MG TABLET DL	4	QL(120 per 30 days)
LIVTENCITY 200 MG TABLET DL	4	PA,QL(120 per 30 days)
lopinavir-ritonavir 100-25 mg TABLET MO	1	QL(300 per 30 days)
lopinavir-ritonavir 200-50 mg TABLET MO	1	QL(150 per 30 days)
lopinavir-ritonavir 400-100 mg/5 ml SOLUTION MO	1	
maraviroc 150 mg TABLET DL	4	QL(240 per 30 days)
maraviroc 300 mg TABLET DL	4	QL(120 per 30 days)
MAVYRET 100-40 MG TABLET DL	4	PA,QL(84 per 28 days)
MAVYRET 50-20 MG PELLETS IN PACKET DL	4	PA,QL(150 per 30 days)
nevirapine 100 mg TABLET, ER 24 HR. MO	1	QL(120 per 30 days)
nevirapine 200 mg TABLET MO	1	QL(60 per 30 days)
nevirapine 400 mg TABLET, ER 24 HR. MO	1	QL(30 per 30 days)
nevirapine 50 mg/5 ml SUSPENSION MO	1	QL(1200 per 30 days)
NORVIR 100 MG POWDER IN PACKET MO	3	QL(360 per 30 days)
NORVIR 100 MG TABLET MO	3	QL(360 per 30 days)
NORVIR 80 MG/ML SOLUTION MO	3	QL(480 per 30 days)
ODEFSEY 200-25-25 MG TABLET DL	4	QL(30 per 30 days)
oseltamivir 30 mg CAPSULE MO	1	QL(224 per 365 days)
oseltamivir 45 mg, 75 mg CAPSULE MO	1	QL(112 per 365 days)
oseltamivir 6 mg/ml SUSPENSION FOR RECONSTITUTION MO	1	QL(1440 per 365 days)
penciclovir 1 % CREAM MO	1	PA
PIFELTRO 100 MG TABLET DL	4	QL(60 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL- Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • \$0 - Vaccine/Diabetic • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
PREVYMIS 240 MG TABLET DL	4	PA,QL(28 per 28 days)
PREVYMIS 240 MG/12 ML SOLUTION DL	4	PA,QL(336 per 28 days)
PREVYMIS 480 MG TABLET DL	4	PA
PREVYMIS 480 MG/24 ML SOLUTION DL	4	PA,QL(672 per 28 days)
PREZCOBIX 800-150 MG-MG TABLET DL	4	QL(30 per 30 days)
PREZISTA 100 MG/ML SUSPENSION DL	4	QL(360 per 30 days)
PREZISTA 150 MG TABLET DL	4	QL(240 per 30 days)
PREZISTA 600 MG TABLET DL	4	QL(60 per 30 days)
PREZISTA 75 MG TABLET MO	3	QL(480 per 30 days)
PREZISTA 800 MG TABLET DL	4	QL(30 per 30 days)
RELENZA DISKHALER 5 MG/ACTUATION BLISTER WITH DEVICE MO	3	QL(60 per 180 days)
RETROVIR 10 MG/ML SOLUTION MO	3	
RETROVIR 10 MG/ML SYRUP MO	3	QL(1680 per 28 days)
RETROVIR 100 MG CAPSULE MO	3	QL(180 per 30 days)
REYATAZ 200 MG CAPSULE DL	4	QL(60 per 30 days)
REYATAZ 300 MG CAPSULE DL	4	QL(30 per 30 days)
REYATAZ 50 MG POWDER IN PACKET MO	3	
<i>ribavirin 200 mg CAPSULE</i> MO	1	QL(168 per 28 days)
<i>ribavirin 200 mg TABLET</i> MO	1	QL(168 per 28 days)
<i>rimantadine 100 mg TABLET</i> MO	1	
<i>ritonavir 100 mg TABLET</i> MO	1	QL(360 per 30 days)
RUKOBIA 600 MG TABLET, ER 12 HR. DL	4	QL(60 per 30 days)
SELZENTRY 150 MG TABLET DL	4	QL(240 per 30 days)
SELZENTRY 20 MG/ML SOLUTION DL	4	QL(1800 per 30 days)
SELZENTRY 25 MG TABLET MO	3	QL(240 per 30 days)
SELZENTRY 300 MG, 75 MG TABLET DL	4	QL(120 per 30 days)
SITAVIG 50 MG MUCO-ADHESIVE BUCCAL TABLET MO	3	PA,QL(1 per 28 days)
SOVALDI 150 MG PELLETS IN PACKET DL	4	PA,QL(28 per 28 days)
SOVALDI 200 MG PELLETS IN PACKET DL	4	PA,QL(56 per 28 days)
SOVALDI 200 MG, 400 MG TABLET DL	4	PA,QL(28 per 28 days)
<i>stavudine 15 mg, 20 mg CAPSULE</i> MO	1	QL(120 per 30 days)
<i>stavudine 30 mg, 40 mg CAPSULE</i> MO	1	QL(60 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL- Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • \$0 – Vaccine/Diabetic • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
STRIBILD 150-150-200-300 MG TABLET DL	4	QL(30 per 30 days)
SUNLENCA 300 MG TABLET DL	4	QL(10 per 365 days)
SUNLENCA 309 MG/ML SOLUTION	4	QL(9 per 365 days)
SUSTIVA 200 MG CAPSULE DL	4	QL(120 per 30 days)
SUSTIVA 50 MG CAPSULE DL	4	QL(480 per 30 days)
SUSTIVA 600 MG TABLET DL	4	QL(30 per 30 days)
SYMFI 600-300-300 MG TABLET DL	4	QL(30 per 30 days)
SYMFI LO 400-300-300 MG TABLET DL	4	QL(30 per 30 days)
SYMTUZA 800-150-200-10 MG TABLET DL	4	QL(30 per 30 days)
TAMIFLU 30 MG CAPSULE MO	3	PA,QL(224 per 365 days)
TAMIFLU 45 MG, 75 MG CAPSULE MO	3	PA,QL(112 per 365 days)
TAMIFLU 6 MG/ML SUSPENSION FOR RECONSTITUTION MO	3	PA,QL(1440 per 365 days)
TEMIXYS 300-300 MG TABLET MO	3	QL(30 per 30 days)
<i>tenofovir disoproxil fumarate 300 mg TABLET</i> MO	1	QL(30 per 30 days)
TIVICAY 10 MG TABLET MO	3	QL(60 per 30 days)
TIVICAY 25 MG, 50 MG TABLET DL	4	QL(60 per 30 days)
TIVICAY PD 5 MG TABLET FOR SUSPENSION DL	4	QL(180 per 30 days)
TRIUMEQ 600-50-300 MG TABLET DL	4	QL(30 per 30 days)
TRIUMEQ PD 60-5-30 MG TABLET FOR SUSPENSION DL	4	QL(180 per 30 days)
TRIZIVIR 300-150-300 MG TABLET DL	4	QL(60 per 30 days)
TROGARZO 200 MG/1.33 ML (150 MG/ML) SOLUTION DL	4	
TRUVADA 100-150 MG, 133-200 MG, 167-250 MG, 200-300 MG TABLET DL	4	QL(30 per 30 days)
TYBOST 150 MG TABLET MO	2	QL(30 per 30 days)
<i>valacyclovir 1 gram, 500 mg TABLET</i> MO	1	
VALCYTE 450 MG TABLET DL	4	PA,QL(120 per 30 days)
VALCYTE 50 MG/ML RECON SOLUTION DL	4	PA,QL(1056 per 30 days)
<i>valganciclovir 450 mg TABLET</i> MO	1	QL(120 per 30 days)
<i>valganciclovir 50 mg/ml RECON SOLUTION</i> DL	4	QL(1056 per 30 days)
VALTREX 1 GRAM, 500 MG TABLET MO	3	PA
VEMLIDY 25 MG TABLET DL	4	QL(30 per 30 days)
VIRACEPT 250 MG TABLET DL	4	QL(300 per 30 days)
VIRACEPT 625 MG TABLET DL	4	QL(120 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL- Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • \$0 – Vaccine/Diabetic • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
VIRAMUNE XR 400 MG TABLET, ER 24 HR. DL	4	QL(30 per 30 days)
VIREAD 150 MG, 200 MG, 250 MG, 300 MG TABLET DL	4	QL(30 per 30 days)
VIREAD 40 MG/SCOOP (40 MG/GRAM) POWDER DL	4	QL(240 per 30 days)
VOCABRIA 30 MG TABLET DL	4	QL(30 per 30 days)
VOSEVI 400-100-100 MG TABLET DL	4	PA,QL(28 per 28 days)
XERESE 5-1 % CREAM DL	4	QL(5 per 30 days)
XOFLUZA 20 MG, 40 MG, 80 MG TABLET MO	3	
ZEPATIER 50-100 MG TABLET DL	4	PA,QL(28 per 28 days)
ZIAGEN 20 MG/ML SOLUTION MO	3	QL(960 per 30 days)
ZIAGEN 300 MG TABLET MO	3	QL(60 per 30 days)
zidovudine 10 mg/ml SYRUP MO	1	QL(1680 per 28 days)
zidovudine 100 mg CAPSULE MO	1	QL(180 per 30 days)
zidovudine 300 mg TABLET MO	1	QL(60 per 30 days)
ZIRGAN 0.15 % GEL MO	3	QL(5 per 30 days)
ZOVIRAX 200 MG/5 ML SUSPENSION MO	3	PA
ZOVIRAX 5 % CREAM MO	3	PA,QL(5 per 30 days)
ZOVIRAX 5 % OINTMENT DL	4	PA,QL(30 per 30 days)
ANXIOLYTICS		
alprazolam 0.25 mg, 0.5 mg, 1 mg TABLET DL	1	QL(120 per 30 days)
alprazolam 0.25 mg, 0.5 mg, 1 mg, 2 mg TABLET, DISINTEGRATING DL	1	
alprazolam 0.5 mg, 1 mg, 2 mg, 3 mg TABLET, ER 24 HR. DL	1	QL(60 per 30 days)
alprazolam 2 mg TABLET DL	1	QL(150 per 30 days)
alprazolam intensol 1 mg/ml CONCENTRATE DL	1	
ATIVAN 0.5 MG, 1 MG TABLET DL	4	PA,QL(90 per 30 days)
ATIVAN 2 MG TABLET DL	4	PA,QL(150 per 30 days)
ATIVAN 2 MG/ML, 4 MG/ML SOLUTION DL	3	PA
buspirone 10 mg, 15 mg, 5 mg TABLET MO	1	
buspirone 30 mg, 7.5 mg TABLET MO	1	
chlordiazepoxide hcl 10 mg, 25 mg, 5 mg CAPSULE DL	1	QL(120 per 30 days)
clonazepam 0.125 mg, 0.25 mg, 0.5 mg, 1 mg, 2 mg TABLET, DISINTEGRATING DL	1	
clonazepam 0.5 mg, 1 mg TABLET DL	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL- Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • \$0 - Vaccine/Diabetic • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
clonazepam 2 mg TABLET DL	1	
clorazepate dipotassium 15 mg, 3.75 mg, 7.5 mg TABLET DL	1	
diazepam 10 mg TABLET DL	1	QL(120 per 30 days)
diazepam 2 mg TABLET DL	1	QL(90 per 30 days)
diazepam 5 mg TABLET DL	1	QL(90 per 30 days)
diazepam 5 mg/5 ml (1 mg/ml), 5 mg/5 ml (1 mg/ml, 5 ml) SOLUTION DL	1	QL(1200 per 30 days)
diazepam 5 mg/ml CONCENTRATE DL	1	QL(240 per 30 days)
diazepam 5 mg/ml SOLUTION DL	1	
diazepam 5 mg/ml SYRINGE DL	1	
diazepam intensol 5 mg/ml CONCENTRATE DL	1	QL(240 per 30 days)
doxepin 10 mg, 100 mg, 150 mg, 25 mg, 50 mg, 75 mg CAPSULE MO	1	
doxepin 10 mg/ml CONCENTRATE MO	1	
hydroxyzine hcl 10 mg, 50 mg TABLET MO	1	
hydroxyzine hcl 10 mg/5 ml, 25 mg/ml, 50 mg/ml SOLUTION MO	1	
hydroxyzine hcl 25 mg TABLET MO	1	
KLONOPIN 0.5 MG, 1 MG, 2 MG TABLET DL	3	PA
lorazepam 0.5 mg, 1 mg TABLET DL	1	QL(90 per 30 days)
lorazepam 2 mg TABLET DL	1	QL(150 per 30 days)
lorazepam 2 mg/ml CONCENTRATE DL	1	QL(150 per 30 days)
lorazepam 2 mg/ml SYRINGE DL	1	
lorazepam 2 mg/ml, 4 mg/ml SOLUTION DL	1	
lorazepam intensol 2 mg/ml CONCENTRATE DL	1	QL(150 per 30 days)
LOREEV XR 1 MG CAPSULE, ER 24 HR. DL	4	PA,QL(210 per 30 days)
LOREEV XR 1.5 MG, 2 MG CAPSULE, ER 24 HR. DL	4	PA,QL(150 per 30 days)
LOREEV XR 3 MG CAPSULE, ER 24 HR. DL	4	PA,QL(90 per 30 days)
meprobamate 200 mg, 400 mg TABLET MO	1	
oxazepam 10 mg, 15 mg, 30 mg CAPSULE DL	1	
TRANXENE T-TAB 7.5 MG TABLET DL	3	PA
VALIUM 10 MG TABLET DL	3	PA,QL(120 per 30 days)
VALIUM 2 MG, 5 MG TABLET DL	3	PA,QL(90 per 30 days)
XANAX 0.25 MG, 0.5 MG, 1 MG TABLET DL	3	PA,QL(120 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL- Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • \$0 - Vaccine/Diabetic • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
XANAX 2 MG TABLET DL	3	PA,QL(150 per 30 days)
XANAX XR 0.5 MG, 1 MG, 2 MG, 3 MG TABLET, ER 24 HR. DL	3	PA,QL(60 per 30 days)
BIPOLAR AGENTS		
<i>lithium carbonate 150 mg, 300 mg, 600 mg CAPSULE</i> MO	1	
<i>lithium carbonate 300 mg TABLET</i> MO	1	
<i>lithium carbonate 300 mg, 450 mg TABLET ER</i> MO	1	
<i>lithium citrate 8 meq/5 ml SOLUTION</i> MO	1	
LITHOBID 300 MG TABLET ER MO	3	
BLOOD GLUCOSE REGULATORS		
<i>acarbose 100 mg, 25 mg, 50 mg TABLET</i> MO	1	
ACTOPLUS MET 15-500 MG, 15-850 MG TABLET MO	3	PA,QL(90 per 30 days)
ACTOS 15 MG, 30 MG, 45 MG TABLET MO	3	PA,QL(30 per 30 days)
ADLYXIN 10 MCG/0.2 ML- 20 MCG/0.2 ML, 20 MCG/0.2 ML PEN INJECTOR MO	3	ST,QL(6 per 28 days)
ADMELOG SOLOSTAR U-100 INSULIN 100 UNIT/ML INSULIN PEN CI,MO	3	ST
ADMELOG U-100 INSULIN LISPRO 100 UNIT/ML SOLUTION CI,MO	3	ST
AFREZZA 12 UNIT CARTRIDGE WITH INHALER CI	4	PA,QL(90 per 30 days)
AFREZZA 4 UNIT (90)/ 8 UNIT (90), 4 UNIT/8 UNIT/ 12 UNIT (60), 8 UNIT (90)/ 12 UNIT (90) CARTRIDGE WITH INHALER CI	4	PA,QL(180 per 30 days)
AFREZZA 4 UNIT, 8 UNIT CARTRIDGE WITH INHALER CI,MO	3	PA,QL(90 per 30 days)
AMARYL 1 MG, 2 MG, 4 MG TABLET MO	3	PA
APIDRA SOLOSTAR U-100 INSULIN 100 UNIT/ML INSULIN PEN CI,MO	3	ST
APIDRA U-100 INSULIN 100 UNIT/ML SOLUTION CI,MO	3	ST
BAQSIMI 3 MG/ACTUATION SPRAY, NON-AEROSOL MO	2	
BASAGLAR KWIKPEN U-100 INSULIN 100 UNIT/ML (3 ML) INSULIN PEN CI,MO	3	PA
BASAGLAR TEMPO PEN(U-100)INSLN 100 UNIT/ML (3 ML) INSULIN PEN, SENSOR CI,MO	3	PA
BYDUREON BCISE 2 MG/0.85 ML AUTO-INJECTOR MO	3	QL(3.4 per 28 days)
BYETTA 10 MCG/DOSE(250 MCG/ML) 2.4 ML, 5 MCG/DOSE (250 MCG/ML) 1.2 ML PEN INJECTOR MO	3	ST,QL(2.4 per 30 days)
CYCLOSET 0.8 MG TABLET MO	3	ST,QL(180 per 30 days)
<i>diazoxide 50 mg/ml SUSPENSION</i> MO	1	
DUETACT 30-2 MG, 30-4 MG TABLET MO	3	QL(30 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL- Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • \$0 - Vaccine/Diabetic • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
FARXIGA 10 MG TABLET MO	3	QL(30 per 30 days)
FARXIGA 5 MG TABLET MO	3	QL(30 per 30 days)
FIASP FLEXTOUCH U-100 INSULIN 100 UNIT/ML (3 ML) INSULIN PEN CI,MO	2	
FIASP PENFILL U-100 INSULIN 100 UNIT/ML (3 ML) CARTRIDGE CI,MO	2	
FIASP U-100 INSULIN 100 UNIT/ML SOLUTION CI,MO	2	
glimepiride 1 mg TABLET MO	1	
glimepiride 2 mg, 4 mg TABLET MO	1	
glipizide 10 mg TABLET, ER 24 HR. MO	1	
glipizide 10 mg, 5 mg TABLET MO	1	
glipizide 2.5 mg TABLET MO	1	
glipizide 2.5 mg, 5 mg TABLET, ER 24 HR. MO	1	
glipizide-metformin 2.5-250 mg, 2.5-500 mg, 5-500 mg TABLET MO	1	
GLUCAGEN HYPOKIT 1 MG RECON SOLUTION MO	2	
GLUCAGON (HCL) EMERGENCY KIT 1 MG RECON SOLUTION MO	3	ST
GLUCAGON EMERGENCY KIT (HUMAN) 1 MG RECON SOLUTION MO	3	ST
glucagon emergency kit (human) 1 mg RECON SOLUTION MO	3	ST
GLUCOTROL XL 10 MG, 2.5 MG, 5 MG TABLET, ER 24 HR. MO	3	
GLUMETZA 1,000 MG TABLET, GAST. RETENTION 24 HR. DL	4	ST,QL(60 per 30 days)
GLUMETZA 500 MG TABLET, GAST. RETENTION 24 HR. DL	4	ST,QL(120 per 30 days)
glyburide 1.25 mg, 2.5 mg, 5 mg TABLET MO	1	
glyburide micronized 1.5 mg, 3 mg, 6 mg TABLET MO	1	
glyburide-metformin 1.25-250 mg, 2.5-500 mg, 5-500 mg TABLET MO	1	
GLYNASE 1.5 MG, 3 MG, 6 MG TABLET MO	3	
GLYXAMBI 10-5 MG, 25-5 MG TABLET MO	2	QL(30 per 30 days)
GVOKE 1 MG/0.2 ML SOLUTION MO	2	
GVOKE HYPOPEN 1-PACK 0.5 MG/0.1 ML, 1 MG/0.2 ML AUTO-INJECTOR MO	2	
GVOKE HYPOPEN 2-PACK 0.5 MG/0.1 ML, 1 MG/0.2 ML AUTO-INJECTOR MO	2	
GVOKE PFS 1-PACK SYRINGE 0.5 MG/0.1 ML, 1 MG/0.2 ML SYRINGE MO	2	
GVOKE PFS 2-PACK SYRINGE 0.5 MG/0.1 ML, 1 MG/0.2 ML SYRINGE MO	2	
HUMALOG JUNIOR KWIKPEN U-100 100 UNIT/ML INSULIN PEN, HALF-UNIT CI,MO	2	
HUMALOG KWIKPEN INSULIN 100 UNIT/ML, 200 UNIT/ML (3 ML) INSULIN PEN CI,MO	2	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL- Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • \$0 - Vaccine/Diabetic • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
HUMALOG MIX 50-50 INSULN U-100 100 UNIT/ML (50-50) SUSPENSION CI,MO	2	
HUMALOG MIX 50-50 KWIKPEN 100 UNIT/ML (50-50) INSULIN PEN CI,MO	2	
HUMALOG MIX 75-25 KWIKPEN 100 UNIT/ML (75-25) INSULIN PEN CI,MO	2	
HUMALOG MIX 75-25(U-100)INSULN 100 UNIT/ML (75-25) SUSPENSION CI,MO	2	
HUMALOG TEMPO PEN(U-100)INSULN 100 UNIT/ML INSULIN PEN, SENSOR CI,MO	2	
HUMALOG U-100 INSULIN 100 UNIT/ML CARTRIDGE CI,MO	2	
HUMALOG U-100 INSULIN 100 UNIT/ML SOLUTION CI,MO	2	
HUMULIN 70/30 U-100 INSULIN 100 UNIT/ML (70-30) SUSPENSION CI,MO	2	
HUMULIN 70/30 U-100 KWIKPEN 100 UNIT/ML (70-30) INSULIN PEN CI,MO	2	
HUMULIN N NPH INSULIN KWIKPEN 100 UNIT/ML (3 ML) INSULIN PEN CI,MO	2	
HUMULIN N NPH U-100 INSULIN 100 UNIT/ML SUSPENSION CI,MO	2	
HUMULIN R REGULAR U-100 INSULN 100 UNIT/ML SOLUTION CI,MO	2	
HUMULIN R U-500 (CONC) INSULIN 500 UNIT/ML SOLUTION CI	4	
HUMULIN R U-500 (CONC) KWIKPEN 500 UNIT/ML (3 ML) INSULIN PEN CI	4	
INPEFA 200 MG, 400 MG TABLET MO	3	PA,QL(30 per 30 days)
INSULIN ASP PRT-INSULIN ASPART 100 UNIT/ML (70-30) INSULIN PEN CI,MO	2	
INSULIN ASP PRT-INSULIN ASPART 100 UNIT/ML (70-30) SOLUTION CI,MO	2	
INSULIN ASPART U-100 100 UNIT/ML (3 ML) INSULIN PEN CI,MO	2	
INSULIN ASPART U-100 100 UNIT/ML CARTRIDGE CI,MO	2	
INSULIN ASPART U-100 100 UNIT/ML SOLUTION CI,MO	2	
INSULIN DEGLUDEC 100 UNIT/ML (3 ML), 200 UNIT/ML (3 ML) INSULIN PEN CI,MO	3	PA
INSULIN DEGLUDEC 100 UNIT/ML SOLUTION CI,MO	3	PA
INSULIN GLARGINE 100 UNIT/ML (3 ML) INSULIN PEN CI,MO	3	PA
INSULIN GLARGINE 100 UNIT/ML SOLUTION CI,MO	3	PA
INSULIN GLARGINE U-300 CONC 300 UNIT/ML (1.5 ML), 300 UNIT/ML (3 ML) INSULIN PEN CI,MO	3	PA
INSULIN GLARGINE-YFGN 100 UNIT/ML (3 ML) INSULIN PEN CI,MO	3	PA
INSULIN GLARGINE-YFGN 100 UNIT/ML SOLUTION CI,MO	3	PA
INSULIN LISPRO 100 UNIT/ML INSULIN PEN CI,MO	2	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL- Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • \$0 – Vaccine/Diabetic • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
INSULIN LISPRO 100 UNIT/ML INSULIN PEN, HALF-UNIT CI,MO	2	
INSULIN LISPRO 100 UNIT/ML SOLUTION CI,MO	2	
INSULIN LISPRO PROTAMIN-LISPRO 100 UNIT/ML (75-25) INSULIN PEN CI,MO	2	
INVOKAMET 150-1,000 MG, 150-500 MG, 50-1,000 MG, 50-500 MG TABLET MO	2	QL(60 per 30 days)
INVOKAMET XR 150-1,000 MG, 150-500 MG, 50-1,000 MG, 50-500 MG TABLET, IR/ER 24 HR., BIPHASIC MO	2	QL(60 per 30 days)
INVOKANA 100 MG, 300 MG TABLET MO	2	QL(30 per 30 days)
JANUMET 50-1,000 MG TABLET MO	2	QL(60 per 30 days)
JANUMET 50-500 MG TABLET MO	2	QL(60 per 30 days)
JANUMET XR 100-1,000 MG TABLET, ER 24 HR., MULTIPHASE MO	2	QL(30 per 30 days)
JANUMET XR 50-1,000 MG TABLET, ER 24 HR., MULTIPHASE MO	2	QL(60 per 30 days)
JANUMET XR 50-500 MG TABLET, ER 24 HR., MULTIPHASE MO	2	QL(60 per 30 days)
JANUVIA 100 MG, 25 MG, 50 MG TABLET MO	2	QL(30 per 30 days)
JARDIANCE 10 MG, 25 MG TABLET MO	2	QL(30 per 30 days)
JENTADUETO 2.5-1,000 MG, 2.5-500 MG, 2.5-850 MG TABLET MO	2	QL(60 per 30 days)
JENTADUETO XR 2.5-1,000 MG TABLET, IR/ER 24 HR., BIPHASIC MO	2	QL(60 per 30 days)
JENTADUETO XR 5-1,000 MG TABLET, IR/ER 24 HR., BIPHASIC MO	2	QL(30 per 30 days)
KAZANO 12.5-1,000 MG, 12.5-500 MG TABLET MO	3	PA,QL(60 per 30 days)
LANTUS SOLOSTAR U-100 INSULIN 100 UNIT/ML (3 ML) INSULIN PEN CI,MO	2	
LANTUS U-100 INSULIN 100 UNIT/ML SOLUTION CI,MO	2	
LEVEMIR FLEXPEN 100 UNIT/ML (3 ML) INSULIN PEN CI,MO	3	PA
LEVEMIR FLEXTOUCH U100 INSULIN 100 UNIT/ML (3 ML) INSULIN PEN CI,MO	3	PA
LEVEMIR U-100 INSULIN 100 UNIT/ML SOLUTION CI,MO	3	PA
LYUMJEV KWIKPEN U-100 INSULIN 100 UNIT/ML INSULIN PEN CI,MO	2	
LYUMJEV KWIKPEN U-200 INSULIN 200 UNIT/ML (3 ML) INSULIN PEN CI,MO	2	
LYUMJEV TEMPO PEN(U-100)INSULN 100 UNIT/ML INSULIN PEN, SENSOR CI,MO	2	
LYUMJEV U-100 INSULIN 100 UNIT/ML SOLUTION CI,MO	2	
metformin 1,000 mg TABLET, ER 24 HR. MO	3	ST,QL(60 per 30 days)
metformin 1,000 mg TABLET, GAST. RETENTION 24 HR.	4	ST,QL(60 per 30 days)
metformin 1,000 mg, 500 mg TABLET MO	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL- Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • \$0 - Vaccine/Diabetic • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
metformin 500 mg TABLET, ER 24 HR. MO	1	QL(120 per 30 days)
metformin 500 mg TABLET, ER 24 HR. MO	3	ST,QL(150 per 30 days)
metformin 500 mg TABLET, GAST. RETENTION 24 HR.	4	ST,QL(120 per 30 days)
metformin 500 mg/5 ml SOLUTION MO	1	QL(750 per 30 days)
metformin 625 mg TABLET DL	4	ST,QL(120 per 30 days)
metformin 750 mg TABLET, ER 24 HR. MO	1	QL(60 per 30 days)
metformin 850 mg TABLET MO	1	
miglitol 100 mg, 25 mg, 50 mg TABLET MO	1	
MOUNJARO 10 MG/0.5 ML, 12.5 MG/0.5 ML, 15 MG/0.5 ML, 2.5 MG/0.5 ML, 5 MG/0.5 ML, 7.5 MG/0.5 ML PEN INJECTOR MO	2	QL(2 per 28 days)
nateglinide 120 mg, 60 mg TABLET MO	1	
NESINA 12.5 MG, 25 MG, 6.25 MG TABLET MO	3	PA,QL(30 per 30 days)
NOVOLIN 70-30 FLEXPEN U-100 100 UNIT/ML (70-30) INSULIN PEN CI,MO	2	
NOVOLIN 70/30 U-100 INSULIN 100 UNIT/ML (70-30) SUSPENSION CI,MO	2	
NOVOLIN N FLEXPEN 100 UNIT/ML (3 ML) INSULIN PEN CI,MO	2	
NOVOLIN N NPH U-100 INSULIN 100 UNIT/ML SUSPENSION CI,MO	2	
NOVOLIN R FLEXPEN 100 UNIT/ML (3 ML) INSULIN PEN CI,MO	2	
NOVOLIN R REGULAR U100 INSULIN 100 UNIT/ML SOLUTION CI,MO	2	
NOVOLOG FLEXPEN U-100 INSULIN 100 UNIT/ML (3 ML) INSULIN PEN CI,MO	2	
NOVOLOG MIX 70-30 U-100 INSULIN 100 UNIT/ML (70-30) SOLUTION CI,MO	2	
NOVOLOG MIX 70-30FLEXPEN U-100 100 UNIT/ML (70-30) INSULIN PEN CI,MO	2	
NOVOLOG PENFILL U-100 INSULIN 100 UNIT/ML CARTRIDGE CI,MO	2	
NOVOLOG U-100 INSULIN ASPART 100 UNIT/ML SOLUTION CI,MO	2	
OSANI 12.5-15 MG, 12.5-30 MG, 12.5-45 MG, 25-15 MG, 25-30 MG, 25-45 MG TABLET MO	3	PA,QL(30 per 30 days)
OZEMPIC 0.25 MG OR 0.5 MG (2 MG/3 ML) PEN INJECTOR MO	2	QL(3 per 28 days)
OZEMPIC 0.25 MG OR 0.5 MG(2 MG/1.5 ML) PEN INJECTOR MO	2	QL(1.5 per 28 days)
OZEMPIC 1 MG/DOSE (4 MG/3 ML), 2 MG/DOSE (8 MG/3 ML) PEN INJECTOR MO	2	QL(3 per 28 days)
pioglitazone 15 mg, 30 mg TABLET MO	1	QL(30 per 30 days)
pioglitazone 45 mg TABLET MO	1	QL(30 per 30 days)
pioglitazone-glimepiride 30-2 mg, 30-4 mg TABLET MO	1	QL(30 per 30 days)
pioglitazone-metformin 15-500 mg, 15-850 mg TABLET MO	1	QL(90 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL- Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • \$0 - Vaccine/Diabetic • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
PRECOSE 100 MG, 25 MG, 50 MG TABLET MO	3	
PROGLYCEM 50 MG/ML SUSPENSION DL	4	PA
QTERN 10-5 MG, 5-5 MG TABLET MO	3	PA,QL(30 per 30 days)
repaglinide 0.5 mg, 1 mg, 2 mg TABLET MO	1	
REZVOGLAR KWIKPEN 100 UNIT/ML (3 ML) INSULIN PEN CI,MO	3	PA
RIOMET 500 MG/5 ML SOLUTION MO	3	QL(750 per 30 days)
RIOMET ER 500 MG/5 ML SUSPENSION, ER, RECON MO	3	QL(750 per 30 days)
RYBELSUS 14 MG, 3 MG, 7 MG TABLET MO	2	QL(30 per 30 days)
saxagliptin 2.5 mg, 5 mg TABLET MO	1	QL(30 per 30 days)
saxagliptin-metformin 2.5-1,000 mg TABLET, ER 24 HR., MULTIPHASE MO	1	QL(60 per 30 days)
saxagliptin-metformin 5-1,000 mg, 5-500 mg TABLET, ER 24 HR., MULTIPHASE MO	1	QL(30 per 30 days)
SEGLUROMET 2.5-1,000 MG, 2.5-500 MG, 7.5-1,000 MG, 7.5-500 MG TABLET MO	3	PA,QL(60 per 30 days)
SEMGLEE PEN U-100 INSULIN 100 UNIT/ML (3 ML) INSULIN PEN CI,MO	3	PA
SEMGLEE U-100 INSULIN 100 UNIT/ML SOLUTION CI,MO	3	PA
SEMGLEE(INSULIN GLARG-YFGN)PEN 100 UNIT/ML (3 ML) INSULIN PEN CI,MO	3	PA
SEMGLEE(INSULIN GLARGINE-YFGN) 100 UNIT/ML SOLUTION CI,MO	3	PA
SOLIQUA 100/33 100 UNIT-33 MCG/ML INSULIN PEN CI,MO	2	QL(15 per 24 days)
STEGLATRO 15 MG, 5 MG TABLET MO	3	PA,QL(30 per 30 days)
STEGLUJAN 15-100 MG, 5-100 MG TABLET MO	3	PA,QL(30 per 30 days)
SYMLINPEN 120 2,700 MCG/2.7 ML PEN INJECTOR	4	QL(10.8 per 30 days)
SYMLINPEN 60 1,500 MCG/1.5 ML PEN INJECTOR	4	QL(10.5 per 28 days)
SYNJARDY 12.5-1,000 MG, 12.5-500 MG, 5-1,000 MG, 5-500 MG TABLET MO	2	QL(60 per 30 days)
SYNJARDY XR 10-1,000 MG, 25-1,000 MG TABLET, IR/ER 24 HR., BIPHASIC MO	2	QL(30 per 30 days)
SYNJARDY XR 12.5-1,000 MG, 5-1,000 MG TABLET, IR/ER 24 HR., BIPHASIC MO	2	QL(60 per 30 days)
TOUJEO MAX U-300 SOLOSTAR 300 UNIT/ML (3 ML) INSULIN PEN CI,MO	2	
TOUJEO SOLOSTAR U-300 INSULIN 300 UNIT/ML (1.5 ML) INSULIN PEN CI,MO	2	
TRADJENTA 5 MG TABLET MO	2	QL(30 per 30 days)
TRESIBA FLEXTOUCH U-100 100 UNIT/ML (3 ML) INSULIN PEN CI,MO	2	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL- Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • \$0 - Vaccine/Diabetic • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
TRESIBA FLEXTOUCH U-200 200 UNIT/ML (3 ML) INSULIN PEN CI,MO	2	
TRESIBA U-100 INSULIN 100 UNIT/ML SOLUTION CI,MO	2	
TRIJARDY XR 10-5-1,000 MG, 25-5-1,000 MG TABLET, IR/ER 24 HR., BIPHASIC MO	2	QL(30 per 30 days)
TRIJARDY XR 12.5-2.5-1,000 MG, 5-2.5-1,000 MG TABLET, IR/ER 24 HR., BIPHASIC MO	2	QL(60 per 30 days)
TRULICITY 0.75 MG/0.5 ML, 1.5 MG/0.5 ML, 3 MG/0.5 ML, 4.5 MG/0.5 ML PEN INJECTOR MO	2	QL(2 per 28 days)
VICTOZA 2-PAK 0.6 MG/0.1 ML (18 MG/3 ML) PEN INJECTOR MO	2	QL(9 per 30 days)
VICTOZA 3-PAK 0.6 MG/0.1 ML (18 MG/3 ML) PEN INJECTOR MO	2	QL(9 per 30 days)
XIGDUO XR 10-1,000 MG, 10-500 MG TABLET, IR/ER 24 HR., BIPHASIC MO	3	QL(30 per 30 days)
XIGDUO XR 2.5-1,000 MG, 5-1,000 MG TABLET, IR/ER 24 HR., BIPHASIC MO	3	QL(60 per 30 days)
XIGDUO XR 5-500 MG TABLET, IR/ER 24 HR., BIPHASIC MO	3	QL(30 per 30 days)
XULTOPHY 100/3.6 100 UNIT-3.6 MG /ML (3 ML) INSULIN PEN CI,MO	2	QL(15 per 30 days)
ZEGALOGUE AUTOINJECTOR 0.6 MG/0.6 ML AUTO-INJECTOR MO	2	
ZEGALOGUE SYRINGE 0.6 MG/0.6 ML SYRINGE MO	2	
ZITUVIO 100 MG, 25 MG, 50 MG TABLET MO	3	PA,QL(30 per 30 days)
BLOOD PRODUCTS AND MODIFIERS		
ADZYNMA 1,500 UNIT, 500 UNIT KIT DL	4	PA
AGGRASTAT CONCENTRATE 250 MCG/ML CONCENTRATE MO	3	
AGGRASTAT IN SODIUM CHLORIDE 12.5 MG/250 ML (50 MCG/ML), 5 MG/100 ML (50 MCG/ML) SOLUTION MO	3	
AGRYLIN 0.5 MG CAPSULE MO	3	PA
AMICAR 1,000 MG, 500 MG TABLET DL	4	PA
AMICAR 250 MG/ML (25 %) SOLUTION DL	4	PA
aminocaproic acid 1,000 mg TABLET DL	4	
aminocaproic acid 250 mg/ml, 250 mg/ml (25 %) SOLUTION MO	1	
aminocaproic acid 500 mg TABLET MO	1	
anagrelide 0.5 mg, 1 mg CAPSULE MO	1	
ARANESP (IN POLYSORBATE) 10 MCG/0.4 ML, 40 MCG/0.4 ML SYRINGE MO	3	PA,QL(1.6 per 30 days)
ARANESP (IN POLYSORBATE) 100 MCG/0.5 ML SYRINGE DL	4	PA,QL(2 per 30 days)
ARANESP (IN POLYSORBATE) 100 MCG/ML, 200 MCG/ML, 60 MCG/ML SOLUTION DL	4	PA,QL(4 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL- Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • \$0 – Vaccine/Diabetic • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
ARANESP (IN POLYSORBATE) 150 MCG/0.3 ML SYRINGE DL	4	PA,QL(1.2 per 30 days)
ARANESP (IN POLYSORBATE) 200 MCG/0.4 ML SYRINGE DL	4	PA,QL(1.6 per 30 days)
ARANESP (IN POLYSORBATE) 25 MCG/0.42 ML SYRINGE MO	3	PA,QL(1.68 per 30 days)
ARANESP (IN POLYSORBATE) 25 MCG/ML, 40 MCG/ML SOLUTION MO	3	PA,QL(4 per 30 days)
ARANESP (IN POLYSORBATE) 300 MCG/0.6 ML SYRINGE DL	4	PA,QL(2.4 per 30 days)
ARANESP (IN POLYSORBATE) 500 MCG/ML SYRINGE DL	4	PA,QL(4 per 30 days)
ARANESP (IN POLYSORBATE) 60 MCG/0.3 ML SYRINGE MO	3	PA,QL(1.2 per 30 days)
ARIXTRA 10 MG/0.8 ML SYRINGE DL	4	PA,QL(24 per 30 days)
ARIXTRA 2.5 MG/0.5 ML SYRINGE DL	4	PA,QL(15 per 30 days)
ARIXTRA 5 MG/0.4 ML SYRINGE DL	4	PA,QL(12 per 30 days)
ARIXTRA 7.5 MG/0.6 ML SYRINGE DL	4	PA,QL(18 per 30 days)
<i>aspirin-dipyridamole 25-200 mg CAPSULE ER MULTIPHASE 12 HR.</i> MO	1	ST,QL(60 per 30 days)
BRILINTA 60 MG, 90 MG TABLET MO	2	QL(60 per 30 days)
CABLIVI 11 MG KIT DL	4	PA,QL(30 per 30 days)
<i>cilostazol 100 mg, 50 mg TABLET</i> MO	1	
<i>clopidogrel 300 mg TABLET</i> MO	1	
<i>clopidogrel 75 mg TABLET</i> MO	1	QL(30 per 30 days)
CYKLOKAPRON 1,000 MG/10 ML (100 MG/ML) SOLUTION DL	4	PA
<i>dabigatran etexilate 150 mg, 75 mg CAPSULE</i> MO	1	QL(60 per 30 days)
<i>dipyridamole 25 mg, 50 mg, 75 mg TABLET</i> MO	1	
DOPTELET (10 TAB PACK) 20 MG TABLET DL	4	PA,QL(60 per 30 days)
DOPTELET (15 TAB PACK) 20 MG TABLET DL	4	PA,QL(60 per 30 days)
DOPTELET (30 TAB PACK) 20 MG TABLET DL	4	PA,QL(60 per 30 days)
EFFIENT 10 MG, 5 MG TABLET MO	3	PA,QL(30 per 30 days)
ELIQUIS 2.5 MG TABLET MO	2	QL(60 per 30 days)
ELIQUIS 5 MG TABLET MO	2	QL(74 per 30 days)
ELIQUIS DVT-PE TREAT 30D START 5 MG (74 TABS) TABLET, DOSE PACK MO	2	QL(74 per 30 days)
<i>enoxaparin 100 mg/ml, 120 mg/0.8 ml, 150 mg/ml, 30 mg/0.3 ml, 40 mg/0.4 ml, 60 mg/0.6 ml, 80 mg/0.8 ml SYRINGE</i> MO	1	
<i>enoxaparin 300 mg/3 ml SOLUTION</i> MO	1	
EPOGEN 10,000 UNIT/ML, 2,000 UNIT/ML, 20,000 UNIT/ML, 3,000 UNIT/ML, 4,000 UNIT/ML SOLUTION MO	3	PA,QL(14 per 30 days)
EPOGEN 20,000 UNIT/2 ML SOLUTION MO	3	PA,QL(28 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL- Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • \$0 - Vaccine/Diabetic • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
<i>eptifibatide</i> 0.75 mg/ml, 2 mg/ml SOLUTION MO	1	
<i>fondaparinux</i> 10 mg/0.8 ml SYRINGE DL	4	QL(24 per 30 days)
<i>fondaparinux</i> 2.5 mg/0.5 ml SYRINGE DL	4	QL(15 per 30 days)
<i>fondaparinux</i> 5 mg/0.4 ml SYRINGE DL	4	QL(12 per 30 days)
<i>fondaparinux</i> 7.5 mg/0.6 ml SYRINGE DL	4	QL(18 per 30 days)
FRAGMIN 10,000 ANTI-XA UNIT/ML SYRINGE DL	4	QL(30 per 30 days)
FRAGMIN 12,500 ANTI-XA UNIT/0.5 ML SYRINGE DL	4	QL(15 per 30 days)
FRAGMIN 15,000 ANTI-XA UNIT/0.6 ML SYRINGE DL	4	QL(18 per 30 days)
FRAGMIN 18,000 ANTI-XA UNIT/0.72 ML SYRINGE DL	4	QL(21.6 per 30 days)
FRAGMIN 2,500 ANTI-XA UNIT/0.2 ML, 5,000 ANTI-XA UNIT/0.2 ML SYRINGE DL	4	QL(6 per 30 days)
FRAGMIN 2,500 ANTI-XA UNIT/ML SOLUTION DL	4	QL(120 per 30 days)
FRAGMIN 25,000 ANTI-XA UNIT/ML SOLUTION DL	4	QL(22.8 per 30 days)
FRAGMIN 7,500 ANTI-XA UNIT/0.3 ML SYRINGE DL	4	QL(9 per 30 days)
FULPHILA 6 MG/0.6 ML SYRINGE DL	4	PA,QL(1.2 per 28 days)
FYLNETRA 6 MG/0.6 ML SYRINGE DL	4	PA,QL(1.2 per 28 days)
GRANIX 300 MCG/0.5 ML SYRINGE DL	4	PA,QL(7 per 28 days)
GRANIX 300 MCG/ML SOLUTION DL	4	PA,QL(14 per 28 days)
GRANIX 480 MCG/0.8 ML SYRINGE DL	4	PA,QL(11.2 per 28 days)
GRANIX 480 MCG/1.6 ML SOLUTION DL	4	PA,QL(22.4 per 28 days)
<i>heparin (porcine)</i> 1,000 unit/ml, 10,000 unit/ml, 20,000 unit/ml, 5,000 unit/ml SOLUTION MO	1	
<i>heparin (porcine)</i> 5,000 unit/ml (1 ml) CARTRIDGE MO	1	
<i>heparin (porcine)</i> 5,000 unit/ml SYRINGE MO	1	
<i>heparin, porcine (pf)</i> 1,000 unit/ml, 5,000 unit/0.5 ml SOLUTION MO	1	
<i>heparin, porcine (pf)</i> 5,000 unit/0.5 ml, 5,000 unit/ml SYRINGE MO	1	
<i>igantoven</i> 1 mg, 10 mg, 2 mg, 2.5 mg, 3 mg, 4 mg, 5 mg, 6 mg, 7.5 mg TABLET MO	1	
KENGREAL 50 MG RECON SOLUTION DL	4	
LEUKINE 250 MCG RECON SOLUTION DL	4	PA
LOVENOX 100 MG/ML, 120 MG/0.8 ML, 150 MG/ML, 30 MG/0.3 ML, 40 MG/0.4 ML, 60 MG/0.6 ML, 80 MG/0.8 ML SYRINGE DL	4	PA
LOVENOX 300 MG/3 ML SOLUTION DL	4	PA

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL- Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • \$0 - Vaccine/Diabetic • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
LYSTEDA 650 MG TABLET MO	3	QL(30 per 5 days)
MOZOBIL 24 MG/1.2 ML (20 MG/ML) SOLUTION DL	4	PA,QL(9.6 per 30 days)
MULPLETA 3 MG TABLET DL	4	PA
NEULASTA 6 MG/0.6 ML SYRINGE DL	4	PA,QL(1.2 per 28 days)
NEULASTA ONPRO 6 MG/0.6 ML SYRINGE W/WEARABLE INJECTOR DL	4	PA,QL(1.2 per 28 days)
NEUPOGEN 300 MCG/0.5 ML SYRINGE DL	4	PA,QL(7 per 30 days)
NEUPOGEN 300 MCG/ML SOLUTION DL	4	PA,QL(14 per 30 days)
NEUPOGEN 480 MCG/0.8 ML SYRINGE DL	4	PA,QL(11.2 per 30 days)
NEUPOGEN 480 MCG/1.6 ML SOLUTION DL	4	PA,QL(22.4 per 30 days)
NIVESTYM 300 MCG/0.5 ML SYRINGE DL	4	PA,QL(7 per 30 days)
NIVESTYM 300 MCG/ML SOLUTION DL	4	PA,QL(14 per 30 days)
NIVESTYM 480 MCG/0.8 ML SYRINGE DL	4	PA,QL(11.2 per 30 days)
NIVESTYM 480 MCG/1.6 ML SOLUTION DL	4	PA,QL(22.4 per 30 days)
NYVEPRIA 6 MG/0.6 ML SYRINGE DL	4	PA,QL(1.2 per 28 days)
PLAVIX 75 MG TABLET MO	3	PA,QL(30 per 30 days)
<i>plerixafor</i> 24 mg/1.2 ml (20 mg/ml) SOLUTION DL	4	PA,QL(9.6 per 30 days)
PRADAXA 110 MG, 150 MG, 75 MG CAPSULE MO	3	QL(60 per 30 days)
PRADAXA 110 MG, 30 MG, 40 MG, 50 MG PELLETS IN PACKET DL	4	PA,QL(120 per 30 days)
PRADAXA 150 MG, 20 MG PELLETS IN PACKET DL	4	PA,QL(60 per 30 days)
<i>prasugrel</i> 10 mg, 5 mg TABLET MO	1	QL(30 per 30 days)
PROCRIT 10,000 UNIT/ML SOLUTION MO	3	PA,QL(14 per 30 days)
PROCRIT 2,000 UNIT/ML, 3,000 UNIT/ML, 4,000 UNIT/ML SOLUTION MO	3	PA,QL(14 per 30 days)
PROCRIT 20,000 UNIT/2 ML SOLUTION DL	3	PA,QL(28 per 30 days)
PROCRIT 20,000 UNIT/ML, 40,000 UNIT/ML SOLUTION DL	3	PA,QL(14 per 30 days)
PROMACTA 12.5 MG POWDER IN PACKET DL,LA	4	PA,QL(360 per 30 days)
PROMACTA 12.5 MG, 75 MG TABLET DL,LA	4	PA,QL(60 per 30 days)
PROMACTA 25 MG POWDER IN PACKET DL,LA	4	PA,QL(180 per 30 days)
PROMACTA 25 MG TABLET DL,LA	4	PA,QL(30 per 30 days)
PROMACTA 50 MG TABLET DL,LA	4	PA,QL(90 per 30 days)
PYRUKYND 20 MG (7)- 5 MG (7), 50 MG (7)- 20 MG (7) TABLET, DOSE PACK DL	4	PA,QL(14 per 14 days)
PYRUKYND 20 MG, 5 MG, 50 MG TABLET DL	4	PA,QL(60 per 30 days)
REBLOZYL 25 MG, 75 MG RECON SOLUTION DL	4	PA

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL- Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • \$0 – Vaccine/Diabetic • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
RELEUKO 300 MCG/0.5 ML SYRINGE DL	4	PA,QL(7 per 30 days)
RELEUKO 300 MCG/ML SOLUTION DL	4	PA,QL(14 per 30 days)
RELEUKO 480 MCG/0.8 ML SYRINGE DL	4	PA,QL(11.2 per 30 days)
RELEUKO 480 MCG/1.6 ML SOLUTION DL	4	PA,QL(22.4 per 30 days)
RETACRIT 10,000 UNIT/ML, 2,000 UNIT/ML, 20,000 UNIT/2 ML, 20,000 UNIT/ML, 3,000 UNIT/ML, 4,000 UNIT/ML, 40,000 UNIT/ML SOLUTION MO	3	PA,QL(14 per 30 days)
RIASTAP 1 GRAM (900MG-1,300MG) RECON SOLUTION MO	3	
ROLVEDON 13.2 MG/0.6 ML SYRINGE DL	4	PA,QL(1.2 per 28 days)
SAVAYSA 15 MG, 30 MG, 60 MG TABLET MO	3	PA,QL(30 per 30 days)
STIMUFEND 6 MG/0.6 ML SYRINGE DL	4	PA,QL(1.2 per 28 days)
TAVALISSE 100 MG, 150 MG TABLET DL	4	PA,QL(60 per 30 days)
<i>tirofiban-0.9% sodium chloride 12.5 mg/250 ml (50 mcg/ml), 5 mg/100 ml (50 mcg/ml) SOLUTION MO</i>	1	
<i>tranexamic acid 1,000 mg/10 ml (100 mg/ml) SOLUTION MO</i>	1	PA
<i>tranexamic acid 650 mg TABLET MO</i>	1	QL(30 per 5 days)
UDENYCA 6 MG/0.6 ML SYRINGE DL	4	PA,QL(1.2 per 28 days)
UDENYCA AUTOINJECTOR 6 MG/0.6 ML AUTO-INJECTOR DL	4	PA,QL(1.2 per 28 days)
<i>warfarin 1 mg, 10 mg, 2 mg, 2.5 mg, 3 mg, 4 mg, 6 mg, 7.5 mg TABLET MO</i>	1	
<i>warfarin 5 mg TABLET MO</i>	1	
XARELTO 1 MG/ML SUSPENSION FOR RECONSTITUTION MO	2	ST,QL(600 per 30 days)
XARELTO 10 MG, 20 MG TABLET MO	2	QL(30 per 30 days)
XARELTO 15 MG, 2.5 MG TABLET MO	2	QL(60 per 30 days)
XARELTO DVT-PE TREAT 30D START 15 MG (42)- 20 MG (9) TABLET, DOSE PACK MO	2	QL(51 per 30 days)
YOSPRALA 325-40 MG, 81-40 MG TABLET, IR, DR, BIPHASIC MO	3	PA,QL(30 per 30 days)
ZARXIO 300 MCG/0.5 ML SYRINGE DL	4	PA,QL(7 per 30 days)
ZARXIO 480 MCG/0.8 ML SYRINGE DL	4	PA,QL(11.2 per 30 days)
ZIEXTENZO 6 MG/0.6 ML SYRINGE DL	4	PA,QL(1.2 per 28 days)
ZONTIVITY 2.08 MG TABLET MO	3	QL(30 per 30 days)
CARDIOVASCULAR AGENTS		
ACCUPRIL 10 MG, 20 MG, 40 MG, 5 MG TABLET MO	3	
ACCURETIC 10-12.5 MG, 20-12.5 MG, 20-25 MG TABLET MO	3	
<i>acebutolol 200 mg, 400 mg CAPSULE MO</i>	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL- Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • \$0 - Vaccine/Diabetic • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
acetazolamide 125 mg, 250 mg TABLET MO	1	
acetazolamide 500 mg CAPSULE, ER MO	1	
acetazolamide sodium 500 mg RECON SOLUTION MO	1	
adenosine 3 mg/ml SOLUTION MO	1	
adenosine 3 mg/ml SYRINGE MO	1	
ALDACTAZIDE 25-25 MG, 50-50 MG TABLET MO	3	
ALDACTONE 100 MG, 25 MG, 50 MG TABLET MO	3	
aliskiren 150 mg, 300 mg TABLET MO	1	QL(30 per 30 days)
ALTACE 1.25 MG, 10 MG, 2.5 MG, 5 MG CAPSULE MO	3	PA
ALTOPREV 20 MG, 40 MG, 60 MG TABLET, ER 24 HR. DL	4	ST,QL(30 per 30 days)
amiloride 5 mg TABLET MO	1	
amiloride-hydrochlorothiazide 5-50 mg TABLET MO	1	
amiodarone 100 mg TABLET MO	1	
amiodarone 150 mg/3 ml SYRINGE MO	1	
amiodarone 200 mg TABLET MO	1	
amiodarone 400 mg TABLET MO	1	QL(60 per 30 days)
amiodarone 50 mg/ml SOLUTION MO	1	
amlodipine 10 mg, 2.5 mg, 5 mg TABLET MO	1	
amlodipine-atorvastatin 10-10 mg, 10-20 mg, 10-40 mg, 10-80 mg, 2.5-10 mg, 2.5-20 mg, 2.5-40 mg, 5-10 mg, 5-20 mg, 5-40 mg, 5-80 mg TABLET MO	1	QL(30 per 30 days)
amlodipine-benazepril 10-20 mg, 2.5-10 mg, 5-10 mg, 5-20 mg CAPSULE MO	1	QL(60 per 30 days)
amlodipine-benazepril 10-40 mg, 5-40 mg CAPSULE MO	1	QL(30 per 30 days)
amlodipine-olmesartan 10-20 mg, 10-40 mg, 5-20 mg, 5-40 mg TABLET MO	1	QL(30 per 30 days)
amlodipine-valsartan 10-160 mg, 10-320 mg, 5-160 mg, 5-320 mg TABLET MO	1	QL(30 per 30 days)
amlodipine-valsartan-hcthiacid 10-160-12.5 mg, 10-160-25 mg, 10-320-25 mg, 5-160-12.5 mg, 5-160-25 mg TABLET MO	1	QL(30 per 30 days)
ANTARA 90 MG CAPSULE MO	3	QL(30 per 30 days)
ASPRUZYO SPRINKLE 1,000 MG, 500 MG ER GRANULES, PACKET MO	3	QL(60 per 30 days)
ATACAND 16 MG, 4 MG, 8 MG TABLET MO	3	PA,QL(60 per 30 days)
ATACAND 32 MG TABLET MO	3	PA,QL(30 per 30 days)
ATACAND HCT 16-12.5 MG, 32-12.5 MG, 32-25 MG TABLET MO	3	PA,QL(30 per 30 days)
atenolol 100 mg TABLET MO	1	
atenolol 25 mg, 50 mg TABLET MO	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL- Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • \$0 - Vaccine/Diabetic • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
atenolol-chlorthalidone 100-25 mg, 50-25 mg TABLET MO	1	
ATORVALIQ 20 MG/5 ML (4 MG/ML) SUSPENSION MO	3	ST,QL(600 per 30 days)
atorvastatin 10 mg, 20 mg, 40 mg, 80 mg TABLET MO	1	
AVALIDE 150-12.5 MG TABLET MO	3	PA,QL(60 per 30 days)
AVALIDE 300-12.5 MG TABLET MO	3	PA,QL(30 per 30 days)
AVAPRO 150 MG, 300 MG, 75 MG TABLET MO	3	PA,QL(30 per 30 days)
AZOR 10-20 MG, 10-40 MG, 5-20 MG, 5-40 MG TABLET MO	3	PA,QL(30 per 30 days)
benazepril 10 mg, 20 mg, 40 mg, 5 mg TABLET MO	1	
benazepril-hydrochlorothiazide 10-12.5 mg, 20-12.5 mg, 20-25 mg, 5-6.25 mg TABLET MO	1	
BENICAR 20 MG, 40 MG TABLET MO	3	PA,QL(30 per 30 days)
BENICAR 5 MG TABLET MO	3	PA,QL(60 per 30 days)
BENICAR HCT 20-12.5 MG, 40-12.5 MG, 40-25 MG TABLET MO	3	PA,QL(30 per 30 days)
BETAPACE 120 MG, 160 MG, 240 MG, 80 MG TABLET DL	4	PA
BETAPACE AF 120 MG, 160 MG, 80 MG TABLET DL	4	PA
betaxolol 10 mg, 20 mg TABLET MO	1	
BIDIL 20-37.5 MG TABLET MO	3	PA,QL(180 per 30 days)
BIORPHEN 0.1 MG/ML SOLUTION MO	3	
bisoprolol fumarate 10 mg, 5 mg TABLET MO	1	
bisoprolol-hydrochlorothiazide 10-6.25 mg, 2.5-6.25 mg, 5-6.25 mg TABLET MO	1	
bretylum tosylate 50 mg/ml SOLUTION MO	1	
BREVIBLOC 100 MG/10 ML (10 MG/ML) SOLUTION MO	3	
BREVIBLOC IN NA CL (ISO-OSM) 2,000 MG/100 ML, 2,500 MG/250 ML (10 MG/ML) PARENTERAL SOLUTION MO	3	
bumetanide 0.25 mg/ml SOLUTION MO	1	
bumetanide 0.5 mg, 2 mg TABLET MO	1	
bumetanide 1 mg TABLET MO	1	
BYSTOLIC 10 MG TABLET MO	3	PA,QL(120 per 30 days)
BYSTOLIC 2.5 MG, 5 MG TABLET MO	3	PA,QL(30 per 30 days)
BYSTOLIC 20 MG TABLET MO	3	PA,QL(60 per 30 days)
CADUET 10-10 MG, 10-20 MG, 10-40 MG, 10-80 MG, 5-10 MG, 5-20 MG, 5-40 MG, 5-80 MG TABLET MO	3	PA,QL(30 per 30 days)
CALAN SR 120 MG, 240 MG TABLET ER MO	3	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL- Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • \$0 - Vaccine/Diabetic • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
CAMZYOS 10 MG, 15 MG, 2.5 MG, 5 MG CAPSULE DL	4	PA,QL(30 per 30 days)
candesartan 16 mg, 4 mg, 8 mg TABLET MO	1	QL(60 per 30 days)
candesartan 32 mg TABLET MO	1	QL(30 per 30 days)
candesartan-hydrochlorothiazid 16-12.5 mg, 32-12.5 mg, 32-25 mg TABLET MO	1	QL(30 per 30 days)
captopril 100 mg, 12.5 mg, 25 mg, 50 mg TABLET MO	1	
captopril-hydrochlorothiazide 25-15 mg, 25-25 mg, 50-15 mg, 50-25 mg TABLET MO	1	
CARDIZEM 120 MG, 30 MG, 60 MG TABLET MO	3	
CARDIZEM CD 120 MG, 180 MG, 240 MG CAPSULE, ER 24 HR. DL	4	PA,QL(60 per 30 days)
CARDIZEM CD 300 MG, 360 MG CAPSULE, ER 24 HR. DL	4	PA,QL(30 per 30 days)
CARDIZEM LA 120 MG, 300 MG, 360 MG, 420 MG TABLET, ER 24 HR. MO	3	QL(30 per 30 days)
CARDIZEM LA 180 MG, 240 MG TABLET, ER 24 HR. MO	3	QL(60 per 30 days)
CARDURA 1 MG, 2 MG, 4 MG, 8 MG TABLET MO	3	
CARDURA XL 4 MG, 8 MG TABLET, ER 24 HR. MO	3	QL(30 per 30 days)
CAROSPIR 25 MG/5 ML SUSPENSION MO	3	PA,QL(450 per 30 days)
cartia xt 120 mg, 180 mg, 240 mg CAPSULE, ER 24 HR. MO	1	QL(60 per 30 days)
cartia xt 300 mg CAPSULE, ER 24 HR. MO	1	QL(30 per 30 days)
carvedilol 12.5 mg, 25 mg, 3.125 mg, 6.25 mg TABLET MO	1	
carvedilol phosphate 10 mg, 20 mg, 40 mg, 80 mg CAPSULE ER MULTIPHASE 24 HR. MO	1	QL(30 per 30 days)
CATAPRES-TTS-1 0.1 MG/24 HR PATCH, WEEKLY MO	3	PA,QL(4 per 28 days)
CATAPRES-TTS-2 0.2 MG/24 HR PATCH, WEEKLY MO	3	PA,QL(4 per 28 days)
CATAPRES-TTS-3 0.3 MG/24 HR PATCH, WEEKLY MO	3	PA,QL(4 per 28 days)
chlorothiazide sodium 500 mg RECON SOLUTION MO	1	
chlorthalidone 25 mg TABLET MO	1	
chlorthalidone 50 mg TABLET MO	1	
cholestyramine (with sugar) 4 gram POWDER MO	1	
cholestyramine (with sugar) 4 gram POWDER IN PACKET MO	1	
cholestyramine light 4 gram POWDER MO	1	
cholestyramine light 4 gram POWDER IN PACKET MO	1	
cholestyramine-aspartame 4 gram POWDER IN PACKET MO	1	
CLEVIPREX 25 MG/50 ML, 50 MG/100 ML EMULSION MO	3	
clonidine 0.1 mg/24 hr, 0.2 mg/24 hr, 0.3 mg/24 hr PATCH, WEEKLY MO	1	QL(4 per 28 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL- Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • \$0 - Vaccine/Diabetic • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
clonidine hcl 0.1 mg TABLET MO	1	
clonidine hcl 0.2 mg, 0.3 mg TABLET MO	1	
colesevelam 3.75 gram POWDER IN PACKET MO	1	QL(30 per 30 days)
colesevelam 625 mg TABLET MO	1	QL(180 per 30 days)
COLESTID 1 GRAM TABLET MO	3	
COLESTID 5 GRAM GRANULES MO	3	QL(1000 per 30 days)
COLESTID 5 GRAM PACKET MO	3	
COLESTID FLAVORED 5 GRAM GRANULES MO	3	QL(1000 per 30 days)
COLESTID FLAVORED 7.5 GRAM PACKET MO	3	
colestipol 1 gram TABLET MO	1	
colestipol 5 gram GRANULES MO	1	QL(1000 per 30 days)
colestipol 5 gram PACKET MO	1	
CONJUPRI 2.5 MG, 5 MG TABLET MO	3	QL(30 per 30 days)
COREG 12.5 MG, 25 MG, 3.125 MG, 6.25 MG TABLET MO	3	PA
COREG CR 10 MG, 20 MG, 40 MG, 80 MG CAPSULE ER MULTIPHASE 24 HR. MO	3	PA,QL(30 per 30 days)
CORGARD 20 MG, 40 MG, 80 MG TABLET MO	3	PA
CORLANOR 5 MG, 7.5 MG TABLET MO	3	PA,QL(60 per 30 days)
CORLANOR 5 MG/5 ML SOLUTION MO	3	PA,QL(560 per 28 days)
CORLOPAM 10 MG/ML SOLUTION MO	3	
CORVERT 0.1 MG/ML SOLUTION MO	3	
COZAAR 100 MG, 25 MG, 50 MG TABLET MO	3	PA,QL(60 per 30 days)
CRESTOR 10 MG, 20 MG, 40 MG, 5 MG TABLET MO	3	PA
DEMSE 250 MG CAPSULE DL	4	
DIBENZYLINE 10 MG CAPSULE DL	4	
digitek 125 mcg (0.125 mg), 250 mcg (0.25 mg) TABLET MO	1	QL(30 per 30 days)
digox 125 mcg (0.125 mg), 250 mcg (0.25 mg) TABLET MO	1	QL(30 per 30 days)
digoxin 125 mcg (0.125 mg) TABLET MO	1	QL(30 per 30 days)
digoxin 250 mcg (0.25 mg), 62.5 mcg (0.0625 mg) TABLET MO	1	QL(30 per 30 days)
digoxin 250 mcg/ml (0.25 mg/ml), 50 mcg/ml (0.05 mg/ml) SOLUTION MO	1	
dilt-xr 120 mg, 180 mg, 240 mg CAPSULE, ER 24 HR. MO	1	QL(60 per 30 days)
diltiazem hcl 100 mg RECON SOLUTION MO	1	
diltiazem hcl 120 mg CAPSULE, ER 12 HR. MO	1	QL(90 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL- Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • \$0 - Vaccine/Diabetic • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
diltiazem hcl 120 mg, 180 mg, 240 mg CAPSULE, ER 24 HR. MO	1	QL(60 per 30 days)
diltiazem hcl 120 mg, 180 mg, 240 mg CAPSULE, ER 24 HR. MO	1	QL(60 per 30 days)
diltiazem hcl 120 mg, 30 mg, 60 mg, 90 mg TABLET MO	1	
diltiazem hcl 120 mg, 300 mg, 360 mg, 420 mg TABLET, ER 24 HR. MO	1	QL(30 per 30 days)
diltiazem hcl 180 mg, 240 mg TABLET, ER 24 HR. MO	1	QL(60 per 30 days)
diltiazem hcl 300 mg, 360 mg, 420 mg CAPSULE, ER 24 HR. MO	1	QL(30 per 30 days)
diltiazem hcl 5 mg/ml SOLUTION MO	1	
diltiazem hcl 60 mg, 90 mg CAPSULE, ER 12 HR. MO	1	QL(180 per 30 days)
DIOVAN 160 MG, 320 MG, 40 MG, 80 MG TABLET MO	3	PA,QL(60 per 30 days)
DIOVAN HCT 160-12.5 MG, 160-25 MG, 320-12.5 MG, 320-25 MG, 80-12.5 MG TABLET MO	3	PA,QL(30 per 30 days)
disopyramide phosphate 100 mg, 150 mg CAPSULE MO	1	
DIURIL 250 MG/5 ML SUSPENSION MO	3	
dobutamine 250 mg/20 ml (12.5 mg/ml) SOLUTION MO	1	BvsD
dobutamine in d5w 1,000 mg/250 ml (4,000 mcg/ml), 250 mg/250 ml (1 mg/ml), 500 mg/250 ml (2,000 mcg/ml) PARENTERAL SOLUTION MO	1	BvsD
dofetilide 125 mcg, 250 mcg, 500 mcg CAPSULE MO	1	
dopamine 200 mg/5 ml (40 mg/ml), 400 mg/10 ml (40 mg/ml), 400 mg/5 ml (80 mg/ml), 800 mg/10 ml (80 mg/ml), 800 mg/5 ml (160 mg/ml) SOLUTION MO	1	BvsD
dopamine in 5 % dextrose 200 mg/250 ml (800 mcg/ml), 400 mg/250 ml (1,600 mcg/ml), 400 mg/500 ml (800 mcg/ml), 800 mg/250 ml (3,200 mcg/ml), 800 mg/500 ml (1,600 mcg/ml) SOLUTION MO	1	BvsD
doxazosin 1 mg, 2 mg, 4 mg, 8 mg TABLET MO	1	
droxidopa 100 mg, 200 mg CAPSULE MO	1	PA,QL(90 per 30 days)
droxidopa 300 mg CAPSULE MO	1	PA,QL(180 per 30 days)
DYRENIUM 100 MG, 50 MG CAPSULE MO	3	
EDARBI 40 MG, 80 MG TABLET MO	3	ST,QL(30 per 30 days)
EDARBYCLOR 40-12.5 MG, 40-25 MG TABLET MO	3	ST,QL(30 per 30 days)
EDECIN 25 MG TABLET DL	4	QL(480 per 30 days)
enalapril maleate 1 mg/ml SOLUTION MO	1	
enalapril maleate 10 mg, 2.5 mg, 20 mg, 5 mg TABLET MO	1	
enalapril-hydrochlorothiazide 10-25 mg, 5-12.5 mg TABLET MO	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL- Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • \$0 - Vaccine/Diabetic • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
enalaprilat 1.25 mg/ml SOLUTION MO	1	
ENTRESTO 24-26 MG, 49-51 MG, 97-103 MG TABLET MO	2	QL(60 per 30 days)
EPANED 1 MG/ML SOLUTION DL	4	
eplerenone 25 mg, 50 mg TABLET MO	1	PA
eprosartan 600 mg TABLET MO	1	QL(60 per 30 days)
esmolol 100 mg/10 ml (10 mg/ml) SOLUTION MO	1	
esmolol in nacl (iso-osm) 2,000 mg/100 ml, 2,500 mg/250 ml (10 mg/ml) PARENTERAL SOLUTION MO	1	
ethacrynate sodium 50 mg RECON SOLUTION MO	1	
ethacrynic acid 25 mg TABLET MO	1	QL(480 per 30 days)
EVKEEZA 150 MG/ML SOLUTION DL	4	PA
EXFORGE 10-160 MG, 10-320 MG, 5-160 MG, 5-320 MG TABLET MO	3	PA,QL(30 per 30 days)
EXFORGE HCT 10-160-12.5 MG, 10-160-25 MG, 10-320-25 MG, 5-160-12.5 MG, 5-160-25 MG TABLET MO	3	PA,QL(30 per 30 days)
EZALLOR SPRINKLE 10 MG, 20 MG, 40 MG, 5 MG CAPSULE, SPRINKLE MO	3	ST,QL(30 per 30 days)
ezetimibe 10 mg TABLET MO	1	QL(30 per 30 days)
ezetimibe-atorvastatin 10-10 mg, 10-20 mg, 10-40 mg, 10-80 mg TABLET MO	1	ST,QL(30 per 30 days)
ezetimibe-rosuvastatin 10-10 mg, 10-20 mg, 10-40 mg, 10-5 mg TABLET MO	3	ST,QL(30 per 30 days)
ezetimibe-simvastatin 10-10 mg, 10-20 mg, 10-40 mg, 10-80 mg TABLET MO	1	QL(30 per 30 days)
felodipine 10 mg, 2.5 mg, 5 mg TABLET, ER 24 HR. MO	1	QL(30 per 30 days)
fenofibrate 120 mg TABLET MO	1	QL(30 per 30 days)
fenofibrate 150 mg CAPSULE MO	1	QL(30 per 30 days)
fenofibrate 160 mg TABLET MO	1	QL(30 per 30 days)
fenofibrate 40 mg, 54 mg TABLET MO	1	QL(60 per 30 days)
fenofibrate 50 mg CAPSULE MO	1	QL(60 per 30 days)
fenofibrate micronized 130 mg, 43 mg CAPSULE MO	1	ST,QL(30 per 30 days)
fenofibrate micronized 134 mg, 200 mg CAPSULE MO	1	QL(30 per 30 days)
fenofibrate micronized 30 mg, 90 mg CAPSULE MO	3	QL(30 per 30 days)
fenofibrate micronized 67 mg CAPSULE MO	1	QL(60 per 30 days)
fenofibrate nanocrystallized 145 mg TABLET MO	1	QL(30 per 30 days)
fenofibrate nanocrystallized 48 mg TABLET MO	1	QL(60 per 30 days)
fenofibric acid 105 mg, 35 mg TABLET MO	2	QL(30 per 30 days)
fenofibric acid (choline) 135 mg, 45 mg CAPSULE, DR/EC MO	1	QL(30 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL- Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • \$0 - Vaccine/Diabetic • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
FENOGLIDE 120 MG TABLET MO	3	QL(30 per 30 days)
FENOGLIDE 40 MG TABLET MO	3	QL(60 per 30 days)
FIBRICOR 105 MG, 35 MG TABLET MO	3	QL(30 per 30 days)
<i>flecainide</i> 100 mg, 150 mg, 50 mg TABLET MO	1	
FLOLIPID 20 MG/5 ML (4 MG/ML), 40 MG/5 ML (8 MG/ML) SUSPENSION MO	3	ST,QL(150 per 30 days)
<i>fluvastatin</i> 20 mg, 40 mg CAPSULE MO	1	ST,QL(60 per 30 days)
<i>fluvastatin</i> 80 mg TABLET, ER 24 HR. MO	1	ST,QL(30 per 30 days)
<i>fosinopril</i> 10 mg, 20 mg, 40 mg TABLET MO	1	
<i>fosinopril-hydrochlorothiazide</i> 10-12.5 mg, 20-12.5 mg TABLET MO	1	
FUROSCIX 80 MG/10 ML KIT MO	3	PA
<i>furosemide</i> 10 mg/ml SYRINGE MO	1	
<i>furosemide</i> 10 mg/ml, 40 mg/5 ml (8 mg/ml) SOLUTION MO	1	
<i>furosemide</i> 20 mg, 40 mg TABLET MO	1	
<i>furosemide</i> 80 mg TABLET MO	1	
<i>gemfibrozil</i> 600 mg TABLET MO	1	QL(60 per 30 days)
GONITRO 400 MCG POWDER IN PACKET MO	3	
<i>guanfacine</i> 1 mg TABLET MO	1	
<i>guanfacine</i> 2 mg TABLET MO	1	
HEMANGEOL 4.28 MG/ML SOLUTION MO	3	
<i>hydralazine</i> 10 mg, 100 mg TABLET MO	1	
<i>hydralazine</i> 20 mg/ml SOLUTION MO	1	
<i>hydralazine</i> 25 mg, 50 mg TABLET MO	1	
<i>hydrochlorothiazide</i> 12.5 mg CAPSULE MO	1	
<i>hydrochlorothiazide</i> 12.5 mg, 25 mg TABLET MO	1	
<i>hydrochlorothiazide</i> 50 mg TABLET MO	1	
HYZAAR 100-12.5 MG, 100-25 MG, 50-12.5 MG TABLET MO	3	PA,QL(60 per 30 days)
<i>ibutilide fumarate</i> 0.1 mg/ml SOLUTION MO	1	
IMMPHENTIV 0.1 MG/ML SOLUTION MO	3	
<i>indapamide</i> 1.25 mg, 2.5 mg TABLET MO	1	
INDERAL LA 120 MG, 160 MG, 60 MG, 80 MG CAPSULE, ER 24 HR. DL	4	PA
INNOPRAN XL 120 MG, 80 MG CAPSULE, ER 24 HR.	4	
INSPIRA 25 MG, 50 MG TABLET MO	3	PA

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL- Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • \$0 - Vaccine/Diabetic • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
<i>irbesartan 150 mg, 75 mg TABLET</i> MO	1	QL(30 per 30 days)
<i>irbesartan 300 mg TABLET</i> MO	1	QL(30 per 30 days)
<i>irbesartan-hydrochlorothiazide 150-12.5 mg TABLET</i> MO	1	QL(60 per 30 days)
<i>irbesartan-hydrochlorothiazide 300-12.5 mg TABLET</i> MO	1	QL(30 per 30 days)
ISORDIL 40 MG TABLET DL	4	
ISORDIL TITRADOSE 5 MG TABLET DL	4	PA
<i>isosorbide dinitrate 10 mg, 20 mg, 30 mg, 40 mg, 5 mg TABLET</i> MO	1	
<i>isosorbide mononitrate 10 mg, 20 mg TABLET</i> MO	1	
<i>isosorbide mononitrate 120 mg TABLET, ER 24 HR.</i> MO	1	
<i>isosorbide mononitrate 30 mg, 60 mg TABLET, ER 24 HR.</i> MO	1	
<i>isosorbide-hydralazine 20-37.5 mg TABLET</i> MO	1	QL(180 per 30 days)
<i>isradipine 2.5 mg, 5 mg CAPSULE</i> MO	1	
ISUPREL 0.2 MG/ML SOLUTION MO	3	
JUXTAPID 10 MG, 30 MG, 5 MG CAPSULE DL	4	PA,QL(28 per 28 days)
JUXTAPID 20 MG CAPSULE DL	4	PA,QL(84 per 28 days)
KAPSPARGO SPRINKLE 100 MG, 25 MG, 50 MG CAPSULE ER SPRINKLE 24 HR. MO	3	ST,QL(30 per 30 days)
KAPSPARGO SPRINKLE 200 MG CAPSULE ER SPRINKLE 24 HR. MO	3	ST,QL(60 per 30 days)
KATERZIA 1 MG/ML SUSPENSION MO	3	ST,QL(300 per 30 days)
KERENDIA 10 MG, 20 MG TABLET MO	2	PA,QL(30 per 30 days)
<i>labetalol 100 mg, 200 mg, 300 mg TABLET</i> MO	1	
<i>labetalol 5 mg/ml SOLUTION</i> MO	1	
LABETALOL IN DEXTROSE,ISO-OSM 1 MG/ML SOLUTION MO	1	
LABETALOL IN NACL (ISO-OSMOT) 1 MG/ ML SOLUTION MO	1	
LANOXIN 125 MCG (0.125 MG), 250 MCG (0.25 MG), 62.5 MCG (0.0625 MG) TABLET MO	3	QL(30 per 30 days)
LANOXIN 250 MCG/ML (0.25 MG/ML), 500 MCG/2 ML (0.5 MG/2 ML) SOLUTION MO	3	
LANOXIN PEDIATRIC 100 MCG/ML (0.1 MG/ML) SOLUTION MO	3	
LASIX 20 MG, 40 MG, 80 MG TABLET MO	3	
LEQVIO 284 MG/1.5 ML SYRINGE	4	PA,QL(4.5 per 365 days)
LESCOL XL 80 MG TABLET, ER 24 HR. MO	3	ST,QL(30 per 30 days)
<i>levamlodipine 2.5 mg, 5 mg TABLET</i> MO	3	QL(30 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL- Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • \$0 – Vaccine/Diabetic • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
LEVOPHED (BITARTRATE) 1 MG/ML SOLUTION MO	3	
<i>lidocaine (pf) 20 mg/ml (2 %) SOLUTION MO</i>	1	
<i>lidocaine in 5 % dextrose (pf) 4 mg/ml (0.4 %), 8 mg/ml (0.8 %) PARENTERAL SOLUTION MO</i>	1	
LIPITOR 10 MG, 20 MG, 40 MG, 80 MG TABLET MO	3	PA
LIPOFEN 150 MG CAPSULE MO	3	QL(30 per 30 days)
LIPOFEN 50 MG CAPSULE MO	3	QL(60 per 30 days)
<i>lisinopril 10 mg, 2.5 mg, 20 mg, 40 mg, 5 mg TABLET MO</i>	1	
<i>lisinopril 30 mg TABLET MO</i>	1	
<i>lisinopril-hydrochlorothiazide 10-12.5 mg, 20-12.5 mg, 20-25 mg TABLET MO</i>	1	
LIVALO 1 MG, 2 MG, 4 MG TABLET MO	3	ST,QL(30 per 30 days)
LODOCO 0.5 MG TABLET MO	3	PA,QL(30 per 30 days)
LOPID 600 MG TABLET MO	3	PA,QL(60 per 30 days)
LOPRESSOR 100 MG, 50 MG TABLET MO	3	
<i>losartan 100 mg, 25 mg, 50 mg TABLET MO</i>	1	QL(60 per 30 days)
<i>losartan-hydrochlorothiazide 100-12.5 mg, 100-25 mg, 50-12.5 mg TABLET MO</i>	1	QL(60 per 30 days)
LOTENSIN 10 MG, 20 MG, 40 MG TABLET MO	3	
LOTENSIN HCT 10-12.5 MG, 20-12.5 MG, 20-25 MG TABLET MO	3	
LOTREL 10-20 MG, 5-10 MG, 5-20 MG CAPSULE MO	3	PA,QL(60 per 30 days)
LOTREL 10-40 MG CAPSULE MO	3	PA,QL(30 per 30 days)
<i>lovastatin 10 mg TABLET MO</i>	1	
<i>lovastatin 20 mg, 40 mg TABLET MO</i>	1	
LOVAZA 1 GRAM CAPSULE MO	3	PA,QL(120 per 30 days)
<i>mannitol 10 % 10 % PARENTERAL SOLUTION MO</i>	1	
<i>mannitol 20 % 20 % PARENTERAL SOLUTION MO</i>	1	
<i>mannitol 25 % 25 % SOLUTION MO</i>	1	
<i>mannitol 5 % 5 % PARENTERAL SOLUTION MO</i>	1	
<i>matzim la 180 mg, 240 mg TABLET, ER 24 HR. MO</i>	1	QL(60 per 30 days)
<i>matzim la 300 mg, 360 mg, 420 mg TABLET, ER 24 HR. MO</i>	1	QL(30 per 30 days)
MAXZIDE 75-50 MG TABLET MO	3	PA
MAXZIDE-25MG 37.5-25 MG TABLET MO	3	PA
<i>methazolamide 25 mg, 50 mg TABLET MO</i>	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL- Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • \$0 - Vaccine/Diabetic • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
<i>methyldopa</i> 250 mg, 500 mg TABLET MO	1	
<i>methyldopa-hydrochlorothiazide</i> 250-15 mg, 250-25 mg TABLET MO	1	
<i>methyldopate</i> 250 mg/5 ml SOLUTION MO	1	
<i>metolazone</i> 10 mg, 2.5 mg, 5 mg TABLET MO	1	
<i>metoprolol succinate</i> 100 mg, 25 mg, 50 mg TABLET, ER 24 HR. MO	1	
<i>metoprolol succinate</i> 200 mg TABLET, ER 24 HR. MO	1	
<i>metoprolol ta-hydrochlorothiaz</i> 100-25 mg, 100-50 mg, 50-25 mg TABLET MO	1	
<i>metoprolol tartrate</i> 100 mg, 25 mg, 50 mg TABLET MO	1	
<i>metoprolol tartrate</i> 37.5 mg, 75 mg TABLET MO	1	
<i>metoprolol tartrate</i> 5 mg/5 ml SOLUTION MO	1	
<i>metirosine</i> 250 mg CAPSULE DL	4	
<i>mexiletine</i> 150 mg, 200 mg, 250 mg CAPSULE MO	1	
MICARDIS 20 MG, 40 MG TABLET MO	3	PA,QL(30 per 30 days)
MICARDIS 80 MG TABLET MO	3	PA,QL(60 per 30 days)
MICARDIS HCT 40-12.5 MG, 80-25 MG TABLET MO	3	PA,QL(30 per 30 days)
MICARDIS HCT 80-12.5 MG TABLET MO	3	PA,QL(60 per 30 days)
<i>midodrine</i> 10 mg, 2.5 mg, 5 mg TABLET MO	1	
<i>milrinone</i> 1 mg/ml SOLUTION MO	1	BvsD
<i>milrinone</i> in 5 % dextrose 20 mg/100 ml (200 mcg/ml), 40 mg/200 ml (200 mcg/ml) PIGGYBACK MO	1	BvsD
MINIPRESS 1 MG, 2 MG, 5 MG CAPSULE MO	3	
<i>minoxidil</i> 10 mg, 2.5 mg TABLET MO	1	
<i>moexipril</i> 15 mg, 7.5 mg TABLET MO	1	
MULTAQ 400 MG TABLET MO	2	QL(60 per 30 days)
<i>nadolol</i> 20 mg, 40 mg, 80 mg TABLET MO	1	
<i>nebivolol</i> 10 mg TABLET MO	1	QL(120 per 30 days)
<i>nebivolol</i> 2.5 mg, 5 mg TABLET MO	1	QL(30 per 30 days)
<i>nebivolol</i> 20 mg TABLET MO	1	QL(60 per 30 days)
NEXLETOL 180 MG TABLET MO	2	PA,QL(30 per 30 days)
NEXLIZET 180-10 MG TABLET MO	2	PA,QL(30 per 30 days)
NEXTERONE 150 MG/100 ML (1.5 MG/ML), 360 MG/200 ML (1.8 MG/ML) SOLUTION MO	3	
<i>niacin</i> 1,000 mg, 500 mg, 750 mg TABLET, ER 24 HR. MO	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL- Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • \$0 - Vaccine/Diabetic • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
niacin 500 mg TABLET MO	1	
niacor 500 mg TABLET MO	1	
NIASPAN EXTENDED-RELEASE 500 MG, 750 MG TABLET, ER 24 HR. MO	3	PA
nicardipine 20 mg, 30 mg CAPSULE MO	1	
nicardipine 25 mg/10 ml SOLUTION MO	1	
nifedipine 10 mg, 20 mg CAPSULE MO	1	
nifedipine 30 mg, 60 mg, 90 mg TABLET ER MO	1	QL(60 per 30 days)
nifedipine 30 mg, 60 mg, 90 mg TABLET, ER 24 HR. MO	1	QL(60 per 30 days)
nimodipine 30 mg CAPSULE MO	1	
nisoldipine 17 mg, 20 mg, 34 mg, 40 mg, 8.5 mg TABLET, ER 24 HR. MO	1	QL(30 per 30 days)
nisoldipine 25.5 mg, 30 mg TABLET, ER 24 HR. MO	1	QL(60 per 30 days)
NITRO-BID 2 % OINTMENT MO	1	
NITRO-DUR 0.1 MG/HR, 0.4 MG/HR PATCH, 24 HR. MO	3	
NITRO-DUR 0.2 MG/HR, 0.3 MG/HR, 0.6 MG/HR, 0.8 MG/HR PATCH, 24 HR.	4	
nitroglycerin 0.1 mg/hr, 0.2 mg/hr, 0.4 mg/hr, 0.6 mg/hr PATCH, 24 HR. MO	1	
nitroglycerin 0.3 mg, 0.6 mg SUBLINGUAL TABLET MO	1	
nitroglycerin 0.4 mg SUBLINGUAL TABLET MO	1	
nitroglycerin 400 mcg/spray SPRAY, NON-AEROSOL MO	1	
nitroglycerin 50 mg/10 ml (5 mg/ml) SOLUTION MO	1	
nitroglycerin in 5 % dextrose 100 mg/250 ml (400 mcg/ml), 25 mg/250 ml (100 mcg/ml), 50 mg/250 ml (200 mcg/ml) SOLUTION MO	1	
NITROLINGUAL 400 MCG/SPRAY SPRAY, NON-AEROSOL MO	3	
NITROSTAT 0.3 MG, 0.4 MG, 0.6 MG SUBLINGUAL TABLET MO	2	
norepinephrine bitartrate 1 mg/ml SOLUTION MO	1	
NORLIQVA 1 MG/ML SOLUTION DL	4	ST,QL(300 per 30 days)
NORPACE 100 MG, 150 MG CAPSULE MO	3	
NORPACE CR 100 MG, 150 MG CAPSULE, ER MO	3	
NORTHERA 100 MG, 200 MG CAPSULE DL	4	PA,QL(90 per 30 days)
NORTHERA 300 MG CAPSULE DL	4	PA,QL(180 per 30 days)
NORVASC 10 MG, 2.5 MG, 5 MG TABLET MO	3	PA
NYMALIZE 30 MG/5 ML SYRINGE DL	4	QL(630 per 28 days)
NYMALIZE 60 MG/10 ML SOLUTION DL	4	QL(1260 per 28 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL- Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • \$0 - Vaccine/Diabetic • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
NYMALIZE 60 MG/10 ML SYRINGE DL	4	QL(1260 per 28 days)
olmesartan 20 mg TABLET MO	1	QL(30 per 30 days)
olmesartan 40 mg TABLET MO	1	QL(30 per 30 days)
olmesartan 5 mg TABLET MO	1	QL(60 per 30 days)
olmesartan-amlodipin-hcthiazid 20-5-12.5 mg, 40-10-12.5 mg, 40-10-25 mg, 40-5-12.5 mg, 40-5-25 mg TABLET MO	1	QL(30 per 30 days)
olmesartan-hydrochlorothiazide 20-12.5 mg, 40-12.5 mg, 40-25 mg TABLET MO	1	QL(30 per 30 days)
omega-3 acid ethyl esters 1 gram CAPSULE MO	1	QL(120 per 30 days)
OSMITROL 10 % 10 % PARENTERAL SOLUTION MO	3	
OSMITROL 15 % 15 % PARENTERAL SOLUTION MO	3	
OSMITROL 20 % 20 % PARENTERAL SOLUTION MO	3	
OSMITROL 5 % 5 % PARENTERAL SOLUTION MO	3	
PACERONE 100 MG TABLET MO	1	
pacerone 200 mg TABLET MO	1	
PACERONE 400 MG TABLET MO	1	QL(60 per 30 days)
pentoxifylline 400 mg TABLET ER MO	1	
perindopril erbumine 2 mg, 4 mg, 8 mg TABLET MO	1	
phenoxybenzamine 10 mg CAPSULE DL	4	
phenylephrine hcl 10 mg/ml SOLUTION MO	1	
pindolol 10 mg, 5 mg TABLET MO	1	
pitavastatin calcium 1 mg, 2 mg, 4 mg TABLET MO	1	ST,QL(30 per 30 days)
PRALUENT PEN 150 MG/ML, 75 MG/ML PEN INJECTOR MO	3	PA,QL(2 per 28 days)
pravastatin 10 mg, 20 mg, 40 mg, 80 mg TABLET MO	1	
prazosin 1 mg, 2 mg, 5 mg CAPSULE MO	1	
PRESTALIA 14-10 MG, 3.5-2.5 MG, 7-5 MG TABLET MO	3	QL(30 per 30 days)
prevalite 4 gram POWDER MO	1	
prevalite 4 gram POWDER IN PACKET MO	1	
procainamide 100 mg/ml, 500 mg/ml SOLUTION MO	1	
PROCARDIA XL 30 MG, 60 MG, 90 MG TABLET, ER 24 HR. MO	3	PA,QL(60 per 30 days)
propafenone 150 mg, 225 mg, 300 mg TABLET MO	1	
propafenone 225 mg, 325 mg CAPSULE, ER 12 HR. MO	1	QL(60 per 30 days)
propafenone 425 mg CAPSULE, ER 12 HR. MO	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL- Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • \$0 - Vaccine/Diabetic • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
propranolol 1 mg/ml, 20 mg/5 ml (4 mg/ml), 40 mg/5 ml (8 mg/ml) SOLUTION MO	1	
propranolol 10 mg, 20 mg, 40 mg, 60 mg, 80 mg TABLET MO	1	
propranolol 120 mg, 160 mg, 60 mg, 80 mg CAPSULE, ER 24 HR. MO	1	
propranolol-hydrochlorothiazid 40-25 mg, 80-25 mg TABLET MO	1	
QBRELIS 1 MG/ML SOLUTION DL	4	QL(1200 per 30 days)
QUESTRAN 4 GRAM POWDER MO	1	
QUESTRAN 4 GRAM POWDER IN PACKET MO	1	
QUESTRAN LIGHT 4 GRAM POWDER MO	1	
quinapril 10 mg, 20 mg, 40 mg, 5 mg TABLET MO	1	
quinapril-hydrochlorothiazide 10-12.5 mg, 20-12.5 mg, 20-25 mg TABLET MO	1	
quinidine gluconate 324 mg TABLET ER MO	1	
quinidine sulfate 200 mg, 300 mg TABLET MO	1	
ramipril 1.25 mg, 10 mg, 2.5 mg, 5 mg CAPSULE MO	1	
RANEXA 1,000 MG, 500 MG TABLET, ER 12 HR. MO	3	PA,QL(120 per 30 days)
ranolazine 1,000 mg, 500 mg TABLET, ER 12 HR. MO	1	QL(120 per 30 days)
REPATHA PUSHTRONEX 420 MG/3.5 ML WEARABLE INJECTOR MO	2	PA,QL(3.5 per 28 days)
REPATHA SURECLICK 140 MG/ML PEN INJECTOR MO	2	PA,QL(3 per 28 days)
REPATHA SYRINGE 140 MG/ML SYRINGE MO	2	PA,QL(3 per 28 days)
rosuvastatin 10 mg, 20 mg, 40 mg, 5 mg TABLET MO	1	
ROSZET 10-10 MG, 10-20 MG, 10-40 MG, 10-5 MG TABLET MO	3	ST,QL(30 per 30 days)
RYTHMOL SR 225 MG, 325 MG CAPSULE, ER 12 HR. MO	3	PA,QL(60 per 30 days)
RYTHMOL SR 425 MG CAPSULE, ER 12 HR. MO	3	PA
simvastatin 10 mg, 20 mg, 40 mg TABLET MO	1	
simvastatin 5 mg, 80 mg TABLET MO	1	
SOAANZ 20 MG, 40 MG, 60 MG TABLET MO	3	ST
SODIUM EDECRIN 50 MG RECON SOLUTION MO	3	
sorine 120 mg, 160 mg, 240 mg, 80 mg TABLET MO	1	
sotalol 120 mg, 160 mg, 240 mg, 80 mg TABLET MO	1	
sotalol 150 mg/10 ml (15 mg/ml) SOLUTION MO	1	
sotalol af 120 mg, 160 mg, 80 mg TABLET MO	1	
SOTYLIZE 5 MG/ML SOLUTION MO	3	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL- Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • \$0 - Vaccine/Diabetic • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
<i>spironolacton-hydrochlorothiaz</i> 25-25 mg TABLET MO	1	
<i>spironolactone</i> 100 mg TABLET MO	1	
<i>spironolactone</i> 25 mg, 50 mg TABLET MO	1	
<i>spironolactone</i> 25 mg/5 ml SUSPENSION MO	3	PA,QL(450 per 30 days)
SULAR 17 MG, 34 MG, 8.5 MG TABLET, ER 24 HR. MO	3	PA,QL(30 per 30 days)
<i>taztia xt</i> 120 mg, 180 mg, 240 mg CAPSULE, ER 24 HR. MO	1	QL(60 per 30 days)
<i>taztia xt</i> 300 mg, 360 mg CAPSULE, ER 24 HR. MO	1	QL(30 per 30 days)
TEKTURNA 150 MG, 300 MG TABLET MO	3	PA,QL(30 per 30 days)
TEKTURNA HCT 150-12.5 MG, 150-25 MG, 300-12.5 MG, 300-25 MG TABLET MO	3	ST,QL(30 per 30 days)
<i>telmisartan</i> 20 mg, 40 mg TABLET MO	1	QL(30 per 30 days)
<i>telmisartan</i> 80 mg TABLET MO	1	QL(60 per 30 days)
<i>telmisartan-amlodipine</i> 40-10 mg, 40-5 mg, 80-10 mg, 80-5 mg TABLET MO	1	QL(30 per 30 days)
<i>telmisartan-hydrochlorothiazid</i> 40-12.5 mg, 80-25 mg TABLET MO	1	QL(30 per 30 days)
<i>telmisartan-hydrochlorothiazid</i> 80-12.5 mg TABLET MO	1	QL(60 per 30 days)
TENORETIC 100 100-25 MG TABLET MO	3	
TENORETIC 50 50-25 MG TABLET MO	3	PA
TENORMIN 100 MG, 25 MG, 50 MG TABLET MO	3	PA
<i>terazosin</i> 1 mg, 10 mg, 2 mg, 5 mg CAPSULE MO	1	
THALITONE 15 MG TABLET MO	3	
<i>tiadylt er</i> 120 mg, 180 mg, 240 mg CAPSULE, ER 24 HR. MO	1	QL(60 per 30 days)
<i>tiadylt er</i> 300 mg, 360 mg, 420 mg CAPSULE, ER 24 HR. MO	1	QL(30 per 30 days)
TIAZAC 120 MG, 180 MG, 240 MG CAPSULE, ER 24 HR. MO	3	QL(60 per 30 days)
TIAZAC 300 MG, 360 MG, 420 MG CAPSULE, ER 24 HR. MO	3	QL(30 per 30 days)
TIKOSYN 125 MCG, 250 MCG, 500 MCG CAPSULE MO	3	PA
<i>timolol maleate</i> 10 mg, 20 mg, 5 mg TABLET MO	1	
TOPROL XL 100 MG, 200 MG, 25 MG, 50 MG TABLET, ER 24 HR. MO	3	
<i>torse mide</i> 10 mg, 100 mg, 5 mg TABLET MO	1	
<i>torse mide</i> 20 mg TABLET MO	1	
<i>trandolapril</i> 1 mg, 2 mg, 4 mg TABLET MO	1	
<i>trandolapril-verapamil</i> 1-240 mg, 2-180 mg, 2-240 mg, 4-240 mg TABLET, IR/ER 24 HR., BIPHASIC MO	1	
<i>triamterene</i> 100 mg, 50 mg CAPSULE MO	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL- Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • \$0 - Vaccine/Diabetic • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
triamterene-hydrochlorothiazid 37.5-25 mg CAPSULE MO	1	
triamterene-hydrochlorothiazid 37.5-25 mg TABLET MO	1	
triamterene-hydrochlorothiazid 75-50 mg TABLET MO	1	
TRIBENZOR 20-5-12.5 MG, 40-10-12.5 MG, 40-10-25 MG, 40-5-12.5 MG, 40-5-25 MG TABLET MO	3	PA,QL(30 per 30 days)
TRICOR 145 MG TABLET MO	3	PA,QL(30 per 30 days)
TRICOR 48 MG TABLET MO	3	PA,QL(60 per 30 days)
TRILIPIX 135 MG, 45 MG CAPSULE, DR/EC MO	3	PA,QL(30 per 30 days)
valsartan 160 mg TABLET MO	1	QL(60 per 30 days)
valsartan 320 mg, 40 mg, 80 mg TABLET MO	1	QL(60 per 30 days)
VALSARTAN 4 MG/ML SOLUTION DL	4	ST,QL(2400 per 30 days)
valsartan 4 mg/ml SOLUTION DL	4	ST,QL(2400 per 30 days)
valsartan-hydrochlorothiazide 160-12.5 mg, 160-25 mg, 320-12.5 mg, 320-25 mg, 80-12.5 mg TABLET MO	1	QL(30 per 30 days)
VASCEPA 0.5 GRAM CAPSULE MO	2	QL(240 per 30 days)
VASCEPA 1 GRAM CAPSULE MO	2	QL(120 per 30 days)
VASERETIC 10-25 MG TABLET MO	3	
VASOTEC 10 MG, 2.5 MG, 20 MG, 5 MG TABLET DL	4	PA
VAZCULEP 10 MG/ML SOLUTION MO	3	
vecamyl 2.5 mg TABLET DL	4	QL(300 per 30 days)
verapamil 100 mg, 120 mg, 180 mg, 200 mg, 240 mg, 300 mg CAPSULE ER PELLETS 24 HR. MO	1	
verapamil 120 mg, 180 mg, 240 mg TABLET ER MO	1	
verapamil 120 mg, 40 mg, 80 mg TABLET MO	1	QL(120 per 30 days)
verapamil 2.5 mg/ml SOLUTION MO	1	
verapamil 2.5 mg/ml SYRINGE MO	1	
verapamil 360 mg CAPSULE ER PELLETS 24 HR. MO	1	QL(60 per 30 days)
VERELAN 120 MG, 180 MG, 240 MG CAPSULE ER PELLETS 24 HR. MO	3	
VERELAN 360 MG CAPSULE ER PELLETS 24 HR. MO	3	QL(60 per 30 days)
VERELAN PM 100 MG, 200 MG, 300 MG CAPSULE ER PELLETS 24 HR. MO	3	PA
VERQUVO 10 MG, 2.5 MG, 5 MG TABLET MO	2	PA,QL(30 per 30 days)
VYTORIN 10-10 10-10 MG TABLET MO	3	PA,QL(30 per 30 days)
VYTORIN 10-20 10-20 MG TABLET MO	3	PA,QL(30 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL- Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • \$0 - Vaccine/Diabetic • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
VYTORIN 10-40 10-40 MG TABLET MO	3	PA,QL(30 per 30 days)
VYTORIN 10-80 10-80 MG TABLET MO	3	PA,QL(30 per 30 days)
WELCHOL 3.75 GRAM POWDER IN PACKET MO	3	QL(30 per 30 days)
WELCHOL 625 MG TABLET MO	3	QL(180 per 30 days)
ZESTORETIC 10-12.5 MG, 20-12.5 MG, 20-25 MG TABLET MO	3	
ZESTRIL 10 MG, 2.5 MG, 20 MG, 30 MG, 40 MG, 5 MG TABLET MO	3	PA
ZETIA 10 MG TABLET MO	3	PA,QL(30 per 30 days)
ZIAC 10-6.25 MG, 2.5-6.25 MG, 5-6.25 MG TABLET MO	3	PA
ZOCOR 10 MG, 20 MG, 40 MG, 80 MG TABLET MO	3	PA
ZYPITAMAG 2 MG, 4 MG TABLET MO	2	ST,QL(30 per 30 days)
CENTRAL NERVOUS SYSTEM AGENTS		
ADDERALL 10 MG, 12.5 MG, 15 MG, 20 MG, 5 MG, 7.5 MG TABLET MO	1	PA,QL(90 per 30 days)
ADDERALL 30 MG TABLET MO	1	PA,QL(60 per 30 days)
ADDERALL XR 10 MG, 15 MG, 5 MG CAPSULE, ER 24 HR. MO	3	PA,QL(30 per 30 days)
ADDERALL XR 20 MG, 25 MG, 30 MG CAPSULE, ER 24 HR. MO	3	PA,QL(60 per 30 days)
ADZENYS XR-ODT 12.5 MG, 15.7 MG, 18.8 MG, 3.1 MG, 6.3 MG, 9.4 MG TABLET, DISINTEGRATING ER BIPH MO	3	QL(30 per 30 days)
amphetamine 1.25 mg/ml SUSPENSION, IR/ER BIPHASIC MO	3	QL(450 per 30 days)
amphetamine sulfate 10 mg, 5 mg TABLET MO	1	QL(90 per 30 days)
AMPYRA 10 MG TABLET, ER 12 HR. DL	4	PA,QL(60 per 30 days)
APTENSIO XR 10 MG, 15 MG, 20 MG, 30 MG, 40 MG, 50 MG, 60 MG CAPSULE, ER SPRINKLE, BIPHASIC MO	3	QL(30 per 30 days)
atomoxetine 10 mg, 18 mg, 25 mg, 40 mg CAPSULE MO	1	QL(60 per 30 days)
atomoxetine 100 mg, 60 mg, 80 mg CAPSULE MO	1	QL(30 per 30 days)
AUBAGIO 14 MG, 7 MG TABLET DL	4	PA,QL(30 per 30 days)
AUSTEDO 12 MG, 9 MG TABLET DL	4	PA,QL(120 per 30 days)
AUSTEDO 6 MG TABLET DL	4	PA,QL(60 per 30 days)
AUSTEDO XR 12 MG, 6 MG TABLET, ER 24 HR. DL	4	PA,QL(90 per 30 days)
AUSTEDO XR 24 MG TABLET, ER 24 HR. DL	4	PA,QL(60 per 30 days)
AUSTEDO XR TITRATION KT(WK1-4) 6 MG (14)-12 MG (14)-24 MG (14) TABLET, ER 24 HR., DOSE PACK DL	4	PA,QL(42 per 28 days)
AVONEX 30 MCG/0.5 ML PEN INJECTOR KIT DL	4	PA,QL(1 per 28 days)
AVONEX 30 MCG/0.5 ML SYRINGE KIT DL	4	PA,QL(1 per 28 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL- Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • \$0 - Vaccine/Diabetic • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
AZSTARYS 26.1 MG- 5.2 MG, 39.2 MG- 7.8 MG, 52.3 MG- 10.4 MG CAPSULE MO	3	QL(30 per 30 days)
BAFIERTAM 95 MG CAPSULE, DR/EC DL	4	PA,QL(120 per 30 days)
BETASERON 0.3 MG KIT DL	4	PA,QL(15 per 30 days)
BRIUMVI 25 MG/ML SOLUTION	4	PA
clonidine hcl 0.1 mg TABLET, ER 12 HR. MO	1	QL(120 per 30 days)
CONCERTA 18 MG, 27 MG, 54 MG TABLET, ER 24 HR. MO	3	PA,QL(30 per 30 days)
CONCERTA 36 MG TABLET, ER 24 HR. MO	3	PA,QL(60 per 30 days)
COPAXONE 20 MG/ML SYRINGE DL	4	PA,QL(30 per 30 days)
COPAXONE 40 MG/ML SYRINGE DL	4	PA,QL(12 per 28 days)
COTEMPLA XR-ODT 17.3 MG, 8.6 MG TABLET, DISINTEGRATING ER BIPH MO	3	QL(30 per 30 days)
COTEMPLA XR-ODT 25.9 MG TABLET, DISINTEGRATING ER BIPH MO	3	QL(60 per 30 days)
dalfampridine 10 mg TABLET, ER 12 HR. MO	1	PA,QL(60 per 30 days)
DAYBUE 200 MG/ML SOLUTION DL	4	PA,QL(3600 per 30 days)
DAYTRANA 10 MG/9 HR, 15 MG/9 HR, 20 MG/9 HR, 30 MG/9 HR PATCH, 24 HR. MO	3	QL(30 per 30 days)
DESOXYN 5 MG TABLET DL	4	PA,QL(150 per 30 days)
DEXEDRINE SPANSULE 10 MG CAPSULE, ER DL	4	PA,QL(180 per 30 days)
DEXEDRINE SPANSULE 15 MG CAPSULE, ER DL	4	PA,QL(120 per 30 days)
DEXEDRINE SPANSULE 5 MG CAPSULE, ER DL	4	PA,QL(60 per 30 days)
dexmethylphenidate 10 mg, 15 mg, 20 mg, 25 mg, 30 mg, 35 mg, 40 mg, 5 mg CAPSULE, ER, BIPHASIC MO	1	QL(30 per 30 days)
dexmethylphenidate 10 mg, 2.5 mg, 5 mg TABLET MO	1	QL(60 per 30 days)
dextroamphetamine sulfate 10 mg CAPSULE, ER MO	1	QL(180 per 30 days)
dextroamphetamine sulfate 10 mg TABLET MO	1	QL(180 per 30 days)
dextroamphetamine sulfate 15 mg CAPSULE, ER MO	1	QL(120 per 30 days)
dextroamphetamine sulfate 15 mg TABLET MO	1	QL(120 per 30 days)
dextroamphetamine sulfate 2.5 mg, 20 mg, 7.5 mg TABLET MO	1	QL(90 per 30 days)
dextroamphetamine sulfate 30 mg TABLET MO	1	QL(60 per 30 days)
dextroamphetamine sulfate 5 mg CAPSULE, ER MO	1	QL(60 per 30 days)
dextroamphetamine sulfate 5 mg TABLET MO	1	QL(150 per 30 days)
dextroamphetamine sulfate 5 mg/5 ml SOLUTION MO	1	QL(1800 per 30 days)
dextroamphetamine-amphetamine 10 mg, 12.5 mg, 15 mg, 20 mg, 5 mg, 7.5 mg TABLET MO	1	QL(90 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL- Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • \$0 - Vaccine/Diabetic • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
<i>dextroamphetamine-amphetamine</i> 10 mg, 15 mg, 5 mg CAPSULE, ER 24 HR. MO	1	QL(30 per 30 days)
<i>dextroamphetamine-amphetamine</i> 12.5 mg, 25 mg, 37.5 mg, 50 mg CAPSULE ER TRIPHASIC 24 HR. MO	1	QL(30 per 30 days)
<i>dextroamphetamine-amphetamine</i> 20 mg, 25 mg, 30 mg CAPSULE, ER 24 HR. MO	1	QL(60 per 30 days)
<i>dextroamphetamine-amphetamine</i> 30 mg TABLET MO	1	QL(60 per 30 days)
<i>dimethyl fumarate</i> 120 mg (14)- 240 mg (46), 240 mg CAPSULE, DR/EC MO	1	PA,QL(60 per 30 days)
<i>dimethyl fumarate</i> 120 mg CAPSULE, DR/EC MO	1	PA,QL(14 per 30 days)
DYANAVEL XR 10 MG, 15 MG, 20 MG, 5 MG TABLET, IR/ER 24 HR., BIPHASIC MO	3	QL(30 per 30 days)
DYANAVEL XR 2.5 MG/ML SUSPENSION, IR/ER BIPHASIC MO	3	QL(240 per 30 days)
EVEKEO 10 MG, 5 MG TABLET MO	1	QL(90 per 30 days)
EVEKEO ODT 10 MG, 5 MG TABLET, DISINTEGRATING MO	3	QL(90 per 30 days)
EVEKEO ODT 15 MG, 20 MG TABLET, DISINTEGRATING MO	3	QL(60 per 30 days)
EXSERVAN 50 MG FILM DL	4	PA,QL(60 per 30 days)
EXTAVIA 0.3 MG KIT DL	4	PA,QL(15 per 30 days)
EXTAVIA 0.3 MG RECON SOLUTION DL	4	PA,QL(15 per 30 days)
<i>fingolimod</i> 0.5 mg CAPSULE MO	1	PA,QL(30 per 30 days)
FIRDAPSE 10 MG TABLET DL	4	PA,QL(240 per 30 days)
FOCALIN 10 MG, 2.5 MG, 5 MG TABLET MO	3	PA,QL(60 per 30 days)
FOCALIN XR 10 MG, 15 MG, 20 MG, 25 MG, 30 MG, 35 MG, 40 MG, 5 MG CAPSULE, ER, BIPHASIC MO	3	QL(30 per 30 days)
GILENYA 0.25 MG CAPSULE DL	4	PA,QL(30 per 30 days)
GILENYA 0.5 MG CAPSULE DL	4	PA,QL(30 per 30 days)
<i>glatiramer</i> 20 mg/ml SYRINGE DL	4	PA,QL(30 per 30 days)
<i>glatiramer</i> 40 mg/ml SYRINGE DL	4	PA,QL(12 per 28 days)
<i>glatopa</i> 20 mg/ml SYRINGE DL	4	PA,QL(30 per 30 days)
<i>glatopa</i> 40 mg/ml SYRINGE DL	4	PA,QL(12 per 28 days)
GRALISE 300 MG TABLET, ER 24 HR. MO	3	ST,QL(30 per 30 days)
GRALISE 450 MG, 600 MG TABLET, ER 24 HR. MO	3	ST,QL(90 per 30 days)
GRALISE 750 MG, 900 MG TABLET, ER 24 HR. MO	3	ST,QL(60 per 30 days)
<i>guanfacine</i> 1 mg, 2 mg, 3 mg, 4 mg TABLET, ER 24 HR. MO	1	QL(30 per 30 days)
HORIZANT 300 MG, 600 MG TABLET ER MO	3	PA,QL(60 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL- Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • \$0 – Vaccine/Diabetic • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
INGREZZA 40 MG, 60 MG, 80 MG CAPSULE DL	4	PA,QL(30 per 30 days)
INGREZZA INITIATION PACK 40 MG (7)- 80 MG (21) CAPSULE, DOSE PACK DL	4	PA,QL(28 per 28 days)
INTUNIV ER 1 MG, 2 MG, 3 MG, 4 MG TABLET, ER 24 HR. MO	3	QL(30 per 30 days)
JORNAY PM 100 MG, 20 MG, 40 MG, 60 MG, 80 MG CAPSULE, DR, ER SPRINKLE MO	3	QL(30 per 30 days)
KAPVAY 0.1 MG TABLET, ER 12 HR. MO	3	QL(120 per 30 days)
KESIMPTA PEN 20 MG/0.4 ML PEN INJECTOR DL	4	PA,QL(1.2 per 28 days)
LEMRADA 12 MG/1.2 ML SOLUTION DL	4	PA,QL(6 per 365 days)
lisdexamfetamine 10 mg, 20 mg, 30 mg, 40 mg, 50 mg, 60 mg CHEWABLE TABLET MO	1	PA,QL(30 per 30 days)
lisdexamfetamine 10 mg, 20 mg, 30 mg, 40 mg, 50 mg, 60 mg, 70 mg CAPSULE MO	1	PA,QL(30 per 30 days)
LYRICA 100 MG, 150 MG, 200 MG, 25 MG, 50 MG, 75 MG CAPSULE MO	3	PA,QL(90 per 30 days)
LYRICA 20 MG/ML SOLUTION MO	3	PA,QL(900 per 30 days)
LYRICA 225 MG, 300 MG CAPSULE MO	3	PA,QL(60 per 30 days)
LYRICA CR 165 MG, 82.5 MG TABLET, ER 24 HR. MO	3	PA,QL(30 per 30 days)
LYRICA CR 330 MG TABLET, ER 24 HR. MO	3	PA,QL(60 per 30 days)
MAVENCLAD (10 TABLET PACK) 10 MG TABLET DL	4	PA
MAVENCLAD (4 TABLET PACK) 10 MG TABLET DL	4	PA
MAVENCLAD (5 TABLET PACK) 10 MG TABLET DL	4	PA
MAVENCLAD (6 TABLET PACK) 10 MG TABLET DL	4	PA
MAVENCLAD (7 TABLET PACK) 10 MG TABLET DL	4	PA
MAVENCLAD (8 TABLET PACK) 10 MG TABLET DL	4	PA
MAVENCLAD (9 TABLET PACK) 10 MG TABLET DL	4	PA
MAYZENT 0.25 MG TABLET DL	4	PA,QL(120 per 30 days)
MAYZENT 1 MG, 2 MG TABLET DL	4	PA,QL(30 per 30 days)
MAYZENT STARTER(FOR 1MG MAINT) 0.25 MG (7 TABS) TABLET, DOSE PACK DL	4	PA,QL(7 per 30 days)
MAYZENT STARTER(FOR 2MG MAINT) 0.25 MG (12 TABS) TABLET, DOSE PACK DL	4	PA,QL(12 per 30 days)
metadate er 20 mg TABLET ER MO	1	QL(90 per 30 days)
methamphetamine 5 mg TABLET DL	4	QL(150 per 30 days)
METHYLIN 10 MG/5 ML SOLUTION MO	3	PA,QL(900 per 30 days)
METHYLIN 5 MG/5 ML SOLUTION MO	3	PA,QL(1800 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL- Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • \$0 - Vaccine/Diabetic • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
methylphenidate 10 mg/9 hr, 15 mg/9 hr, 20 mg/9 hr, 30 mg/9 hr PATCH, 24 HR. MO	1	QL(30 per 30 days)
methylphenidate hcl 10 mg CHEWABLE TABLET MO	1	QL(180 per 30 days)
methylphenidate hcl 10 mg TABLET ER MO	1	QL(180 per 30 days)
methylphenidate hcl 10 mg, 15 mg, 20 mg, 30 mg, 40 mg, 50 mg, 60 mg CAPSULE, ER SPRINKLE, BIPHASIC MO	3	QL(30 per 30 days)
methylphenidate hcl 10 mg, 20 mg, 40 mg, 50 mg, 60 mg CAPSULE, ER, BIPHASIC MO	1	QL(30 per 30 days)
methylphenidate hcl 10 mg, 20 mg, 5 mg TABLET MO	1	QL(90 per 30 days)
methylphenidate hcl 10 mg/5 ml SOLUTION MO	1	QL(900 per 30 days)
methylphenidate hcl 18 mg, 27 mg, 54 mg, 72 mg TABLET, ER 24 HR. MO	1	QL(30 per 30 days)
methylphenidate hcl 2.5 mg, 5 mg CHEWABLE TABLET MO	1	QL(150 per 30 days)
methylphenidate hcl 20 mg TABLET ER MO	1	QL(90 per 30 days)
methylphenidate hcl 20 mg, 30 mg CAPSULE, ER, BIPHASIC MO	1	QL(60 per 30 days)
methylphenidate hcl 36 mg TABLET, ER 24 HR. MO	1	QL(60 per 30 days)
methylphenidate hcl 45 mg, 63 mg TABLET, ER 24 HR. MO	3	QL(30 per 30 days)
methylphenidate hcl 5 mg/5 ml SOLUTION MO	1	QL(1800 per 30 days)
MYDAYIS 12.5 MG, 25 MG, 37.5 MG, 50 MG CAPSULE ER TRIPHASIC 24 HR. MO	3	QL(30 per 30 days)
NUDEXTA 20-10 MG CAPSULE	4	PA,QL(60 per 30 days)
OCREVUS 30 MG/ML SOLUTION	4	PA,QL(40 per 365 days)
PLEGRIDY 125 MCG/0.5 ML, 63 MCG/0.5 ML - 94 MCG/0.5 ML PEN INJECTOR DL	4	PA,QL(1 per 28 days)
PLEGRIDY 125 MCG/0.5 ML, 63 MCG/0.5 ML - 94 MCG/0.5 ML SYRINGE DL	4	PA,QL(1 per 28 days)
PONVORY 20 MG TABLET DL	4	PA,QL(30 per 30 days)
PONVORY 14-DAY STARTER PACK 2 MG (2) - 10 MG (3) TABLET, DOSE PACK DL	4	PA,QL(14 per 30 days)
pregabalin 100 mg, 150 mg, 50 mg, 75 mg CAPSULE MO	1	QL(90 per 30 days)
pregabalin 165 mg, 82.5 mg TABLET, ER 24 HR. MO	1	PA,QL(30 per 30 days)
pregabalin 20 mg/ml SOLUTION MO	1	QL(900 per 30 days)
pregabalin 200 mg, 25 mg CAPSULE MO	1	QL(90 per 30 days)
pregabalin 225 mg, 300 mg CAPSULE MO	1	QL(60 per 30 days)
pregabalin 330 mg TABLET, ER 24 HR. MO	1	PA,QL(60 per 30 days)
procentra 5 mg/5 ml SOLUTION DL	4	QL(1800 per 30 days)
QALSODY 100 MG/15 ML (6.7 MG/ML) SOLUTION DL	4	PA

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL- Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • \$0 - Vaccine/Diabetic • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
QELBREE 100 MG CAPSULE, ER 24 HR. MO	3	PA,QL(30 per 30 days)
QELBREE 150 MG, 200 MG CAPSULE, ER 24 HR. MO	3	PA,QL(60 per 30 days)
QUILLICHEW ER 20 MG, 40 MG CHEWABLE TABLET, IR/ER BIPHASE MO	3	QL(30 per 30 days)
QUILLICHEW ER 30 MG CHEWABLE TABLET, IR/ER BIPHASE MO	3	QL(60 per 30 days)
QUILLIVANT XR 5 MG/ML (25 MG/5 ML) SUSPENSION, ER, RECON MO	3	QL(360 per 30 days)
RADICAVA 30 MG/100 ML SOLUTION DL	4	PA
RADICAVA ORS 105 MG/5 ML SUSPENSION DL	4	PA,QL(70 per 28 days)
RADICAVA ORS STARTER KIT SUSP 105 MG/5 ML SUSPENSION DL	4	PA,QL(70 per 28 days)
REBIF (WITH ALBUMIN) 22 MCG/0.5 ML, 44 MCG/0.5 ML SYRINGE DL	4	PA,QL(6 per 28 days)
REBIF REBIDOSE 22 MCG/0.5 ML, 44 MCG/0.5 ML PEN INJECTOR DL	4	PA,QL(6 per 28 days)
REBIF REBIDOSE 8.8MCG/0.2ML-22 MCG/0.5ML (6) PEN INJECTOR DL	4	PA,QL(4.2 per 28 days)
REBIF TITRATION PACK 8.8MCG/0.2ML-22 MCG/0.5ML (6) SYRINGE DL	4	PA,QL(4.2 per 28 days)
RELEXXII 18 MG, 27 MG, 45 MG, 54 MG, 63 MG TABLET, ER 24 HR. MO	3	QL(30 per 30 days)
RELEXXII 36 MG TABLET, ER 24 HR. MO	3	QL(60 per 30 days)
<i>relexxii 72 mg TABLET, ER 24 HR. MO</i>	1	QL(30 per 30 days)
RELYVRIO 3-1 GRAM POWDER IN PACKET DL	4	PA,QL(56 per 28 days)
RILUTEK 50 MG TABLET DL	4	
<i>riluzole 50 mg TABLET MO</i>	1	
RITALIN 10 MG, 20 MG, 5 MG TABLET MO	3	PA,QL(90 per 30 days)
RITALIN LA 10 MG, 20 MG, 40 MG CAPSULE, ER, BIPHASIC MO	3	PA,QL(30 per 30 days)
RITALIN LA 30 MG CAPSULE, ER, BIPHASIC MO	3	PA,QL(60 per 30 days)
SAVELLA 100 MG, 12.5 MG, 25 MG, 50 MG TABLET MO	2	QL(60 per 30 days)
SAVELLA 12.5 MG (5)-25 MG(8)-50 MG(42) TABLET, DOSE PACK MO	2	QL(55 per 28 days)
SKYCLARYS 50 MG CAPSULE DL	4	PA,QL(90 per 30 days)
STRATTERA 10 MG, 18 MG, 25 MG, 40 MG CAPSULE MO	3	PA,QL(60 per 30 days)
STRATTERA 100 MG, 60 MG, 80 MG CAPSULE MO	3	PA,QL(30 per 30 days)
TASCENSO ODT 0.25 MG, 0.5 MG TABLET, DISINTEGRATING DL	4	PA,QL(30 per 30 days)
TECFIDERA 120 MG (14)- 240 MG (46), 240 MG CAPSULE, DR/EC DL	4	PA,QL(60 per 30 days)
TECFIDERA 120 MG CAPSULE, DR/EC DL	4	PA,QL(14 per 30 days)
<i>teriflunomide 14 mg, 7 mg TABLET MO</i>	1	PA,QL(30 per 30 days)
<i>tetrabenazine 12.5 mg TABLET MO</i>	1	PA,QL(240 per 30 days)
<i>tetrabenazine 25 mg TABLET MO</i>	1	PA,QL(120 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL- Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • \$0 - Vaccine/Diabetic • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
TIGLUTIK 50 MG/10 ML SUSPENSION DL	4	PA,QL(600 per 30 days)
TYSABRI 300 MG/15 ML SOLUTION DL	4	PA,QL(15 per 28 days)
VUMERITY 231 MG CAPSULE, DR/EC DL	4	PA,QL(120 per 30 days)
VYVANSE 10 MG, 20 MG, 30 MG, 40 MG, 50 MG, 60 MG CHEWABLE TABLET MO	3	PA,QL(30 per 30 days)
VYVANSE 10 MG, 20 MG, 30 MG, 40 MG, 50 MG, 60 MG, 70 MG CAPSULE MO	3	PA,QL(30 per 30 days)
XELSTRYM 13.5 MG/9 HOUR, 18 MG/9 HOUR, 4.5 MG/9 HOUR, 9 MG/9 HOUR PATCH, 24 HR. MO	3	QL(30 per 30 days)
XENAZINE 12.5 MG TABLET DL	4	PA,QL(240 per 30 days)
XENAZINE 25 MG TABLET DL	4	PA,QL(120 per 30 days)
zenzedi 10 mg TABLET MO	1	QL(180 per 30 days)
ZENZEDI 15 MG TABLET MO	1	QL(120 per 30 days)
ZENZEDI 2.5 MG, 20 MG, 7.5 MG TABLET MO	1	QL(90 per 30 days)
ZENZEDI 30 MG TABLET MO	1	QL(60 per 30 days)
zenzedi 5 mg TABLET MO	1	QL(150 per 30 days)
ZEPOSIA 0.92 MG CAPSULE DL	4	PA,QL(30 per 30 days)
ZEPOSIA STARTER KIT (28-DAY) 0.23 MG-0.46 MG -0.92 MG (21) CAPSULE, DOSE PACK DL	4	PA,QL(28 per 28 days)
ZEPOSIA STARTER KIT (37-DAY) 0.23 MG-0.46 MG -0.92 MG (30) CAPSULE, DOSE PACK	4	PA,QL(37 per 37 days)
ZEPOSIA STARTER PACK (7-DAY) 0.23 MG (4)- 0.46 MG (3) CAPSULE, DOSE PACK DL	4	PA,QL(7 per 7 days)
DENTAL & ORAL AGENTS		
cevimeline 30 mg CAPSULE MO	1	
chlorhexidine gluconate 0.12 % MOUTHWASH MO	1	
EVOXAC 30 MG CAPSULE MO	3	PA
KEPIVANCE 5.16 MG, 6.25 MG RECON SOLUTION DL	4	
kourzeq 0.1 % PASTE MO	1	
oralone 0.1 % PASTE MO	1	
paroex oral rinse 0.12 % MOUTHWASH MO	1	
periogard 0.12 % MOUTHWASH MO	1	
pilocarpine hcl 5 mg, 7.5 mg TABLET MO	1	
SALAGEN (PILOCARPINE) 5 MG, 7.5 MG TABLET MO	3	
triamcinolone acetonide 0.1 % PASTE MO	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL- Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • \$0 - Vaccine/Diabetic • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
DERMATOLOGICAL AGENTS		
ABSORICA 10 MG, 20 MG, 25 MG, 30 MG, 35 MG CAPSULE DL	4	ST,QL(60 per 30 days)
ABSORICA 40 MG CAPSULE DL	4	ST,QL(120 per 30 days)
ABSORICA LD 16 MG, 24 MG, 8 MG CAPSULE DL	4	ST,QL(60 per 30 days)
ABSORICA LD 32 MG CAPSULE DL	4	ST,QL(120 per 30 days)
ACANYA 1.2-2.5 % GEL WITH PUMP MO	3	QL(50 per 30 days)
accutane 10 mg, 20 mg, 30 mg CAPSULE MO	1	QL(60 per 30 days)
accutane 40 mg CAPSULE MO	1	QL(120 per 30 days)
acitretin 10 mg CAPSULE MO	1	PA,QL(90 per 30 days)
acitretin 17.5 mg CAPSULE MO	1	PA,QL(60 per 30 days)
acitretin 25 mg CAPSULE MO	1	PA
ACZONE 5 % GEL MO	3	QL(90 per 30 days)
ACZONE 7.5 % GEL WITH PUMP MO	3	QL(90 per 30 days)
adapalene 0.1 % CREAM MO	1	QL(45 per 30 days)
adapalene 0.1 % SOLUTION DL	4	QL(60 per 30 days)
adapalene 0.1 % SWAB MO	1	QL(30 per 30 days)
adapalene 0.3 % GEL MO	1	QL(45 per 30 days)
adapalene 0.3 % GEL WITH PUMP MO	1	QL(45 per 30 days)
adapalene-benzoyl peroxide 0.1-2.5 % GEL WITH PUMP MO	1	QL(45 per 30 days)
adapalene-benzoyl peroxide 0.3-2.5 % GEL WITH PUMP MO	1	QL(60 per 30 days)
AKLIEF 0.005 % CREAM MO	3	PA,QL(90 per 30 days)
ALA-CORT 1 % CREAM MO	1	QL(240 per 30 days)
ALA-SCALP 2 % LOTION MO	1	QL(236.8 per 30 days)
alclometasone 0.05 % CREAM MO	1	QL(240 per 30 days)
alclometasone 0.05 % OINTMENT MO	1	QL(240 per 30 days)
ALDARA 5 % CREAM IN PACKET MO	3	PA,QL(12 per 30 days)
ALTABAX 1 % OINTMENT MO	3	
ALTRENO 0.05 % LOTION MO	3	PA,QL(90 per 30 days)
amcinonide 0.1 % CREAM MO	1	QL(120 per 30 days)
amcinonide 0.1 % OINTMENT DL	4	ST,QL(120 per 30 days)
ammonium lactate 12 % CREAM MO	1	
ammonium lactate 12 % LOTION MO	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL- Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • \$0 - Vaccine/Diabetic • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
<i>amnestem 10 mg, 20 mg CAPSULE</i> MO	1	QL(60 per 30 days)
<i>amnestem 40 mg CAPSULE</i> MO	1	QL(120 per 30 days)
<i>AMZEEQ 4 % FOAM</i> MO	3	PA,QL(30 per 30 days)
<i>anuso1-hc 2.5 % CREAM W/PERINEAL APPLICATOR</i> MO	1	QL(60 per 30 days)
<i>apexicon e 0.05 % CREAM</i> MO	1	QL(60 per 30 days)
<i>ARAZLO 0.045 % LOTION</i> MO	3	PA
<i>ATRALIN 0.05 % GEL</i> MO	3	PA,QL(45 per 30 days)
<i>AVITA 0.025 % CREAM</i> MO	3	PA,QL(45 per 30 days)
<i>AVITA 0.025 % GEL</i> MO	3	PA,QL(45 per 30 days)
<i>azelaic acid 15 % GEL</i> MO	1	ST,QL(50 per 30 days)
<i>AZELEX 20 % CREAM</i> MO	3	QL(50 per 30 days)
<i>BENZAMYCIN 3-5 % GEL</i> MO	3	QL(46.6 per 30 days)
<i>bese1 0.05 % LOTION</i> MO	1	QL(240 per 30 days)
<i>betamethasone dipropionate 0.05 % CREAM</i> MO	1	QL(90 per 30 days)
<i>betamethasone dipropionate 0.05 % LOTION</i> MO	1	QL(120 per 30 days)
<i>betamethasone dipropionate 0.05 % OINTMENT</i> MO	1	QL(90 per 30 days)
<i>betamethasone valerate 0.1 % CREAM</i> MO	1	QL(180 per 30 days)
<i>betamethasone valerate 0.1 % LOTION</i> MO	1	QL(120 per 30 days)
<i>betamethasone valerate 0.1 % OINTMENT</i> MO	1	QL(180 per 30 days)
<i>betamethasone valerate 0.12 % FOAM</i> MO	1	QL(200 per 30 days)
<i>betamethasone, augmented 0.05 % CREAM</i> MO	1	QL(100 per 30 days)
<i>betamethasone, augmented 0.05 % GEL</i> MO	1	QL(100 per 30 days)
<i>betamethasone, augmented 0.05 % LOTION</i> MO	1	QL(120 per 30 days)
<i>betamethasone, augmented 0.05 % OINTMENT</i> MO	1	QL(100 per 30 days)
<i>brimonidine 0.33 % GEL WITH PUMP</i> MO	1	ST,QL(30 per 30 days)
<i>BRYHALI 0.01 % LOTION</i> MO	3	ST,QL(200 per 30 days)
<i>CABTREO 0.15-3.1-1.2 % GEL</i> MO	3	QL(50 per 30 days)
<i>calcipotriene 0.005 % CREAM</i> MO	1	PA,QL(120 per 30 days)
<i>calcipotriene 0.005 % FOAM</i> MO	1	ST,QL(120 per 28 days)
<i>calcipotriene 0.005 % OINTMENT</i> MO	1	QL(240 per 30 days)
<i>calcipotriene 0.005 % SOLUTION</i> MO	1	QL(60 per 30 days)
<i>calcipotriene-betamethasone 0.005-0.064 % OINTMENT</i> MO	1	PA,QL(60 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL- Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • \$0 - Vaccine/Diabetic • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
calcipotriene-betamethasone 0.005-0.064 % SUSPENSION MO	1	PA,QL(420 per 30 days)
calcitriol 3 mcg/gram OINTMENT MO	1	ST,QL(800 per 28 days)
CAPEX 0.01 % SHAMPOO MO	3	QL(840 per 30 days)
CARAC 0.5 % CREAM DL	4	PA,QL(60 per 30 days)
CENTANY 2 % OINTMENT MO	3	
claravis 10 mg, 20 mg, 30 mg CAPSULE MO	1	QL(60 per 30 days)
claravis 40 mg CAPSULE MO	1	QL(120 per 30 days)
CLEOCIN T 1 % LOTION MO	3	QL(60 per 30 days)
CLEOCIN T 1 % SOLUTION MO	3	QL(60 per 30 days)
clindacin 1 % FOAM MO	1	QL(100 per 30 days)
clindacin etz 1 % SWAB MO	1	
clindacin p 1 % SWAB MO	1	
CLINDAGEL 1 % GEL, ONCE DAILY DL	4	PA,QL(75 per 30 days)
clindamycin phosphate 1 % FOAM MO	1	QL(100 per 30 days)
clindamycin phosphate 1 % GEL MO	1	QL(60 per 30 days)
clindamycin phosphate 1 % GEL, ONCE DAILY MO	1	PA,QL(75 per 30 days)
clindamycin phosphate 1 % LOTION MO	1	QL(60 per 30 days)
clindamycin phosphate 1 % SOLUTION MO	1	QL(60 per 30 days)
clindamycin phosphate 1 % SWAB MO	1	
clindamycin-benzoyl peroxide 1-5 % GEL MO	1	QL(50 per 30 days)
clindamycin-benzoyl peroxide 1-5 %, 1.2 %(1 % base) -3.75 %, 1.2-2.5 % GEL WITH PUMP MO	1	QL(50 per 30 days)
clindamycin-benzoyl peroxide 1.2 %(1 % base) -5 % GEL MO	1	QL(45 per 30 days)
clindamycin-tretinoin 1.2-0.025 % GEL MO	1	QL(60 per 30 days)
clobetasol 0.05 % CREAM MO	1	QL(120 per 30 days)
clobetasol 0.05 % FOAM MO	1	QL(100 per 28 days)
clobetasol 0.05 % GEL MO	1	QL(120 per 28 days)
clobetasol 0.05 % LOTION MO	1	QL(240 per 28 days)
clobetasol 0.05 % OINTMENT MO	1	QL(120 per 28 days)
clobetasol 0.05 % SHAMPOO MO	1	QL(240 per 30 days)
clobetasol 0.05 % SOLUTION MO	1	QL(100 per 30 days)
clobetasol 0.05 % SPRAY, NON-AEROSOL MO	1	QL(240 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL- Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • \$0 – Vaccine/Diabetic • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
<i>clobetasol-emollient 0.05 % CREAM</i> MO	1	QL(120 per 30 days)
<i>clobetasol-emollient 0.05 % FOAM</i> MO	1	QL(100 per 30 days)
CLOBEX 0.05 % LOTION MO	3	ST,QL(240 per 28 days)
CLOBEX 0.05 % SHAMPOO MO	3	ST,QL(240 per 30 days)
CLOBEX 0.05 % SPRAY, NON-AEROSOL MO	3	ST,QL(240 per 30 days)
<i>clocortolone pivalate 0.1 % CREAM</i> MO	1	QL(180 per 30 days)
<i>clodan 0.05 % SHAMPOO</i> MO	1	QL(240 per 30 days)
CLODERM 0.1 % CREAM MO	3	PA,QL(180 per 30 days)
CONDYLOX 0.5 % GEL MO	3	
CORDRAN 0.025 % CREAM MO	3	ST,QL(240 per 30 days)
CORDRAN 0.05 % CREAM DL	4	ST,QL(240 per 30 days)
CORDRAN 0.05 % LOTION DL	4	ST,QL(240 per 30 days)
CORDRAN 0.05 % OINTMENT MO	3	ST,QL(240 per 30 days)
CORDRAN TAPE LARGE ROLL 4 MCG/CM2 TAPE MO	3	QL(2 per 30 days)
CORTEF 10 MG, 20 MG, 5 MG TABLET MO	3	
<i>crotan 10 % LOTION</i> DL	4	PA,QL(454 per 30 days)
<i>dapsone 5 % GEL</i> MO	1	QL(90 per 30 days)
<i>dapsone 7.5 % GEL WITH PUMP</i> MO	1	QL(90 per 30 days)
DERMA-SMOOTHIE/FS BODY OIL 0.01 % OIL MO	3	QL(118.28 per 30 days)
DERMA-SMOOTHIE/FS SCALP OIL 0.01 % OIL MO	3	QL(118.28 per 30 days)
<i>desonide 0.05 % CREAM</i> MO	1	QL(240 per 30 days)
<i>desonide 0.05 % GEL</i> MO	1	QL(240 per 30 days)
<i>desonide 0.05 % LOTION</i> MO	1	QL(240 per 30 days)
<i>desonide 0.05 % OINTMENT</i> MO	1	QL(240 per 30 days)
DESOWEN 0.05 % CREAM MO	3	QL(240 per 30 days)
<i>desoximetasone 0.05 % CREAM</i> MO	1	QL(240 per 30 days)
<i>desoximetasone 0.05 % GEL</i> MO	1	QL(240 per 30 days)
<i>desoximetasone 0.05 % OINTMENT</i> MO	1	QL(240 per 30 days)
<i>desoximetasone 0.25 % CREAM</i> MO	1	QL(120 per 30 days)
<i>desoximetasone 0.25 % OINTMENT</i> MO	1	QL(120 per 30 days)
<i>desoximetasone 0.25 % SPRAY, NON-AEROSOL</i> MO	1	QL(100 per 30 days)
<i>desrx 0.05 % GEL</i> MO	1	QL(240 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL- Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • \$0 - Vaccine/Diabetic • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
<i>diclofenac sodium</i> 3 % GEL MO	1	PA
DIFFERIN 0.1 % CREAM MO	3	PA,QL(45 per 30 days)
DIFFERIN 0.1 % LOTION MO	3	QL(59 per 30 days)
DIFFERIN 0.3 % GEL WITH PUMP MO	3	QL(45 per 30 days)
<i>diflorasone</i> 0.05 % CREAM DL	4	QL(120 per 30 days)
<i>diflorasone</i> 0.05 % OINTMENT MO	3	QL(120 per 30 days)
DIPROLENE (AUGMENTED) 0.05 % OINTMENT MO	3	QL(100 per 30 days)
DOVONEX 0.005 % CREAM MO	3	PA,QL(120 per 30 days)
<i>doxepin</i> 5 % CREAM DL	4	PA,QL(45 per 30 days)
DUOBRII 0.01-0.045 % LOTION MO	3	PA,QL(200 per 28 days)
EFUDEX 5 % CREAM MO	3	PA
ELIDEL 1 % CREAM MO	3	PA,QL(100 per 30 days)
ELIMITE 5 % CREAM MO	3	
ENSTILAR 0.005-0.064 % FOAM MO	3	QL(120 per 30 days)
EPIDUO 0.1-2.5 % GEL WITH PUMP MO	3	QL(45 per 30 days)
EPIDUO FORTE 0.3-2.5 % GEL WITH PUMP MO	3	QL(60 per 30 days)
EPIFOAM 1-1 % FOAM MO	1	
EPSOLAY 5 % CREAM MO	3	ST,QL(30 per 30 days)
<i>ery pads</i> 2 % SWAB MO	1	QL(60 per 30 days)
ERYGEL 2 % GEL MO	1	QL(60 per 30 days)
<i>erythromycin with ethanol</i> 2 % GEL MO	1	QL(60 per 30 days)
<i>erythromycin with ethanol</i> 2 % SOLUTION MO	1	QL(120 per 30 days)
<i>erythromycin-benzoyl peroxide</i> 3-5 % GEL MO	1	QL(46.6 per 30 days)
EUCRISA 2 % OINTMENT MO	3	PA,QL(100 per 30 days)
EURAX 10 % CREAM MO	3	PA
EURAX 10 % LOTION MO	3	PA,QL(454 per 30 days)
EVOCLIN 1 % FOAM MO	3	PA,QL(100 per 30 days)
FABIOR 0.1 % FOAM MO	3	PA,QL(100 per 30 days)
FINACEA 15 % FOAM MO	3	ST,QL(50 per 30 days)
FINACEA 15 % GEL MO	3	ST,QL(50 per 30 days)
<i>fluocinolone</i> 0.01 % OIL MO	1	QL(118.28 per 30 days)
<i>fluocinolone</i> 0.01 % SOLUTION MO	1	QL(180 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL- Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • \$0 - Vaccine/Diabetic • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
fluocinolone 0.01 %, 0.025 % CREAM MO	1	QL(120 per 30 days)
fluocinolone 0.025 % OINTMENT MO	1	QL(120 per 30 days)
fluocinolone and shower cap 0.01 % OIL MO	1	QL(118.28 per 30 days)
fluocinonide 0.05 % CREAM MO	1	QL(120 per 30 days)
fluocinonide 0.05 % GEL MO	1	QL(120 per 30 days)
fluocinonide 0.05 % OINTMENT MO	1	QL(120 per 30 days)
fluocinonide 0.05 % SOLUTION MO	1	QL(120 per 30 days)
fluocinonide 0.1 % CREAM MO	1	QL(120 per 28 days)
fluocinonide-e 0.05 % CREAM MO	1	QL(120 per 30 days)
fluocinonide-emollient 0.05 % CREAM MO	1	QL(120 per 30 days)
FLUOROPLEX 1 % CREAM DL	4	
fluorouracil 0.5 % CREAM DL	4	QL(60 per 30 days)
fluorouracil 2 % SOLUTION MO	1	QL(30 per 30 days)
fluorouracil 5 % CREAM MO	1	
fluorouracil 5 % SOLUTION MO	1	QL(60 per 30 days)
flurandrenolide 0.05 % CREAM MO	1	QL(240 per 30 days)
flurandrenolide 0.05 % LOTION MO	3	QL(240 per 30 days)
flurandrenolide 0.05 % OINTMENT MO	1	QL(240 per 30 days)
fluticasone propionate 0.005 % OINTMENT MO	1	QL(240 per 30 days)
fluticasone propionate 0.05 % CREAM MO	1	QL(240 per 30 days)
fluticasone propionate 0.05 % LOTION MO	1	QL(240 per 30 days)
halcinonide 0.1 % CREAM MO	1	QL(120 per 30 days)
halobetasol propionate 0.05 % CREAM MO	1	QL(100 per 30 days)
halobetasol propionate 0.05 % FOAM MO	3	PA,QL(100 per 30 days)
halobetasol propionate 0.05 % OINTMENT MO	1	QL(100 per 30 days)
HALOG 0.1 % CREAM DL	4	QL(120 per 30 days)
HALOG 0.1 % OINTMENT MO	3	QL(120 per 30 days)
HALOG 0.1 % SOLUTION MO	3	QL(120 per 30 days)
hydrocortisone 1 % CREAM W/PERINEAL APPLICATOR MO	1	QL(28.4 per 30 days)
hydrocortisone 1 %, 2.5 % CREAM MO	1	QL(240 per 30 days)
hydrocortisone 1 %, 2.5 % OINTMENT MO	1	QL(240 per 30 days)
hydrocortisone 10 mg, 20 mg, 5 mg TABLET MO	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL- Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • \$0 – Vaccine/Diabetic • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
hydrocortisone 2.5 % CREAM W/PERINEAL APPLICATOR MO	1	QL(60 per 30 days)
hydrocortisone 2.5 % LOTION MO	1	QL(236 per 30 days)
hydrocortisone butyr-emollient 0.1 % CREAM MO	1	QL(240 per 30 days)
hydrocortisone butyrate 0.1 % CREAM MO	1	QL(240 per 30 days)
hydrocortisone butyrate 0.1 % LOTION MO	1	QL(236 per 30 days)
hydrocortisone butyrate 0.1 % OINTMENT MO	1	QL(180 per 30 days)
hydrocortisone butyrate 0.1 % SOLUTION MO	1	QL(240 per 30 days)
hydrocortisone valerate 0.2 % CREAM MO	1	QL(240 per 30 days)
hydrocortisone valerate 0.2 % OINTMENT MO	1	QL(240 per 30 days)
HYFTOR 0.2 % GEL DL	4	PA
imiquimod 3.75 % CREAM IN PACKET MO	3	ST,QL(28 per 28 days)
imiquimod 3.75 % CREAM, METERED DOSE PUMP DL	4	ST,QL(15 per 30 days)
imiquimod 5 % CREAM IN PACKET MO	1	QL(12 per 30 days)
IMPEKLO 0.05 % LOTION IN METERED DOSE PUMP DL	4	ST,QL(136 per 28 days)
isotretinoin 10 mg, 20 mg, 30 mg CAPSULE MO	1	QL(60 per 30 days)
isotretinoin 25 mg, 35 mg CAPSULE DL	4	QL(60 per 30 days)
isotretinoin 40 mg CAPSULE MO	1	QL(120 per 30 days)
ivermectin 1 % CREAM MO	1	ST,QL(45 per 30 days)
KLISYRI 1 % OINTMENT IN PACKET DL	4	PA,QL(5 per 30 days)
LEXETTE 0.05 % FOAM MO	3	PA,QL(100 per 30 days)
lindane 1 % SHAMPOO MO	1	QL(60 per 30 days)
LOCOID 0.1 % LOTION MO	3	QL(236 per 30 days)
LOCOID LIPOCREAM 0.1 % CREAM MO	3	QL(240 per 30 days)
LUXIQ 0.12 % FOAM MO	3	ST,QL(200 per 30 days)
mafenide acetate 50 gram PACKET MO	1	
malathion 0.5 % LOTION MO	1	
methoxsalen 10 mg CAPSULE, LIQ FILLED, RAPID REL MO	1	
MIRVASO 0.33 % GEL WITH PUMP MO	3	ST,QL(30 per 30 days)
mometasone 0.1 % CREAM MO	1	QL(180 per 30 days)
mometasone 0.1 % OINTMENT MO	1	QL(180 per 30 days)
mometasone 0.1 % SOLUTION MO	1	QL(180 per 30 days)
mupirocin 2 % OINTMENT MO	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL- Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • \$0 - Vaccine/Diabetic • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
<i>mupirocin calcium 2 % CREAM</i> MO	1	ST
<i>myorisan 10 mg, 20 mg, 30 mg CAPSULE</i> MO	1	QL(60 per 30 days)
<i>myorisan 40 mg CAPSULE</i> MO	1	QL(120 per 30 days)
NATROBA 0.9 % SUSPENSION MO	3	QL(240 per 30 days)
NEO-SYNALAR 0.5 % (0.35 % BASE)-0.025 % CREAM MO	3	
<i>neuac 1.2 %(1 % base) -5 % GEL</i> MO	1	QL(45 per 30 days)
<i>nolix 0.05 % CREAM</i> MO	1	QL(240 per 30 days)
<i>nolix 0.05 % LOTION</i> MO	1	QL(240 per 30 days)
OLUX 0.05 % FOAM MO	3	PA,QL(100 per 28 days)
OLUX-E 0.05 % FOAM MO	3	PA,QL(100 per 30 days)
ONEXTON 1.2 %(1 % BASE) -3.75 % GEL MO	3	
ONEXTON 1.2 %(1 % BASE) -3.75 % GEL WITH PUMP MO	3	QL(50 per 30 days)
OPZELURA 1.5 % CREAM DL	4	PA,QL(240 per 28 days)
OTEZLA 30 MG TABLET DL	4	PA,QL(60 per 30 days)
OTEZLA STARTER 10 MG (4)-20 MG (4)-30 MG (47) TABLET, DOSE PACK DL	4	PA,QL(55 per 28 days)
OTEZLA STARTER 10 MG (4)-20 MG (4)-30 MG(19) TABLET, DOSE PACK DL	4	PA,QL(27 per 30 days)
OVIDE 0.5 % LOTION MO	3	PA
PANDEL 0.1 % CREAM DL	4	QL(160 per 30 days)
<i>permethrin 5 % CREAM</i> MO	1	
<i>pimecrolimus 1 % CREAM</i> MO	1	PA,QL(100 per 30 days)
<i>podofilox 0.5 % GEL</i> MO	1	
<i>podofilox 0.5 % SOLUTION</i> MO	1	QL(7 per 30 days)
<i>prednicarbate 0.1 % CREAM</i> MO	1	QL(240 per 30 days)
<i>prednicarbate 0.1 % OINTMENT</i> MO	1	QL(240 per 30 days)
<i>procto-med hc 2.5 % CREAM W/PERINEAL APPLICATOR</i> MO	1	QL(60 per 30 days)
<i>proctosol hc 2.5 % CREAM W/PERINEAL APPLICATOR</i> MO	1	QL(60 per 30 days)
<i>proctozone-hc 2.5 % CREAM W/PERINEAL APPLICATOR</i> MO	1	QL(60 per 30 days)
PROTOPIC 0.03 %, 0.1 % OINTMENT MO	3	QL(200 per 30 days)
PRUDOXIN 5 % CREAM DL	4	PA,QL(45 per 30 days)
QBREXZA 2.4 % TOWELETTE MO	3	PA,QL(30 per 30 days)
REGRANEX 0.01 % GEL	4	PA
RETIN-A 0.01 %, 0.025 % GEL MO	3	PA,QL(45 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL- Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • \$0 – Vaccine/Diabetic • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
RETIN-A 0.025 %, 0.05 %, 0.1 % CREAM MO	3	PA,QL(45 per 30 days)
RETIN-A MICRO 0.04 % GEL DL	4	PA,QL(45 per 30 days)
RETIN-A MICRO 0.1 % GEL MO	3	PA,QL(45 per 30 days)
RETIN-A MICRO PUMP 0.04 %, 0.1 % GEL WITH PUMP DL	4	PA,QL(50 per 30 days)
RETIN-A MICRO PUMP 0.06 %, 0.08 % GEL WITH PUMP MO	3	PA,QL(50 per 30 days)
RHOFADE 1 % CREAM MO	3	ST,QL(30 per 30 days)
SANTYL 250 UNIT/GRAM OINTMENT MO	3	QL(180 per 30 days)
selenium sulfide 2.5 % LOTION MO	1	QL(120 per 30 days)
SILVADENE 1 % CREAM MO	2	
silver sulfadiazine 1 % CREAM MO	1	
SOOLANTRA 1 % CREAM MO	3	ST,QL(45 per 30 days)
SORILUX 0.005 % FOAM DL	4	ST,QL(120 per 28 days)
spinosad 0.9 % SUSPENSION MO	3	QL(240 per 30 days)
SSD 1 % CREAM MO	1	
SULFAMYLON 50 GRAM PACKET MO	3	
SULFAMYLON 85 MG/G CREAM MO	3	
SYNALAR 0.01 % SOLUTION MO	3	QL(180 per 30 days)
TACLONEX 0.005-0.064 % OINTMENT DL	4	PA,QL(60 per 30 days)
TACLONEX 0.005-0.064 % SUSPENSION DL	4	PA,QL(420 per 30 days)
tacrolimus 0.03 %, 0.1 % OINTMENT MO	1	QL(200 per 30 days)
tazarotene 0.05 %, 0.1 % GEL MO	1	PA,QL(200 per 30 days)
tazarotene 0.1 % CREAM MO	1	PA,QL(120 per 30 days)
tazarotene 0.1 % FOAM DL	4	PA,QL(100 per 30 days)
TAZORAC 0.05 %, 0.1 % CREAM MO	3	PA,QL(120 per 30 days)
TAZORAC 0.05 %, 0.1 % GEL MO	3	PA,QL(200 per 30 days)
TEMOVATE 0.05 % OINTMENT MO	3	PA,QL(120 per 28 days)
TEXACORT 2.5 % SOLUTION MO	1	QL(240 per 30 days)
TOPICORT 0.05 % CREAM MO	1	QL(240 per 30 days)
TOPICORT 0.05 % GEL MO	1	QL(240 per 30 days)
TOPICORT 0.05 % OINTMENT MO	3	QL(240 per 30 days)
TOPICORT 0.25 % CREAM MO	1	QL(120 per 30 days)
TOPICORT 0.25 % OINTMENT MO	1	QL(120 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL- Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • \$0 - Vaccine/Diabetic • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
TOPICORT 0.25 % SPRAY, NON-AEROSOL MO	3	QL(100 per 30 days)
tovet emollient 0.05 % FOAM MO	1	QL(100 per 30 days)
tretinoin 0.01 %, 0.025 %, 0.05 % GEL MO	1	PA,QL(45 per 30 days)
tretinoin 0.025 %, 0.05 %, 0.1 % CREAM MO	1	PA,QL(45 per 30 days)
tretinoin microspheres 0.04 %, 0.08 %, 0.1 % GEL WITH PUMP MO	1	PA,QL(50 per 30 days)
tretinoin microspheres 0.04 %, 0.1 % GEL MO	1	PA,QL(45 per 30 days)
TWYNEO 0.1-3 % CREAM MO	3	QL(30 per 30 days)
ULTRAVATE 0.05 % LOTION MO	3	QL(120 per 30 days)
UVADEX 20 MCG/ML SOLUTION MO	3	
VANOS 0.1 % CREAM MO	3	QL(120 per 28 days)
VECTICAL 3 MCG/GRAM OINTMENT DL	4	ST,QL(800 per 28 days)
VELTIN 1.2-0.025 % GEL MO	3	PA,QL(60 per 30 days)
VERDESO 0.05 % FOAM DL	4	QL(200 per 30 days)
VEREGEN 15 % OINTMENT DL	4	QL(30 per 30 days)
VTAMA 1 % CREAM DL	4	PA,QL(60 per 30 days)
WINLEVI 1 % CREAM MO	3	PA
XEPI 1 % CREAM MO	3	PA
zenatane 10 mg, 20 mg, 30 mg CAPSULE MO	1	QL(60 per 30 days)
zenatane 40 mg CAPSULE MO	1	QL(120 per 30 days)
ZIANA 1.2-0.025 % GEL MO	3	PA,QL(60 per 30 days)
ZILXI 1.5 % FOAM MO	3	PA,QL(30 per 30 days)
ZONALON 5 % CREAM MO	3	PA,QL(45 per 30 days)
ZORYVE 0.3 % CREAM DL	4	PA,QL(120 per 30 days)
ZORYVE 0.3 % FOAM DL	4	PA,QL(120 per 30 days)
ZYCLARA 2.5 %, 3.75 % CREAM, METERED DOSE PUMP DL	4	ST,QL(15 per 30 days)
ZYCLARA 3.75 % CREAM IN PACKET MO	3	ST,QL(28 per 28 days)
ELECTROLYTES/MINERALS/METALS/VITAMINS		
AMINOSYN 10 % 10 % PARENTERAL SOLUTION MO	3	BvsD
AMINOSYN 7 % WITH ELECTROLYTES 7 % PARENTERAL SOLUTION MO	3	BvsD
AMINOSYN 8.5 % 8.5 % PARENTERAL SOLUTION MO	3	BvsD
AMINOSYN 8.5 %-ELECTROLYTES 8.5 % PARENTERAL SOLUTION MO	3	BvsD
AMINOSYN II 10 % 10 % PARENTERAL SOLUTION MO	3	BvsD

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL- Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • \$0 - Vaccine/Diabetic • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
AMINOSYN II 15 % 15 % PARENTERAL SOLUTION MO	3	BvsD
AMINOSYN II 7 % 7 % PARENTERAL SOLUTION MO	3	BvsD
AMINOSYN II 8.5 % 8.5 % PARENTERAL SOLUTION MO	3	BvsD
AMINOSYN II 8.5 %-ELECTROLYTES 8.5 % PARENTERAL SOLUTION MO	3	BvsD
AMINOSYN M 3.5 % 3.5 % PARENTERAL SOLUTION MO	3	BvsD
AMINOSYN-PF 10 % 10 % PARENTERAL SOLUTION MO	3	BvsD
AMINOSYN-PF 7 % (SULFITE-FREE) 7 % PARENTERAL SOLUTION MO	3	BvsD
AMINOSYN-RF 5.2 % 5.2 % PARENTERAL SOLUTION MO	3	BvsD
AURYXIA 210 MG IRON TABLET MO	3	PA,QL(360 per 30 days)
<i>bal-care dha 27-1-430 mg COMBO PACK, DR TAB/DR CAP</i> MO	1	
<i>c-nate dha 28 mg iron-1 mg -200 mg CAPSULE</i> MO	1	
<i>calcium acetate(phosphat bind) 667 mg CAPSULE</i> MO	1	
<i>calcium acetate(phosphat bind) 667 mg TABLET</i> MO	1	
<i>calcium chloride 100 mg/ml (10 %) SOLUTION</i> MO	1	
<i>calcium chloride 100 mg/ml (10 %) SYRINGE</i> MO	1	
<i>calcium gluconate 100 mg/ml (10%) SOLUTION</i> MO	1	
CARBAGLU 200 MG TABLET, DISPERSIBLE DL	4	PA
<i>carglumic acid 200 mg TABLET, DISPERSIBLE</i> DL	4	PA
CARNITOR 100 MG/ML, 200 MG/ML SOLUTION MO	3	
CARNITOR 330 MG TABLET MO	3	
CARNITOR (SUGAR-FREE) 100 MG/ML SOLUTION MO	3	
CHEMET 100 MG CAPSULE DL	4	
CITRANATAL B-CALM (FE GLUC) 20 MG IRON-1 MG -25 MG/25 MG TABLET, SEQUENTIAL MO	3	
CLINIMIX 5%/D15W SULFITE FREE 5 % PARENTERAL SOLUTION MO	3	BvsD
CLINIMIX 4.25%/D10W SULF FREE 4.25 % PARENTERAL SOLUTION MO	3	BvsD
CLINIMIX 4.25%/D5W SULFIT FREE 4.25 % PARENTERAL SOLUTION MO	3	BvsD
CLINIMIX 5%-D20W(SULFITE-FREE) 5 % PARENTERAL SOLUTION MO	3	BvsD
CLINIMIX 6%-D5W (SULFITE-FREE) 6-5 % PARENTERAL SOLUTION MO	3	BvsD
CLINIMIX 8%-D10W(SULFITE-FREE) 8-10 % PARENTERAL SOLUTION MO	3	BvsD
CLINIMIX 8%-D14W(SULFITE-FREE) 8-14 % PARENTERAL SOLUTION MO	3	BvsD
CLINIMIX E 2.75%/D5W SULF FREE 2.75 % PARENTERAL SOLUTION MO	3	BvsD

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL- Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • \$0 – Vaccine/Diabetic • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
CLINIMIX E 4.25%/D10W SUL FREE 4.25 % PARENTERAL SOLUTION MO	3	BvsD
CLINIMIX E 4.25%/D5W SULF FREE 4.25 % PARENTERAL SOLUTION MO	3	BvsD
CLINIMIX E 5%/D15W SULFIT FREE 5 % PARENTERAL SOLUTION MO	3	BvsD
CLINIMIX E 5%/D20W SULFIT FREE 5 % PARENTERAL SOLUTION MO	3	BvsD
CLINIMIX E 8%-D10W SULFITEFREE 8-10 % PARENTERAL SOLUTION MO	3	BvsD
CLINIMIX E 8%-D14W SULFITEFREE 8-14 % PARENTERAL SOLUTION MO	3	BvsD
CLINISOL SF 15 % 15 % PARENTERAL SOLUTION MO	1	BvsD
CLINOLIPID 20 % EMULSION MO	3	BvsD
complete natal dha 29 mg iron- 1 mg-200 mg COMBO PACK MO	1	
CUPRIMINE 250 MG CAPSULE DL	4	PA,QL(600 per 30 days)
CUVRIOR 300 MG TABLET DL	4	PA,QL(300 per 30 days)
d10 %-0.45 % sodium chloride PARENTERAL SOLUTION MO	1	
d2.5 %-0.45 % sodium chloride PARENTERAL SOLUTION MO	1	
d5 % and 0.9 % sodium chloride PARENTERAL SOLUTION MO	1	
d5 %-0.45 % sodium chloride PARENTERAL SOLUTION MO	1	
deferasirox 125 mg, 250 mg, 500 mg TABLET, DISPERSIBLE DL	4	PA
deferasirox 180 mg, 360 mg, 90 mg GRANULES IN PACKET DL	4	PA
deferasirox 180 mg, 360 mg, 90 mg TABLET MO	1	PA
deferiprone 1,000 mg TABLET DL	4	PA,QL(300 per 30 days)
deferiprone 500 mg TABLET DL	4	PA,QL(720 per 30 days)
deferoxamine 2 gram, 500 mg RECON SOLUTION MO	1	BvsD
DEPEN TITRATABS 250 MG TABLET DL	4	PA
DESFERAL 500 MG RECON SOLUTION MO	3	BvsD
dextrose 10 % and 0.2 % nacl PARENTERAL SOLUTION MO	1	
dextrose 10 % in water (d10w) 10 % PARENTERAL SOLUTION MO	1	
dextrose 20 % in water (d20w) 20 % PARENTERAL SOLUTION MO	1	
dextrose 25 % in water (d25w) SYRINGE MO	1	
dextrose 30 % in water (d30w) PARENTERAL SOLUTION MO	1	
dextrose 40 % in water (d40w) 40 % PARENTERAL SOLUTION MO	1	
dextrose 5 % in water (d5w) PARENTERAL SOLUTION MO	1	
dextrose 5 % in water (d5w) 5 % PIGGYBACK MO	1	
dextrose 5 %-lactated ringers PARENTERAL SOLUTION MO	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL- Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • \$0 – Vaccine/Diabetic • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
dextrose 5%-0.2 % sod chloride PARENTERAL SOLUTION MO	1	
dextrose 5%-0.3 % sod.chloride PARENTERAL SOLUTION MO	1	
dextrose 50 % in water (d50w) PARENTERAL SOLUTION MO	1	
dextrose 50 % in water (d50w) SYRINGE MO	1	
dextrose 70 % in water (d70w) PARENTERAL SOLUTION MO	1	
DUET DHA WITH OMEGA-3 25 MG IRON-1 MG -400 MG COMBO PACK MO	3	
electrolyte-148 PARENTERAL SOLUTION MO	1	
electrolyte-48 in d5w PARENTERAL SOLUTION MO	1	
electrolyte-a PARENTERAL SOLUTION MO	1	
EXJADE 125 MG, 250 MG, 500 MG TABLET, DISPERSIBLE DL	4	PA
FERRIPROX 1,000 MG TABLET DL	4	PA,QL(300 per 30 days)
FERRIPROX 100 MG/ML SOLUTION DL	4	PA,QL(3600 per 30 days)
FERRIPROX 500 MG TABLET DL	4	PA,QL(720 per 30 days)
FERRIPROX (2 TIMES A DAY) 1,000 MG TABLET, MODIFIED RELEASE DL	4	PA,QL(300 per 30 days)
FOSRENOL 1,000 MG, 500 MG, 750 MG CHEWABLE TABLET DL	4	ST
FOSRENOL 1,000 MG, 750 MG POWDER IN PACKET DL	4	ST
GLYCOPHOS 1 MMOL/ML SOLUTION MO	1	
INTRALIPID 20 %, 30 % EMULSION MO	3	BvsD
IONOSOL-B IN D5W 5 % PARENTERAL SOLUTION MO	3	
IONOSOL-MB IN D5W 5 % PARENTERAL SOLUTION MO	3	
ISOLYTE S PH 7.4 PARENTERAL SOLUTION MO	3	
ISOLYTE-P IN 5 % DEXTROSE 5 % PARENTERAL SOLUTION MO	3	
ISOLYTE-S PARENTERAL SOLUTION MO	3	
JADENU 180 MG, 360 MG, 90 MG TABLET DL	4	PA
JADENU SPRINKLE 180 MG, 360 MG, 90 MG GRANULES IN PACKET DL	4	PA
JYNARQUE 15 MG (AM)/ 15 MG (PM), 30 MG (AM)/ 15 MG (PM), 45 MG (AM)/ 15 MG (PM), 60 MG (AM)/ 30 MG (PM), 90 MG (AM)/ 30 MG (PM) TABLET, SEQUENTIAL DL	4	PA,QL(56 per 28 days)
JYNARQUE 15 MG, 30 MG TABLET DL	4	PA,QL(60 per 30 days)
K-TAB 10 MEQ, 20 MEQ TABLET ER MO	3	
KABIVEN 3.31-9.8-3.9 % EMULSION MO	3	BvsD
klor-con 20 meq PACKET MO	1	QL(240 per 30 days)
KLOR-CON 10 10 MEQ TABLET ER MO	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL- Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • \$0 - Vaccine/Diabetic • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
KLOR-CON 8 8 MEQ TABLET ER MO	1	
<i>klor-con m10 10 meq TABLET, ER PARTICLES/CRYSTALS</i> MO	1	
KLOR-CON M15 15 MEQ TABLET, ER PARTICLES/CRYSTALS MO	1	
<i>klor-con m20 20 meq TABLET, ER PARTICLES/CRYSTALS</i> MO	1	
KOSHER PRENATAL PLUS IRON 30 MG IRON- 1 MG TABLET MO	3	
<i>lactated ringers PARENTERAL SOLUTION</i> MO	1	
lanthanum 1,000 mg, 500 mg, 750 mg CHEWABLE TABLET DL	4	ST
levocarnitine 100 mg/ml, 200 mg/ml SOLUTION MO	1	
levocarnitine 330 mg TABLET MO	1	
levocarnitine (with sugar) 100 mg/ml SOLUTION MO	1	
LOKELMA 10 GRAM, 5 GRAM POWDER IN PACKET MO	3	PA,QL(30 per 30 days)
<i>m-natal plus 27 mg iron- 1 mg TABLET</i> MO	1	
magnesium sulfate 500 mg/ml (50 %) SOLUTION MO	1	
magnesium sulfate 500 mg/ml (50 %) SYRINGE MO	1	
magnesium sulfate in d5w 1 gram/100 ml PIGGYBACK MO	1	
magnesium sulfate in water 2 gram/50 ml (4 %), 4 gram/100 ml (4 %), 4 gram/50 ml (8 %) PIGGYBACK MO	1	
magnesium sulfate in water 20 gram/500 ml (4 %), 40 gram/1,000 ml (4 %) PARENTERAL SOLUTION MO	1	
NATACHEW (FE BIS-GLYCINATE) 28 MG IRON -1 MG CHEWABLE TABLET MO	3	
NEONATAL COMPLETE 29-1 MG TABLET MO	1	
NEONATAL PLUS VITAMIN 27 MG IRON- 1 MG TABLET MO	1	
NEONATAL-DHA 29-1-200-500 MG COMBO PACK MO	1	
NORMOSOL-M IN 5 % DEXTROSE PARENTERAL SOLUTION MO	3	
NORMOSOL-R PARENTERAL SOLUTION MO	3	
NORMOSOL-R IN 5 % DEXTROSE 5 % PARENTERAL SOLUTION MO	3	
NORMOSOL-R PH 7.4 PARENTERAL SOLUTION MO	3	
NUTRILIPID 20 % EMULSION MO	3	BvsD
OB COMPLETE ONE 40-10-1-300 MG CAPSULE MO	3	
OB COMPLETE PETITE 35 MG IRON-5 MG IRON-1 MG CAPSULE MO	3	
OB COMPLETE PREMIER 30-20-1 MG TABLET MO	3	
OMEGA VEN 10 % EMULSION DL	4	BvsD
penicillamine 250 mg CAPSULE DL	4	PA,QL(600 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL- Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • \$0 - Vaccine/Diabetic • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
penicillamine 250 mg TABLET DL	4	
PERIKABIVEN 2.36-7.5-3.5 % EMULSION MO	3	BvsD
PHOSLYRA 667 MG (169 MG CALCIUM)/5 ML SOLUTION MO	3	ST
PLASMA-LYTE 148 PARENTERAL SOLUTION MO	3	
PLASMA-LYTE A PARENTERAL SOLUTION MO	3	
PLENAMINE 15 % PARENTERAL SOLUTION MO	1	BvsD
prn-dha 27 mg iron-1 mg -300 mg CAPSULE MO	1	
prn-omega 28-1-300 mg CAPSULE MO	1	
potassium acetate 2 meq/ml SOLUTION MO	1	
potassium chlorid-d5-0.45%nacl 10 meq/l, 20 meq/l, 30 meq/l, 40 meq/l PARENTERAL SOLUTION MO	1	
potassium chloride 10 meq CAPSULE, ER MO	1	
potassium chloride 10 meq, 20 meq TABLET ER MO	1	
potassium chloride 10 meq, 20 meq TABLET, ER PARTICLES/CRYSTALS MO	1	
potassium chloride 15 meq TABLET, ER PARTICLES/CRYSTALS MO	1	
potassium chloride 2 meq/ml SOLUTION MO	1	
potassium chloride 20 meq PACKET MO	1	QL(240 per 30 days)
potassium chloride 20 meq/15 ml LIQUID MO	1	QL(1125 per 30 days)
potassium chloride 40 meq/15 ml LIQUID MO	1	
potassium chloride 8 meq CAPSULE, ER MO	1	
potassium chloride 8 meq TABLET ER MO	1	
potassium chloride in 0.9%nacl 20 meq/l, 40 meq/l PARENTERAL SOLUTION MO	1	
potassium chloride in 5 % dex 10 meq/l, 20 meq/l, 30 meq/l PARENTERAL SOLUTION MO	1	
potassium chloride in lr-d5 20 meq/l, 40 meq/l PARENTERAL SOLUTION MO	1	
potassium chloride in water 10 meq/100 ml, 10 meq/50 ml, 20 meq/100 ml, 20 meq/50 ml, 30 meq/100 ml, 40 meq/100 ml PIGGYBACK MO	1	
potassium chloride-0.45 % nacl 20 meq/l PARENTERAL SOLUTION MO	1	
potassium chloride-d5-0.2%nacl 20 meq/l, 40 meq/l PARENTERAL SOLUTION MO	1	
potassium chloride-d5-0.3%nacl 20 meq/l PARENTERAL SOLUTION MO	1	
potassium chloride-d5-0.9%nacl 20 meq/l, 40 meq/l PARENTERAL SOLUTION MO	1	
potassium citrate 10 meq (1,080 mg), 15 meq, 5 meq (540 mg) TABLET ER MO	1	
pr natal 400 29-1-400 mg COMBO PACK MO	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL- Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • \$0 - Vaccine/Diabetic • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
<i>pr natal 400 ec 29-1-400 mg COMBO PACK, DR TAB/DR CAP</i> MO	1	
<i>pr natal 430 29 mg iron-1 mg -430 mg COMBO PACK</i> MO	1	
<i>pr natal 430 ec 29-1-430 mg COMBO PACK, DR TAB/DR CAP</i> MO	1	
PREMASOL 10 % 10 % PARENTERAL SOLUTION MO	1	BvsD
PRENATA 29 MG IRON- 1 MG CHEWABLE TABLET MO	1	
PRENATABS FA 29-1 MG TABLET MO	1	
<i>prenatal plus (calcium carb) 27 mg iron- 1 mg TABLET</i> MO	1	
<i>prenatal plus dha 27 mg iron-1 mg -312 mg-250 mg COMBO PACK</i> MO	3	
<i>prenatal plus vitamin-mineral 27 mg iron- 1 mg TABLET</i> MO	1	
<i>prenatal vitamin plus low iron 27 mg iron- 1 mg TABLET</i> MO	1	
<i>prenatal-u 106.5-1 mg CAPSULE</i> MO	1	
PRENATE ELITE 26 MG IRON- 1 MG TABLET MO	1	
<i>preplus 27 mg iron- 1 mg TABLET</i> MO	1	
PROCALAMINE 3% 3 % PARENTERAL SOLUTION MO	3	BvsD
PROSOL 20 % PARENTERAL SOLUTION MO	3	BvsD
RENAGEL 800 MG TABLET DL	4	ST
REVELA 0.8 GRAM POWDER IN PACKET DL	4	PA,QL(540 per 30 days)
REVELA 2.4 GRAM POWDER IN PACKET DL	4	PA,QL(180 per 30 days)
REVELA 800 MG TABLET DL	4	PA,QL(540 per 30 days)
<i>ringer's PARENTERAL SOLUTION</i> MO	1	
SAMSCA 15 MG, 30 MG TABLET DL	4	PA,QL(60 per 30 days)
<i>se-natal 19 chewable 29 mg iron- 1 mg CHEWABLE TABLET</i> MO	1	
SELECT-OB 29 MG IRON- 1 MG CHEWABLE TABLET MO	3	
SELECT-OB (FOLIC ACID) 29 MG IRON- 1 MG CHEWABLE TABLET MO	3	
SELECT-OB + DHA 29 MG IRON-1 MG -250 MG COMBO PACK MO	3	
<i>sevelamer carbonate 0.8 gram POWDER IN PACKET</i> MO	1	QL(540 per 30 days)
<i>sevelamer carbonate 2.4 gram POWDER IN PACKET</i> MO	1	QL(180 per 30 days)
<i>sevelamer carbonate 800 mg TABLET</i> MO	1	QL(540 per 30 days)
<i>sevelamer hcl 400 mg, 800 mg TABLET</i> MO	1	ST
SMOFLIPID 20 % EMULSION MO	3	BvsD
<i>sodium bicarbonate 8.4 % (1 meq/ml) SYRINGE</i> MO	1	
<i>sodium chloride 2.5 meq/ml PARENTERAL SOLUTION</i> MO	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL- Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • \$0 – Vaccine/Diabetic • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
sodium chloride 0.45 % 0.45 % PARENTERAL SOLUTION MO	1	
sodium chloride 0.9 % PARENTERAL SOLUTION MO	1	
sodium chloride 0.9 % PIGGYBACK MO	1	
sodium chloride 0.9 % SOLUTION MO	1	
sodium chloride 3 % hypertonic 3 % PARENTERAL SOLUTION MO	1	
sodium chloride 5 % hypertonic 5 % PARENTERAL SOLUTION MO	1	
sodium phosphate 3 mmol/ml SOLUTION MO	1	
sodium polystyrene sulfonate POWDER MO	1	
SPS (WITH SORBITOL) 15-20 GRAM/60 ML SUSPENSION MO	1	
SPS (WITH SORBITOL) 30-40 GRAM/120 ML ENEMA MO	1	
SYPRINE 250 MG CAPSULE DL	4	PA,QL(240 per 30 days)
THAM 36 MG/ML (0.3 M) SOLUTION MO	3	
tolvaptan 15 mg, 30 mg TABLET DL	4	PA,QL(60 per 30 days)
TPN ELECTROLYTES 35-20-5 MEQ/20 ML SOLUTION MO	3	
TRAVASOL 10 % 10 % PARENTERAL SOLUTION MO	3	BvsD
TRICARE 27 MG IRON- 1 MG TABLET MO	1	
trientine 250 mg CAPSULE DL	4	QL(240 per 30 days)
trientine 500 mg CAPSULE DL	4	QL(120 per 30 days)
trinatal rx 1 60 mg iron-1 mg TABLET MO	1	
TRISTART DHA 31 MG IRON- 1 MG-200 MG CAPSULE MO	3	
TROPHAMINE 10 % 10 % PARENTERAL SOLUTION MO	3	BvsD
UROCIT-K 10 10 MEQ (1,080 MG) TABLET ER MO	3	
UROCIT-K 15 15 MEQ TABLET ER MO	3	
UROCIT-K 5 5 MEQ (540 MG) TABLET ER MO	3	
VAPRISOL IN 5 % DEXTROSE 20 MG/100 ML SOLUTION MO	3	
VELPHORO 500 MG CHEWABLE TABLET	4	ST
VELTASSA 16.8 GRAM, 25.2 GRAM, 8.4 GRAM POWDER IN PACKET MO	2	QL(30 per 30 days)
virt-c dha 35-1-200 mg CAPSULE MO	1	
virt-nate dha 28 mg iron-1 mg -200 mg CAPSULE MO	1	
virt-pn dha 27 mg iron-1 mg -300 mg CAPSULE MO	1	
virt-pn plus 28-1-300 mg CAPSULE MO	1	
VITAFOL FE PLUS 90 MG IRON- 1 MG-200 MG CAPSULE MO	3	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL- Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • \$0 - Vaccine/Diabetic • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
VITAFOL GUMMIES 3.33 MG IRON- 0.33 MG CHEWABLE TABLET MO	3	
VITAFOL NANO 18 MG IRON- 1 MG TABLET MO	3	
VITAFOL ULTRA 29 MG IRON- 1 MG-200 MG CAPSULE MO	3	
VITAFOL-OB 65-1 MG TABLET MO	3	
VITAFOL-OB+DHA 65-1-250 MG COMBO PACK MO	3	
VITAFOL-ONE 29 MG IRON- 1 MG-200 MG CAPSULE MO	3	
VITAMEDMD ONE RX 30 MG IRON-1MG -200 MG CAPSULE MO	3	
VP-PNV-DHA 28 MG IRON- 1 MG-200 MG CAPSULE MO	3	
wescap-pn dha 27 mg iron-1 mg -300 mg CAPSULE MO	1	
wesnatal dha complete 29 mg iron- 1 mg-200 mg COMBO PACK MO	1	
wesnate dha 28 mg iron-1 mg -200 mg CAPSULE MO	1	
westab plus 27 mg iron- 1 mg TABLET MO	1	
westgel dha 31 mg iron- 1 mg-200 mg CAPSULE MO	1	
XPHOZAH 20 MG, 30 MG TABLET DL	4	ST,QL(60 per 30 days)
zatean-pn dha 27 mg iron-1 mg -300 mg CAPSULE MO	1	
zatean-pn plus 28-1-300 mg CAPSULE MO	1	
GASTROINTESTINAL AGENTS		
ACIPHEX 20 MG TABLET, DR/EC MO	3	PA,QL(60 per 30 days)
ACIPHEX SPRINKLE 10 MG CAPSULE, DR SPRINKLE DL	4	QL(60 per 30 days)
ACIPHEX SPRINKLE 5 MG CAPSULE, DR SPRINKLE DL	4	QL(30 per 30 days)
AEMCOLO 194 MG TABLET, DR/EC MO	3	PA,QL(12 per 30 days)
alosetron 0.5 mg, 1 mg TABLET MO	1	PA,QL(60 per 30 days)
AMITIZA 24 MCG, 8 MCG CAPSULE MO	3	PA,QL(60 per 30 days)
amoxicil-clarithromy-lansopraz 500-500-30 mg COMBO PACK MO	1	ST
atropine 0.1 mg/ml, 0.25 mg/5 ml (0.05 mg/ml) SYRINGE MO	1	
BENTYL 10 MG/ML SOLUTION MO	3	
bismuth subcit k-metronidz-tcn 140-125-125 mg CAPSULE MO	1	QL(120 per 30 days)
CARAFATE 1 GRAM TABLET MO	3	
CARAFATE 100 MG/ML SUSPENSION MO	3	
CHENODAL 250 MG TABLET DL	4	PA
cimetidine 200 mg, 300 mg, 400 mg, 800 mg TABLET MO	1	
cimetidine hcl 300 mg/5 ml SOLUTION MO	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL- Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • \$0 – Vaccine/Diabetic • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
CLENPIQ 10 MG-3.5 GRAM- 12 GRAM/160 ML SOLUTION MO	2	
CLENPIQ 10 MG-3.5 GRAM- 12 GRAM/175 ML SOLUTION MO	2	
constulose 10 gram/15 ml SOLUTION MO	1	
CUVPOSA 1 MG/5 ML (0.2 MG/ML) SOLUTION MO	3	
CYTOTEC 100 MCG, 200 MCG TABLET DL	4	
DARTISLA 1.7 MG TABLET, DISINTEGRATING MO	3	ST,QL(120 per 30 days)
DEXILANT 30 MG, 60 MG CAPSULE, DR, BIPHASIC MO	3	ST,QL(30 per 30 days)
dexlansoprazole 30 mg, 60 mg CAPSULE, DR, BIPHASIC MO	3	ST,QL(30 per 30 days)
dicyclomine 10 mg CAPSULE MO	1	
dicyclomine 10 mg/5 ml, 10 mg/ml SOLUTION MO	1	
dicyclomine 20 mg TABLET MO	1	
diphenoxylate-atropine 2.5-0.025 mg TABLET MO	1	
diphenoxylate-atropine 2.5-0.025 mg/5 ml LIQUID MO	1	
ENDARI 5 GRAM POWDER IN PACKET DL	4	PA,QL(180 per 30 days)
enulose 10 gram/15 ml SOLUTION MO	1	
esomeprazole magnesium 10 mg, 20 mg, 40 mg DR GRANULES IN PACKET MO	1	QL(30 per 30 days)
esomeprazole magnesium 20 mg CAPSULE, DR/EC MO	1	QL(60 per 30 days)
esomeprazole magnesium 40 mg CAPSULE, DR/EC MO	1	QL(60 per 30 days)
esomeprazole sodium 20 mg, 40 mg RECON SOLUTION MO	1	
ESOMEPRAZOLE STRONTIUM 49.3 MG CAPSULE, DR/EC MO	3	QL(30 per 30 days)
famotidine 10 mg/ml SOLUTION MO	1	
famotidine 20 mg, 40 mg TABLET MO	1	
famotidine 40 mg/5 ml (8 mg/ml) SUSPENSION FOR RECONSTITUTION MO	1	
famotidine (pf) 20 mg/2 ml SOLUTION MO	1	
famotidine (pf)-nacl (iso-os) 20 mg/50 ml PIGGYBACK MO	1	
GATTEX 30-VIAL 5 MG KIT DL,LA	4	PA
GATTEX ONE-VIAL 5 MG KIT DL,LA	4	PA
gavilyte-c 240-22.72-6.72 -5.84 gram RECON SOLUTION MO	1	
gavilyte-g 236-22.74-6.74 -5.86 gram RECON SOLUTION MO	1	
generlac 10 gram/15 ml SOLUTION MO	1	
GLYCATE 1.5 MG TABLET MO	1	
glycopyrrolate 0.2 mg/ml, 1 mg/5 ml (0.2 mg/ml) SOLUTION MO	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL- Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • \$0 – Vaccine/Diabetic • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
glycopyrrolate 1 mg, 1.5 mg, 2 mg TABLET MO	1	
glycopyrrolate (pf) 0.6 mg/3 ml (0.2 mg/ml) SYRINGE MO	3	
glycopyrrolate (pf) in water 0.2 mg/ml SYRINGE MO	1	
GOLYTELY 236-22.74-6.74 -5.86 GRAM RECON SOLUTION MO	3	ST
IBSRELA 50 MG TABLET DL	4	PA,QL(60 per 30 days)
KONVOMEF 2-84 MG/ML SUSPENSION FOR RECONSTITUTION DL	4	ST,QL(600 per 30 days)
KRISTALOSE 10 GRAM, 20 GRAM PACKET MO	1	
lactulose 10 gram PACKET DL	4	
lactulose 10 gram/15 ml (15 ml), 20 gram/30 ml SOLUTION MO	1	
lactulose 10 gram/15 ml SOLUTION MO	1	
lansoprazole 15 mg, 30 mg CAPSULE, DR/EC MO	1	QL(60 per 30 days)
lansoprazole 15 mg, 30 mg TABLET, DISINTEGRATING DR MO	1	QL(30 per 30 days)
LINZESS 145 MCG, 290 MCG, 72 MCG CAPSULE MO	2	QL(30 per 30 days)
LOMOTIL 2.5-0.025 MG TABLET MO	3	
loperamide 2 mg CAPSULE MO	1	
LOTIRONEX 0.5 MG, 1 MG TABLET	4	PA,QL(60 per 30 days)
lubiprostone 24 mcg, 8 mcg CAPSULE MO	1	QL(60 per 30 days)
methscopolamine 2.5 mg, 5 mg TABLET MO	1	
misoprostol 100 mcg TABLET MO	1	
misoprostol 200 mcg TABLET MO	1	
MOTEGRITY 1 MG, 2 MG TABLET MO	3	PA,QL(30 per 30 days)
MOTOFEN 1-0.025 MG TABLET MO	3	
MOVANTIK 12.5 MG, 25 MG TABLET MO	2	QL(30 per 30 days)
MOVIPREP 100-7.5-2.691 GRAM POWDER IN PACKET MO	3	ST
MYALEPT 5 MG/ML (FINAL CONC.) RECON SOLUTION DL	4	PA,QL(30 per 30 days)
MYTESI 125 MG TABLET, DR/EC DL	4	PA,QL(60 per 30 days)
NEXIUM 20 MG, 40 MG CAPSULE, DR/EC MO	3	PA,QL(60 per 30 days)
NEXIUM IV 40 MG RECON SOLUTION MO	3	PA
NEXIUM PACKET 10 MG, 2.5 MG, 20 MG, 40 MG, 5 MG DR GRANULES IN PACKET MO	3	QL(30 per 30 days)
nizatidine 150 mg, 300 mg CAPSULE MO	1	
nizatidine 150 mg/10 ml SOLUTION MO	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL- Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • \$0 - Vaccine/Diabetic • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
NULYTELY LEMON-LIME 420 GRAM RECON SOLUTION MO	3	ST
OICALIVA 10 MG, 5 MG TABLET DL	4	PA,QL(30 per 30 days)
OMECLAMOX-PAK 20 MG-500 MG- 500 MG (40) COMBO PACK MO	3	ST
omeprazole 10 mg CAPSULE, DR/EC MO	1	QL(60 per 30 days)
omeprazole 20 mg, 40 mg CAPSULE, DR/EC MO	1	QL(60 per 30 days)
omeprazole-sodium bicarbonate 20-1,680 mg, 40-1,680 mg PACKET DL	4	ST,QL(30 per 30 days)
omeprazole-sodium bicarbonate 20-1.1 mg-gram, 40-1.1 mg-gram CAPSULE MO	1	ST,QL(30 per 30 days)
opium tincture 10 mg/ml (morphine) TINCTURE MO	3	QL(180 per 30 days)
OSMOPREP 1.5 GRAM TABLET MO	3	ST
pantoprazole 20 mg, 40 mg TABLET, DR/EC MO	1	QL(60 per 30 days)
pantoprazole 40 mg DR GRANULES IN PACKET MO	1	QL(30 per 30 days)
pantoprazole 40 mg RECON SOLUTION MO	1	
peg 3350-electrolytes 236-22.74-6.74 -5.86 gram RECON SOLUTION MO	1	
peg-electrolyte soln 420 gram RECON SOLUTION MO	1	
peg-prep 5-210 mg-gram KIT MO	1	
peg3350-sod sul-nacl-kcl-asb-c 100-7.5-2.691 gram POWDER IN PACKET MO	1	ST
pepcid 20 mg, 40 mg TABLET MO	3	PA
PLENVU 140-9-5.2 GRAM POWDER IN PACKET, SEQUENTIAL MO	3	ST
PREVACID 30 MG CAPSULE, DR/EC MO	3	PA,QL(60 per 30 days)
PREVACID SOLUTAB 15 MG, 30 MG TABLET, DISINTEGRATING DR MO	3	QL(30 per 30 days)
PRILOSEC 10 MG, 2.5 MG SUSPENSION, DR FOR RECON MO	3	
PROTONIX 20 MG, 40 MG TABLET, DR/EC MO	3	PA,QL(60 per 30 days)
PROTONIX 40 MG DR GRANULES IN PACKET MO	3	QL(30 per 30 days)
PROTONIX 40 MG RECON SOLUTION MO	3	PA
PYLERA 140-125-125 MG CAPSULE MO	3	ST,QL(120 per 30 days)
rabeprazole 20 mg TABLET, DR/EC MO	1	QL(60 per 30 days)
RELISTOR 12 MG/0.6 ML SOLUTION DL	4	PA,QL(36 per 30 days)
RELISTOR 12 MG/0.6 ML SYRINGE DL	4	PA,QL(36 per 28 days)
RELISTOR 150 MG TABLET DL	4	PA,QL(90 per 30 days)
RELISTOR 8 MG/0.4 ML SYRINGE DL	4	PA,QL(12 per 30 days)
RELTONE 200 MG CAPSULE DL	4	PA,QL(150 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL- Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • \$0 - Vaccine/Diabetic • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
RELTONE 400 MG CAPSULE DL	4	PA,QL(60 per 30 days)
ROBINUL 1 MG TABLET MO	3	PA
ROBINUL FORTE 2 MG TABLET MO	3	PA
sodium,potassium,mag sulfates 17.5-3.13-1.6 gram RECON SOLUTION MO	1	
sucralfate 1 gram TABLET MO	1	
sucralfate 100 mg/ml SUSPENSION MO	1	
SUFLAVE 178.7-7.3-0.5 GRAM RECON SOLUTION MO	3	ST
SUPREP BOWEL PREP KIT 17.5-3.13-1.6 GRAM RECON SOLUTION MO	3	ST
SUTAB 1.479-0.188- 0.225 GRAM TABLET MO	3	ST
SYMPROIC 0.2 MG TABLET MO	3	PA,QL(30 per 30 days)
TALICIA 10-250-12.5 MG CAPSULE, IR/DR, BIPHASIC MO	3	ST
TRULANCE 3 MG TABLET MO	3	PA,QL(30 per 30 days)
URSO 250 250 MG TABLET MO	3	PA
URSO FORTE 500 MG TABLET MO	3	PA
ursodiol 200 mg CAPSULE DL	4	PA,QL(150 per 30 days)
ursodiol 250 mg, 500 mg TABLET MO	1	
ursodiol 300 mg CAPSULE MO	1	
ursodiol 400 mg CAPSULE DL	4	PA,QL(60 per 30 days)
VIBERZI 100 MG, 75 MG TABLET	4	PA,QL(60 per 30 days)
VOQUEZNA 10 MG TABLET MO	3	PA,QL(30 per 30 days)
VOQUEZNA 20 MG TABLET MO	3	PA,QL(60 per 30 days)
VOQUEZNA DUAL PAK 20 MG (28)- 500 MG (84) COMBO PACK MO	3	ST,QL(112 per 30 days)
VOQUEZNA TRIPLE PAK 20-500-500 MG COMBO PACK MO	3	ST,QL(112 per 30 days)
XERMELO 250 MG TABLET DL	4	PA,QL(84 per 28 days)
XIFAXAN 200 MG TABLET MO	3	PA,QL(9 per 30 days)
XIFAXAN 550 MG TABLET	4	PA,QL(84 per 28 days)
ZEGERID 20-1,680 MG, 40-1,680 MG PACKET DL	4	ST,QL(30 per 30 days)
ZEGERID 20-1.1 MG-GRAM, 40-1.1 MG-GRAM CAPSULE DL	4	ST,QL(30 per 30 days)
ZINPLAVA 25 MG/ML SOLUTION DL	4	PA
GENETIC/ENZYME/PROTEIN DISORDER: REPLACEMENT, MODIFIERS, TREATMENT		
ALDURAZYME 2.9 MG/5 ML SOLUTION DL	4	PA
AMVUTTRA 25 MG/0.5 ML SYRINGE DL	4	PA,QL(0.5 per 90 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL- Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • \$0 – Vaccine/Diabetic • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
ARALAST NP 1,000 MG, 500 MG RECON SOLUTION DL	4	PA
<i>betaine 1 gram/scoop POWDER</i> DL	4	
BUPHENYL 0.94 GRAM/GRAM POWDER DL	4	PA
BUPHENYL 500 MG TABLET DL	4	PA
CERDELGA 84 MG CAPSULE DL	4	PA
CEREZYME 400 UNIT RECON SOLUTION DL	4	PA
CHOLBAM 250 MG, 50 MG CAPSULE DL	4	PA,QL(120 per 30 days)
CREON 12,000-38,000 -60,000 UNIT, 3,000-9,500- 15,000 UNIT, 36,000-114,000- 180,000 UNIT, 6,000-19,000 -30,000 UNIT CAPSULE, DR/EC MO	2	
CREON 24,000-76,000 -120,000 UNIT CAPSULE, DR/EC MO	2	
CRYSVITA 10 MG/ML, 20 MG/ML SOLUTION DL	4	PA,QL(2 per 28 days)
CRYSVITA 30 MG/ML SOLUTION DL	4	PA,QL(6 per 28 days)
CYSTADANE 1 GRAM/SCOOP POWDER DL	4	PA
CYSTAGON 150 MG, 50 MG CAPSULE MO	3	
<i>dichlorphenamide 50 mg TABLET</i> DL	4	PA,QL(120 per 30 days)
ELAPRASE 6 MG/3 ML SOLUTION DL	4	PA
ELELYSO 200 UNIT RECON SOLUTION DL	4	PA
ELEVIDYS 1.33 X 10EXP13 VG/ML SUSPENSION DL	4	PA
ELFABRIO 2 MG/ML SOLUTION DL	4	PA
EVRYSDI 0.75 MG/ML RECON SOLUTION DL	4	PA,QL(240 per 30 days)
FABRAZYME 35 MG, 5 MG RECON SOLUTION DL	4	PA
GALAFOLD 123 MG CAPSULE DL	4	PA,QL(14 per 28 days)
GLASSIA 1 GRAM/50 ML (2 %) SOLUTION DL	4	PA
<i>javygtor 100 mg TABLET, SOLUBLE</i> DL	4	PA
<i>javygtor 100 mg, 500 mg POWDER IN PACKET</i> DL	4	PA
JOENJA 70 MG TABLET DL	4	PA,QL(60 per 30 days)
KANUMA 2 MG/ML SOLUTION DL	4	PA
KEVEYIS 50 MG TABLET DL	4	PA,QL(120 per 30 days)
KUVAN 100 MG TABLET, SOLUBLE DL	4	PA
KUVAN 100 MG, 500 MG POWDER IN PACKET DL	4	PA
LAMZEDE 10 MG RECON SOLUTION DL	4	PA
LUMIZYME 50 MG RECON SOLUTION DL	4	PA

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL- Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • \$0 – Vaccine/Diabetic • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
MEPSEVII 2 MG/ML SOLUTION DL	4	PA
<i>miglustat</i> 100 mg CAPSULE DL	4	PA,QL(90 per 30 days)
NAGLAZYME 5 MG/5 ML SOLUTION DL	4	PA
NEXVIAZYME 100 MG RECON SOLUTION DL	4	PA
<i>nitisinone</i> 10 mg, 2 mg, 20 mg, 5 mg CAPSULE DL	4	
NITYR 10 MG, 2 MG, 5 MG TABLET DL	4	
NULIBRY 9.5 MG RECON SOLUTION DL	4	PA
OLPRUVA 2 GRAM, 3 GRAM, 4 GRAM, 5 GRAM, 6 GRAM, 6.67 GRAM PELLETS IN PACKET DL	4	PA
ONPATTRO 2 MG/ML SOLUTION DL	4	PA
OPFOLDA 65 MG CAPSULE MO	3	PA
ORFADIN 10 MG, 2 MG, 20 MG, 5 MG CAPSULE DL	4	
ORFADIN 4 MG/ML SUSPENSION DL	4	
PALYNZIQ 10 MG/0.5 ML SYRINGE DL	4	PA,QL(15 per 30 days)
PALYNZIQ 2.5 MG/0.5 ML SYRINGE DL	4	PA,QL(4 per 28 days)
PALYNZIQ 20 MG/ML SYRINGE DL	4	PA,QL(90 per 30 days)
PANCREAZE 10,500-35,500- 61,500 UNIT, 4,200-14,200- 24,600 UNIT CAPSULE, DR/EC MO	3	ST
PANCREAZE 16,800-56,800- 98,400 UNIT, 2,600-8,800- 15,200 UNIT, 21,000-54,700- 83,900 UNIT CAPSULE, DR/EC	4	ST
PANCREAZE 37,000-97,300- 149,900 UNIT CAPSULE, DR/EC DL	4	ST
PERTZYE 16,000-57,500- 60,500 UNIT, 24,000-86,250- 90,750 UNIT, 4,000-14,375- 15,125 UNIT, 8,000-28,750- 30,250 UNIT CAPSULE, DR/EC DL	4	ST
PHEBURANE 483 MG/GRAM GRANULES DL	4	PA
POMBILITI 105 MG RECON SOLUTION DL	4	PA
PROCYSBI 25 MG CAPSULE, DR SPRINKLE DL	4	PA,QL(120 per 30 days)
PROCYSBI 300 MG DR GRANULES IN PACKET DL	4	PA,QL(210 per 30 days)
PROCYSBI 75 MG CAPSULE, DR SPRINKLE DL	4	PA,QL(780 per 30 days)
PROCYSBI 75 MG DR GRANULES IN PACKET DL	4	PA,QL(780 per 30 days)
PROLASTIN-C 1,000 MG (+/-)/20 ML SOLUTION DL	4	PA
PROLASTIN-C 1,000 MG RECON SOLUTION DL	4	PA
RAVICTI 1.1 GRAM/ML LIQUID DL	4	PA,QL(525 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL- Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • \$0 – Vaccine/Diabetic • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
REVCovi 2.4 MG/1.5 ML (1.6 MG/ML) SOLUTION DL	4	
sapropterin 100 mg TABLET, SOLUBLE DL	4	PA
sapropterin 100 mg, 500 mg POWDER IN PACKET DL	4	PA
sodium phenylbutyrate 0.94 gram/gram POWDER DL	4	
sodium phenylbutyrate 500 mg TABLET DL	4	
STRENSIQ 18 MG/0.45 ML, 28 MG/0.7 ML, 40 MG/ML, 80 MG/0.8 ML SOLUTION DL	4	PA
SUCRAID 8,500 UNIT/ML SOLUTION DL	4	
TEGSEDI 284 MG/1.5 ML SYRINGE DL	4	PA,QL(6 per 28 days)
VIJOICE 125 MG, 50 MG TABLET DL	4	PA,QL(28 per 28 days)
VIJOICE 250 MG/DAY (200 MG X1-50 MG X1) TABLET DL	4	PA,QL(56 per 28 days)
VIOKACE 10,440-39,150- 39,150 UNIT, 20,880-78,300- 78,300 UNIT TABLET DL	4	ST
VPRIV 400 UNIT RECON SOLUTION DL	4	PA
VYNDAMAX 61 MG CAPSULE DL	4	PA,QL(30 per 30 days)
VYNDAQEL 20 MG CAPSULE DL	4	PA,QL(120 per 30 days)
WAINUA 45 MG/0.8 ML AUTO-INJECTOR DL	4	PA,QL(0.8 per 28 days)
XENPOZYME 20 MG, 4 MG RECON SOLUTION DL	4	PA
XURIDEN 2 GRAM GRANULES IN PACKET DL	4	PA,QL(120 per 30 days)
yargesa 100 mg CAPSULE DL	4	PA,QL(90 per 30 days)
ZAVESCA 100 MG CAPSULE DL	4	PA,QL(90 per 30 days)
ZEMAIRA 1,000 MG, 4,000 MG, 5,000 MG RECON SOLUTION DL	4	PA
ZENPEP 10,000-32,000 -42,000 UNIT, 15,000-47,000 -63,000 UNIT, 20,000-63,000- 84,000 UNIT, 3,000-10,000 -14,000-UNIT, 40,000-126,000- 168,000 UNIT, 5,000-17,000- 24,000 UNIT, 60,000-189,600- 252,600 UNIT CAPSULE, DR/EC MO	3	
ZENPEP 25,000-79,000- 105,000 UNIT CAPSULE, DR/EC MO	3	
ZOKINVY 50 MG, 75 MG CAPSULE DL	4	PA,QL(120 per 30 days)
GENITOURINARY AGENTS		
alfuzosin 10 mg TABLET, ER 24 HR. MO	1	
AVODART 0.5 MG CAPSULE MO	3	PA,QL(30 per 30 days)
bethanechol chloride 10 mg, 25 mg, 5 mg, 50 mg TABLET MO	1	
CIALIS 2.5 MG, 5 MG TABLET MO	3	PA

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL- Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • \$0 – Vaccine/Diabetic • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
<i>darifenacin</i> 15 mg, 7.5 mg TABLET, ER 24 HR. MO	1	QL(30 per 30 days)
DETROL 1 MG, 2 MG TABLET MO	3	PA,QL(60 per 30 days)
DETROL LA 2 MG, 4 MG CAPSULE, ER 24 HR. MO	3	PA,QL(30 per 30 days)
DITROPAN XL 10 MG, 5 MG TABLET, ER 24 HR. MO	3	PA,QL(60 per 30 days)
<i>dutasteride</i> 0.5 mg CAPSULE MO	1	QL(30 per 30 days)
<i>dutasteride-tamsulosin</i> 0.5-0.4 mg CAPSULE ER MULTIPHASE 24 HR. MO	1	QL(30 per 30 days)
ELMIRON 100 MG CAPSULE MO	3	QL(90 per 30 days)
ENTADFI 5-5 MG CAPSULE MO	3	PA,QL(182 per 365 days)
<i>fesoterodine</i> 4 mg, 8 mg TABLET, ER 24 HR. MO	1	QL(30 per 30 days)
<i>finasteride</i> 5 mg TABLET MO	1	QL(30 per 30 days)
<i>flavoxate</i> 100 mg TABLET MO	1	
FLOMAX 0.4 MG CAPSULE MO	3	
GELNIQUE 10 % (100 MG/GRAM) GEL IN PACKET MO	3	ST,QL(30 per 30 days)
GEMTESA 75 MG TABLET MO	3	QL(30 per 30 days)
JALYN 0.5-0.4 MG CAPSULE ER MULTIPHASE 24 HR. MO	3	PA,QL(30 per 30 days)
MYRBETRIQ 25 MG, 50 MG TABLET, ER 24 HR. MO	2	QL(30 per 30 days)
MYRBETRIQ 8 MG/ML SUSPENSION, ER, RECON MO	2	QL(300 per 30 days)
<i>oxybutynin chloride</i> 10 mg, 5 mg TABLET, ER 24 HR. MO	1	QL(60 per 30 days)
<i>oxybutynin chloride</i> 15 mg TABLET, ER 24 HR. MO	1	QL(60 per 30 days)
<i>oxybutynin chloride</i> 2.5 mg TABLET MO	1	QL(90 per 30 days)
<i>oxybutynin chloride</i> 5 mg TABLET MO	1	
<i>oxybutynin chloride</i> 5 mg/5 ml SYRUP MO	1	
OXYTROL 3.9 MG/24 HR PATCH, SEMIWEEKLY MO	3	ST,QL(8 per 28 days)
PROSCAR 5 MG TABLET MO	3	PA,QL(30 per 30 days)
RAPAFLO 4 MG, 8 MG CAPSULE MO	3	PA,QL(30 per 30 days)
<i>silodosin</i> 4 mg, 8 mg CAPSULE MO	1	QL(30 per 30 days)
<i>solifenacin</i> 10 mg, 5 mg TABLET MO	1	QL(30 per 30 days)
<i>tadalafil</i> 2.5 mg, 5 mg TABLET MO	1	PA
<i>tamsulosin</i> 0.4 mg CAPSULE MO	1	
THIOLA 100 MG TABLET DL	4	
THIOLA EC 100 MG, 300 MG TABLET, DR/EC DL	4	
<i>tiopronin</i> 100 mg TABLET DL	4	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL- Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • \$0 - Vaccine/Diabetic • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
tolterodine 1 mg, 2 mg TABLET MO	1	QL(60 per 30 days)
tolterodine 2 mg, 4 mg CAPSULE, ER 24 HR. MO	1	QL(30 per 30 days)
TOVIAZ 4 MG, 8 MG TABLET, ER 24 HR. MO	3	PA,QL(30 per 30 days)
tropium 20 mg TABLET MO	1	
tropium 60 mg CAPSULE, ER 24 HR. MO	1	QL(30 per 30 days)
UROXATRAL 10 MG TABLET, ER 24 HR. MO	3	
VESICARE 10 MG, 5 MG TABLET MO	3	PA,QL(30 per 30 days)
VESICARE LS 1 MG/ML SUSPENSION MO	3	PA,QL(300 per 30 days)
HORMONAL AGENTS, STIMULANT/REPLACEMENT/MODIFYING (ADRENAL)		
ACTHAR 80 UNIT/ML GEL DL	4	PA,QL(30 per 30 days)
AGAMREE 40 MG/ML SUSPENSION DL	4	PA,QL(225 per 30 days)
ALKINDI SPRINKLE 0.5 MG, 1 MG, 2 MG, 5 MG CAPSULE, SPRINKLE DL	4	PA
betamethasone acet,sod phos 6 mg/ml SUSPENSION MO	1	
CELESTONE SOLUSPAN 6 MG/ML SUSPENSION MO	3	
CORTROPHIN GEL 80 UNIT/ML GEL DL	4	PA,QL(30 per 30 days)
DEPO-MEDROL 20 MG/ML, 40 MG/ML, 80 MG/ML SUSPENSION MO	3	
dexabliss 1.5 mg (39 tabs) TABLET, DOSE PACK MO	1	
dexamethasone 0.5 mg, 0.75 mg, 1 mg, 1.5 mg, 2 mg, 4 mg, 6 mg TABLET MO	1	
dexamethasone 0.5 mg/5 ml ELIXIR MO	1	
dexamethasone 0.5 mg/5 ml SOLUTION MO	1	
dexamethasone 1.5 mg (21 tabs), 1.5 mg (35 tabs), 1.5 mg (51 tabs) TABLET, DOSE PACK MO	1	
dexamethasone intensol 1 mg/ml DROPS MO	1	
dexamethasone sodium phos (pf) 10 mg/ml SOLUTION MO	1	
dexamethasone sodium phos (pf) 10 mg/ml SYRINGE MO	1	
dexamethasone sodium phosphate 10 mg/ml, 4 mg/ml SOLUTION MO	1	
dexamethasone sodium phosphate 4 mg/ml SYRINGE MO	1	
DXEVO 1.5 MG (39 TABS) TABLET, DOSE PACK MO	1	
EMFLAZA 18 MG, 30 MG, 36 MG, 6 MG TABLET DL	4	PA
EMFLAZA 22.75 MG/ML SUSPENSION DL	4	PA
fludrocortisone 0.1 mg TABLET MO	1	
HEMADY 20 MG TABLET MO	3	PA,QL(24 per 28 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL- Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • \$0 - Vaccine/Diabetic • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
KENALOG 0.147 MG/GRAM AEROSOL MO	3	QL(200 per 30 days)
KENALOG 10 MG/ML, 40 MG/ML SUSPENSION MO	3	
KENALOG-80 80 MG/ML SUSPENSION MO	3	
MEDROL 16 MG, 2 MG, 32 MG, 4 MG, 8 MG TABLET MO	3	BvsD
MEDROL (PAK) 4 MG TABLET, DOSE PACK MO	3	
methyprednisolone 16 mg, 32 mg, 4 mg, 8 mg TABLET MO	1	BvsD
methyprednisolone 4 mg TABLET, DOSE PACK MO	1	
methyprednisolone acetate 40 mg/ml, 80 mg/ml SUSPENSION MO	1	
methyprednisolone sodium succ 1,000 mg, 125 mg, 40 mg, 500 mg RECON SOLUTION MO	1	
millipred 5 mg TABLET MO	1	BvsD
millipred dp 5 mg (21 tabs), 5 mg (48 tabs) TABLET, DOSE PACK MO	1	
ORAPRED ODT 10 MG, 15 MG, 30 MG TABLET, DISINTEGRATING MO	3	
PEDIAPRED 5 MG BASE/5 ML (6.7 MG/5 ML) SOLUTION MO	3	
prednisolone 15 mg/5 ml SOLUTION MO	1	
prednisolone 5 mg TABLET MO	1	BvsD
prednisolone sodium phosphate 10 mg, 15 mg, 30 mg TABLET, DISINTEGRATING MO	1	
prednisolone sodium phosphate 10 mg/5 ml, 15 mg/5 ml (3 mg/ml), 20 mg/5 ml (4 mg/ml), 25 mg/5 ml (5 mg/ml), 5 mg base/5 ml (6.7 mg/5 ml) SOLUTION MO	1	
prednisone 1 mg, 2.5 mg, 50 mg TABLET MO	1	BvsD
prednisone 10 mg, 20 mg, 5 mg TABLET MO	1	BvsD
prednisone 10 mg, 5 mg TABLET, DOSE PACK MO	1	
prednisone 5 mg/5 ml SOLUTION MO	1	BvsD
prednisone intensol 5 mg/ml CONCENTRATE MO	1	BvsD
RAYOS 1 MG, 2 MG, 5 MG TABLET, DR/EC DL	4	PA
SOLU-CORTEF 100 MG RECON SOLUTION MO	3	
SOLU-CORTEF ACT-O-VIAL (PF) 1,000 MG/8 ML, 100 MG/2 ML, 250 MG/2 ML, 500 MG/4 ML RECON SOLUTION MO	3	
SOLU-MEDROL 1,000 MG, 2 GRAM, 500 MG RECON SOLUTION MO	3	
SOLU-MEDROL (PF) 1,000 MG/8 ML, 125 MG/2 ML, 40 MG/ML, 500 MG/4 ML RECON SOLUTION MO	3	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL- Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • \$0 - Vaccine/Diabetic • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
taperdex 1.5 mg (21 tabs), 1.5 mg (27 tabs), 1.5 mg (49 tabs) TABLET, DOSE PACK MO	1	
triamcinolone acetonide 0.025 %, 0.05 %, 0.1 %, 0.5 % OINTMENT MO	1	
triamcinolone acetonide 0.025 %, 0.1 % LOTION MO	1	
triamcinolone acetonide 0.025 %, 0.5 % CREAM MO	1	
triamcinolone acetonide 0.1 % CREAM MO	1	
triamcinolone acetonide 0.147 mg/gram AEROSOL MO	1	QL(200 per 30 days)
triamcinolone acetonide 40 mg/ml SUSPENSION MO	1	
trianex 0.05 % OINTMENT MO	1	
triderm 0.1 %, 0.5 % CREAM MO	1	
tritocin 0.05 % OINTMENT MO	1	
VERIPRED 20 20 MG/5 ML (4 MG/ML) SOLUTION MO	1	
ZCORT 1.5 MG (25 TABS) TABLET, DOSE PACK MO	1	
ZILRETTA 32 MG SUSPENSION, ER, RECON MO	3	PA
HORMONAL AGENTS, STIMULANT/REPLACEMENT/MODIFYING (PITUITARY)		
CHORIONIC GONADOTROPIN, HUMAN 10,000 UNIT RECON SOLUTION MO	3	PA
DDAVP 0.1 MG TABLET MO	3	PA
DDAVP 0.2 MG TABLET DL	4	PA
DDAVP 4 MCG/ML SOLUTION MO	3	PA
desmopressin 0.1 mg, 0.2 mg TABLET MO	1	
desmopressin 10 mcg/spray (0.1 ml) SPRAY WITH PUMP MO	1	PA,QL(25 per 30 days)
desmopressin 10 mcg/spray (0.1 ml) SPRAY, NON-AEROSOL MO	1	PA,QL(25 per 30 days)
desmopressin 4 mcg/ml SOLUTION DL	4	
EGRIFTA SV 2 MG RECON SOLUTION DL	4	PA,QL(30 per 30 days)
GENOTROPIN 12 MG/ML (36 UNIT/ML), 5 MG/ML (15 UNIT/ML) CARTRIDGE DL	4	PA
GENOTROPIN MINISQUICK 0.2 MG/0.25 ML, 0.4 MG/0.25 ML, 0.6 MG/0.25 ML, 0.8 MG/0.25 ML, 1 MG/0.25 ML, 1.2 MG/0.25 ML, 1.4 MG/0.25 ML, 1.6 MG/0.25 ML, 1.8 MG/0.25 ML, 2 MG/0.25 ML SYRINGE DL	4	PA
HUMATROPE 12 MG (36 UNIT), 24 MG (72 UNIT), 6 MG (18 UNIT) CARTRIDGE DL	4	PA
HUMATROPE 5 (15 UNIT) MG RECON SOLUTION DL	4	PA
INCRELEX 10 MG/ML SOLUTION DL	4	PA

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL- Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • \$0 - Vaccine/Diabetic • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
NGENLA 24 MG/1.2 ML (20 MG/ML), 60 MG/1.2 ML (50 MG/ML) PEN INJECTOR DL	4	PA
NOC DURNA (MEN) 55.3 MCG TABLET, DISINTEGRATING MO	3	PA, QL (30 per 30 days)
NOC DURNA (WOMEN) 27.7 MCG TABLET, DISINTEGRATING MO	3	PA, QL (30 per 30 days)
NORDITROPIN FLEXPEN 10 MG/1.5 ML (6.7 MG/ML), 15 MG/1.5 ML (10 MG/ML), 30 MG/3 ML (10 MG/ML), 5 MG/1.5 ML (3.3 MG/ML) PEN INJECTOR DL	4	PA
NOVAREL 10,000 UNIT, 5,000 UNIT RECON SOLUTION MO	3	PA
NUTROPIN AQ NUSPIN 10 MG/2 ML (5 MG/ML), 20 MG/2 ML (10 MG/ML), 5 MG/2 ML (2.5 MG/ML) PEN INJECTOR DL	4	PA
OMNITROPE 10 MG/1.5 ML (6.7 MG/ML), 5 MG/1.5 ML (3.3 MG/ML) CARTRIDGE DL	4	PA
OMNITROPE 5.8 MG RECON SOLUTION DL	4	PA
PREGNOL 10,000 UNIT RECON SOLUTION MO	3	PA
SAIZEN 5 MG RECON SOLUTION DL	4	PA, QL (28 per 28 days)
SAIZEN 8.8 MG RECON SOLUTION DL	4	PA
SAIZEN SAIZENPREP 8.8 MG/1.51 ML (FINAL CONC.) CARTRIDGE DL	4	PA
SEROSTIM 4 MG, 5 MG, 6 MG RECON SOLUTION DL	4	PA, QL (28 per 28 days)
SKYTROFA 11 MG, 7.6 MG, 9.1 MG CARTRIDGE DL	4	PA, QL (8 per 28 days)
SKYTROFA 13.3 MG, 3 MG, 3.6 MG, 4.3 MG, 5.2 MG, 6.3 MG CARTRIDGE DL	4	PA, QL (4 per 28 days)
SOGROYA 10 MG/1.5 ML (6.7 MG/ML), 15 MG/1.5 ML (10 MG/ML), 5 MG/1.5 ML (3.3 MG/ML) PEN INJECTOR DL	4	PA, QL (6 per 28 days)
ZOMACTON 10 MG RECON SOLUTION DL	4	PA
ZOMACTON 5 MG RECON SOLUTION DL	4	PA, QL (28 per 28 days)
HORMONAL AGENTS, STIMULANT/REPLACEMENT/MODIFYING (PROSTAGLANDINS)		
carboprost tromethamine 250 mcg/ml SOLUTION MO	1	
carboprost tromethamine 250 mcg/ml SYRINGE MO	1	
HEMABATE 250 MCG/ML SOLUTION MO	3	
HORMONAL AGENTS, STIMULANT/REPLACEMENT/MODIFYING (SEX HORMONES/MODIFIERS)		
ACTIVELLA 1-0.5 MG TABLET MO	3	
afirmelle 0.1-20 mg-mcg TABLET MO	1	
altavera (28) 0.15-0.03 mg TABLET MO	1	
alyacen 1/35 (28) 1-35 mg-mcg TABLET MO	1	
alyacen 7/7/7 (28) 0.5/0.75/1 mg- 35 mcg TABLET MO	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL- Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • \$0 - Vaccine/Diabetic • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
amabelz 0.5-0.1 mg, 1-0.5 mg TABLET MO	1	
amethia 0.15 mg-30 mcg (84)/10 mcg (7) TABLET, DOSE PACK, 3 MONTH MO	3	QL(91 per 90 days)
amethyst (28) 90-20 mcg (28) TABLET MO	1	
ANDRODERM 2 MG/24 HOUR PATCH, 24 HR. MO	3	PA,QL(90 per 30 days)
ANDRODERM 4 MG/24 HR PATCH, 24 HR. MO	3	PA,QL(30 per 30 days)
ANDROGEL 1 % (25 MG/2.5GRAM), 1 % (50 MG/5 GRAM) GEL IN PACKET MO	3	PA,QL(300 per 30 days)
ANDROGEL 1.62 % (20.25 MG/1.25 GRAM) GEL IN PACKET DL	4	PA,QL(37.5 per 30 days)
ANDROGEL 1.62 % (40.5 MG/2.5 GRAM) GEL IN PACKET DL	4	PA,QL(150 per 30 days)
ANDROGEL 20.25 MG/1.25 GRAM (1.62 %) GEL IN METERED DOSE PUMP DL	4	PA,QL(150 per 30 days)
ANGELIQ 0.25-0.5 MG, 0.5-1 MG TABLET MO	3	
ANNOVERA 0.15-0.013 MG/24 HOUR RING MO	3	QL(1 per 365 days)
apri 0.15-0.03 mg TABLET MO	1	
aranelle (28) 0.5/1/0.5-35 mg-mcg TABLET MO	1	
ashlyna 0.15 mg-30 mcg (84)/10 mcg (7) TABLET, DOSE PACK, 3 MONTH MO	1	QL(91 per 90 days)
aubra 0.1-20 mg-mcg TABLET MO	1	
aubra eq 0.1-20 mg-mcg TABLET MO	1	
aurovela 1.5/30 (21) 1.5-30 mg-mcg TABLET MO	1	
aurovela 1/20 (21) 1-20 mg-mcg TABLET MO	1	
aurovela 24 fe 1 mg-20 mcg (24)/75 mg (4) TABLET MO	1	
aurovela fe 1-20 (28) 1 mg-20 mcg (21)/75 mg (7) TABLET MO	1	
aurovela fe 1.5/30 (28) 1.5 mg-30 mcg (21)/75 mg (7) TABLET MO	1	
AVEED 750 MG/3 ML (250 MG/ML) SOLUTION	4	PA
aviane 0.1-20 mg-mcg TABLET MO	1	
AYGESTIN 5 MG TABLET MO	1	
ayuna 0.15-0.03 mg TABLET MO	1	
azurette (28) 0.15-0.02 mgx21 /0.01 mg x 5 TABLET MO	1	
BALCOLTRA 0.1 MG-0.02 MG (21)/IRON (7) TABLET MO	3	
balziva (28) 0.4-35 mg-mcg TABLET MO	1	
BEYAZ 3-0.02-0.451 MG (24) (4) TABLET MO	3	
BIJUVA 0.5-100 MG, 1-100 MG CAPSULE MO	3	QL(30 per 30 days)
blisovi 24 fe 1 mg-20 mcg (24)/75 mg (4) TABLET MO	1	
blisovi fe 1.5/30 (28) 1.5 mg-30 mcg (21)/75 mg (7) TABLET MO	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL- Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • \$0 - Vaccine/Diabetic • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
blisovi fe 1/20 (28) 1 mg-20 mcg (21)/75 mg (7) TABLET MO	1	
briellyn 0.4-35 mg-mcg TABLET MO	1	
camila 0.35 mg TABLET MO	1	
camrese 0.15 mg-30 mcg (84)/10 mcg (7) TABLET, DOSE PACK, 3 MONTH MO	3	QL(91 per 90 days)
camrese lo 0.1 mg-20 mcg (84)/10 mcg (7) TABLET, DOSE PACK, 3 MONTH MO	1	QL(91 per 90 days)
caziant (28) 0.1/.125/.15-25 mg-mcg TABLET MO	1	
charlotte 24 fe 1 mg-20 mcg(24) /75 mg (4) CHEWABLE TABLET MO	1	
chateal (28) 0.15-0.03 mg TABLET MO	1	
chateal eq (28) 0.15-0.03 mg TABLET MO	1	
CLIMARA 0.025 MG/24 HR, 0.0375 MG/24 HR, 0.05 MG/24 HR, 0.06 MG/24 HR, 0.075 MG/24 HR, 0.1 MG/24 HR PATCH, WEEKLY MO	3	QL(4 per 28 days)
CLIMARA PRO 0.045-0.015 MG/24 HR PATCH, WEEKLY MO	3	QL(4 per 28 days)
COMBIPATCH 0.05-0.14 MG/24 HR, 0.05-0.25 MG/24 HR PATCH, SEMIWEEKLY MO	3	QL(8 per 28 days)
CRINONE 4 %, 8 % GEL MO	3	
cryselle (28) 0.3-30 mg-mcg TABLET MO	1	
cyclafem 1/35 (28) 1-35 mg-mcg TABLET MO	1	
cyclafem 7/7/7 (28) 0.5/0.75/1 mg- 35 mcg TABLET MO	1	
cyred 0.15-0.03 mg TABLET MO	1	
cyred eq 0.15-0.03 mg TABLET MO	1	
danazol 100 mg, 200 mg, 50 mg CAPSULE MO	1	
dasetta 1/35 (28) 1-35 mg-mcg TABLET MO	1	
dasetta 7/7/7 (28) 0.5/0.75/1 mg- 35 mcg TABLET MO	1	
daysee 0.15 mg-30 mcg (84)/10 mcg (7) TABLET, DOSE PACK, 3 MONTH MO	1	QL(91 per 90 days)
deblitane 0.35 mg TABLET MO	1	
DELESTROGEN 10 MG/ML, 20 MG/ML, 40 MG/ML OIL MO	3	
DEPO-ESTRADIOL 5 MG/ML OIL MO	1	QL(5 per 30 days)
DEPO-PROVERA 150 MG/ML SUSPENSION MO	3	QL(1 per 90 days)
DEPO-PROVERA 150 MG/ML SYRINGE MO	3	QL(1 per 90 days)
DEPO-SUBQ PROVERA 104 104 MG/0.65 ML SYRINGE MO	3	QL(0.65 per 90 days)
DEPO-TESTOSTERONE 100 MG/ML, 200 MG/ML OIL MO	1	
desog-e.estradiol/e.estradiol 0.15-0.02 mgx21 /0.01 mg x 5 TABLET MO	1	
desogestrel-ethinyl estradiol 0.15-0.03 mg TABLET MO	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL- Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • \$0 - Vaccine/Diabetic • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
DIVIGEL 0.25 MG/0.25 GRAM (0.1 %), 0.5 MG/0.5 GRAM (0.1 %), 0.75 MG/0.75 GRAM (0.1%), 1 MG/GRAM (0.1 %), 1.25 MG/1.25 GRAM (0.1 %) GEL IN PACKET MO	3	
dolishale 90-20 mcg (28) TABLET MO	1	
dotti 0.025 mg/24 hr, 0.0375 mg/24 hr, 0.05 mg/24 hr, 0.075 mg/24 hr, 0.1 mg/24 hr PATCH, SEMIWEEKLY MO	1	QL(8 per 28 days)
drospirenone-e.estradiol-lm.fa 3-0.02-0.451 mg (24) (4), 3-0.03-0.451 mg (21) (7) TABLET MO	1	
drospirenone-ethinyl estradiol 3-0.02 mg, 3-0.03 mg TABLET MO	1	
DUAVEE 0.45-20 MG TABLET MO	3	PA,QL(30 per 30 days)
ELESTRIN 0.87 GRAM/ACTUATION GEL IN METERED DOSE PUMP MO	3	QL(52 per 30 days)
elinest 0.3-30 mg-mcg TABLET MO	1	
ELLA 30 MG TABLET MO	2	QL(1 per 30 days)
eluryng 0.12-0.015 mg/24 hr RING MO	1	QL(1 per 28 days)
emoquette 0.15-0.03 mg TABLET MO	1	
ENDOMETRIN 100 MG INSERT MO	3	
enilloring 0.12-0.015 mg/24 hr RING MO	1	QL(1 per 28 days)
enpresse 50-30 (6)/75-40 (5)/125-30(10) TABLET MO	1	
enskyce 0.15-0.03 mg TABLET MO	1	
errin 0.35 mg TABLET MO	1	
estarylla 0.25-35 mg-mcg TABLET MO	1	
ESTRACE 0.01 % (0.1 MG/GRAM) CREAM MO	3	PA
ESTRACE 0.5 MG, 1 MG, 2 MG TABLET MO	1	
estradiol 0.01 % (0.1 mg/gram) CREAM MO	1	
estradiol 0.025 mg/24 hr, 0.0375 mg/24 hr, 0.05 mg/24 hr, 0.06 mg/24 hr, 0.075 mg/24 hr, 0.1 mg/24 hr PATCH, WEEKLY MO	1	QL(4 per 28 days)
estradiol 0.025 mg/24 hr, 0.0375 mg/24 hr, 0.05 mg/24 hr, 0.075 mg/24 hr, 0.1 mg/24 hr PATCH, SEMIWEEKLY MO	1	QL(8 per 28 days)
estradiol 0.25 mg/0.25 gram (0.1 %), 0.5 mg/0.5 gram (0.1 %), 0.75 mg/0.75 gram (0.1%), 1 mg/gram (0.1 %), 1.25 mg/1.25 gram (0.1 %) GEL IN PACKET MO	1	
estradiol 0.5 mg, 1 mg, 10 mcg, 2 mg TABLET MO	1	
estradiol valerate 10 mg/ml, 20 mg/ml, 40 mg/ml OIL MO	1	
estradiol-norethindrone acet 0.5-0.1 mg, 1-0.5 mg TABLET MO	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL- Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • \$0 - Vaccine/Diabetic • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
ESTRING 2 MG (7.5 MCG /24 HOUR) RING MO	3	QL(1 per 90 days)
ESTROGEL 1.25 GRAM/ACTUATION GEL IN METERED DOSE PUMP MO	3	
ethynodiol diac-eth estradiol 1-35 mg-mcg, 1-50 mg-mcg TABLET MO	1	
etonogestrel-ethinyl estradiol 0.12-0.015 mg/24 hr RING MO	1	QL(1 per 28 days)
EVAMIST 1.53 MG/SPRAY (1.7%) SPRAY, NON-AEROSOL MO	3	
EVISTA 60 MG TABLET MO	3	PA,QL(30 per 30 days)
falmina (28) 0.1-20 mg-mcg TABLET MO	1	
FEMHRT LOW DOSE 0.5-2.5 MG-MCG TABLET MO	3	
FEMRING 0.05 MG/24 HR, 0.1 MG/24 HR RING MO	3	QL(1 per 90 days)
femynor 0.25-35 mg-mcg TABLET MO	1	
finzala 1 mg-20 mcg(24) /75 mg (4) CHEWABLE TABLET MO	1	
FORTESTA 10 MG/0.5 GRAM /ACTUATION GEL IN METERED DOSE PUMP MO	3	PA,QL(120 per 30 days)
fyavolv 0.5-2.5 mg-mcg, 1-5 mg-mcg TABLET MO	1	
gemmily 1 mg-20 mcg (24)/75 mg (4) CAPSULE MO	1	
GENERESS FE 0.8MG-25MCG(24) AND 75 MG (4) CHEWABLE TABLET MO	3	
hailey 1.5-30 mg-mcg TABLET MO	1	
hailey 24 fe 1 mg-20 mcg (24)/75 mg (4) TABLET MO	1	
hailey fe 1.5/30 (28) 1.5 mg-30 mcg (21)/75 mg (7) TABLET MO	1	
hailey fe 1/20 (28) 1 mg-20 mcg (21)/75 mg (7) TABLET MO	1	
haloette 0.12-0.015 mg/24 hr RING MO	1	QL(1 per 28 days)
heather 0.35 mg TABLET MO	1	
iclevia 0.15 mg-30 mcg (91) TABLET, DOSE PACK, 3 MONTH MO	1	QL(91 per 90 days)
incassia 0.35 mg TABLET MO	1	
isibloom 0.15-0.03 mg TABLET MO	1	
jaimiess 0.15 mg-30 mcg (84)/10 mcg (7) TABLET, DOSE PACK, 3 MONTH MO	1	QL(91 per 90 days)
jasmiel (28) 3-0.02 mg TABLET MO	1	
JATENZO 158 MG, 198 MG CAPSULE MO	3	PA,QL(120 per 30 days)
JATENZO 237 MG CAPSULE MO	3	PA,QL(60 per 30 days)
jencycla 0.35 mg TABLET MO	1	
jinteli 1-5 mg-mcg TABLET MO	1	
jolessa 0.15 mg-30 mcg (91) TABLET, DOSE PACK, 3 MONTH MO	1	QL(91 per 90 days)
joyeaux 0.1 mg-0.02 mg (21)/iron (7) TABLET MO	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL- Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • \$0 – Vaccine/Diabetic • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
juleber 0.15-0.03 mg TABLET MO	1	
junal 1.5/30 (21) 1.5-30 mg-mcg TABLET MO	1	
junal 1/20 (21) 1-20 mg-mcg TABLET MO	1	
junal fe 1.5/30 (28) 1.5 mg-30 mcg (21)/75 mg (7) TABLET MO	1	
junal fe 1/20 (28) 1 mg-20 mcg (21)/75 mg (7) TABLET MO	1	
junal fe 24 1 mg-20 mcg (24)/75 mg (4) TABLET MO	1	
kaitlib fe 0.8mg-25mcg(24) and 75 mg (4) CHEWABLE TABLET MO	1	
kalliga 0.15-0.03 mg TABLET MO	1	
kariva (28) 0.15-0.02 mgx21 /0.01 mg x 5 TABLET MO	1	
kelnor 1-50 (28) 1-50 mg-mcg TABLET MO	1	
kelnor 1/35 (28) 1-35 mg-mcg TABLET MO	1	
kurvelo (28) 0.15-0.03 mg TABLET MO	1	
l norgest/e.estradiol-e.estradiol 0.1 mg-20 mcg (84)/10 mcg (7), 0.15 mg-20 mcg/ 0.15 mg-25 mcg, 0.15 mg-30 mcg (84)/10 mcg (7) TABLET, DOSE PACK, 3 MONTH MO	1	QL(91 per 90 days)
larin 1.5/30 (21) 1.5-30 mg-mcg TABLET MO	1	
larin 1/20 (21) 1-20 mg-mcg TABLET MO	1	
larin 24 fe 1 mg-20 mcg (24)/75 mg (4) TABLET MO	1	
larin fe 1.5/30 (28) 1.5 mg-30 mcg (21)/75 mg (7) TABLET MO	1	
larin fe 1/20 (28) 1 mg-20 mcg (21)/75 mg (7) TABLET MO	1	
larissia 0.1-20 mg-mcg TABLET MO	1	
LAYOLIS FE 0.8MG-25MCG(24) AND 75 MG (4) CHEWABLE TABLET MO	3	
leena 28 0.5/1/0.5-35 mg-mcg TABLET MO	1	
lessina 0.1-20 mg-mcg TABLET MO	1	
levonest (28) 50-30 (6)/75-40 (5)/125-30(10) TABLET MO	1	
levonorg-eth estrad triphasic 50-30 (6)/75-40 (5)/125-30(10) TABLET MO	1	
levonorgestrel-ethinyl estrad 0.1-20 mg-mcg, 0.15-0.03 mg, 90-20 mcg (28) TABLET MO	1	
levonorgestrel-ethinyl estrad 0.15 mg-30 mcg (91) TABLET, DOSE PACK, 3 MONTH MO	1	QL(91 per 90 days)
levora-28 0.15-0.03 mg TABLET MO	1	
lillow (28) 0.15-0.03 mg TABLET MO	1	
LO LOESTRIN FE 1 MG-10 MCG (24)/10 MCG (2) TABLET MO	3	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL- Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • \$0 - Vaccine/Diabetic • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
lo-zumandimine (28) 3-0.02 mg TABLET MO	1	
LOESTRIN 1.5/30 (21) 1.5-30 MG-MCG TABLET MO	1	
LOESTRIN 1/20 (21) 1-20 MG-MCG TABLET MO	1	
LOESTRIN FE 1.5/30 (28-DAY) 1.5 MG-30 MCG (21)/75 MG (7) TABLET MO	1	
LOESTRIN FE 1/20 (28-DAY) 1 MG-20 MCG (21)/75 MG (7) TABLET MO	1	
lojaimiess 0.1 mg-20 mcg (84)/10 mcg (7) TABLET, DOSE PACK, 3 MONTH MO	1	QL(91 per 90 days)
loryna (28) 3-0.02 mg TABLET MO	1	
LOSEASONIQUE 0.1 MG-20 MCG (84)/10 MCG (7) TABLET, DOSE PACK, 3 MONTH MO	3	QL(91 per 90 days)
low-ogestrel (28) 0.3-30 mg-mcg TABLET MO	1	
lutra (28) 0.1-20 mg-mcg TABLET MO	1	
lyleq 0.35 mg TABLET MO	1	
lyllana 0.025 mg/24 hr, 0.0375 mg/24 hr, 0.05 mg/24 hr, 0.075 mg/24 hr, 0.1 mg/24 hr PATCH, SEMIWEEKLY MO	1	QL(8 per 28 days)
lyza 0.35 mg TABLET MO	1	
marlissa (28) 0.15-0.03 mg TABLET MO	1	
medroxyprogesterone 10 mg, 2.5 mg, 5 mg TABLET MO	1	
medroxyprogesterone 150 mg/ml SUSPENSION MO	1	QL(1 per 90 days)
medroxyprogesterone 150 mg/ml SYRINGE MO	1	QL(1 per 90 days)
megestrol 20 mg, 40 mg TABLET MO	1	
megestrol 400 mg/10 ml (10 ml), 400 mg/10 ml (40 mg/ml), 625 mg/5 ml (125 mg/ml) SUSPENSION MO	1	
MENEST 0.3 MG, 0.625 MG, 1.25 MG, 2.5 MG TABLET MO	1	
MENOSTAR 14 MCG/24 HR PATCH, WEEKLY MO	3	QL(8 per 28 days)
merzee 1 mg-20 mcg (24)/75 mg (4) CAPSULE MO	1	
METHITEST 10 MG TABLET DL	4	
methytestosterone 10 mg CAPSULE DL	4	
mibelas 24 fe 1 mg-20 mcg(24) /75 mg (4) CHEWABLE TABLET MO	1	
microgestin 1.5/30 (21) 1.5-30 mg-mcg TABLET MO	1	
microgestin 1/20 (21) 1-20 mg-mcg TABLET MO	1	
microgestin 24 fe 1 mg-20 mcg (24)/75 mg (4) TABLET MO	1	
microgestin fe 1.5/30 (28) 1.5 mg-30 mcg (21)/75 mg (7) TABLET MO	1	
microgestin fe 1/20 (28) 1 mg-20 mcg (21)/75 mg (7) TABLET MO	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL- Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • \$0 - Vaccine/Diabetic • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
mili 0.25-35 mg-mcg TABLET MO	1	
mimvey 1-0.5 mg TABLET MO	1	
MINASTRIN 24 FE 1 MG-20 MCG(24) /75 MG (4) CHEWABLE TABLET MO	3	
MINIVELLE 0.025 MG/24 HR, 0.0375 MG/24 HR, 0.05 MG/24 HR, 0.075 MG/24 HR, 0.1 MG/24 HR PATCH, SEMIWEEKLY MO	3	QL(8 per 28 days)
MIRCETTE (28) 0.15-0.02 MGX21 /0.01 MG X 5 TABLET MO	1	
mono-lynyah 0.25-35 mg-mcg TABLET MO	1	
NATAZIA 3 MG/2 MG-2 MG/ 2 MG-3 MG/1 MG TABLET MO	3	
NATESTO 5.5 MG/0.122 GRAM/ACTUATION GEL IN METERED DOSE PUMP MO	3	PA,QL(21.96 per 30 days)
necon 0.5/35 (28) 0.5-35 mg-mcg TABLET MO	1	
NEXTSTELLIS 3 MG- 14.2 MG (28) TABLET MO	3	
nikki (28) 3-0.02 mg TABLET MO	1	
NORA-BE 0.35 MG TABLET MO	1	
nora-be 0.35 mg TABLET MO	1	
norelgestromin-ethin.estradiol 150-35 mcg/24 hr PATCH, WEEKLY MO	1	QL(3 per 28 days)
noreth-ethinyl estradiol-iron 0.4mg-35mcg(21) and 75 mg (7), 0.8mg-25mcg(24) and 75 mg (4) CHEWABLE TABLET MO	1	
norethindrone (contraceptive) 0.35 mg TABLET MO	1	
norethindrone ac-eth estradiol 0.5-2.5 mg-mcg, 1-20 mg-mcg, 1-5 mg-mcg, 1.5-30 mg-mcg TABLET MO	1	
norethindrone acetate 5 mg TABLET MO	1	
norethindrone-e.estradiol-iron 1 mg-20 mcg (21)/75 mg (7), 1-20(5)/1-30(7) /1mg-35mcg (9), 1.5 mg-30 mcg (21)/75 mg (7) TABLET MO	1	
norethindrone-e.estradiol-iron 1 mg-20 mcg (24)/75 mg (4) CAPSULE MO	1	
norethindrone-e.estradiol-iron 1 mg-20 mcg(24) /75 mg (4) CHEWABLE TABLET MO	1	
norgestimate-ethinyl estradiol 0.18/0.215/0.25 mg-25 mcg, 0.18/0.215/0.25 mg-35 mcg (28), 0.25-35 mg-mcg TABLET MO	1	
norlyda 0.35 mg TABLET MO	1	
nortrel 0.5/35 (28) 0.5-35 mg-mcg TABLET MO	1	
nortrel 1/35 (21) 1-35 mg-mcg (21) TABLET MO	1	
nortrel 1/35 (28) 1-35 mg-mcg TABLET MO	1	
nortrel 7/7/7 (28) 0.5/0.75/1 mg- 35 mcg TABLET MO	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL- Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • \$0 – Vaccine/Diabetic • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
NUVARING 0.12-0.015 MG/24 HR RING MO	3	QL(1 per 28 days)
nylia 1/35 (28) 1-35 mg-mcg TABLET MO	1	
nylia 7/7/7 (28) 0.5/0.75/1 mg- 35 mcg TABLET MO	1	
nymyo 0.25-35 mg-mcg TABLET MO	1	
ocella 3-0.03 mg TABLET MO	1	
orsythia 0.1-20 mg-mcg TABLET MO	1	
ORTHO TRI-CYCLEN (28) 0.18/0.215/0.25 MG-35 MCG (28) TABLET MO	3	
ORTHO-NOVUM 7/7/7 (28) 0.5/0.75/1 MG- 35 MCG TABLET MO	1	
OSPHENA 60 MG TABLET MO	2	PA
oxandrolone 10 mg TABLET MO	1	PA,QL(60 per 30 days)
oxandrolone 2.5 mg TABLET MO	1	PA,QL(120 per 30 days)
philith 0.4-35 mg-mcg TABLET MO	1	
pimtree (28) 0.15-0.02 mgx21 /0.01 mg x 5 TABLET MO	1	
pirmella 0.5/0.75/1 mg- 35 mcg, 1-35 mg-mcg TABLET MO	1	
portia 28 0.15-0.03 mg TABLET MO	1	
PREFEST 1 MG (15)/1 MG- 0.09 MG (15) TABLET MO	1	
PREMARIN 0.3 MG, 0.45 MG, 0.625 MG, 0.9 MG, 1.25 MG TABLET MO	3	
PREMARIN 0.625 MG/GRAM CREAM MO	2	
PREMARIN 25 MG RECON SOLUTION MO	3	
PREMPHASE 0.625 MG (14)/ 0.625MG-5MG(14) TABLET MO	3	
PREMPRO 0.3-1.5 MG, 0.45-1.5 MG, 0.625-2.5 MG, 0.625-5 MG TABLET MO	3	
previfem 0.25-35 mg-mcg TABLET MO	1	
progesterone 50 mg/ml OIL MO	1	
progesterone micronized 100 mg, 200 mg CAPSULE MO	1	
PROMETRIUM 100 MG, 200 MG CAPSULE MO	3	
PROVERA 10 MG, 2.5 MG, 5 MG TABLET MO	3	
QUARTETTE 0.15 MG-20 MCG/ 0.15 MG-25 MCG TABLET, DOSE PACK, 3 MONTH MO	3	QL(91 per 90 days)
raloxifene 60 mg TABLET MO	1	QL(30 per 30 days)
reclipsen (28) 0.15-0.03 mg TABLET MO	1	
rivelsa 0.15 mg-20 mcg/ 0.15 mg-25 mcg TABLET, DOSE PACK, 3 MONTH MO	1	QL(91 per 90 days)
SAFYRAL 3-0.03-0.451 MG (21) (7) TABLET MO	3	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL- Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • \$0 – Vaccine/Diabetic • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
SEASONIQUE 0.15 MG-30 MCG (84)/10 MCG (7) TABLET, DOSE PACK, 3 MONTH MO	3	QL(91 per 90 days)
setlakin 0.15 mg-30 mcg (91) TABLET, DOSE PACK, 3 MONTH MO	1	QL(91 per 90 days)
sharobel 0.35 mg TABLET MO	1	
simliya (28) 0.15-0.02 mgx21 /0.01 mg x 5 TABLET MO	1	
simpesse 0.15 mg-30 mcg (84)/10 mcg (7) TABLET, DOSE PACK, 3 MONTH MO	1	QL(91 per 90 days)
SLYND 4 MG (28) TABLET MO	3	
sprintec (28) 0.25-35 mg-mcg TABLET MO	1	
sronyx 0.1-20 mg-mcg TABLET MO	1	
syeda 3-0.03 mg TABLET MO	1	
tarina 24 fe 1 mg-20 mcg (24)/75 mg (4) TABLET MO	1	
tarina fe 1-20 eq (28) 1 mg-20 mcg (21)/75 mg (7) TABLET MO	1	
tarina fe 1/20 (28) 1 mg-20 mcg (21)/75 mg (7) TABLET MO	1	
taysofy 1 mg-20 mcg (24)/75 mg (4) CAPSULE MO	1	
TAYTULLA 1 MG-20 MCG (24)/75 MG (4) CAPSULE MO	3	
TESTIM 50 MG/5 GRAM (1 %) GEL MO	3	PA,QL(300 per 30 days)
testosterone 1 % (25 mg/2.5gram), 1 % (50 mg/5 gram) GEL IN PACKET MO	1	PA,QL(300 per 30 days)
testosterone 1.62 % (20.25 mg/1.25 gram) GEL IN PACKET MO	1	PA,QL(37.5 per 30 days)
testosterone 1.62 % (40.5 mg/2.5 gram) GEL IN PACKET MO	1	PA,QL(150 per 30 days)
testosterone 10 mg/0.5 gram /actuation GEL IN METERED DOSE PUMP MO	1	PA,QL(120 per 30 days)
testosterone 12.5 mg/ 1.25 gram (1 %) GEL IN METERED DOSE PUMP MO	1	PA,QL(300 per 30 days)
testosterone 20.25 mg/1.25 gram (1.62 %) GEL IN METERED DOSE PUMP MO	1	PA,QL(150 per 30 days)
testosterone 30 mg/actuation (1.5 ml) SOLUTION IN METERED DOSE PUMP MO	3	PA,QL(180 per 30 days)
testosterone 50 mg/5 gram (1 %) GEL MO	3	PA,QL(300 per 30 days)
testosterone cypionate 100 mg/ml, 200 mg/ml OIL MO	1	
testosterone enanthate 200 mg/ml OIL MO	1	QL(25 per 90 days)
tilia fe 1-20(5)/1-30(7) /1mg-35mcg (9) TABLET MO	1	
TLANDO 112.5 MG CAPSULE MO	3	PA,QL(120 per 30 days)
tri femynor 0.18/0.215/0.25 mg-35 mcg (28) TABLET MO	1	
tri-estarylla 0.18/0.215/0.25 mg-35 mcg (28) TABLET MO	1	
tri-legest fe 1-20(5)/1-30(7) /1mg-35mcg (9) TABLET MO	1	
tri-linyah 0.18/0.215/0.25 mg-35 mcg (28) TABLET MO	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL- Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • \$0 - Vaccine/Diabetic • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
tri-lo-estarylla 0.18/0.215/0.25 mg-25 mcg TABLET MO	1	
tri-lo-marzia 0.18/0.215/0.25 mg-25 mcg TABLET MO	1	
tri-lo-mili 0.18/0.215/0.25 mg-25 mcg TABLET MO	1	
tri-lo-sprintec 0.18/0.215/0.25 mg-25 mcg TABLET MO	1	
tri-mili 0.18/0.215/0.25 mg-35 mcg (28) TABLET MO	1	
tri-nymyo 0.18/0.215/0.25 mg-35 mcg (28) TABLET MO	1	
tri-previfem (28) 0.18/0.215/0.25 mg-35 mcg (28) TABLET MO	1	
tri-sprintec (28) 0.18/0.215/0.25 mg-35 mcg (28) TABLET MO	1	
tri-vylibra 0.18/0.215/0.25 mg-35 mcg (28) TABLET MO	1	
tri-vylibra lo 0.18/0.215/0.25 mg-25 mcg TABLET MO	1	
trivora (28) 50-30 (6)/75-40 (5)/125-30(10) TABLET MO	1	
tulana 0.35 mg TABLET MO	1	
turqoz (28) 0.3-30 mg-mcg TABLET MO	1	
TYBLUME 0.1 MG- 20 MCG CHEWABLE TABLET MO	3	
tydemy 3-0.03-0.451 mg (21) (7) TABLET MO	1	
VAGIFEM 10 MCG TABLET MO	3	PA
velivet triphasic regimen (28) 0.1/.125/.15-25 mg-mcg TABLET MO	1	
vestura (28) 3-0.02 mg TABLET MO	1	
vienva 0.1-20 mg-mcg TABLET MO	1	
violele (28) 0.15-0.02 mgx21 /0.01 mg x 5 TABLET MO	1	
VIVELLE-DOT 0.025 MG/24 HR, 0.0375 MG/24 HR, 0.05 MG/24 HR, 0.075 MG/24 HR, 0.1 MG/24 HR PATCH, SEMIWEEKLY MO	3	QL(8 per 28 days)
VOGELXO 1 % (50 MG/5 GRAM) GEL IN PACKET MO	3	PA,QL(300 per 30 days)
VOGELXO 12.5 MG/ 1.25 GRAM (1 %) GEL IN METERED DOSE PUMP MO	3	PA,QL(300 per 30 days)
VOGELXO 50 MG/5 GRAM (1 %) GEL MO	3	PA,QL(300 per 30 days)
volnea (28) 0.15-0.02 mgx21 /0.01 mg x 5 TABLET MO	1	
vyfemla (28) 0.4-35 mg-mcg TABLET MO	1	
vylibra 0.25-35 mg-mcg TABLET MO	1	
wera (28) 0.5-35 mg-mcg TABLET MO	1	
wymzya fe 0.4mg-35mcg(21) and 75 mg (7) CHEWABLE TABLET MO	1	
xulane 150-35 mcg/24 hr PATCH, WEEKLY MO	1	QL(3 per 28 days)
XYOSTED 100 MG/0.5 ML, 50 MG/0.5 ML, 75 MG/0.5 ML AUTO-INJECTOR MO	3	PA,QL(2 per 28 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL- Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • \$0 - Vaccine/Diabetic • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
YASMIN (28) 3-0.03 MG TABLET MO	3	
YAZ (28) 3-0.02 MG TABLET MO	3	
yuvafem 10 mcg TABLET MO	1	
zafemy 150-35 mcg/24 hr PATCH, WEEKLY MO	1	QL(3 per 28 days)
zarah 3-0.03 mg TABLET MO	1	
zovia 1-35 (28) 1-35 mg-mcg TABLET MO	1	
zovia 1/35e (28) 1-35 mg-mcg TABLET MO	1	
zumandimine (28) 3-0.03 mg TABLET MO	1	
HORMONAL AGENTS, STIMULANT/REPLACEMENT/MODIFYING (THYROID)		
ARMOUR THYROID 120 MG, 15 MG, 180 MG, 240 MG, 30 MG, 300 MG, 60 MG, 90 MG TABLET MO	2	
CYTOMEL 25 MCG, 5 MCG, 50 MCG TABLET MO	3	
ERMEZA 30 MCG/ML SOLUTION MO	3	
EUTHYROX 100 MCG, 112 MCG, 125 MCG, 137 MCG, 150 MCG, 175 MCG, 200 MCG, 25 MCG, 50 MCG, 75 MCG, 88 MCG TABLET MO	1	
LEVO-T 100 MCG, 112 MCG, 125 MCG, 137 MCG, 150 MCG, 175 MCG, 200 MCG, 25 MCG, 300 MCG, 50 MCG, 75 MCG, 88 MCG TABLET MO	2	
levothyroxine 100 mcg RECON SOLUTION MO	1	
levothyroxine 100 mcg, 112 mcg, 125 mcg, 13 mcg, 137 mcg, 150 mcg, 175 mcg, 200 mcg, 25 mcg, 50 mcg, 75 mcg, 88 mcg CAPSULE MO	1	
levothyroxine 100 mcg, 112 mcg, 125 mcg, 137 mcg, 150 mcg, 25 mcg, 50 mcg, 75 mcg, 88 mcg TABLET MO	1	
levothyroxine 100 mcg/ml, 20 mcg/ml, 40 mcg/ml SOLUTION MO	1	
levothyroxine 175 mcg, 200 mcg, 300 mcg TABLET MO	1	
levothyroxine 200 mcg, 500 mcg RECON SOLUTION DL	4	
LEVOXYL 100 MCG, 112 MCG, 125 MCG, 137 MCG, 150 MCG, 175 MCG, 200 MCG, 25 MCG, 50 MCG, 75 MCG, 88 MCG TABLET MO	1	
liothyronine 10 mcg/ml SOLUTION MO	1	
liothyronine 25 mcg, 5 mcg, 50 mcg TABLET MO	1	
np thyroid 120 mg, 15 mg, 30 mg, 60 mg, 90 mg TABLET MO	2	
SYNTHROID 100 MCG, 112 MCG, 125 MCG, 137 MCG, 150 MCG, 175 MCG, 200 MCG, 25 MCG, 300 MCG, 50 MCG, 75 MCG, 88 MCG TABLET MO	2	
THYQUIDITY 20 MCG/ML SOLUTION MO	3	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL- Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • \$0 - Vaccine/Diabetic • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
TIROSINT 100 MCG, 112 MCG, 125 MCG, 13 MCG, 137 MCG, 150 MCG, 175 MCG, 200 MCG, 25 MCG, 37.5 MCG, 44 MCG, 50 MCG, 62.5 MCG, 75 MCG, 88 MCG CAPSULE MO	3	
TIROSINT-SOL 100 MCG/ML, 112 MCG/ML, 125 MCG/ML, 13 MCG/ML, 137 MCG/ML, 150 MCG/ML, 175 MCG/ML, 200 MCG/ML, 25 MCG/ML, 37.5 MCG/ML, 44 MCG/ML, 50 MCG/ML, 62.5 MCG/ML, 75 MCG/ML, 88 MCG/ML SOLUTION MO	3	
TRIOSTAT 10 MCG/ML SOLUTION MO	3	
UNITHROID 100 MCG, 112 MCG, 125 MCG, 137 MCG, 150 MCG, 175 MCG, 200 MCG, 25 MCG, 300 MCG, 50 MCG, 75 MCG, 88 MCG TABLET MO	2	
HORMONAL AGENTS, SUPPRESSANT (ADRENAL)		
ISTURISA 1 MG TABLET DL	4	PA,QL(240 per 30 days)
ISTURISA 10 MG TABLET DL	4	PA,QL(180 per 30 days)
ISTURISA 5 MG TABLET DL	4	PA,QL(360 per 30 days)
LYSODREN 500 MG TABLET DL	4	
RECORLEV 150 MG TABLET DL	4	PA,QL(240 per 30 days)
HORMONAL AGENTS, SUPPRESSANT (PITUITARY)		
<i>cabergoline 0.5 mg TABLET MO</i>	1	
ELIGARD 7.5 MG (1 MONTH) SYRINGE MO	3	PA
ELIGARD (3 MONTH) 22.5 MG SYRINGE MO	3	PA
ELIGARD (4 MONTH) 30 MG SYRINGE MO	3	PA
ELIGARD (6 MONTH) 45 MG SYRINGE MO	3	PA
FENSOLVI 45 MG SYRINGE	4	PA,QL(1 per 180 days)
FIRMAGON 120 MG RECON SOLUTION DL	4	PA
FIRMAGON KIT W DILUENT SYRINGE 120 MG RECON SOLUTION DL	4	PA
FIRMAGON KIT W DILUENT SYRINGE 80 MG RECON SOLUTION MO	3	PA
<i>lanreotide 120 mg/0.5 ml SYRINGE DL</i>	4	PA,QL(0.5 per 28 days)
<i>leuprolide 1 mg/0.2 ml KIT MO</i>	1	
<i>leuprolide (3 month) 22.5 mg SUSPENSION FOR RECONSTITUTION MO</i>	3	PA,QL(1 per 90 days)
LUPRON DEPOT 3.75 MG SYRINGE KIT MO	3	PA,QL(1 per 30 days)
LUPRON DEPOT 7.5 MG SYRINGE KIT DL	4	PA,QL(1 per 30 days)
LUPRON DEPOT (3 MONTH) 11.25 MG, 22.5 MG SYRINGE KIT MO	3	PA,QL(1 per 90 days)
LUPRON DEPOT (4 MONTH) 30 MG SYRINGE KIT MO	3	PA,QL(1 per 112 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL- Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • \$0 - Vaccine/Diabetic • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
LUPRON DEPOT (6 MONTH) 45 MG SYRINGE KIT	4	PA,QL(1 per 168 days)
LUPRON DEPOT-PED 11.25 MG KIT DL	4	PA,QL(1 per 28 days)
LUPRON DEPOT-PED 15 MG, 7.5 MG (PED) KIT DL	4	PA,QL(1 per 28 days)
LUPRON DEPOT-PED 45 MG SYRINGE KIT	4	PA,QL(1 per 168 days)
LUPRON DEPOT-PED (3 MONTH) 11.25 MG, 30 MG SYRINGE KIT	4	PA,QL(1 per 90 days)
MYCAPSSA 20 MG CAPSULE, DR/EC DL	4	PA,QL(112 per 28 days)
octreotide acetate 1,000 mcg/ml, 100 mcg/ml, 200 mcg/ml, 50 mcg/ml, 500 mcg/ml SOLUTION MO	1	PA
octreotide acetate 100 mcg/ml (1 ml), 50 mcg/ml (1 ml), 500 mcg/ml (1 ml) SYRINGE MO	1	PA
ORGOVYX 120 MG TABLET DL	4	PA,QL(32 per 30 days)
ORILISSA 150 MG TABLET DL	4	PA,QL(28 per 28 days)
ORILISSA 200 MG TABLET DL	4	PA,QL(56 per 28 days)
SANDOSTATIN 100 MCG/ML, 50 MCG/ML, 500 MCG/ML SOLUTION DL	4	PA
SANDOSTATIN LAR DEPOT 10 MG, 20 MG, 30 MG SUSPENSION, ER, RECON DL	4	PA
SIGNIFOR 0.3 MG/ML (1 ML), 0.6 MG/ML (1 ML), 0.9 MG/ML (1 ML) SOLUTION DL	4	PA,QL(60 per 30 days)
SIGNIFOR LAR 10 MG, 20 MG, 30 MG, 40 MG, 60 MG SUSPENSION FOR RECONSTITUTION DL	4	PA,QL(1 per 28 days)
SOMATULINE DEPOT 120 MG/0.5 ML SYRINGE DL	4	PA,QL(0.5 per 28 days)
SOMATULINE DEPOT 60 MG/0.2 ML SYRINGE DL	4	PA,QL(0.2 per 28 days)
SOMATULINE DEPOT 90 MG/0.3 ML SYRINGE DL	4	PA,QL(0.3 per 28 days)
SOMAVERT 10 MG, 15 MG, 20 MG RECON SOLUTION DL	4	PA,QL(60 per 30 days)
SOMAVERT 25 MG, 30 MG RECON SOLUTION DL	4	PA,QL(30 per 30 days)
SYNAREL 2 MG/ML SPRAY, NON-AEROSOL DL	4	
TRELSTAR 11.25 MG, 22.5 MG, 3.75 MG SUSPENSION FOR RECONSTITUTION MO	3	PA
TRIPTODUR 22.5 MG SUSPENSION FOR RECONSTITUTION	4	PA,QL(1 per 168 days)
ZOLADEX 10.8 MG IMPLANT MO	3	PA,QL(1 per 84 days)
ZOLADEX 3.6 MG IMPLANT MO	3	PA,QL(1 per 28 days)
HORMONAL AGENTS, SUPPRESSANT (THYROID)		
methimazole 10 mg, 5 mg TABLET MO	1	
propylthiouracil 50 mg TABLET MO	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL- Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • \$0 - Vaccine/Diabetic • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
IMMUNOLOGICAL AGENTS		
ABRILADA(CF) 20 MG/0.4 ML SYRINGE KIT DL	4	PA,QL(2 per 28 days)
ABRILADA(CF) 40 MG/0.8 ML SYRINGE KIT DL	4	PA,QL(6 per 28 days)
ABRILADA(CF) PEN 40 MG/0.8 ML PEN INJECTOR KIT DL	4	PA,QL(6 per 28 days)
ABRYSVO 120 MCG/0.5 ML RECON SOLUTION \$0,DL	1	
ACTEMRA 162 MG/0.9 ML SYRINGE DL	4	PA,QL(3.6 per 28 days)
ACTEMRA ACTPEN 162 MG/0.9 ML PEN INJECTOR DL	4	PA,QL(3.6 per 28 days)
ACTHIB (PF) 10 MCG/0.5 ML RECON SOLUTION \$0,DL	1	
ACTIMMUNE 100 MCG/0.5 ML SOLUTION DL	4	PA
ADACEL(TDAP ADOLESN/ADULT)(PF) 2 LF-(2.5-5-3-5 MCG)-5LF/0.5 ML SUSPENSION \$0,DL	1	
ADACEL(TDAP ADOLESN/ADULT)(PF) 2 LF-(2.5-5-3-5 MCG)-5LF/0.5 ML SYRINGE \$0,DL	1	
ADALIMUMAB-AACF 40 MG/0.8 ML PEN INJECTOR KIT DL	4	PA,QL(6 per 28 days)
ADALIMUMAB-ADAZ 40 MG/0.4 ML PEN INJECTOR DL	4	PA,QL(2.4 per 28 days)
ADALIMUMAB-ADAZ 40 MG/0.4 ML SYRINGE DL	4	PA,QL(2.4 per 28 days)
ADALIMUMAB-ADBM 10 MG/0.2 ML, 20 MG/0.4 ML SYRINGE KIT DL	4	PA,QL(2 per 28 days)
ADALIMUMAB-ADBM 40 MG/0.8 ML PEN INJECTOR KIT DL	4	PA,QL(6 per 28 days)
ADALIMUMAB-ADBM 40 MG/0.8 ML SYRINGE KIT DL	4	PA,QL(6 per 28 days)
ADALIMUMAB-ADBM(CF) PEN CROHNS 40 MG/0.8 ML PEN INJECTOR KIT DL	4	PA,QL(6 per 28 days)
ADALIMUMAB-ADBM(CF) PEN PS-UV 40 MG/0.8 ML PEN INJECTOR KIT DL	4	PA,QL(6 per 28 days)
ADALIMUMAB-FKJP 20 MG/0.4 ML SYRINGE KIT DL	4	PA,QL(2 per 28 days)
ADALIMUMAB-FKJP 40 MG/0.8 ML PEN INJECTOR KIT DL	4	PA,QL(6 per 28 days)
ADALIMUMAB-FKJP 40 MG/0.8 ML SYRINGE KIT DL	4	PA,QL(6 per 28 days)
ADBRY 150 MG/ML SYRINGE DL	4	PA,QL(6 per 28 days)
AMJEVITA(CF) 10 MG/0.2 ML, 20 MG/0.2 ML SYRINGE DL	4	PA,QL(1.2 per 28 days)
AMJEVITA(CF) 20 MG/0.4 ML, 40 MG/0.4 ML SYRINGE DL	4	PA,QL(2.4 per 28 days)
AMJEVITA(CF) 40 MG/0.8 ML SYRINGE DL	4	PA,QL(4.8 per 28 days)
AMJEVITA(CF) AUTOINJECTOR 40 MG/0.4 ML AUTO-INJECTOR DL	4	PA,QL(2.4 per 28 days)
AMJEVITA(CF) AUTOINJECTOR 40 MG/0.8 ML, 80 MG/0.8 ML AUTO-INJECTOR DL	4	PA,QL(4.8 per 28 days)
ARAVA 10 MG, 20 MG TABLET DL	4	PA,QL(30 per 30 days)
ARCALYST 220 MG RECON SOLUTION DL	4	PA

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL- Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • \$0 - Vaccine/Diabetic • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
AREXVY (PF) 120 MCG/0.5 ML SUSPENSION FOR RECONSTITUTION \$0,DL	1	
ASCENIV 10 % SOLUTION DL	4	PA
ASTAGRAF XL 0.5 MG, 1 MG, 5 MG CAPSULE, ER 24 HR. MO	3	BvsD
ATGAM 50 MG/ML SOLUTION DL	4	PA
AVSOLA 100 MG RECON SOLUTION DL	4	PA
AZASAN 100 MG, 75 MG TABLET MO	1	BvsD
azathioprine 100 mg, 50 mg, 75 mg TABLET MO	1	BvsD
azathioprine sodium 100 mg RECON SOLUTION MO	1	BvsD
BCG VACCINE, LIVE (PF) 50 MG SUSPENSION FOR RECONSTITUTION \$0,DL	1	
BENLYSTA 120 MG RECON SOLUTION DL	4	PA,QL(20 per 28 days)
BENLYSTA 200 MG/ML AUTO-INJECTOR DL	4	PA,QL(8 per 28 days)
BENLYSTA 200 MG/ML SYRINGE DL	4	PA,QL(8 per 28 days)
BENLYSTA 400 MG RECON SOLUTION DL	4	PA,QL(6 per 28 days)
BERINERT 500 UNIT (10 ML) KIT DL	4	PA,QL(15 per 30 days)
BERINERT 500 UNIT (10 ML) RECON SOLUTION DL	4	PA,QL(15 per 30 days)
BESREMI 500 MCG/ML SYRINGE DL	4	PA,QL(2 per 28 days)
BEXSERO 50-50-50-25 MCG/0.5 ML SYRINGE \$0,DL	1	
BIMZELX 160 MG/ML SYRINGE DL	4	PA,QL(2 per 28 days)
BIMZELX AUTOINJECTOR 160 MG/ML AUTO-INJECTOR DL	4	PA,QL(2 per 28 days)
BIVIGAM 10 % SOLUTION DL	4	PA
BOOSTRIX TDAP 2.5-8-5 LF-MCG-LF/0.5ML SUSPENSION \$0,DL	1	
BOOSTRIX TDAP 2.5-8-5 LF-MCG-LF/0.5ML SYRINGE \$0,DL	1	
CELLCEPT 200 MG/ML SUSPENSION FOR RECONSTITUTION	4	BvsD
CELLCEPT 250 MG CAPSULE	4	BvsD
CELLCEPT 500 MG TABLET	4	BvsD
CELLCEPT INTRAVENOUS 500 MG RECON SOLUTION MO	3	BvsD
CIBINQO 100 MG, 200 MG, 50 MG TABLET DL	4	PA,QL(30 per 30 days)
CIMZIA 400 MG/2 ML (200 MG/ML X 2) SYRINGE KIT DL	4	PA,QL(3 per 30 days)
CIMZIA POWDER FOR RECONST 400 MG (200 MG X 2 VIALS) KIT DL	4	PA,QL(3 per 30 days)
CIMZIA STARTER KIT 400 MG/2 ML (200 MG/ML X 2) SYRINGE KIT DL	4	PA,QL(3 per 30 days)
CINRYZE 500 UNIT (5 ML) RECON SOLUTION DL	4	PA,QL(20 per 30 days)
COSENTYX 150 MG/ML SYRINGE DL	4	PA,QL(8 per 28 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL- Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • \$0 - Vaccine/Diabetic • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
COSENTYX 25 MG/ML SOLUTION DL	4	PA
COSENTYX 75 MG/0.5 ML SYRINGE DL	4	PA,QL(2 per 28 days)
COSENTYX (2 SYRINGES) 150 MG/ML SYRINGE DL	4	PA,QL(8 per 28 days)
COSENTYX PEN 150 MG/ML PEN INJECTOR DL	4	PA,QL(8 per 28 days)
COSENTYX PEN (2 PENS) 150 MG/ML PEN INJECTOR DL	4	PA,QL(8 per 28 days)
COSENTYX UNOREADY PEN 300 MG/2 ML (150 MG/ML) PEN INJECTOR DL	4	PA,QL(8 per 28 days)
CUTAQUIG 16.5 % SOLUTION DL	4	PA
cyclosporine 100 mg, 25 mg CAPSULE MO	1	BvsD
cyclosporine modified 100 mg, 25 mg, 50 mg CAPSULE MO	1	BvsD
cyclosporine modified 100 mg/ml SOLUTION MO	1	BvsD
CYLTEZO(CF) 10 MG/0.2 ML, 20 MG/0.4 ML SYRINGE KIT DL	4	PA,QL(2 per 28 days)
CYLTEZO(CF) 40 MG/0.8 ML SYRINGE KIT DL	4	PA,QL(6 per 28 days)
CYLTEZO(CF) PEN 40 MG/0.8 ML PEN INJECTOR KIT DL	4	PA,QL(6 per 28 days)
CYLTEZO(CF) PEN CROHN'S-UC-HS 40 MG/0.8 ML PEN INJECTOR KIT DL	4	PA,QL(6 per 28 days)
CYLTEZO(CF) PEN PSORIASIS-UV 40 MG/0.8 ML PEN INJECTOR KIT DL	4	PA,QL(6 per 28 days)
CYTOGAM 50 MG/ML SOLUTION DL	4	PA
DAPTACEL (DTAP PEDIATRIC) (PF) 15-10-5 LF-MCG-LF/0.5ML SUSPENSION \$0,DL	1	
DENGVAIXIA (PF) 10EXP4.5-6 CCID50/0.5 ML SUSPENSION FOR RECONSTITUTION MO	1	
DUPIXENT PEN 200 MG/1.14 ML PEN INJECTOR DL	4	PA,QL(3.42 per 28 days)
DUPIXENT PEN 300 MG/2 ML PEN INJECTOR DL	4	PA,QL(8 per 28 days)
DUPIXENT SYRINGE 100 MG/0.67 ML SYRINGE DL	4	PA,QL(1.34 per 28 days)
DUPIXENT SYRINGE 200 MG/1.14 ML SYRINGE DL	4	PA,QL(3.42 per 28 days)
DUPIXENT SYRINGE 300 MG/2 ML SYRINGE DL	4	PA,QL(8 per 28 days)
ENBREL 25 MG (1 ML) RECON SOLUTION DL	4	PA,QL(8 per 28 days)
ENBREL 25 MG/0.5 ML (0.5), 50 MG/ML (1 ML) SYRINGE DL	4	PA,QL(8 per 28 days)
ENBREL 25 MG/0.5 ML SOLUTION DL	4	PA,QL(8 per 28 days)
ENBREL MINI 50 MG/ML (1 ML) CARTRIDGE DL	4	PA,QL(8 per 28 days)
ENBREL SURECLICK 50 MG/ML (1 ML) PEN INJECTOR DL	4	PA,QL(8 per 28 days)
ENGERIX-B (PF) 20 MCG/ML SUSPENSION \$0,DL	1	BvsD
ENGERIX-B (PF) 20 MCG/ML SYRINGE \$0,DL	1	BvsD
ENGERIX-B PEDIATRIC (PF) 10 MCG/0.5 ML SYRINGE \$0,DL	1	BvsD

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL- Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • \$0 – Vaccine/Diabetic • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
ENJAYMO 50 MG/ML SOLUTION DL	4	PA
ENSPRYNG 120 MG/ML SYRINGE DL	4	PA,QL(2 per 28 days)
ENTYVIO 300 MG RECON SOLUTION	4	PA,QL(8 per 365 days)
ENTYVIO PEN 108 MG/0.68 ML PEN INJECTOR DL	4	PA,QL(1.36 per 28 days)
ENVARUSUS XR 0.75 MG, 1 MG TABLET, ER 24 HR. MO	3	PA
ENVARUSUS XR 4 MG TABLET, ER 24 HR. DL	3	PA
<i>everolimus (immunosuppressive) 0.25 mg TABLET</i> MO	1	BvsD,QL(60 per 30 days)
<i>everolimus (immunosuppressive) 0.5 mg TABLET</i>	4	BvsD,QL(120 per 30 days)
<i>everolimus (immunosuppressive) 0.75 mg TABLET</i>	4	BvsD,QL(60 per 30 days)
<i>everolimus (immunosuppressive) 1 mg TABLET</i> DL	4	BvsD,QL(60 per 30 days)
FABHALTA 200 MG CAPSULE DL	4	PA,QL(60 per 30 days)
FIRAZYR 30 MG/3 ML SYRINGE DL	4	PA,QL(18 per 30 days)
FLEBOGAMMA DIF 10 %, 5 % SOLUTION DL	4	PA
GAMASTAN 15-18 % RANGE SOLUTION MO	3	PA
GAMASTAN S/D 15-18 % RANGE SOLUTION MO	3	PA
GAMIFANT 5 MG/ML SOLUTION DL	4	PA
GAMMAGARD LIQUID 10 % SOLUTION DL	4	PA
GAMMAGARD S-D (IGA < 1 MCG/ML) 10 GRAM, 5 GRAM RECON SOLUTION DL	4	PA
GAMMAKED 1 GRAM/10 ML (10 %), 10 GRAM/100 ML (10 %), 20 GRAM/200 ML (10 %), 5 GRAM/50 ML (10 %) SOLUTION DL	4	PA
GAMMAPLEX 10 % SOLUTION DL	4	PA
GAMMAPLEX (WITH SORBITOL) 5 % SOLUTION DL	4	PA
GAMUNEX-C 1 GRAM/10 ML (10 %) SOLUTION DL	4	PA
GAMUNEX-C 10 GRAM/100 ML (10 %), 2.5 GRAM/25 ML (10 %), 20 GRAM/200 ML (10 %), 40 GRAM/400 ML (10 %), 5 GRAM/50 ML (10 %) SOLUTION DL	4	PA
GARDASIL 9 (PF) 0.5 ML SUSPENSION \$0,DL	1	
GARDASIL 9 (PF) 0.5 ML SYRINGE \$0,DL	1	
<i>gengraf 100 mg, 25 mg CAPSULE</i> MO	1	BvsD
<i>gengraf 100 mg/ml SOLUTION</i> MO	1	BvsD
HADLIMA 40 MG/0.8 ML SYRINGE DL	4	PA,QL(4.8 per 28 days)
HADLIMA PUSHTOUCH 40 MG/0.8 ML AUTO-INJECTOR DL	4	PA,QL(4.8 per 28 days)
HADLIMA(CF) 40 MG/0.4 ML SYRINGE DL	4	PA,QL(2.4 per 28 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL- Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • \$0 - Vaccine/Diabetic • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
HADLIMA(CF) PUSHTOUCH 40 MG/0.4 ML AUTO-INJECTOR DL	4	PA,QL(2.4 per 28 days)
HAEGARDA 2,000 UNIT, 3,000 UNIT RECON SOLUTION DL	4	PA,QL(24 per 28 days)
HAVRIX (PF) 1,440 ELISA UNIT/ML, 720 ELISA UNIT/0.5 ML SYRINGE \$0,DL	1	
HEPLISAV-B (PF) 20 MCG/0.5 ML SYRINGE \$0,DL	1	BvsD
HIBERIX (PF) 10 MCG/0.5 ML RECON SOLUTION \$0,DL	1	
HIZENTRA 1 GRAM/5 ML (20 %), 10 GRAM/50 ML (20 %), 2 GRAM/10 ML (20 %), 4 GRAM/20 ML (20 %) SOLUTION DL	4	PA
HIZENTRA 1 GRAM/5 ML (20 %), 10 GRAM/50 ML (20 %), 2 GRAM/10 ML (20 %), 4 GRAM/20 ML (20 %) SYRINGE DL	4	PA
HULIO(CF) 20 MG/0.4 ML SYRINGE KIT DL	4	PA,QL(2 per 28 days)
HULIO(CF) 40 MG/0.8 ML SYRINGE KIT DL	4	PA,QL(6 per 28 days)
HULIO(CF) PEN 40 MG/0.8 ML PEN INJECTOR KIT DL	4	PA,QL(6 per 28 days)
HUMIRA 40 MG/0.8 ML SYRINGE KIT DL	4	PA,QL(6 per 28 days)
HUMIRA PEN 40 MG/0.8 ML PEN INJECTOR KIT DL	4	PA,QL(6 per 28 days)
HUMIRA PEN CROHNS-UC-HS START 40 MG/0.8 ML PEN INJECTOR KIT DL	4	PA,QL(6 per 28 days)
HUMIRA PEN PSOR-UVEITS-ADOL HS 40 MG/0.8 ML PEN INJECTOR KIT DL	4	PA,QL(6 per 28 days)
HUMIRA(CF) 10 MG/0.1 ML SYRINGE KIT DL	4	PA,QL(2 per 28 days)
HUMIRA(CF) 20 MG/0.2 ML, 40 MG/0.4 ML SYRINGE KIT DL	4	PA,QL(6 per 28 days)
HUMIRA(CF) PEDI CROHNS STARTER 80 MG/0.8 ML, 80 MG/0.8 ML-40 MG/0.4 ML SYRINGE KIT DL	4	PA,QL(6 per 28 days)
HUMIRA(CF) PEN 40 MG/0.4 ML, 80 MG/0.8 ML PEN INJECTOR KIT DL	4	PA,QL(6 per 28 days)
HUMIRA(CF) PEN CROHNS-UC-HS 80 MG/0.8 ML PEN INJECTOR KIT DL	4	PA,QL(6 per 28 days)
HUMIRA(CF) PEN PEDIATRIC UC 80 MG/0.8 ML PEN INJECTOR KIT DL	4	PA,QL(6 per 28 days)
HUMIRA(CF) PEN PSOR-UV-ADOL HS 80 MG/0.8 ML-40 MG/0.4 ML PEN INJECTOR KIT DL	4	PA,QL(6 per 28 days)
HYPERRAB (PF) 300 UNIT/ML SOLUTION DL	4	BvsD
HYPERRAB S/D (PF) 150 UNIT/ML SOLUTION DL	4	BvsD
HYPERTET (PF) 250 UNIT/ML SYRINGE MO	3	BvsD
HYRIMOZ PEN CROHN'S-UC STARTER 80 MG/0.8 ML PEN INJECTOR DL	4	PA,QL(4.8 per 28 days)
HYRIMOZ PEN PSORIASIS STARTER 80MG/0.8ML(X1)- 40 MG/0.4ML(X2) PEN INJECTOR DL	4	PA,QL(3.2 per 28 days)
HYRIMOZ(CF) 10 MG/0.1 ML SYRINGE DL	4	PA,QL(0.2 per 28 days)
HYRIMOZ(CF) 20 MG/0.2 ML SYRINGE DL	4	PA,QL(1.2 per 28 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL- Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • \$0 – Vaccine/Diabetic • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
HYRIMOZ(CF) 40 MG/0.4 ML SYRINGE DL	4	PA,QL(2.4 per 28 days)
HYRIMOZ(CF) PEDI CROHN STARTER 80 MG/0.8 ML SYRINGE DL	4	PA,QL(4.8 per 28 days)
HYRIMOZ(CF) PEDI CROHN STARTER 80 MG/0.8 ML - 40 MG/0.4 ML SYRINGE DL	4	PA,QL(3.6 per 28 days)
HYRIMOZ(CF) PEN 40 MG/0.4 ML PEN INJECTOR DL	4	PA,QL(2.4 per 28 days)
HYRIMOZ(CF) PEN 80 MG/0.8 ML PEN INJECTOR DL	4	PA,QL(4.8 per 28 days)
icatibant 30 mg/3 ml SYRINGE DL	4	PA,QL(18 per 30 days)
IDACIO(CF) 40 MG/0.8 ML SYRINGE KIT DL	4	PA,QL(6 per 28 days)
IDACIO(CF) PEN 40 MG/0.8 ML PEN INJECTOR KIT DL	4	PA,QL(6 per 28 days)
IDACIO(CF) PEN CROHN-UC STARTR 40 MG/0.8 ML PEN INJECTOR KIT DL	4	PA,QL(6 per 28 days)
IDACIO(CF) PEN PSORIASIS START 40 MG/0.8 ML PEN INJECTOR KIT DL	4	PA,QL(6 per 28 days)
ILUMYA 100 MG/ML SYRINGE	4	PA,QL(6 per 365 days)
IMOGAM RABIES-HT (PF) 150 UNIT/ML SOLUTION MO	3	BvsD
IMOVAX RABIES VACCINE (PF) 2.5 UNIT RECON SOLUTION \$0,DL	1	BvsD
IMURAN 50 MG TABLET MO	3	PA
INFANRIX (DTAP) (PF) 25-58-10 LF-MCG-LF/0.5ML SYRINGE \$0,DL	1	
INFLECTRA 100 MG RECON SOLUTION DL	4	PA
INFLIXIMAB 100 MG RECON SOLUTION DL	4	PA
INTRON A 10 MILLION UNIT (1 ML), 18 MILLION UNIT (1 ML) RECON SOLUTION MO	3	PA
INTRON A 50 MILLION UNIT (1 ML) RECON SOLUTION MO	2	PA
IPOL 40-8-32 UNIT/0.5 ML SUSPENSION \$0,DL	1	
IXCHIQ 1,000 TCID50/0.5 ML RECON SOLUTION DL	1	
IXIARO (PF) 6 MCG/0.5 ML SYRINGE \$0,DL	1	
JYNNEOS (PF) 0.5X TO 3.95X 10EXP8 UNIT/0.5 SUSPENSION \$0,MO	1	
KEDRAB (PF) 150 UNIT/ML SOLUTION DL	4	BvsD
KEVZARA 150 MG/1.14 ML, 200 MG/1.14 ML PEN INJECTOR DL	4	PA,QL(2.28 per 28 days)
KEVZARA 150 MG/1.14 ML, 200 MG/1.14 ML SYRINGE DL	4	PA,QL(2.28 per 28 days)
KINERET 100 MG/0.67 ML SYRINGE DL	4	PA,QL(20.1 per 30 days)
KINRIX (PF) 25 LF-58 MCG-10 LF/0.5 ML SYRINGE \$0,DL	1	
leflunomide 10 mg, 20 mg TABLET MO	1	QL(30 per 30 days)
LUPKYNIS 7.9 MG CAPSULE DL	4	PA,QL(180 per 30 days)
M-M-R II (PF) 1,000-12,500 TCID50/0.5 ML RECON SOLUTION \$0,DL	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL- Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • \$0 - Vaccine/Diabetic • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
MENACTRA (PF) 4 MCG/0.5 ML SOLUTION \$0,DL	1	
MENQUADFI (PF) 10 MCG/0.5 ML SOLUTION \$0,MO	1	
MENVEO A-C-Y-W-135-DIP (PF) 10-5 MCG/0.5 ML KIT \$0,DL	1	
MENVEO A-C-Y-W-135-DIP (PF) 10-5 MCG/0.5 ML SOLUTION \$0,DL	1	
methotrexate sodium 2.5 mg TABLET MO	1	BvsD
methotrexate sodium 25 mg/ml SOLUTION MO	1	
methotrexate sodium (pf) 1 gram RECON SOLUTION MO	1	
methotrexate sodium (pf) 25 mg/ml SOLUTION MO	1	
MONJUVI 200 MG RECON SOLUTION DL	4	PA
mycophenolate mofetil 200 mg/ml SUSPENSION FOR RECONSTITUTION MO	1	BvsD
mycophenolate mofetil 250 mg CAPSULE MO	1	BvsD
mycophenolate mofetil 500 mg TABLET MO	1	BvsD
mycophenolate mofetil (hcl) 500 mg RECON SOLUTION MO	1	BvsD
mycophenolate sodium 180 mg, 360 mg TABLET, DR/EC MO	1	BvsD
MYFORTIC 180 MG TABLET, DR/EC MO	3	BvsD
MYFORTIC 360 MG TABLET, DR/EC	4	BvsD
NEORAL 100 MG, 25 MG CAPSULE MO	3	BvsD
NEORAL 100 MG/ML SOLUTION MO	3	BvsD
OCTAGAM 10 %, 5 % SOLUTION DL	4	PA
OLUMIANT 1 MG, 2 MG, 4 MG TABLET DL	4	PA,QL(30 per 30 days)
OMVOH 300 MG/15 ML (20 MG/ML) SOLUTION DL	4	PA
OMVOH PEN 100 MG/ML PEN INJECTOR DL	4	PA,QL(2 per 28 days)
ORENCIA 125 MG/ML SYRINGE DL	4	PA,QL(4 per 28 days)
ORENCIA 50 MG/0.4 ML SYRINGE DL	4	PA,QL(1.6 per 28 days)
ORENCIA 87.5 MG/0.7 ML SYRINGE DL	4	PA,QL(2.8 per 28 days)
ORENCIA CLICKJECT 125 MG/ML AUTO-INJECTOR DL	4	PA,QL(4 per 28 days)
ORLADEYO 110 MG, 150 MG CAPSULE DL	4	PA,QL(28 per 28 days)
OTREXUP (PF) 10 MG/0.4 ML, 12.5 MG/0.4 ML, 15 MG/0.4 ML, 17.5 MG/0.4 ML, 20 MG/0.4 ML, 22.5 MG/0.4 ML, 25 MG/0.4 ML AUTO-INJECTOR MO	3	PA,QL(1.6 per 28 days)
PANZYGA 10 % SOLUTION DL	4	PA
PEDIARIX (PF) 10 MCG-25LF-25 MCG-10LF/0.5 ML SYRINGE \$0,DL	1	
PEDVAX HIB (PF) 7.5 MCG/0.5 ML SOLUTION \$0,DL	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL- Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • \$0 - Vaccine/Diabetic • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
PEGASYS 180 MCG/0.5 ML SYRINGE DL	4	PA,QL(2 per 28 days)
PEGASYS 180 MCG/ML SOLUTION DL	4	PA,QL(4 per 28 days)
PENBRAYA (PF) 5-120 MCG/0.5 ML KIT \$0,DL	1	
PENTACEL (PF) 15 LF UNIT-20 MCG-5 LF/0.5 ML, 15LF-48MCG-62DU -10 MCG/0.5ML KIT \$0,DL	1	
PREHEVBRIO (PF) 10 MCG/ML SUSPENSION \$0,DL	1	BvsD
PRIORIX (PF) 10EXP3.4-4.2- 3.3CCID50/0.5ML SUSPENSION FOR RECONSTITUTION \$0,DL	1	
PRIVIGEN 10 % SOLUTION DL	4	PA
PROGRAF 0.2 MG, 1 MG GRANULES IN PACKET MO	3	BvsD
PROGRAF 0.5 MG, 1 MG, 5 MG CAPSULE MO	3	BvsD
PROQUAD (PF) 10EXP3-4.3-3- 3.99 TCID50/0.5 SUSPENSION FOR RECONSTITUTION \$0,DL	1	
QUADRACEL (PF) 15 LF-48 MCG- 5 LF UNIT/0.5ML SUSPENSION \$0,DL	1	
QUADRACEL (PF) 15 LF-48 MCG- 5 LF UNIT/0.5ML SYRINGE \$0,DL	1	
RABAVERT (PF) 2.5 UNIT SUSPENSION FOR RECONSTITUTION \$0,DL	1	BvsD
RAPAMUNE 0.5 MG, 1 MG, 2 MG TABLET	4	BvsD
RAPAMUNE 1 MG/ML SOLUTION	4	BvsD
RASUVO (PF) 10 MG/0.2 ML AUTO-INJECTOR MO	3	PA,QL(0.8 per 28 days)
RASUVO (PF) 12.5 MG/0.25 ML AUTO-INJECTOR MO	3	PA,QL(1 per 28 days)
RASUVO (PF) 15 MG/0.3 ML AUTO-INJECTOR MO	3	PA,QL(1.2 per 28 days)
RASUVO (PF) 17.5 MG/0.35 ML AUTO-INJECTOR MO	3	PA,QL(1.4 per 28 days)
RASUVO (PF) 20 MG/0.4 ML AUTO-INJECTOR MO	3	PA,QL(1.6 per 28 days)
RASUVO (PF) 22.5 MG/0.45 ML AUTO-INJECTOR MO	3	PA,QL(1.8 per 28 days)
RASUVO (PF) 25 MG/0.5 ML AUTO-INJECTOR MO	3	PA,QL(2 per 28 days)
RASUVO (PF) 30 MG/0.6 ML AUTO-INJECTOR MO	3	PA,QL(2.4 per 28 days)
RASUVO (PF) 7.5 MG/0.15 ML AUTO-INJECTOR MO	3	PA,QL(0.6 per 28 days)
RECOMBIVAX HB (PF) 10 MCG/ML, 40 MCG/ML, 5 MCG/0.5 ML SUSPENSION \$0,DL	1	BvsD
RECOMBIVAX HB (PF) 10 MCG/ML, 5 MCG/0.5 ML SYRINGE \$0,DL	1	BvsD
REDITREX (PF) 10 MG/0.4 ML SYRINGE MO	3	PA,QL(1.6 per 28 days)
REDITREX (PF) 12.5 MG/0.5 ML SYRINGE MO	3	PA,QL(2 per 28 days)
REDITREX (PF) 15 MG/0.6 ML SYRINGE MO	3	PA,QL(2.4 per 28 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL- Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • \$0 – Vaccine/Diabetic • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
REDITREX (PF) 17.5 MG/0.7 ML SYRINGE MO	3	PA,QL(2.8 per 28 days)
REDITREX (PF) 20 MG/0.8 ML SYRINGE MO	3	PA,QL(3.2 per 28 days)
REDITREX (PF) 22.5 MG/0.9 ML SYRINGE MO	3	PA,QL(3.6 per 28 days)
REDITREX (PF) 25 MG/ML SYRINGE MO	3	PA,QL(4 per 28 days)
REDITREX (PF) 7.5 MG/0.3 ML SYRINGE MO	3	PA,QL(1.2 per 28 days)
REMICADE 100 MG RECON SOLUTION DL	4	PA
RENFLXIS 100 MG RECON SOLUTION DL	4	PA
REZUROCK 200 MG TABLET DL	4	PA,QL(30 per 30 days)
RHOPHYLAC 1,500 UNIT (300 MCG)/2 ML SYRINGE MO	3	
RIDAURA 3 MG CAPSULE DL	4	PA
RINVOQ 15 MG, 30 MG TABLET, ER 24 HR. DL	4	PA,QL(30 per 30 days)
RINVOQ 45 MG TABLET, ER 24 HR. DL	4	PA,QL(168 per 365 days)
ROTARIX 10EXP6 CCID50 /1.5 ML SUSPENSION \$0,DL	1	
ROTARIX 10EXP6 CCID50/ML SUSPENSION FOR RECONSTITUTION \$0,DL	1	
ROTATEQ VACCINE 2 ML SOLUTION \$0,DL	1	
RUCONEST 2,100 UNIT RECON SOLUTION DL	4	PA,QL(8 per 28 days)
RYSTIGGO 140 MG/ML SOLUTION DL	4	PA
<i>sajazir</i> 30 mg/3 ml SYRINGE DL	4	PA,QL(18 per 30 days)
SANDIMMUNE 100 MG, 25 MG CAPSULE MO	3	BvsD
SANDIMMUNE 100 MG/ML SOLUTION MO	3	BvsD
SAPHNELO 300 MG/2 ML (150 MG/ML) SOLUTION DL	4	PA,QL(2 per 28 days)
SHINGRIX (PF) 50 MCG/0.5 ML SUSPENSION FOR RECONSTITUTION \$0,DL	1	
SILIQ 210 MG/1.5 ML SYRINGE DL	4	PA,QL(6 per 28 days)
SIMPONI 100 MG/ML PEN INJECTOR DL	4	PA,QL(3 per 28 days)
SIMPONI 100 MG/ML SYRINGE DL	4	PA,QL(3 per 28 days)
SIMPONI 50 MG/0.5 ML PEN INJECTOR DL	4	PA,QL(0.5 per 30 days)
SIMPONI 50 MG/0.5 ML SYRINGE DL	4	PA,QL(0.5 per 30 days)
SIMPONI ARIA 12.5 MG/ML SOLUTION DL	4	PA,QL(20 per 28 days)
SIMULECT 10 MG, 20 MG RECON SOLUTION DL	4	BvsD
<i>sirolimus</i> 0.5 mg, 1 mg, 2 mg TABLET MO	1	BvsD
<i>sirolimus</i> 1 mg/ml SOLUTION MO	1	BvsD
SKYRIZI 150 MG/ML PEN INJECTOR	4	PA,QL(6 per 365 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL- Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • \$0 – Vaccine/Diabetic • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
SKYRIZI 150 MG/ML SYRINGE	4	PA,QL(6 per 365 days)
SKYRIZI 150MG/1.66ML(75 MG/0.83 ML X2) SYRINGE KIT	4	PA,QL(6 per 365 days)
SKYRIZI 180 MG/1.2 ML (150 MG/ML) WEARABLE INJECTOR DL	4	PA,QL(8.4 per 365 days)
SKYRIZI 360 MG/2.4 ML (150 MG/ML) WEARABLE INJECTOR DL	4	PA,QL(16.8 per 365 days)
SKYRIZI 60 MG/ML SOLUTION DL	4	PA,QL(30 per 365 days)
SKYRIZI 75 MG/0.83 ML SYRINGE	4	PA,QL(9.96 per 365 days)
SOLIRIS 300 MG/30 ML SOLUTION DL	4	PA
SOTYKTU 6 MG TABLET DL	4	PA,QL(30 per 30 days)
SPEVIGO 60 MG/ML SOLUTION DL	4	PA,QL(30 per 84 days)
STELARA 130 MG/26 ML SOLUTION DL	4	PA,QL(104 per 30 days)
STELARA 45 MG/0.5 ML SOLUTION DL	4	PA,QL(1.5 per 84 days)
STELARA 45 MG/0.5 ML SYRINGE DL	4	PA,QL(1.5 per 84 days)
STELARA 90 MG/ML SYRINGE DL	4	PA,QL(3 per 84 days)
SYLVANT 100 MG, 400 MG RECON SOLUTION DL	4	PA
<i>tacrolimus</i> 0.5 mg, 1 mg, 5 mg CAPSULE MO	1	BvsD
TAKHZYRO 150 MG/ML SYRINGE DL	4	PA,QL(2 per 28 days)
TAKHZYRO 300 MG/2 ML (150 MG/ML) SOLUTION DL	4	PA,QL(4 per 28 days)
TAKHZYRO 300 MG/2 ML (150 MG/ML) SYRINGE DL	4	PA,QL(4 per 28 days)
TALTZ AUTOINJECTOR 80 MG/ML AUTO-INJECTOR DL	4	PA,QL(4 per 28 days)
TALTZ AUTOINJECTOR (2 PACK) 80 MG/ML AUTO-INJECTOR DL	4	PA,QL(4 per 28 days)
TALTZ AUTOINJECTOR (3 PACK) 80 MG/ML AUTO-INJECTOR DL	4	PA,QL(4 per 28 days)
TALTZ SYRINGE 80 MG/ML SYRINGE DL	4	PA,QL(4 per 28 days)
TAVNEOS 10 MG CAPSULE DL	4	PA,QL(180 per 30 days)
TDVAX 2-2 LF UNIT/0.5 ML SUSPENSION \$0,DL	1	
TENIVAC (PF) 5 LF UNIT- 2 LF UNIT/0.5ML SUSPENSION \$0,DL	1	
TENIVAC (PF) 5-2 LF UNIT/0.5 ML SYRINGE \$0,DL	1	
TETANUS,DIPHThERIA TOX PED(PF) 5-25 LF UNIT/0.5 ML SUSPENSION \$0,DL	1	
TEZSPIRE 210 MG/1.91 ML (110 MG/ML) PEN INJECTOR DL	4	PA,QL(1.91 per 28 days)
TEZSPIRE 210 MG/1.91 ML (110 MG/ML) SYRINGE DL	4	PA,QL(1.91 per 28 days)
THYMOGLOBULIN 25 MG RECON SOLUTION MO	3	PA
TICOVAC 1.2 MCG/0.25 ML, 2.4 MCG/0.5 ML SYRINGE DL	1	
TREMFYA 100 MG/ML AUTO-INJECTOR	4	PA,QL(8 per 365 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL- Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • \$0 – Vaccine/Diabetic • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
TREMFYA 100 MG/ML SYRINGE	4	PA,QL(8 per 365 days)
TREXALL 10 MG, 15 MG, 5 MG, 7.5 MG TABLET MO	1	BvsD
TRUMENBA 120 MCG/0.5 ML SYRINGE \$0,DL	1	
TWINRIX (PF) 720 ELISA UNIT- 20 MCG/ML SYRINGE \$0,DL	1	
TYPHIM VI 25 MCG/0.5 ML SOLUTION \$0,DL	1	
TYPHIM VI 25 MCG/0.5 ML SYRINGE \$0,DL	1	
ULTOMIRIS 100 MG/ML SOLUTION	4	PA
UPLIZNA 10 MG/ML SOLUTION DL	4	PA,QL(120 per 365 days)
VAQTA (PF) 25 UNIT/0.5 ML, 50 UNIT/ML SUSPENSION \$0,DL	1	
VAQTA (PF) 25 UNIT/0.5 ML, 50 UNIT/ML SYRINGE \$0,DL	1	
VARIVAX (PF) 1,350 UNIT/0.5 ML SUSPENSION FOR RECONSTITUTION \$0,DL	1	
VARIZIG 125 UNIT/1.2 ML SOLUTION DL	4	PA,QL(12 per 30 days)
VELSIPITY 2 MG TABLET DL	4	PA,QL(30 per 30 days)
VEOPOZ 200 MG/ML SOLUTION DL	4	PA
VYVGART 20 MG/ML SOLUTION DL	4	PA
VYVGART HYTRULO 1,008 MG-11,200 UNIT/5.6 ML SOLUTION DL	4	PA,QL(22.4 per 28 days)
WINRHO SDF 1,500 UNIT (300 MCG)/1.3 ML, 15000 UNIT(3000 MCG)/13 ML, 2,500 UNIT (500 MCG)/2.2 ML, 5,000 UNIT(1000 MCG)/4.4 ML SOLUTION DL	4	BvsD
XATMEP 2.5 MG/ML SOLUTION MO	3	PA
XELJANZ 1 MG/ML SOLUTION DL	4	PA,QL(300 per 30 days)
XELJANZ 10 MG, 5 MG TABLET DL	4	PA,QL(60 per 30 days)
XELJANZ XR 11 MG, 22 MG TABLET, ER 24 HR. DL	4	PA,QL(30 per 30 days)
XEMBIFY 1 GRAM/5 ML (20 %), 10 GRAM/50 ML (20 %), 2 GRAM/10 ML (20 %), 4 GRAM/20 ML (20 %) SOLUTION DL	4	PA
XOLAIR 150 MG RECON SOLUTION DL	4	PA,QL(8 per 28 days)
XOLAIR 150 MG/ML SYRINGE DL,LA	4	PA,QL(8 per 28 days)
XOLAIR 75 MG/0.5 ML SYRINGE DL,LA	4	PA,QL(4 per 28 days)
YF-VAX (PF) 10 EXP4.74 UNIT/0.5 ML SUSPENSION FOR RECONSTITUTION \$0,DL	1	
YUFLYMA(CF) 40 MG/0.4 ML SYRINGE KIT DL	4	PA,QL(6 per 28 days)
YUFLYMA(CF) AI CROHN'S-UC-HS 80 MG/0.8 ML AUTO-INJECTOR, KIT DL	4	PA,QL(6 per 28 days)
YUFLYMA(CF) AUTOINJECTOR 40 MG/0.4 ML, 80 MG/0.8 ML AUTO-INJECTOR, KIT DL	4	PA,QL(6 per 28 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL- Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • \$0 – Vaccine/Diabetic • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
YUSIMRY(CF) PEN 40 MG/0.8 ML PEN INJECTOR DL	4	PA,QL(4.8 per 28 days)
ZILBRYSQ 16.6 MG/0.416 ML, 23 MG/0.574 ML, 32.4 MG/0.81 ML SYRINGE DL	4	PA
ZORTRESS 0.25 MG, 0.75 MG, 1 MG TABLET	4	BvsD,QL(60 per 30 days)
ZORTRESS 0.5 MG TABLET	4	BvsD,QL(120 per 30 days)
INFLAMMATORY BOWEL DISEASE AGENTS		
APRISO 0.375 GRAM CAPSULE, ER 24 HR. MO	3	ST,QL(120 per 30 days)
ASACOL HD 800 MG TABLET, DR/EC MO	3	ST,QL(180 per 30 days)
AZULFIDINE 500 MG TABLET MO	3	
AZULFIDINE EN-TABS 500 MG TABLET, DR/EC MO	3	
balsalazide 750 mg CAPSULE MO	1	
budesonide 2 mg/actuation FOAM MO	1	PA
budesonide 3 mg CAPSULE, DR/EC MO	1	
budesonide 9 mg TABLET, DR/ER	4	PA,QL(30 per 30 days)
CANASA 1,000 MG SUPPOSITORY	4	ST,QL(30 per 30 days)
COLAZAL 750 MG CAPSULE	4	PA
CORTENEMA 100 MG/60 ML ENEMA MO	3	
CORTIFOAM 10 % (80 MG) FOAM MO	3	
DELZICOL 400 MG CAPSULE (WITH DR TABLETS) MO	3	ST,QL(180 per 30 days)
DIPENTUM 250 MG CAPSULE	4	ST,QL(120 per 30 days)
ENTOCORT EC 3 MG CAPSULE, DR/EC DL	4	
hydrocortisone 100 mg/60 ml ENEMA MO	1	
LIALDA 1.2 GRAM TABLET, DR/EC MO	3	ST,QL(120 per 30 days)
mesalamine 0.375 gram CAPSULE, ER 24 HR. MO	1	QL(120 per 30 days)
mesalamine 1,000 mg SUPPOSITORY MO	1	ST,QL(30 per 30 days)
mesalamine 1.2 gram TABLET, DR/EC MO	1	ST,QL(120 per 30 days)
mesalamine 4 gram/60 ml ENEMA MO	1	QL(1800 per 30 days)
mesalamine 400 mg CAPSULE (WITH DR TABLETS) MO	1	ST,QL(180 per 30 days)
mesalamine 500 mg CAPSULE, ER MO	1	ST,QL(300 per 30 days)
mesalamine 800 mg TABLET, DR/EC MO	1	ST,QL(180 per 30 days)
ORTIKOS 6 MG, 9 MG CAPSULE, ER DL	4	PA,QL(30 per 30 days)
PENTASA 250 MG CAPSULE, ER MO	3	ST,QL(150 per 30 days)
PENTASA 500 MG CAPSULE, ER	4	ST,QL(300 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL- Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • \$0 - Vaccine/Diabetic • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
PROCTOFOAM HC 1-1 % FOAM MO	1	
ROWASA 4 GRAM/60 ML ENEMA MO	3	QL(1800 per 30 days)
SFROWASA 4 GRAM/60 ML ENEMA MO	3	QL(1800 per 30 days)
sulfasalazine 500 mg TABLET MO	1	
sulfasalazine 500 mg TABLET, DR/EC MO	1	
TARPEYO 4 MG CAPSULE, DR/EC DL	4	PA,QL(120 per 30 days)
UCERIS 2 MG/ACTUATION FOAM MO	3	PA
UCERIS 9 MG TABLET, DR/ER MO	3	PA,QL(30 per 30 days)
METABOLIC BONE DISEASE AGENTS		
ACTONEL 150 MG TABLET MO	3	PA,QL(1 per 30 days)
ACTONEL 35 MG TABLET MO	3	PA,QL(4 per 28 days)
alendronate 10 mg, 5 mg TABLET MO	1	QL(30 per 30 days)
alendronate 35 mg TABLET MO	1	QL(4 per 28 days)
alendronate 70 mg TABLET MO	1	QL(4 per 28 days)
alendronate 70 mg/75 ml SOLUTION MO	1	QL(300 per 28 days)
ATELVIA 35 MG TABLET, DR/EC MO	3	PA,QL(4 per 28 days)
BINOSTO 70 MG TABLET, EFFERVESCENT MO	3	ST,QL(4 per 28 days)
BONIVA 150 MG TABLET MO	3	PA,QL(1 per 28 days)
calcitonin (salmon) 200 unit/actuation SPRAY, NON-AEROSOL MO	1	QL(3.7 per 28 days)
calcitonin (salmon) 200 unit/ml SOLUTION DL	4	
calcitriol 0.25 mcg, 0.5 mcg CAPSULE MO	1	
calcitriol 1 mcg/ml SOLUTION MO	1	
cinacalcet 30 mg, 60 mg TABLET MO	1	QL(60 per 30 days)
cinacalcet 90 mg TABLET MO	1	QL(120 per 30 days)
doxercalciferol 0.5 mcg, 1 mcg, 2.5 mcg CAPSULE MO	1	
doxercalciferol 4 mcg/2 ml SOLUTION MO	1	
EVENITY 105 MG/1.17 ML, 210MG/2.34ML (105MG/1.17MLX2) SYRINGE DL	4	PA,QL(2.34 per 30 days)
FORTEO 20 MCG/DOSE (600MCG/2.4ML) PEN INJECTOR DL	4	PA,QL(2.4 per 28 days)
FOSAMAX 70 MG TABLET MO	3	PA,QL(4 per 28 days)
FOSAMAX PLUS D 70 MG- 2,800 UNIT, 70 MG- 5,600 UNIT TABLET MO	3	ST,QL(4 per 28 days)
HECTOROL 4 MCG/2 ML SOLUTION MO	3	
ibandronate 150 mg TABLET MO	1	QL(1 per 28 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL- Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • \$0 – Vaccine/Diabetic • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
<i>ibandronate</i> 3 mg/3 ml SOLUTION MO	1	PA,QL(3 per 90 days)
<i>ibandronate</i> 3 mg/3 ml SYRINGE MO	1	PA,QL(3 per 90 days)
MIACALCIN 200 UNIT/ML SOLUTION DL	4	
NATPARA 100 MCG/DOSE, 25 MCG/DOSE, 50 MCG/DOSE, 75 MCG/DOSE CARTRIDGE DL,LA	4	PA,QL(2 per 28 days)
<i>pamidronate</i> 30 mg/10 ml (3 mg/ml) SOLUTION MO	1	QL(30 per 21 days)
<i>pamidronate</i> 60 mg/10 ml (6 mg/ml), 90 mg/10 ml (9 mg/ml) SOLUTION MO	1	QL(10 per 21 days)
<i>paricalcitol</i> 1 mcg, 2 mcg CAPSULE MO	1	QL(30 per 30 days)
<i>paricalcitol</i> 2 mcg/ml SOLUTION MO	1	QL(24 per 30 days)
<i>paricalcitol</i> 4 mcg CAPSULE MO	1	QL(12 per 30 days)
<i>paricalcitol</i> 5 mcg/ml SOLUTION MO	1	QL(48 per 28 days)
PROLIA 60 MG/ML SYRINGE MO	3	QL(1 per 180 days)
RAYALDEE 30 MCG CAPSULE, ER 24 HR. DL	4	QL(60 per 30 days)
RECLAST 5 MG/100 ML PIGGYBACK MO	3	PA,QL(100 per 365 days)
<i>risedronate</i> 150 mg TABLET MO	1	QL(1 per 30 days)
<i>risedronate</i> 30 mg, 5 mg TABLET MO	1	QL(30 per 30 days)
<i>risedronate</i> 35 mg TABLET MO	1	QL(4 per 28 days)
<i>risedronate</i> 35 mg TABLET, DR/EC MO	1	QL(4 per 28 days)
ROCALTROL 0.25 MCG, 0.5 MCG CAPSULE MO	3	
ROCALTROL 1 MCG/ML SOLUTION MO	3	
SENSIPAR 30 MG TABLET MO	3	QL(60 per 30 days)
SENSIPAR 60 MG TABLET	4	QL(60 per 30 days)
SENSIPAR 90 MG TABLET	4	QL(120 per 30 days)
TYMLOS 80 MCG (3,120 MCG/1.56 ML) PEN INJECTOR DL	4	PA,QL(1.56 per 30 days)
XGEVA 120 MG/1.7 ML (70 MG/ML) SOLUTION DL	4	PA,QL(1.7 per 28 days)
ZEMPLAR 1 MCG, 2 MCG CAPSULE MO	3	QL(30 per 30 days)
ZEMPLAR 2 MCG/ML SOLUTION DL	4	QL(24 per 30 days)
ZEMPLAR 5 MCG/ML SOLUTION DL	4	QL(48 per 28 days)
<i>zoledronic ac-mannitol-0.9nacl</i> 4 mg/100 ml PIGGYBACK MO	1	QL(300 per 21 days)
<i>zoledronic acid</i> 4 mg RECON SOLUTION MO	1	
<i>zoledronic acid</i> 4 mg/5 ml SOLUTION MO	1	QL(15 per 21 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL- Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • \$0 - Vaccine/Diabetic • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
zoledronic acid-mannitol-water 4 mg/100 ml PIGGYBACK MO	1	QL(300 per 21 days)
zoledronic acid-mannitol-water 5 mg/100 ml PIGGYBACK MO	1	PA,QL(100 per 365 days)
MISCELLANEOUS THERAPEUTIC AGENTS		
ACETADOTE 200 MG/ML (20 %) SOLUTION MO	3	
acetaminophen 1,000 mg/100 ml (10 mg/ml), 500 mg/50 ml (10 mg/ml) SOLUTION MO	1	
acetic acid 0.25 % SOLUTION MO	1	
acetylcysteine 200 mg/ml (20 %) SOLUTION MO	1	
ADAKVEO 10 MG/ML SOLUTION DL	4	PA
ADSTILADRIN 3X10EXP11 VP/ML SUSPENSION	4	PA
ALCOHOL PADS PADS, MEDICATED \$0,MO	1	
ALCOHOL PREP PADS PADS, MEDICATED \$0,MO	1	
ALCOHOL SWABS PADS, MEDICATED \$0,MO	1	
ALCOHOL WIPES PADS, MEDICATED \$0,MO	1	
ALLZITAL 25-325 MG TABLET MO	1	QL(360 per 30 days)
AMMONUL 10-10 % SOLUTION DL	4	
AUTOJECT 2 INJECTION DEVICE INSULIN PEN \$0,MO	1	
AUTOPEN 1 TO 21 UNITS INSULIN PEN \$0,MO	1	
AUTOPEN 2 TO 42 UNITS INSULIN PEN \$0,MO	1	
BAND-AID GAUZE PADS 2 X 2 " BANDAGE \$0,MO	1	
BD ALCOHOL SWABS PADS, MEDICATED \$0,MO	1	
BD AUTOSHIELD DUO PEN NEEDLE 30 GAUGE X 3/16" NEEDLE \$0,PDS,MO	1	
BD ECLIPSE LUER-LOK 1 ML 30 GAUGE X 1/2" SYRINGE \$0,PDS,MO	1	
BD INSULIN SYRINGE 0.3 ML 29 GAUGE X 1/2", 0.5 ML 29 GAUGE X 1/2", 1 ML 27 GAUGE X 1/2", 1 ML 28 GAUGE X 1/2", 1 ML 29 GAUGE X 1/2" SYRINGE \$0,PDS,MO	1	
BD INSULIN SYRINGE (HALF UNIT) 0.3 ML 31 GAUGE X 5/16" SYRINGE \$0,PDS,MO	1	
BD INSULIN SYRINGE MICRO-FINE 1 ML 28 GAUGE X 1/2" SYRINGE \$0,PDS,MO	1	
BD INSULIN SYRINGE U-500 1/2 ML 31 GAUGE X 15/64" SYRINGE \$0,PDS,MO	1	
BD INSULIN SYRINGE ULTRA-FINE 0.3 ML 30 GAUGE X 1/2", 0.3 ML 31 GAUGE X 5/16", 0.5 ML 30 GAUGE X 1/2", 0.5 ML 31 GAUGE X 5/16", 1 ML 30 GAUGE X 1/2", 1 ML 31 GAUGE X 5/16 SYRINGE \$0,PDS,MO	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL- Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • \$0 – Vaccine/Diabetic • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
BD LO-DOSE MICRO-FINE IV 1/2 ML 28 GAUGE X 1/2" SYRINGE \$0,PDS,MO	1	
BD NANO 2ND GEN PEN NEEDLE 32 GAUGE X 5/32" NEEDLE \$0,PDS,MO	1	
BD SAFETYGLIDE INSULIN SYRINGE 0.3 ML 29 GAUGE X 1/2", 0.3 ML 31 GAUGE X 15/64", 0.3 ML 31 GAUGE X 5/16", 0.5 ML 29 GAUGE X 1/2", 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 15/64", 1 ML 29 GAUGE X 1/2", 1 ML 31 GAUGE X 15/64" SYRINGE \$0,PDS,MO	1	
BD SAFETYGLIDE SYRINGE 1 ML 27 GAUGE X 5/8" SYRINGE \$0,PDS,MO	1	
BD ULTRA-FINE MICRO PEN NEEDLE 32 GAUGE X 1/4" NEEDLE \$0,PDS,MO	1	
BD ULTRA-FINE MINI PEN NEEDLE 31 GAUGE X 3/16" NEEDLE \$0,PDS,MO	1	
BD ULTRA-FINE NANO PEN NEEDLE 32 GAUGE X 5/32" NEEDLE \$0,PDS,MO	1	
BD ULTRA-FINE ORIG PEN NEEDLE 29 GAUGE X 1/2" NEEDLE \$0,PDS,MO	1	
BD ULTRA-FINE SHORT PEN NEEDLE 31 GAUGE X 5/16" NEEDLE \$0,PDS,MO	1	
BD VEO INSULIN SYR (HALF UNIT) 0.3 ML 31 GAUGE X 15/64" SYRINGE \$0,PDS,MO	1	
BD VEO INSULIN SYRINGE UF 0.3 ML 31 GAUGE X 15/64", 1 ML 31 GAUGE X 15/64", 1/2 ML 31 GAUGE X 15/64" SYRINGE \$0,PDS,MO	1	
BEYFORTUS 100 MG/ML, 50 MG/0.5 ML SYRINGE DL	4	
BORDERED GAUZE 2 X 2 " BANDAGE \$0,MO	1	
<i>bupap</i> 50-300 mg TABLET MO	1	QL(180 per 30 days)
<i>butalbital-acetaminop-caf-cod</i> 50-300-40-30 mg CAPSULE DL	1	QL(180 per 30 days)
<i>butalbital-acetaminop-caf-cod</i> 50-325-40-30 mg CAPSULE DL	1	QL(360 per 30 days)
<i>butalbital-acetaminophen</i> 50-300 mg CAPSULE MO	1	QL(180 per 30 days)
<i>butalbital-acetaminophen</i> 50-300 mg, 50-325 mg TABLET MO	1	QL(180 per 30 days)
<i>butalbital-acetaminophen-caff</i> 50-300-40 mg, 50-325-40 mg CAPSULE MO	1	QL(180 per 30 days)
<i>butalbital-acetaminophen-caff</i> 50-325-40 mg TABLET MO	1	QL(180 per 30 days)
<i>butalbital-aspirin-caffeine</i> 50-325-40 mg CAPSULE MO	1	QL(180 per 30 days)
<i>butalbital-aspirin-caffeine</i> 50-325-40 mg TABLET MO	1	QL(180 per 30 days)
BYLVAY 1,200 MCG CAPSULE DL	4	PA,QL(150 per 30 days)
BYLVAY 200 MCG PELLET DL	4	PA,QL(360 per 30 days)
BYLVAY 400 MCG CAPSULE DL	4	PA,QL(420 per 30 days)
BYLVAY 600 MCG PELLET DL	4	PA,QL(120 per 30 days)
CAFCIT 60 MG/3 ML (20 MG/ML) SOLUTION MO	3	
<i>caffeine citrate</i> 60 mg/3 ml (20 mg/ml) SOLUTION MO	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL- Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • \$0 - Vaccine/Diabetic • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
<i>calcium disodium versenate 200 mg/ml SOLUTION</i> MO	1	
CARETOUCH ALCOHOL PREP PAD PADS, MEDICATED \$0,MO	1	
CERVIDIL 10 MG INSERT, ER MO	3	
CINVANTI 7.2 MG/ML EMULSION MO	3	PA,QL(36 per 28 days)
CLARINEX-D 12 HOUR 2.5-120 MG TABLET, ER 12 HR., MULTIPHASE MO	3	ST,QL(60 per 30 days)
CURITY ALCOHOL SWABS PADS, MEDICATED \$0,MO	1	
CURITY GAUZE 2 X 2 " BANDAGE \$0,MO	1	
DEFITELIO 80 MG/ML SOLUTION DL	4	PA
DERMACEA 2 X 2 " BANDAGE \$0,MO	1	
DOJOLVI 8.3 KCAL/ML LIQUID DL	4	PA
DROPLET INSULIN SYR(HALF UNIT) 0.5 ML 29 GAUGE X 1/2", 0.5 ML 30 GAUGE X 1/2", 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 15/64", 0.5 ML 31 GAUGE X 5/16", 0.5ML 30 GAUGE X 15/64" SYRINGE \$0,PDS,MO	1	
DROPLET INSULIN SYRINGE 0.3 ML 29 GAUGE X 1/2", 0.3 ML 30 GAUGE X 1/2", 0.3 ML 30 GAUGE X 15/64", 0.3 ML 30 GAUGE X 5/16", 0.3 ML 31 GAUGE X 15/64", 0.3 ML 31 GAUGE X 5/16", 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 1/2", 1 ML 30 GAUGE X 15/64", 1 ML 30 GAUGE X 5/16", 1 ML 31 GAUGE X 15/64", 1 ML 31 GAUGE X 5/16 SYRINGE \$0,PDS,MO	1	
DROPLET MICRON PEN NEEDLE 34 GAUGE X 9/64" NEEDLE \$0,PDS,MO	1	
DROPLET PEN NEEDLE 29 GAUGE X 1/2", 29 GAUGE X 3/8", 30 GAUGE X 5/16", 31 GAUGE X 1/4", 31 GAUGE X 3/16", 31 GAUGE X 5/16", 32 GAUGE X 1/4", 32 GAUGE X 3/16", 32 GAUGE X 5/16", 32 GAUGE X 5/32" NEEDLE \$0,PDS,MO	1	
DROPSAFE ALCOHOL PREP PADS PADS, MEDICATED \$0,MO	1	
DROPSAFE PEN NEEDLE 31 GAUGE X 1/4", 31 GAUGE X 3/16", 31 GAUGE X 5/16" NEEDLE \$0,PDS,MO	1	
DROXIA 200 MG, 300 MG, 400 MG CAPSULE MO	2	
EASY COMFORT ALCOHOL PAD PADS, MEDICATED \$0,MO	1	
EASY TOUCH ALCOHOL PREP PADS PADS, MEDICATED \$0,MO	1	
<i>edetate calcium disodium 200 mg/ml SOLUTION</i> DL	4	
ELYXYB 120 MG/4.8 ML (25 MG/ML) SOLUTION DL	4	ST,QL(43.2 per 30 days)
EMPAVELI 1,080 MG/20 ML SOLUTION DL	4	PA,QL(160 per 28 days)
ESGIC 50-325-40 MG CAPSULE MO	1	QL(180 per 30 days)
ESGIC 50-325-40 MG TABLET MO	1	QL(180 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL- Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • \$0 – Vaccine/Diabetic • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
FILSPARI 200 MG, 400 MG TABLET DL	4	PA,QL(30 per 30 days)
<i>fioricet</i> 50-300-40 mg CAPSULE MO	1	QL(180 per 30 days)
FIORICET WITH CODEINE 50-300-40-30 MG CAPSULE DL	3	QL(180 per 30 days)
<i>flumazenil</i> 0.1 mg/ml SOLUTION MO	1	
<i>fomepizole</i> 1 gram/ml SOLUTION MO	1	
GAUZE BANDAGE 2 X 2 " BANDAGE \$0,MO	1	
GAUZE PAD 2 X 2 " BANDAGE \$0,MO	1	
GIVLAARI 189 MG/ML SOLUTION DL	4	PA
IGALMI 120 MCG, 180 MCG FILM MO	3	PA
INCONTROL ALCOHOL PADS PADS, MEDICATED \$0,MO	1	
INSULIN SYRINGE 0.5 ML 29 GAUGE X 1/2" SYRINGE \$0,PDS,MO	1	
INSULIN SYRINGE MICROFINE 1 ML 27 GAUGE X 5/8", 1/2 ML 28 GAUGE X 1/2" SYRINGE \$0,PDS,MO	1	
INSULIN SYRINGE NEEDLELESS 1 ML SYRINGE \$0,PDS,MO	1	
INSULIN SYRINGE-NEEDLE U-100 1 ML 28 GAUGE X 1/2" SYRINGE \$0,PDS,MO	1	
IV PREP WIPES PADS, MEDICATED \$0,MO	1	
KORLYM 300 MG TABLET DL	4	PA,QL(120 per 30 days)
<i>lactated ringers</i> SOLUTION MO	1	
LAGEVRIO (EUA) 200 MG CAPSULE DL	4	QL(40 per 5 days)
LITFULO 50 MG CAPSULE DL	4	PA,QL(28 per 28 days)
LITHOSTAT 250 MG TABLET MO	3	
LIVMARLI 9.5 MG/ML SOLUTION DL	4	PA,QL(90 per 30 days)
<i>methylergonovine</i> 0.2 mg TABLET DL	4	
<i>methylergonovine</i> 0.2 mg/ml (1 ml) SOLUTION MO	1	
MYFEMBREE 40-1-0.5 MG TABLET DL	4	PA,QL(28 per 28 days)
<i>neomycin-polymyxin b gu</i> 40 mg-200,000 unit/ml SOLUTION MO	1	
NOVOPEN ECHO INSULIN PEN \$0,MO	1	
NURTEC ODT 75 MG TABLET, DISINTEGRATING	4	PA,QL(18 per 30 days)
OMNIPOD 5 G6 INTRO KIT (GEN 5) CARTRIDGE \$0,MO	2	
OMNIPOD 5 G6 PODS (GEN 5) CARTRIDGE \$0,MO	2	
OMNIPOD CLASSIC PODS (GEN 3) CARTRIDGE \$0,MO	2	
OMNIPOD DASH INTRO KIT (GEN 4) CARTRIDGE \$0,MO	2	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL- Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • \$0 – Vaccine/Diabetic • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
OMNIPOD DASH PODS (GEN 4) CARTRIDGE \$0,MO	2	
OMNIPOD GO PODS CARTRIDGE \$0,MO	2	
OMNIPOD GO PODS 10 UNITS/DAY CARTRIDGE \$0,MO	2	
OMNIPOD GO PODS 15 UNITS/DAY CARTRIDGE \$0,MO	2	
OMNIPOD GO PODS 20 UNITS/DAY CARTRIDGE \$0,MO	2	
OMNIPOD GO PODS 25 UNITS/DAY CARTRIDGE \$0,MO	2	
OMNIPOD GO PODS 30 UNITS/DAY CARTRIDGE \$0,MO	2	
OMNIPOD GO PODS 40 UNITS/DAY CARTRIDGE \$0,MO	2	
ORIAHNN 300-1-0.5MG(AM) /300 MG(PM) CAPSULE, SEQUENTIAL DL	4	PA,QL(56 per 28 days)
orlistat 120 mg CAPSULE MO	3	PA
OXBRYTA 300 MG TABLET DL	4	PA,QL(240 per 30 days)
OXBRYTA 300 MG TABLET FOR SUSPENSION DL	4	PA,QL(150 per 30 days)
OXBRYTA 500 MG TABLET DL	4	PA,QL(90 per 30 days)
OXLUMO 94.5 MG/0.5 ML SOLUTION	4	PA
oxytocin 10 unit/ml SOLUTION MO	1	
PALFORZIA (LEVEL 1) 3 MG (1 MG X 3) CAPSULE, SPRINKLE DL	3	PA
PALFORZIA (LEVEL 2) 6 MG (1 MG X 6) CAPSULE, SPRINKLE DL	3	PA
PALFORZIA (LEVEL 3) 12 MG (1 MG X 2, 10 MG X 1) CAPSULE, SPRINKLE DL	3	PA
PALFORZIA (LEVEL 4) 20 MG CAPSULE, SPRINKLE DL	3	PA
PALFORZIA (LEVEL 5) 40 MG (20 MG X 2) CAPSULE, SPRINKLE DL	3	PA
PALFORZIA (LEVEL 6) 80 MG (20 MG X 4) CAPSULE, SPRINKLE DL	3	PA
PALFORZIA (LEVEL 7) 120 MG (20 MG X 1, 100 MG X 1) CAPSULE, SPRINKLE DL	3	PA
PALFORZIA (LEVEL 8) 160 MG (20 MG X 3, 100 MG X1) CAPSULE, SPRINKLE DL	3	PA
PALFORZIA (LEVEL 9) 200 MG (100 MG X 2) CAPSULE, SPRINKLE DL	3	PA
PALFORZIA (LEVEL 10) 240 MG (20 MG X 2, 100 MG X 2) CAPSULE, SPRINKLE DL	3	PA
PALFORZIA (LEVEL 11 UP-DOSE) 300 MG POWDER IN PACKET DL	3	PA
PALFORZIA INITIAL DOSE 0.5/1/1.5/3/6 MG CAPSULE, SPRINKLE MO	3	PA
PALFORZIA LEVEL 11 MAINTENANCE 300 MG POWDER IN PACKET DL	3	PA
PAXLOVID 150-100 MG TABLET, DOSE PACK MO	2	QL(40 per 10 days)
PAXLOVID 300 MG (150 MG X 2)-100 MG TABLET, DOSE PACK MO	2	QL(60 per 10 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL- Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • \$0 – Vaccine/Diabetic • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
PEN NEEDLE, DIABETIC 29 GAUGE X 1/2", 31 GAUGE X 1/4", 31 GAUGE X 3/16", 31 GAUGE X 5/16", 32 GAUGE X 5/32", 33 GAUGE X 5/32" NEEDLE \$0,PDS,MO	1	
<i>phenazopyridine 100 mg, 200 mg TABLET</i> MO	1	
PHEXXI 1.8-1-0.4 % GEL MO	3	QL(60 per 30 days)
PHYSIOLYTE 140-5-3-98 MEQ/L SOLUTION MO	1	
PHYSIOSOL IRRIGATION 140-5-3-98 MEQ/L SOLUTION MO	1	
PITOCIN 10 UNIT/ML SOLUTION MO	3	
PREVDUO 0.6 MG-3 MG/3ML (0.2 MG-1MG/ML) SYRINGE MO	3	
PRIALT 100 MCG/ML, 25 MCG/ML SOLUTION DL	4	PA
PRO COMFORT ALCOHOL PADS PADS, MEDICATED \$0,MO	1	
<i>promethazine vc 6.25-5 mg/5 ml SYRUP</i> MO	1	
<i>promethazine-phenylephrine 6.25-5 mg/5 ml SYRUP</i> MO	1	
<i>protamine 10 mg/ml SOLUTION</i> MO	1	
PURE COMFORT ALCOHOL PADS PADS, MEDICATED \$0,MO	1	
PYRIDIUM 100 MG, 200 MG TABLET MO	3	
QUTENZA 8 % KIT DL	4	PA
REBYOTA 150 ML ENEMA DL	4	PA
RECTIV 0.4 % (W/W) OINTMENT MO	3	QL(30 per 30 days)
RENACIDIN 1980.6 MG-59.4 MG-980.4MG/30ML SOLUTION MO	3	
<i>ribavirin 6 gram RECON SOLUTION</i> DL	4	BvsD
RIMSO-50 50 % SOLUTION DL	4	
<i>ringer's SOLUTION</i> MO	1	
SIKLOS 1,000 MG, 100 MG TABLET MO	3	PA
<i>sodium benzoate-sod phenylacet 10-10 % SOLUTION</i> DL	4	
<i>sodium chloride 0.9 % SOLUTION</i> MO	1	
SOHONOS 1 MG, 1.5 MG, 10 MG, 2.5 MG, 5 MG CAPSULE DL	4	PA
<i>sorbitol-mannitol 2.7-0.54 gram/100 ml SOLUTION</i> MO	1	
SURE COMFORT ALCOHOL PREP PADS PADS, MEDICATED \$0,MO	1	
SURE-PREP ALCOHOL PREP PADS PADS, MEDICATED \$0,MO	1	
SYNAGIS 100 MG/ML, 50 MG/0.5 ML SOLUTION DL	4	PA
<i>tencon 50-325 mg TABLET</i> MO	1	QL(180 per 30 days)
TEPEZZA 500 MG RECON SOLUTION DL	4	PA

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL- Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • \$0 - Vaccine/Diabetic • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
TRUE COMFORT ALCOHOL PADS PADS, MEDICATED \$0,MO	1	
TRUE COMFORT PRO ALCOHOL PADS PADS, MEDICATED \$0,MO	1	
TZIELD 1 MG/ML SOLUTION DL	4	PA,QL(28 per 365 days)
UBRELVY 100 MG, 50 MG TABLET MO	2	PA,QL(16 per 30 days)
ULTILET ALCOHOL SWAB PADS, MEDICATED \$0,MO	1	
V-GO 20 DEVICE \$0,MO	2	
V-GO 30 DEVICE \$0,MO	2	
V-GO 40 DEVICE \$0,MO	2	
VEOZAH 45 MG TABLET MO	3	PA,QL(30 per 30 days)
VIRAZOLE 6 GRAM RECON SOLUTION DL	4	BvsD
VOWST CAPSULE DL	4	PA
VOXZOGO 0.4 MG, 0.56 MG, 1.2 MG RECON SOLUTION DL	4	PA,QL(30 per 30 days)
vtol lq 50-325-40 mg/15 ml SOLUTION DL	4	QL(450 per 30 days)
VYJUVEK 5 X 10EXP9 PFU/2.5 ML GEL DL	4	PA,QL(10 per 28 days)
water for irrigation, sterile SOLUTION MO	1	
WEBCOL PADS, MEDICATED \$0,MO	1	
XDEMVI 0.25 % DROPS	4	PA,QL(10 per 42 days)
XENICAL 120 MG CAPSULE MO	3	PA
YCANTH 0.7 % SOLUTION W/APPLICATOR DL	4	PA
ZAVZPRET 10 MG/ACTUATION SPRAY, NON-AEROSOL DL	4	PA,QL(8 per 30 days)
ZEBUTAL 50-325-40 MG CAPSULE MO	1	QL(180 per 30 days)
zingiber 1.2 mg-40 mg- 124.1 mg-100 mg TABLET MO	1	
ZYNRELEF 200 MG-6 MG /7 ML, 400 MG-12 MG /14 ML ER SOLUTION MO	3	
OPHTHALMIC AGENTS		
ACULAR 0.5 % DROPS MO	3	ST,QL(10 per 30 days)
ACULAR LS 0.4 % DROPS MO	3	ST,QL(10 per 30 days)
ACUVAIL (PF) 0.45 % DROPPERETTE MO	3	ST
ak-poly-bac 500-10,000 unit/gram OINTMENT MO	1	
ALCAINE 0.5 % DROPS MO	1	
ALOCRIL 2 % DROPS MO	3	
ALOMIDE 0.1 % DROPS MO	3	
ALPHAGAN P 0.1 % DROPS MO	2	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL- Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • \$0 - Vaccine/Diabetic • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
ALPHAGAN P 0.15 % DROPS MO	3	PA
ALREX 0.2 % DROPS, SUSPENSION MO	3	ST
<i>apraclonidine 0.5 % DROPS</i> MO	1	
<i>atropine 1 % DROPS</i> MO	1	
ATROPINE SULFATE (PF) 1 % DROPPERETTE MO	1	
AZASITE 1 % DROPS MO	3	ST,QL(2.5 per 25 days)
<i>azelastine 0.05 % DROPS</i> MO	1	
AZOPT 1 % DROPS, SUSPENSION MO	3	ST,QL(10 per 28 days)
<i>bacitracin 500 unit/gram OINTMENT</i> MO	1	
<i>bacitracin-polymyxin b 500-10,000 unit/gram OINTMENT</i> MO	1	
<i>balanced salt SOLUTION</i> MO	1	
<i>bepotastine besilate 1.5 % DROPS</i> MO	1	ST,QL(5 per 25 days)
BEPREVE 1.5 % DROPS MO	3	ST,QL(5 per 25 days)
BESIVANCE 0.6 % DROPS, SUSPENSION MO	3	ST
BETADINE OPHTHALMIC PREP 5 % SOLUTION MO	3	
<i>betaxolol 0.5 % DROPS</i> MO	1	
BETIMOL 0.25 %, 0.5 % DROPS MO	3	ST
BETOPTIC S 0.25 % DROPS, SUSPENSION MO	3	ST
<i>bimatoprost 0.03 % DROPS</i> MO	1	QL(2.5 per 25 days)
BLEPHAMIDE 10-0.2 % DROPS, SUSPENSION MO	3	
<i>brimonidine 0.15 % DROPS</i> MO	1	
<i>brimonidine 0.2 % DROPS</i> MO	1	
<i>brinzolamide 1 % DROPS, SUSPENSION</i> MO	1	ST,QL(10 per 28 days)
<i>bromfenac 0.07 % DROPS</i> MO	1	ST,QL(3 per 30 days)
<i>bromfenac 0.09 % DROPS</i> MO	1	QL(1.7 per 30 days)
BROMSITE 0.075 % DROPS MO	3	ST,QL(5 per 30 days)
BSS SOLUTION MO	3	
BSS PLUS SOLUTION MO	3	
<i>carteolol 1 % DROPS</i> MO	1	
CEQUA 0.09 % DROPPERETTE MO	3	PA,QL(60 per 30 days)
CILOXAN 0.3 % DROPS MO	3	
CILOXAN 0.3 % OINTMENT MO	3	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL- Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • \$0 - Vaccine/Diabetic • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
<i>ciprofloxacin hcl 0.3 % DROPS</i> MO	1	
COMBIGAN 0.2-0.5 % DROPS MO	2	QL(5 per 25 days)
COSOPT 22.3-6.8 MG/ML DROPS MO	3	ST
COSOPT (PF) 2-0.5 % DROPPERETTE MO	3	ST,QL(60 per 30 days)
<i>cromolyn 4 % DROPS</i> MO	1	
<i>cyclopentolate 0.5 %, 1 %, 2 % DROPS</i> MO	1	
CYSTADROPS 0.37 % DROPS DL	4	PA,QL(20 per 28 days)
CYSTARAN 0.44 % DROPS DL	4	PA,QL(60 per 28 days)
<i>dexamethasone sodium phosphate 0.1 % DROPS</i> MO	1	
DEXTENZA 0.4 MG INSERT MO	3	QL(1 per 30 days)
<i>diclofenac sodium 0.1 % DROPS</i> MO	1	
<i>difluprednate 0.05 % DROPS</i> MO	1	ST
<i>dorzolamide 2 % DROPS</i> MO	1	
<i>dorzolamide-timolol 22.3-6.8 mg/ml DROPS</i> MO	1	
<i>dorzolamide-timolol (pf) 2-0.5 % DROPPERETTE</i> MO	1	QL(60 per 30 days)
DUREZOL 0.05 % DROPS MO	3	ST
DURYSTA 10 MCG IMPLANT DL	4	PA
<i>epinastine 0.05 % DROPS</i> MO	1	ST,QL(5 per 25 days)
<i>erythromycin 5 mg/gram (0.5 %) OINTMENT</i> MO	1	QL(3.5 per 28 days)
EYSUVIS 0.25 % DROPS, SUSPENSION MO	2	QL(16.6 per 30 days)
FLAREX 0.1 % DROPS, SUSPENSION MO	3	ST
<i>fluorometholone 0.1 % DROPS, SUSPENSION</i> MO	1	
<i>flurbiprofen sodium 0.03 % DROPS</i> MO	1	
FML FORTE 0.25 % DROPS, SUSPENSION MO	3	ST
FML LIQUIFILM 0.1 % DROPS, SUSPENSION MO	3	ST
<i>gatifloxacin 0.5 % DROPS</i> MO	1	QL(2.5 per 25 days)
<i>gentak 0.3 % (3 mg/gram) OINTMENT</i> MO	1	
<i>gentamicin 0.3 % DROPS</i> MO	1	
ILEVRO 0.3 % DROPS, SUSPENSION MO	2	QL(3 per 30 days)
INVELTYS 1 % DROPS, SUSPENSION MO	3	ST
IOPIDINE 1 % DROPPERETTE MO	3	
ISOPTO CARPINE 1 %, 2 % DROPS MO	3	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL- Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • \$0 - Vaccine/Diabetic • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
ISTALOL 0.5 % DROPS, ONCE DAILY MO	3	
IYUZEH 0.005 % DROPPERETTE MO	3	ST,QL(30 per 30 days)
ketorolac 0.4 % DROPS MO	1	QL(10 per 30 days)
ketorolac 0.5 % DROPS MO	1	QL(10 per 30 days)
LACRISERT 5 MG INSERT MO	3	
latanoprost 0.005 % DROPS MO	1	QL(5 per 25 days)
levobunolol 0.5 % DROPS MO	1	
levofloxacin 0.5 %, 1.5 % DROPS MO	1	
LOTEMAX 0.5 % DROPS, GEL MO	3	ST
LOTEMAX 0.5 % DROPS, SUSPENSION MO	3	ST
LOTEMAX 0.5 % OINTMENT MO	3	ST
LOTEMAX SM 0.38 % DROPS, GEL MO	3	
loteprednol etabonate 0.2 %, 0.5 % DROPS, SUSPENSION MO	1	ST
loteprednol etabonate 0.5 % DROPS, GEL MO	1	ST
LUMIGAN 0.01 % DROPS MO	2	QL(2.5 per 25 days)
MAXIDEX 0.1 % DROPS, SUSPENSION MO	3	ST
MAXITROL 3.5 MG/G-10,000 UNIT/G-0.1 % OINTMENT MO	3	
MAXITROL 3.5MG/ML-10,000 UNIT/ML-0.1 % DROPS, SUSPENSION MO	1	
MIEBO 100 % DROPS MO	3	PA,QL(3 per 30 days)
MIOSTAT 0.01 % SOLUTION MO	3	
MOXEZA 0.5 % DROPS, VISCOUS MO	3	ST
moxifloxacin 0.5 % DROPS MO	1	
moxifloxacin 0.5 % DROPS, VISCOUS MO	1	ST
NATACYN 5 % DROPS, SUSPENSION MO	3	
neo-polycin 3.5-400-10,000 mg-unit-unit/g OINTMENT MO	1	
neo-polycin hc 3.5-400-10,000 mg-unit/g-1% OINTMENT MO	1	
neomycin-bacitracin-poly-hc 3.5-400-10,000 mg-unit/g-1% OINTMENT MO	1	
neomycin-bacitracin-polymyxin 3.5-400-10,000 mg-unit-unit/g OINTMENT MO	1	
neomycin-polymyxin b-dexameth 3.5 mg/g-10,000 unit/g-0.1 % OINTMENT MO	1	
neomycin-polymyxin b-dexameth 3.5mg/ml-10,000 unit/ml-0.1 % DROPS, SUSPENSION MO	1	
neomycin-polymyxin-gramicidin 1.75 mg-10,000 unit-0.025mg/ml DROPS MO	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL- Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • \$0 - Vaccine/Diabetic • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
neomycin-polymyxin-hc 3.5-10,000-10 mg-unit-mg/ml DROPS, SUSPENSION MO	1	
NEVANAC 0.1 % DROPS, SUSPENSION MO	3	ST
OCUFLOX 0.3 % DROPS MO	3	
ofloxacin 0.3 % DROPS MO	1	
olopatadine 0.1 %, 0.2 % DROPS MO	1	
OXERVATE 0.002 % DROPS DL	4	PA,QL(112 per 365 days)
PHOSPHOLINE IODIDE 0.125 % DROPS MO	3	
pilocarpine hcl 1 %, 2 %, 4 % DROPS MO	1	
polycin 500-10,000 unit/gram OINTMENT MO	1	
polymyxin b sulf-trimethoprim 10,000 unit- 1 mg/ml DROPS MO	1	
POLYTRIM 10,000 UNIT- 1 MG/ML DROPS MO	3	
PRED FORTE 1 % DROPS, SUSPENSION MO	3	ST
PRED MILD 0.12 % DROPS, SUSPENSION MO	3	ST
PRED-G 0.3-1 % DROPS, SUSPENSION MO	3	
prednisolone acetate 1 % DROPS, SUSPENSION MO	1	
prednisolone sodium phosphate 1 % DROPS MO	1	
PROLENSA 0.07 % DROPS MO	3	ST,QL(3 per 30 days)
proparacaine 0.5 % DROPS MO	1	
RESTASIS 0.05 % DROPPERETTE MO	2	QL(60 per 30 days)
RESTASIS MULTIDOSE 0.05 % DROPS MO	2	QL(5.5 per 25 days)
RHOPRESSA 0.02 % DROPS MO	2	ST,QL(2.5 per 25 days)
ROCKLATAN 0.02-0.005 % DROPS MO	2	ST,QL(2.5 per 25 days)
SIMBRINZA 1-0.2 % DROPS, SUSPENSION MO	3	QL(16 per 30 days)
sulfacetamide sodium 10 % DROPS MO	1	
sulfacetamide-prednisolone 10 %-0.23 % (0.25 %) DROPS MO	1	
tafluprost (pf) 0.0015 % DROPPERETTE MO	3	ST,QL(30 per 30 days)
timolol maleate 0.25 % DROPS MO	1	
timolol maleate 0.25 %, 0.5 % GEL FORMING SOLUTION MO	1	
timolol maleate 0.5 % DROPS MO	1	
timolol maleate 0.5 % DROPS, ONCE DAILY MO	1	
timolol maleate (pf) 0.25 %, 0.5 % DROPPERETTE MO	1	
TIMOPTIC 0.25 %, 0.5 % DROPS MO	3	ST

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL- Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • \$0 - Vaccine/Diabetic • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
TIMOPTIC OCUDOSE (PF) 0.25 %, 0.5 % DROPPERETTE MO	3	ST
TIMOPTIC-XE 0.25 %, 0.5 % GEL FORMING SOLUTION MO	3	PA
TOBRADEX 0.3-0.1 % DROPS, SUSPENSION MO	3	
TOBRADEX 0.3-0.1 % OINTMENT MO	3	
TOBRADEX ST 0.3-0.05 % DROPS, SUSPENSION MO	3	
<i>tobramycin 0.3 % DROPS</i> MO	1	
<i>tobramycin-dexamethasone 0.3-0.1 % DROPS, SUSPENSION</i> MO	1	
TOBREX 0.3 % OINTMENT MO	3	
TRAVATAN Z 0.004 % DROPS MO	3	ST,QL(2.5 per 25 days)
<i>travoprost 0.004 % DROPS</i> MO	1	QL(2.5 per 25 days)
<i>trifluridine 1 % DROPS</i> MO	1	
<i>tropicamide 0.5 %, 1 % DROPS</i> MO	1	
TRUSOPT 2 % DROPS MO	3	
TYRVAYA 0.03 MG/SPRAY SPRAY, METERED, NON-AEROSOL MO	3	PA,QL(8.4 per 30 days)
VERKAZIA 0.1 % DROPPERETTE DL	4	PA,QL(120 per 30 days)
VIGAMOX 0.5 % DROPS MO	3	PA
VUITY 1.25 % DROPS MO	3	
VYZULTA 0.024 % DROPS MO	3	QL(2.5 per 25 days)
XALATAN 0.005 % DROPS MO	3	PA,QL(5 per 25 days)
XELPROS 0.005 % DROPS, EMULSION MO	3	ST,QL(2.5 per 25 days)
XIIDRA 5 % DROPPERETTE MO	3	PA,QL(60 per 30 days)
ZERVIAE 0.24 % DROPPERETTE MO	3	QL(60 per 30 days)
ZIOPTAN (PF) 0.0015 % DROPPERETTE MO	3	ST,QL(30 per 30 days)
ZYLET 0.3-0.5 % DROPS, SUSPENSION MO	3	
ZYMAXID 0.5 % DROPS MO	3	ST,QL(2.5 per 25 days)
OTIC AGENTS		
CIPRO HC 0.2-1 % DROPS, SUSPENSION MO	3	
CIPRODEX 0.3-0.1 % DROPS, SUSPENSION MO	3	QL(7.5 per 30 days)
<i>ciprofloxacin hcl 0.2 % DROPPERETTE</i> MO	1	
<i>ciprofloxacin-dexamethasone 0.3-0.1 % DROPS, SUSPENSION</i> MO	3	QL(7.5 per 30 days)
<i>ciprofloxacin-fluocinolone 0.3-0.025 % (0.25 ml) SOLUTION</i> MO	3	
CORTISPORIN-TC 3.3-3-10-0.5 MG/ML DROPS, SUSPENSION MO	3	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL- Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • \$0 - Vaccine/Diabetic • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
DERMOTIC OIL 0.01 % DROPS MO	3	
flac otic oil 0.01 % DROPS MO	1	
fluocinolone acetonide oil 0.01 % DROPS MO	1	
hydrocortisone-acetic acid 1-2 % DROPS MO	1	
neomycin-polymyxin-hc 3.5-10,000-1 mg/ml-unit/ml-% DROPS, SUSPENSION MO	1	
neomycin-polymyxin-hc 3.5-10,000-1 mg/ml-unit/ml-% SOLUTION MO	1	
ofloxacin 0.3 % DROPS MO	1	
OTOVEL 0.3-0.025 % (0.25 ML) SOLUTION MO	3	
RESPIRATORY TRACT/PULMONARY AGENTS		
ACCOLATE 10 MG, 20 MG TABLET MO	3	PA,QL(60 per 30 days)
acetylcysteine 100 mg/ml (10 %), 200 mg/ml (20 %) SOLUTION MO	1	BvsD
ADCIRCA 20 MG TABLET DL	4	PA,QL(60 per 30 days)
ADEMPAS 0.5 MG, 1 MG, 1.5 MG, 2 MG, 2.5 MG TABLET DL,LA	4	PA,QL(90 per 30 days)
ADRENALIN 1 MG/ML, 1 MG/ML (1 ML) SOLUTION MO	3	
ADVAIR DISKUS 100-50 MCG/DOSE, 250-50 MCG/DOSE, 500-50 MCG/DOSE BLISTER WITH DEVICE MO	3	ST,QL(60 per 30 days)
ADVAIR HFA 115-21 MCG/ACTUATION, 230-21 MCG/ACTUATION, 45-21 MCG/ACTUATION HFA AEROSOL INHALER MO	2	QL(12 per 30 days)
AIRDUO DIGIHALER 113 MCG-14 MCG/ACTUATION, 232-14 MCG/ACTUATION, 55-14 MCG/ACTUATION AEROSOL POWDER BREATH ACTIV. MO	3	ST,QL(1 per 30 days)
AIRDUO RESPICLICK 113-14 MCG/ACTUATION, 232-14 MCG/ACTUATION, 55-14 MCG/ACTUATION AEROSOL POWDER BREATH ACTIV. MO	3	ST,QL(1 per 30 days)
AIRSUPRA 90-80 MCG/ACTUATION HFA AEROSOL INHALER DL	4	PA,QL(32.1 per 30 days)
albuterol sulfate 0.63 mg/3 ml, 1.25 mg/3 ml, 2.5 mg /3 ml (0.083 %), 2.5 mg/0.5 ml, 5 mg/ml SOLUTION FOR NEBULIZATION MO	1	BvsD
albuterol sulfate 2 mg, 4 mg TABLET MO	1	
albuterol sulfate 2 mg/5 ml SYRUP MO	1	
albuterol sulfate 4 mg, 8 mg TABLET, ER 12 HR. MO	1	
albuterol sulfate 90 mcg/actuation HFA AEROSOL INHALER MO	1	QL(36 per 30 days)
ALVESCO 160 MCG/ACTUATION, 80 MCG/ACTUATION HFA AEROSOL INHALER MO	3	ST,QL(18.3 per 28 days)
alyq 20 mg TABLET MO	1	PA,QL(60 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL- Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • \$0 - Vaccine/Diabetic • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
<i>ambrisentan 10 mg, 5 mg TABLET</i> DL	4	PA,QL(30 per 30 days)
<i>aminophylline 250 mg/10 ml, 500 mg/20 ml SOLUTION</i> MO	1	
ANORO ELLIPTA 62.5-25 MCG/ACTUATION BLISTER WITH DEVICE MO	3	PA,QL(60 per 30 days)
<i>arformoterol 15 mcg/2 ml SOLUTION FOR NEBULIZATION</i> MO	1	BvsD,QL(120 per 30 days)
ARMONAIR DIGIHALER 113 MCG/ACTUATION, 232 MCG/ACTUATION, 55 MCG/ACTUATION AEROSOL POWDER BREATH ACTIV. MO	3	ST,QL(1 per 30 days)
ARNUITY ELLIPTA 100 MCG/ACTUATION, 200 MCG/ACTUATION, 50 MCG/ACTUATION BLISTER WITH DEVICE MO	2	QL(30 per 30 days)
ASMANEX HFA 100 MCG/ACTUATION, 200 MCG/ACTUATION, 50 MCG/ACTUATION HFA AEROSOL INHALER MO	3	ST,QL(13 per 30 days)
ASMANEX TWISTHALER 110 MCG/ ACTUATION (30), 220 MCG/ ACTUATION (120), 220 MCG/ ACTUATION (14), 220 MCG/ ACTUATION (30), 220 MCG/ ACTUATION (60) AEROSOL POWDER BREATH ACTIV. MO	3	ST,QL(1 per 28 days)
ATROVENT HFA 17 MCG/ACTUATION HFA AEROSOL INHALER MO	3	QL(25.8 per 30 days)
AUVI-Q 0.1 MG/0.1 ML, 0.15 MG/0.15 ML, 0.3 MG/0.3 ML AUTO-INJECTOR MO	2	QL(4 per 30 days)
<i>azelastine 137 mcg (0.1 %) AEROSOL SPRAY</i> MO	1	QL(30 per 25 days)
<i>azelastine 205.5 mcg (0.15 %) SPRAY, NON-AEROSOL</i> MO	1	QL(30 per 25 days)
<i>azelastine-fluticasone 137-50 mcg/spray SPRAY, NON-AEROSOL</i> MO	1	ST,QL(23 per 28 days)
BECONASE AQ 42 MCG (0.042 %) SPRAY, NON-AEROSOL MO	3	ST,QL(50 per 30 days)
BEVESPI AEROSPHERE 9-4.8 MCG HFA AEROSOL INHALER MO	3	QL(10.7 per 30 days)
<i>bosentan 125 mg, 62.5 mg TABLET</i> DL	4	PA,QL(60 per 30 days)
BREO ELLIPTA 100-25 MCG/DOSE, 200-25 MCG/DOSE BLISTER WITH DEVICE MO	2	QL(60 per 30 days)
BREO ELLIPTA 50-25 MCG/DOSE BLISTER WITH DEVICE MO	2	QL(60 per 30 days)
BREZTRI AEROSPHERE 160-9-4.8 MCG/ACTUATION HFA AEROSOL INHALER MO	2	QL(10.7 per 30 days)
BRONCHITOL 40 MG CAPSULE, W/INHALATION DEVICE DL	4	PA,QL(560 per 28 days)
BROVANA 15 MCG/2 ML SOLUTION FOR NEBULIZATION	4	BvsD,QL(120 per 30 days)
<i>budesonide 0.25 mg/2 ml, 0.5 mg/2 ml, 1 mg/2 ml SUSPENSION FOR NEBULIZATION</i> MO	1	BvsD
<i>carbinoxamine maleate 4 mg TABLET</i> MO	1	
<i>carbinoxamine maleate 4 mg/5 ml LIQUID</i> MO	1	
<i>carbinoxamine maleate 6 mg TABLET</i> DL	4	QL(120 per 30 days)
CAYSTON 75 MG/ML SOLUTION FOR NEBULIZATION DL	4	PA,QL(84 per 28 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL- Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • \$0 - Vaccine/Diabetic • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
cetirizine 1 mg/ml SOLUTION MO	1	QL(300 per 30 days)
CINQAIR 10 MG/ML SOLUTION DL	4	PA
CLARINEX 5 MG TABLET MO	3	PA,QL(30 per 30 days)
clemastine 0.5 mg/5 ml SYRUP DL	4	PA,QL(1800 per 30 days)
clemastine 2.68 mg TABLET MO	1	
COMBIVENT RESPIMAT 20-100 MCG/ACTUATION MIST MO	3	QL(4 per 20 days)
cromolyn 100 mg/5 ml CONCENTRATE MO	1	
cromolyn 20 mg/2 ml SOLUTION FOR NEBULIZATION MO	1	BvsD
cyproheptadine 2 mg/5 ml SYRUP MO	1	
cyproheptadine 4 mg TABLET MO	1	
DALIRES 250 MCG TABLET MO	3	PA,QL(28 per 365 days)
DALIRES 500 MCG TABLET MO	3	PA,QL(30 per 30 days)
desloratadine 2.5 mg, 5 mg TABLET, DISINTEGRATING MO	1	ST,QL(30 per 30 days)
desloratadine 5 mg TABLET MO	1	QL(30 per 30 days)
dexchlorpheniramine maleate 2 mg/5 ml SOLUTION MO	1	PA
DIPHEN 12.5 MG/5 ML ELIXIR MO	1	
diphen 12.5 mg/5 ml ELIXIR MO	1	
diphenhydramine hcl 12.5 mg/5 ml ELIXIR MO	1	
diphenhydramine hcl 50 mg/ml SOLUTION MO	1	
diphenhydramine hcl 50 mg/ml SYRINGE MO	1	
DOPRAM 20 MG/ML SOLUTION MO	3	
DUAKLIR PRESSAIR 400-12 MCG/ACTUATION AEROSOL POWDER BREATH ACTIV. MO	3	PA,QL(1 per 30 days)
DULERA 100-5 MCG/ACTUATION, 200-5 MCG/ACTUATION, 50-5 MCG/ACTUATION HFA AEROSOL INHALER MO	3	ST,QL(13 per 30 days)
DYMISTA 137-50 MCG/SPRAY SPRAY, NON-AEROSOL MO	3	ST,QL(23 per 28 days)
ELIXOPHYLLIN 80 MG/15 ML ELIXIR MO	1	
epinephrine 0.15 mg/0.15 ml, 0.15 mg/0.3 ml, 0.3 mg/0.3 ml AUTO-INJECTOR MO	1	QL(4 per 30 days)
EPIPEN 0.3 MG/0.3 ML AUTO-INJECTOR MO	3	PA,QL(4 per 30 days)
EPIPEN 2-PAK 0.3 MG/0.3 ML AUTO-INJECTOR MO	3	PA,QL(4 per 30 days)
EPIPEN JR 0.15 MG/0.3 ML AUTO-INJECTOR MO	3	PA,QL(4 per 30 days)
EPIPEN JR 2-PAK 0.15 MG/0.3 ML AUTO-INJECTOR MO	3	PA,QL(4 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL- Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • \$0 - Vaccine/Diabetic • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
epoprostenol 0.5 mg, 1.5 mg RECON SOLUTION DL	4	PA
epoprostenol (glycine) 0.5 mg, 1.5 mg RECON SOLUTION DL	4	PA
ESBRIET 267 MG CAPSULE DL	4	PA,QL(270 per 30 days)
ESBRIET 267 MG TABLET DL	4	PA,QL(270 per 30 days)
ESBRIET 801 MG TABLET DL	4	PA,QL(90 per 30 days)
FASENRA 30 MG/ML SYRINGE DL	4	PA,QL(1 per 28 days)
FASENRA PEN 30 MG/ML AUTO-INJECTOR DL	4	PA,QL(1 per 28 days)
flunisolide 25 mcg (0.025 %) SPRAY, NON-AEROSOL MO	1	QL(50 per 30 days)
fluticasone propion-salmeterol 100-50 mcg/dose, 500-50 mcg/dose BLISTER WITH DEVICE MO	1	QL(60 per 30 days)
fluticasone propion-salmeterol 113-14 mcg/actuation, 232-14 mcg/actuation, 55-14 mcg/actuation AEROSOL POWDER BREATH ACTIV. MO	2	QL(1 per 30 days)
fluticasone propion-salmeterol 250-50 mcg/dose BLISTER WITH DEVICE MO	1	QL(60 per 30 days)
fluticasone propionate 100 mcg/actuation, 250 mcg/actuation, 50 mcg/actuation BLISTER WITH DEVICE MO	3	ST,QL(60 per 30 days)
fluticasone propionate 110 mcg/actuation, 220 mcg/actuation HFA AEROSOL INHALER MO	3	ST,QL(24 per 30 days)
fluticasone propionate 44 mcg/actuation HFA AEROSOL INHALER MO	3	ST,QL(10.6 per 30 days)
fluticasone propionate 50 mcg/actuation SPRAY, SUSPENSION MO	1	QL(16 per 30 days)
formoterol fumarate 20 mcg/2 ml SOLUTION FOR NEBULIZATION MO	1	BvsD,QL(120 per 30 days)
GASTROCROM 100 MG/5 ML CONCENTRATE MO	3	
GRASTEK 2,800 BAU SUBLINGUAL TABLET MO	3	PA,QL(30 per 30 days)
hydroxyzine pamoate 100 mg, 50 mg CAPSULE MO	1	
hydroxyzine pamoate 25 mg CAPSULE MO	1	
INCRUSE ELLIPTA 62.5 MCG/ACTUATION BLISTER WITH DEVICE MO	3	PA,QL(30 per 30 days)
ipratropium bromide 0.02 % SOLUTION MO	1	BvsD
ipratropium bromide 21 mcg (0.03 %) SPRAY, NON-AEROSOL MO	1	QL(30 per 30 days)
ipratropium bromide 42 mcg (0.06 %) SPRAY, NON-AEROSOL MO	1	QL(45 per 30 days)
ipratropium-albuterol 0.5 mg-3 mg(2.5 mg base)/3 ml SOLUTION FOR NEBULIZATION MO	1	BvsD
KALYDECO 13.4 MG, 25 MG, 5.8 MG, 50 MG, 75 MG GRANULES IN PACKET DL	4	PA,QL(56 per 28 days)
KALYDECO 150 MG TABLET DL	4	PA,QL(60 per 30 days)
KARBINAL ER 4 MG/5 ML SUSPENSION, ER 12 HR. MO	3	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL- Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • \$0 - Vaccine/Diabetic • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
LETAIRIS 10 MG, 5 MG TABLET DL	4	PA,QL(30 per 30 days)
levalbuterol hcl 0.31 mg/3 ml, 0.63 mg/3 ml, 1.25 mg/0.5 ml, 1.25 mg/3 ml SOLUTION FOR NEBULIZATION MO	1	BvsD
levalbuterol tartrate 45 mcg/actuation HFA AEROSOL INHALER MO	1	ST,QL(30 per 30 days)
levocetirizine 2.5 mg/5 ml SOLUTION MO	1	QL(300 per 30 days)
levocetirizine 5 mg TABLET MO	1	QL(30 per 30 days)
LIQREV 10 MG/ML SUSPENSION DL	4	PA,QL(180 per 30 days)
LONHALA MAGNAIR REFILL 25 MCG/ML SOLUTION FOR NEBULIZATION DL	4	PA,QL(60 per 30 days)
LONHALA MAGNAIR STARTER 25 MCG/ML SOLUTION FOR NEBULIZATION DL	4	PA,QL(60 per 365 days)
mometasone 50 mcg/actuation SPRAY, NON-AEROSOL MO	1	QL(34 per 30 days)
montelukast 10 mg TABLET MO	1	QL(30 per 30 days)
montelukast 4 mg GRANULES IN PACKET MO	1	QL(30 per 30 days)
montelukast 4 mg, 5 mg CHEWABLE TABLET MO	1	QL(30 per 30 days)
NUCALA 100 MG RECON SOLUTION DL	4	PA,QL(3 per 28 days)
NUCALA 100 MG/ML AUTO-INJECTOR DL	4	PA,QL(3 per 28 days)
NUCALA 100 MG/ML SYRINGE DL	4	PA,QL(3 per 28 days)
NUCALA 40 MG/0.4 ML SYRINGE DL	4	PA,QL(0.4 per 28 days)
ODACTRA 12 SQ-HDM SUBLINGUAL TABLET MO	3	PA,QL(30 per 30 days)
OFEV 100 MG, 150 MG CAPSULE DL,LA	4	PA,QL(60 per 30 days)
olopatadine 0.6 % SPRAY, NON-AEROSOL MO	1	ST,QL(30.5 per 30 days)
OMNARIS 50 MCG SPRAY, NON-AEROSOL MO	3	ST,QL(12.5 per 30 days)
OPSUMIT 10 MG TABLET DL,LA	4	PA,QL(30 per 30 days)
ORALAIR 100 INDX REACTIVITY, 100 IR (3) /300 IR (6), 300 INDX REACTIVITY SUBLINGUAL TABLET MO	3	PA,QL(30 per 30 days)
ORENITRAM 0.125 MG TABLET ER DL	4	PA,QL(1000 per 30 days)
ORENITRAM 0.25 MG TABLET ER DL	4	PA,QL(500 per 30 days)
ORENITRAM 1 MG TABLET ER DL	4	PA,QL(720 per 30 days)
ORENITRAM 2.5 MG TABLET ER DL	4	PA,QL(300 per 30 days)
ORENITRAM 5 MG TABLET ER DL	4	PA,QL(150 per 30 days)
ORENITRAM MONTH 1 TITRATION KT 0.125 MG (126)- 0.25 MG (42) TABLET, ER, DOSE PACK DL	4	PA,QL(168 per 28 days)
ORENITRAM MONTH 2 TITRATION KT 0.125 MG (126)- 0.25 MG (210) TABLET, ER, DOSE PACK DL	4	PA,QL(336 per 28 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL- Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • \$0 - Vaccine/Diabetic • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
ORENITRAM MONTH 3 TITRATION KT 0.125 MG (126)- 0.25 MG(42)-1MG TABLET, ER, DOSE PACK DL	4	PA,QL(252 per 28 days)
ORKAMBI 100-125 MG, 150-188 MG, 75-94 MG GRANULES IN PACKET DL	4	PA,QL(56 per 28 days)
ORKAMBI 100-125 MG, 200-125 MG TABLET DL	4	PA,QL(112 per 28 days)
PATANASE 0.6 % SPRAY, NON-AEROSOL MO	3	ST,QL(30.5 per 30 days)
PERFORMIST 20 MCG/2 ML SOLUTION FOR NEBULIZATION DL	4	BvsD,QL(120 per 30 days)
pirfenidone 267 mg CAPSULE DL	4	PA,QL(270 per 30 days)
pirfenidone 267 mg TABLET DL	4	PA,QL(270 per 30 days)
pirfenidone 534 mg, 801 mg TABLET DL	4	PA,QL(90 per 30 days)
PROAIR DIGIHALER 90 MCG/ACTUATION AEROSOL POWDER BREATH ACTIV. MO	3	ST,QL(2 per 30 days)
PROAIR HFA 90 MCG/ACTUATION HFA AEROSOL INHALER MO	3	ST,QL(36 per 30 days)
PROAIR RESPICLICK 90 MCG/ACTUATION AEROSOL POWDER BREATH ACTIV. MO	3	ST,QL(2 per 30 days)
PROVENTIL HFA 90 MCG/ACTUATION HFA AEROSOL INHALER MO	3	ST,QL(36 per 30 days)
PULMICORT 0.25 MG/2 ML, 0.5 MG/2 ML, 1 MG/2 ML SUSPENSION FOR NEBULIZATION MO	3	BvsD
PULMICORT FLEXHALER 180 MCG/ACTUATION, 90 MCG/ACTUATION AEROSOL POWDER BREATH ACTIV. MO	3	ST,QL(2 per 30 days)
PULMOZYME 1 MG/ML SOLUTION DL	4	BvsD
QNASL 40 MCG/ACTUATION HFA AEROSOL INHALER MO	3	ST,QL(6.8 per 30 days)
QNASL 80 MCG/ACTUATION HFA AEROSOL INHALER MO	3	ST,QL(10.6 per 30 days)
QUZYTIR 10 MG/ML SOLUTION MO	3	
QVAR REDHALER 40 MCG/ACTUATION HFA AEROSOL BREATH ACTIVATED MO	3	ST,QL(10.6 per 30 days)
QVAR REDHALER 80 MCG/ACTUATION HFA AEROSOL BREATH ACTIVATED MO	3	ST,QL(21.2 per 30 days)
RAGWITEK 12 AMB A 1 UNIT SUBLINGUAL TABLET MO	3	PA,QL(30 per 30 days)
REMODULIN 1 MG/ML, 10 MG/ML, 2.5 MG/ML, 5 MG/ML SOLUTION DL	4	PA
REVATIO 10 MG/ML SUSPENSION FOR RECONSTITUTION DL	4	PA,QL(180 per 30 days)
REVATIO 20 MG TABLET DL	4	PA,QL(90 per 30 days)
roflumilast 250 mcg TABLET MO	1	QL(28 per 365 days)
roflumilast 500 mcg TABLET MO	1	QL(30 per 30 days)
RYALTRIS 665-25 MCG/SPRAY SPRAY, NON-AEROSOL MO	3	ST,QL(29 per 30 days)
RYCLORA 2 MG/5 ML SOLUTION MO	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL- Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • \$0 - Vaccine/Diabetic • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
RYVENT 6 MG TABLET MO	1	QL(120 per 30 days)
SEREVENT DISKUS 50 MCG/DOSE BLISTER WITH DEVICE MO	3	PA,QL(60 per 30 days)
<i>sildenafil (pulm.hypertension) 10 mg/ml SUSPENSION FOR RECONSTITUTION</i> DL	4	PA,QL(180 per 30 days)
<i>sildenafil (pulm.hypertension) 20 mg TABLET</i> MO	1	PA,QL(90 per 30 days)
SINGULAIR 10 MG TABLET MO	3	PA,QL(30 per 30 days)
SINGULAIR 4 MG GRANULES IN PACKET MO	3	PA,QL(30 per 30 days)
SINGULAIR 4 MG, 5 MG CHEWABLE TABLET MO	3	PA,QL(30 per 30 days)
SPIRIVA RESPIMAT 1.25 MCG/ACTUATION, 2.5 MCG/ACTUATION MIST MO	2	QL(4 per 28 days)
SPIRIVA WITH HANDIHALER 18 MCG CAPSULE, W/INHALATION DEVICE MO	2	QL(30 per 30 days)
STIOLTO RESPIMAT 2.5-2.5 MCG/ACTUATION MIST MO	2	QL(4 per 28 days)
STRIVERDI RESPIMAT 2.5 MCG/ACTUATION MIST MO	2	QL(4 per 30 days)
SYMBICORT 160-4.5 MCG/ACTUATION, 80-4.5 MCG/ACTUATION HFA AEROSOL INHALER MO	2	QL(10.2 per 30 days)
SYMDEKO 100-150 MG (D)/ 150 MG (N), 50-75 MG (D)/ 75 MG (N) TABLET, SEQUENTIAL DL	4	PA,QL(56 per 28 days)
SYMJEPI 0.15 MG/0.3 ML, 0.3 MG/0.3 ML SYRINGE MO	2	QL(4 per 30 days)
<i>tadalafil (pulm. hypertension) 20 mg TABLET</i> MO	1	PA,QL(60 per 30 days)
TADLIQ 20 MG/5 ML (4 MG/ML) SUSPENSION DL	4	PA,QL(300 per 30 days)
<i>terbutaline 1 mg/ml SOLUTION</i> MO	1	
<i>terbutaline 2.5 mg, 5 mg TABLET</i> MO	1	
THEO-24 100 MG, 200 MG, 300 MG, 400 MG CAPSULE, ER 24 HR. MO	1	
<i>theophylline 100 mg, 200 mg, 300 mg, 450 mg TABLET, ER 12 HR.</i> MO	1	
<i>theophylline 400 mg, 600 mg TABLET, ER 24 HR.</i> MO	1	
<i>theophylline 80 mg/15 ml ELIXIR</i> MO	1	
<i>theophylline 80 mg/15 ml SOLUTION</i> MO	1	
<i>theophylline in dextrose 5 % 200 mg/100 ml, 200 mg/50 ml, 400 mg/250 ml, 800 mg/250 ml PARENTERAL SOLUTION</i> MO	1	
TOBI PODHALER 28 MG CAPSULE, W/INHALATION DEVICE DL	4	PA,QL(224 per 28 days)
TRACLEER 125 MG, 62.5 MG TABLET DL	4	PA,QL(60 per 30 days)
TRACLEER 32 MG TABLET FOR SUSPENSION DL	4	PA,QL(120 per 30 days)
TRELEGY ELLIPTA 100-62.5-25 MCG, 200-62.5-25 MCG BLISTER WITH DEVICE MO	2	QL(60 per 30 days)
<i>treprostinil sodium 1 mg/ml, 10 mg/ml, 2.5 mg/ml, 5 mg/ml SOLUTION</i> DL	4	PA

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL- Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • \$0 - Vaccine/Diabetic • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
TRIKAFTA 100-50-75 MG(D) /150 MG (N), 50-25-37.5 MG (D)/75 MG (N) TABLET, SEQUENTIAL DL	4	PA,QL(84 per 28 days)
TRIKAFTA 100-50-75MG (D) /75 MG (N), 80-40-60 MG (D) /59.5 MG (N) GRANULES IN PACKET, SEQUENTIAL DL	4	PA,QL(56 per 28 days)
TUDORZA PRESSAIR 400 MCG/ACTUATION AEROSOL POWDER BREATH ACTIV. MO	3	PA,QL(1 per 30 days)
TYVASO 1.74 MG/2.9 ML (0.6 MG/ML) SOLUTION FOR NEBULIZATION DL	4	PA
TYVASO DPI 16 MCG (112)- 32 MCG (84) CARTRIDGE WITH INHALER DL	4	PA,QL(196 per 28 days)
TYVASO DPI 16 MCG, 32 MCG, 48 MCG, 64 MCG CARTRIDGE WITH INHALER DL	4	PA,QL(112 per 28 days)
TYVASO DPI 16(112)-32(112) -48(28) MCG CARTRIDGE WITH INHALER DL	4	PA,QL(252 per 28 days)
TYVASO DPI 32-48 MCG CARTRIDGE WITH INHALER DL	4	PA,QL(224 per 28 days)
TYVASO INSTITUTIONAL START KIT 1.74 MG/2.9 ML SOLUTION FOR NEBULIZATION DL	4	PA
TYVASO REFILL KIT 1.74 MG/2.9 ML (0.6 MG/ML) SOLUTION FOR NEBULIZATION DL	4	PA
TYVASO STARTER KIT 1.74 MG/2.9 ML SOLUTION FOR NEBULIZATION DL	4	PA
UPTRAVI 1,000 MCG, 1,200 MCG, 1,400 MCG, 1,600 MCG, 200 MCG, 400 MCG, 600 MCG, 800 MCG TABLET DL	4	PA,QL(60 per 30 days)
UPTRAVI 1,800 MCG RECON SOLUTION DL	4	PA
UPTRAVI 200 MCG (140)- 800 MCG (60) TABLET, DOSE PACK DL	4	PA,QL(200 per 30 days)
VELETRI 0.5 MG, 1.5 MG RECON SOLUTION DL	4	PA
VENTAVIS 10 MCG/ML SOLUTION FOR NEBULIZATION DL	4	PA,QL(150 per 30 days)
VENTAVIS 20 MCG/ML SOLUTION FOR NEBULIZATION DL	4	PA,QL(90 per 30 days)
VENTOLIN HFA 90 MCG/ACTUATION HFA AEROSOL INHALER MO	2	QL(36 per 30 days)
VISTARIL 25 MG, 50 MG CAPSULE MO	3	
wixela inhub 100-50 mcg/dose, 250-50 mcg/dose, 500-50 mcg/dose BLISTER WITH DEVICE MO	1	QL(60 per 30 days)
XHANCE 93 MCG/ACTUATION AEROSOL BREATH ACTIVATED MO	3	PA,QL(32 per 30 days)
XOPENEX HFA 45 MCG/ACTUATION HFA AEROSOL INHALER MO	3	ST,QL(30 per 30 days)
YUPELRI 175 MCG/3 ML SOLUTION FOR NEBULIZATION	4	PA,QL(90 per 30 days)
zafirlukast 10 mg TABLET MO	1	QL(60 per 30 days)
zafirlukast 20 mg TABLET MO	1	QL(60 per 30 days)
ZETONNA 37 MCG/ACTUATION HFA AEROSOL INHALER MO	3	ST,QL(6.1 per 28 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL- Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • \$0 - Vaccine/Diabetic • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
zileuton 600 mg TABLET, ER 12 HR., MULTIPHASE	4	ST,QL(120 per 30 days)
ZYFLO 600 MG TABLET DL	4	ST,QL(120 per 30 days)
SKELETAL MUSCLE RELAXANTS		
AMRIX 15 MG, 30 MG CAPSULE, ER 24 HR. DL	4	ST,QL(21 per 30 days)
carisoprodol 250 mg, 350 mg TABLET MO	1	QL(120 per 30 days)
carisoprodol-aspirin 200-325 mg TABLET MO	1	
carisoprodol-aspirin-codeine 200-325-16 mg TABLET DL	1	QL(360 per 30 days)
chlorzoxazone 250 mg TABLET DL	4	ST,QL(360 per 30 days)
chlorzoxazone 375 mg, 750 mg TABLET MO	1	ST,QL(120 per 30 days)
chlorzoxazone 500 mg TABLET MO	1	ST
cyclobenzaprine 10 mg, 5 mg TABLET MO	1	
cyclobenzaprine 15 mg, 30 mg CAPSULE, ER 24 HR. MO	1	ST,QL(21 per 30 days)
cyclobenzaprine 7.5 mg TABLET MO	1	QL(90 per 30 days)
FEXMID 7.5 MG TABLET MO	1	ST,QL(90 per 30 days)
LORZONE 375 MG TABLET MO	1	ST,QL(120 per 30 days)
LORZONE 750 MG TABLET DL	4	ST,QL(120 per 30 days)
metaxalone 400 mg, 800 mg TABLET MO	1	ST,QL(120 per 30 days)
methocarbamol 1,000 mg TABLET DL	4	PA
methocarbamol 100 mg/ml SOLUTION MO	1	
methocarbamol 500 mg, 750 mg TABLET MO	1	
norgesic 25-385-30 mg TABLET DL	4	PA,QL(240 per 30 days)
NORGESIC FORTE 50-770-60 MG TABLET DL	4	PA,QL(120 per 30 days)
orphenadrine citrate 100 mg TABLET ER MO	1	
orphenadrine citrate 30 mg/ml SOLUTION MO	1	ST
orphenadrine-asa-caffeine 25-385-30 mg TABLET DL	4	PA,QL(240 per 30 days)
orphenadrine-asa-caffeine 50-770-60 mg TABLET DL	4	PA,QL(120 per 30 days)
orphengesic forte 50-770-60 mg TABLET DL	4	PA,QL(120 per 30 days)
ROBAXIN 100 MG/ML SOLUTION DL	4	
SKELAXIN 800 MG TABLET DL	4	PA,QL(120 per 30 days)
SOMA 250 MG, 350 MG TABLET DL	4	PA,QL(120 per 30 days)
vanadom 350 mg TABLET MO	1	QL(120 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL- Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • \$0 – Vaccine/Diabetic • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
SLEEP DISORDER AGENTS		
AMBIEN 10 MG, 5 MG TABLET MO	3	PA,QL(30 per 30 days)
AMBIEN CR 12.5 MG, 6.25 MG TABLET, ER MULTIPHASE MO	3	PA,QL(30 per 30 days)
armodafinil 150 mg, 200 mg, 250 mg TABLET MO	1	PA,QL(30 per 30 days)
armodafinil 50 mg TABLET MO	1	PA,QL(60 per 30 days)
BELSOMRA 10 MG TABLET MO	2	QL(60 per 30 days)
BELSOMRA 15 MG, 20 MG TABLET MO	2	QL(30 per 30 days)
BELSOMRA 5 MG TABLET MO	2	QL(120 per 30 days)
DAYVIGO 10 MG, 5 MG TABLET MO	3	PA,QL(30 per 30 days)
doxepin 3 mg, 6 mg TABLET MO	1	QL(30 per 30 days)
EDLUAR 10 MG SUBLINGUAL TABLET MO	3	
EDLUAR 5 MG SUBLINGUAL TABLET MO	3	QL(30 per 30 days)
estazolam 1 mg, 2 mg TABLET DL	1	QL(30 per 30 days)
eszopiclone 1 mg, 2 mg, 3 mg TABLET MO	1	QL(30 per 30 days)
flurazepam 15 mg CAPSULE DL	1	QL(60 per 30 days)
flurazepam 30 mg CAPSULE DL	1	QL(30 per 30 days)
HALCION 0.25 MG TABLET DL	3	PA,QL(30 per 30 days)
HETLIOZ 20 MG CAPSULE DL	4	PA,QL(30 per 30 days)
HETLIOZ LQ 4 MG/ML SUSPENSION DL	4	PA,QL(158 per 30 days)
LUMRYZ 4.5 GRAM, 6 GRAM, 7.5 GRAM, 9 GRAM ER GRANULES, PACKET DL	4	PA,QL(30 per 30 days)
LUNESTA 1 MG, 2 MG, 3 MG TABLET MO	3	PA,QL(30 per 30 days)
modafinil 100 mg, 200 mg TABLET MO	1	PA,QL(60 per 30 days)
NUVIGIL 150 MG, 200 MG, 250 MG TABLET	4	PA,QL(30 per 30 days)
NUVIGIL 50 MG TABLET	4	PA,QL(60 per 30 days)
PROVIGIL 100 MG, 200 MG TABLET	4	PA,QL(60 per 30 days)
QUVIVIQ 25 MG, 50 MG TABLET MO	3	ST,QL(30 per 30 days)
ramelteon 8 mg TABLET MO	1	ST,QL(30 per 30 days)
RESTORIL 15 MG, 22.5 MG, 30 MG, 7.5 MG CAPSULE DL	4	PA,QL(30 per 30 days)
ROZEREM 8 MG TABLET MO	3	ST,QL(30 per 30 days)
SILENOR 3 MG, 6 MG TABLET MO	3	QL(30 per 30 days)
sodium oxybate 500 mg/ml SOLUTION DL	4	PA,QL(540 per 30 days)
SUNOSI 150 MG, 75 MG TABLET MO	3	PA,QL(30 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL- Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • \$0 - Vaccine/Diabetic • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
tasimelteon 20 mg CAPSULE DL	4	PA,QL(30 per 30 days)
temazepam 15 mg, 30 mg CAPSULE DL	1	QL(30 per 30 days)
temazepam 22.5 mg, 7.5 mg CAPSULE DL	1	QL(30 per 30 days)
triazolam 0.125 mg, 0.25 mg TABLET DL	1	QL(30 per 30 days)
WAKIX 17.8 MG, 4.45 MG TABLET DL	4	PA,QL(60 per 30 days)
XYREM 500 MG/ML SOLUTION DL	4	PA,QL(540 per 30 days)
XYWAV 0.5 GRAM/ML SOLUTION DL	4	PA,QL(540 per 30 days)
zaleplon 10 mg, 5 mg CAPSULE MO	1	QL(30 per 30 days)
zolpidem 1.75 mg, 3.5 mg SUBLINGUAL TABLET MO	1	QL(30 per 30 days)
zolpidem 10 mg, 5 mg TABLET MO	1	QL(30 per 30 days)
zolpidem 12.5 mg, 6.25 mg TABLET, ER MULTIPHASE MO	1	QL(30 per 30 days)
ZOLPIDEM 7.5 MG CAPSULE MO	3	QL(30 per 30 days)
ZOLPIMIST 5 MG/SPRAY (0.1 ML) SPRAY, NON-AEROSOL MO	3	QL(23.1 per 365 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL- Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • \$0 - Vaccine/Diabetic • ST - Step Therapy

Humana Group Medicare Plan Coverage of Additional Prescription Drugs

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
Cough/Cold - Mail Order Available		
<i>benzonatate 100 mg, 150 mg, 200 mg CAPSULE</i>	1	
<i>bromfed dm 2-30-10 mg/5 ml SYRUP</i>	1	
<i>brompheniramine-pseudoeph-dm 2-30-10 mg/5 ml SYRUP</i>	1	
HYCODAN 5-1.5 MG/5 ML (5 ML) SYRUP	1	
HYCODAN (WITH HOMATROPINE) 5-1.5 MG TABLET	1	
HYCODAN (WITH HOMATROPINE) 5-1.5 MG/5 ML SYRUP	1	
<i>hydrocodone-chlorpheniramine 10-8 mg/5 ml SUSPENSION, ER 12 HR.</i>	1	
<i>hydrocodone-homatropine 5-1.5 mg TABLET</i>	1	
<i>hydrocodone-homatropine 5-1.5 mg/5 ml, 5-1.5 mg/5 ml (5 ml) SYRUP</i>	1	
<i>hydromet 5-1.5 mg/5 ml SYRUP</i>	1	
OBREDON 2.5-200 MG/5 ML SOLUTION	3	
<i>promethazine vc-codeine 6.25-5-10 mg/5 ml SYRUP</i>	1	
<i>promethazine-codeine 6.25-10 mg/5 ml SYRUP</i>	1	
<i>promethazine-dm 6.25-15 mg/5 ml SYRUP</i>	1	
<i>promethazine-phenyleph-codeine 6.25-5-10 mg/5 ml SYRUP</i>	1	
RESPA-AR 8-90-0.24 MG TABLET, ER 12 HR.	3	
TUXARIN ER 8-54.3 MG TABLET, ER 12 HR.	3	
TUZISTRA XR 14.7-2.8 MG/5 ML SUSPENSION, ER 12 HR.	3	

Your Humana Group Medicare Plan has additional coverage for some drugs. These drugs are not normally covered under Medicare Part D. These drugs are not subject to the Medicare appeals process. The amount you pay when you fill a prescription for these drugs does not count toward your total drug costs (in other words, the amount you pay does not help you qualify for catastrophic coverage).

B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL- Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • \$0 - Vaccine/Diabetic • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
Fertility - Mail Order Available		
<i>cetrorelix 0.25 mg KIT</i>	1	
CETROTIDE 0.25 MG KIT	3	
<i>clomid 50 mg TABLET</i>	1	
<i>clomiphene citrate 50 mg TABLET</i>	1	
FOLLISTIM AQ 300 UNIT/0.36 ML, 600 UNIT/0.72 ML, 900 UNIT/1.08 ML CARTRIDGE	3	
<i>fyremadel 250 mcg/0.5 ml SYRINGE</i>	1	
GANIRELIX 250 MCG/0.5 ML SYRINGE	3	
<i>ganirelix 250 mcg/0.5 ml SYRINGE</i>	3	
GONAL-F 1,050 UNIT, 450 UNIT RECON SOLUTION	3	
GONAL-F RFF 75 UNIT RECON SOLUTION	3	
GONAL-F RFF REDI-JECT 300/0.5 UNIT/ML, 450/0.75 UNIT/ML, 900/1.5 UNIT/ML PEN INJECTOR	3	
MENOPUR 75 UNIT RECON SOLUTION	3	
OVIDREL 250 MCG/0.5 ML SYRINGE	3	
Vitamins/Minerals - Mail Order Available		
<i>ascorbic acid (vitamin c) 500 mg/ml SOLUTION</i>	1	
<i>b complex 100 100-2-100-2-2 mg/ml SOLUTION</i>	1	
<i>b-complex injection 100-2-100-2-2 mg/ml SOLUTION</i>	1	
<i>cyanocobalamin (vitamin b-12) 1,000 mcg/ml SOLUTION</i>	1	
<i>cyanocobalamin (vitamin b-12) 500 mcg/spray SPRAY, NON-AEROSOL</i>	1	

Your Humana Group Medicare Plan has additional coverage for some drugs. These drugs are not normally covered under Medicare Part D. These drugs are not subject to the Medicare appeals process. The amount you pay when you fill a prescription for these drugs does not count toward your total drug costs (in other words, the amount you pay does not help you qualify for catastrophic coverage).

B vs D - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL- Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • \$0 – Vaccine/Diabetic • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
Vitamins/Minerals - Mail Order Available		
dodex 1,000 mcg/ml SOLUTION	1	
DRISDOL 1,250 MCG (50,000 UNIT) CAPSULE	3	
ergocalciferol (vitamin d2) 1,250 mcg (50,000 unit) CAPSULE	1	
folic acid 1 mg TABLET	1	
folic acid 5 mg/ml SOLUTION	1	
hydroxocobalamin 1,000 mcg/ml SOLUTION	1	
INFUVITE ADULT 3,300 UNIT- 150 MCG/10 ML SOLUTION	3	
INFUVITE PEDIATRIC 80 MG-400 UNIT- 200 MCG/5 ML SOLUTION	3	
MEPHYTON 5 MG TABLET	3	
NASCOBAL 500 MCG/SPRAY SPRAY, NON-AEROSOL	3	
phytonadione (vitamin k1) 1 mg/0.5 ml SYRINGE	1	
phytonadione (vitamin k1) 1 mg/0.5 ml, 10 mg/ml SOLUTION	1	
phytonadione (vitamin k1) 5 mg TABLET	1	
POTABA 500 MG CAPSULE	3	
pyridoxine (vitamin b6) 100 mg/ml SOLUTION	1	
thiamine hcl (vitamin b1) 100 mg/ml SOLUTION	1	
vitamin d2 1,250 mcg (50,000 unit) CAPSULE	1	
vitamin k 1 mg/0.5 ml SOLUTION	1	
vitamin k1 10 mg/ml SOLUTION	1	

Your Humana Group Medicare Plan has additional coverage for some drugs. These drugs are not normally covered under Medicare Part D. These drugs are not subject to the Medicare appeals process. The amount you pay when you fill a prescription for these drugs does not count toward your total drug costs (in other words, the amount you pay does not help you qualify for catastrophic coverage).

B vs D - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL- Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • \$0 – Vaccine/Diabetic • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
Weight Loss - Mail Order Available		
<i>adipex-p 37.5 mg CAPSULE</i>	1	
ADIPEX-P 37.5 MG TABLET	1	
<i>benzphetamine 50 mg TABLET</i>	1	
CONTRAVE 8-90 MG TABLET ER	3	QL(120 per 30 days)
<i>diethylpropion 25 mg TABLET</i>	1	
<i>diethylpropion 75 mg TABLET ER</i>	1	
<i>lomaira 8 mg TABLET</i>	1	
<i>phendimetrazine tartrate 105 mg CAPSULE, ER</i>	3	
<i>phendimetrazine tartrate 35 mg TABLET</i>	1	
<i>phentermine 15 mg, 30 mg, 37.5 mg CAPSULE</i>	1	
<i>phentermine 37.5 mg TABLET</i>	1	
PLENITY 0.75 GRAM CAPSULE	3	
PLENITY (WELCOME KIT) 0.75 GRAM CAPSULE	3	
QSYMIA 11.25-69 MG, 15-92 MG, 3.75-23 MG, 7.5-46 MG CAPSULE ER MULTIPHASE 24 HR.	3	QL(30 per 30 days)
SAXENDA 3 MG/0.5 ML (18 MG/3 ML) PEN INJECTOR	3	
WEGOVY 0.25 MG/0.5 ML, 0.5 MG/0.5 ML, 1 MG/0.5 ML, 1.7 MG/0.75 ML, 2.4 MG/0.75 ML PEN INJECTOR	3	

Your Humana Group Medicare Plan has additional coverage for some drugs. These drugs are not normally covered under Medicare Part D. These drugs are not subject to the Medicare appeals process. The amount you pay when you fill a prescription for these drugs does not count toward your total drug costs (in other words, the amount you pay does not help you qualify for catastrophic coverage).

B vs D - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL- Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • \$0 – Vaccine/Diabetic • ST - Step Therapy

Index

A

abacavir... 74	acetaminophen... 172	ACZONE... 115
abacavir-lamivudine... 74	acetaminophen-caff-dihydrocod... 11	ADACEL(TDAP ADOLESN/ADULT)(PF)... 158
ABELCET... 45	acetaminophen-codeine... 11	ADAKVEO... 172
ABILIFY ASIMTUFI... 69	acetazolamide sodium... 93	ADALIMUMAB-AACF... 158
ABILIFY MAINTENA... 69	acetazolamide... 93	ADALIMUMAB-ADAZ... 158
ABILIFY MYCITE MAINTENANCE KIT... 69	acetic acid... 22, 172	ADALIMUMAB-ADBM... 158
ABILIFY MYCITE STARTER KIT... 69	acetylcysteine... 172, 184	ADALIMUMAB-ADBM(CF) PEN CROHNS... 158
ABILIFY MYCITE... 69	ACIPHEX SPRINKLE... 132	ADALIMUMAB-ADBM(CF) PEN PS-UV... 158
ABILIFY... 69	ACIPHEX... 132	ADALIMUMAB-FKJP... 158
abiraterone... 52	acitretin... 115	adapalene... 115
ABRAXANE... 52	ACTEMRA ACTPEN... 158	adapalene-benzoyl peroxide... 115
ABRILADA(CF) PEN... 158	ACTEMRA... 158	ADBRY... 158
ABRILADA(CF)... 158	ACTHAR... 141	ADCETRIS... 52
ABRYSVO... 158	ACTHIB (PF)... 158	ADCIRCA... 184
ABSORICA LD... 115	ACTICLATE... 22	ADDERALL XR... 108
ABSORICA... 115	ACTIMMUNE... 158	ADDERALL... 108
acamprosate... 21	ACTIQ... 11	adefovir... 74
ACANYA... 115	ACTIVELLA... 144	ADEMPAS... 184
acarbose... 82	ACTONEL... 170	adenosine... 93
ACCOLATE... 184	ACTOPLUS MET... 82	adipex-p... 198
ACCUPRIL... 92	ACTOS... 82	ADLARITY... 38
ACCURETIC... 92	ACULAR LS... 178	ADLYXIN... 82
accutane... 115	ACULAR... 178	ADMELOG SOLOSTAR U-100 INSULIN... 82
acebutolol... 92	ACUVAIL (PF)... 178	
ACETADOTE... 172	acyclovir sodium... 74	
	acyclovir... 74	

ADMELOG U-100 INSULIN LISPRO... 82	AKLIEF... 115	allopurinol... 48
ADRENALIN... 184	AKYNZEO (FOSNETUPITANT)... 43	ALLZITAL... 172
ADRIAMYCIN... 52	AKYNZEO (NETUPITANT)... 43	almotriptan malate... 49
adrucil... 52	ALA-CORT... 115	ALOCIL... 178
ADSTILADRIN... 172	ALA-SCALP... 115	ALOMIDE... 178
ADVAIR DISKUS... 184	albendazole... 66	ALOPRIM... 48
ADVAIR HFA... 184	ALBENZA... 66	alosetron... 132
ADZENYS XR-ODT... 108	albuterol sulfate... 184	ALPHAGAN P... 178, 179
ADZYNMA... 88	ALCAINE... 178	alprazolam intensol... 80
AEMCOLO... 132	alclometasone... 115	alprazolam... 80
AFINITOR DISPERZ... 52	ALCOHOL PADS... 172	ALREX... 179
AFINITOR... 52	ALCOHOL PREP PADS... 172	ALTABAX... 115
afirmelle... 144	ALCOHOL SWABS... 172	ALTACE... 93
AFREZZA... 82	ALCOHOL WIPES... 172	altavera (28)... 144
AGAMREE... 141	ALDOCTAZIDE... 93	ALTOPREV... 93
AGGRASTAT CONCENTRATE... 88	ALDOCTONE... 93	ALTRENO... 115
AGGRASTAT IN SODIUM CHLORIDE... 88	ALDARA... 115	ALUNBRIG... 52
AGRYLIN... 88	ALDURAZYME... 136	ALVESCO... 184
AIMOVIG AUTOINJECTOR... 49	ALECENSA... 52	alyacen 1/35 (28)... 144
AIRDUO DIGIHALER... 184	alendronate... 170	alyacen 7/7/7 (28)... 144
AIRDUO RESPICLICK... 184	alfuzosin... 139	ALYMSYS... 52
AIRSUPRA... 184	ALIMTA... 52	alyq... 184
AJOVY AUTOINJECTOR... 49	ALIQOPA... 52	amabelz... 145
AJOVY SYRINGE... 49	aliskiren... 93	amantadine hcl... 67
ak-poly-bac... 178	ALKERAN (AS HCL)... 52	AMARYL... 82
AKEEGA... 52	ALKERAN... 52	AMBIEN CR... 193
	ALKINDI SPRINKLE... 141	AMBIEN... 193
	allopurinol sodium... 48	AMBISOME... 45

ambrisentan... 185	AMITIZA... 132	AMVUTTRA... 136
amcinonide... 115	amitriptyline... 39	AMZEEQ... 116
AMERGE... 49	amitriptyline-chlordiazepoxide... 39	ANAFRANIL... 39
amethia... 145	AMJEVITA(CF) AUTOINJECTOR... 158	anagrelide... 88
amethyst (28)... 145	AMJEVITA(CF)... 158	ANAPROX DS... 11
AMICAR... 88	amlodipine... 93	anastrozole... 52
amikacin... 22	amlodipine-atorvastatin... 93	ANCOBON... 45
amiloride... 93	amlodipine-benazepril... 93	ANDRODERM... 145
amiloride-hydrochlorothiazide... 93	amlodipine-olmesartan... 93	ANDROGEL... 145
aminocaproic acid... 88	amlodipine-valsartan... 93	ANGELIQ... 145
aminophylline... 185	amlodipine-valsartan-hcthiacid... 93	ANNOVERA... 145
AMINOSYN II 10 %... 124	ammonium lactate... 115	ANORO ELLIPTA... 185
AMINOSYN II 15 %... 125	AMMONUL... 172	ANTARA... 93
AMINOSYN II 7 %... 125	amnesteem... 116	ANTIVERT... 43
AMINOSYN II 8.5 %... 125	amoxapine... 39	anusol-hc... 116
AMINOSYN II 8.5 %-ELECTROLYTES... 125	amoxicil-clarithromy-lansopraz... 132	ANZEMET... 43
AMINOSYN M 3.5 %... 125	amoxicillin... 22	APADAZ... 11
AMINOSYN 10 %... 124	amoxicillin-pot clavulanate... 23	apexicon e... 116
AMINOSYN 7 % WITH ELECTROLYTES... 124	amphetamine sulfate... 108	APIDRA SOLOSTAR U-100 INSULIN... 82
AMINOSYN 8.5 %... 124	amphetamine... 108	APIDRA U-100 INSULIN... 82
AMINOSYN 8.5 %-ELECTROLYTES... 124	amphotericin b liposome... 45	APLENZIN... 39
AMINOSYN-PF 10 %... 125	amphotericin b... 45	APOKYN... 67
AMINOSYN-PF 7 % (SULFITE-FREE)... 125	ampicillin sodium... 23	apomorphine... 67
AMINOSYN-RF 5.2 %... 125	ampicillin... 23	APONVIE... 43
amiodarone... 93	ampicillin-sulbactam... 23	apraclonidine... 179
	AMPYRA... 108	aprepitant... 43
	AMRIX... 192	APRETUDE... 74

apri... 145	ARTHROTEC 50... 11	ATRIPLA... 75
APRISO... 169	ARTHROTEC 75... 11	ATROPINE SULFATE (PF)... 179
APTENSIO XR... 108	ASACOL HD... 169	atropine... 132, 179
APTIOM... 32	ASCENIV... 159	ATROVENT HFA... 185
APTIVUS... 74	ascomp with codeine... 11	AUBAGIO... 108
ARALAST NP... 137	ascorbic acid (vitamin c)... 196	aubra eq... 145
aranelle (28)... 145	asenapine maleate... 70	aubra... 145
ARANESP (IN POLYSORBATE)... 88, 89	ashlyna... 145	AUGMENTIN ES-600... 23
ARAVA... 158	ASMANEX HFA... 185	AUGMENTIN XR... 23
ARAZLO... 116	ASMANEX TWISTHALER... 185	AUGMENTIN... 23
ARCALYST... 158	ASPARLAS... 53	AUGTYRO... 53
AREXVY (PF)... 159	aspirin-dipyridamole... 89	aurovela fe 1.5/30 (28)... 145
arformoterol... 185	ASPRUZYO SPRINKLE... 93	aurovela fe 1-20 (28)... 145
ARICEPT... 38	ASTAGRAF XL... 159	aurovela 1.5/30 (21)... 145
ARIKAYCE... 23	ATACAND HCT... 93	aurovela 1/20 (21)... 145
ARIMIDEX... 53	ATACAND... 93	aurovela 24 fe... 145
aripiprazole... 69	atazanavir... 74, 75	AURYXIA... 125
ARISTADA INITIO... 70	ATELVIA... 170	AUSTEDO XR TITRATION KT(WK1-4)... 108
ARISTADA... 69, 70	atenolol... 93	AUSTEDO XR... 108
ARIXTRA... 89	atenolol-chlorthalidone... 94	AUSTEDO... 108
armodafinil... 193	ATGAM... 159	AUTOJECT 2 INJECTION DEVICE... 172
ARMONAIR DIGIHALER... 185	ATIVAN... 80	AUTOPEN 1 TO 21 UNITS... 172
ARMOUR THYROID... 155	atomoxetine... 108	AUTOPEN 2 TO 42 UNITS... 172
ARNUITY ELLIPTA... 185	ATORVALIQ... 94	AUVELITY... 39
AROMASIN... 53	atorvastatin... 94	AUVI-Q... 185
ARRANON... 53	atovaquone... 66	AVALIDE... 94
arsenic trioxide... 53	atovaquone-proguanil... 66	
	ATRALIN... 116	

AVAPRO... 94	AZOR... 94	BASAGLAR TEMPO
AVASTIN... 53	AZSTARYS... 109	PEN(U-100)INSLN... 82
AVEED... 145	aztreonam... 23	BAVENCIO... 53
AVELOX IN NACL (ISO-OSMOTIC)... 23	AZULFIDINE EN-TABS... 169	BAXDELA... 23
aviane... 145	AZULFIDINE... 169	BCG VACCINE, LIVE (PF)... 159
avidoxy... 23	azurette (28)... 145	BD ALCOHOL SWABS... 172
AVITA... 116	B	BD AUTOSHIELD DUO PEN NEEDLE... 172
AVODART... 139	b complex 100... 196	BD ECLIPSE LUER-LOK... 172
AVONEX... 108	b-complex injection... 196	BD INSULIN SYRINGE (HALF UNIT)... 172
AVSOLA... 159	bacitracin... 23, 179	BD INSULIN SYRINGE MICRO-FINE... 172
AVYCAZ... 23	bacitracin-polymyxin b... 179	BD INSULIN SYRINGE U-500... 172
AYGESTIN... 145	baclofen... 73, 74	BD INSULIN SYRINGE ULTRA-FINE... 172
ayuna... 145	BACTRIM DS... 23	BD INSULIN SYRINGE... 172
AYVAKIT... 53	BACTRIM... 23	BD LO-DOSE MICRO-FINE IV... 173
azacitidine... 53	BAFIERTAM... 109	BD NANO 2ND GEN PEN NEEDLE... 173
AZACTAM... 23	bal-care dha... 125	BD SAFETYGLIDE INSULIN SYRINGE... 173
AZASAN... 159	balanced salt... 179	BD SAFETYGLIDE SYRINGE... 173
AZASITE... 179	BALCOLTRA... 145	BD ULTRA-FINE MICRO PEN NEEDLE... 173
azathioprine sodium... 159	balsalazide... 169	BD ULTRA-FINE MINI PEN NEEDLE... 173
azathioprine... 159	BALVERSA... 53	BD ULTRA-FINE NANO PEN NEEDLE... 173
azelaic acid... 116	balziva (28)... 145	BD ULTRA-FINE ORIG PEN NEEDLE... 173
azelastine... 179, 185	BAND-AID GAUZE PADS... 172	
azelastine-fluticasone... 185	BANZEL... 33	
AZELEX... 116	BAQSIMI... 82	
AZILECT... 67	BARACLUDE... 75	
azithromycin... 23	BASAGLAR KWIKPEN U-100 INSULIN... 82	
AZOPT... 179		

BD ULTRA-FINE SHORT PEN NEEDLE... 173	BESIVANCE... 179	BIJUVA... 145
BD VEO INSULIN SYR (HALF UNIT)... 173	BESPONSA... 53	BIKTARVY... 75
BD VEO INSULIN SYRINGE UF... 173	BESREMI... 159	BILTRICIDE... 66
BECONASE AQ... 185	BETADINE OPHTHALMIC PREP... 179	bimatoprost... 179
BELBUCA... 11	betaine... 137	BIMZELX AUTOINJECTOR... 159
BELEODAQ... 53	betamethasone acet,sod phos... 141	BIMZELX... 159
BELRAPZO... 53	betamethasone dipropionate... 116	BINOSTO... 170
BELSOMRA... 193	betamethasone valerate... 116	BIORPHEN... 94
benazepril... 94	betamethasone, augmented... 116	bismuth subcit k-metronidz-tcn... 132
benazepril-hydrochlorothiazide... 94	BETAPACE AF... 94	bisoprolol fumarate... 94
bendamustine... 53	BETAPACE... 94	bisoprolol-hydrochlorothiazide... 94
BENDEKA... 53	BETASERON... 109	BIVIGAM... 159
BENICAR HCT... 94	betaxolol... 94, 179	bleomycin... 53
BENICAR... 94	bethanechol chloride... 139	BLEPHAMIDE... 179
BENLYSTA... 159	BETHKIS... 24	blisovi fe 1.5/30 (28)... 145
BENTYL... 132	BETIMOL... 179	blisovi fe 1/20 (28)... 146
BENZAMYCIN... 116	BETOPTIC S... 179	blisovi 24 fe... 145
benzhydrocodone-acetaminophen... 11	BEVESPI AEROSPHERE... 185	BONIVA... 170
benznidazole... 66	bexarotene... 53	BONJESTA... 43
benzonatate... 195	BEXSERO... 159	BOOSTRIX TDAP... 159
benzphetamine... 198	BEYAZ... 145	BORDERED GAUZE... 173
benztropine... 67	BEYFORTUS... 173	BORTEZOMIB... 53
bepotastine besilate... 179	bicalutamide... 53	bosentan... 185
BEPREVE... 179	BICILLIN C-R... 24	BOSULIF... 53
BERINERT... 159	BICILLIN L-A... 24	BRAFTOVI... 53
beser... 116	BICNU... 53	BREO ELLIPTA... 185
	BIDIL... 94	bretylium tosylate... 94

BREVIBLOC IN NACL (ISO-OSM)... 94	bupivacaine-dextrose-water(pf)... 19	CABENUVA... 75
BREVIBLOC... 94	bupivacaine-epinephrine (pf)... 19	cabergoline... 156
BREZTRI AEROSPHERE... 185	bupivacaine-epinephrine... 19	CABLIVI... 89
briellyn... 146	BUPRENEX... 11	CABOMETYX... 54
BRILINTA... 89	buprenorphine hcl... 11, 21	CABTREO... 116
brimonidine... 116, 179	buprenorphine... 11	CADUET... 94
brinzolamide... 179	buprenorphine-naloxone... 21	CAFCIT... 173
BRISDELLE... 39	bupropion hcl (smoking deter)... 21	caffeine citrate... 173
BRIUMVI... 109	bupropion hcl... 39	CALAN SR... 94
BRIVIACT... 33	buspirone... 80	calcipotriene... 116
bromfed dm... 195	busulfan... 54	calcipotriene-betamethasone... 116, 117
bromfenac... 179	BUSULFEX... 54	calcitonin (salmon)... 170
bromocriptine... 67	butalbital compound w/codeine... 11	calcitriol... 117, 170
brompheniramine-pseudoeph-dm... 195	butalbital-acetaminop-caf-cod... 173	calcium acetate(phosphat bind)... 125
BROMSITE... 179	butalbital-acetaminophen... 173	calcium chloride... 125
BRONCHITOL... 185	butalbital-acetaminophen-caff... 173	calcium disodium versenate... 174
BROVANA... 185	butalbital-aspirin-caffeine... 173	calcium gluconate... 125
BRUKINSA... 53	butorphanol... 11	CALDOLOR... 11
BRYHALI... 116	BUTRANS... 11	CALQUENCE (ACALABRUTINIB MAL)... 54
BSS PLUS... 179	BYDUREON BCISE... 82	CALQUENCE... 54
BSS... 179	BYETTA... 82	CAMBIA... 11
budesonide... 169, 185	BYLVAY... 173	camila... 146
bumetanide... 94	BYSTOLIC... 94	CAMPTOSAR... 54
bupap... 173		camrese lo... 146
BUPHENYL... 137		camrese... 146
bupivacaine (pf)... 19		CAMZYOS... 95
bupivacaine hcl... 19		
	C	
	c-nate dha... 125	

CANASA... 169	CARDURA XL... 95	cefdinir... 24
CANCIDAS... 45	CARDURA... 95	cefepime in dextrose 5 %... 24
candesartan... 95	CARETOUCH ALCOHOL PREP PAD... 174	cefepime in dextrose,iso-osm... 24
candesartan-hydrochlorothiazid... 95	carglumic acid... 125	cefepime... 24
CAPEX... 117	carisoprodol... 192	cefixime... 24
CAPLYTA... 70	carisoprodol-aspirin... 192	cefotaxime... 24
CAPRELSA... 54	carisoprodol-aspirin-codeine... 192	cefotetan... 24
captopril... 95	carmustine... 54	cefoxitin in dextrose, iso-osm... 24
captopril-hydrochlorothiazide... 95	CARNITOR (SUGAR-FREE)... 125	cefoxitin... 24
CARAC... 117	CARNITOR... 125	cefpodoxime... 24
CARAFATE... 132	CAROSPIR... 95	cefprozil... 24
CARBAGLU... 125	carteolol... 179	ceftazidime in d5w... 24
carbamazepine... 33	cartia xt... 95	ceftazidime... 24
CARBATROL... 33	carvedilol phosphate... 95	ceftriaxone in dextrose,iso-os... 25
carbidopa... 67	carvedilol... 95	ceftriaxone... 25
carbidopa-levodopa... 67	CASODEX... 54	cefuroxime axetil... 25
carbidopa-levodopa-entacapone... 67	caspofungin... 45	cefuroxime sodium... 25
carbinoxamine maleate... 185	cataflam... 11	CELEBREX... 11
CARBOCAINE (PF)... 19	CATAPRES-TTS-1... 95	celecoxib... 11
CARBOCAINE WITH NEO-COBEFRIN... 19	CATAPRES-TTS-2... 95	CELESTONE SOLUSPAN... 141
CARBOCAINE... 19	CATAPRES-TTS-3... 95	CELEXA... 39
carboplatin... 54	CAYSTON... 185	CELLCEPT INTRAVENOUS... 159
carboprost tromethamine... 144	caziant (28)... 146	CELLCEPT... 159
CARDIZEM CD... 95	cefaclor... 24	CELONTIN... 33
CARDIZEM LA... 95	cefadroxil... 24	CENTANY... 117
CARDIZEM... 95	cefazolin in dextrose (iso-os)... 24	cephalexin... 25
	cefazolin... 24	CEQUA... 179
		CERDELGA... 137

CEREBYX... 33	cholestyramine light... 95	ciprofloxacin-dexamethasone... 183
CEREZYME... 137	cholestyramine-aspartame... 95	ciprofloxacin-fluocinolone... 183
CERVIDIL... 174	CHORIONIC GONADOTROPIN, HUMAN... 143	cisplatin... 54
cetirizine... 186	CIALIS... 139	citalopram... 40
cetrorelix... 196	CIBINQO... 159	CITRANATAL B-CALM (FE GLUC)... 125
CETROTIDE... 196	ciclodan... 45	cladribine... 54
cevimeline... 114	ciclopirox... 45	CLAFORAN... 25
CHANTIX CONTINUING MONTH BOX... 21	cidofovir... 75	claravis... 117
CHANTIX STARTING MONTH BOX... 21	cilostazol... 89	CLARINEX... 186
CHANTIX... 21	CILOXAN... 179	CLARINEX-D 12 HOUR... 174
charlotte 24 fe... 146	CIMDUO... 75	clarithromycin... 25
chateal (28)... 146	cimetidine hcl... 132	clemastine... 186
chateal eq (28)... 146	cimetidine... 132	CLENPIQ... 133
CHEMET... 125	CIMZIA POWDER FOR RECONST... 159	CLEOCIN HCL... 25
CHENODAL... 132	CIMZIA STARTER KIT... 159	CLEOCIN PEDIATRIC... 25
chloramphenicol sod succinate... 25	CIMZIA... 159	CLEOCIN T... 117
chlordiazepoxide hcl... 80	cinacalcet... 170	CLEOCIN... 25
chlorhexidine gluconate... 114	CINQAIR... 186	CLEVIPREX... 95
chloroprocaine (pf)... 19	CINRYZE... 159	CLIMARA PRO... 146
chloroquine phosphate... 66	CINVANTI... 174	CLIMARA... 146
chlorothiazide sodium... 95	CIPRO HC... 183	clindacin etz... 117
chlorpromazine... 70	CIPRO... 25	clindacin p... 117
chlorthalidone... 95	CIPRODEX... 183	clindacin... 117
chlorzoxazone... 192	ciprofloxacin hcl... 25, 180, 183	CLINDAGEL... 117
CHOLBAM... 137	ciprofloxacin in 5 % dextrose... 25	clindamycin hcl... 25
cholestyramine (with sugar)... 95	ciprofloxacin... 25	clindamycin in 0.9 % sod chlor... 25

clindamycin in 5 % dextrose... 25	CLINIMIX	COARTEM... 66
clindamycin palmitate hcl... 26	8%-D10W(SULFITE-FREE)... 125	codeine sulfate... 12
clindamycin pediatric... 26	CLINIMIX	codeine-butalbital-asa-caff... 12
clindamycin phosphate... 26, 117	8%-D14W(SULFITE-FREE)... 125	COLAZAL... 169
clindamycin-benzoyl peroxide... 117	CLINISOL SF 15 %... 126	colchicine... 48
clindamycin-tretinoin... 117	CLINOLIPID... 126	colesevelam... 96
CLINDESSE... 26	clobazam... 33	COLESTID FLAVORED... 96
CLINIMIX E 2.75%/D5W SULF	clobetasol... 117	COLESTID... 96
FREE... 125	clobetasol-emollient... 118	colestipol... 96
CLINIMIX E 4.25%/D10W SUL	CLOBEX... 118	colistin (colistimethate na)... 26
FREE... 126	clocortolone pivalate... 118	COLUMVI... 54
CLINIMIX E 4.25%/D5W SULF	clodan... 118	COLY-MYCIN M PARENTERAL... 26
FREE... 126	CLODERM... 118	COMBIGAN... 180
CLINIMIX E 5%/D15W SULFIT	clofarabine... 54	COMBIPATCH... 146
FREE... 126	CLOLAR... 54	COMBIVENT RESPIMAT... 186
CLINIMIX E 5%/D20W SULFIT	clomid... 196	COMBIVIR... 75
FREE... 126	clomiphene citrate... 196	COMETRIQ... 54
CLINIMIX E 8%-D10W	clomipramine... 40	COMPAZINE... 43
SULFITEFREE... 126	clonazepam... 80, 81	COMPLERA... 75
CLINIMIX E 8%-D14W	clonidine hcl... 96, 109	complete natal dha... 126
SULFITEFREE... 126	clonidine... 95	compro... 43
CLINIMIX 4.25%/D10W SULF FREE...	clopidogrel... 89	COMTAN... 67
125	clorazepate dipotassium... 81	CONCERTA... 109
CLINIMIX 4.25%/D5W SULFIT	CLOROTEKAL... 20	CONDYLOX... 118
FREE... 125	clotrimazole... 45	CONJUPRI... 96
CLINIMIX	clotrimazole-betamethasone... 45	constulose... 133
5%-D20W(SULFITE-FREE)... 125	clozapine... 70	CONTRAVE... 198
CLINIMIX 5%/D15W SULFITE	CLOZARIL... 70	CONZIP... 12
FREE... 125		
CLINIMIX 6%-D5W		
(SULFITE-FREE)... 125		

COPAXONE... 109	CRESEMBA... 46	CYLTEZO(CF) PEN CROHN'S-UC-HS... 160
COPIKTRA... 54	CRESTOR... 96	CYLTEZO(CF) PEN PSORIASIS-UV... 160
CORDRAN TAPE LARGE ROLL... 118	CRINONE... 146	CYLTEZO(CF) PEN... 160
CORDRAN... 118	cromolyn... 180, 186	CYLTEZO(CF)... 160
COREG CR... 96	crotan... 118	CYMBALTA... 40
COREG... 96	cryselle (28)... 146	cyproheptadine... 186
coremino... 26	CRYSVITA... 137	CYRAMZA... 54
CORGARD... 96	CUBICIN RF... 26	cyred eq... 146
CORLANOR... 96	CUBICIN... 26	cyred... 146
CORLOPAM... 96	CUPRIMINE... 126	CYSTADANE... 137
CORTEF... 118	CURITY ALCOHOL SWABS... 174	CYSTADROPS... 180
CORTENEMA... 169	CURITY GAUZE... 174	CYSTAGON... 137
CORTIFOAM... 169	CUTAQUIG... 160	CYSTARAN... 180
CORTISPORIN-TC... 183	CUVPOSA... 133	cytarabine (pf)... 54
CORTROPHIN GEL... 141	CUVRIOR... 126	cytarabine... 54
CORVERT... 96	cyanocobalamin (vitamin b-12)... 196	CYTOGAM... 160
COSENTYX (2 SYRINGES)... 160	cyclafem 1/35 (28)... 146	CYTOMEL... 155
COSENTYX PEN (2 PENS)... 160	cyclafem 7/7/7 (28)... 146	CYTOTEC... 133
COSENTYX PEN... 160	cyclobenzaprine... 192	
COSENTYX UNOREADY PEN... 160	cyclopentolate... 180	D
COSENTYX... 159, 160	cyclophosphamide... 54	D.H.E.45... 49
COSMEGEN... 54	cycloserine... 51	dabigatran etexilate... 89
COSOPT (PF)... 180	CYCLOSET... 82	dacarbazine... 54
COSOPT... 180	cyclosporine modified... 160	DACOGEN... 55
COTELLIC... 54	cyclosporine... 160	dactinomycin... 55
COTEMPLA XR-ODT... 109	CYKLOKAPRON... 89	dalfampridine... 109
COZAAR... 96		DALIRESP... 186
CREON... 137		

DALVANCE... 26	deferasirox... 126	DERMOTIC OIL... 184
danazol... 146	deferiprone... 126	DESCOVY... 75
DANTRIUM... 74	deferoxamine... 126	DESFERAL... 126
dantrolene... 74	DEFITELIO... 174	desipramine... 40
DANYELZA... 55	DELESTROGEN... 146	desloratadine... 186
dapsone... 51, 118	DELSTRIGO... 75	desmopressin... 143
DAPTACEL (DTAP PEDIATRIC) (PF)... 160	DELZICOL... 169	desog-e.estradiol/e.estradiol... 146
daptomycin in 0.9 % sod chlor... 26	demeclocycline... 26	desogestrel-ethinyl estradiol... 146
daptomycin... 26	DEMEROL (PF)... 12	desonide... 118
DARAPRIM... 66	DEMEROL... 12	DESOWEN... 118
darifenacin... 140	DEMSE... 96	desoximetasone... 118
DARTISLA... 133	DENAVIR... 75	DESOXYN... 109
darunavir... 75	DENG VAXIA (PF)... 160	desrx... 118
DARZALEX FASPRO... 55	DEPAKOTE ER... 33	desvenlafaxine succinate... 40
DARZALEX... 55	DEPAKOTE SPRINKLES... 33	desvenlafaxine... 40
dasetta 1/35 (28)... 146	DEPAKOTE... 33	DETROL LA... 140
dasetta 7/7/7 (28)... 146	DEPEN TITRATABS... 126	DETROL... 140
daunorubicin... 55	DEPO-ESTRADIOL... 146	dexabliss... 141
DAURISMO... 55	DEPO-MEDROL... 141	dexamethasone intensol... 141
DAYBUE... 109	DEPO-PROVERA... 146	dexamethasone sodium phos (pf)... 141
DAYPRO... 12	DEPO-SUBQ PROVERA 104... 146	dexamethasone sodium phosphate... 141, 180
daysee... 146	DEPO-TESTOSTERONE... 146	dexamethasone... 141
DAYTRANA... 109	DERMA-SMOOTH/FS BODY OIL... 118	dexchlorpheniramine maleate... 186
DAYVIGO... 193	DERMA-SMOOTH/FS SCALP OIL... 118	DEXEDRINE SPANSULE... 109
DDAVP... 143	DERMACEA... 174	DEXILANT... 133
deblitane... 146	dermacinrx lidocan... 20	dexlansoprazole... 133
decitabine... 55		

dexmethylphenidate... 109	diazepam intensol... 81	DILAUDID... 12
dexrazoxane hcl... 55	diazepam... 33, 81	dilt-xr... 96
DEXTENZA... 180	diazoxide... 82	diltiazem hcl... 96, 97
dextroamphetamine sulfate... 109	DIBENZYLINE... 96	dimenhydrinate... 43
dextroamphetamine-amphetamine... 109, 110	dichlorphenamide... 137	dimethyl fumarate... 110
dextrose 10 % and 0.2 % nacl... 126	DICLEGIS... 43	DIOVAN HCT... 97
dextrose 10 % in water (d10w)... 126	diclofenac epolamine... 12	DIOVAN... 97
dextrose 20 % in water (d20w)... 126	diclofenac potassium... 12	DIPENTUM... 169
dextrose 25 % in water (d25w)... 126	diclofenac sodium... 12, 119, 180	DIPHEN... 186
dextrose 30 % in water (d30w)... 126	diclofenac-misoprostol... 12	diphenhydramine hcl... 186
dextrose 40 % in water (d40w)... 126	dicloxacillin... 26	diphenoxylate-atropine... 133
dextrose 5 % in water (d5w)... 126	dicyclomine... 133	DIPROLENE (AUGMENTED)... 119
dextrose 5 %-lactated ringers... 126	didanosine... 75	dipyridamole... 89
dextrose 5%-0.2 % sod chloride... 127	diethylpropion... 198	disopyramide phosphate... 97
dextrose 5%-0.3 % sod.chloride... 127	DIFFERIN... 119	disulfiram... 21
dextrose 50 % in water (d50w)... 127	DIFICID... 26	DITROPAN XL... 140
dextrose 70 % in water (d70w)... 127	diflorasone... 119	DIURIL... 97
DHIVY... 68	DIFLUCAN... 46	divalproex... 33
DIACOMIT... 33	diflunisal... 12	DIVIGEL... 147
DIASTAT ACUDIAL... 33	difluprednate... 180	dobutamine in d5w... 97
DIASTAT... 33	digitek... 96	dobutamine... 97
	digox... 96	DOCEFREZ... 55
	digoxin... 96	docetaxel... 55
	dihydroergotamine... 49	dodex... 197
	DILANTIN EXTENDED... 33	dofetilide... 97
	DILANTIN INFATABS... 33	DOJOLVI... 174
	DILANTIN... 33	dolishale... 147
	DILANTIN-125... 33	donepezil... 38

dopamine in 5 % dextrose... 97	DROPLET INSULIN SYR(HALF UNIT)... 174	dutasteride-tamsulosin... 140
dopamine... 97		DUZALLO... 48
DOPRAM... 186	DROPLET INSULIN SYRINGE... 174	dvorah... 12
DOPTelet (10 TAB PACK)... 89	DROPLET MICRON PEN NEEDLE... 174	DXEVO... 141
DOPTelet (15 TAB PACK)... 89	DROPLET PEN NEEDLE... 174	DYANAVEL XR... 110
DOPTelet (30 TAB PACK)... 89	DROPSAFE ALCOHOL PREP PADS... 174	DYMISTA... 186
DORYX MPC... 26	DROPSAFE PEN NEEDLE... 174	DYRENIUM... 97
DORYX... 26	drosiprenone-e.estradiol-lm.fa... 147	d10 %-0.45 % sodium chloride... 126
dorzolamide... 180	drosiprenone-ethinyl estradiol... 147	d2.5 %-0.45 % sodium chloride... 126
dorzolamide-timolol (pf)... 180	DROXIA... 174	d5 % and 0.9 % sodium chloride... 126
dorzolamide-timolol... 180	droxidopa... 97	d5 %-0.45 % sodium chloride... 126
dotti... 147	DUAKLIR PRESSAIR... 186	E
DOVATO... 75	DUAVEE... 147	E.E.S. GRANULES... 27
DOVONEX... 119	DUET DHA WITH OMEGA-3... 127	E.E.S. 400... 27
doxazosin... 97	DUETACT... 82	EASY COMFORT ALCOHOL PAD... 174
doxepin... 81, 119, 193	DUEXIS... 12	EASY TOUCH ALCOHOL PREP PADS... 174
doxercalciferol... 170	DULERA... 186	EC-NAPROSYN... 13
DOXIL... 55	duloxetine... 40	ec-naproxen... 13
doxorubicin... 55	DUOBRII... 119	econazole... 46
doxorubicin, peg-liposomal... 55	DUOPA... 68	EDARBI... 97
doxy-100... 26	DUPIXENT PEN... 160	EDARBYCLOR... 97
doxycycline hyclate... 26, 27	DUPIXENT SYRINGE... 160	EDECIN... 97
doxycycline monohydrate... 27	DURAMORPH (PF)... 12	edetate calcium disodium... 174
doxylamine-pyridoxine (vit b6)... 43	DUREZOL... 180	EDLUAR... 193
DRISDOL... 197	DURYSTA... 180	EDURANT... 75
DRIZALMA SPRINKLE... 40	dutasteride... 140	
dronabinol... 43		
droperidol... 70		

efavirenz... 75	ELITEK... 55	ENBREL... 160
efavirenz-emtricitabin-tenofov... 75	ELIXOPHYLLIN... 186	ENDARI... 133
efavirenz-lamivu-tenofov disop... 75	ELLA... 147	endocet... 13
EFFEXOR XR... 40	ELLENCE... 55	ENDOMETRIN... 147
EFFIENT... 89	ELMIRON... 140	ENERGIX-B (PF)... 160
EFUDEX... 119	ELREXFIO... 55	ENERGIX-B PEDIATRIC (PF)... 160
EGATEN... 66	eluryng... 147	ENHERTU... 55
EGRIFTA SV... 143	ELYXYB... 174	enilloring... 147
ELAPRASE... 137	ELZONRIS... 55	ENJAYMO... 161
electrolyte-a... 127	EMCYT... 55	enoxaparin... 89
electrolyte-148... 127	EMEND (FOSAPREPITANT)... 44	enpresse... 147
electrolyte-48 in d5w... 127	EMEND... 43, 44	enskyce... 147
ELELYSO... 137	EMFLAZA... 141	ENSPRYNG... 161
ELESTRIN... 147	EMGALITY PEN... 49	ENSTILAR... 119
eletriptan... 49	EMGALITY SYRINGE... 49	entacapone... 68
ELEVIDYS... 137	emoquette... 147	ENTADFI... 140
ELFABRIO... 137	EMPAVELI... 174	entecavir... 75
ELIDEL... 119	EMPLICITI... 55	ENTOCORT EC... 169
ELIGARD (3 MONTH)... 156	EMSAM... 40	ENTRESTO... 98
ELIGARD (4 MONTH)... 156	emtricitabine... 75	ENTYVIO PEN... 161
ELIGARD (6 MONTH)... 156	emtricitabine-tenofovir (tdf)... 75	ENTYVIO... 161
ELIGARD... 156	EMTRIVA... 75	enulose... 133
ELIMITE... 119	emverm... 66	ENVARUSUS XR... 161
elinest... 147	enalapril maleate... 97	EPANED... 98
ELIQUIS DVT-PE TREAT 30D START... 89	enalapril-hydrochlorothiazide... 97	EPCLUSA... 75, 76
ELIQUIS... 89	enalaprilat... 98	EPIDIOLEX... 34
	ENBREL MINI... 160	EPIDUO FORTE... 119
	ENBREL SURECLICK... 160	EPIDUO... 119

EPIFOAM... 119	ERIVEDGE... 55	estarylla... 147
epinastine... 180	ERLEADA... 55	estazolam... 193
epinephrine... 186	erlotinib... 55, 56	ESTRACE... 147
EPIPEN JR 2-PAK... 186	ERMEZA... 155	estradiol valerate... 147
EPIPEN JR... 186	errin... 147	estradiol... 147
EPIPEN 2-PAK... 186	ERTACZO... 46	estradiol-norethindrone acet... 147
EPIPEN... 186	ertapenem... 27	ESTRING... 148
epirubicin... 55	ery pads... 119	ESTROGEL... 148
epitol... 34	ERY-TAB... 27	eszopiclone... 193
EPIVIR HBV... 76	ERYGEL... 119	ethacrynate sodium... 98
EPIVIR... 76	ERYPED 200... 27	ethacrynic acid... 98
EPKINLY... 55	ERYPED 400... 27	ethambutol... 51
eplerenone... 98	ERYTHROCIN (AS STEARATE)... 27	ethosuximide... 34
EPOGEN... 89	ERYTHROCIN... 27	ethynodiol diac-eth estradiol... 148
epoprostenol (glycine)... 187	erythromycin ethylsuccinate... 27	ETHYOL... 56
epoprostenol... 187	erythromycin lactobionate... 27	etodolac... 13
EPRONTIA... 49	erythromycin with ethanol... 119	etonogestrel-ethinyl estradiol... 148
eprosartan... 98	erythromycin... 27, 180	ETOPOPHOS... 56
EPSOLAY... 119	erythromycin-benzoyl peroxide... 119	etoposide... 56
eptifibatide... 90	ESBRIET... 187	etravirine... 76
EPZICOM... 76	escitalopram oxalate... 40	EUCRISA... 119
EQUETRO... 34	ESGIC... 174	EULEXIN... 56
ERAXIS(WATER DILUENT)... 46	esmolol in nacl (iso-osm)... 98	EURAX... 119
ERBITUX... 55	esmolol... 98	EUTHYROX... 155
ergocalciferol (vitamin d2)... 197	esomeprazole magnesium... 133	EVAMIST... 148
ergoloid... 38	esomeprazole sodium... 133	EVEKEO ODT... 110
ERGOMAR... 49	ESOMEPRAZOLE STRONTIUM... 133	EVEKEO... 110
ergotamine-caffeine... 49		EVENITY... 170

everolimus (antineoplastic)... 56	FABHALTA... 161	FENOGLIDE... 99
everolimus (immunosuppressive)... 161	FABIOR... 119	fenoprofen... 13
EVISTA... 148	FABRAZYME... 137	FENSOLVI... 156
EVKEEZA... 98	falmina (28)... 148	fentanyl citrate (pf)... 13
EVOCLIN... 119	famciclovir... 76	fentanyl citrate... 13
EVOMELA... 56	famotidine (pf)... 133	fentanyl... 13
EVOTAZ... 76	famotidine (pf)-nacl (iso-os)... 133	FENTORA... 13
EVOXAC... 114	famotidine... 133	FERRIPROX (2 TIMES A DAY)... 127
EVRYSDI... 137	FANAPT... 70	FERRIPROX... 127
EXELDERM... 46	FARESTON... 56	fesoterodine... 140
EXELON PATCH... 38	FARXIGA... 83	FETROJA... 27
exemestane... 56	FASENRA PEN... 187	FETZIMA... 40
EXFORGE HCT... 98	FASENRA... 187	FEXMID... 192
EXFORGE... 98	FASLODEX... 56	FIASP FLEXTOUCH U-100 INSULIN... 83
EXJADE... 127	febuxostat... 48	FIASP PENFILL U-100 INSULIN... 83
EXKIVITY... 56	felbamate... 34	FIASP U-100 INSULIN... 83
EXPAREL (PF)... 20	FELBATOL... 34	FIBRICOR... 99
EXSERVAN... 110	FELDENE... 13	FILSPARI... 175
EXTAVIA... 110	felodipine... 98	FINACEA... 119
EXTINA... 46	FEMARA... 56	finasteride... 140
EYSUVIS... 180	FEMHRT LOW DOSE... 148	fingolimod... 110
EZALLOR SPRINKLE... 98	FEMRING... 148	FINTEPLA... 34
ezetimibe... 98	femynor... 148	finzala... 148
ezetimibe-atorvastatin... 98	fenofibrate micronized... 98	FIORICET WITH CODEINE... 175
ezetimibe-rosuvastatin... 98	fenofibrate nanocrystallized... 98	fioricet... 175
ezetimibe-simvastatin... 98	fenofibrate... 98	FIRAZYR... 161
	fenofibric acid (choline)... 98	FIRDAPSE... 110
	fenofibric acid... 98	

F

FIRMAGON KIT W DILUENT SYRINGE... 156	fluocinonide-emollient... 120	FORTEO... 170
FIRMAGON... 156	fluorometholone... 180	FORTESTA... 148
FIRVANQ... 27	FLUOROPLEX... 120	FOSAMAX PLUS D... 170
flac otic oil... 184	fluorouracil... 56, 120	FOSAMAX... 170
FLAGYL... 27	fluoxetine... 40, 41	fosamprenavir... 76
FLAREX... 180	fluphenazine decanoate... 70	fosaprepitant... 44
flavoxate... 140	fluphenazine hcl... 70	foscarnet... 76
FLEBOGAMMA DIF... 161	flurandrenolide... 120	FOSCAVIR... 76
flecainide... 99	flurazepam... 193	fosfomycin tromethamine... 27
FLECTOR... 13	flurbiprofen sodium... 180	fosinopril... 99
FLEQSUVY... 74	flurbiprofen... 13	fosinopril-hydrochlorothiazide... 99
FLOLIPID... 99	flutamide... 56	fosphenytoin... 34
FLOMAX... 140	fluticasone propion-salmeterol... 187	FOSRENOL... 127
floxuridine... 56	fluticasone propionate... 120, 187	FOTIVDA... 56
fluconazole in nacl (iso-osm)... 46	fluvastatin... 99	FRAGMIN... 90
fluconazole... 46	fluvoxamine... 41	FROVA... 49
flucytosine... 46	FML FORTE... 180	frovatriptan... 49
fludarabine... 56	FML LIQUIFILM... 180	FRUZAQLA... 56
fludrocortisone... 141	FOCALIN XR... 110	FULPHILA... 90
FLUMADINE... 76	FOCALIN... 110	fulvestrant... 56
flumazenil... 175	folic acid... 197	FURADANTIN... 27
flunisolide... 187	FOLLISTIM AQ... 196	FUROSCIX... 99
fluocinolone acetonide oil... 184	FOLOTYN... 56	furosemide... 99
fluocinolone and shower cap... 120	fomepizole... 175	FUSILEV... 56
fluocinolone... 119, 120	fondaparinux... 90	FUZEON... 76
fluocinonide... 120	FORFIVO XL... 41	FYARRO... 56
fluocinonide-e... 120	formoterol fumarate... 187	fyavolv... 148
		FYCOMPA... 34

FYLNETRA... 90	GAVRETO... 56	GLEOSTINE... 57
fyremadel... 196	GAZYVA... 56	glimepiride... 83
G	gefitinib... 56	glipizide... 83
gabapentin... 34	GELNIQUE... 140	glipizide-metformin... 83
GABITRIL... 34	gemcitabine... 56	GLOPERBA... 48
GALAFOLD... 137	gemfibrozil... 99	GLUCAGEN HYPOKIT... 83
galantamine... 38	gemmily... 148	GLUCAGON (HCL) EMERGENCY KIT... 83
GAMASTAN S/D... 161	GEMTESA... 140	GLUCAGON EMERGENCY KIT (HUMAN)... 83
GAMASTAN... 161	GENERESS FE... 148	GLUCOTROL XL... 83
GAMIFANT... 161	generlac... 133	GLUMETZA... 83
GAMMAGARD LIQUID... 161	gengraf... 161	glyburide micronized... 83
GAMMAGARD S-D (IGA < 1 MCG/ML)... 161	GENOTROPIN MINIQUICK... 143	glyburide... 83
GAMMAKED... 161	GENOTROPIN... 143	glyburide-metformin... 83
GAMMAPLEX (WITH SORBITOL)... 161	gentak... 180	GLYCATE... 133
GAMMAPLEX... 161	gentamicin in nacl (iso-osm)... 28	GLYCOPHOS... 127
GAMUNEX-C... 161	gentamicin sulfate (ped) (pf)... 28	glycopyrrolate (pf) in water... 134
ganciclovir sodium... 76	gentamicin sulfate (pf)... 28	glycopyrrolate (pf)... 134
GANIRELIX... 196	gentamicin... 28, 180	glycopyrrolate... 133, 134
GARDASIL 9 (PF)... 161	GENVOYA... 76	glydo... 20
GASTROCROM... 187	GEODON... 70	GLYNASE... 83
gatifloxacin... 180	GILENYA... 110	GLYXAMBI... 83
GATTEX ONE-VIAL... 133	GILOTRIF... 56	GOCOVRI... 68
GATTEX 30-VIAL... 133	GIMOTI... 44	GOLYTELY... 134
GAUZE BANDAGE... 175	GIVLAARI... 175	GONAL-F RFF REDI-JECT... 196
GAUZE PAD... 175	GLASSIA... 137	GONAL-F RFF... 196
gavilyte-c... 133	glatiramer... 110	GONAL-F... 196
gavilyte-g... 133	glatopa... 110	
	GLEEVEC... 57	

GONITRO... 99	HALDOL DECANOATE... 71	HULIO(CF)... 162
GRALISE... 110	halobetasol propionate... 120	HUMALOG JUNIOR KWIKPEN U-100... 83
granisetron (pf)... 44	haloette... 148	HUMALOG KWIKPEN INSULIN... 83
granisetron hcl... 44	HALOG... 120	HUMALOG MIX 50-50 INSULN U-100... 84
GRANIX... 90	haloperidol decanoate... 71	HUMALOG MIX 50-50 KWIKPEN... 84
GRASTEK... 187	haloperidol lactate... 71	HUMALOG MIX 75-25 KWIKPEN... 84
griseofulvin microsize... 46	haloperidol... 71	HUMALOG MIX 75-25(U-100)INSULN... 84
griseofulvin ultramicrosize... 46	HARVONI... 76	HUMALOG TEMPO PEN(U-100)INSULN... 84
guanfacine... 99, 110	HAVRIX (PF)... 162	HUMALOG U-100 INSULIN... 84
GVOKE HYPOPEN 1-PACK... 83	heather... 148	HUMATIN... 28
GVOKE HYPOPEN 2-PACK... 83	HECTOROL... 170	HUMATROPE... 143
GVOKE PFS 1-PACK SYRINGE... 83	HEMABATE... 144	HUMIRA PEN CROHNS-UC-HS START... 162
GVOKE PFS 2-PACK SYRINGE... 83	HEMADY... 141	HUMIRA PEN PSOR-UEITS-ADOL HS... 162
GVOKE... 83	HEMANGEOL... 99	HUMIRA PEN... 162
gynazole-1... 46	heparin (porcine)... 90	HUMIRA... 162
H	heparin, porcine (pf)... 90	HUMIRA(CF) PEDI CROHNS STARTER... 162
HADLIMA PUSHTOUCH... 161	HEPLISAV-B (PF)... 162	HUMIRA(CF) PEN CROHNS-UC-HS... 162
HADLIMA... 161	HEPSERA... 76	HUMIRA(CF) PEN PEDIATRIC UC... 162
HADLIMA(CF) PUSHTOUCH... 162	HERCEPTIN HYLECTA... 57	HUMIRA(CF) PEN PSOR-UV-ADOL HS... 162
HADLIMA(CF)... 161	HERCEPTIN... 57	HUMIRA(CF) PEN... 162
HAEGARDA... 162	HERZUMA... 57	HUMIRA(CF)... 162
hailey fe 1.5/30 (28)... 148	HETLIOZ LQ... 193	
hailey fe 1/20 (28)... 148	HETLIOZ... 193	
hailey 24 fe... 148	HIBERIX (PF)... 162	
hailey... 148	HIPREX... 28	
HALAVEN... 57	HIZENTRA... 162	
halcinonide... 120	HORIZANT... 110	
HALCION... 193	HULIO(CF) PEN... 162	

HUMULIN N NPH INSULIN KWIKPEN... 84	hydrocortisone... 120, 121, 169	ibuprofen... 14
HUMULIN N NPH U-100 INSULIN... 84	hydrocortisone-acetic acid... 184	ibuprofen-famotidine... 14
HUMULIN R REGULAR U-100 INSULN... 84	hydromet... 195	ibutilide fumarate... 99
HUMULIN R U-500 (CONC) INSULIN... 84	hydromorphone (pf)... 14	icatibant... 163
HUMULIN R U-500 (CONC) KWIKPEN... 84	hydromorphone... 14	iclevia... 148
HUMULIN 70/30 U-100 INSULIN... 84	hydroxocobalamin... 197	ICLUSIG... 57
HUMULIN 70/30 U-100 KWIKPEN... 84	hydroxychloroquine... 66	IDACIO(CF) PEN CROHN-UC STARTR... 163
HYCAMTIN... 57	hydroxyurea... 57	IDACIO(CF) PEN PSORIASIS START... 163
HYCODAN (WITH HOMATROPINE)... 195	hydroxyzine hcl... 81	IDACIO(CF) PEN... 163
HYCODAN... 195	hydroxyzine pamoate... 187	IDACIO(CF)... 163
hydralazine... 99	HYFTOR... 121	IDAMYCIN PFS... 57
HYDREA... 57	HYPERRAB (PF)... 162	idarubicin... 57
hydrochlorothiazide... 99	HYPERRAB S/D (PF)... 162	IDHIFA... 57
hydrocodone bitartrate... 13	HYPERTET (PF)... 162	IFEX... 57
hydrocodone-acetaminophen... 13	HYRIMOZ PEN CROHN'S-UC STARTER... 162	ifosfamide... 57
hydrocodone-chlorpheniramine... 195	HYRIMOZ PEN PSORIASIS STARTER... 162	IGALMI... 175
hydrocodone-homatropine... 195	HYRIMOZ(CF) PEDI CROHN STARTER... 163	ILEVRO... 180
hydrocodone-ibuprofen... 13	HYRIMOZ(CF) PEN... 163	ILUMYA... 163
hydrocortisone butyr-emollient... 121	HYRIMOZ(CF)... 162, 163	imatinib... 57
hydrocortisone butyrate... 121	HYSINGLA ER... 14	IMBRUVICA... 57
hydrocortisone valerate... 121	HYZAAR... 99	IMFINZI... 57
	I	imipenem-cilastatin... 28
	ibandronate... 170, 171	imipramine hcl... 41
	IBRANCE... 57	imipramine pamoate... 41
	IBSRELA... 134	imiquimod... 121
	ibu... 14	IMITREX STATDOSE PEN... 49

IMITREX STATDOSE REFILL... 49	INGREZZA... 111	INVEGA HAFYERA... 71
IMITREX... 49	INLYTA... 58	INVEGA SUSTENNA... 71
IMJUDO... 57	INNOPRAN XL... 99	INVEGA TRINZA... 71
IMLYGIC... 57	INPEFA... 84	INVEGA... 71
IMMPHENTIV... 99	INQOVI... 58	INVELTYS... 180
IMOGAM RABIES-HT (PF)... 163	INREBIC... 58	INVOKAMET XR... 85
IMOVAX RABIES VACCINE (PF)... 163	INSPRA... 99	INVOKAMET... 85
IMPAVIDO... 66	INSULIN ASP PRT-INSULIN ASPART... 84	INVOKANA... 85
IMPEKLO... 121	INSULIN ASPART U-100... 84	IONOSOL-B IN D5W... 127
IMURAN... 163	INSULIN DEGLUDEC... 84	IONOSOL-MB IN D5W... 127
INBRIJA... 68	INSULIN GLARGINE U-300 CONC... 84	IOPIDINE... 180
incassia... 148	INSULIN GLARGINE... 84	IPOL... 163
INCONTROL ALCOHOL PADS... 175	INSULIN GLARGINE-YFGN... 84	ipratropium bromide... 187
INCRELEX... 143	INSULIN LISPRO PROTAMIN-LISPRO... 85	ipratropium-albuterol... 187
INCRUSE ELLIPTA... 187	INSULIN LISPRO... 84, 85	irbesartan... 100
indapamide... 99	INSULIN SYRINGE MICROFINE... 175	irbesartan-hydrochlorothiazide... 100
INDERAL LA... 99	INSULIN SYRINGE NEEDLELESS... 175	IRESSA... 58
INDOCIN... 14	INSULIN SYRINGE... 175	irinotecan... 58
indomethacin sodium... 14	INSULIN SYRINGE-NEEDLE U-100... 175	ISENTRESS HD... 76
indomethacin... 14	INTELENCE... 76	ISENTRESS... 76
INFANRIX (DTAP) (PF)... 163	INTRALIPID... 127	isibloom... 148
INFLECTRA... 163	INTRON A... 163	ISOLYTE S PH 7.4... 127
INFLIXIMAB... 163	INTUNIV ER... 111	ISOLYTE-P IN 5 % DEXTROSE... 127
INFUGEM... 58	INVANZ... 28	ISOLYTE-S... 127
INFUMORPH P/F... 14		isoniazid... 51
INFUVITE ADULT... 197		ISOPTO CARPINE... 180
INFUVITE PEDIATRIC... 197		ISORDIL TITRADOSE... 100
INGREZZA INITIATION PACK... 111		

ISORDIL... 100	JARDIANCE... 85	KABIVEN... 127
isosorbide dinitrate... 100	jasmiel (28)... 148	KADCYLA... 58
isosorbide mononitrate... 100	JATENZO... 148	kaitlib fe... 149
isosorbide-hydralazine... 100	javygtor... 137	KALETRA... 77
isotretinoin... 121	JAYPIRCA... 58	kalliga... 149
isradipine... 100	JEMPERLI... 58	KALYDECO... 187
ISTALOL... 181	jencycla... 148	KANJINTI... 58
ISTODAX... 58	JENTADUETO XR... 85	KANUMA... 137
ISTURISA... 156	JENTADUETO... 85	KAPSPARGO SPRINKLE... 100
ISUPREL... 100	JEVTANA... 58	KAPVAY... 111
itraconazole... 46	jinteli... 148	KARBINAL ER... 187
IV PREP WIPES... 175	JOENJA... 137	kariva (28)... 149
ivermectin... 66, 121	jolessa... 148	KATERZIA... 100
IWILFIN... 58	JORNAY PM... 111	KAZANO... 85
IXCHIQ... 163	joyeaux... 148	KEDRAB (PF)... 163
IXEMPRA... 58	JUBLIA... 46	kelnor 1-50 (28)... 149
IXIARO (PF)... 163	juleber... 149	kelnor 1/35 (28)... 149
IYUZEH... 181	JULUCA... 77	KENALOG... 142
J	junel fe 1.5/30 (28)... 149	KENALOG-80... 142
JADENU SPRINKLE... 127	junel fe 1/20 (28)... 149	KENGREAL... 90
JADENU... 127	junel fe 24... 149	KEPIVANCE... 114
jaimiess... 148	junel 1.5/30 (21)... 149	KEPPRA XR... 34
JAKAFI... 58	junel 1/20 (21)... 149	KEPPRA... 34
JALYN... 140	JUXTAPID... 100	KERENDIA... 100
jantoven... 90	JYNARQUE... 127	KERYDIN... 46
JANUMET XR... 85	JYNNEOS (PF)... 163	KESIMPTA PEN... 111
JANUMET... 85	K	ketoconazole... 46
JANUVIA... 85	K-TAB... 127	ketodan... 46

ketoprofen... 14, 15	KOSHER PRENATAL PLUS IRON... 128	LAMICTAL STARTER (ORANGE) KIT... 35
ketorolac... 15, 181	kourzeq... 114	LAMICTAL XR STARTER (BLUE)... 35
KEVEYIS... 137	KRAZATI... 58	LAMICTAL XR STARTER (GREEN)... 35
KEVZARA... 163	KRINTAFEL... 66	LAMICTAL XR STARTER (ORANGE)... 35
KEYTRUDA... 58	KRISTALOSE... 134	LAMICTAL XR... 35
KHAPZORY... 58	kurvelo (28)... 149	LAMICTAL... 34
KIMMTRAK... 58	KUVAN... 137	lamivudine... 77
KIMYRSA... 28	KYPROLIS... 59	lamivudine-zidovudine... 77
KINERET... 163	L	lamotrigine... 35
KINRIX (PF)... 163	l norgest/e.estradiol-e.estrad... 149	LAMPIT... 66
KISQALI FEMARA CO-PACK... 58	LABETALOL IN DEXTROSE,ISO-OSM... 100	LAMZEDE... 137
KISQALI... 58	LABETALOL IN NACL (ISO-OSMOT)... 100	LANOXIN PEDIATRIC... 100
KITABIS PAK... 28	labetalol... 100	LANOXIN... 100
KLARON... 28	lacosamide... 34	lanreotide... 156
klayesta... 46	LACRISERT... 181	lansoprazole... 134
KLISYRI... 121	lactated ringers... 128, 175	lanthanum... 128
KLONOPIN... 81	lactulose... 134	LANTUS SOLOSTAR U-100 INSULIN... 85
klor-con m10... 128	LAGEVRIO (EUA)... 175	LANTUS U-100 INSULIN... 85
KLOR-CON M15... 128	LAMICTAL ODT STARTER (BLUE)... 34	lapatinib... 59
klor-con m20... 128	LAMICTAL ODT STARTER (GREEN)... 35	larin fe 1.5/30 (28)... 149
KLOR-CON 10... 127	LAMICTAL ODT STARTER (ORANGE)... 35	larin fe 1/20 (28)... 149
KLOR-CON 8... 128	LAMICTAL ODT... 34	larin 1.5/30 (21)... 149
klor-con... 127	LAMICTAL STARTER (BLUE) KIT... 35	larin 1/20 (21)... 149
KLOXXADO... 21	LAMICTAL STARTER (GREEN) KIT... 35	larin 24 fe... 149
KONVOMEPI... 134		larissia... 149
KORLYM... 175		LASIX... 100
KOSELUGO... 58		

latanoprost... 181	LEVO-T... 155	lidocaine... 20
LATUDA... 71	levobunolol... 181	lidocaine-epinephrine bit... 20
LAYOLIS FE... 149	levocarnitine (with sugar)... 128	lidocaine-epinephrine... 20
LAZANDA... 15	levocarnitine... 128	lidocaine-prilocaine... 20
leena 28... 149	levocetirizine... 188	lidocan iii... 20
leflunomide... 163	levofloxacin in d5w... 28	LIDODERM... 20
LEMTRADA... 111	levofloxacin... 28, 181	lignospan standard... 20
lenalidomide... 59	levoleucovorin calcium... 59	lillow (28)... 149
LENVIMA... 59	levonest (28)... 149	LINCOCIN... 28
LEQVIO... 100	levonorg-eth estrad triphasic... 149	lincomycin... 28
LESCOL XL... 100	levonorgestrel-ethinyl estrad... 149	lindane... 121
lessina... 149	LEVOPHED (BITARTRATE)... 101	linezolid in dextrose 5%... 28
LETAIRIS... 188	levora-28... 149	linezolid... 28
letrozole... 59	levorphanol tartrate... 15	linezolid-0.9% sodium chloride... 28
leucovorin calcium... 59	levothyroxine... 155	LINZESS... 134
LEUKERAN... 59	LEVOXYL... 155	liothyronine... 155
LEUKINE... 90	LEVULAN... 59	LIPITOR... 101
leuprolide (3 month)... 156	LEXAPRO... 41	LIPOFEN... 101
leuprolide... 156	LEXETTE... 121	LIQREV... 188
levalbuterol hcl... 188	LEXIVA... 77	lisdexamfetamine... 111
levalbuterol tartrate... 188	LIALDA... 169	lisinopril... 101
levamlodipine... 100	LIBTAYO... 59	lisinopril-hydrochlorothiazide... 101
LEVEMIR FLEXPEN... 85	LICART... 15	LITFULO... 175
LEVEMIR FLEXTOUCH U100 INSULIN... 85	lidocaine (pf) in d7.5w... 20	lithium carbonate... 82
LEVEMIR U-100 INSULIN... 85	lidocaine (pf)... 20, 101	lithium citrate... 82
levetiracetam in nacl (iso-os)... 36	lidocaine hcl... 20	LITHOBID... 82
levetiracetam... 35	lidocaine in 5 % dextrose (pf)... 101	LITHOSTAT... 175
	lidocaine viscous... 20	LIVALO... 101

LIVMARLI... 175	lorazepam intensol... 81	LUMRYZ... 193
LIVTENCITY... 77	lorazepam... 81	LUNESTA... 193
LO LOESTRIN FE... 149	LORBRENA... 59	LUNSUMIO... 59
lo-zumandimine (28)... 150	LOREEV XR... 81	LUPKYNIS... 163
LOCOID LIPOCREAM... 121	lortab elixir... 15	LUPRON DEPOT (3 MONTH)... 156
LOCOID... 121	loryna (28)... 150	LUPRON DEPOT (4 MONTH)... 156
LODINE... 15	LORZONE... 192	LUPRON DEPOT (6 MONTH)... 157
LODOCO... 101	losartan... 101	LUPRON DEPOT... 156
LODOSYN... 68	losartan-hydrochlorothiazide... 101	LUPRON DEPOT-PED (3 MONTH)... 157
LOESTRIN FE 1.5/30 (28-DAY)... 150	LOSEASONIQUE... 150	LUPRON DEPOT-PED... 157
LOESTRIN FE 1/20 (28-DAY)... 150	LOTEMAX SM... 181	lurasidone... 71
LOESTRIN 1.5/30 (21)... 150	LOTEMAX... 181	lutra (28)... 150
LOESTRIN 1/20 (21)... 150	LOTENSIN HCT... 101	LUXIQ... 121
lofena... 15	LOTENSIN... 101	LUZU... 47
lojaimiess... 150	loteprednol etabonate... 181	LYBALVI... 71
LOKELMA... 128	LOTREL... 101	lyleq... 150
lomaira... 198	LOTRONEX... 134	lyllana... 150
LOMOTIL... 134	lovastatin... 101	LYNPARZA... 59
LONHALA MAGNAIR REFILL... 188	LOVAZA... 101	LYRICA CR... 111
LONHALA MAGNAIR STARTER... 188	LOVENOX... 90	LYRICA... 111
LONSURF... 59	low-ogestrel (28)... 150	LYSODREN... 156
loperamide... 134	loxapine succinate... 71	LYSTEDA... 91
LOPID... 101	lubiprostone... 134	LYTGOBI... 59
lopinavir-ritonavir... 77	LUCEMYRA... 22	LYUMJEV KWIKPEN U-100 INSULIN... 85
LOPRESSOR... 101	luliconazole... 47	LYUMJEV KWIKPEN U-200 INSULIN... 85
LOPROX (AS OLAMINE)... 46, 47	LUMAKRAS... 59	
LOPROX... 46	LUMIGAN... 181	
LOQTORZI... 59	LUMIZYME... 137	

LYUMJEV TEMPO	MARINOL... 44	medroxyprogesterone... 150
PEN(U-100)INSULN... 85	marlissa (28)... 150	mefenamic acid... 15
LYUMJEV U-100 INSULIN... 85	MARPLAN... 41	mefloquine... 66
LYVISPAH... 74	MATULANE... 59	megestrol... 150
lyza... 150	matzim la... 101	MEKINIST... 59, 60
M	MAVENCLAD (10 TABLET PACK)... 111	MEKTOVI... 60
M-M-R II (PF)... 163	MAVENCLAD (4 TABLET PACK)... 111	meloxicam submicronized... 15
m-natal plus... 128	MAVENCLAD (5 TABLET PACK)... 111	meloxicam... 15
MACROBID... 28	MAVENCLAD (6 TABLET PACK)... 111	melphalan hcl... 60
MACRODANTIN... 28	MAVENCLAD (7 TABLET PACK)... 111	melphalan... 60
mafenide acetate... 121	MAVENCLAD (8 TABLET PACK)... 111	memantine... 38, 39
magnesium sulfate in d5w... 128	MAVENCLAD (9 TABLET PACK)... 111	MENACTRA (PF)... 164
magnesium sulfate in water... 128	MAVYRET... 77	MENEST... 150
magnesium sulfate... 128	MAXALT... 49	MENOPUR... 196
MALARONE PEDIATRIC... 66	MAXALT-MLT... 49	MENOSTAR... 150
MALARONE... 66	MAXIDEX... 181	MENQUADFI (PF)... 164
malathion... 121	MAXITROL... 181	MENTAX... 47
mannitol 10 %... 101	MAXZIDE... 101	MENVEO A-C-Y-W-135-DIP (PF)... 164
mannitol 20 %... 101	MAXZIDE-25MG... 101	meperidine (pf)... 15
mannitol 25 %... 101	MAYZENT STARTER(FOR 1MG MAINT)... 111	meperidine... 15
mannitol 5 %... 101	MAYZENT STARTER(FOR 2MG MAINT)... 111	MEPHYTON... 197
maraviroc... 77	MAYZENT... 111	meprobamate... 81
MARCAINE (PF)... 20	meclizine... 44	MEPRON... 66
MARCAINE SPINAL (PF)... 20	meclofenamate... 15	MEPSEVII... 138
MARCAINE... 20	MEDROL (PAK)... 142	mercaptopurine... 60
MARCAINE-EPINEPHRINE (PF)... 20	MEDROL... 142	meropenem... 28
MARCAINE-EPINEPHRINE... 20		
MARGENZA... 59		

meropenem-0.9% sodium chloride... 28	methyldopate... 102	MICARDIS... 102
merzee... 150	methylergonovine... 175	miconazole nitrate-zinc ox-pet... 47
mesalamine... 169	METHYLIN... 111	miconazole-3... 47
mesna... 60	methylphenidate hcl... 112	microgestin fe 1.5/30 (28)... 150
MESNEX... 60	methylphenidate... 112	microgestin fe 1/20 (28)... 150
MESTINON TIMESPAN... 51	methylprednisolone acetate... 142	microgestin 1.5/30 (21)... 150
MESTINON... 51	methylprednisolone sodium succ... 142	microgestin 1/20 (21)... 150
metadate er... 111	methylprednisolone... 142	microgestin 24 fe... 150
metaxalone... 192	methyltestosterone... 150	midodrine... 102
metformin... 85, 86	metoclopramide hcl... 44	MIEBO... 181
methadone intensol... 15	metolazone... 102	migergot... 49
methadone... 15	metoprolol succinate... 102	miglitol... 86
METHADOSE... 15	metoprolol ta-hydrochlorothiaz... 102	miglustat... 138
methamphetamine... 111	metoprolol tartrate... 102	MIGRANAL... 49
methazolamide... 101	METRO I.V.... 28	mili... 151
methenamine hippurate... 28	METROCREAM... 29	millipred dp... 142
methimazole... 157	METROGEL... 29	millipred... 142
METHITEST... 150	METROLOTION... 29	milrinone in 5 % dextrose... 102
methocarbamol... 192	metronidazole in nacl (iso-os)... 29	milrinone... 102
methotrexate sodium (pf)... 164	metronidazole... 29	mimvey... 151
methotrexate sodium... 164	metyrosine... 102	MINASTRIN 24 FE... 151
methoxsalen... 121	mexiletine... 102	MINIPRESS... 102
methscopolamine... 134	MIACALCIN... 171	MINIVELLE... 151
methsuximide... 36	mibelas 24 fe... 150	MINOCIN... 29
methyldopa... 102	micafungin... 47	minocycline... 29
methyldopa-hydrochlorothiazide... 102	MICARDIS HCT... 102	MINOLIRA ER... 29
		minoxidil... 102
		MIOSTAT... 181

MIRAPEX ER... 68	MOVIPREP... 134	MYSOLINE... 36
MIRCETTE (28)... 151	MOXEZA... 181	MYTESI... 134
mirtazapine... 41	moxifloxacin... 29, 181	N
MIRVASO... 121	moxifloxacin-sod.ace,sul-water... 29	nabumetone... 17
misoprostol... 134	moxifloxacin-sod.chloride(iso)... 29	nadolol... 102
MITIGARE... 48	MOZOBIL... 91	nafcillin in dextrose iso-osm... 29
mitigo (pf)... 16	MS CONTIN... 16	nafcillin... 29
mitomycin... 60	MULPLETA... 91	naftifine... 47
mitoxantrone... 60	MULTAQ... 102	NAFTIN... 47
MOBIC... 16	mupirocin calcium... 122	NAGLAZYME... 138
modafinil... 193	mupirocin... 121	nalbuphine... 17
moexipril... 102	MUTAMYCIN... 60	NALFON... 17
molindone... 71	MVASI... 60	nalmefene... 22
mometasone... 121, 188	MYALEPT... 134	nalocet... 17
mondoxyne nl... 29	MYAMBUTOL... 52	naloxone... 22
MONJUVI... 164	MYCAMINE... 47	naltrexone... 22
mono-lynyah... 151	MYCAPSSA... 157	NAMENDA TITRATION PAK... 39
MONODOX... 29	MYCOBUTIN... 52	NAMENDA XR... 39
montelukast... 188	mycophenolate mofetil (hcl)... 164	NAMENDA... 39
MONUROL... 29	mycophenolate mofetil... 164	NAMZARIC... 39
morgidox... 29	mycophenolate sodium... 164	NAPRELAN CR... 17
morphine (pf)... 16	MYDAYIS... 112	NAPROSYN... 17
morphine concentrate... 16	MYFEMBREE... 175	naproxen sodium... 17
morphine... 16	MYFORTIC... 164	naproxen... 17
MOTEGRITY... 134	MYLOTARG... 60	naproxen-esomeprazole... 17
MOTOFEN... 134	myorisan... 122	naratriptan... 49
MOUNJARO... 86	MYRBETRIQ... 140	NARCAN... 22
MOVANTIK... 134		NARDIL... 41

NAROPIN (PF)... 20	neomycin-polymyxin-hc... 182, 184	niacor... 103
NASCOBAL... 197	NEONATAL COMPLETE... 128	NIASPAN EXTENDED-RELEASE... 103
NATACHEW (FE BIS-GLYCINATE)... 128	NEONATAL PLUS VITAMIN... 128	nicardipine... 103
NATACYN... 181	NEONATAL-DHA... 128	NICOTROL NS... 22
NATAZIA... 151	NEORAL... 164	NICOTROL... 22
nateglinide... 86	NERLYNX... 60	nifedipine... 103
NATESTO... 151	NESACAINE... 20	nikki (28)... 151
NATPARA... 171	NESACAINE-MPF... 21	NILANDRON... 60
NATROBA... 122	NESINA... 86	nilutamide... 60
NAYZILAM... 36	neuac... 122	nimodipine... 103
nebivolol... 102	NEULASTA ONPRO... 91	NINLARO... 60
NEBUPENT... 66	NEULASTA... 91	NIPENT... 60
necon 0.5/35 (28)... 151	NEUPOGEN... 91	nisoldipine... 103
nefazodone... 41	NEUPRO... 68	nitazoxanide... 67
nelarabine... 60	NEURONTIN... 36	nitisinone... 138
NEMBUTAL SODIUM... 36	NEVANAC... 182	NITRO-BID... 103
neo-polycin hc... 181	nevirapine... 77	NITRO-DUR... 103
neo-polycin... 181	NEXAVAR... 60	nitrofurantoin macrocrystal... 29
NEO-SYNALAR... 122	NEXIUM IV... 134	nitrofurantoin monohyd/m-cryst... 29
neomycin... 29	NEXIUM PACKET... 134	nitrofurantoin... 29
neomycin-bacitracin-poly-hc... 181	NEXIUM... 134	nitroglycerin in 5 % dextrose... 103
neomycin-bacitracin-polymyxin... 181	NEXLETOL... 102	nitroglycerin... 103
neomycin-polymyxin b gu... 175	NEXLIZET... 102	NITROLINGUAL... 103
neomycin-polymyxin b-dexameth... 181	NEXTERONE... 102	NITROSTAT... 103
neomycin-polymyxin-gramicidin... 181	NEXTSTELLIS... 151	NITYR... 138
	NEXVIAZYME... 138	NIVESTYM... 91
	NGENLA... 144	nizatidine... 134
	niacin... 102, 103	

NOC DURNA (MEN)... 144	NORPRAMIN... 41	NOVOLOG U-100 INSULIN ASPART... 86
NOC DURNA (WOMEN)... 144	NORTHERA... 103	NOVOPEN ECHO... 175
nolix... 122	nortrel 0.5/35 (28)... 151	NOXAFIL... 47
NORA-BE... 151	nortrel 1/35 (21)... 151	np thyroid... 155
NORDITROPIN FLEXPEN... 144	nortrel 1/35 (28)... 151	NUBEQA... 60
norelgestromin-ethin.estradiol... 151	nortrel 7/7/7 (28)... 151	NUCALA... 188
norepinephrine bitartrate... 103	nortriptyline... 41	NUCYNTA ER... 17
noreth-ethinyl estradiol-iron... 151	NORVASC... 103	NUCYNTA... 17
norethindrone (contraceptive)... 151	NORVIR... 77	NUDEXTA... 112
norethindrone ac-eth estradiol... 151	NOURIANZ... 68	NULIBRY... 138
norethindrone acetate... 151	NOVAREL... 144	NULYTELY LEMON-LIME... 135
norethindrone-e.estradiol-iron... 151	NOVOLIN N FLEXPEN... 86	NUPLAZID... 71
NORGESIC FORTE... 192	NOVOLIN N NPH U-100 INSULIN... 86	NURTEC ODT... 175
norgesic... 192	NOVOLIN R FLEXPEN... 86	NUTRILIPID... 128
norgestimate-ethinyl estradiol... 151	NOVOLIN R REGULAR U100 INSULIN... 86	NUTROPIN AQ NUSPIN... 144
NORITATE... 30	NOVOLIN 70-30 FLEXPEN U-100... 86	NUVARING... 152
NORLIQVA... 103	NOVOLIN 70/30 U-100 INSULIN... 86	NUVESSA... 30
norlyda... 151	NOVOLOG FLEXPEN U-100 INSULIN... 86	NUVIGIL... 193
NORMOSOL-M IN 5 % DEXTROSE... 128	NOVOLOG MIX 70-30 U-100 INSULIN... 86	NUZYRA... 30
NORMOSOL-R IN 5 % DEXTROSE... 128	NOVOLOG MIX 70-30FLEXPEN U-100... 86	nyamyc... 47
NORMOSOL-R PH 7.4... 128	NOVOLOG PENFILL U-100 INSULIN... 86	nylia 1/35 (28)... 152
NORMOSOL-R... 128		nylia 7/7/7 (28)... 152
NORPACE CR... 103		NYMALIZE... 103, 104
NORPACE... 103		nymyo... 152
		nystatin... 47
		nystatin-triamcinolone... 47
		nystop... 47

NYVEPRIA... 91	OLPRUVA... 138	OMNIPOD 5 G6 PODS (GEN 5)... 175
O	OLUMIANT... 164	OMNITROPE... 144
OB COMPLETE ONE... 128	OLUX... 122	OMVOH PEN... 164
OB COMPLETE PETITE... 128	OLUX-E... 122	OMVOH... 164
OB COMPLETE PREMIER... 128	OMECLAMOX-PAK... 135	ONCASPAR... 60
OBREDON... 195	omega-3 acid ethyl esters... 104	ondansetron hcl (pf)... 44
OALIVA... 135	OMEGAVEN... 128	ondansetron hcl... 44
ocella... 152	omeprazole... 135	ondansetron... 44
OCREVUS... 112	omeprazole-sodium bicarbonate... 135	ONEXTON... 122
OCTAGAM... 164	OMNARIS... 188	ONFI... 36
octreotide acetate... 157	OMNIPOD CLASSIC PODS (GEN 3)... 175	ONGENTYS... 68
OCUFLOX... 182	OMNIPOD DASH INTRO KIT (GEN 4)... 175	ONIVYDE... 60
ODACTRA... 188	OMNIPOD DASH PODS (GEN 4)... 176	ONPATTRO... 138
ODEFSEY... 77	OMNIPOD GO PODS 10 UNITS/DAY... 176	ONTRUZANT... 60
ODOMZO... 60	OMNIPOD GO PODS 15 UNITS/DAY... 176	ONUREG... 60
OFEV... 188	OMNIPOD GO PODS 20 UNITS/DAY... 176	ONZETRA XSAIL... 50
ofloxacin... 30, 182, 184	OMNIPOD GO PODS 25 UNITS/DAY... 176	OPDIVO... 60, 61
OGIVRI... 60	OMNIPOD GO PODS 30 UNITS/DAY... 176	OPDUALAG... 61
OGSIVEO... 60	OMNIPOD GO PODS 40 UNITS/DAY... 176	OPFOLDA... 138
OJJAARA... 60	OMNIPOD GO PODS... 176	opium tincture... 135
olanzapine... 71, 72	OMNIPOD 5 G6 INTRO KIT (GEN 5)... 175	OPSUMIT... 188
olanzapine-fluoxetine... 41		OPVEE... 22
OLINVYK... 17		OPZELURA... 122
olmesartan... 104		ORACEA... 30
olmesartan-amlodipin-hcthiazid... 104		ORALAIR... 188
olmesartan-hydrochlorothiazide... 104		oralone... 114
olopatadine... 182, 188		ORAPRED ODT... 142
		ORBACTIV... 30

ORENCIA CLICKJECT... 164	OSMITROL 5 %... 104	oxymorphone... 18
ORENCIA... 164	OSMOLEX ER... 68	oxytocin... 176
ORENITRAM MONTH 1 TITRATION KT... 188	OSMOPREP... 135	OXYTROL... 140
ORENITRAM MONTH 2 TITRATION KT... 188	OSPHERA... 152	OZEMPIC... 86
ORENITRAM MONTH 3 TITRATION KT... 189	OTEZLA STARTER... 122	P
ORENITRAM... 188	OTEZLA... 122	PACERONE... 104
ORFADIN... 138	OTOVEL... 184	paclitaxel protein-bound... 61
ORGOVYX... 157	OTREXUP (PF)... 164	paclitaxel... 61
ORIAHNN... 176	OVIDE... 122	PADCEV... 61
ORILISSA... 157	OVIDREL... 196	PALFORZIA (LEVEL 1)... 176
ORKAMBI... 189	oxacillin in dextrose(iso-osm)... 30	PALFORZIA (LEVEL 10)... 176
ORLADEYO... 164	oxacillin... 30	PALFORZIA (LEVEL 11 UP-DOSE)... 176
orlistat... 176	oxaliplatin... 61	PALFORZIA (LEVEL 2)... 176
orphenadrine citrate... 192	oxandrolone... 152	PALFORZIA (LEVEL 3)... 176
orphenadrine-asa-caffeine... 192	oxaprozin... 17	PALFORZIA (LEVEL 4)... 176
orphengesic forte... 192	OXAYDO... 17	PALFORZIA (LEVEL 5)... 176
ORSERDU... 61	oxazepam... 81	PALFORZIA (LEVEL 6)... 176
orsythia... 152	OXBRYTA... 176	PALFORZIA (LEVEL 7)... 176
ORTHO TRI-CYCLEN (28)... 152	oxcarbazepine... 36	PALFORZIA (LEVEL 8)... 176
ORTHO-NOVUM 7/7/7 (28)... 152	OXERVATE... 182	PALFORZIA (LEVEL 9)... 176
ORTIKOS... 169	oxiconazole... 47	PALFORZIA INITIAL DOSE... 176
oseltamivir... 77	OXISTAT... 47	PALFORZIA LEVEL 11 MAINTENANCE... 176
OSENI... 86	OXLUMO... 176	paliperidone... 72
OSMITROL 10 %... 104	OXTELLAR XR... 36	PALYNZIQ... 138
OSMITROL 15 %... 104	oxybutynin chloride... 140	PAMELOR... 41
OSMITROL 20 %... 104	oxycodone... 17, 18	pamidronate... 171
	oxycodone-acetaminophen... 18	
	OXYCONTIN... 18	

PANCREAZE... 138	peg3350-sod sul-nacl-kcl-asb-c... 135	PERJETA... 61
PANDEL... 122	PEMAZYRE... 61	permethrin... 122
PANRETIN... 61	pemetrexed disodium... 61	perphenazine... 72
pantoprazole... 135	pemetrexed... 61	perphenazine-amitriptyline... 42
PANZYGA... 164	PEN NEEDLE, DIABETIC... 177	PERSERIS... 72
paraplatin... 61	PENBRAYA (PF)... 165	PERTZYE... 138
paricalcitol... 171	penciclovir... 77	PEXEVA... 42
PARLODEL... 68	penicillamine... 128, 129	pfizerpen-g... 30
PARNATE... 41	penicillin g pot in dextrose... 30	PHEBURANE... 138
paroex oral rinse... 114	penicillin g potassium... 30	phenazopyridine... 177
paromomycin... 30	penicillin g procaine... 30	phendimetrazine tartrate... 198
paroxetine hcl... 41	penicillin g sodium... 30	phenelzine... 42
paroxetine mesylate(menop.sym)... 41	penicillin v potassium... 30	PHENERGAN... 44
PASER... 52	PENNSAID... 18	phenobarbital sodium... 36
PATANASE... 189	PENTACEL (PF)... 165	phenobarbital... 36
PAXIL CR... 42	PENTAM... 67	phenoxybenzamine... 104
PAXIL... 41	pentamidine... 67	phentermine... 198
PAXLOVID... 176	PENTASA... 169	phenylephrine hcl... 104
pazopanib... 61	pentazocine-naloxone... 18	PHENYTEK... 36
PEDIAPRED... 142	pentobarbital sodium... 36	phenytoin sodium extended... 36
PEDIARIX (PF)... 164	pentoxifylline... 104	phenytoin sodium... 36
PEDVAX HIB (PF)... 164	pepcid... 135	phenytoin... 36
peg 3350-electrolytes... 135	PERCOCET... 18	PHESGO... 61
peg-electrolyte soln... 135	PERFOROMIST... 189	PHEXXI... 177
peg-prep... 135	PERIKABIVEN... 129	philith... 152
PEGASYS... 165	perindopril erbumine... 104	PHOSLYRA... 129
	periogard... 114	PHOSPHOLINE IODIDE... 182
		PHYSIOLYTE... 177

PHYSIOSOL IRRIGATION... 177	PLIAGLIS... 21	potassium chloride... 129
phytonadione (vitamin k1)... 197	pnv-dha... 129	potassium chloride-d5-0.2%nacl... 129
PIFELTRO... 77	pnv-omega... 129	potassium chloride-d5-0.3%nacl... 129
pilocarpine hcl... 114, 182	podofilox... 122	potassium chloride-d5-0.9%nacl... 129
pimecrolimus... 122	POLIVY... 61	potassium chloride-0.45 % nacl... 129
pimozide... 72	polocaine... 21	potassium citrate... 129
pimtrea (28)... 152	polocaine-mpf... 21	POTELIGEO... 61
pindolol... 104	polycin... 182	pr natal 400 ec... 130
pioglitazone... 86	polymyxin b sulf-trimethoprim... 182	pr natal 400... 129
pioglitazone-glimepiride... 86	polymyxin b sulfate... 30	pr natal 430 ec... 130
pioglitazone-metformin... 86	POLYTRIM... 182	pr natal 430... 130
piperacillin-tazobactam... 30	POMALYST... 61	PRADAXA... 91
PIQRAY... 61	POMBILITI... 138	pralatrexate... 61
pirfenidone... 189	PONVORY 14-DAY STARTER PACK... 112	PRALUENT PEN... 104
pirmella... 152	PONVORY... 112	pramipexole... 68
piroxicam... 18	portia 28... 152	prasugrel... 91
pitavastatin calcium... 104	PORTRAZZA... 61	pravastatin... 104
PITOCIN... 177	posaconazole... 47, 48	praziquantel... 67
PLAQUENIL... 67	POTABA... 197	prazosin... 104
PLASMA-LYTE A... 129	potassium acetate... 129	PRECOSE... 87
PLASMA-LYTE 148... 129	potassium chlorid-d5-0.45%nacl... 129	PRED FORTE... 182
PLAVIX... 91	potassium chloride in lr-d5... 129	PRED MILD... 182
PLEGRIDY... 112	potassium chloride in water... 129	PRED-G... 182
PLENAMINE... 129	potassium chloride in 0.9%nacl... 129	prednicarbate... 122
PLENITY (WELCOME KIT)... 198	potassium chloride in 5 % dex... 129	prednisolone acetate... 182
PLENITY... 198		
PLENVU... 135		
plerixafor... 91		

prednisolone sodium phosphate... 142, 182	previfem... 152	PROCRT... 91
prednisolone... 142	PREVMIS... 78	procto-med hc... 122
prednisone intensol... 142	PREZCOBIX... 78	PROCTOFOAM HC... 170
prednisone... 142	PREZISTA... 78	proctosol hc... 122
PREFEST... 152	PRIALT... 177	proctozone-hc... 122
pregabalin... 112	PRIFTIN... 52	PROCYSBI... 138
PREGNYL... 144	PRILOSEC... 135	progesterone micronized... 152
PREHEVBRIO (PF)... 165	primaquine... 67	progesterone... 152
PREMARIN... 152	PRIMAXIN IV... 30	PROGLYCEM... 87
PREMASOL 10 %... 130	primidone... 36	PROGRAF... 165
PREMPHASE... 152	primlev... 18	PROLASTIN-C... 138
PREMPRO... 152	PRIMSOL... 30	prolate... 18
PRENATA... 130	PRIORIX (PF)... 165	PROLENSA... 182
PRENATABS FA... 130	PRISTIQ... 42	PROLEUKIN... 61
prenatal plus (calcium carb)... 130	PRIVIGEN... 165	PROLIA... 171
prenatal plus dha... 130	PRO COMFORT ALCOHOL PADS... 177	PROMACTA... 91
prenatal plus vitamin-mineral... 130	PROAIR DIGIHALER... 189	promethazine vc... 177
prenatal vitamin plus low iron... 130	PROAIR HFA... 189	promethazine vc-codeine... 195
prenatal-u... 130	PROAIR RESPICLICK... 189	promethazine... 44, 45
PRENATE ELITE... 130	probenecid... 48	promethazine-codeine... 195
preplus... 130	probenecid-colchicine... 48	promethazine-dm... 195
PRESTALIA... 104	procainamide... 104	promethazine-phenyleph-codeine... 195
PRETOMANID... 52	PROCALAMINE 3%... 130	promethazine-phenylephrine... 177
PREVACID SOLUTAB... 135	PROCARDIA XL... 104	promethegan... 45
PREVACID... 135	procentra... 112	PROMETRIUM... 152
prevalite... 104	prochlorperazine edisylate... 44	propafenone... 104
PREVDUO... 177	prochlorperazine maleate... 44	proparacaine... 182
	prochlorperazine... 44	

propranolol... 105	PYRUKYND... 91	QVAR REDHALER... 189
propranolol-hydrochlorothiazid... 105	Q	R
propylthiouracil... 157	QALSODY... 112	RABAVERT (PF)... 165
PROQUAD (PF)... 165	QBRELIS... 105	rabeprazole... 135
PROSCAR... 140	QBREXZA... 122	RADICAVA ORS STARTER KIT SUSP... 113
PROSOL 20 %... 130	QELBREE... 113	RADICAVA ORS... 113
protamine... 177	QINLOCK... 61	RADICAVA... 113
PROTONIX... 135	QNASL... 189	RAGWITEK... 189
PROTOPIC... 122	QSYMIA... 198	raloxifene... 152
protriptyline... 42	QTERN... 87	ramelteon... 193
PROVENTIL HFA... 189	QUADRACEL (PF)... 165	ramipril... 105
PROVERA... 152	QUALAQUIN... 67	RANEXA... 105
PROVIGIL... 193	QUARTETTE... 152	ranolazine... 105
PROZAC... 42	QUDEXY XR... 50	RAPAFLO... 140
PRUDOXIN... 122	QUESTRAN LIGHT... 105	RAPAMUNE... 165
PULMICORT FLEXHALER... 189	QUESTRAN... 105	rasagiline... 68
PULMICORT... 189	quetiapine... 72	RASUVO (PF)... 165
PULMOZYME... 189	QUILLICHEW ER... 113	RAVICTI... 138
PURE COMFORT ALCOHOL PADS... 177	QUILLIVANT XR... 113	RAYALDEE... 171
PURIXAN... 61	quinapril... 105	RAYOS... 142
PYLERA... 135	quinapril-hydrochlorothiazide... 105	RAZADYNE ER... 39
pyrazinamide... 52	quinidine gluconate... 105	REBIF (WITH ALBUMIN)... 113
PYRIDIDIUM... 177	quinidine sulfate... 105	REBIF REBIDOSE... 113
pyridostigmine bromide... 51	quinine sulfate... 67	REBIF TITRATION PACK... 113
pyridoxine (vitamin b6)... 197	QULIPTA... 50	REBLOZYL... 91
pyrimethamine... 67	QUTENZA... 177	REBYOTA... 177
	QUVIVIQ... 193	RECARBRIO... 30
	QUZYTIR... 189	

RECLAST... 171	REPATHA SURECLICK... 105	RIDAURA... 166
reclipsen (28)... 152	REPATHA SYRINGE... 105	rifabutin... 52
RECOMBIVAX HB (PF)... 165	RESPA-AR... 195	RIFADIN... 52
RECORLEV... 156	RESTASIS MULTIDOSE... 182	rifampin... 52
RECTIV... 177	RESTASIS... 182	RILUTEK... 113
REDITREX (PF)... 165, 166	RESTORIL... 193	riluzole... 113
REGLAN... 45	RETACRIT... 92	rimantadine... 78
REGONOL... 51	RETEVMO... 62	RIMSO-50... 177
REGRANEX... 122	RETIN-A MICRO PUMP... 123	ringer's... 130, 177
RELAFEN DS... 18	RETIN-A MICRO... 123	RINVOQ... 166
RELAFEN... 18	RETIN-A... 122, 123	RIOMET ER... 87
RELENZA DISKHALER... 78	RETROVIR... 78	RIOMET... 87
RELEUKO... 92	REVATIO... 189	risedronate... 171
RELEXII... 113	REVCovi... 139	RISPERDAL CONSTA... 72
RELISTOR... 135	revonto... 74	RISPERDAL... 72
RELPAx... 50	REXULTI... 72	risperidone... 72
RELTONE... 135, 136	REYATAZ... 78	RITALIN LA... 113
RELYVRIO... 113	REYVOW... 50	RITALIN... 113
REMERON SOLTAB... 42	REZLIDHIA... 62	ritonavir... 78
REMERON... 42	REZUROCK... 166	RITUXAN HYCELA... 62
REMICADE... 166	REZVOGLAR KWIKPEN... 87	RITUXAN... 62
REMODULIN... 189	REZZAYO... 48	rivastigmine tartrate... 39
RENACIDIN... 177	RHOFADE... 123	rivastigmine... 39
RENAGEL... 130	RHOPHYLAC... 166	rivelsa... 152
RENFLEXIS... 166	RHOPRESSA... 182	rizatriptan... 50
REVELA... 130	RIABNI... 62	ROBAXIN... 192
repaglinide... 87	RIASTAP... 92	ROBINUL FORTE... 136
REPATHA PUSHTRONEX... 105	ribavirin... 78, 177	ROBINUL... 136

ROCALTROL... 171	RYDAPT... 62	SCSEMBLIX... 62
ROCKLATAN... 182	RYLAZE... 62	scopolamine base... 45
roflumilast... 189	RYSTIGGO... 166	se-natal 19 chewable... 130
ROLVEDON... 92	RYTARY... 68	SEASONIQUE... 153
romidepsin... 62	RYTHMOL SR... 105	SECUADO... 72
ropinirole... 68	RYVENT... 190	SEGLENTIS... 18
ropivacaine (pf)... 21	S	SEGLUROMET... 87
rosadan... 30	SABRIL... 37	SELECT-OB (FOLIC ACID)... 130
rosuvastatin... 105	SAFYRAL... 152	SELECT-OB + DHA... 130
ROSZET... 105	SAIZEN SAIZENPREP... 144	SELECT-OB... 130
ROTARIX... 166	SAIZEN... 144	selegiline hcl... 68
ROTATEQ VACCINE... 166	sajazir... 166	selenium sulfide... 123
ROWASA... 170	SALAGEN (PILOCARPINE)... 114	SELZENTRY... 78
roweepra xr... 36	SAMSCA... 130	SEMGLEE PEN U-100 INSULIN... 87
roweepra... 36	SANCUSO... 45	SEMGLEE U-100 INSULIN... 87
ROXICODONE... 18	SANDIMMUNE... 166	SEMGLEE(INSULIN
ROXYBOND... 18	SANDOSTATIN LAR DEPOT... 157	GLARG-YFGN)PEN... 87
ROZEREM... 193	SANDOSTATIN... 157	SEMGLEE(INSULIN
ROZLYTREK... 62	SANTYL... 123	GLARGINE-YFGN)... 87
RUBRACA... 62	SAPHNELO... 166	SENSIPAR... 171
RUCONEST... 166	SAPHRIS... 72	SENSORCAINE... 21
rufinamide... 36, 37	sapropterin... 139	sensorcaine-epinephrine... 21
RUKOBIA... 78	SARCLISA... 62	sensorcaine-mpf spinal... 21
RUXIENCE... 62	SAVAYSA... 92	SENSORCAINE-MPF... 21
RYALTRIS... 189	SAVELLA... 113	sensorcaine-mpf/epinephrine... 21
RYBELSUS... 87	saxagliptin... 87	SEREVENT DISKUS... 190
RYBREVANT... 62	saxagliptin-metformin... 87	SEROQUEL XR... 73
RYCLORA... 189	SAXENDA... 198	SEROQUEL... 72, 73

SEROSTIM... 144	sirolimus... 166	SOHONOS... 177
sertraline... 42	SIRTURO... 52	solifenacin... 140
setlakin... 153	SITAVIG... 78	SOLQUA 100/33... 87
sevelamer carbonate... 130	SIVEXTRO... 30	SOLIRIS... 167
sevelamer hcl... 130	SKELAXIN... 192	SOLODYN... 30
SEYSARA... 30	SKYCLARYS... 113	SOLOSEC... 30
SEZABY... 37	SKYRIZI... 166, 167	SOLTAMOX... 62
SFROWASA... 170	SKYTROFA... 144	SOLU-CORTEF ACT-O-VIAL (PF)... 142
sharobel... 153	SLYND... 153	SOLU-CORTEF... 142
SHINGRIX (PF)... 166	SMOFLIPID... 130	SOLU-MEDROL (PF)... 142
SIGNIFOR LAR... 157	SOAAZ... 105	SOLU-MEDROL... 142
SIGNIFOR... 157	sodium benzoate-sod phenylacet... 177	SOMA... 192
SIKLOS... 177	sodium bicarbonate... 130	SOMATULINE DEPOT... 157
sildenafil (pulm.hypertension)... 190	sodium chloride 0.45 %... 131	SOMAVERT... 157
SILENOR... 193	sodium chloride 0.9 %... 131	SOOLANTRA... 123
SILIQ... 166	sodium chloride 3 % hypertonic... 131	sorafenib... 62
silodosin... 140	sodium chloride 5 % hypertonic... 131	sorbitol-mannitol... 177
SILVADENE... 123	sodium chloride... 130, 177	SORILUX... 123
silver sulfadiazine... 123	SODIUM EDECRIN... 105	sorine... 105
SIMBRINZA... 182	sodium oxybate... 193	sotalol af... 105
simliya (28)... 153	sodium phenylbutyrate... 139	sotalol... 105
simpesse... 153	sodium phosphate... 131	SOTYKTU... 167
SIMPONI ARIA... 166	sodium polystyrene sulfonate... 131	SOTYLIZE... 105
SIMPONI... 166	sodium,potassium,mag sulfates... 136	SOVALDI... 78
SIMULECT... 166	SOGROYA... 144	SPEVIGO... 167
simvastatin... 105		spinosad... 123
SINEMET... 68		SPIRIVA RESPIMAT... 190
SINGULAIR... 190		

SPIRIVA WITH HANDIHALER... 190	streptomycin... 30	SUNLENCA... 79
spironolacton-hydrochlorothiaz... 106	STRIBILD... 79	SUNOSI... 193
spironolactone... 106	STRIVERDI RESPIMAT... 190	SUPRAX... 31
SPORANOX PULSEPAK... 48	STROMECTOL... 67	SUPREP BOWEL PREP KIT... 136
SPORANOX... 48	SUBOXONE... 22	SURE COMFORT ALCOHOL PREP PADS... 177
sprintec (28)... 153	SUBSYS... 19	SURE-PREP ALCOHOL PREP PADS... 177
SPRITAM... 37	subvenite starter (blue) kit... 37	SUSTIVA... 79
SPRIX... 18	subvenite starter (green) kit... 37	SUTAB... 136
SPRYCEL... 62	subvenite starter (orange) kit... 37	SUTENT... 62
SPS (WITH SORBITOL)... 131	subvenite... 37	syeda... 153
sronyx... 153	SUCRAID... 139	SYLVANT... 167
SSD... 123	sucralfate... 136	SYMBICORT... 190
STALEVO 100... 68	SUFLAVE... 136	SYMBYAX... 42
STALEVO 125... 69	SULAR... 106	SYMDEKO... 190
STALEVO 150... 69	sulfacetamide sodium (acne)... 31	SYMFI LO... 79
STALEVO 200... 69	sulfacetamide sodium... 30, 182	SYMFI... 79
STALEVO 50... 69	sulfacetamide-prednisolone... 182	SYMJEPI... 190
STALEVO 75... 69	sulfadiazine... 31	SYMLINPEN 120... 87
stavudine... 78	sulfamethoxazole-trimethoprim... 31	SYMLINPEN 60... 87
STEGLATRO... 87	SULFAMYLON... 123	SYMPAZAN... 37
STEGLUJAN... 87	sulfasalazine... 170	SYMPROIC... 136
STELARA... 167	SULFATRIM... 31	SYMTOZA... 79
STIMUFEND... 92	sulindac... 19	SYNAGIS... 177
STIOLTO RESPIMAT... 190	sumatriptan succinate... 50	SYNALAR... 123
STIVARGA... 62	sumatriptan... 50	SYNAREL... 157
STRATTERA... 113	sumatriptan-naproxen... 50	SYNDROS... 45
STRENSIQ... 139	sunitinib malate... 62	

SYNERA... 21	tamoxifen... 63	TEFLARO... 31
SYNERCID... 31	tamsulosin... 140	TEGRETOL XR... 37
SYNJARDY XR... 87	taperdex... 143	TEGRETOL... 37
SYNJARDY... 87	TARCEVA... 63	TEGSEDI... 139
SYNRIBO... 62	TARGADOX... 31	TEKTURNA HCT... 106
SYNTHROID... 155	TARGRETIN... 63	TEKTURNA... 106
SYPRINE... 131	tarina fe 1-20 eq (28)... 153	telmisartan... 106
T	tarina fe 1/20 (28)... 153	telmisartan-amlodipine... 106
TABLOID... 62	tarina 24 fe... 153	telmisartan-hydrochlorothiazid... 106
TABRECTA... 62	TARPEYO... 170	temazepam... 194
TACLONEX... 123	TASCENSO ODT... 113	TEMIXYS... 79
tacrolimus... 123, 167	TASIGNA... 63	TEMODAR... 63
tadalafil (pulm. hypertension)... 190	tasimelteon... 194	TEMOVATE... 123
tadalafil... 140	TASMAR... 69	temsirolimus... 63
TADLIQ... 190	tavaborole... 48	tencon... 177
TAFINLAR... 62, 63	TAVALISSE... 92	teniposide... 63
tafluprost (pf)... 182	TAVNEOS... 167	TENIVAC (PF)... 167
TAGRISSO... 63	taysofy... 153	tenofovir disoproxil fumarate... 79
TAKHZYRO... 167	TAYTULLA... 153	TENORETIC 100... 106
TALICIA... 136	tazarotene... 123	TENORETIC 50... 106
TALTZ AUTOINJECTOR (2 PACK)... 167	tazicef... 31	TENORMIN... 106
TALTZ AUTOINJECTOR (3 PACK)... 167	TAZORAC... 123	TEPADINA... 63
TALTZ AUTOINJECTOR... 167	taztia xt... 106	TEPEZZA... 177
TALTZ SYRINGE... 167	TAZVERIK... 63	TEPMETKO... 63
TALVEY... 63	TDVAX... 167	terazosin... 106
TALZENNA... 63	TECENTRIQ... 63	terbinafine hcl... 48
TAMIFLU... 79	TECFIDERA... 113	terbutaline... 190
	TECVAYLI... 63	

terconazole... 48	TIAZAC... 106	tobramycin sulfate... 31
teriflunomide... 113	TIBSOVO... 63	tobramycin with nebulizer... 31
TESTIM... 153	TICOVAC... 167	tobramycin... 31, 183
testosterone cypionate... 153	TIGAN... 45	tobramycin-dexamethasone... 183
testosterone enanthate... 153	tigecycline... 31	TOBREX... 183
testosterone... 153	TIGLUTIK... 114	tolcapone... 69
TETANUS,DIPHThERIA TOX PED(PF)... 167	TIKOSYN... 106	tolmetin... 19
tetrabenazine... 113	tilia fe... 153	TOLSURA... 48
tetracycline... 31	timolol maleate (pf)... 182	tolterodine... 141
TEXACORT... 123	timolol maleate... 106, 182	tolvaptan... 131
TEZSPIRE... 167	TIMOPTIC OCUDOSE (PF)... 183	TOPAMAX... 50
THALITONE... 106	TIMOPTIC... 182	TOPICORT... 123, 124
THALOMID... 63	TIMOPTIC-XE... 183	topiramate... 50
THAM... 131	tinidazole... 31	toposar... 63
THEO-24... 190	tiopronin... 140	topotecan... 63
theophylline in dextrose 5 %... 190	tirofiban-0.9% sodium chloride... 92	TOPROL XL... 106
theophylline... 190	TIROSINT... 156	toremifene... 63
thiamine hcl (vitamin b1)... 197	TIROSINT-SOL... 156	TORISEL... 63
THIOLA EC... 140	TIVDAK... 63	torsemide... 106
THIOLA... 140	TIVICAY PD... 79	TOSYMRA... 51
thioridazine... 73	TIVICAY... 79	TOTECT... 64
thiotepa... 63	tizanidine... 74	TOUJEO MAX U-300 SOLOSTAR... 87
thiothixene... 73	TLANDO... 153	TOUJEO SOLOSTAR U-300 INSULIN... 87
THYMOGLOBULIN... 167	TOBI PODHALER... 190	tovet emollient... 124
THYQUIDITY... 155	TOBI... 31	TOVIAZ... 141
tiadylt er... 106	TOBRADEX ST... 183	TPN ELECTROLYTES... 131
tiagabine... 37	TOBRADEX... 183	TRACLEER... 190
	tobramycin in 0.225 % nacl... 31	

TRADJENTA... 87	TREZIX... 19	trihexyphenidyl... 69
tramadol... 19	tri femynor... 153	TRIJARDY XR... 88
tramadol-acetaminophen... 19	tri-estarylla... 153	TRIKAFTA... 191
trandolapril... 106	tri-legest fe... 153	TRILEPTAL... 37
trandolapril-verapamil... 106	tri-lynyah... 153	TRILIPIX... 107
tranexamic acid... 92	tri-lo-estarylla... 154	trimethobenzamide... 45
TRANSDERM-SCOP... 45	tri-lo-marzia... 154	trimethoprim... 31
TRANXENE T-TAB... 81	tri-lo-mili... 154	trimipramine... 42
tranylcypromine... 42	tri-lo-sprintec... 154	trinatal rx 1... 131
TRAVASOL 10 %... 131	tri-mili... 154	TRINTELLIX... 42
TRAVATAN Z... 183	tri-nymyo... 154	TRIOSTAT... 156
travoprost... 183	tri-previfem (28)... 154	TRIPTODUR... 157
TRAZIMERA... 64	tri-sprintec (28)... 154	TRISENOX... 64
trazodone... 42	tri-vylibra lo... 154	TRISTART DHA... 131
TREANDA... 64	tri-vylibra... 154	tritocin... 143
TRECATOR... 52	triamcinolone acetonide... 114, 143	TRIUMEQ PD... 79
TRELEGY ELLIPTA... 190	triamterene... 106	TRIUMEQ... 79
TRELSTAR... 157	triamterene-hydrochlorothiazid... 107	trivora (28)... 154
TREMFYA... 167, 168	trianex... 143	TRIZIVIR... 79
treprostinil sodium... 190	triazolam... 194	TRODELVY... 64
TRESIBA FLEXTOUCH U-100... 87	TRIBENZOR... 107	TROGARZO... 79
TRESIBA FLEXTOUCH U-200... 88	TRICARE... 131	TROKENDI XR... 51
TRESIBA U-100 INSULIN... 88	TRICOR... 107	TROPHAMINE 10 %... 131
tretinoin (antineoplastic)... 64	triderm... 143	tropicamide... 183
tretinoin microspheres... 124	trientine... 131	tropium... 141
tretinoin... 124	trifluoperazine... 73	TRUDHESA... 51
TREXALL... 168	trifluridine... 183	TRUE COMFORT ALCOHOL PADS... 178
TREXIMET... 51		

TRUE COMFORT PRO ALCOHOL PADS... 178	TYVASO DPI... 191	URSO 250... 136
TRULANCE... 136	TYVASO INSTITUTIONAL START KIT... 191	ursodiol... 136
TRULICITY... 88	TYVASO REFILL KIT... 191	UVADEX... 124
TRUMENBA... 168	TYVASO STARTER KIT... 191	UZEDY... 73
TRUQAP... 64	TYVASO... 191	V
TRUSELTIQ... 64	TZIELD... 178	V-GO 20... 178
TRUSOPT... 183	U	V-GO 30... 178
TRUVADA... 79	UBRELVI... 178	V-GO 40... 178
TRUXIMA... 64	UCERIS... 170	VABOMERE... 31
TUDORZA PRESSAIR... 191	UDENYCA AUTOINJECTOR... 92	VAGIFEM... 154
TUKYSA... 64	UDENYCA... 92	valacyclovir... 79
tulana... 154	ULORIC... 49	VALCHLOR... 64
TURALIO... 64	ULTILET ALCOHOL SWAB... 178	VALCYTE... 79
turqoz (28)... 154	ULTOMIRIS... 168	valganciclovir... 79
TUXARIN ER... 195	ULTRACET... 19	VALIUM... 81
TUZISTRA XR... 195	ULTRAM... 19	valproate sodium... 37
TWINRIX (PF)... 168	ULTRAVATE... 124	valproic acid (as sodium salt)... 37
TWYNEO... 124	UNASYN... 31	valproic acid... 37
TYBLUME... 154	UNITHROID... 156	valrubicin... 64
TYBOST... 79	UNITUXIN... 64	valsartan... 107
tydemy... 154	UPLIZNA... 168	valsartan-hydrochlorothiazide... 107
TYGACIL... 31	UPTRAVI... 191	VALSTAR... 64
TYKERB... 64	UROCIT-K 10... 131	VALTOCO... 37
TYMLOS... 171	UROCIT-K 15... 131	VALTREX... 79
TYPHIM VI... 168	UROCIT-K 5... 131	vanadom... 192
TYRVAYA... 183	UROXATRAL... 141	VANCOCIN... 31
TSABRI... 114	URSO FORTE... 136	vancomycin in dextrose 5 %... 32

vancomycin in 0.9 % sodium chl... 31	VELTIN... 124	VIBRAMYCIN... 32
vancomycin... 31	VEMLIDY... 79	VICTOZA 2-PAK... 88
vancomycin-diluent combo no.1... 32	VENCLEXTA STARTING PACK... 64	VICTOZA 3-PAK... 88
VANDAZOLE... 32	VENCLEXTA... 64	VIDAZA... 64
VANFLYTA... 64	VENLAFAXINE BESYLATE... 42	vienva... 154
VANOS... 124	venlafaxine... 42	vigabatrin... 37
VAPRISOL IN 5 % DEXTROSE... 131	VENTAVIS... 191	vigadrone... 37
VAQTA (PF)... 168	VENTOLIN HFA... 191	VIGAMOX... 183
varenicline... 22	VEOPOZ... 168	vigpoder... 37
VARIVAX (PF)... 168	VEOZAH... 178	VIIBRYD... 42
VARIZIG... 168	verapamil... 107	VIJOICE... 139
VARUBI... 45	VERDESO... 124	vilazodone... 43
VASCEPA... 107	VEREGEN... 124	VIMOVO... 19
VASERETIC... 107	VERELAN PM... 107	VIMPAT... 38
VASOTEC... 107	VERELAN... 107	vinblastine... 64
VAZCULEP... 107	VERIPRED 20... 143	vincasar pfs... 64
vecamyl... 107	VERKAZIA... 183	vincristine... 65
VECTIBIX... 64	VERQUVO... 107	vinorelbine... 65
VECTICAL... 124	VERSACLOZ... 73	VIOKACE... 139
VEGZELMA... 64	VERZENIO... 64	violele (28)... 154
VELCADE... 64	VESICARE LS... 141	VIRACEPT... 79
VELETRI... 191	VESICARE... 141	VIRAMUNE XR... 80
velivet triphasic regimen (28)... 154	vestura (28)... 154	VIRAZOLE... 178
VELPHORO... 131	VFEND IV... 48	VIREAD... 80
VELSIPITY... 168	VFEND... 48	virt-c dha... 131
VELTASSA... 131	VIBATIV... 32	virt-nate dha... 131
	VIBERZI... 136	virt-pn dha... 131
	VIBRAMYCIN (CALCIUM)... 32	virt-pn plus... 131

VISTARIL... 191	VOSEVI... 80	WAINUA... 139
VISTOGARD... 65	VOTRIENT... 65	WAKIX... 194
VITAFOL FE PLUS... 131	VOWST... 178	warfarin... 92
VITAFOL GUMMIES... 132	VOXZOGO... 178	water for irrigation, sterile... 178
VITAFOL NANO... 132	VP-PNV-DHA... 132	WEBCOL... 178
VITAFOL ULTRA... 132	VPRIV... 139	WEGOVY... 198
VITAFOL-OB... 132	VRAYLAR... 73	WELCHOL... 108
VITAFOL-OB+DHA... 132	VTAMA... 124	WELIREG... 65
VITAFOL-ONE... 132	vtol lq... 178	WELLBUTRIN SR... 43
VITAMEDMD ONE RX... 132	VUITY... 183	WELLBUTRIN XL... 43
vitamin d2... 197	VUMERITY... 114	wera (28)... 154
vitamin k... 197	VUSION... 48	wescap-pn dha... 132
vitamin k1... 197	VYEPTI... 51	wesnatal dha complete... 132
VITRAKVI... 65	vyfemla (28)... 154	wesnate dha... 132
vivacaine... 21	VYJUVEK... 178	westab plus... 132
VIVELLE-DOT... 154	vylibra... 154	westgel dha... 132
VIVITROL... 22	VYNDAMAX... 139	WINLEVI... 124
VIVJOA... 48	VYNDAQEL... 139	WINRHO SDF... 168
VIVLODEX... 19	VYTORIN 10-10... 107	wixela inhub... 191
VIZIMPRO... 65	VYTORIN 10-20... 107	wymzya fe... 154
VOCABRIA... 80	VYTORIN 10-40... 108	X
VOGELXO... 154	VYTORIN 10-80... 108	XACIATO... 32
volnea (28)... 154	VYVANSE... 114	XADAGO... 69
VONJO... 65	VYVGART HYTRULO... 168	XALATAN... 183
VOQUEZNA DUAL PAK... 136	VYVGART... 168	XALKORI... 65
VOQUEZNA TRIPLE PAK... 136	VYXEOS... 65	XANAX XR... 82
VOQUEZNA... 136	VYZULTA... 183	XANAX... 81, 82
voriconazole... 48	W	

XARELTO DVT-PE TREAT 30D START... 92	XOLAIR... 168	YUPELRI... 191
XARELTO... 92	XOLEGEL... 48	YUSIMRY(CF) PEN... 169
XATMEP... 168	XOPENEX HFA... 191	yuvaferm... 155
XCOPRI MAINTENANCE PACK... 38	XOSPATA... 65	Z
XCOPRI TITRATION PACK... 38	XPHOZAH... 132	zafemy... 155
XCOPRI... 38	XPOVIO... 65	zafirlukast... 191
XDEMZY... 178	XTAMPZA ER... 19	zaleplon... 194
XELJANZ XR... 168	XTANDI... 65	ZALTRAP... 65
XELJANZ... 168	xulane... 154	ZANAFLEX... 74
XELPROS... 183	XULTOPHY 100/3.6... 88	ZANOSAR... 65
XELSTRYM... 114	XURIDEN... 139	zarah... 155
XEMBIFY... 168	XYOSTED... 154	ZARONTIN... 38
XENAZINE... 114	XYREM... 194	ZARXIO... 92
XENICAL... 178	XYWAV... 194	zatean-pn dha... 132
XENLETA... 32	Y	zatean-pn plus... 132
XENPOZYME... 139	yargesa... 139	ZAVESCA... 139
XEPI... 124	YASMIN (28)... 155	ZAVZPRET... 178
XERAVA... 32	YAZ (28)... 155	ZCORT... 143
XERESE... 80	YCANTH... 178	ZEBUTAL... 178
XERMELO... 136	YERVOY... 65	ZEGALOGUE AUTOINJECTOR... 88
XGEVA... 171	YF-VAX (PF)... 168	ZEGALOGUE SYRINGE... 88
XHANCE... 191	YONDELIS... 65	ZEGERID... 136
XIFAXAN... 136	YONSA... 65	ZEJULA... 65
XIGDUO XR... 88	YOSPRALA... 92	ZELAPAR... 69
XIIDRA... 183	YUFLYMA(CF) AI CROHN'S-UC-HS... 168	ZELBORAF... 65
XIMINO... 32	YUFLYMA(CF) AUTOINJECTOR... 168	ZEMAIRA... 139
XOFLUZA... 80	YUFLYMA(CF)... 168	ZEMBRACE SYMTOUCH... 51
		ZEMDRI... 32

ZEMPLAR... 171	zingiber... 178	ZONEGRAN... 38
zenatane... 124	ZINPLAVA... 136	ZONISADE... 38
ZENPEP... 139	ZIOPTAN (PF)... 183	zonisamide... 38
zenzedi... 114	ziprasidone hcl... 73	ZONTIVITY... 92
ZEPATIER... 80	ziprasidone mesylate... 73	ZORTRESS... 169
ZEPOSIA STARTER KIT (28-DAY)... 114	ZIPSOR... 19	ZORVOLEX... 19
ZEPOSIA STARTER KIT (37-DAY)... 114	ZIRABEV... 66	ZORYVE... 124
ZEPOSIA STARTER PACK (7-DAY)... 114	ZIRGAN... 80	ZOSYN IN DEXTROSE (ISO-OSM)... 32
ZEPOSIA... 114	ZITHROMAX TRI-PAK... 32	zovia 1-35 (28)... 155
ZEPZELCA... 66	ZITHROMAX Z-PAK... 32	zovia 1/35e (28)... 155
ZERBAXA... 32	ZITHROMAX... 32	ZOVIRAX... 80
ZERVIA... 183	ZITUVIO... 88	ZTALMY... 38
ZESTORETIC... 108	ZOCOR... 108	ZTLIDO... 21
ZESTRIL... 108	ZOKINVY... 139	ZUBSOLV... 22
ZETIA... 108	ZOLADAX... 157	ZULRESSO... 43
ZETONNA... 191	zoledronic ac-mannitol-0.9nacl... 171	zumandimine (28)... 155
ZIAC... 108	zoledronic acid... 171	ZURZUVAE... 43
ZIAGEN... 80	zoledronic acid-mannitol-water... 172	ZYCLARA... 124
ZIANA... 124	ZOLINZA... 66	ZYDELIG... 66
zidovudine... 80	zolmitriptan... 51	ZYFLO... 192
ZIEXTENZO... 92	ZOLOFT... 43	ZYKADIA... 66
ZILBRYSQ... 169	zolpidem... 194	ZYLET... 183
zileuton... 192	ZOLPIMIST... 194	ZYLOPRIM... 49
ZILRETTA... 143	ZOMACTON... 144	ZYMAXID... 183
ZILXI... 124	zomig... 51	ZYNLONTA... 66
ZIMHI... 22	ZONALON... 124	ZYNRELEF... 178
		ZYNYZ... 66
		ZYPITAMAG... 108

ZYPREXA RELPREV... 73

ZYPREXA ZYDIS... 73

ZYPREXA... 73

ZYTIGA... 66

ZYVOX... 32

Important

At Humana, it is important you are treated fairly.

Humana Inc. and its subsidiaries do not discriminate or exclude people because of their race, color, national origin, age, disability, sex, sexual orientation, gender, gender identity, ancestry, ethnicity, marital status, religion, or language. Discrimination is against the law. Humana and its subsidiaries comply with applicable federal civil rights laws. If you believe that you have been discriminated against by Humana or its subsidiaries, there are ways to get help.

- You may file a complaint, also known as a grievance:
Discrimination Grievances, P.O. Box 14618, Lexington, KY 40512-4618
If you need help filing a grievance, call **1-888-700-2263** or if you use a TTY, call **711**.
- You can also file a civil rights complaint with the **U.S. Department of Health and Human Services**, Office for Civil Rights electronically through the Office for Civil Rights Complaint Portal, available at **<https://ocrportal.hhs.gov/ocr/portal/lobby.jsf>**, or at **U.S. Department of Health and Human Services**, 200 Independence Avenue, SW, Room 509F, HHH Building, Washington, DC 20201, **1-800-368-1019**, **800-537-7697 (TDD)**.
- **California residents:** You may also call the California Department of Insurance toll-free hotline number: **1-800-927-HELP (4357)**, to file a grievance.

Complaint forms are available at **<https://www.hhs.gov/ocr/office/file/index.html>**.

Auxiliary aids and services, free of charge, are available to you. 1-888-700-2263 (TTY: 711)

Humana provides free auxiliary aids and services, such as qualified sign language interpreters, video remote interpretation, and written information in other formats to people with disabilities when such auxiliary aids and services are necessary to ensure an equal opportunity to participate.

Multi-Language Insert

Multi-language Interpreter Services

English: We have free interpreter services to answer any questions you may have about our health or drug plan. To get an interpreter, just call us at 1-877-320-1235 (TTY: 711). Someone who speaks English can help you. This is a free service.

Spanish: Tenemos servicios de intérprete sin costo alguno para responder cualquier pregunta que pueda tener sobre nuestro plan de salud o medicamentos. Para hablar con un intérprete, por favor llame al 1-877-320-1235 (TTY: 711). Alguien que hable español le podrá ayudar. Este es un servicio gratuito.

Chinese Mandarin: 我们提供免费的翻译服务，帮助您解答关于健康或药物保险的任何疑问。如果您需要此翻译服务，请致电 1-877-320-1235 (听障专线：711)。我们的中文工作人员很乐意帮助您。这是一项免费服务。

Chinese Cantonese: 您對我們的健康或藥物保險可能存有疑問，為此我們提供免費的翻譯服務。如需翻譯服務，請致電 1-877-320-1235 (聽障專線：711)。我們講中文的人員將樂意為您提供幫助。這是一項免費服務。

Tagalog: Mayroon kaming libreng serbisyo sa pagsasaling-wika upang masagot ang anumang mga katanungan ninyo hinggil sa aming planong pangkalusugan o panggamot. Upang makakuha ng tagasaling-wika, tawagan lamang kami sa 1-877-320-1235 (TTY: 711). Maaari kayong tulungan ng isang nakakapagsalita ng Tagalog. Ito ay libreng serbisyo.

French: Nous proposons des services gratuits d'interprétation pour répondre à toutes vos questions relatives à notre régime de santé ou d'assurance-médicaments. Pour accéder au service d'interprétation, il vous suffit de nous appeler au 1-877-320-1235 (TTY: 711). Un interlocuteur parlant Français pourra vous aider. Ce service est gratuit.

Vietnamese: Chúng tôi có dịch vụ thông dịch miễn phí để trả lời các câu hỏi về chương sức khỏe và chương trình thuốc men. Nếu quý vị cần thông dịch viên xin gọi 1-877-320-1235 (TTY: 711) sẽ có nhân viên nói tiếng Việt giúp đỡ quý vị. Đây là dịch vụ miễn phí.

German: Unser kostenloser Dolmetscherservice beantwortet Ihren Fragen zu unserem Gesundheits- und Arzneimittelplan. Unsere Dolmetscher erreichen Sie unter 1-877-320-1235 (TTY: 711). Man wird Ihnen dort auf Deutsch weiterhelfen. Dieser Service ist kostenlos.

Korean: 당사는 의료 보험 또는 약품 보험에 관한 질문에 대해 드리고자 무료 통역 서비스를 제공하고 있습니다. 통역 서비스를 이용하려면 전화 1-877-320-1235 (TTY: 711) 번으로 문의해 주십시오. 한국어를 하는 담당자가 도와 드릴 것입니다. 이 서비스는 무료로 운영됩니다.

Russian: Если у вас возникнут вопросы относительно страхового или медикаментного плана, вы можете воспользоваться нашими бесплатными услугами переводчиков. Чтобы воспользоваться услугами переводчика, позвоните нам по телефону 1-877-320-1235 (TTY: 711). Вам окажет помощь сотрудник, который говорит по-русски. Данная услуга бесплатная.

Arabic: إننا نقدم خدمات المترجم الفوري المجانية للإجابة عن أي أسئلة تتعلق بخططنا الصحية أو خطة الأدوية الموصوفة لدينا. للحصول على مترجم فوري، ليس عليك سوى الاتصال بنا على 1-877-320-1235 (TTY: 711). سيقوم شخص ما يتحدث العربية بمساعدتك. هذه خدمة مجانية.

Hindi: हमारे स्वास्थ्य या दवा की योजना के बारे में आपके किसी भी प्रश्न के जवाब देने के लिए हमारे पास मुफ्त दुभाषिया सेवाएँ उपलब्ध हैं. एक दुभाषिया प्राप्त करने के लिए, बस हमें 1-877-320-1235 (TTY: 711) पर फोन करें. कोई व्यक्ति जो हिन्दी बोलता है आपकी मदद कर सकता है. यह एक मुफ्त सेवा है.

Italian: È disponibile un servizio di interpretariato gratuito per rispondere a eventuali domande sul nostro piano sanitario e farmaceutico. Per un interprete, contattare il numero 1-877-320-1235 (TTY: 711). Un nostro incaricato che parla Italianovi fornirà l'assistenza necessaria. È un servizio gratuito.

Portuguese: Dispomos de serviços de interpretação gratuitos para responder a qualquer questão que tenha acerca do nosso plano de saúde ou de medicação. Para obter um intérprete, contacte-nos através do número 1-877-320-1235 (TTY: 711). Irá encontrar alguém que fale o idioma Português para o ajudar. Este serviço é gratuito.

French Creole: Nou genyen sèvis entèprèt gratis pou reponn tout kesyon ou ta genyen konsènan plan medikal oswa dwòg nou an. Pou jwenn yon entèprèt, jis rele nou nan 1-877-320-1235 (TTY: 711). Yon moun ki pale Kreyòl kapab ede w. Sa a se yon sèvis ki gratis.

Polish: Umożliwiamy bezpłatne skorzystanie z usług tłumacza ustnego, który pomoże w uzyskaniu odpowiedzi na temat planu zdrowotnego lub dawkowania leków. Aby skorzystać z pomocy tłumacza znającego język polski, należy zadzwonić pod numer 1-877-320-1235 (TTY: 711). Ta usługa jest bezpłatna.

Japanese: 当社の健康保険と処方薬プランに関するご質問にお答えするために、無料の通訳サービスをご用意しています。通訳をご用命になるには、1-877-320-1235 (TTY:711) にお電話ください。日本語を話す者が支援いたします。これは無料のサービスです。

[illegible]

[illegible]

[illegible]



GRP042PDG2480024C_v1

This formulary was updated on 02/01/2024. For more recent information or other questions, please contact the NC State Health Plan Humana Customer Care Team with any questions at 1-888-700-2263 or, for TTY users, 711, or visit **your.humana.com/ncshp**. Monday through Friday, from 8 a.m. - 9 p.m., Eastern time. Our automated phone system is available after hours, weekends, and holidays. Our website is also available 24 hours a day, 7 days a week, by visiting **our.humana.com/ncshp**.

