

2024

Prescription Drug Guide

NC State Health Plan Formulary

List of covered drugs

PLEASE READ: THIS DOCUMENT CONTAINS INFORMATION
ABOUT THE DRUGS WE COVER IN THIS PLAN.

42

Formulary 24800 Version 1

This formulary was updated on 05/01/2024. For more recent information or other questions, please contact the NC State Health Plan Humana Customer Care Team with any questions at 1-888-700-2263 or for TTY users, 711, or visit **your.humana.com/ncshp**. Monday through Friday, from 8 a.m. - 9 p.m., Eastern time. Our automated phone system is available after hours, weekends, and holidays. Our website is also available 24 hours a day, 7 days a week, by visiting **our.humana.com/ncshp**.

Humana[®]



Dale R. Folwell, CPA
STATE TREASURER OF NORTH CAROLINA
DALE R. FOLWELL, CPA

Welcome to Humana Group Medicare Plan!

Note to existing members: This formulary has changed since last year. Please review this document to make sure that it still contains the drugs you take. When this drug list (formulary) refers to "we," "us", or "our," it means Humana. When it refers to "plan" or "our plan," it means Humana Group Medicare Plan. This document includes a list of the drugs (formulary) for our plan which is current as of May 2024. For an updated formulary, please contact us. Our contact information, along with the date we last updated the formulary, appears on the front and back cover pages. You must generally use network pharmacies to use your prescription drug benefit. Benefits, formulary, pharmacy network, and/or copayments/coinsurance may change on January 1 of each year, and from time to time during the year.

What is the formulary?

A formulary is the entire list of covered drugs or medications selected by Humana Group Medicare Plan. The terms formulary and Drug List may be used interchangeably throughout communications regarding changes to your pharmacy benefits. Humana Group Medicare Plan worked with a team of doctors and pharmacists to make a formulary that represents the prescription drugs we think you need for a quality treatment program. The Humana Group Medicare Plan will generally cover the drugs listed in the formulary as long as the drug is medically necessary, the prescription is filled at a Humana Group Medicare Plan network pharmacy, and other plan rules are followed. For more information on how to fill your medications, please review your Evidence of Coverage.

Can the formulary change?

Most changes in drug coverage happen on January 1, but we may add or remove drugs on the Drug List during the year, move them to different cost sharing tiers, or add new restrictions. We must follow Medicare rules in making these changes.

Changes that can affect you this year: In the below cases, you will be affected by coverage changes during the year:

- **New generic drugs.** We may immediately remove a brand name drug on our Drug List if we are replacing it with a new generic drug that will appear on the same or lower cost sharing tier and with the same or fewer restrictions. Also, when adding the new generic drug, we may decide to keep the brand name drug on our Drug List, but immediately move it to a different cost sharing tier or add new restrictions. If you are currently taking that brand name drug, we may not tell you in advance before we make that change, but we will later provide you with information about the specific change(s) we have made.
 - If we make such a change, you or your prescriber can ask us to make an exception and continue to cover the brand name drug for you. The notice we provide you will also include information on how to request an exception, and you can also find information in the section below titled "How do I request an exception to the Humana formulary?"
- **Drugs removed from the market.** If the Food and Drug Administration deems a drug on our formulary to be unsafe or the drug's manufacturer removes the drug from the market, we will immediately remove the drug from our formulary and provide notice to members who take the drug.
- **Other changes.** We may make other changes that affect members currently taking a drug. For instance, we may add a generic drug that is not new to market to replace a brand name drug currently on the formulary or add new restrictions to the brand name drug or move it to a different cost sharing tier or both. Or we may make changes based on new clinical guidelines. If we remove drugs from our formulary, or add prior authorization, quantity limits and/or step therapy restrictions on a drug or move a drug to a higher cost sharing tier, we must notify affected members of the change at least 30 days before the change becomes effective, or at the time the member requests a refill of the drug, at which time the member will receive a 30-day supply of the drug.

We will notify members who are affected by the following changes to the formulary:

- When a drug is removed from the formulary.
- When prior authorization, quantity limits, or step-therapy restrictions are added to a drug or made more restrictive.
- When a drug is moved to a higher cost sharing tier.

If we make these other changes, you or your prescriber can ask us to make an exception and continue to cover the brand name drug for you. The notice we provide you will also include information on how to request an exception, and you can also find information in the section below titled "How do I request an exception to the Humana formulary?"

Changes that will not affect you if you are currently taking the drug. Generally, if you are taking a drug on our 2024 formulary that was covered at the beginning of the year, we will not discontinue or reduce coverage of the drug during the 2024 coverage year except as described above. This means these drugs will remain available at the same cost share and with no new restrictions for those members taking them for the remainder of the coverage year. You will not get direct notice this year about changes that do not affect you. However, on January 1 of the next year, such changes would affect you, and it is important to check the Drug List for the new benefit year for any changes to drugs.

What if you are affected by a Drug List change?

We will notify you by mail at least 30 days before one of these changes happens or we will provide a 30-day refill of the affected medicine with notice of the change.

The enclosed formulary is current as of May 2024. We will update the printed formularies each month and they will be available on your.humana.com/ncshp.

How do I use the formulary?

There are two ways to find your drug in the formulary:

Medical condition

The formulary starts on page 11. We have put the drugs into groups depending on the type of medical conditions that they are used to treat. For example, drugs that treat a heart condition are listed under the category "Cardiovascular Agents." If you know what medical condition your drug is used for, look for the category name in the list that begins on page 11. Then look under the category name for your drug. The formulary also lists the Tier and Utilization Management Requirements for each drug (see page 5 for more information on Utilization Management Requirements).

Alphabetical listing

If you are not sure about your drug's group, you should look for your drug in the Index that begins on page 200. The Index is an alphabetical list of all of the drugs included in this document. Both brand-name drugs and generic drugs are listed. Look in the Index to search for your drug. Next to each drug, you will see the page number where you can find coverage information. Turn to the page listed in the Index and find the name of the drug in the first column of the list.

Prescription drugs are grouped into one of four tiers.

Humana Group Medicare Plan covers both brand-name drugs and generic drugs. A generic drug is approved by the FDA as having the same active ingredient as the brand-name drug. Generally, generic drugs cost less than brand-name drugs.

- **Tier 1 - Generic or Preferred Generic:** Generic or brand drugs that are available at the lowest cost share for the plan
- **Tier 2 - Preferred Brand:** Generic or brand drugs that the plan offers at a higher cost to you than Tier 1 Generic or Preferred Generic, and at a lower cost to you than Tier 3 Non-Preferred Drug
- **Tier 3 - Non-Preferred Drug:** Generic or brand drugs that the plan offers at a higher cost to you than Tier 2 Preferred Brand drug
- **Tier 4 - Specialty Tier:** Some injectables and other high-cost drugs

How much will I pay for covered drugs?

Humana Group Medicare Plan pays part of the costs for your covered drugs and you pay part of the costs, too.

The amount of money you pay depends on:

- Which tier your drug is on
- Whether you fill your prescription at a network pharmacy
- Your current drug payment stage - please read your Evidence of Coverage (EOC) for more information

If you qualified for extra help with your drug costs, your costs may be different from those described above. Please refer to your Evidence of Coverage (EOC) or call NC State Health Plan Humana Customer Care to find out what your costs are.

Are there any restrictions on my coverage?

Some covered drugs may have additional requirements or limits on coverage. These are called Utilization Management Requirements. These requirements and limits may include:

- **Prior Authorization (PA):** Humana Group Medicare Plan requires you to get prior authorization for certain drugs to be covered under your plan. This means that you will need to get approval from Humana Group Medicare Plan before you fill your prescriptions. If you do not get approval, Humana Group Medicare Plan may not cover the drug.
- **Quantity Limits (QL):** For some drugs, Humana Group Medicare Plan limits the amount of the drug that is covered. Humana Group Medicare Plan might limit how many refills you can get or how much of a drug you can get each time you fill your prescription. For example, if it is normally considered safe to take only one pill per day for a certain drug, we may limit coverage for your prescription to no more than one pill per day. Some drugs are limited to a 30-day supply regardless of tier placement.
- **Step Therapy (ST):** In some cases, Humana Group Medicare Plan requires that you first try certain drugs to treat your medical condition before coverage is available for another drug for that condition. For example, if Drug A and Drug B both treat your medical condition, Humana Group Medicare Plan may not cover Drug B unless you try Drug A first. If Drug A does not work for you, Humana Group Medicare Plan will then cover Drug B.
- **Part B versus Part D (B vs D):** Some drugs may be covered under Medicare Part B or Part D, depending upon the circumstances. Information may need to be submitted to the Humana Group Medicare Plan that describes the use and the place where you receive and take the drug so a determination can be made.

For drugs that need prior authorization or step therapy, or drugs that fall outside of quantity limits, your health care provider can fax information about your condition and need for those drugs to Humana Group Medicare Plan at **1-877-486-2621**. Representatives are available Monday - Friday, 8 a.m. - 8 p.m. (EST).

You can find out if your drug has any additional requirements or limits by looking in the formulary that begins on page 11.

You can also visit your.humana.com/ncshp to get more information about the restrictions applied to specific covered drugs.

You can ask Humana Group Medicare Plan to make an exception to these restrictions or limits. See the section "**How do I request an exception to the Humana formulary?**" on page 6 for information about how to request an exception.

What if my drug is not on the formulary?

If your drug is not included in this list of covered drugs, visit your.humana.com/ncshp to see if your plan covers your drug. You can also call NC State Health Plan Humana Customer Care and ask if your drug is covered.

If Humana Group Medicare Plan does not cover your drug, you have two options:

- You can ask NC State Health Plan Humana Customer Care for a list of similar drugs that Humana Group Medicare Plan covers. Show the list to your doctor and ask them to prescribe a similar drug that is covered by Humana Group Medicare Plan.
- You can ask Humana Group Medicare Plan to make an exception and cover your drug. See below for information about how to request an exception.

Talk to your health care provider to decide if you should switch to another drug that is covered or if you should request a formulary exception so that it can be considered for coverage.

How do I request an exception to the Humana formulary?

You can ask Humana Group Medicare Plan to make an exception to the coverage rules. There are several types of exceptions that you can ask to be made.

- **Formulary exception:** You can request that your drug be covered if it is not on the formulary. If approved, this drug will be covered at a pre-determined cost sharing level, and you would not be able to ask us to provide the drug at a lower cost sharing level.
- **Utilization restriction exception:** You can request coverage restrictions or limits not be applied to your drug. For example, if your drug has a quantity limit, you can ask for the limit not to be applied and to cover more doses of the drug.
- **Tier exception:** You can request a higher level of coverage for your drug. For example, if your drug is usually considered a non-preferred drug, you can request it to be covered as a preferred drug instead. This would lower how much money you must pay for your drug. Please remember a higher level of coverage cannot be requested for the drug if approval was granted to cover a drug that was not on the formulary. *You can ask us to cover a formulary drug at a lower cost-sharing level, unless the drug is on the specialty tier.*

Generally, Humana Group Medicare Plan will only approve your request for an exception if the alternative drugs included on the plan's formulary, the lower cost sharing drug, or other restrictions would not be as effective in treating your health condition and/or would cause adverse medical effects.

You should contact us to ask for an initial coverage decision for a formulary, tier, or utilization restriction exception. **When you ask for an exception, you should submit a statement from your health care provider that supports your request. This is called a supporting statement.**

Generally, we must make the decision within 72 hours of receiving your health care provider's supporting statement. You can request a fast, or expedited, exception if you or your health care provider thinks your health would seriously suffer if you wait as long as 72 hours for a decision. If your request to expedite is granted, we must give you a decision no later than 24 hours after we receive your health care provider's supporting statement.

Will my plan cover my drugs if they are not on the formulary?

You may take drugs that your plan does not cover, or you may talk to your provider about taking a different drug that your plan covers, but that drug might have a Utilization Management Requirement, such as a Prior Authorization or Step Therapy, that keeps you from getting the drug right away. In certain cases, we may cover as much as a 30-day supply of your drug during the first 90 days you are a member of the plan.

Here is what we will do for each of your current Part D drugs that are not on the formulary, or if you have limited ability to get your drugs:

- We will temporarily cover a 30-day supply of your drug unless you have a prescription written for fewer days (in which case we will allow multiple fills to provide up to a total of 30 days of a drug) when you go to a pharmacy.
- There will be no coverage for the drugs after your first 30-day supply, even if you have been a member of the plan for less than 90 days, unless a formulary exception has been approved.

If you are a resident of a long-term care facility and you take Part D drugs that are not on the formulary, we will cover a 31-day supply unless you have a prescription written for fewer days (in which case we will allow multiple fills to provide up to a total of 31 days of a drug) during the first 90 days you are a member of our plan. We will cover a 31-day emergency supply of your drug unless you have a prescription for fewer days (in which we will allow multiple fills to provide up to a total of 31 days of a drug) while you request a formulary exception if:

- You need a drug that is not on the formulary or
- You have limited ability to get your drugs and
- You are past the first 90 days of membership in the plan

Throughout the plan year, your treatment setting (the place where you receive and take your medicine) may change. These changes include:

- Members who are discharged from a hospital or skilled-nursing facility to a home setting
- Members who are admitted to a hospital or skilled-nursing facility from a home setting
- Members who transfer from one skilled-nursing facility to another and use a different pharmacy
- Members who end their skilled-nursing facility Medicare Part A stay (where payments include all pharmacy charges) and who now need to use their Part D plan benefit
- Members who give up Hospice Status and go back to standard Medicare Part A and B coverage
- Members discharged from chronic psychiatric hospitals with highly individualized drug regimens

For these changes in treatment settings, Humana Group Medicare Plan will cover as much as a 31-day temporary supply of a Part D-covered drug when you fill your prescription at a pharmacy. If you change treatment settings multiple times within the same month, you may have to request an exception or prior authorization and receive approval for continued coverage of your drug. Humana Group Medicare Plan will review requests for continuation of therapy on a case-by-case basis understanding when you are on a stabilized drug regimen that, if changed, is known to have risks.

Transition extension

Humana Group Medicare Plan will consider on a case-by-case basis an extension of the transition period if your exception request or appeal has not been processed by the end of your initial transition period. We will continue to provide necessary drugs to you if your transition period is extended.

A Transition Policy is available on **your.humana.com/ncshp** in the same area where the Prescription Drug Guides are displayed.

CenterWell Pharmacy™

You may fill your medications at any network pharmacy. CenterWell Pharmacy – Humana's mail-delivery pharmacy is one option. To get started or learn more, visit **CenterWellPharmacy.com**. You can also call CenterWell Pharmacy at **1-844-222-2151 (TTY: 711)** Monday – Friday, 8 a.m. to 11 p.m. (EST), and Saturday, 8 a.m. to 6:30 p.m. (EST).

Other pharmacies are available in our network.

For More Information

For more detailed information about your Humana Group Medicare Plan prescription drug coverage, please read your Evidence of Coverage (EOC) and other plan materials.

If you have general questions about Medicare prescription drug coverage, please call Medicare at **1-800-MEDICARE (1-800-633-4227)** 24 hours a day, seven days a week. **TTY** users should call **1-877-486-2048**. You can also visit **www.medicare.gov**.

Humana Group Medicare Plan Formulary

The formulary that begins on the next page provides coverage information about the drugs covered by Humana Group Medicare Plan. If you have trouble finding your drug in the list, turn to the Index that begins on page 200.

Your plan has additional coverage of some drugs. These drugs are not normally covered under Medicare Part D and are not subject to the Medicare appeals process. These drugs are listed separately on page 196.

How to read your formulary

The first column of the chart lists categories of medical conditions in alphabetical order. The drug names are then listed in alphabetical order within each category. Brand-name drugs are CAPITALIZED and generic drugs are listed in lower-case italics. Next to the drug name or Utilization Management column, you may see an indicator to tell you about additional coverage information for that drug. You might see the following indicators:

\$0 - Paxlovid, most vaccines and diabetic supplies covered 100% with no member cost.

DL - Dispensing Limit; Drugs that may be limited to a 30 day supply, regardless of tier placement.

MO - Drugs that are typically available through mail-order. Please contact your mail-order pharmacy to make sure your drug is available.

LA - Limited Access; The health plan has authorized certain pharmacies to dispense this medicine, as it requires extra handling, doctor coordination or patient education. Please call the number on the back of your ID card for additional information.

CI - Covered insulin products; Part D insulin products covered by your plan. For more information on cost sharing for your covered insulin products, please refer to your Evidence of Coverage.

PDS - Preferred Diabetic Supplies; BD and HTL-Droplet are the preferred diabetic syringe and pen needle brands for the plan.

The second column lists the tier of the drug. See page 5 for more details on the drug tiers in your plan.

The third column shows the Utilization Management Requirements for the drug. Humana Group Medicare Plan may have special requirements for covering that drug. If the column is blank, then there are no utilization requirements for that drug. The supply for each drug is based on benefits and whether your health care provider prescribes a supply for 30, 60, or 90 days. The amount of any quantity limits will also be in this column (Example: "QL - 30 for 30 days" means you can only get 30 doses every 30 days). See page 5 for more information about these requirements.

| DRUG NAME | TIER | UTILIZATION MANAGEMENT REQUIREMENTS |
|-----------------------------------------------------------------------------------------------------------|------|-------------------------------------|
| ANALGESICS | | |
| acetaminophen-caff-dihydrocod 320.5-30-16 mg CAPSULE DL | 1 | QL(300 per 30 days) |
| acetaminophen-codeine 120 mg-12 mg /5 ml (5 ml), 120-12 mg/5 ml, 300 mg-30 mg /12.5 ml SOLUTION DL | 1 | QL(2700 per 30 days) |
| acetaminophen-codeine 300-15 mg TABLET DL | 1 | QL(390 per 30 days) |
| acetaminophen-codeine 300-30 mg TABLET DL | 1 | QL(360 per 30 days) |
| acetaminophen-codeine 300-60 mg TABLET DL | 1 | QL(180 per 30 days) |
| ACTIQ 1,200 MCG, 1,600 MCG, 200 MCG, 400 MCG, 600 MCG, 800 MCG LOZENGE DL | 4 | PA,QL(120 per 30 days) |
| ANAPROX DS 550 MG TABLET MO | 3 | |
| APADAZ 4.08-325 MG, 6.12-325 MG, 8.16-325 MG TABLET DL | 3 | |
| ARTHROTEC 50 50-200 MG-MCG TABLET, IR, DR, BIPHASIC MO | 3 | PA |
| ARTHROTEC 75 75-200 MG-MCG TABLET, IR, DR, BIPHASIC MO | 3 | PA |
| ascomp with codeine 30-50-325-40 mg CAPSULE DL | 1 | QL(360 per 30 days) |
| BELBUCA 150 MCG, 300 MCG, 450 MCG, 600 MCG, 75 MCG, 750 MCG, 900 MCG FILM DL | 3 | QL(60 per 30 days) |
| benzhydrocodone-acetaminophen 4.08-325 mg, 6.12-325 mg, 8.16-325 mg TABLET DL | 3 | |
| BUPRENEX 0.3 MG/ML SOLUTION DL | 3 | QL(240 per 30 days) |
| buprenorphine 10 mcg/hour, 15 mcg/hour, 20 mcg/hour, 5 mcg/hour, 7.5 mcg/hour PATCH, WEEKLY DL | 1 | PA,QL(4 per 28 days) |
| buprenorphine hcl 0.3 mg/ml SYRINGE DL | 1 | QL(240 per 30 days) |
| butalbital compound w/codeine 30-50-325-40 mg CAPSULE DL | 1 | QL(360 per 30 days) |
| butorphanol 1 mg/ml SOLUTION DL | 1 | QL(960 per 30 days) |
| butorphanol 10 mg/ml SPRAY, NON-AEROSOL DL | 1 | QL(5 per 28 days) |
| butorphanol 2 mg/ml SOLUTION DL | 1 | QL(480 per 30 days) |
| BUTTRANS 10 MCG/HOUR, 15 MCG/HOUR, 20 MCG/HOUR, 5 MCG/HOUR, 7.5 MCG/HOUR PATCH, WEEKLY DL | 3 | PA,QL(4 per 28 days) |
| CALDOLOR 800 MG/200 ML (4 MG/ML) PIGGYBACK MO | 3 | |
| CALDOLOR 800 MG/8 ML (100 MG/ML) RECON SOLUTION MO | 3 | |
| CAMBIA 50 MG POWDER IN PACKET DL | 4 | ST,QL(9 per 30 days) |
| cataflam 50 mg TABLET MO | 1 | |
| CELEBREX 100 MG, 200 MG, 400 MG, 50 MG CAPSULE MO | 3 | PA,QL(60 per 30 days) |
| celecoxib 100 mg, 200 mg CAPSULE MO | 1 | QL(60 per 30 days) |
| celecoxib 400 mg, 50 mg CAPSULE MO | 1 | QL(60 per 30 days) |

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Paxlovid/Vaccine/Diabetic • ST – Step Therapy

| DRUG NAME | TIER | UTILIZATION MANAGEMENT REQUIREMENTS |
|----------------------------------------------------------------------------------------|------|-------------------------------------|
| codeine sulfate 15 mg, 30 mg TABLET DL | 1 | QL(360 per 30 days) |
| codeine sulfate 60 mg TABLET DL | 1 | QL(180 per 30 days) |
| codeine-butalbital-asa-caff 30-50-325-40 mg CAPSULE DL | 1 | QL(360 per 30 days) |
| CONZIP 100 MG, 200 MG, 300 MG CAPSULE, ER, BIPHASIC DL | 3 | ST,QL(30 per 30 days) |
| DAYPRO 600 MG TABLET MO | 3 | |
| DEMEROL 50 MG/ML SOLUTION DL | 3 | QL(720 per 30 days) |
| DEMEROL (PF) 100 MG/2 ML SOLUTION DL | 3 | QL(360 per 30 days) |
| DEMEROL (PF) 100 MG/ML SYRINGE DL | 3 | QL(360 per 30 days) |
| DEMEROL (PF) 25 MG/ML SYRINGE DL | 3 | QL(1440 per 30 days) |
| DEMEROL (PF) 50 MG/ML SYRINGE DL | 3 | QL(720 per 30 days) |
| DEMEROL (PF) 75 MG/ML SYRINGE DL | 3 | QL(480 per 30 days) |
| diclofenac epolamine 1.3 % PATCH, 12 HR. MO | 1 | PA,QL(60 per 30 days) |
| diclofenac potassium 25 mg CAPSULE MO | 3 | ST,QL(120 per 30 days) |
| diclofenac potassium 25 mg TABLET DL | 4 | |
| diclofenac potassium 50 mg POWDER IN PACKET MO | 3 | ST,QL(9 per 30 days) |
| diclofenac potassium 50 mg TABLET MO | 1 | |
| diclofenac sodium 1 % GEL MO | 1 | QL(1000 per 30 days) |
| diclofenac sodium 1.5 % DROPS MO | 1 | PA,QL(300 per 30 days) |
| diclofenac sodium 100 mg TABLET, ER 24 HR. MO | 1 | |
| diclofenac sodium 20 mg/gram /actuation(2 %) SOLUTION IN METERED DOSE PUMP DL | 4 | PA,QL(224 per 28 days) |
| diclofenac sodium 25 mg, 50 mg TABLET, DR/EC MO | 1 | |
| diclofenac sodium 75 mg TABLET, DR/EC MO | 1 | |
| diclofenac-misoprostol 50-200 mg-mcg, 75-200 mg-mcg TABLET, IR, DR, BIPHASIC MO | 1 | |
| diflunisal 500 mg TABLET MO | 1 | |
| DILAUDID 1 MG/ML LIQUID DL | 3 | PA,QL(2400 per 30 days) |
| DILAUDID 2 MG, 4 MG TABLET DL | 3 | PA,QL(360 per 30 days) |
| DILAUDID 8 MG TABLET DL | 3 | PA,QL(240 per 30 days) |
| DUEXIS 800-26.6 MG TABLET DL | 4 | PA,QL(90 per 30 days) |
| DURAMORPH (PF) 0.5 MG/ML SOLUTION DL | 3 | BvsD,QL(7200 per 30 days) |
| DURAMORPH (PF) 1 MG/ML SOLUTION DL | 3 | BvsD,QL(3600 per 30 days) |
| EC-NAPROSYN 375 MG, 500 MG TABLET, DR/EC MO | 3 | PA |

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Paxlovid/Vaccine/Diabetic • ST – Step Therapy

| DRUG NAME | TIER | UTILIZATION MANAGEMENT REQUIREMENTS |
|--------------------------------------------------------------------------------------------------------------------------------------|------|-------------------------------------|
| ec-naproxen 375 mg TABLET, DR/EC MO | 3 | PA |
| ec-naproxen 500 mg TABLET, DR/EC MO | 1 | |
| endocet 10-325 mg, 2.5-325 mg, 5-325 mg, 7.5-325 mg TABLET DL | 1 | QL(360 per 30 days) |
| etodolac 200 mg, 300 mg CAPSULE MO | 1 | |
| etodolac 400 mg, 500 mg TABLET MO | 1 | |
| etodolac 400 mg, 500 mg, 600 mg TABLET, ER 24 HR. MO | 1 | |
| FELDENE 10 MG, 20 MG CAPSULE MO | 3 | |
| fenoprofen 200 mg, 400 mg CAPSULE MO | 1 | ST |
| fenoprofen 600 mg TABLET MO | 1 | ST |
| fentanyl 100 mcg/hr, 12 mcg/hr, 25 mcg/hr, 37.5 mcg/hour, 50 mcg/hr, 62.5 mcg/hour, 75 mcg/hr, 87.5 mcg/hour PATCH. 72 HR. DL | 1 | QL(20 per 30 days) |
| fentanyl citrate 1,200 mcg, 1,600 mcg, 400 mcg, 600 mcg, 800 mcg LOZENGE DL | 4 | PA,QL(120 per 30 days) |
| fentanyl citrate 100 mcg, 200 mcg, 400 mcg, 600 mcg, 800 mcg TABLET, EFFERVESCENT DL | 4 | PA,QL(120 per 30 days) |
| fentanyl citrate 200 mcg LOZENGE DL | 1 | PA,QL(120 per 30 days) |
| fentanyl citrate (pf) 50 mcg/ml SOLUTION DL | 1 | BvsD,QL(720 per 30 days) |
| FENTORA 100 MCG, 200 MCG, 400 MCG, 600 MCG, 800 MCG TABLET, EFFERVESCENT DL | 4 | PA,QL(120 per 30 days) |
| FLECTOR 1.3 % PATCH, 12 HR. MO | 3 | PA,QL(60 per 30 days) |
| flurbiprofen 100 mg TABLET MO | 1 | |
| hydrocodone bitartrate 10 mg, 15 mg, 20 mg, 30 mg, 40 mg CAPSULE, ER 12 HR. DL | 1 | ST,QL(90 per 30 days) |
| hydrocodone bitartrate 100 mg, 120 mg, 20 mg, 30 mg, 40 mg, 60 mg, 80 mg TABLET, ER 24 HR. DL | 1 | ST,QL(30 per 30 days) |
| hydrocodone bitartrate 50 mg CAPSULE, ER 12 HR. DL | 1 | ST,QL(120 per 30 days) |
| hydrocodone-acetaminophen 10-300 mg, 5-300 mg, 7.5-300 mg TABLET DL | 1 | QL(390 per 30 days) |
| hydrocodone-acetaminophen 10-325 mg, 5-325 mg, 7.5-325 mg TABLET DL | 1 | QL(360 per 30 days) |
| hydrocodone-acetaminophen 10-325 mg/15 ml(15 ml) SOLUTION DL | 1 | QL(2700 per 30 days) |
| hydrocodone-acetaminophen 2.5-325 mg TABLET DL | 1 | QL(360 per 30 days) |
| hydrocodone-acetaminophen 7.5-325 mg/15 ml SOLUTION DL | 1 | QL(5520 per 30 days) |
| hydrocodone-ibuprofen 10-200 mg, 5-200 mg, 7.5-200 mg TABLET DL | 1 | QL(150 per 30 days) |
| HYDROMORPHONE 0.25 MG/0.5 ML SYRINGE DL | 1 | BvsD |

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Paxlovid/Vaccine/Diabetic • ST – Step Therapy

| DRUG NAME | TIER | UTILIZATION MANAGEMENT REQUIREMENTS |
|-------------------------------------------------------------------------------------------|------|-------------------------------------|
| hydromorphone 0.5 mg/0.5 ml, 1 mg/ml SYRINGE DL | 1 | BvsD,QL(720 per 30 days) |
| hydromorphone 1 mg/ml LIQUID DL | 1 | QL(2400 per 30 days) |
| hydromorphone 1 mg/ml SOLUTION DL | 1 | BvsD,QL(720 per 30 days) |
| hydromorphone 12 mg TABLET, ER 24 HR. DL | 1 | ST,QL(180 per 30 days) |
| hydromorphone 16 mg TABLET, ER 24 HR. DL | 1 | ST,QL(120 per 30 days) |
| hydromorphone 2 mg, 4 mg TABLET DL | 1 | QL(360 per 30 days) |
| hydromorphone 2 mg/ml SOLUTION DL | 1 | BvsD,QL(360 per 30 days) |
| hydromorphone 2 mg/ml SYRINGE DL | 1 | BvsD,QL(360 per 30 days) |
| hydromorphone 32 mg TABLET, ER 24 HR. DL | 1 | ST,QL(60 per 30 days) |
| hydromorphone 4 mg/ml SYRINGE DL | 1 | BvsD,QL(180 per 30 days) |
| hydromorphone 8 mg TABLET DL | 1 | QL(240 per 30 days) |
| hydromorphone 8 mg TABLET, ER 24 HR. DL | 1 | ST,QL(240 per 30 days) |
| hydromorphone (pf) 1 mg/ml SOLUTION DL | 1 | BvsD,QL(720 per 30 days) |
| hydromorphone (pf) 10 mg/ml SOLUTION DL | 1 | BvsD,QL(144 per 30 days) |
| hydromorphone (pf) 4 mg/ml SOLUTION DL | 1 | BvsD,QL(180 per 30 days) |
| HYSINGLA ER 100 MG, 120 MG, 20 MG, 30 MG, 40 MG, 60 MG, 80 MG TABLET, ER 24 HR. DL | 3 | ST,QL(30 per 30 days) |
| ibu 400 mg, 600 mg, 800 mg TABLET MO | 1 | |
| ibuprofen 100 mg/5 ml SUSPENSION MO | 1 | |
| ibuprofen 400 mg TABLET MO | 1 | |
| ibuprofen 600 mg, 800 mg TABLET MO | 1 | |
| ibuprofen-famotidine 800-26.6 mg TABLET MO | 1 | PA,QL(90 per 30 days) |
| INDOCIN 25 MG/5 ML SUSPENSION DL | 4 | |
| INDOCIN 50 MG SUPPOSITORY MO | 3 | |
| indomethacin 25 mg, 50 mg CAPSULE MO | 1 | |
| indomethacin 25 mg/5 ml SUSPENSION DL | 4 | |
| indomethacin 50 mg SUPPOSITORY MO | 1 | |
| indomethacin 75 mg CAPSULE, ER MO | 1 | |
| indomethacin sodium 1 mg RECON SOLUTION MO | 1 | |
| INFUMORPH P/F 10 MG/ML SOLUTION DL | 3 | BvsD,QL(360 per 30 days) |
| INFUMORPH P/F 25 MG/ML SOLUTION DL | 3 | BvsD,QL(150 per 30 days) |
| ketoprofen 200 mg CAPSULE ER PELLETS 24 HR. MO | 1 | |

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Paxlovid/Vaccine/Diabetic • ST – Step Therapy

| DRUG NAME | TIER | UTILIZATION MANAGEMENT REQUIREMENTS |
|------------------------------------------------------------------------------|------|-------------------------------------|
| ketoprofen 25 mg CAPSULE MO | 1 | ST |
| ketoprofen 50 mg, 75 mg CAPSULE MO | 1 | ST |
| ketorolac 10 mg TABLET MO | 1 | QL(20 per 30 days) |
| ketorolac 15 mg/ml, 30 mg/ml, 30 mg/ml (1 ml), 60 mg/2 ml SOLUTION MO | 1 | |
| ketorolac 15 mg/ml, 30 mg/ml, 60 mg/2 ml SYRINGE MO | 1 | |
| ketorolac 15.75 mg/spray SPRAY, NON-AEROSOL DL | 4 | PA,QL(5 per 30 days) |
| kiprofen 25 mg CAPSULE MO | 1 | ST |
| LAZANDA 100 MCG/SPRAY, 400 MCG/SPRAY SPRAY, NON-AEROSOL DL | 4 | PA,QL(30 per 30 days) |
| levorphanol tartrate 2 mg TABLET DL | 4 | ST,QL(240 per 30 days) |
| levorphanol tartrate 3 mg TABLET DL | 4 | ST,QL(150 per 30 days) |
| LICART 1.3 % PATCH, 24 HR. MO | 3 | PA,QL(30 per 30 days) |
| LODINE 400 MG TABLET MO | 3 | PA |
| lofena 25 mg TABLET DL | 4 | |
| lortab elixir 10-300 mg/15 ml SOLUTION DL | 1 | QL(6000 per 30 days) |
| meclofenamate 100 mg, 50 mg CAPSULE MO | 1 | |
| mefenamic acid 250 mg CAPSULE MO | 1 | |
| meloxicam 15 mg TABLET MO | 1 | QL(30 per 30 days) |
| meloxicam 7.5 mg TABLET MO | 1 | QL(60 per 30 days) |
| meloxicam submicronized 10 mg, 5 mg CAPSULE DL | 4 | PA,QL(30 per 30 days) |
| meperidine 10 mg/ml CARTRIDGE DL | 1 | QL(3600 per 30 days) |
| meperidine 50 mg TABLET DL | 1 | QL(480 per 30 days) |
| meperidine 50 mg/5 ml SOLUTION DL | 1 | QL(720 per 30 days) |
| meperidine (pf) 100 mg/ml SOLUTION DL | 1 | QL(360 per 30 days) |
| meperidine (pf) 25 mg/ml SOLUTION DL | 1 | QL(1440 per 30 days) |
| meperidine (pf) 50 mg/ml SOLUTION DL | 1 | QL(720 per 30 days) |
| methadone 10 mg TABLET DL | 1 | QL(240 per 30 days) |
| methadone 10 mg/5 ml SOLUTION DL | 1 | QL(1800 per 30 days) |
| methadone 10 mg/ml CONCENTRATE DL | 1 | QL(360 per 30 days) |
| methadone 10 mg/ml SOLUTION DL | 1 | QL(360 per 30 days) |
| methadone 5 mg TABLET DL | 1 | QL(480 per 30 days) |
| methadone 5 mg/5 ml SOLUTION DL | 1 | QL(3600 per 30 days) |
| methadone intensol 10 mg/ml CONCENTRATE DL | 1 | QL(360 per 30 days) |

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Paxlovid/Vaccine/Diabetic • ST – Step Therapy

| DRUG NAME | TIER | UTILIZATION MANAGEMENT REQUIREMENTS |
|-------------------------------------------------------------------------------------------|------|-------------------------------------|
| METHADOSE 10 MG/ML CONCENTRATE DL | 3 | QL(360 per 30 days) |
| mitigo (pf) 10 mg/ml SOLUTION DL | 3 | BvsD,QL(360 per 30 days) |
| mitigo (pf) 25 mg/ml SOLUTION DL | 3 | BvsD,QL(150 per 30 days) |
| morphine 10 mg, 100 mg, 20 mg, 30 mg, 50 mg, 60 mg, 80 mg CAPSULE ER PELLETS DL | 1 | ST,QL(60 per 30 days) |
| morphine 10 mg/5 ml SOLUTION DL | 1 | QL(2700 per 30 days) |
| morphine 10 mg/ml SOLUTION DL | 1 | BvsD,QL(360 per 30 days) |
| morphine 10 mg/ml SYRINGE DL | 1 | BvsD,QL(360 per 30 days) |
| morphine 100 mg TABLET ER DL | 1 | QL(180 per 30 days) |
| morphine 120 mg, 60 mg, 75 mg, 90 mg CAPSULE ER MULTIPHASE 24 HR. DL | 1 | ST,QL(60 per 30 days) |
| morphine 15 mg TABLET ER DL | 1 | QL(120 per 30 days) |
| morphine 15 mg, 30 mg TABLET DL | 1 | QL(180 per 30 days) |
| morphine 2 mg/ml SOLUTION DL | 1 | BvsD,QL(1800 per 30 days) |
| morphine 2 mg/ml SYRINGE DL | 1 | BvsD,QL(1800 per 30 days) |
| morphine 2 mg/ml, 4 mg/ml, 5 mg/ml SYRINGE DL | 1 | BvsD |
| morphine 20 mg/5 ml (4 mg/ml) SOLUTION DL | 1 | QL(1350 per 30 days) |
| morphine 200 mg TABLET ER DL | 1 | QL(90 per 30 days) |
| morphine 30 mg, 45 mg CAPSULE ER MULTIPHASE 24 HR. DL | 1 | ST,QL(30 per 30 days) |
| morphine 30 mg, 60 mg TABLET ER DL | 1 | QL(120 per 30 days) |
| morphine 4 mg/ml SOLUTION DL | 1 | BvsD,QL(900 per 30 days) |
| morphine 4 mg/ml SYRINGE DL | 1 | BvsD,QL(900 per 30 days) |
| morphine 5 mg/ml SOLUTION DL | 1 | BvsD,QL(720 per 30 days) |
| morphine 8 mg/ml SOLUTION DL | 1 | BvsD,QL(450 per 30 days) |
| morphine 8 mg/ml SYRINGE DL | 1 | BvsD,QL(450 per 30 days) |
| morphine (pf) 0.5 mg/ml SOLUTION DL | 1 | BvsD,QL(7200 per 30 days) |
| morphine (pf) 1 mg/ml SOLUTION DL | 1 | BvsD,QL(3600 per 30 days) |
| morphine (pf) 30 mg/30 ml (1 mg/ml) PATIENT CONTROL ANALGESIA SOLN DL | 1 | BvsD,QL(3600 per 30 days) |
| morphine concentrate 100 mg/5 ml (20 mg/ml) SOLUTION DL | 1 | QL(540 per 30 days) |
| MS CONTIN 100 MG TABLET ER DL | 3 | PA,QL(180 per 30 days) |
| MS CONTIN 15 MG, 30 MG, 60 MG TABLET ER DL | 3 | PA,QL(120 per 30 days) |
| MS CONTIN 200 MG TABLET ER DL | 3 | PA,QL(90 per 30 days) |
| nabumetone 500 mg, 750 mg TABLET MO | 1 | |

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Paxlovid/Vaccine/Diabetic • ST – Step Therapy

| DRUG NAME | TIER | UTILIZATION MANAGEMENT REQUIREMENTS |
|-------------------------------------------------------------------------------|------|-------------------------------------|
| nalbuphine 10 mg/ml SOLUTION DL | 1 | QL(240 per 30 days) |
| nalbuphine 20 mg/ml SOLUTION DL | 1 | QL(120 per 30 days) |
| NALFON 400 MG CAPSULE MO | 3 | ST |
| NALFON 600 MG TABLET MO | 1 | ST |
| nalocet 2.5-300 mg TABLET DL | 4 | PA,QL(360 per 30 days) |
| NAPRELAN CR 375 MG TABLET, ER 24 HR., MULTIPHASE DL | 4 | ST,QL(120 per 30 days) |
| NAPRELAN CR 500 MG TABLET, ER 24 HR., MULTIPHASE DL | 4 | ST,QL(90 per 30 days) |
| NAPRELAN CR 750 MG TABLET, ER 24 HR., MULTIPHASE DL | 4 | ST,QL(60 per 30 days) |
| NAPROSYN 125 MG/5 ML SUSPENSION DL | 4 | PA |
| NAPROSYN 500 MG TABLET MO | 3 | PA |
| naproxen 125 mg/5 ml SUSPENSION MO | 1 | |
| naproxen 250 mg, 375 mg TABLET MO | 1 | |
| naproxen 375 mg, 500 mg TABLET, DR/EC MO | 1 | |
| naproxen 500 mg TABLET MO | 1 | |
| naproxen sodium 275 mg, 550 mg TABLET MO | 1 | |
| naproxen sodium 375 mg TABLET, ER 24 HR., MULTIPHASE MO | 1 | ST,QL(120 per 30 days) |
| naproxen sodium 500 mg TABLET, ER 24 HR., MULTIPHASE MO | 1 | ST,QL(90 per 30 days) |
| naproxen sodium 750 mg TABLET, ER 24 HR., MULTIPHASE MO | 1 | ST,QL(60 per 30 days) |
| naproxen-esomeprazole 375-20 mg, 500-20 mg TABLET, IR, DR, BIPHASIC DL | 4 | PA,QL(60 per 30 days) |
| NUCYNTA 100 MG, 50 MG, 75 MG TABLET DL | 4 | ST,QL(180 per 30 days) |
| NUCYNTA ER 100 MG, 150 MG, 200 MG, 250 MG TABLET, ER 12 HR. DL | 4 | ST,QL(60 per 30 days) |
| NUCYNTA ER 50 MG TABLET, ER 12 HR. DL | 3 | ST,QL(60 per 30 days) |
| OLINVYK 1 MG/ML SOLUTION DL | 4 | PA |
| OLINVYK 30 MG/30 ML (1 MG/ML) PATIENT CONTROL ANALGESIA SOLN DL | 4 | PA |
| oxaprozin 600 mg TABLET MO | 1 | |
| OXAYDO 5 MG, 7.5 MG TABLET, ORAL ONLY DL | 4 | PA,QL(360 per 30 days) |
| oxycodone 10 mg, 15 mg, 5 mg TABLET DL | 1 | QL(360 per 30 days) |
| oxycodone 10 mg, 20 mg, 40 mg TABLET, ER 12 HR. DL | 3 | PA,QL(90 per 30 days) |
| oxycodone 20 mg, 30 mg TABLET DL | 1 | QL(360 per 30 days) |
| oxycodone 20 mg/ml CONCENTRATE DL | 1 | QL(270 per 30 days) |
| oxycodone 5 mg CAPSULE DL | 1 | QL(360 per 30 days) |
| oxycodone 5 mg/5 ml SOLUTION DL | 1 | QL(5400 per 30 days) |

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Paxlovid/Vaccine/Diabetic • ST – Step Therapy

| DRUG NAME | TIER | UTILIZATION MANAGEMENT REQUIREMENTS |
|-----------------------------------------------------------------------------------|------|-------------------------------------|
| oxycodone 80 mg TABLET, ER 12 HR. DL | 3 | PA,QL(120 per 30 days) |
| oxycodone-acetaminophen 10-300 mg, 5-300 mg, 7.5-300 mg TABLET DL | 4 | PA,QL(390 per 30 days) |
| oxycodone-acetaminophen 10-300 mg/5 ml SOLUTION DL | 4 | PA,QL(900 per 30 days) |
| oxycodone-acetaminophen 10-325 mg, 5-325 mg, 7.5-325 mg TABLET DL | 1 | QL(360 per 30 days) |
| oxycodone-acetaminophen 2.5-300 mg TABLET DL | 1 | PA,QL(360 per 30 days) |
| oxycodone-acetaminophen 2.5-325 mg TABLET DL | 1 | QL(360 per 30 days) |
| oxycodone-acetaminophen 5-325 mg/5 ml SOLUTION DL | 1 | QL(1800 per 30 days) |
| OXYCONTIN 10 MG, 15 MG, 20 MG, 30 MG, 40 MG, 60 MG TABLET, ER 12 HR. DL | 3 | PA,QL(90 per 30 days) |
| OXYCONTIN 80 MG TABLET, ER 12 HR. DL | 3 | PA,QL(120 per 30 days) |
| oxymorphone 10 mg, 15 mg, 20 mg, 30 mg, 5 mg, 7.5 mg TABLET, ER 12 HR. DL | 1 | ST,QL(60 per 30 days) |
| oxymorphone 10 mg, 5 mg TABLET DL | 1 | QL(360 per 30 days) |
| oxymorphone 40 mg TABLET, ER 12 HR. DL | 4 | ST,QL(60 per 30 days) |
| PENNSAID 2 % SOLUTION IN PACKET DL | 4 | PA |
| PENNSAID 20 MG/GRAM /ACTUATION(2 %) SOLUTION IN METERED DOSE PUMP DL | 4 | PA,QL(224 per 28 days) |
| pentazocine-naloxone 50-0.5 mg TABLET DL | 1 | QL(360 per 30 days) |
| PERCOSET 10-325 MG, 5-325 MG, 7.5-325 MG TABLET DL | 4 | PA,QL(360 per 30 days) |
| PERCOSET 2.5-325 MG TABLET DL | 1 | PA,QL(360 per 30 days) |
| piroxicam 10 mg, 20 mg CAPSULE MO | 1 | |
| primlev 10-300 mg, 5-300 mg, 7.5-300 mg TABLET DL | 4 | PA,QL(390 per 30 days) |
| prolate 10-300 mg, 5-300 mg, 7.5-300 mg TABLET DL | 4 | PA,QL(390 per 30 days) |
| PROLATE 10-300 MG/5 ML SOLUTION DL | 4 | PA,QL(900 per 30 days) |
| QDOLO 5 MG/ML SOLUTION DL | 4 | QL(2400 per 30 days) |
| RELAFEN 500 MG, 750 MG TABLET DL | 4 | ST |
| RELAFEN DS 1,000 MG TABLET DL | 4 | ST,QL(60 per 30 days) |
| ROXICODONE 15 MG TABLET DL | 3 | PA,QL(360 per 30 days) |
| ROXICODONE 30 MG TABLET DL | 4 | PA,QL(360 per 30 days) |
| ROXYBOND 15 MG, 30 MG TABLET, ORAL ONLY DL | 4 | PA,QL(180 per 30 days) |
| ROXYBOND 5 MG TABLET, ORAL ONLY DL | 4 | PA,QL(360 per 30 days) |
| SEGLENТИ 44-56 MG TABLET DL | 3 | PA,QL(120 per 30 days) |
| SPRIX 15.75 MG/SPRAY SPRAY, NON-AEROSOL DL | 4 | PA,QL(5 per 30 days) |

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Paxlovid/Vaccine/Diabetic • ST – Step Therapy

| DRUG NAME | TIER | UTILIZATION MANAGEMENT REQUIREMENTS |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|-------------------------------------|
| SUBSYS 1,200 MCG (600 MCG/SPRAY X 2), 1,600 MCG (800 MCG/SPRAY X 2), 100 MCG/SPRAY, 200 MCG/SPRAY, 400 MCG/SPRAY, 600 MCG/SPRAY, 800 MCG/SPRAY SPRAY, NON-AEROSOL DL | 4 | PA,QL(120 per 30 days) |
| sulindac 150 mg, 200 mg TABLET MO | 1 | |
| tolmetin 200 mg, 600 mg TABLET MO | 1 | |
| tolmetin 400 mg CAPSULE MO | 1 | |
| tramadol 100 mg TABLET DL | 1 | QL(120 per 30 days) |
| tramadol 100 mg, 200 mg, 300 mg CAPSULE, ER, BIPHASIC DL | 1 | ST,QL(30 per 30 days) |
| tramadol 100 mg, 200 mg, 300 mg TABLET, ER 24 HR. DL | 1 | ST,QL(30 per 30 days) |
| tramadol 100 mg, 200 mg, 300 mg TABLET, ER 24 HR., MULTIPHASE DL | 1 | ST,QL(30 per 30 days) |
| tramadol 25 mg TABLET DL | 1 | QL(180 per 30 days) |
| tramadol 5 mg/ml SOLUTION DL | 4 | QL(2400 per 30 days) |
| tramadol 50 mg TABLET DL | 1 | QL(240 per 30 days) |
| tramadol-acetaminophen 37.5-325 mg TABLET DL | 1 | QL(240 per 30 days) |
| TREZIX 320.5-30-16 MG CAPSULE DL | 1 | QL(300 per 30 days) |
| ULTRACET 37.5-325 MG TABLET DL | 3 | QL(240 per 30 days) |
| ULTRAM 50 MG TABLET DL | 3 | QL(240 per 30 days) |
| VIMOVO 375-20 MG, 500-20 MG TABLET, IR, DR, BIPHASIC DL | 4 | PA,QL(60 per 30 days) |
| VIVLODEX 10 MG, 5 MG CAPSULE DL | 4 | PA,QL(30 per 30 days) |
| XTAMPZA ER 13.5 MG, 18 MG, 27 MG, 36 MG, 9 MG CAPSULE ER SPRINKLE 12 HR. DL | 2 | QL(60 per 30 days) |
| ZIPSOR 25 MG CAPSULE DL | 4 | ST,QL(120 per 30 days) |
| ZORVOLEX 18 MG, 35 MG CAPSULE MO | 3 | ST,QL(90 per 30 days) |
| ANESTHETICS | | |
| bupivacaine (pf) 0.25 % (2.5 mg/ml), 0.5 % (5 mg/ml), 0.75 % (7.5 mg/ml) SOLUTION MO | 1 | |
| bupivacaine hcl 0.25 % (2.5 mg/ml), 0.5 % (5 mg/ml) SOLUTION MO | 1 | |
| bupivacaine-dextrose-water(pf) 0.75 % (7.5 mg/ml) SOLUTION MO | 1 | |
| bupivacaine-epinephrine 0.25 %-1:200,000, 0.5 %-1:200,000 SOLUTION MO | 1 | |
| bupivacaine-epinephrine (pf) 0.25 %-1:200,000, 0.5 %-1:200,000 SOLUTION MO | 1 | |
| CARBOCAINE 1 % (10 MG/ML) SOLUTION MO | 3 | |
| CARBOCAINE (PF) 10 MG/ML (1 %), 15 MG/ML (1.5 %), 20 MG/ML (2 %) SOLUTION MO | 3 | |

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Paxlovid/Vaccine/Diabetic • ST – Step Therapy

| DRUG NAME | TIER | UTILIZATION MANAGEMENT REQUIREMENTS |
|---------------------------------------------------------------------------------------------------------------------|------|-------------------------------------|
| CARBOCAINE WITH NEO-COBEFRIN 2 % -1:20,000 CARTRIDGE MO | 1 | |
| chloroprocaine (pf) 20 mg/ml (2 %), 30 mg/ml (3 %) SOLUTION MO | 1 | |
| CLOROTEKAL 10 MG/ML (1 %) SOLUTION MO | 3 | |
| dermacinrx lidocan 5 % ADHESIVE PATCH, MEDICATED DL | 4 | PA,QL(90 per 30 days) |
| EXPAREL (PF) 1.3 % (13.3 MG/ML) SUSPENSION MO | 3 | |
| glydo 2 % JELLY IN APPLICATOR MO | 1 | |
| lidocaine 5 % ADHESIVE PATCH, MEDICATED MO | 1 | PA,QL(90 per 30 days) |
| lidocaine 5 % OINTMENT MO | 1 | PA |
| lidocaine (pf) in d7.5w 50 mg/ml (5 %) SOLUTION MO | 1 | |
| lidocaine (pf) 10 mg/ml (1 %), 15 mg/ml (1.5 %), 20 mg/ml (2 %), 40 mg/ml (4 %), 5 mg/ml (0.5 %) SOLUTION MO | 1 | |
| lidocaine hcl 10 mg/ml (1 %), 2 %, 20 mg/ml (2 %), 4 %, 4 % (40 mg/ml), 5 mg/ml (0.5 %) SOLUTION MO | 1 | |
| lidocaine hcl 2 % JELLY MO | 1 | |
| lidocaine hcl 2 % JELLY IN APPLICATOR MO | 1 | |
| lidocaine viscous 2 % SOLUTION MO | 1 | |
| lidocaine-epinephrine 0.5 %-1:200,000, 1 %-1:100,000, 2 %-1:100,000 SOLUTION MO | 1 | |
| lidocaine-epinephrine bit 2 %-1:100,000, 2 %-1:50,000 CARTRIDGE MO | 1 | |
| lidocaine-prilocaine 2.5-2.5 % CREAM MO | 1 | |
| lidocan iii 5 % ADHESIVE PATCH, MEDICATED DL | 4 | PA,QL(90 per 30 days) |
| lidocan iv 5 % ADHESIVE PATCH, MEDICATED DL | 4 | PA,QL(90 per 30 days) |
| lidocan v 5 % ADHESIVE PATCH, MEDICATED DL | 4 | PA,QL(90 per 30 days) |
| LIDODERM 5 % ADHESIVE PATCH, MEDICATED DL | 4 | PA,QL(90 per 30 days) |
| lignospan standard 2 %-1:100,000 CARTRIDGE MO | 1 | |
| MARCAINE 0.25 % (2.5 MG/ML), 0.5 % (5 MG/ML) SOLUTION MO | 3 | |
| MARCAINE (PF) 0.25 % (2.5 MG/ML), 0.5 % (5 MG/ML), 0.75 % (7.5 MG/ML) SOLUTION MO | 3 | |
| MARCAINE SPINAL (PF) 0.75 % (7.5 MG/ML) SOLUTION MO | 3 | |
| MARCAINE-EPINEPHRINE 0.25 %-1:200,000, 0.5 %-1:200,000 SOLUTION MO | 3 | |
| marcaine-epinephrine 0.5 %-1:200,000 CARTRIDGE MO | 1 | |

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Paxlovid/Vaccine/Diabetic • ST – Step Therapy

| DRUG NAME | TIER | UTILIZATION MANAGEMENT REQUIREMENTS |
|----------------------------------------------------------------------------------------------------------|------|-------------------------------------|
| MARCAINE-EPINEPHRINE (PF) 0.25 %-1:200,000, 0.5 %-1:200,000 SOLUTION MO | 3 | |
| NAROPIN (PF) 10 MG/ML (1 %), 2 MG/ML (0.2 %), 5 MG/ML (0.5 %), 7.5 MG/ML (0.75 %) SOLUTION MO | 3 | |
| NESACAINE 10 MG/ML (1 %), 20 MG/ML (2 %) SOLUTION MO | 3 | |
| NESACAINE-MPF 20 MG/ML (2 %), 30 MG/ML (3 %) SOLUTION MO | 3 | |
| PLIAGLIS 7-7 % CREAM MO | 3 | |
| polocaine 1 % (10 mg/ml), 2 % SOLUTION MO | 1 | |
| polocaine-mpf 10 mg/ml (1 %), 15 mg/ml (1.5 %), 20 mg/ml (2 %) SOLUTION MO | 1 | |
| ropivacaine (pf) 10 mg/ml (1 %), 2 mg/ml (0.2 %), 5 mg/ml (0.5 %), 7.5 mg/ml (0.75 %) SOLUTION MO | 1 | |
| SENSORCAINE 0.25 % (2.5 MG/ML), 0.5 % (5 MG/ML) SOLUTION MO | 1 | |
| sensorcaine-epinephrine 0.25 %-1:200,000, 0.5 %-1:200,000 SOLUTION MO | 1 | |
| SENSORCAINE-MPF 0.25 % (2.5 MG/ML), 0.5 % (5 MG/ML), 0.75 % (7.5 MG/ML) SOLUTION MO | 1 | |
| sensorcaine-mpf 0.25 % (2.5 mg/ml), 0.5 % (5 mg/ml), 0.75 % (7.5 mg/ml) SOLUTION MO | 1 | |
| sensorcaine-mpf spinal 0.75 % (7.5 mg/ml) SOLUTION MO | 1 | |
| sensorcaine-mpf/epinephrine 0.25 %-1:200,000 SOLUTION MO | 1 | |
| SENSORCAINE-MPF/EPINEPHRINE 0.5 %-1:200,000, 0.75 %-1:200,000 SOLUTION MO | 1 | |
| SYNERA 70-70 MG PATCH, MEDICATED SELF-HEATING DL | 4 | PA |
| vivacaine 0.5 %-1:200,000 CARTRIDGE MO | 1 | |
| ZTLIDO 1.8 % ADHESIVE PATCH, MEDICATED MO | 3 | PA,QL(90 per 30 days) |
| ANTI-ADDICTION/SUBSTANCE ABUSE TREATMENT AGENTS | | |
| acamprosate 333 mg TABLET, DR/EC MO | 1 | |
| buprenorphine hcl 2 mg, 8 mg SUBLINGUAL TABLET MO | 1 | QL(90 per 30 days) |
| buprenorphine-naloxone 12-3 mg FILM MO | 1 | QL(60 per 30 days) |
| buprenorphine-naloxone 2-0.5 mg, 4-1 mg, 8-2 mg FILM MO | 1 | QL(90 per 30 days) |
| buprenorphine-naloxone 2-0.5 mg, 8-2 mg SUBLINGUAL TABLET MO | 3 | PA,QL(90 per 30 days) |
| bupropion hcl (smoking deter) 150 mg TABLET, ER 12 HR. MO | 1 | QL(90 per 30 days) |
| CHANTIX 1 MG TABLET MO | 3 | PA,QL(56 per 28 days) |

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Paxlovid/Vaccine/Diabetic • ST – Step Therapy

| DRUG NAME | TIER | UTILIZATION MANAGEMENT REQUIREMENTS |
|------------------------------------------------------------------------------|------|-------------------------------------|
| CHANTIX CONTINUING MONTH BOX 1 MG TABLET MO | 3 | PA,QL(56 per 28 days) |
| CHANTIX STARTING MONTH BOX 0.5 MG (11)-1 MG (42) TABLET, DOSE PACK MO | 3 | PA,QL(53 per 28 days) |
| <i>disulfiram 250 mg, 500 mg TABLET MO</i> | 1 | |
| KLOXXADO 8 MG/ACTUATION SPRAY, NON-AEROSOL MO | 3 | PA,QL(2 per 30 days) |
| LUCEMYRA 0.18 MG TABLET DL | 4 | PA,QL(224 per 365 days) |
| <i>nalmefene 1 mg/ml SOLUTION MO</i> | 1 | |
| <i>naloxone 0.4 mg/ml SOLUTION MO</i> | 1 | |
| <i>naloxone 0.4 mg/ml, 1 mg/ml SYRINGE MO</i> | 1 | |
| <i>naloxone 4 mg/actuation SPRAY, NON-AEROSOL MO</i> | 2 | QL(2 per 30 days) |
| <i>naltrexone 50 mg TABLET MO</i> | 1 | |
| NARCAN 4 MG/ACTUATION SPRAY, NON-AEROSOL MO | 3 | PA,QL(2 per 30 days) |
| NICOTROL 10 MG CARTRIDGE MO | 3 | |
| NICOTROL NS 10 MG/ML SPRAY, NON-AEROSOL MO | 3 | |
| OPVEE 2.7 MG/ACTUATION SPRAY, NON-AEROSOL MO | 3 | PA,QL(2 per 30 days) |
| SUBOXONE 12-3 MG FILM MO | 3 | PA,QL(60 per 30 days) |
| SUBOXONE 2-0.5 MG, 4-1 MG, 8-2 MG FILM MO | 3 | PA,QL(90 per 30 days) |
| varenicline 0.5 mg (11)- 1 mg (42) TABLET, DOSE PACK MO | 1 | QL(53 per 28 days) |
| varenicline 0.5 mg, 1 mg TABLET MO | 1 | QL(56 per 28 days) |
| VIVITROL 380 MG SUSPENSION, ER, RECON DL | 4 | QL(1 per 28 days) |
| ZIMHI 5 MG/0.5 ML SYRINGE MO | 3 | PA,QL(1 per 30 days) |
| ZUBSOLV 0.7-0.18 MG, 1.4-0.36 MG SUBLINGUAL TABLET MO | 1 | QL(90 per 30 days) |
| ZUBSOLV 11.4-2.9 MG SUBLINGUAL TABLET MO | 1 | QL(30 per 30 days) |
| ZUBSOLV 2.9-0.71 MG, 5.7-1.4 MG SUBLINGUAL TABLET MO | 1 | QL(90 per 30 days) |
| ZUBSOLV 8.6-2.1 MG SUBLINGUAL TABLET MO | 1 | QL(60 per 30 days) |
| ANTIBACTERIALS | | |
| <i>acetic acid 2 % SOLUTION MO</i> | 1 | |
| ACTICLATE 150 MG TABLET DL | 4 | ST,QL(30 per 30 days) |
| ACTICLATE 75 MG TABLET DL | 4 | ST,QL(60 per 30 days) |
| <i>amikacin 1,000 mg/4 ml, 500 mg/2 ml SOLUTION MO</i> | 1 | |
| <i>amoxicillin 125 mg, 250 mg CHEWABLE TABLET MO</i> | 1 | |

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Paxlovid/Vaccine/Diabetic • ST – Step Therapy

| DRUG NAME | TIER | UTILIZATION MANAGEMENT REQUIREMENTS |
|------------------------------------------------------------------------------------------------------------------------------------------|------|-------------------------------------|
| amoxicillin 125 mg/5 ml, 200 mg/5 ml, 250 mg/5 ml, 400 mg/5 ml SUSPENSION FOR RECONSTITUTION MO | 1 | |
| amoxicillin 250 mg CAPSULE MO | 1 | |
| amoxicillin 500 mg CAPSULE MO | 1 | |
| amoxicillin 500 mg TABLET MO | 1 | |
| amoxicillin 875 mg TABLET MO | 1 | |
| amoxicillin-pot clavulanate 1,000-62.5 mg TABLET, ER 12 HR. MO | 1 | |
| amoxicillin-pot clavulanate 200-28.5 mg, 400-57 mg CHEWABLE TABLET MO | 1 | |
| amoxicillin-pot clavulanate 200-28.5 mg/5 ml, 250-62.5 mg/5 ml, 400-57 mg/5 ml, 600-42.9 mg/5 ml SUSPENSION FOR RECONSTITUTION MO | 1 | |
| amoxicillin-pot clavulanate 250-125 mg, 500-125 mg TABLET MO | 1 | |
| amoxicillin-pot clavulanate 875-125 mg TABLET MO | 1 | |
| ampicillin 500 mg CAPSULE MO | 1 | |
| ampicillin sodium 1 gram, 10 gram, 125 mg, 2 gram, 250 mg, 500 mg RECON SOLUTION MO | 1 | |
| ampicillin-sulbactam 1.5 gram, 15 gram, 3 gram RECON SOLUTION MO | 1 | |
| ARIKAYCE 590 MG/8.4 ML SUSPENSION FOR NEBULIZATION DL | 4 | PA,QL(235.2 per 28 days) |
| AUGMENTIN 125-31.25 MG/5 ML, 250-62.5 MG/5 ML SUSPENSION FOR RECONSTITUTION DL | 4 | |
| AUGMENTIN 500-125 MG TABLET MO | 3 | PA |
| AUGMENTIN ES-600 600-42.9 MG/5 ML SUSPENSION FOR RECONSTITUTION MO | 3 | |
| AUGMENTIN XR 1,000-62.5 MG TABLET, ER 12 HR. MO | 3 | |
| AVELOXIN NACL (ISO-OSMOTIC) 400 MG/250 ML PIGGYBACK MO | 3 | PA |
| avidoxy 100 mg TABLET MO | 1 | ST |
| AVYCAZ 2.5 GRAM RECON SOLUTION DL | 4 | |
| AZACTAM 1 GRAM, 2 GRAM RECON SOLUTION MO | 3 | PA |
| azithromycin 1 gram PACKET MO | 1 | |
| azithromycin 100 mg/5 ml, 200 mg/5 ml SUSPENSION FOR RECONSTITUTION MO | 1 | |
| azithromycin 250 mg TABLET MO | 1 | |
| azithromycin 500 mg RECON SOLUTION MO | 1 | |
| azithromycin 500 mg, 600 mg TABLET MO | 1 | |

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Paxlovid/Vaccine/Diabetic • ST – Step Therapy

| DRUG NAME | TIER | UTILIZATION MANAGEMENT REQUIREMENTS |
|-------------------------------------------------------------------------------------------------|------|-------------------------------------|
| aztreonam 1 gram, 2 gram RECON SOLUTION MO | 1 | |
| bacitracin 50,000 unit RECON SOLUTION MO | 1 | |
| BACTRIM 400-80 MG TABLET MO | 3 | |
| BACTRIM DS 800-160 MG TABLET MO | 3 | |
| BAXDELA 300 MG RECON SOLUTION DL | 4 | QL(28 per 14 days) |
| BAXDELA 450 MG TABLET DL | 4 | QL(28 per 14 days) |
| BETHKIS 300 MG/4 ML SOLUTION FOR NEBULIZATION DL | 4 | PA |
| BICILLIN C-R 1,200,000 UNIT/ 2 ML(600K/600K), 1,200,000 UNIT/ 2 ML(900K/300K) SYRINGE MO | 3 | |
| BICILLIN L-A 1,200,000 UNIT/2 ML, 2,400,000 UNIT/4 ML, 600,000 UNIT/ML SYRINGE MO | 3 | |
| cefaclor 125 mg/5 ml, 250 mg/5 ml, 375 mg/5 ml SUSPENSION FOR RECONSTITUTION MO | 1 | |
| cefaclor 250 mg, 500 mg CAPSULE MO | 1 | |
| cefaclor 500 mg TABLET, ER 12 HR. MO | 1 | |
| cefadroxil 1 gram TABLET MO | 1 | |
| cefadroxil 250 mg/5 ml, 500 mg/5 ml SUSPENSION FOR RECONSTITUTION MO | 1 | |
| cefadroxil 500 mg CAPSULE MO | 1 | |
| cefazolin 1 gram, 10 gram, 2 gram, 3 gram, 500 mg RECON SOLUTION MO | 1 | |
| CEFAZOLIN 2 GRAM, 3 GRAM RECON SOLUTION MO | 1 | |
| cefazolin in dextrose (iso-os) 1 gram/50 ml, 2 gram/100 ml, 2 gram/50 ml PIGGYBACK MO | 1 | |
| cefdinir 125 mg/5 ml, 250 mg/5 ml SUSPENSION FOR RECONSTITUTION MO | 1 | |
| cefdinir 300 mg CAPSULE MO | 1 | |
| cefepime 1 gram, 2 gram RECON SOLUTION MO | 1 | |
| cefepime in dextrose 5 % 1 gram/50 ml, 2 gram/50 ml PIGGYBACK MO | 1 | |
| cefepime in dextrose,iso-osm 1 gram/50 ml, 2 gram/100 ml PIGGYBACK MO | 3 | |
| cefixime 100 mg/5 ml, 200 mg/5 ml SUSPENSION FOR RECONSTITUTION MO | 1 | |
| cefixime 400 mg CAPSULE MO | 1 | |
| cefotaxime 1 gram RECON SOLUTION MO | 1 | |
| cefotetan 1 gram, 10 gram, 2 gram RECON SOLUTION MO | 1 | |
| cefoxitin 1 gram, 10 gram, 2 gram RECON SOLUTION MO | 1 | |
| cefoxitin in dextrose, iso-osm 1 gram/50 ml, 2 gram/50 ml PIGGYBACK MO | 1 | |

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Paxlovid/Vaccine/Diabetic • ST – Step Therapy

| DRUG NAME | TIER | UTILIZATION MANAGEMENT REQUIREMENTS |
|----------------------------------------------------------------------------------------|------|-------------------------------------|
| cefpodoxime 100 mg, 200 mg TABLET MO | 1 | |
| cefpodoxime 100 mg/5 ml, 50 mg/5 ml SUSPENSION FOR RECONSTITUTION MO | 1 | |
| cefprozil 125 mg/5 ml, 250 mg/5 ml SUSPENSION FOR RECONSTITUTION MO | 1 | |
| cefprozil 250 mg, 500 mg TABLET MO | 1 | |
| ceftazidime 1 gram, 2 gram, 6 gram RECON SOLUTION MO | 1 | |
| ceftazidime in d5w 1 gram/50 ml, 2 gram/50 ml PIGGYBACK MO | 1 | |
| ceftriaxone 1 gram, 10 gram, 100 gram, 2 gram, 250 mg, 500 mg RECON SOLUTION MO | 1 | |
| ceftriaxone in dextrose,iso-os 1 gram/50 ml, 2 gram/50 ml PIGGYBACK MO | 1 | |
| cefuroxime axetil 250 mg, 500 mg TABLET MO | 1 | |
| cefuroxime sodium 1.5 gram, 7.5 gram, 750 mg RECON SOLUTION MO | 1 | |
| cephalexin 125 mg/5 ml, 250 mg/5 ml SUSPENSION FOR RECONSTITUTION MO | 1 | |
| cephalexin 250 mg, 500 mg TABLET MO | 1 | |
| cephalexin 250 mg, 750 mg CAPSULE MO | 1 | |
| cephalexin 500 mg CAPSULE MO | 1 | |
| chloramphenicol sod succinate 1 gram RECON SOLUTION MO | 1 | |
| CIPRO 250 MG, 500 MG TABLET MO | 3 | |
| CIPRO 250 MG/5 ML, 500 MG/5 ML SUSPENSION, MICROCAPSULE RECON MO | 3 | |
| ciprofloxacin 250 mg/5 ml, 500 mg/5 ml SUSPENSION, MICROCAPSULE RECON MO | 1 | |
| ciprofloxacin hcl 100 mg, 250 mg, 750 mg TABLET MO | 1 | |
| ciprofloxacin hcl 500 mg TABLET MO | 1 | |
| ciprofloxacin in 5 % dextrose 200 mg/100 ml, 400 mg/200 ml PIGGYBACK MO | 1 | |
| CLAFORAN 1 GRAM, 10 GRAM, 2 GRAM RECON SOLUTION MO | 3 | |
| clarithromycin 125 mg/5 ml SUSPENSION FOR RECONSTITUTION MO | 1 | |
| clarithromycin 250 mg, 500 mg TABLET MO | 1 | |
| clarithromycin 250 mg/5 ml SUSPENSION FOR RECONSTITUTION MO | 1 | |
| clarithromycin 500 mg TABLET, ER 24 HR. MO | 1 | |
| CLEOCIN 100 MG SUPPOSITORY MO | 3 | |
| CLEOCIN 150 MG/ML SOLUTION MO | 1 | |
| CLEOCIN 2 % CREAM MO | 3 | PA |
| CLEOCIN HCL 150 MG, 300 MG, 75 MG CAPSULE MO | 3 | |
| CLEOCIN PEDIATRIC 75 MG/5 ML RECON SOLUTION MO | 1 | |

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Paxlovid/Vaccine/Diabetic • ST – Step Therapy

| DRUG NAME | TIER | UTILIZATION MANAGEMENT REQUIREMENTS |
|-----------------------------------------------------------------------------------------------------------------|------|-------------------------------------|
| clindamycin hcl 150 mg, 75 mg CAPSULE MO | 1 | |
| clindamycin hcl 300 mg CAPSULE MO | 1 | |
| clindamycin in 0.9 % sod chlor 300 mg/50 ml, 600 mg/50 ml, 900 mg/50 ml PIGGYBACK MO | 1 | |
| clindamycin in 5 % dextrose 300 mg/50 ml, 600 mg/50 ml, 900 mg/50 ml PIGGYBACK MO | 1 | |
| clindamycin palmitate hcl 75 mg/5 ml RECON SOLUTION MO | 1 | |
| clindamycin pediatric 75 mg/5 ml RECON SOLUTION MO | 1 | |
| clindamycin phosphate 150 mg/ml SOLUTION MO | 1 | |
| clindamycin phosphate 2 % CREAM MO | 1 | |
| CLINDESSE 2 % CREAM, ER MO | 3 | |
| colistin (colistimethate na) 150 mg RECON SOLUTION MO | 1 | |
| COLY-MYCIN M PARENTERAL 150 MG RECON SOLUTION DL | 4 | |
| coremino 135 mg, 45 mg, 90 mg TABLET, ER 24 HR. MO | 1 | ST,QL(30 per 30 days) |
| CUBICIN 500 MG RECON SOLUTION DL | 4 | |
| CUBICIN RF 500 MG RECON SOLUTION DL | 4 | |
| DALVANCE 500 MG SOLUTION DL | 4 | QL(4 per 28 days) |
| daptomycin 350 mg RECON SOLUTION MO | 1 | |
| daptomycin 500 mg RECON SOLUTION DL | 4 | |
| daptomycin in 0.9 % sod chlor 1,000 mg/100 ml, 350 mg/50 ml, 500 mg/50 ml, 700 mg/100 ml PIGGYBACK MO | 3 | |
| demeclocycline 150 mg TABLET MO | 1 | QL(240 per 30 days) |
| demeclocycline 300 mg TABLET MO | 1 | QL(120 per 30 days) |
| dicloxacillin 250 mg, 500 mg CAPSULE MO | 1 | |
| DIFICID 200 MG TABLET DL | 4 | |
| DIFICID 40 MG/ML SUSPENSION FOR RECONSTITUTION DL | 4 | |
| DORYX 200 MG TABLET, DR/EC MO | 3 | ST,QL(30 per 30 days) |
| DORYX 50 MG TABLET, DR/EC MO | 3 | ST,QL(60 per 30 days) |
| DORYX 80 MG TABLET, DR/EC DL | 4 | ST,QL(60 per 30 days) |
| DORYX MPC 120 MG TABLET, DR/EC MO | 3 | ST,QL(60 per 30 days) |
| DORYX MPC 60 MG TABLET, DR/EC DL | 4 | ST,QL(60 per 30 days) |
| doxy-100 100 mg RECON SOLUTION MO | 1 | |
| doxycycline hyclate 100 mg CAPSULE MO | 1 | |

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Paxlovid/Vaccine/Diabetic • ST – Step Therapy

| DRUG NAME | TIER | UTILIZATION MANAGEMENT REQUIREMENTS |
|----------------------------------------------------------------------------------------------|------|-------------------------------------|
| doxycycline hyclate 100 mg RECON SOLUTION MO | 1 | |
| doxycycline hyclate 100 mg TABLET MO | 1 | |
| doxycycline hyclate 100 mg TABLET, DR/EC MO | 1 | ST,QL(90 per 30 days) |
| doxycycline hyclate 150 mg TABLET MO | 1 | ST,QL(30 per 30 days) |
| doxycycline hyclate 150 mg, 50 mg, 75 mg TABLET, DR/EC MO | 1 | ST,QL(60 per 30 days) |
| doxycycline hyclate 20 mg TABLET MO | 1 | |
| doxycycline hyclate 200 mg TABLET, DR/EC MO | 1 | ST,QL(30 per 30 days) |
| doxycycline hyclate 50 mg CAPSULE MO | 1 | |
| doxycycline hyclate 50 mg TABLET MO | 1 | ST,QL(180 per 30 days) |
| doxycycline hyclate 75 mg TABLET MO | 1 | ST,QL(60 per 30 days) |
| doxycycline hyclate 80 mg TABLET, DR/EC DL | 4 | ST,QL(60 per 30 days) |
| doxycycline monohydrate 100 mg, 150 mg, 50 mg, 75 mg TABLET MO | 1 | |
| doxycycline monohydrate 100 mg, 50 mg CAPSULE MO | 1 | |
| doxycycline monohydrate 150 mg CAPSULE MO | 1 | QL(30 per 30 days) |
| doxycycline monohydrate 25 mg/5 ml SUSPENSION FOR RECONSTITUTION MO | 1 | |
| doxycycline monohydrate 40 mg CAPSULE, IR/DR, BIPHASIC MO | 1 | ST,QL(30 per 30 days) |
| doxycycline monohydrate 75 mg CAPSULE MO | 1 | QL(60 per 30 days) |
| E.E.S. 400 400 MG TABLET MO | 1 | |
| E.E.S. GRANULES 200 MG/5 ML SUSPENSION FOR RECONSTITUTION MO | 3 | |
| ertapenem 1 gram RECON SOLUTION MO | 1 | |
| ERY-TAB 250 MG, 333 MG, 500 MG TABLET, DR/EC MO | 1 | |
| ERYPED 200 200 MG/5 ML SUSPENSION FOR RECONSTITUTION MO | 3 | |
| ERYPED 400 400 MG/5 ML SUSPENSION FOR RECONSTITUTION DL | 4 | |
| ERYTHROCIN 500 MG RECON SOLUTION MO | 1 | |
| ERYTHROCIN (AS STEARATE) 250 MG TABLET MO | 1 | |
| erythromycin 250 mg CAPSULE, DR/EC MO | 1 | |
| erythromycin 250 mg, 333 mg, 500 mg TABLET, DR/EC MO | 1 | |
| erythromycin 250 mg, 500 mg TABLET MO | 1 | |
| erythromycin ethylsuccinate 200 mg/5 ml, 400 mg/5 ml SUSPENSION FOR RECONSTITUTION MO | 1 | |
| erythromycin ethylsuccinate 400 mg TABLET MO | 1 | |
| erythromycin lactobionate 500 mg RECON SOLUTION MO | 1 | |

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Paxlovid/Vaccine/Diabetic • ST – Step Therapy

| DRUG NAME | TIER | UTILIZATION MANAGEMENT REQUIREMENTS |
|-----------------------------------------------------------------------------------------------------------------------------------------------|------|-------------------------------------|
| FETROJA 1 GRAM RECON SOLUTION DL | 4 | QL(84 per 14 days) |
| FIRVANQ 25 MG/ML, 50 MG/ML RECON SOLUTION MO | 3 | |
| FLAGYL 375 MG CAPSULE MO | 3 | QL(320 per 30 days) |
| <i>fosfomycin tromethamine 3 gram PACKET</i> MO | 1 | |
| FURADANTIN 25 MG/5 ML SUSPENSION MO | 3 | |
| gentamicin 0.1 % CREAM MO | 1 | |
| gentamicin 0.1 % OINTMENT MO | 1 | |
| gentamicin 20 mg/2 ml, 40 mg/ml SOLUTION MO | 1 | |
| gentamicin in nacl (iso-osm) 100 mg/100 ml, 100 mg/50 ml, 120 mg/100 ml, 60 mg/50 ml, 70 mg/50 ml, 80 mg/100 ml, 80 mg/50 ml, 90 mg/100 ml | 1 | |
| PIGGYBACK MO | | |
| gentamicin sulfate (ped) (pf) 20 mg/2 ml SOLUTION MO | 1 | |
| gentamicin sulfate (pf) 100 mg/10 ml, 60 mg/6 ml SOLUTION MO | 1 | |
| HIPREX 1 GRAM TABLET MO | 3 | PA |
| HUMATIN 250 MG CAPSULE DL | 4 | |
| imipenem-cilastatin 250 mg, 500 mg RECON SOLUTION MO | 1 | |
| INVANZ 1 GRAM RECON SOLUTION MO | 3 | |
| KIMYRSA 1,200 MG RECON SOLUTION DL | 4 | QL(1 per 30 days) |
| KITABIS PAK 300 MG/5 ML SOLUTION FOR NEBULIZATION DL | 4 | PA |
| KLARON 10 % SUSPENSION MO | 3 | QL(118 per 30 days) |
| levofloxacin 25 mg/ml, 250 mg/10 ml SOLUTION MO | 1 | |
| levofloxacin 250 mg, 750 mg TABLET MO | 1 | |
| levofloxacin 500 mg TABLET MO | 1 | |
| levofloxacin in d5w 250 mg/50 ml, 500 mg/100 ml, 750 mg/150 ml PIGGYBACK MO | 1 | |
| LINCOCIN 300 MG/ML SOLUTION MO | 3 | |
| lincomycin 300 mg/ml SOLUTION MO | 1 | |
| linezolid 100 mg/5 ml SUSPENSION FOR RECONSTITUTION DL | 4 | QL(1800 per 30 days) |
| linezolid 600 mg TABLET MO | 1 | QL(60 per 30 days) |
| linezolid in dextrose 5% 600 mg/300 ml PIGGYBACK MO | 1 | |
| linezolid-0.9% sodium chloride 600 mg/300 ml PARENTERAL SOLUTION MO | 1 | |
| MACROBID 100 MG CAPSULE MO | 3 | |
| MACRODANTIN 100 MG, 25 MG, 50 MG CAPSULE MO | 3 | |

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order
 • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Paxlovid/Vaccine/Diabetic • ST – Step Therapy

| DRUG NAME | TIER | UTILIZATION MANAGEMENT REQUIREMENTS |
|---------------------------------------------------------------------------------------------------|------|-------------------------------------|
| meropenem 1 gram, 500 mg RECON SOLUTION MO | 1 | |
| meropenem-0.9% sodium chloride 1 gram/50 ml, 500 mg/50 ml PIGGYBACK MO | 1 | |
| methenamine hippurate 1 gram TABLET MO | 1 | |
| METRO I.V. 500 MG/100 ML PIGGYBACK MO | 3 | |
| METROCREAM 0.75 % CREAM MO | 3 | PA |
| METROGEL 1 % GEL MO | 3 | ST |
| METROLOTION 0.75 % LOTION MO | 3 | PA |
| metronidazole 0.75 % CREAM MO | 1 | |
| metronidazole 0.75 % LOTION MO | 1 | |
| metronidazole 0.75 %, 0.75 % (37.5mg/5 gram), 1 % GEL MO | 1 | |
| metronidazole 1 % GEL WITH PUMP MO | 1 | |
| metronidazole 250 mg TABLET MO | 1 | |
| metronidazole 375 mg CAPSULE MO | 1 | QL(320 per 30 days) |
| metronidazole 500 mg TABLET MO | 1 | |
| metronidazole in nacl (iso-os) 500 mg/100 ml PIGGYBACK MO | 1 | |
| MINOCIN 100 MG RECON SOLUTION DL | 4 | PA |
| minocycline 100 mg, 50 mg, 75 mg CAPSULE MO | 1 | |
| minocycline 100 mg, 50 mg, 75 mg TABLET MO | 1 | |
| minocycline 105 mg, 115 mg, 135 mg, 45 mg, 55 mg, 65 mg, 80 mg, 90 mg TABLET, ER 24 HR. MO | 1 | ST,QL(30 per 30 days) |
| monodoxe nl 100 mg CAPSULE MO | 1 | |
| monodoxe nl 75 mg CAPSULE MO | 1 | ST,QL(60 per 30 days) |
| MONODOX 100 MG, 50 MG CAPSULE MO | 3 | ST |
| MONODOX 75 MG CAPSULE MO | 3 | ST,QL(60 per 30 days) |
| MONUROL 3 GRAM PACKET MO | 3 | |
| morgidox 100 mg, 50 mg CAPSULE MO | 1 | ST |
| moxifloxacin 400 mg TABLET MO | 1 | |
| moxifloxacin-sod.ace,sul-water 400 mg/250 ml PIGGYBACK MO | 1 | |
| moxifloxacin-sod.chloride(iso) 400 mg/250 ml PIGGYBACK MO | 1 | |
| nafcillin 1 gram, 10 gram, 2 gram RECON SOLUTION MO | 1 | |
| nafcillin in dextrose iso-osm 1 gram/50 ml, 2 gram/100 ml PIGGYBACK DL | 4 | |
| neomycin 500 mg TABLET MO | 1 | |

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Paxlovid/Vaccine/Diabetic • ST – Step Therapy

| DRUG NAME | TIER | UTILIZATION MANAGEMENT REQUIREMENTS |
|-------------------------------------------------------------------------------------------------------------------|------|-------------------------------------|
| nitrofurantoin 25 mg/5 ml, 50 mg/5 ml SUSPENSION DL | 4 | |
| nitrofurantoin macrocrystal 100 mg, 25 mg, 50 mg CAPSULE MO | 1 | |
| nitrofurantoin monohyd/m-cryst 100 mg CAPSULE MO | 1 | |
| NORITATE 1 % CREAM DL | 4 | ST,QL(60 per 30 days) |
| NUVESSA 1.3 % (65 MG/5 GRAM) GEL MO | 3 | |
| NUZYRA 100 MG RECON SOLUTION DL | 4 | |
| NUZYRA 150 MG TABLET DL | 4 | QL(30 per 14 days) |
| ofloxacin 300 mg, 400 mg TABLET MO | 1 | |
| ORACEA 40 MG CAPSULE, IR/DR, BIPHASIC MO | 3 | ST,QL(30 per 30 days) |
| ORBACTIV 400 MG RECON SOLUTION DL | 4 | QL(3 per 28 days) |
| oxacillin 1 gram, 10 gram, 2 gram RECON SOLUTION MO | 1 | |
| oxacillin in dextrose(iso-osm) 1 gram/50 ml, 2 gram/50 ml PIGGYBACK MO | 3 | |
| paromomycin 250 mg CAPSULE MO | 1 | |
| penicillin g pot in dextrose 1 million unit/50 ml, 2 million unit/50 ml, 3 million unit/50 ml PIGGYBACK MO | 3 | |
| penicillin g potassium 20 million unit, 5 million unit RECON SOLUTION MO | 1 | |
| penicillin g procaine 1.2 million unit/2 ml, 600,000 unit/ml SYRINGE MO | 1 | |
| penicillin g sodium 5 million unit RECON SOLUTION MO | 1 | |
| penicillin v potassium 125 mg/5 ml, 250 mg/5 ml RECON SOLUTION MO | 1 | |
| penicillin v potassium 250 mg, 500 mg TABLET MO | 1 | |
| pfizerpen-g 20 million unit, 5 million unit RECON SOLUTION MO | 1 | |
| piperacillin-tazobactam 13.5 gram, 2.25 gram, 3.375 gram, 4.5 gram, 40.5 gram RECON SOLUTION MO | 1 | |
| polymyxin b sulfate 500,000 unit RECON SOLUTION MO | 1 | |
| PRIMAXIN IV 500 MG RECON SOLUTION MO | 3 | |
| PRIMSOL 50 MG/5 ML SOLUTION MO | 3 | |
| RECARBRIQ 1.25 GRAM RECON SOLUTION DL | 4 | |
| rosadan 0.75 % CREAM MO | 1 | ST |
| rosadan 0.75 % GEL MO | 1 | ST |
| SEYSARA 100 MG, 150 MG, 60 MG TABLET MO | 3 | ST,QL(30 per 30 days) |
| SIVEXTRO 200 MG RECON SOLUTION DL | 4 | QL(6 per 28 days) |
| SIVEXTRO 200 MG TABLET DL | 4 | QL(6 per 28 days) |
| SOLODYNE 105 MG, 115 MG, 55 MG, 65 MG, 80 MG TABLET, ER 24 HR. DL | 4 | ST,QL(30 per 30 days) |

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Paxlovid/Vaccine/Diabetic • ST – Step Therapy

| DRUG NAME | TIER | UTILIZATION MANAGEMENT REQUIREMENTS |
|----------------------------------------------------------------------------|------|-------------------------------------|
| SOLOSEC 2 GRAM DR GRANULES IN PACKET MO | 3 | PA |
| streptomycin 1 gram RECON SOLUTION DL | 4 | |
| sulfacetamide sodium 10 % OINTMENT MO | 1 | |
| sulfacetamide sodium (acne) 10 % SUSPENSION MO | 1 | QL(118 per 30 days) |
| sulfadiazine 500 mg TABLET MO | 1 | |
| sulfamethoxazole-trimethoprim 200-40 mg/5 ml SUSPENSION MO | 1 | |
| sulfamethoxazole-trimethoprim 400-80 mg TABLET MO | 1 | |
| sulfamethoxazole-trimethoprim 400-80 mg/5 ml SOLUTION MO | 1 | |
| sulfamethoxazole-trimethoprim 800-160 mg TABLET MO | 1 | |
| SULFATRIM 200-40 MG/5 ML SUSPENSION MO | 3 | |
| SUPRAX 100 MG/5 ML SUSPENSION FOR RECONSTITUTION MO | 1 | |
| SYNERCID 500 MG RECON SOLUTION DL | 4 | |
| TARGADOX 50 MG TABLET MO | 1 | ST,QL(180 per 30 days) |
| tazicef 1 gram, 2 gram, 6 gram RECON SOLUTION MO | 1 | |
| TEFLARO 400 MG, 600 MG RECON SOLUTION DL | 4 | |
| tetracycline 250 mg, 500 mg CAPSULE MO | 1 | |
| tetracycline 250 mg, 500 mg TABLET DL | 4 | |
| tigecycline 50 mg RECON SOLUTION DL | 4 | |
| tinidazole 250 mg, 500 mg TABLET MO | 1 | |
| TOBI 300 MG/5 ML SOLUTION FOR NEBULIZATION DL | 4 | PA |
| tobramycin 300 mg/4 ml SOLUTION FOR NEBULIZATION DL | 4 | PA |
| tobramycin in 0.225 % nacl 300 mg/5 ml SOLUTION FOR NEBULIZATION MO | 1 | PA |
| tobramycin sulfate 1.2 gram RECON SOLUTION DL | 4 | |
| tobramycin sulfate 10 mg/ml, 40 mg/ml SOLUTION MO | 1 | |
| tobramycin with nebulizer 300 mg/5 ml SOLUTION FOR NEBULIZATION DL | 4 | PA |
| trimethoprim 100 mg TABLET MO | 1 | |
| TYGACIL 50 MG RECON SOLUTION DL | 4 | |
| UNASYN 1.5 GRAM, 15 GRAM, 3 GRAM RECON SOLUTION MO | 3 | |
| VABOMERE 2 GRAM RECON SOLUTION DL | 4 | QL(84 per 14 days) |
| VANCOCIN 125 MG CAPSULE MO | 3 | PA,QL(120 per 30 days) |
| VANCOCIN 250 MG CAPSULE DL | 4 | PA,QL(240 per 30 days) |

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Paxlovid/Vaccine/Diabetic • ST – Step Therapy

| DRUG NAME | TIER | UTILIZATION MANAGEMENT REQUIREMENTS |
|------------------------------------------------------------------------------------------------------------------------|------|-------------------------------------|
| vancomycin 1,000 mg, 1.25 gram, 1.5 gram, 10 gram, 25 mg/ml, 5 gram, 50 mg/ml, 500 mg, 750 mg RECON SOLUTION MO | 1 | |
| vancomycin 125 mg CAPSULE MO | 1 | PA,QL(120 per 30 days) |
| vancomycin 250 mg CAPSULE MO | 1 | PA,QL(240 per 30 days) |
| vancomycin in 0.9 % sodium chl 1 gram/200 ml, 500 mg/100 ml, 750 mg/150 ml PIGGYBACK MO | 3 | |
| vancomycin in dextrose 5 % 1 gram/200 ml, 750 mg/150 ml PIGGYBACK MO | 3 | |
| VANCOMYCIN IN DEXTROSE 5 % 1.25 GRAM/250 ML, 1.5 GRAM/300 ML PIGGYBACK MO | 3 | |
| vancomycin in dextrose 5 % 500 mg/100 ml PIGGYBACK DL | 3 | |
| vancomycin-diluent combo no.1 1 gram/200 ml, 1.5 gram/300 ml, 500 mg/100 ml PIGGYBACK DL | 3 | |
| vancomycin-diluent combo no.1 1.25 gram/250 ml, 1.75 gram/350 ml, 2 gram/400 ml, 750 mg/150 ml PIGGYBACK MO | 3 | |
| VANDAZOLE 0.75 % (37.5MG/5 GRAM) GEL MO | 3 | |
| VIBATIV 750 MG RECON SOLUTION DL | 4 | |
| VIBRAMYCIN 100 MG CAPSULE MO | 3 | |
| VIBRAMYCIN (CALCIUM) 50 MG/5 ML SYRUP MO | 3 | ST |
| XACIATO 2 % GEL MO | 3 | |
| XENLETA 150 MG/15 ML SOLUTION DL | 4 | QL(210 per 7 days) |
| XENLETA 600 MG TABLET DL | 4 | |
| XERAVA 100 MG, 50 MG RECON SOLUTION MO | 3 | |
| XIMINO 135 MG, 90 MG CAPSULE, ER 24 HR. DL | 4 | ST,QL(30 per 30 days) |
| XIMINO 45 MG CAPSULE, ER 24 HR. MO | 3 | ST,QL(30 per 30 days) |
| ZEMDRI 50 MG/ML SOLUTION DL | 4 | |
| ZERBAXA 1.5 GRAM RECON SOLUTION DL | 4 | |
| ZITHROMAX 1 GRAM PACKET MO | 3 | |
| ZITHROMAX 100 MG/5 ML, 200 MG/5 ML SUSPENSION FOR RECONSTITUTION MO | 3 | |
| ZITHROMAX 250 MG, 500 MG TABLET MO | 3 | |
| ZITHROMAX 500 MG RECON SOLUTION MO | 3 | |
| ZITHROMAX TRI-PAK 500 MG TABLET MO | 3 | |
| ZITHROMAX Z-PAK 250 MG TABLET MO | 3 | |

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Paxlovid/Vaccine/Diabetic • ST – Step Therapy

| DRUG NAME | TIER | UTILIZATION MANAGEMENT REQUIREMENTS |
|----------------------------------------------------------------------------------------------------|------|-------------------------------------|
| ZOSYN IN DEXTROSE (ISO-OSM) 2.25 GRAM/50 ML, 3.375 GRAM/50 ML, 4.5 GRAM/100 ML PIGGYBACK MO | 3 | |
| ZYVOX 100 MG/5 ML SUSPENSION FOR RECONSTITUTION DL | 4 | PA,QL(1800 per 30 days) |
| ZYVOX 200 MG/100 ML, 600 MG/300 ML PIGGYBACK MO | 3 | |
| ZYVOX 600 MG TABLET DL | 4 | PA,QL(60 per 30 days) |
| ANTICONVULSANTS | | |
| APTIOM 200 MG, 400 MG TABLET | 4 | PA,QL(30 per 30 days) |
| APTIOM 600 MG, 800 MG TABLET | 4 | PA,QL(60 per 30 days) |
| BANZEL 200 MG TABLET DL | 4 | PA,QL(480 per 30 days) |
| BANZEL 40 MG/ML SUSPENSION DL | 4 | PA,QL(2760 per 30 days) |
| BANZEL 400 MG TABLET DL | 4 | PA,QL(240 per 30 days) |
| BRIVIACT 10 MG, 100 MG, 25 MG, 50 MG, 75 MG TABLET | 4 | PA,QL(60 per 30 days) |
| BRIVIACT 10 MG/ML SOLUTION | 4 | PA,QL(600 per 30 days) |
| BRIVIACT 50 MG/5 ML SOLUTION | 4 | PA |
| carbamazepine 100 mg CHEWABLE TABLET MO | 1 | |
| carbamazepine 100 mg, 200 mg TABLET, ER 12 HR. MO | 1 | QL(120 per 30 days) |
| carbamazepine 100 mg, 200 mg, 300 mg CAPSULE ER MULTIPHASE 12 HR. MO | 1 | |
| carbamazepine 100 mg/5 ml, 200 mg/10 ml SUSPENSION MO | 1 | |
| carbamazepine 200 mg TABLET MO | 1 | |
| carbamazepine 400 mg TABLET, ER 12 HR. MO | 1 | QL(225 per 30 days) |
| CARBATROL 100 MG, 200 MG, 300 MG CAPSULE ER MULTIPHASE 12 HR. MO | 3 | |
| CELONTIN 300 MG CAPSULE MO | 3 | |
| CEREBYX 100 MG PE/2 ML, 500 MG PE/10 ML SOLUTION MO | 3 | |
| clobazam 10 mg, 20 mg TABLET DL | 1 | PA |
| clobazam 2.5 mg/ml SUSPENSION DL | 1 | PA |
| DEPAKOTE 125 MG, 250 MG, 500 MG TABLET, DR/EC MO | 3 | |
| DEPAKOTE ER 250 MG, 500 MG TABLET, ER 24 HR. MO | 3 | |
| DEPAKOTE SPRINKLES 125 MG CAPSULE, DR SPRINKLE MO | 3 | |
| DIACOMIT 250 MG, 500 MG CAPSULE DL | 4 | PA,QL(180 per 30 days) |
| DIACOMIT 250 MG, 500 MG POWDER IN PACKET DL | 4 | PA,QL(180 per 30 days) |
| DIASTAT 2.5 MG KIT DL | 3 | PA |
| DIASTAT ACUDIAL 12.5-15-17.5-20 MG, 5-7.5-10 MG KIT DL | 3 | PA |

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Paxlovid/Vaccine/Diabetic • ST – Step Therapy

| DRUG NAME | TIER | UTILIZATION MANAGEMENT REQUIREMENTS |
|-----------------------------------------------------------------------------------|------|-------------------------------------|
| diazepam 12.5-15-17.5-20 mg, 2.5 mg, 5-7.5-10 mg KIT DL | 1 | |
| DILANTIN 30 MG CAPSULE MO | 1 | |
| DILANTIN EXTENDED 100 MG CAPSULE MO | 1 | |
| DILANTIN INFATABS 50 MG CHEWABLE TABLET MO | 1 | |
| DILANTIN-125 125 MG/5 ML SUSPENSION MO | 3 | |
| divalproex 125 mg CAPSULE, DR SPRINKLE MO | 1 | |
| divalproex 125 mg, 250 mg, 500 mg TABLET, DR/EC MO | 1 | |
| divalproex 250 mg, 500 mg TABLET, ER 24 HR. MO | 1 | |
| EPIDIOLEX 100 MG/ML SOLUTION DL | 4 | PA |
| epitol 200 mg TABLET MO | 1 | |
| EQUETRO 100 MG, 200 MG, 300 MG CAPSULE ER MULTIPHASE 12 HR. MO | 3 | PA |
| ethosuximide 250 mg CAPSULE MO | 1 | |
| ethosuximide 250 mg/5 ml SOLUTION MO | 1 | |
| felbamate 400 mg, 600 mg TABLET MO | 1 | |
| felbamate 600 mg/5 ml SUSPENSION MO | 1 | |
| FELBATOL 400 MG, 600 MG TABLET DL | 4 | PA |
| FELBATOL 600 MG/5 ML SUSPENSION DL | 4 | PA |
| FINTEPLA 2.2 MG/ML SOLUTION DL,LA | 4 | PA,QL(360 per 30 days) |
| fosphenytoin 100 mg pe/2 ml, 500 mg pe/10 ml SOLUTION MO | 1 | |
| FYCOMPA 0.5 MG/ML SUSPENSION | 4 | PA,QL(680 per 28 days) |
| FYCOMPA 10 MG, 12 MG, 4 MG, 6 MG, 8 MG TABLET | 4 | PA,QL(30 per 30 days) |
| FYCOMPA 2 MG TABLET MO | 3 | PA,QL(30 per 30 days) |
| gabapentin 100 mg, 300 mg, 400 mg CAPSULE MO | 1 | QL(270 per 30 days) |
| gabapentin 250 mg/5 ml, 250 mg/5 ml (5 ml), 300 mg/6 ml (6 ml) SOLUTION MO | 1 | QL(2250 per 30 days) |
| gabapentin 600 mg, 800 mg TABLET MO | 1 | QL(180 per 30 days) |
| GABITRIL 12 MG, 16 MG, 2 MG, 4 MG TABLET DL | 4 | PA |
| KEPPRA 1,000 MG, 500 MG, 750 MG TABLET | 4 | PA |
| KEPPRA 100 MG/ML, 500 MG/5 ML SOLUTION | 4 | PA |
| KEPPRA 250 MG TABLET MO | 3 | PA |
| KEPPRA XR 500 MG TABLET, ER 24 HR. | 4 | PA,QL(180 per 30 days) |
| KEPPRA XR 750 MG TABLET, ER 24 HR. | 4 | PA,QL(120 per 30 days) |

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Paxlovid/Vaccine/Diabetic • ST – Step Therapy

| DRUG NAME | TIER | UTILIZATION MANAGEMENT REQUIREMENTS |
|--------------------------------------------------------------------------------------------------------------------------------------|------|-------------------------------------|
| lacosamide 10 mg/ml SOLUTION MO | 1 | QL(1395 per 30 days) |
| lacosamide 100 mg, 150 mg, 200 mg, 50 mg TABLET MO | 1 | QL(60 per 30 days) |
| lacosamide 200 mg/20 ml SOLUTION MO | 1 | |
| LAMICTAL 100 MG, 150 MG, 200 MG, 25 MG TABLET | 4 | |
| LAMICTAL 25 MG, 5 MG TABLET, CHEWABLE DISPERSIBLE | 4 | |
| LAMICTAL ODT 100 MG, 200 MG, 25 MG, 50 MG TABLET, DISINTEGRATING | 4 | |
| LAMICTAL ODT STARTER (BLUE) 25 MG (21) -50 MG (7) TABLET, DISINTEGRATING,DOSE PK | 4 | |
| LAMICTAL ODT STARTER (GREEN) 50 MG (42) -100 MG (14) TABLET, DISINTEGRATING,DOSE PK | 4 | |
| LAMICTAL ODT STARTER (ORANGE) 25 MG(14)-50 MG (14)-100 MG (7) TABLET, DISINTEGRATING,DOSE PK | 4 | |
| LAMICTAL STARTER (BLUE) KIT 25 MG (35) TABLET, DOSE PACK MO | 3 | |
| LAMICTAL STARTER (GREEN) KIT 25 MG (84) -100 MG (14) TABLET, DOSE PACK MO | 3 | |
| LAMICTAL STARTER (ORANGE) KIT 25 MG (42) -100 MG (7) TABLET, DOSE PACK MO | 3 | |
| LAMICTAL XR 100 MG, 200 MG, 25 MG, 250 MG, 300 MG, 50 MG TABLET, ER 24 HR. | 4 | |
| LAMICTAL XR STARTER (BLUE) 25 MG (21) -50 MG (7) TABLET, ER, DOSE PACK MO | 3 | |
| LAMICTAL XR STARTER (GREEN) 50 MG(14)-100MG (14)-200 MG (7) TABLET, ER, DOSE PACK MO | 3 | |
| LAMICTAL XR STARTER (ORANGE) 25MG (14)-50 MG (14)-100MG (7) TABLET, ER, DOSE PACK MO | 3 | |
| lamotrigine 100 mg, 200 mg TABLET MO | 1 | |
| lamotrigine 100 mg, 200 mg, 25 mg, 250 mg, 300 mg, 50 mg TABLET, ER 24 HR. MO | 1 | |
| lamotrigine 100 mg, 200 mg, 25 mg, 50 mg TABLET, DISINTEGRATING MO | 1 | |
| lamotrigine 150 mg, 25 mg TABLET MO | 1 | |
| lamotrigine 25 mg (21) -50 mg (7), 25 mg(14)-50 mg (14)-100 mg (7), 50 mg (42) -100 mg (14) TABLET, DISINTEGRATING,DOSE PK MO | 1 | |
| lamotrigine 25 mg (35), 25 mg (42) -100 mg (7), 25 mg (84) -100 mg (14) TABLET, DOSE PACK MO | 1 | |

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Paxlovid/Vaccine/Diabetic • ST – Step Therapy

| DRUG NAME | TIER | UTILIZATION MANAGEMENT REQUIREMENTS |
|----------------------------------------------------------------------------------------------------|------|-------------------------------------|
| lamotrigine 25 mg, 5 mg TABLET, CHEWABLE DISPERSIBLE MO | 1 | |
| levetiracetam 1,000 mg, 250 mg, 750 mg TABLET MO | 1 | |
| levetiracetam 100 mg/ml, 500 mg/5 ml SOLUTION MO | 1 | |
| levetiracetam 500 mg TABLET MO | 1 | |
| levetiracetam 500 mg TABLET, ER 24 HR. MO | 1 | QL(180 per 30 days) |
| levetiracetam 500 mg/5 ml (5 ml) SOLUTION MO | 1 | QL(900 per 30 days) |
| levetiracetam 750 mg TABLET, ER 24 HR. MO | 1 | QL(120 per 30 days) |
| levetiracetam in nacl (iso-os) 1,000 mg/100 ml, 1,500 mg/100 ml, 500 mg/100 ml PIGGYBACK MO | 1 | |
| methsuximide 300 mg CAPSULE MO | 1 | |
| MOTPOLY XR 100 MG, 150 MG, 200 MG CAPSULE, ER 24 HR. DL | 4 | PA,QL(60 per 30 days) |
| MYSOLINE 250 MG, 50 MG TABLET DL | 4 | PA |
| NAYZILAM 5 MG/SPRAY (0.1 ML) SPRAY, NON-AEROSOL DL | 3 | QL(10 per 30 days) |
| NEMBUTAL SODIUM 50 MG/ML SOLUTION MO | 1 | |
| NEURONTIN 100 MG, 300 MG, 400 MG CAPSULE MO | 3 | PA,QL(270 per 30 days) |
| NEURONTIN 250 MG/5 ML SOLUTION DL | 4 | PA,QL(2250 per 30 days) |
| NEURONTIN 600 MG, 800 MG TABLET | 4 | PA,QL(180 per 30 days) |
| ONFI 10 MG, 20 MG TABLET DL | 4 | PA |
| ONFI 2.5 MG/ML SUSPENSION DL | 4 | PA |
| oxcarbazepine 150 mg, 300 mg, 600 mg TABLET MO | 1 | |
| oxcarbazepine 300 mg/5 ml (60 mg/ml) SUSPENSION MO | 1 | |
| OXTELLAR XR 150 MG, 300 MG, 600 MG TABLET, ER 24 HR. | 4 | ST |
| pentobarbital sodium 50 mg/ml SOLUTION MO | 1 | |
| phenobarbital 100 mg, 16.2 mg, 32.4 mg, 64.8 mg, 97.2 mg TABLET MO | 1 | QL(90 per 30 days) |
| phenobarbital 15 mg, 60 mg TABLET MO | 1 | QL(120 per 30 days) |
| phenobarbital 20 mg/5 ml (4 mg/ml) ELIXIR MO | 1 | QL(1500 per 30 days) |
| phenobarbital 30 mg TABLET MO | 1 | QL(300 per 30 days) |
| phenobarbital sodium 130 mg/ml, 65 mg/ml SOLUTION DL | 4 | |
| PHENYTEK 200 MG, 300 MG CAPSULE MO | 1 | |
| phenytoin 100 mg/4 ml, 125 mg/5 ml SUSPENSION MO | 1 | |
| phenytoin 50 mg CHEWABLE TABLET MO | 1 | |
| phenytoin sodium 50 mg/ml SOLUTION MO | 1 | |

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Paxlovid/Vaccine/Diabetic • ST – Step Therapy

| DRUG NAME | TIER | UTILIZATION MANAGEMENT REQUIREMENTS |
|-----------------------------------------------------------------------------------|------|-------------------------------------|
| phenytoin sodium 50 mg/ml SYRINGE MO | 1 | |
| phenytoin sodium extended 100 mg, 200 mg, 300 mg CAPSULE MO | 1 | |
| primidone 125 mg, 250 mg TABLET MO | 1 | |
| primidone 50 mg TABLET MO | 1 | |
| roweepra 1,000 mg, 500 mg, 750 mg TABLET MO | 1 | |
| roweepra xr 500 mg TABLET, ER 24 HR. MO | 1 | QL(180 per 30 days) |
| roweepra xr 750 mg TABLET, ER 24 HR. MO | 1 | QL(120 per 30 days) |
| rufinamide 200 mg TABLET MO | 1 | PA,QL(480 per 30 days) |
| rufinamide 40 mg/ml SUSPENSION MO | 1 | PA,QL(2760 per 30 days) |
| rufinamide 400 mg TABLET MO | 1 | PA,QL(240 per 30 days) |
| SABRIL 500 MG POWDER IN PACKET DL | 4 | PA,QL(180 per 30 days) |
| SABRIL 500 MG TABLET DL | 4 | PA,QL(180 per 30 days) |
| SEZABY 100 MG RECON SOLUTION DL | 4 | |
| SPRITAM 1,000 MG TABLET FOR SUSPENSION MO | 3 | ST,QL(90 per 30 days) |
| SPRITAM 250 MG TABLET FOR SUSPENSION MO | 3 | ST,QL(360 per 30 days) |
| SPRITAM 500 MG TABLET FOR SUSPENSION MO | 3 | ST,QL(180 per 30 days) |
| SPRITAM 750 MG TABLET FOR SUSPENSION MO | 3 | ST,QL(120 per 30 days) |
| subvenite 100 mg, 150 mg, 200 mg, 25 mg TABLET MO | 1 | |
| subvenite starter (blue) kit 25 mg (35) TABLET, DOSE PACK MO | 1 | |
| subvenite starter (green) kit 25 mg (84) -100 mg (14) TABLET, DOSE PACK MO | 1 | |
| subvenite starter (orange) kit 25 mg (42) -100 mg (7) TABLET, DOSE PACK MO | 1 | |
| SYMPAZAN 10 MG, 20 MG, 5 MG FILM DL | 4 | PA,QL(60 per 30 days) |
| TEGRETOL 100 MG/5 ML SUSPENSION MO | 3 | |
| TEGRETOL 200 MG TABLET MO | 3 | |
| TEGRETOL XR 100 MG, 200 MG TABLET, ER 12 HR. MO | 3 | QL(120 per 30 days) |
| TEGRETOL XR 400 MG TABLET, ER 12 HR. MO | 3 | QL(225 per 30 days) |
| tiagabine 12 mg, 16 mg, 2 mg, 4 mg TABLET MO | 1 | |
| TRILEPTAL 150 MG TABLET MO | 3 | PA |
| TRILEPTAL 300 MG, 600 MG TABLET | 4 | PA |
| TRILEPTAL 300 MG/5 ML (60 MG/ML) SUSPENSION | 4 | PA |
| valproate sodium 500 mg/5 ml (100 mg/ml) SOLUTION MO | 1 | |
| valproic acid 250 mg CAPSULE MO | 1 | |

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Paxlovid/Vaccine/Diabetic • ST – Step Therapy

| DRUG NAME | TIER | UTILIZATION MANAGEMENT REQUIREMENTS |
|----------------------------------------------------------------------------------------------------------------------------------------------|------|-------------------------------------|
| valproic acid (as sodium salt) 250 mg/5 ml, 250 mg/5 ml (5 ml), 500 mg/10 ml (10 ml) SOLUTION MO | 1 | |
| VALTOCO 10 MG/SPRAY (0.1 ML), 15 MG/2 SPRAY (7.5/0.1ML X 2), 20 MG/2 SPRAY (10MG/0.1ML X2), 5 MG/SPRAY (0.1 ML) SPRAY, NON-AEROSOL DL | 4 | QL(10 per 30 days) |
| vigabatrin 500 mg POWDER IN PACKET DL | 4 | PA,QL(180 per 30 days) |
| vigabatrin 500 mg TABLET DL | 4 | PA,QL(180 per 30 days) |
| vigadron 500 mg POWDER IN PACKET DL | 4 | PA,QL(180 per 30 days) |
| vigadron 500 mg TABLET DL | 4 | PA,QL(180 per 30 days) |
| vigpoder 500 mg POWDER IN PACKET DL | 4 | PA,QL(180 per 30 days) |
| VIMPAT 10 MG/ML SOLUTION DL | 4 | PA,QL(1395 per 30 days) |
| VIMPAT 100 MG, 150 MG, 200 MG TABLET DL | 4 | PA,QL(60 per 30 days) |
| VIMPAT 200 MG/20 ML SOLUTION DL | 4 | PA |
| VIMPAT 50 MG TABLET MO | 3 | PA,QL(60 per 30 days) |
| XCOPRI 100 MG, 50 MG TABLET DL | 4 | QL(30 per 30 days) |
| XCOPRI 150 MG, 200 MG TABLET DL | 4 | QL(60 per 30 days) |
| XCOPRI MAINTENANCE PACK 250MG/DAY(150 MG X1-100MG X1), 350 MG/DAY (200 MG X1-150MG X1) TABLET DL | 4 | QL(56 per 28 days) |
| XCOPRI TITRATION PACK 12.5 MG (14)- 25 MG (14) TABLET, DOSE PACK MO | 3 | QL(28 per 28 days) |
| XCOPRI TITRATION PACK 150 MG (14)- 200 MG (14), 50 MG (14)- 100 MG (14) TABLET, DOSE PACK DL | 4 | QL(28 per 28 days) |
| ZARONTIN 250 MG CAPSULE MO | 3 | |
| ZARONTIN 250 MG/5 ML SOLUTION MO | 1 | |
| ZONEGRAN 100 MG, 25 MG CAPSULE | 4 | PA |
| ZONISADE 100 MG/5 ML SUSPENSION MO | 3 | PA,QL(900 per 30 days) |
| zonisamide 100 mg, 25 mg, 50 mg CAPSULE MO | 1 | |
| ZTALMY 50 MG/ML SUSPENSION DL | 4 | PA,QL(1080 per 30 days) |
| ANTIDEMENTIA AGENTS | | |
| ADLARITY 10 MG/24 HOUR, 5 MG/24 HOUR PATCH, WEEKLY MO | 3 | ST,QL(4 per 28 days) |
| ARICEPT 10 MG TABLET MO | 3 | PA,QL(60 per 30 days) |
| ARICEPT 23 MG, 5 MG TABLET MO | 3 | PA,QL(30 per 30 days) |
| donepezil 10 mg TABLET MO | 1 | QL(60 per 30 days) |
| donepezil 10 mg, 5 mg TABLET, DISINTEGRATING MO | 1 | QL(30 per 30 days) |
| donepezil 23 mg TABLET MO | 1 | QL(30 per 30 days) |

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Paxlovid/Vaccine/Diabetic • ST – Step Therapy

| DRUG NAME | TIER | UTILIZATION MANAGEMENT REQUIREMENTS |
|--------------------------------------------------------------------------------------|------|-------------------------------------|
| donepezil 5 mg TABLET MO | 1 | QL(30 per 30 days) |
| ergoloid 1 mg TABLET MO | 1 | |
| EXELON PATCH 13.3 MG/24 HOUR, 4.6 MG/24 HOUR, 9.5 MG/24 HOUR PATCH, 24 HR. MO | 3 | PA,QL(30 per 30 days) |
| galantamine 12 mg, 4 mg, 8 mg TABLET MO | 1 | QL(60 per 30 days) |
| galantamine 16 mg, 24 mg, 8 mg CAPSULE ER PELLETS 24 HR. MO | 1 | QL(30 per 30 days) |
| galantamine 4 mg/ml SOLUTION MO | 1 | QL(200 per 30 days) |
| memantine 10 mg, 5 mg TABLET MO | 1 | PA,QL(60 per 30 days) |
| memantine 14 mg, 21 mg, 28 mg, 7 mg CAPSULE ER SPRINKLE 24 HR. MO | 1 | PA,QL(30 per 30 days) |
| memantine 2 mg/ml SOLUTION MO | 1 | PA,QL(360 per 30 days) |
| memantine 5-10 mg TABLET, DOSE PACK MO | 1 | PA,QL(98 per 30 days) |
| NAMENDA 10 MG TABLET MO | 3 | PA,QL(60 per 30 days) |
| NAMENDA TITRATION PAK 5-10 MG TABLET, DOSE PACK MO | 3 | PA,QL(98 per 30 days) |
| NAMENDA XR 14 MG, 21 MG, 28 MG, 7 MG CAPSULE ER SPRINKLE 24 HR. MO | 3 | PA,QL(30 per 30 days) |
| NAMENDA XR 7-14-21-28 MG CAPSULE ER SPRINKLE 24 HR. MO | 3 | PA,QL(28 per 28 days) |
| NAMZARIC 14-10 MG, 21-10 MG, 28-10 MG, 7-10 MG CAPSULE ER SPRINKLE 24 HR. MO | 2 | QL(30 per 30 days) |
| NAMZARIC 7/14/21/28 MG-10 MG CAPSULE ER SPRINKLE 24 HR. MO | 2 | QL(28 per 28 days) |
| RAZADYNE ER 16 MG, 24 MG, 8 MG CAPSULE ER PELLETS 24 HR. MO | 3 | PA,QL(30 per 30 days) |
| rivastigmine 13.3 mg/24 hour, 4.6 mg/24 hour, 9.5 mg/24 hour PATCH, 24 HR. MO | 1 | QL(30 per 30 days) |
| rivastigmine tartrate 1.5 mg, 3 mg CAPSULE MO | 1 | QL(90 per 30 days) |
| rivastigmine tartrate 4.5 mg, 6 mg CAPSULE MO | 1 | QL(60 per 30 days) |
| ANTIDEPRESSANTS | | |
| amitriptyline 10 mg, 100 mg, 150 mg, 50 mg, 75 mg TABLET MO | 1 | |
| amitriptyline 25 mg TABLET MO | 1 | |
| amitriptyline-chlordiazepoxide 12.5-5 mg, 25-10 mg TABLET DL | 1 | |
| amoxapine 100 mg, 150 mg, 25 mg, 50 mg TABLET MO | 1 | |
| ANAFRANIL 25 MG, 50 MG, 75 MG CAPSULE DL | 4 | |
| APLENZIN 174 MG, 348 MG, 522 MG TABLET, ER 24 HR. | 4 | ST,QL(30 per 30 days) |
| AUVELITY 45-105 MG TABLET, IR/ER, BIPHASIC MO | 3 | PA,QL(60 per 30 days) |
| BRISDELLE 7.5 MG CAPSULE MO | 3 | QL(30 per 30 days) |
| bupropion hcl 100 mg TABLET, SR 12 HR. MO | 1 | QL(120 per 30 days) |

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Paxlovid/Vaccine/Diabetic • ST – Step Therapy

| DRUG NAME | TIER | UTILIZATION MANAGEMENT REQUIREMENTS |
|-----------------------------------------------------------------------------|------|-------------------------------------|
| bupropion hcl 100 mg, 75 mg TABLET MO | 1 | QL(180 per 30 days) |
| bupropion hcl 150 mg TABLET, ER 24 HR. MO | 1 | QL(90 per 30 days) |
| bupropion hcl 150 mg TABLET, SR 12 HR. MO | 1 | QL(90 per 30 days) |
| bupropion hcl 200 mg TABLET, SR 12 HR. MO | 1 | QL(60 per 30 days) |
| bupropion hcl 300 mg TABLET, ER 24 HR. MO | 1 | QL(60 per 30 days) |
| bupropion hcl 450 mg TABLET, ER 24 HR. MO | 1 | ST,QL(30 per 30 days) |
| CELEXA 10 MG, 40 MG TABLET MO | 3 | PA,QL(30 per 30 days) |
| CELEXA 20 MG TABLET MO | 3 | PA,QL(60 per 30 days) |
| citalopram 10 mg, 40 mg TABLET MO | 1 | QL(30 per 30 days) |
| citalopram 10 mg/5 ml SOLUTION MO | 1 | |
| citalopram 20 mg TABLET MO | 1 | QL(60 per 30 days) |
| CITALOPRAM 30 MG CAPSULE MO | 3 | QL(30 per 30 days) |
| clomipramine 25 mg, 50 mg, 75 mg CAPSULE MO | 1 | |
| CYMBALTA 20 MG CAPSULE, DR/EC MO | 3 | PA,QL(120 per 30 days) |
| CYMBALTA 30 MG CAPSULE, DR/EC MO | 3 | PA,QL(90 per 30 days) |
| CYMBALTA 60 MG CAPSULE, DR/EC MO | 3 | PA,QL(60 per 30 days) |
| desipramine 10 mg, 100 mg, 150 mg, 25 mg, 50 mg, 75 mg TABLET MO | 1 | |
| desvenlafaxine 100 mg, 50 mg TABLET, ER 24 HR. MO | 3 | ST,QL(30 per 30 days) |
| desvenlafaxine succinate 100 mg, 25 mg, 50 mg TABLET, ER 24 HR. MO | 1 | QL(30 per 30 days) |
| DRIZALMA SPRINKLE 20 MG, 30 MG, 40 MG, 60 MG CAPSULE, DR SPRINKLE MO | 3 | PA,QL(60 per 30 days) |
| duloxetine 20 mg CAPSULE, DR/EC MO | 1 | QL(120 per 30 days) |
| duloxetine 30 mg CAPSULE, DR/EC MO | 1 | QL(90 per 30 days) |
| duloxetine 40 mg CAPSULE, DR/EC MO | 1 | QL(60 per 30 days) |
| duloxetine 60 mg CAPSULE, DR/EC MO | 1 | QL(60 per 30 days) |
| EFFEXOR XR 150 MG CAPSULE, ER 24 HR. MO | 3 | PA,QL(60 per 30 days) |
| EFFEXOR XR 37.5 MG, 75 MG CAPSULE, ER 24 HR. MO | 3 | PA,QL(90 per 30 days) |
| EMSAM 12 MG/24 HR, 6 MG/24 HR, 9 MG/24 HR PATCH, 24 HR. | 4 | PA,QL(30 per 30 days) |
| escitalopram oxalate 10 mg TABLET MO | 1 | QL(45 per 30 days) |
| escitalopram oxalate 20 mg, 5 mg TABLET MO | 1 | QL(30 per 30 days) |
| escitalopram oxalate 5 mg/5 ml SOLUTION MO | 1 | QL(600 per 30 days) |
| FETZIMA 120 MG, 20 MG, 40 MG, 80 MG CAPSULE, ER 24 HR. MO | 3 | PA,QL(30 per 30 days) |

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Paxlovid/Vaccine/Diabetic • ST – Step Therapy

| DRUG NAME | TIER | UTILIZATION MANAGEMENT REQUIREMENTS |
|---------------------------------------------------------------------------------------|------|-------------------------------------|
| FETZIMA 20 MG (2)- 40 MG (26) CAPSULE, ER 24 HR. MO | 3 | PA,QL(28 per 28 days) |
| fluoxetine 10 mg CAPSULE MO | 1 | QL(60 per 30 days) |
| fluoxetine 10 mg TABLET MO | 1 | QL(240 per 30 days) |
| fluoxetine 20 mg CAPSULE MO | 1 | QL(120 per 30 days) |
| fluoxetine 20 mg TABLET MO | 1 | QL(120 per 30 days) |
| fluoxetine 20 mg/5 ml (4 mg/ml) SOLUTION MO | 1 | |
| fluoxetine 40 mg CAPSULE MO | 1 | QL(60 per 30 days) |
| fluoxetine 60 mg TABLET MO | 1 | QL(30 per 30 days) |
| fluoxetine 90 mg CAPSULE, DR/EC MO | 1 | QL(4 per 28 days) |
| fluvoxamine 100 mg, 150 mg CAPSULE, ER 24 HR. MO | 1 | QL(60 per 30 days) |
| fluvoxamine 100 mg, 25 mg, 50 mg TABLET MO | 1 | QL(90 per 30 days) |
| FORFIVO XL 450 MG TABLET, ER 24 HR. MO | 3 | ST,QL(30 per 30 days) |
| imipramine hcl 10 mg TABLET MO | 1 | |
| imipramine hcl 25 mg, 50 mg TABLET MO | 1 | |
| imipramine pamoate 100 mg, 125 mg, 150 mg, 75 mg CAPSULE MO | 1 | |
| LEXAPRO 10 MG TABLET MO | 3 | PA,QL(45 per 30 days) |
| LEXAPRO 20 MG, 5 MG TABLET MO | 3 | PA,QL(30 per 30 days) |
| MARPLAN 10 MG TABLET MO | 3 | |
| mirtazapine 15 mg, 30 mg, 45 mg TABLET, DISINTEGRATING MO | 1 | QL(30 per 30 days) |
| mirtazapine 15 mg, 30 mg, 7.5 mg TABLET MO | 1 | |
| mirtazapine 45 mg TABLET MO | 1 | |
| NARDIL 15 MG TABLET MO | 3 | |
| nefazodone 100 mg, 150 mg, 200 mg, 250 mg, 50 mg TABLET MO | 1 | |
| NORPRAMIN 10 MG, 25 MG TABLET MO | 3 | |
| nortriptyline 10 mg, 25 mg, 50 mg, 75 mg CAPSULE MO | 1 | |
| nortriptyline 10 mg/5 ml SOLUTION MO | 1 | |
| olanzapine-fluoxetine 12-25 mg, 12-50 mg, 3-25 mg, 6-25 mg, 6-50 mg CAPSULE MO | 1 | QL(30 per 30 days) |
| PAMELOR 10 MG, 25 MG, 50 MG, 75 MG CAPSULE DL | 4 | |
| PARNATE 10 MG TABLET DL | 4 | |
| paroxetine hcl 10 mg TABLET MO | 1 | QL(30 per 30 days) |
| paroxetine hcl 10 mg/5 ml SUSPENSION MO | 1 | |

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Paxlovid/Vaccine/Diabetic • ST – Step Therapy

| DRUG NAME | TIER | UTILIZATION MANAGEMENT REQUIREMENTS |
|-----------------------------------------------------------------------------------------|------|-------------------------------------|
| paroxetine hcl 12.5 mg, 37.5 mg TABLET, ER 24 HR. MO | 1 | QL(60 per 30 days) |
| paroxetine hcl 20 mg TABLET MO | 1 | QL(30 per 30 days) |
| paroxetine hcl 25 mg TABLET, ER 24 HR. MO | 1 | QL(90 per 30 days) |
| paroxetine hcl 30 mg, 40 mg TABLET MO | 1 | QL(60 per 30 days) |
| paroxetine mesylate(menop.sym) 7.5 mg CAPSULE MO | 1 | QL(30 per 30 days) |
| PAXIL 10 MG, 20 MG TABLET MO | 3 | QL(30 per 30 days) |
| PAXIL 10 MG/5 ML SUSPENSION MO | 3 | PA |
| PAXIL 30 MG, 40 MG TABLET MO | 3 | QL(60 per 30 days) |
| PAXIL CR 12.5 MG, 37.5 MG TABLET, ER 24 HR. MO | 3 | QL(60 per 30 days) |
| PAXIL CR 25 MG TABLET, ER 24 HR. MO | 3 | QL(90 per 30 days) |
| perphenazine-amitriptyline 2-10 mg, 2-25 mg, 4-10 mg, 4-25 mg, 4-50 mg TABLET MO | 1 | |
| PEXEVA 10 MG, 20 MG TABLET MO | 3 | QL(30 per 30 days) |
| PEXEVA 30 MG, 40 MG TABLET MO | 3 | QL(60 per 30 days) |
| phenelzine 15 mg TABLET MO | 1 | |
| PRISTIQ 100 MG, 25 MG, 50 MG TABLET, ER 24 HR. MO | 3 | PA,QL(30 per 30 days) |
| protriptyline 10 mg, 5 mg TABLET MO | 1 | |
| PROZAC 10 MG, 40 MG CAPSULE | 4 | PA,QL(60 per 30 days) |
| PROZAC 20 MG CAPSULE | 4 | PA,QL(120 per 30 days) |
| REMERON 15 MG, 30 MG TABLET MO | 3 | |
| REMERON SOLTAB 15 MG, 30 MG, 45 MG TABLET, DISINTEGRATING MO | 3 | QL(30 per 30 days) |
| sertraline 100 mg TABLET MO | 1 | QL(60 per 30 days) |
| SERTRALINE 150 MG, 200 MG CAPSULE MO | 3 | QL(30 per 30 days) |
| sertraline 20 mg/ml CONCENTRATE MO | 1 | |
| sertraline 25 mg, 50 mg TABLET MO | 1 | QL(90 per 30 days) |
| SYMBYAX 12-50 MG, 3-25 MG, 6-25 MG, 6-50 MG CAPSULE MO | 3 | PA,QL(30 per 30 days) |
| tranylcypromine 10 mg TABLET MO | 1 | |
| trazodone 100 mg, 150 mg, 50 mg TABLET MO | 1 | |
| trazodone 300 mg TABLET MO | 1 | |
| trimipramine 100 mg, 25 mg, 50 mg CAPSULE MO | 1 | |
| TRINTELLIX 10 MG, 20 MG, 5 MG TABLET MO | 3 | ST,QL(30 per 30 days) |
| venlafaxine 100 mg, 25 mg, 37.5 mg, 50 mg, 75 mg TABLET MO | 1 | |

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Paxlovid/Vaccine/Diabetic • ST – Step Therapy

| DRUG NAME | TIER | UTILIZATION MANAGEMENT REQUIREMENTS |
|-----------------------------------------------------------------|------|-------------------------------------|
| venlafaxine 150 mg CAPSULE, ER 24 HR. MO | 1 | QL(60 per 30 days) |
| venlafaxine 150 mg, 225 mg, 37.5 mg TABLET, ER 24 HR. MO | 1 | QL(30 per 30 days) |
| venlafaxine 37.5 mg CAPSULE, ER 24 HR. MO | 1 | QL(90 per 30 days) |
| venlafaxine 75 mg CAPSULE, ER 24 HR. MO | 1 | QL(90 per 30 days) |
| venlafaxine 75 mg TABLET, ER 24 HR. MO | 1 | QL(60 per 30 days) |
| VENLAFAXINE BESYLATE 112.5 MG TABLET, ER 24 HR. MO | 3 | QL(60 per 30 days) |
| VIIBRYD 10 MG (7)- 20 MG (23) TABLET, DOSE PACK MO | 3 | PA,QL(30 per 30 days) |
| VIIBRYD 10 MG, 20 MG, 40 MG TABLET MO | 3 | PA,QL(30 per 30 days) |
| vilazodone 10 mg, 20 mg, 40 mg TABLET MO | 1 | PA,QL(30 per 30 days) |
| WELLBUTRIN SR 100 MG TABLET, SR 12 HR. MO | 3 | PA,QL(120 per 30 days) |
| WELLBUTRIN SR 150 MG TABLET, SR 12 HR. MO | 3 | PA,QL(90 per 30 days) |
| WELLBUTRIN SR 200 MG TABLET, SR 12 HR. MO | 3 | PA,QL(60 per 30 days) |
| WELLBUTRIN XL 150 MG TABLET, ER 24 HR. | 4 | PA,QL(90 per 30 days) |
| WELLBUTRIN XL 300 MG TABLET, ER 24 HR. | 4 | PA,QL(60 per 30 days) |
| ZOLOFT 100 MG TABLET MO | 3 | PA,QL(60 per 30 days) |
| ZOLOFT 20 MG/ML CONCENTRATE MO | 3 | PA |
| ZOLOFT 25 MG, 50 MG TABLET MO | 3 | PA,QL(90 per 30 days) |
| ZULRESSO 5 MG/ML SOLUTION DL | 4 | PA,QL(100 per 365 days) |
| ZURZUVAE 20 MG, 25 MG CAPSULE DL | 4 | PA,QL(28 per 365 days) |
| ZURZUVAE 30 MG CAPSULE DL | 4 | PA,QL(14 per 365 days) |
| ANTIEMETICS | | |
| AKYNZEO (FOSNETUPITANT) 235 MG-0.25 MG/20 ML SOLUTION DL | 4 | PA,QL(80 per 28 days) |
| AKYNZEO (FOSNETUPITANT) 235-0.25 MG RECON SOLUTION DL | 4 | PA,QL(4 per 28 days) |
| AKYNZEO (NETUPITANT) 300-0.5 MG CAPSULE DL | 4 | PA |
| ANTIVERT 25 MG CHEWABLE TABLET MO | 3 | |
| ANTIVERT 50 MG TABLET MO | 3 | |
| ANZEMET 50 MG TABLET MO | 3 | BvsD,QL(4 per 28 days) |
| APONVIE 7.2 MG/ML EMULSION MO | 3 | |
| aprepitant 125 mg (1)- 80 mg (2) CAPSULE, DOSE PACK MO | 1 | BvsD |
| aprepitant 125 mg, 40 mg CAPSULE MO | 1 | BvsD,QL(2 per 28 days) |
| aprepitant 80 mg CAPSULE MO | 1 | BvsD,QL(4 per 28 days) |
| BONJESTA 20-20 MG TABLET, IR, DR, BIPHASIC MO | 3 | QL(60 per 30 days) |

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Paxlovid/Vaccine/Diabetic • ST – Step Therapy

| DRUG NAME | TIER | UTILIZATION MANAGEMENT REQUIREMENTS |
|------------------------------------------------------------------------------|------|-------------------------------------|
| COMPAZINE 10 MG, 5 MG TABLET MO | 3 | BvsD |
| COMPAZINE 25 MG SUPPOSITORY MO | 1 | |
| compro 25 mg SUPPOSITORY MO | 1 | |
| DICLEGIS 10-10 MG TABLET, DR/EC MO | 3 | QL(120 per 30 days) |
| dimenhydrinate 50 mg/ml SOLUTION MO | 1 | |
| doxylamine-pyridoxine (vit b6) 10-10 mg TABLET, DR/EC MO | 1 | QL(120 per 30 days) |
| dronabinol 10 mg, 2.5 mg, 5 mg CAPSULE MO | 1 | BvsD,QL(120 per 30 days) |
| EMEND 125 MG (1)- 80 MG (2) CAPSULE, DOSE PACK MO | 3 | BvsD |
| EMEND 125 MG (25 MG/ ML FINAL CONC.) SUSPENSION FOR RECONSTITUTION MO | 3 | BvsD,QL(3 per 28 days) |
| EMEND 80 MG CAPSULE MO | 3 | BvsD,QL(4 per 28 days) |
| EMEND (FOSAPREPITANT) 150 MG RECON SOLUTION MO | 3 | PA |
| fosaprepitant 150 mg RECON SOLUTION MO | 1 | PA |
| GIMOTI 15 MG/SPRAY SPRAY WITH PUMP DL | 4 | PA,QL(9.8 per 28 days) |
| granisetron (pf) 1 mg/ml (1 ml), 100 mcg/ml SOLUTION MO | 1 | |
| granisetron hcl 1 mg TABLET MO | 1 | BvsD,QL(28 per 28 days) |
| granisetron hcl 1 mg/ml, 1 mg/ml (1 ml) SOLUTION MO | 1 | |
| MARINOL 10 MG, 2.5 MG, 5 MG CAPSULE DL | 4 | BvsD,QL(120 per 30 days) |
| meclizine 12.5 mg TABLET MO | 1 | |
| meclizine 25 mg TABLET MO | 1 | |
| meclizine 50 mg TABLET MO | 3 | |
| metoclopramide hcl 10 mg, 5 mg TABLET MO | 1 | |
| metoclopramide hcl 5 mg/5 ml, 5 mg/ml SOLUTION MO | 1 | |
| metoclopramide hcl 5 mg/ml SYRINGE MO | 1 | |
| ondansetron 4 mg TABLET, DISINTEGRATING MO | 1 | BvsD |
| ondansetron 8 mg TABLET, DISINTEGRATING MO | 1 | BvsD |
| ondansetron hcl 2 mg/ml SOLUTION MO | 1 | |
| ondansetron hcl 4 mg TABLET MO | 1 | BvsD |
| ondansetron hcl 4 mg/5 ml SOLUTION MO | 1 | BvsD,QL(450 per 30 days) |
| ondansetron hcl 8 mg TABLET MO | 1 | BvsD |
| ondansetron hcl (pf) 4 mg/2 ml SOLUTION MO | 1 | |
| ondansetron hcl (pf) 4 mg/2 ml SYRINGE MO | 1 | |

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Paxlovid/Vaccine/Diabetic • ST – Step Therapy

| DRUG NAME | TIER | UTILIZATION MANAGEMENT REQUIREMENTS |
|-----------------------------------------------------------------------------|------|-------------------------------------|
| PHENERGAN 25 MG/ML, 50 MG/ML SOLUTION MO | 1 | |
| prochlorperazine 25 mg SUPPOSITORY MO | 1 | |
| prochlorperazine edisylate 10 mg/2 ml (5 mg/ml), 5 mg/ml SOLUTION MO | 1 | |
| prochlorperazine maleate 10 mg, 5 mg TABLET MO | 1 | BvsD |
| promethazine 12.5 mg, 25 mg, 50 mg SUPPOSITORY MO | 1 | |
| promethazine 12.5 mg, 50 mg TABLET MO | 1 | |
| promethazine 25 mg TABLET MO | 1 | |
| promethazine 25 mg/ml, 50 mg/ml SOLUTION MO | 1 | |
| promethazine 6.25 mg/5 ml SYRUP MO | 1 | |
| promethegan 12.5 mg, 25 mg, 50 mg SUPPOSITORY MO | 1 | |
| REGLAN 10 MG, 5 MG TABLET MO | 3 | |
| SANCUSO 3.1 MG/24 HOUR PATCH, WEEKLY DL | 4 | QL(4 per 30 days) |
| scopolamine base 1 mg over 3 days PATCH, 3 DAY MO | 1 | QL(10 per 30 days) |
| SYNDROS 5 MG/ML SOLUTION DL | 4 | PA |
| TIGAN 100 MG/ML SOLUTION MO | 3 | |
| TRANSDERM-SCOP 1 MG OVER 3 DAYS PATCH, 3 DAY MO | 3 | QL(10 per 30 days) |
| trimethobenzamide 300 mg CAPSULE MO | 1 | BvsD |
| VARUBI 90 MG TABLET DL | 4 | PA |
| ANTIFUNGALS | | |
| ABELCET 5 MG/ML SUSPENSION MO | 3 | BvsD |
| AMBISOME 50 MG SUSPENSION FOR RECONSTITUTION DL | 4 | BvsD |
| amphotericin b 50 mg RECON SOLUTION MO | 1 | BvsD |
| amphotericin b liposome 50 mg SUSPENSION FOR RECONSTITUTION DL | 4 | BvsD |
| ANCOBON 250 MG, 500 MG CAPSULE MO | 3 | |
| CANCIDAS 50 MG, 70 MG RECON SOLUTION DL | 4 | PA |
| caspofungin 50 mg RECON SOLUTION DL | 4 | |
| caspofungin 70 mg RECON SOLUTION MO | 1 | |
| ciclodan 8 % SOLUTION MO | 1 | QL(13.2 per 30 days) |
| ciclopirox 0.77 % CREAM MO | 1 | QL(90 per 30 days) |
| ciclopirox 0.77 % GEL MO | 1 | QL(100 per 30 days) |
| ciclopirox 0.77 % SUSPENSION MO | 1 | QL(60 per 30 days) |
| ciclopirox 1 % SHAMPOO MO | 1 | QL(120 per 30 days) |

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Paxlovid/Vaccine/Diabetic • ST – Step Therapy

| DRUG NAME | TIER | UTILIZATION MANAGEMENT REQUIREMENTS |
|--------------------------------------------------------------------------|------|-------------------------------------|
| ciclopirox 8 % SOLUTION MO | 1 | QL(13.2 per 30 days) |
| clotrimazole 1 % CREAM MO | 1 | |
| clotrimazole 1 % SOLUTION MO | 1 | |
| clotrimazole 10 mg TROCHE MO | 1 | |
| clotrimazole-betamethasone 1-0.05 % CREAM MO | 1 | QL(180 per 30 days) |
| clotrimazole-betamethasone 1-0.05 % LOTION MO | 1 | QL(90 per 28 days) |
| CRESEMBA 186 MG, 74.5 MG CAPSULE DL | 4 | PA |
| CRESEMBA 372 MG RECON SOLUTION DL | 4 | PA |
| DIFLUCAN 10 MG/ML, 40 MG/ML SUSPENSION FOR RECONSTITUTION DL | 4 | PA |
| DIFLUCAN 100 MG, 150 MG, 200 MG, 50 MG TABLET MO | 3 | PA |
| econazole 1 % CREAM MO | 1 | PA,QL(85 per 30 days) |
| ERAXIS(WATER DILUENT) 100 MG, 50 MG RECON SOLUTION DL | 4 | |
| ERTACZO 2 % CREAM DL | 4 | QL(60 per 30 days) |
| EXELDERM 1 % CREAM MO | 3 | |
| EXELDERM 1 % SOLUTION MO | 3 | QL(60 per 30 days) |
| EXTINA 2 % FOAM MO | 3 | QL(100 per 30 days) |
| fluconazole 10 mg/ml, 40 mg/ml SUSPENSION FOR RECONSTITUTION MO | 1 | |
| fluconazole 100 mg, 200 mg, 50 mg TABLET MO | 1 | |
| fluconazole 150 mg TABLET MO | 1 | |
| fluconazole in nacl (iso-osm) 100 mg/50 ml, 200 mg/100 ml, 400 mg/200 ml | 1 | |
| PIGGYBACK MO | | |
| flucytosine 250 mg, 500 mg CAPSULE DL | 4 | |
| griseofulvin microsize 125 mg/5 ml SUSPENSION MO | 1 | |
| griseofulvin microsize 500 mg TABLET MO | 1 | |
| griseofulvin ultramicrosize 125 mg, 250 mg TABLET MO | 1 | |
| gynazole-1 2 % CREAM MO | 1 | |
| itraconazole 10 mg/ml SOLUTION MO | 1 | |
| itraconazole 100 mg CAPSULE MO | 1 | QL(120 per 30 days) |
| JUBLIA 10 % SOLUTION W/APPLICATOR DL | 4 | PA,QL(4 per 28 days) |
| KERYDIN 5 % SOLUTION W/APPLICATOR MO | 3 | PA,QL(10 per 30 days) |
| ketoconazole 2 % CREAM MO | 1 | QL(60 per 30 days) |
| ketoconazole 2 % FOAM MO | 1 | QL(100 per 30 days) |

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Paxlovid/Vaccine/Diabetic • ST – Step Therapy

| DRUG NAME | TIER | UTILIZATION MANAGEMENT REQUIREMENTS |
|-------------------------------------------------------------------|------|-------------------------------------|
| ketoconazole 2 % SHAMPOO MO | 1 | QL(120 per 30 days) |
| ketoconazole 200 mg TABLET MO | 1 | PA |
| ketodan 2 % FOAM MO | 1 | QL(100 per 30 days) |
| klayesta 100,000 unit/gram POWDER MO | 1 | PA |
| LOPROX 1 % SHAMPOO MO | 3 | PA,QL(120 per 30 days) |
| LOPROX (AS OLAMINE) 0.77 % CREAM MO | 3 | PA,QL(90 per 30 days) |
| LOPROX (AS OLAMINE) 0.77 % SUSPENSION MO | 3 | PA,QL(60 per 30 days) |
| luliconazole 1 % CREAM MO | 1 | ST,QL(60 per 28 days) |
| LUZU 1 % CREAM MO | 3 | ST,QL(60 per 28 days) |
| MENTAX 1 % CREAM MO | 3 | QL(30 per 30 days) |
| micafungin 100 mg, 50 mg RECON SOLUTION DL | 4 | |
| miconazole nitrate-zinc ox-pet 0.25-15-81.35 % OINTMENT MO | 1 | |
| miconazole-3 200 mg SUPPOSITORY MO | 1 | |
| MYCAMINE 100 MG, 50 MG RECON SOLUTION DL | 4 | |
| naftifine 1 % CREAM MO | 1 | ST,QL(90 per 30 days) |
| naftifine 2 % CREAM MO | 1 | ST,QL(120 per 30 days) |
| naftifine 2 % GEL MO | 1 | ST,QL(120 per 30 days) |
| NAFTIN 1 % GEL MO | 3 | ST,QL(90 per 30 days) |
| NAFTIN 2 % GEL MO | 3 | ST,QL(120 per 30 days) |
| NOXAFIL 100 MG TABLET, DR/EC DL | 4 | PA |
| NOXAFIL 200 MG/5 ML (40 MG/ML) SUSPENSION DL | 4 | PA,QL(840 per 28 days) |
| NOXAFIL 300 MG SUSPENSION, DR FOR RECON DL | 4 | PA,QL(32 per 30 days) |
| NOXAFIL 300 MG/16.7 ML SOLUTION DL | 4 | PA |
| nyamyc 100,000 unit/gram POWDER MO | 1 | PA |
| nystatin 100,000 unit/gram CREAM MO | 1 | |
| nystatin 100,000 unit/gram OINTMENT MO | 1 | |
| nystatin 100,000 unit/gram POWDER MO | 1 | PA |
| nystatin 100,000 unit/ml SUSPENSION MO | 1 | |
| nystatin 500,000 unit TABLET MO | 1 | |
| nystatin-triamcinolone 100,000-0.1 unit/g-% CREAM MO | 1 | |
| nystatin-triamcinolone 100,000-0.1 unit/gram-% OINTMENT MO | 1 | |
| nystop 100,000 unit/gram POWDER MO | 1 | PA |

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Paxlovid/Vaccine/Diabetic • ST – Step Therapy

| DRUG NAME | TIER | UTILIZATION MANAGEMENT REQUIREMENTS |
|-----------------------------------------------------------------------------|------|-------------------------------------|
| oxiconazole 1 % CREAM MO | 1 | PA,QL(60 per 30 days) |
| OXISTAT 1 % CREAM MO | 3 | QL(60 per 30 days) |
| OXISTAT 1 % LOTION MO | 3 | PA |
| posaconazole 100 mg TABLET, DR/EC DL | 4 | PA |
| posaconazole 200 mg/5 ml (40 mg/ml) SUSPENSION DL | 4 | PA,QL(840 per 28 days) |
| posaconazole 300 mg/16.7 ml SOLUTION DL | 4 | PA |
| REZZAYO 200 MG RECON SOLUTION DL | 4 | PA |
| SPORANOX 10 MG/ML SOLUTION DL | 4 | |
| SPORANOX 100 MG CAPSULE DL | 4 | PA,QL(120 per 30 days) |
| SPORANOX PULSEPAK 100 MG CAPSULE MO | 3 | PA,QL(120 per 30 days) |
| tavaborole 5 % SOLUTION W/APPLICATOR MO | 1 | PA,QL(10 per 30 days) |
| terbinafine hcl 250 mg TABLET MO | 1 | |
| terconazole 0.4 %, 0.8 % CREAM MO | 1 | |
| terconazole 80 mg SUPPOSITORY MO | 1 | |
| TOLSURA 65 MG CAPSULE, SOLID DISPERSION DL | 4 | PA,QL(120 per 30 days) |
| VFEND 200 MG, 50 MG TABLET MO | 3 | PA,QL(120 per 30 days) |
| VFEND 200 MG/5 ML (40 MG/ML) SUSPENSION FOR RECONSTITUTION DL | 4 | PA,QL(400 per 30 days) |
| VFEND IV 200 MG RECON SOLUTION MO | 3 | PA |
| VIVJOA 150 MG CAPSULE MO | 3 | PA |
| voriconazole 200 mg RECON SOLUTION MO | 1 | PA |
| voriconazole 200 mg, 50 mg TABLET MO | 1 | PA,QL(120 per 30 days) |
| voriconazole 200 mg/5 ml (40 mg/ml) SUSPENSION FOR RECONSTITUTION DL | 4 | PA,QL(400 per 30 days) |
| VUSION 0.25-15-81.35 % OINTMENT MO | 3 | |
| XOLEGEL 2 % GEL MO | 3 | |
| ANTIGOUT AGENTS | | |
| allopurinol 100 mg, 300 mg TABLET MO | 1 | |
| allopurinol 200 mg TABLET MO | 3 | |
| allopurinol sodium 500 mg RECON SOLUTION MO | 1 | |
| ALOPRIM 500 MG RECON SOLUTION MO | 3 | |
| colchicine 0.6 mg TABLET MO | 2 | QL(120 per 30 days) |
| DUZALLO 200-200 MG, 200-300 MG TABLET MO | 3 | PA,QL(30 per 30 days) |
| febuxostat 40 mg, 80 mg TABLET MO | 1 | ST,QL(30 per 30 days) |

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Paxlovid/Vaccine/Diabetic • ST – Step Therapy

| DRUG NAME | TIER | UTILIZATION MANAGEMENT REQUIREMENTS |
|---------------------------------------------------------------------------|------|-------------------------------------|
| GLOPERBA 0.6 MG/5 ML SOLUTION MO | 3 | PA,QL(300 per 30 days) |
| MITIGARE 0.6 MG CAPSULE MO | 2 | |
| probenecid 500 mg TABLET MO | 1 | |
| probenecid-colchicine 500-0.5 mg TABLET MO | 1 | |
| ULORIC 40 MG, 80 MG TABLET MO | 3 | ST,QL(30 per 30 days) |
| ZYLOPRIM 100 MG TABLET MO | 3 | |
| ANTIMIGRAINE AGENTS | | |
| AIMOVIG AUTOINJECTOR 140 MG/ML AUTO-INJECTOR MO | 3 | PA,QL(1 per 28 days) |
| AIMOVIG AUTOINJECTOR 70 MG/ML AUTO-INJECTOR MO | 3 | PA,QL(2 per 28 days) |
| AJOVY AUTOINJECTOR 225 MG/1.5 ML AUTO-INJECTOR MO | 3 | PA,QL(1.5 per 28 days) |
| AJOVY SYRINGE 225 MG/1.5 ML SYRINGE MO | 3 | PA,QL(1.5 per 28 days) |
| almotriptan malate 12.5 mg, 6.25 mg TABLET MO | 1 | ST,QL(9 per 30 days) |
| AMERGE 1 MG, 2.5 MG TABLET MO | 3 | PA,QL(9 per 30 days) |
| D.H.E.45 1 MG/ML SOLUTION DL | 4 | |
| dihydroergotamine 0.5 mg/pump act. (4 mg/ml) SPRAY, NON-AEROSOL DL | 4 | PA,QL(8 per 30 days) |
| dihydroergotamine 1 mg/ml SOLUTION DL | 4 | PA |
| eletriptan 20 mg, 40 mg TABLET MO | 1 | ST,QL(9 per 30 days) |
| EMGALITY PEN 120 MG/ML PEN INJECTOR MO | 3 | PA,QL(2 per 30 days) |
| EMGALITY SYRINGE 120 MG/ML SYRINGE MO | 3 | PA,QL(2 per 30 days) |
| EMGALITY SYRINGE 300 MG/3 ML (100 MG/ML X 3) SYRINGE MO | 3 | PA,QL(3 per 30 days) |
| EPRONTIA 25 MG/ML SOLUTION MO | 3 | PA,QL(480 per 30 days) |
| ERGOMAR 2 MG SUBLINGUAL TABLET DL | 4 | QL(20 per 28 days) |
| ergotamine-caffeine 1-100 mg TABLET MO | 1 | QL(40 per 30 days) |
| FROVA 2.5 MG TABLET DL | 4 | ST,QL(12 per 30 days) |
| frovatriptan 2.5 mg TABLET MO | 1 | ST,QL(12 per 30 days) |
| IMITREX 100 MG TABLET DL | 4 | PA,QL(9 per 30 days) |
| IMITREX 20 MG/ACTUATION, 5 MG/ACTUATION SPRAY, NON-AEROSOL DL | 4 | PA,QL(12 per 30 days) |
| IMITREX 25 MG, 50 MG TABLET MO | 3 | PA,QL(9 per 30 days) |
| IMITREX 6 MG/0.5 ML SOLUTION DL | 4 | PA,QL(6 per 30 days) |
| IMITREX STATDOSE PEN 4 MG/0.5 ML, 6 MG/0.5 ML PEN INJECTOR MO | 3 | PA,QL(6 per 30 days) |
| IMITREX STATDOSE REFILL 4 MG/0.5 ML, 6 MG/0.5 ML CARTRIDGE DL | 4 | PA,QL(6 per 30 days) |
| MAXALT 10 MG TABLET MO | 3 | PA,QL(12 per 30 days) |

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Paxlovid/Vaccine/Diabetic • ST – Step Therapy

| DRUG NAME | TIER | UTILIZATION MANAGEMENT REQUIREMENTS |
|--------------------------------------------------------------------------|------|-------------------------------------|
| MAXALT-MLT 10 MG TABLET, DISINTEGRATING MO | 3 | PA,QL(12 per 30 days) |
| migergot 2-100 mg SUPPOSITORY DL | 4 | QL(20 per 28 days) |
| MIGRALAN 0.5 MG/PUMP ACT. (4 MG/ML) SPRAY, NON-AEROSOL DL | 4 | QL(8 per 30 days) |
| naratriptan 1 mg, 2.5 mg TABLET MO | 1 | QL(9 per 30 days) |
| ONZETRA XSAIL 11 MG AEROSOL POWDER BREATH ACTIV. MO | 3 | ST,QL(16 per 30 days) |
| QUDEXY XR 100 MG, 50 MG CAPSULE ER SPRINKLE 24 HR. DL | 4 | PA,QL(30 per 30 days) |
| QUDEXY XR 150 MG, 200 MG CAPSULE ER SPRINKLE 24 HR. DL | 4 | PA,QL(60 per 30 days) |
| QUDEXY XR 25 MG CAPSULE ER SPRINKLE 24 HR. DL | 4 | PA,QL(90 per 30 days) |
| QULIPTA 10 MG, 30 MG, 60 MG TABLET MO | 3 | PA,QL(30 per 30 days) |
| RELPAX 20 MG, 40 MG TABLET DL | 4 | ST,QL(9 per 30 days) |
| REYVOW 100 MG TABLET MO | 3 | PA,QL(8 per 30 days) |
| REYVOW 50 MG TABLET MO | 3 | PA,QL(4 per 30 days) |
| rizatriptan 10 mg TABLET MO | 1 | QL(12 per 30 days) |
| rizatriptan 10 mg, 5 mg TABLET, DISINTEGRATING MO | 1 | QL(12 per 30 days) |
| rizatriptan 5 mg TABLET MO | 1 | QL(12 per 30 days) |
| sumatriptan 20 mg/actuation, 5 mg/actuation SPRAY, NON-AEROSOL MO | 1 | QL(12 per 30 days) |
| sumatriptan succinate 100 mg TABLET MO | 1 | QL(9 per 30 days) |
| sumatriptan succinate 25 mg, 50 mg TABLET MO | 1 | QL(9 per 30 days) |
| sumatriptan succinate 4 mg/0.5 ml, 6 mg/0.5 ml CARTRIDGE MO | 3 | QL(6 per 30 days) |
| sumatriptan succinate 4 mg/0.5 ml, 6 mg/0.5 ml PEN INJECTOR MO | 1 | QL(6 per 30 days) |
| sumatriptan succinate 6 mg/0.5 ml SOLUTION MO | 1 | QL(6 per 30 days) |
| sumatriptan succinate 6 mg/0.5 ml SYRINGE MO | 1 | QL(6 per 30 days) |
| sumatriptan-naproxen 85-500 mg TABLET MO | 1 | ST,QL(18 per 30 days) |
| TOPAMAX 100 MG, 200 MG, 50 MG TABLET | 4 | QL(120 per 30 days) |
| TOPAMAX 15 MG, 25 MG CAPSULE, SPRINKLE | 4 | |
| TOPAMAX 25 MG TABLET MO | 3 | QL(90 per 30 days) |
| topiramate 100 mg, 200 mg TABLET MO | 1 | QL(120 per 30 days) |
| topiramate 100 mg, 50 mg CAPSULE ER SPRINKLE 24 HR. MO | 3 | PA,QL(30 per 30 days) |
| topiramate 100 mg, 50 mg CAPSULE, ER 24 HR. MO | 1 | PA,QL(30 per 30 days) |
| topiramate 15 mg, 25 mg CAPSULE, SPRINKLE MO | 1 | |
| topiramate 150 mg, 200 mg CAPSULE ER SPRINKLE 24 HR. MO | 3 | PA,QL(60 per 30 days) |
| topiramate 200 mg CAPSULE, ER 24 HR. DL | 4 | PA,QL(60 per 30 days) |

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Paxlovid/Vaccine/Diabetic • ST – Step Therapy

| DRUG NAME | TIER | UTILIZATION MANAGEMENT REQUIREMENTS |
|--------------------------------------------------------------------|------|-------------------------------------|
| topiramate 25 mg CAPSULE ER SPRINKLE 24 HR. MO | 3 | PA,QL(90 per 30 days) |
| topiramate 25 mg CAPSULE, ER 24 HR. MO | 1 | PA,QL(90 per 30 days) |
| topiramate 25 mg TABLET MO | 1 | QL(90 per 30 days) |
| topiramate 50 mg TABLET MO | 1 | QL(120 per 30 days) |
| TOSYMRA 10 MG/ACTUATION SPRAY, NON-AEROSOL MO | 3 | ST,QL(12 per 30 days) |
| TREXIMET 85-500 MG TABLET DL | 4 | ST,QL(18 per 30 days) |
| TROKENDI XR 100 MG, 50 MG CAPSULE, ER 24 HR. | 4 | PA,QL(30 per 30 days) |
| TROKENDI XR 200 MG CAPSULE, ER 24 HR. | 4 | PA,QL(60 per 30 days) |
| TROKENDI XR 25 MG CAPSULE, ER 24 HR. | 4 | PA,QL(90 per 30 days) |
| TRUDHESA 0.725 MG/PUMP ACT. (4 MG/ML) SPRAY, NON-AEROSOL DL | 4 | PA,QL(8 per 30 days) |
| VYEPTI 100 MG/ML SOLUTION MO | 3 | PA,QL(3 per 90 days) |
| ZEMBRACE SYMTOUCH 3 MG/0.5 ML PEN INJECTOR DL | 4 | ST,QL(6 per 30 days) |
| zolmitriptan 2.5 mg TABLET MO | 1 | ST,QL(9 per 30 days) |
| zolmitriptan 2.5 mg TABLET, DISINTEGRATING MO | 1 | ST,QL(9 per 30 days) |
| zolmitriptan 2.5 mg, 5 mg SPRAY, NON-AEROSOL MO | 1 | ST,QL(12 per 30 days) |
| zolmitriptan 5 mg TABLET MO | 1 | ST,QL(6 per 30 days) |
| zolmitriptan 5 mg TABLET, DISINTEGRATING MO | 1 | ST,QL(6 per 30 days) |
| zomig 2.5 mg TABLET DL | 4 | ST,QL(9 per 30 days) |
| ZOMIG 2.5 MG TABLET DL | 4 | ST,QL(9 per 30 days) |
| ZOMIG 2.5 MG, 5 MG SPRAY, NON-AEROSOL MO | 3 | ST,QL(12 per 30 days) |
| zomig 5 mg TABLET DL | 4 | ST,QL(6 per 30 days) |
| ZOMIG 5 MG TABLET DL | 4 | ST,QL(6 per 30 days) |
| ANTIMYASTHENIC AGENTS | | |
| MESTINON 60 MG TABLET | 4 | PA |
| MESTINON 60 MG/5 ML SYRUP | 4 | |
| MESTINON TIMESPAN 180 MG TABLET ER | 4 | PA |
| pyridostigmine bromide 180 mg TABLET ER MO | 1 | |
| pyridostigmine bromide 30 mg, 60 mg TABLET MO | 1 | |
| pyridostigmine bromide 60 mg/5 ml SYRUP MO | 1 | |
| REGONOL 5 MG/ML SOLUTION MO | 3 | |
| ANTIMYCOTBACTERIALS | | |
| cycloserine 250 mg CAPSULE DL | 4 | |

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Paxlovid/Vaccine/Diabetic • ST – Step Therapy

| DRUG NAME | TIER | UTILIZATION MANAGEMENT REQUIREMENTS |
|-------------------------------------------------------------------|------|-------------------------------------|
| dapsone 100 mg, 25 mg TABLET MO | 1 | |
| ethambutol 100 mg, 400 mg TABLET MO | 1 | |
| isoniazid 100 mg, 300 mg TABLET MO | 1 | |
| isoniazid 100 mg/ml, 50 mg/5 ml SOLUTION MO | 1 | |
| MYAMBUTOL 400 MG TABLET MO | 3 | |
| MYCOBUTIN 150 MG CAPSULE MO | 3 | |
| PASER 4 GRAM DR GRANULES IN PACKET MO | 1 | |
| PRETOMANID 200 MG TABLET MO | 3 | PA,QL(30 per 30 days) |
| PRIFTIN 150 MG TABLET MO | 3 | |
| pyrazinamide 500 mg TABLET MO | 1 | |
| rifabutin 150 mg CAPSULE MO | 1 | |
| RIFADIN 600 MG RECON SOLUTION MO | 3 | |
| rifampin 150 mg, 300 mg CAPSULE MO | 1 | |
| rifampin 600 mg RECON SOLUTION MO | 1 | |
| SIRTURO 100 MG, 20 MG TABLET DL | 4 | PA |
| TRECATOR 250 MG TABLET MO | 3 | |
| ANTINEOPLASTICS | | |
| abiraterone 250 mg TABLET DL | 4 | PA,QL(120 per 30 days) |
| abiraterone 500 mg TABLET DL | 4 | PA,QL(60 per 30 days) |
| ABRAXANE 100 MG SUSPENSION FOR RECONSTITUTION DL | 4 | PA |
| ADCETRIS 50 MG RECON SOLUTION DL | 4 | PA |
| ADRIAMYCIN 50 MG RECON SOLUTION MO | 1 | BvsD |
| adrucil 2.5 gram/50 ml SOLUTION MO | 1 | BvsD |
| AFINITOR 10 MG, 2.5 MG, 5 MG, 7.5 MG TABLET DL | 4 | PA,QL(30 per 30 days) |
| AFINITOR DISPERZ 2 MG, 3 MG, 5 MG TABLET FOR SUSPENSION DL | 4 | PA |
| AKEEGA 100-500 MG, 50-500 MG TABLET DL | 4 | PA,QL(60 per 30 days) |
| ALECensa 150 MG CAPSULE DL | 4 | PA,QL(240 per 30 days) |
| ALIMTA 100 MG, 500 MG RECON SOLUTION DL | 4 | PA |
| ALIQOPA 60 MG RECON SOLUTION DL | 4 | PA,QL(3 per 28 days) |
| ALKERAN 2 MG TABLET MO | 3 | BvsD |
| ALKERAN (AS HCl) 50 MG RECON SOLUTION MO | 3 | |
| ALUNBRIG 180 MG, 90 MG TABLET DL | 4 | PA,QL(30 per 30 days) |

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Paxlovid/Vaccine/Diabetic • ST – Step Therapy

| DRUG NAME | TIER | UTILIZATION MANAGEMENT REQUIREMENTS |
|---------------------------------------------------------------|------|-------------------------------------|
| ALUNBRIG 30 MG TABLET DL | 4 | PA,QL(180 per 30 days) |
| ALUNBRIG 90 MG (7)- 180 MG (23) TABLET, DOSE PACK DL | 4 | PA,QL(30 per 30 days) |
| ALYMSYS 25 MG/ML SOLUTION DL | 4 | PA |
| anastrozole 1 mg TABLET MO | 1 | QL(30 per 30 days) |
| ARIMIDEX 1 MG TABLET DL | 4 | PA,QL(30 per 30 days) |
| AROMASIN 25 MG TABLET DL | 4 | PA,QL(60 per 30 days) |
| ARRANON 250 MG/50 ML SOLUTION DL | 4 | |
| arsenic trioxide 1 mg/ml, 2 mg/ml SOLUTION DL | 4 | PA |
| ASPARLAS 750 UNIT/ML SOLUTION DL | 4 | PA |
| AUGTYRO 40 MG CAPSULE DL | 4 | PA,QL(240 per 30 days) |
| AVASTIN 25 MG/ML SOLUTION DL | 4 | PA |
| AYVAKIT 100 MG, 200 MG, 25 MG, 300 MG, 50 MG TABLET DL | 4 | PA,QL(30 per 30 days) |
| azacitidine 100 mg RECON SOLUTION DL | 4 | PA |
| BALVERSA 3 MG TABLET DL | 4 | PA,QL(90 per 30 days) |
| BALVERSA 4 MG TABLET DL | 4 | PA,QL(60 per 30 days) |
| BALVERSA 5 MG TABLET DL | 4 | PA,QL(30 per 30 days) |
| BAVENCIO 20 MG/ML SOLUTION DL | 4 | PA |
| BELEODAQ 500 MG RECON SOLUTION DL | 4 | PA |
| BELRAPZO 25 MG/ML SOLUTION DL | 4 | PA |
| bendamustine 100 mg, 25 mg RECON SOLUTION DL | 4 | PA |
| bendamustine 25 mg/ml SOLUTION DL | 4 | PA |
| BENDEKA 25 MG/ML SOLUTION DL | 4 | PA |
| BESPONSA 0.9 MG (0.25 MG/ML INITIAL) RECON SOLUTION DL | 4 | PA |
| bexarotene 1 % GEL DL | 4 | PA,QL(240 per 30 days) |
| bexarotene 75 mg CAPSULE DL | 4 | PA,QL(300 per 30 days) |
| bicalutamide 50 mg TABLET MO | 1 | QL(30 per 30 days) |
| BICNU 100 MG RECON SOLUTION MO | 3 | |
| bleomycin 15 unit, 30 unit RECON SOLUTION MO | 1 | BvsD |
| BORTEZOMIB 1 MG, 2.5 MG RECON SOLUTION DL | 4 | PA |
| bortezomib 3.5 mg RECON SOLUTION DL | 4 | PA |
| BOSULIF 100 MG CAPSULE DL | 4 | PA,QL(180 per 30 days) |
| BOSULIF 100 MG TABLET DL | 4 | PA,QL(120 per 30 days) |

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order
 • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Paxlovid/Vaccine/Diabetic • ST – Step Therapy

| DRUG NAME | TIER | UTILIZATION MANAGEMENT REQUIREMENTS |
|--------------------------------------------------------------------|------|-------------------------------------|
| BOSULIF 400 MG, 500 MG TABLET DL | 4 | PA,QL(30 per 30 days) |
| BOSULIF 50 MG CAPSULE DL | 4 | PA,QL(360 per 30 days) |
| BRAFTOVI 75 MG CAPSULE DL | 4 | PA,QL(180 per 30 days) |
| BRUKINSA 80 MG CAPSULE DL | 4 | PA,QL(120 per 30 days) |
| busulfan 60 mg/10 ml SOLUTION MO | 1 | |
| BUSULFEX 60 MG/10 ML SOLUTION MO | 3 | |
| CABOMETYX 20 MG, 40 MG, 60 MG TABLET DL | 4 | PA,QL(30 per 30 days) |
| CALQUENCE 100 MG CAPSULE DL | 4 | PA,QL(60 per 30 days) |
| CALQUENCE (ACALABRUTINIB MAL) 100 MG TABLET DL | 4 | PA,QL(60 per 30 days) |
| CAMPTOSAR 100 MG/5 ML, 300 MG/15 ML, 40 MG/2 ML SOLUTION DL | 4 | |
| CAPRELSA 100 MG TABLET DL,LA | 4 | PA,QL(60 per 30 days) |
| CAPRELSA 300 MG TABLET DL,LA | 4 | PA,QL(30 per 30 days) |
| carboplatin 10 mg/ml SOLUTION MO | 1 | |
| carmustine 100 mg RECON SOLUTION MO | 1 | |
| CASODEX 50 MG TABLET DL | 4 | QL(30 per 30 days) |
| cisplatin 1 mg/ml SOLUTION MO | 1 | |
| cladribine 10 mg/10 ml SOLUTION DL | 4 | BvsD |
| clofarabine 1 mg/ml SOLUTION DL | 4 | |
| CLOLAR 1 MG/ML SOLUTION DL | 4 | |
| COLUMVI 1 MG/ML SOLUTION DL | 4 | PA |
| COMETRIQ 100 MG/DAY(80 MG X1-20 MG X1) CAPSULE DL | 4 | PA,QL(56 per 28 days) |
| COMETRIQ 140 MG/DAY(80 MG X1-20 MG X3) CAPSULE DL | 4 | PA,QL(112 per 28 days) |
| COMETRIQ 60 MG/DAY (20 MG X 3/DAY) CAPSULE DL | 4 | PA,QL(84 per 28 days) |
| COPIKTRA 15 MG, 25 MG CAPSULE DL | 4 | PA,QL(56 per 28 days) |
| COSMEGEN 0.5 MG RECON SOLUTION DL | 4 | |
| COTELLIC 20 MG TABLET DL | 4 | PA,QL(63 per 28 days) |
| cyclophosphamide 1 gram, 2 gram, 500 mg RECON SOLUTION MO | 1 | BvsD |
| CYCLOPHOSPHAMIDE 100 MG/ML, 200 MG/ML SOLUTION MO | 1 | BvsD |
| cyclophosphamide 200 mg/ml, 500 mg/ml SOLUTION MO | 1 | BvsD |
| cyclophosphamide 25 mg, 50 mg CAPSULE MO | 1 | BvsD |
| cyclophosphamide 25 mg, 50 mg TABLET MO | 1 | BvsD |
| CYRAMZA 10 MG/ML SOLUTION DL | 4 | PA |

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Paxlovid/Vaccine/Diabetic • ST – Step Therapy

| DRUG NAME | TIER | UTILIZATION MANAGEMENT REQUIREMENTS |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|-------------------------------------|
| cytarabine 20 mg/ml SOLUTION MO | 1 | BvsD |
| cytarabine (pf) 100 mg/5 ml (20 mg/ml), 2 gram/20 ml (100 mg/ml), 20 mg/ml SOLUTION MO | 1 | BvsD |
| dacarbazine 100 mg, 200 mg RECON SOLUTION MO | 1 | |
| DACOGEN 50 MG RECON SOLUTION DL | 4 | PA |
| dactinomycin 0.5 mg RECON SOLUTION DL | 4 | |
| DANYELZA 4 MG/ML SOLUTION DL | 4 | PA,QL(120 per 28 days) |
| DARZALEX 20 MG/ML SOLUTION DL | 4 | PA |
| DARZALEX FASPRO 1,800 MG-30,000 UNIT/15 ML SOLUTION DL | 4 | PA |
| daunorubicin 5 mg/ml SOLUTION MO | 1 | |
| DAURISMO 100 MG TABLET DL | 4 | PA,QL(30 per 30 days) |
| DAURISMO 25 MG TABLET DL | 4 | PA,QL(60 per 30 days) |
| decitabine 50 mg RECON SOLUTION DL | 4 | PA |
| dexrazoxane hcl 250 mg, 500 mg RECON SOLUTION MO | 1 | |
| DOCEFREZ 20 MG RECON SOLUTION MO | 3 | |
| DOCEFREZ 80 MG RECON SOLUTION DL | 4 | |
| docetaxel 160 mg/16 ml (10 mg/ml), 160 mg/8 ml (20 mg/ml), 20 mg/2 ml (10 mg/ml), 20 mg/ml (1 ml), 80 mg/4 ml (20 mg/ml), 80 mg/8 ml (10 mg/ml) SOLUTION MO | 1 | |
| DOXIL 2 MG/ML SUSPENSION DL | 4 | PA |
| doxorubicin 10 mg, 50 mg RECON SOLUTION MO | 1 | BvsD |
| doxorubicin 10 mg/5 ml, 2 mg/ml, 20 mg/10 ml, 50 mg/25 ml SOLUTION MO | 1 | BvsD |
| doxorubicin, peg-liposomal 2 mg/ml SUSPENSION DL | 4 | PA |
| ELITEK 1.5 MG, 7.5 MG RECON SOLUTION DL | 4 | PA |
| ELLENCE 200 MG/100 ML, 50 MG/25 ML SOLUTION DL | 4 | |
| ELREXFIO 40 MG/ML SOLUTION DL | 4 | PA |
| ELZONRIS 1,000 MCG/ML SOLUTION DL | 4 | PA,QL(10 per 21 days) |
| EMCYT 140 MG CAPSULE MO | 3 | |
| EMPICLITI 300 MG, 400 MG RECON SOLUTION DL | 4 | PA |
| ENHERTU 100 MG RECON SOLUTION DL | 4 | PA |
| epirubicin 200 mg/100 ml, 50 mg/25 ml SOLUTION MO | 1 | |
| EPKINLY 4 MG/0.8 ML, 48 MG/0.8 ML SOLUTION DL | 4 | PA |
| ERBITUX 100 MG/50 ML, 200 MG/100 ML SOLUTION DL | 4 | PA |

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Paxlovid/Vaccine/Diabetic • ST – Step Therapy

| DRUG NAME | TIER | UTILIZATION MANAGEMENT REQUIREMENTS |
|----------------------------------------------------------------------------------------------|------|-------------------------------------|
| eribulin 1 mg/2 ml (0.5 mg/ml) SOLUTION DL | 4 | |
| ERIVEDGE 150 MG CAPSULE DL | 4 | PA,QL(28 per 28 days) |
| ERLEADA 240 MG TABLET DL | 4 | PA,QL(30 per 30 days) |
| ERLEADA 60 MG TABLET DL | 4 | PA,QL(120 per 30 days) |
| erlotinib 100 mg, 150 mg TABLET MO | 1 | PA,QL(30 per 30 days) |
| erlotinib 25 mg TABLET MO | 1 | PA,QL(90 per 30 days) |
| ETHYOL 500 MG RECON SOLUTION DL | 4 | |
| ETOPOPHOS 100 MG RECON SOLUTION MO | 3 | |
| etoposide 20 mg/ml SOLUTION MO | 1 | |
| EULEXIN 125 MG CAPSULE DL | 4 | PA |
| everolimus (antineoplastic) 10 mg, 2.5 mg, 5 mg, 7.5 mg TABLET DL | 4 | PA,QL(30 per 30 days) |
| everolimus (antineoplastic) 2 mg, 3 mg, 5 mg TABLET FOR SUSPENSION DL | 4 | PA |
| EVOMELA 50 MG RECON SOLUTION DL | 4 | |
| exemestane 25 mg TABLET MO | 1 | QL(60 per 30 days) |
| EXKIVITY 40 MG CAPSULE DL | 4 | PA,QL(120 per 30 days) |
| FARESTON 60 MG TABLET DL | 4 | QL(30 per 30 days) |
| FASLODEX 250 MG/5 ML SYRINGE DL | 4 | PA,QL(30 per 30 days) |
| FEMARA 2.5 MG TABLET MO | 3 | PA,QL(30 per 30 days) |
| flouxuridine 0.5 gram RECON SOLUTION MO | 1 | BvsD |
| fludarabine 50 mg RECON SOLUTION MO | 1 | |
| fludarabine 50 mg/2 ml SOLUTION DL | 4 | |
| fluorouracil 1 gram/20 ml, 2.5 gram/50 ml, 5 gram/100 ml, 500 mg/10 ml SOLUTION MO | 1 | BvsD |
| flutamide 125 mg CAPSULE MO | 1 | |
| FOLOTYN 20 MG/ML (1 ML), 40 MG/2 ML (20 MG/ML) SOLUTION DL | 4 | PA |
| FOTIVDA 0.89 MG, 1.34 MG CAPSULE DL | 4 | PA,QL(21 per 28 days) |
| FRUZAQLA 1 MG CAPSULE DL | 4 | PA,QL(84 per 28 days) |
| FRUZAQLA 5 MG CAPSULE DL | 4 | PA,QL(21 per 28 days) |
| fulvestrant 250 mg/5 ml SYRINGE MO | 1 | PA,QL(30 per 30 days) |
| FUSILEV 50 MG RECON SOLUTION DL | 4 | PA |
| FYARRO 100 MG SUSPENSION FOR RECONSTITUTION DL | 4 | PA |
| GAVRETO 100 MG CAPSULE DL,LA | 4 | PA,QL(120 per 30 days) |

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Paxlovid/Vaccine/Diabetic • ST – Step Therapy

| DRUG NAME | TIER | UTILIZATION MANAGEMENT REQUIREMENTS |
|----------------------------------------------------------------------------------------------------------------|------|-------------------------------------|
| GAZYVA 1,000 MG/40 ML SOLUTION DL | 4 | PA,QL(120 per 28 days) |
| gefitinib 250 mg TABLET DL | 4 | PA,QL(30 per 30 days) |
| gemcitabine 1 gram, 2 gram, 200 mg RECON SOLUTION MO | 1 | |
| gemcitabine 1 gram/26.3 ml (38 mg/ml), 2 gram/52.6 ml (38 mg/ml), 200 mg/5.26 ml (38 mg/ml) SOLUTION MO | 1 | |
| GILOTRIF 20 MG, 30 MG, 40 MG TABLET DL,LA | 4 | PA,QL(30 per 30 days) |
| GLEEVEC 100 MG TABLET DL | 4 | PA,QL(90 per 30 days) |
| GLEEVEC 400 MG TABLET DL | 4 | PA,QL(60 per 30 days) |
| GLEOSTINE 10 MG, 40 MG CAPSULE | 4 | PA |
| GLEOSTINE 100 MG CAPSULE DL | 4 | PA |
| HALAVEN 1 MG/2 ML (0.5 MG/ML) SOLUTION DL | 4 | |
| HERCEPTIN 150 MG RECON SOLUTION DL | 4 | PA |
| HERCEPTIN HYLECTA 600 MG-10,000 UNIT/5 ML SOLUTION DL | 4 | PA,QL(5 per 21 days) |
| HERZUMA 150 MG, 420 MG RECON SOLUTION DL | 4 | PA |
| HYCAMTIN 4 MG RECON SOLUTION DL | 4 | |
| HYDREA 500 MG CAPSULE MO | 3 | |
| hydroxyurea 500 mg CAPSULE MO | 1 | |
| IBRANCE 100 MG, 125 MG, 75 MG CAPSULE DL | 4 | PA,QL(21 per 28 days) |
| IBRANCE 100 MG, 125 MG, 75 MG TABLET DL | 4 | PA,QL(21 per 28 days) |
| ICLUSIG 10 MG, 30 MG, 45 MG TABLET DL | 4 | PA,QL(30 per 30 days) |
| ICLUSIG 15 MG TABLET DL | 4 | PA,QL(60 per 30 days) |
| IDAMYCIN PFS 1 MG/ML SOLUTION DL | 4 | |
| idarubicin 1 mg/ml SOLUTION DL | 4 | |
| IDHIFA 100 MG, 50 MG TABLET DL | 4 | PA,QL(30 per 30 days) |
| IFEX 1 GRAM, 3 GRAM RECON SOLUTION MO | 3 | |
| ifosfamide 1 gram, 3 gram RECON SOLUTION MO | 1 | |
| ifosfamide 1 gram/20 ml, 3 gram/60 ml SOLUTION MO | 1 | |
| imatinib 100 mg TABLET DL | 4 | PA,QL(90 per 30 days) |
| imatinib 400 mg TABLET DL | 4 | PA,QL(60 per 30 days) |
| IMBRUVICA 140 MG CAPSULE DL | 4 | PA,QL(120 per 30 days) |
| IMBRUVICA 420 MG, 560 MG TABLET DL | 4 | PA,QL(28 per 28 days) |
| IMBRUVICA 70 MG CAPSULE DL | 4 | PA,QL(28 per 28 days) |

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Paxlovid/Vaccine/Diabetic • ST – Step Therapy

| DRUG NAME | TIER | UTILIZATION MANAGEMENT REQUIREMENTS |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|-------------------------------------|
| IMBRUVICA 70 MG/ML SUSPENSION DL | 4 | PA |
| IMFINZI 50 MG/ML SOLUTION DL | 4 | PA |
| IMJUDO 20 MG/ML SOLUTION DL | 4 | PA |
| IMLYGIC 10EXP6 (1 MILLION) PFU/ML SUSPENSION DL | 4 | PA,QL(4 per 365 days) |
| IMLYGIC 10EXP8 (100 MILLION) PFU/ML SUSPENSION DL | 4 | PA,QL(8 per 28 days) |
| INFUGEM 1,200 MG/120 ML (10 MG/ML), 1,300 MG/130 ML (10 MG/ML), 1,400 MG/140 ML (10 MG/ML), 1,500 MG/150 ML (10 MG/ML), 1,600 MG/160 ML (10 MG/ML), 1,700 MG/170 ML (10 MG/ML), 1,800 MG/180 ML (10 MG/ML), 1,900 MG/190 ML (10 MG/ML), 2,000 MG/200 ML (10 MG/ML), 2,200 MG/220 ML (10 MG/ML) PIGGYBACK DL | 4 | |
| INLYTA 1 MG TABLET DL | 4 | PA,QL(180 per 30 days) |
| INLYTA 5 MG TABLET DL | 4 | PA,QL(60 per 30 days) |
| INQOVI 35-100 MG TABLET DL | 4 | PA,QL(5 per 28 days) |
| INREBIC 100 MG CAPSULE DL | 4 | PA,QL(120 per 30 days) |
| IRESSA 250 MG TABLET DL | 4 | PA,QL(30 per 30 days) |
| irinotecan 100 mg/5 ml, 300 mg/15 ml, 40 mg/2 ml, 500 mg/25 ml SOLUTION MO | 1 | |
| ISTODAX 10 MG/2 ML RECON SOLUTION DL | 4 | PA |
| IWLIFIN 192 MG TABLET DL | 4 | PA,QL(240 per 30 days) |
| IXEMPRA 15 MG, 45 MG RECON SOLUTION DL | 4 | PA |
| JAKAFI 10 MG, 15 MG, 20 MG, 25 MG, 5 MG TABLET DL | 4 | PA,QL(60 per 30 days) |
| JAYPIRCA 100 MG, 50 MG TABLET DL | 4 | PA,QL(90 per 30 days) |
| JEMPERLI 50 MG/ML SOLUTION | 4 | PA,QL(20 per 42 days) |
| JEVTANA 10 MG/ML (FIRST DILUTION) SOLUTION DL | 4 | PA |
| KADCYLA 100 MG, 160 MG RECON SOLUTION DL | 4 | PA |
| KANJINTI 150 MG, 420 MG RECON SOLUTION DL | 4 | PA |
| KEYTRUDA 25 MG/ML SOLUTION DL | 4 | PA |
| KHAPZORY 175 MG, 300 MG RECON SOLUTION DL | 4 | PA |
| KIMMTRAK 100 MCG/0.5 ML SOLUTION DL | 4 | PA |
| KISQALI 200 MG/DAY (200 MG X 1) TABLET DL | 4 | PA,QL(21 per 28 days) |
| KISQALI 400 MG/DAY (200 MG X 2) TABLET DL | 4 | PA,QL(42 per 28 days) |
| KISQALI 600 MG/DAY (200 MG X 3) TABLET DL | 4 | PA,QL(63 per 28 days) |
| KISQALI FEMARA CO-PACK 200 MG/DAY(200 MG X 1)-2.5 MG TABLET DL | 4 | PA,QL(49 per 28 days) |

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Paxlovid/Vaccine/Diabetic • ST – Step Therapy

| DRUG NAME | TIER | UTILIZATION MANAGEMENT REQUIREMENTS |
|--------------------------------------------------------------------------------------------------------------|------|-------------------------------------|
| KISQALI FEMARA CO-PACK 400 MG/DAY(200 MG X 2)-2.5 MG TABLET DL | 4 | PA,QL(70 per 28 days) |
| KISQALI FEMARA CO-PACK 600 MG/DAY(200 MG X 3)-2.5 MG TABLET DL | 4 | PA,QL(91 per 28 days) |
| KOSELUGO 10 MG CAPSULE DL | 4 | PA,QL(240 per 30 days) |
| KOSELUGO 25 MG CAPSULE DL | 4 | PA,QL(120 per 30 days) |
| KRAZATI 200 MG TABLET DL | 4 | PA,QL(180 per 30 days) |
| KYPROLIS 10 MG RECON SOLUTION DL | 4 | PA,QL(6 per 28 days) |
| KYPROLIS 30 MG RECON SOLUTION DL | 4 | PA,QL(3 per 28 days) |
| KYPROLIS 60 MG RECON SOLUTION DL | 4 | PA,QL(12 per 28 days) |
| lapatinib 250 mg TABLET DL | 4 | PA,QL(180 per 30 days) |
| lenalidomide 10 mg, 15 mg, 2.5 mg, 20 mg, 25 mg, 5 mg CAPSULE DL | 4 | PA,QL(28 per 28 days) |
| LENVIMA 10 MG/DAY (10 MG X 1), 4 MG CAPSULE DL | 4 | PA,QL(30 per 30 days) |
| LENVIMA 12 MG/DAY (4 MG X 3), 18 MG/DAY (10 MG X 1-4 MG X2), 24 MG/DAY(10 MG X 2-4 MG X 1) CAPSULE DL | 4 | PA,QL(90 per 30 days) |
| LENVIMA 14 MG/DAY(10 MG X 1-4 MG X 1), 20 MG/DAY (10 MG X 2), 8 MG/DAY (4 MG X 2) CAPSULE DL | 4 | PA,QL(60 per 30 days) |
| letrozole 2.5 mg TABLET MO | 1 | QL(30 per 30 days) |
| leucovorin calcium 10 mg, 15 mg, 25 mg, 5 mg TABLET MO | 1 | |
| leucovorin calcium 10 mg/ml SOLUTION MO | 1 | |
| leucovorin calcium 100 mg, 200 mg, 350 mg, 50 mg, 500 mg RECON SOLUTION MO | 1 | |
| LEUKERAN 2 MG TABLET DL | 4 | |
| levoleucovorin calcium 10 mg/ml SOLUTION MO | 1 | PA |
| levoleucovorin calcium 50 mg RECON SOLUTION MO | 1 | PA |
| LEVULAN 20 % SOLUTION MO | 3 | |
| LIBTAYO 50 MG/ML SOLUTION DL | 4 | PA,QL(7 per 21 days) |
| LONSURF 15-6.14 MG TABLET DL | 4 | PA,QL(100 per 30 days) |
| LONSURF 20-8.19 MG TABLET DL | 4 | PA,QL(80 per 30 days) |
| LOQTORZI 240 MG/6 ML (40 MG/ML) SOLUTION DL | 4 | PA |
| LORBRENA 100 MG TABLET DL | 4 | PA,QL(30 per 30 days) |
| LORBRENA 25 MG TABLET DL | 4 | PA,QL(90 per 30 days) |
| LUMAKRAS 120 MG TABLET DL | 4 | PA,QL(240 per 30 days) |
| LUMAKRAS 320 MG TABLET DL | 4 | PA,QL(90 per 30 days) |
| LUNSUMIO 1 MG/ML SOLUTION DL | 4 | PA |

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Paxlovid/Vaccine/Diabetic • ST – Step Therapy

| DRUG NAME | TIER | UTILIZATION MANAGEMENT REQUIREMENTS |
|-----------------------------------------------------------------|------|-------------------------------------|
| LYNPARZA 100 MG, 150 MG TABLET DL | 4 | PA,QL(120 per 30 days) |
| LYTGOBI 4 MG TABLET DL | 4 | PA,QL(140 per 28 days) |
| MARGENZA 25 MG/ML SOLUTION DL | 4 | PA |
| MATULANE 50 MG CAPSULE DL | 4 | |
| MEKINIST 0.05 MG/ML RECON SOLUTION DL | 4 | PA,QL(1170 per 28 days) |
| MEKINIST 0.5 MG TABLET DL | 4 | PA,QL(120 per 30 days) |
| MEKINIST 2 MG TABLET DL | 4 | PA,QL(30 per 30 days) |
| MEKTOVI 15 MG TABLET DL | 4 | PA,QL(180 per 30 days) |
| melphalan 2 mg TABLET MO | 1 | BvsD |
| melphalan hcl 50 mg RECON SOLUTION MO | 1 | |
| mercaptopurine 50 mg TABLET MO | 1 | |
| mesna 100 mg/ml SOLUTION MO | 1 | |
| MESNEX 100 MG/ML SOLUTION DL | 4 | |
| MESNEX 400 MG TABLET MO | 3 | |
| mitomycin 20 mg, 40 mg, 5 mg RECON SOLUTION DL | 4 | |
| mitoxantrone 2 mg/ml CONCENTRATE MO | 1 | |
| MUTAMYCIN 20 MG, 40 MG, 5 MG RECON SOLUTION DL | 4 | |
| MVASI 25 MG/ML SOLUTION DL | 4 | PA |
| MYLOTARG 4.5 MG (1 MG/ML INITIAL CONC) RECON SOLUTION DL | 4 | PA |
| nelarabine 250 mg/50 ml SOLUTION DL | 4 | |
| NERLYNX 40 MG TABLET DL | 4 | PA,QL(180 per 30 days) |
| NEXAVAR 200 MG TABLET DL | 4 | PA,QL(120 per 30 days) |
| NILANDRON 150 MG TABLET DL | 4 | PA,QL(60 per 30 days) |
| nilutamide 150 mg TABLET DL | 4 | QL(60 per 30 days) |
| NINLARO 2.3 MG, 3 MG, 4 MG CAPSULE DL | 4 | PA,QL(3 per 28 days) |
| NIPENT 10 MG RECON SOLUTION DL | 4 | |
| NUBEQA 300 MG TABLET DL | 4 | PA,QL(120 per 30 days) |
| ODOMZO 200 MG CAPSULE DL | 4 | PA,QL(30 per 30 days) |
| OGIVRI 150 MG, 420 MG RECON SOLUTION DL | 4 | PA |
| OGSIVEO 100 MG, 150 MG TABLET DL | 4 | PA,QL(60 per 30 days) |
| OGSIVEO 50 MG TABLET DL | 4 | PA,QL(180 per 30 days) |
| OJJAARA 100 MG, 150 MG, 200 MG TABLET DL | 4 | PA,QL(30 per 30 days) |

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Paxlovid/Vaccine/Diabetic • ST – Step Therapy

| DRUG NAME | TIER | UTILIZATION MANAGEMENT REQUIREMENTS |
|----------------------------------------------------------------------------------|------|-------------------------------------|
| ONCASPAR 750 UNIT/ML SOLUTION DL | 4 | PA |
| ONIVYDE 4.3 MG/ML DISPERSION DL | 4 | PA |
| ONTRUZANT 150 MG, 420 MG RECON SOLUTION DL | 4 | PA |
| ONUREG 200 MG, 300 MG TABLET DL | 4 | PA,QL(14 per 28 days) |
| OPDIVO 100 MG/10 ML SOLUTION DL | 4 | PA,QL(40 per 28 days) |
| OPDIVO 120 MG/12 ML, 240 MG/24 ML SOLUTION DL | 4 | PA,QL(48 per 28 days) |
| OPDIVO 40 MG/4 ML SOLUTION DL | 4 | PA,QL(16 per 28 days) |
| OPDUALAG 240-80 MG/20 ML SOLUTION DL | 4 | PA,QL(40 per 28 days) |
| ORSERDU 345 MG TABLET DL | 4 | PA,QL(30 per 30 days) |
| ORSERDU 86 MG TABLET DL | 4 | PA,QL(90 per 30 days) |
| oxaliplatin 100 mg, 50 mg RECON SOLUTION MO | 1 | |
| oxaliplatin 100 mg/20 ml, 200 mg/40 ml, 50 mg/10 ml (5 mg/ml) SOLUTION MO | 1 | |
| paclitaxel 6 mg/ml CONCENTRATE MO | 1 | |
| paclitaxel protein-bound 100 mg SUSPENSION FOR RECONSTITUTION DL | 4 | PA |
| PADCEV 20 MG RECON SOLUTION DL | 4 | PA,QL(21 per 28 days) |
| PADCEV 30 MG RECON SOLUTION DL | 4 | PA,QL(15 per 28 days) |
| PANRETIN 0.1 % GEL DL | 4 | PA |
| paraplatin 10 mg/ml SOLUTION MO | 1 | |
| pazopanib 200 mg TABLET DL | 4 | PA,QL(120 per 30 days) |
| PEDMARK 12.5 GRAM/100ML (125 MG/ML) SOLUTION DL | 4 | PA |
| PEMAZYRE 13.5 MG, 4.5 MG, 9 MG TABLET DL | 4 | PA,QL(28 per 28 days) |
| pemetrexed 1 gram, 100 mg, 500 mg RECON SOLUTION DL | 4 | PA |
| pemetrexed 25 mg/ml SOLUTION DL | 4 | PA,QL(120 per 21 days) |
| pemetrexed disodium 1,000 mg, 100 mg, 500 mg, 750 mg RECON SOLUTION DL | 4 | PA |
| pemetrexed disodium 25 mg/ml SOLUTION DL | 4 | PA |
| PEMRYDI RTU 10 MG/ML SOLUTION DL | 4 | PA |
| PERJETA 420 MG/14 ML (30 MG/ML) SOLUTION DL | 4 | PA |
| PHESGO 1,200 MG-600MG- 30000 UNIT/15ML SOLUTION DL | 4 | PA,QL(15 per 21 days) |
| PHESGO 600 MG-600 MG- 20000 UNIT/10ML SOLUTION DL | 4 | PA,QL(10 per 21 days) |
| PIQRAY 200 MG/DAY (200 MG X 1) TABLET DL | 4 | PA,QL(28 per 28 days) |
| PIQRAY 250 MG/DAY (200 MG X1-50 MG X1), 300 MG/DAY (150 MG X 2) TABLET DL | 4 | PA,QL(56 per 28 days) |

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Paxlovid/Vaccine/Diabetic • ST – Step Therapy

| DRUG NAME | TIER | UTILIZATION MANAGEMENT REQUIREMENTS |
|------------------------------------------------------------------------|------|-------------------------------------|
| POLIVY 140 MG RECON SOLUTION DL | 4 | PA,QL(2 per 21 days) |
| POLIVY 30 MG RECON SOLUTION DL | 4 | PA,QL(8 per 21 days) |
| POMALYST 1 MG, 2 MG, 3 MG, 4 MG CAPSULE DL | 4 | PA,QL(21 per 28 days) |
| PORTRAZZA 800 MG/50 ML (16 MG/ML) SOLUTION DL | 4 | PA,QL(100 per 21 days) |
| POTELIGEO 4 MG/ML SOLUTION DL | 4 | PA |
| pralatrexate 20 mg/ml (1 ml), 40 mg/2 ml (20 mg/ml) SOLUTION DL | 4 | PA |
| PROLEUKIN 22 MILLION UNIT RECON SOLUTION DL | 4 | |
| PURIXAN 20 MG/ML SUSPENSION DL | 4 | QL(300 per 30 days) |
| QINLOCK 50 MG TABLET DL | 4 | PA,QL(90 per 30 days) |
| RETEVMO 40 MG CAPSULE DL | 4 | PA,QL(180 per 30 days) |
| RETEVMO 80 MG CAPSULE DL | 4 | PA,QL(120 per 30 days) |
| REZLIDHIA 150 MG CAPSULE DL | 4 | PA,QL(60 per 30 days) |
| RIABNI 10 MG/ML SOLUTION DL | 4 | PA |
| RITUXAN 10 MG/ML CONCENTRATE DL | 4 | PA |
| RITUXAN HYCELA 1400 MG/11.7 ML (120 MG/ML) SOLUTION DL | 4 | PA,QL(46.8 per 28 days) |
| RITUXAN HYCELA 1600 MG/13.4 ML (120 MG/ML) SOLUTION DL | 4 | PA,QL(13.4 per 28 days) |
| romidepsin 10 mg/2 ml RECON SOLUTION DL | 4 | PA |
| ROMIDEPSIN 5 MG/ML SOLUTION DL | 4 | PA |
| ROZLYTREK 100 MG CAPSULE DL | 4 | PA,QL(150 per 30 days) |
| ROZLYTREK 200 MG CAPSULE DL | 4 | PA,QL(90 per 30 days) |
| ROZLYTREK 50 MG PELLETS IN PACKET DL | 4 | PA,QL(360 per 30 days) |
| RUBRACA 200 MG, 250 MG, 300 MG TABLET DL | 4 | PA,QL(120 per 30 days) |
| RUXIENCE 10 MG/ML SOLUTION DL | 4 | PA |
| RYBREVANT 50 MG/ML SOLUTION DL | 4 | PA,QL(784 per 365 days) |
| RYDAPT 25 MG CAPSULE DL | 4 | PA,QL(224 per 28 days) |
| RYLAZE 10 MG/0.5 ML SOLUTION DL | 4 | PA |
| SARCLISA 20 MG/ML SOLUTION DL | 4 | PA |
| SCEMBLIX 20 MG TABLET DL | 4 | PA,QL(60 per 30 days) |
| SCEMBLIX 40 MG TABLET DL | 4 | PA,QL(300 per 30 days) |
| SOLTAMOX 20 MG/10 ML SOLUTION DL | 4 | |
| sorafenib 200 mg TABLET DL | 4 | PA,QL(120 per 30 days) |
| SPRYCEL 100 MG, 50 MG, 70 MG, 80 MG TABLET DL | 4 | PA,QL(60 per 30 days) |

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Paxlovid/Vaccine/Diabetic • ST – Step Therapy

| DRUG NAME | TIER | UTILIZATION MANAGEMENT REQUIREMENTS |
|---------------------------------------------------------------------|------|-------------------------------------|
| SPRYCEL 140 MG TABLET DL | 4 | PA,QL(30 per 30 days) |
| SPRYCEL 20 MG TABLET DL | 4 | PA,QL(90 per 30 days) |
| STIVARGA 40 MG TABLET DL | 4 | PA,QL(84 per 28 days) |
| sunitinib malate 12.5 mg, 25 mg, 37.5 mg, 50 mg CAPSULE DL | 4 | PA,QL(28 per 28 days) |
| SUTENT 12.5 MG, 25 MG, 37.5 MG, 50 MG CAPSULE DL | 4 | PA,QL(28 per 28 days) |
| SYNRIBO 3.5 MG RECON SOLUTION DL | 4 | PA |
| TABLOID 40 MG TABLET MO | 3 | |
| TABRECTA 150 MG, 200 MG TABLET DL | 4 | PA,QL(112 per 28 days) |
| TAFINLAR 10 MG TABLET FOR SUSPENSION DL | 4 | PA,QL(840 per 28 days) |
| TAFINLAR 50 MG CAPSULE DL | 4 | PA,QL(180 per 30 days) |
| TAFINLAR 75 MG CAPSULE DL | 4 | PA,QL(120 per 30 days) |
| TAGRISSO 40 MG, 80 MG TABLET DL | 4 | PA,QL(30 per 30 days) |
| TALVEY 2 MG/ML, 40 MG/ML SOLUTION DL | 4 | PA |
| TALZENNA 0.1 MG, 0.35 MG, 0.5 MG, 0.75 MG, 1 MG CAPSULE DL | 4 | PA,QL(30 per 30 days) |
| TALZENNA 0.25 MG CAPSULE DL | 4 | PA,QL(90 per 30 days) |
| tamoxifen 10 mg, 20 mg TABLET MO | 1 | |
| TARCEVA 100 MG, 150 MG TABLET DL | 4 | PA,QL(30 per 30 days) |
| TARCEVA 25 MG TABLET DL | 4 | PA,QL(90 per 30 days) |
| TARGETIN 1 % GEL DL | 4 | PA,QL(240 per 30 days) |
| TARGETIN 75 MG CAPSULE DL | 4 | PA,QL(300 per 30 days) |
| TASIGNA 150 MG, 200 MG, 50 MG CAPSULE DL | 4 | PA,QL(120 per 30 days) |
| TAZVERIK 200 MG TABLET DL | 4 | PA,QL(240 per 30 days) |
| TECENTRIQ 1,200 MG/20 ML (60 MG/ML) SOLUTION DL | 4 | PA,QL(20 per 21 days) |
| TECENTRIQ 840 MG/14 ML (60 MG/ML) SOLUTION DL | 4 | PA,QL(28 per 28 days) |
| TECVAYLI 10 MG/ML, 90 MG/ML SOLUTION DL | 4 | PA |
| TEMODAR 100 MG RECON SOLUTION DL | 4 | PA,QL(27 per 30 days) |
| temsirolimus 30 mg/3 ml (10 mg/ml) (first) RECON SOLUTION DL | 4 | PA,QL(8 per 28 days) |
| teniposide 50 mg/5 ml SOLUTION MO | 1 | |
| TEPADINA 100 MG, 15 MG RECON SOLUTION DL | 4 | |
| TEPMETKO 225 MG TABLET DL | 4 | PA,QL(60 per 30 days) |
| THALOMID 100 MG, 200 MG, 50 MG CAPSULE DL | 4 | PA,QL(30 per 30 days) |
| THALOMID 150 MG CAPSULE DL | 4 | PA,QL(60 per 30 days) |

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Paxlovid/Vaccine/Diabetic • ST – Step Therapy

| DRUG NAME | TIER | UTILIZATION MANAGEMENT REQUIREMENTS |
|----------------------------------------------------------------------------------|------|-------------------------------------|
| thiotepa 100 mg RECON SOLUTION DL | 4 | |
| thiotepa 15 mg RECON SOLUTION MO | 1 | |
| TIBSOVO 250 MG TABLET DL | 4 | PA,QL(60 per 30 days) |
| TIVDAK 40 MG RECON SOLUTION DL | 4 | PA,QL(5 per 21 days) |
| toposar 20 mg/ml SOLUTION MO | 1 | |
| topotecan 4 mg RECON SOLUTION MO | 1 | |
| topotecan 4 mg/4 ml (1 mg/ml) SOLUTION MO | 1 | |
| toremifene 60 mg TABLET | 4 | QL(30 per 30 days) |
| TORISEL 30 MG/3 ML (10 MG/ML) (FIRST) RECON SOLUTION DL | 4 | PA,QL(8 per 28 days) |
| TOTECT 500 MG RECON SOLUTION DL | 4 | |
| TRAZIMERA 150 MG, 420 MG RECON SOLUTION DL | 4 | PA |
| TREANDA 100 MG, 25 MG RECON SOLUTION DL | 4 | PA |
| tretinoin (antineoplastic) 10 mg CAPSULE DL | 4 | |
| TRISENOX 2 MG/ML SOLUTION DL | 4 | PA |
| TRODELVY 180 MG RECON SOLUTION DL | 4 | PA |
| TRUQAP 160 MG, 200 MG TABLET DL | 4 | PA,QL(64 per 28 days) |
| TRUSELTIQ 100 MG/DAY (100 MG X 1) CAPSULE DL | 4 | PA,QL(21 per 28 days) |
| TRUSELTIQ 125 MG/DAY(100 MG X1-25MG X1), 50 MG/DAY (25 MG X 2) CAPSULE DL | 4 | PA,QL(42 per 28 days) |
| TRUSELTIQ 75 MG/DAY (25 MG X 3) CAPSULE DL | 4 | PA,QL(63 per 28 days) |
| TRUXIMA 10 MG/ML SOLUTION DL | 4 | PA |
| TUKYSA 150 MG TABLET DL | 4 | PA,QL(120 per 30 days) |
| TUKYSA 50 MG TABLET DL | 4 | PA,QL(300 per 30 days) |
| TURALIO 125 MG, 200 MG CAPSULE DL,LA | 4 | PA,QL(120 per 30 days) |
| TYKERB 250 MG TABLET DL | 4 | PA,QL(180 per 30 days) |
| UNITUXIN 3.5 MG/ML SOLUTION DL | 4 | PA |
| VALCHLOR 0.016 % GEL DL | 4 | PA,QL(60 per 28 days) |
| valrubicin 40 mg/ml SOLUTION DL | 4 | PA,QL(80 per 28 days) |
| VALSTAR 40 MG/ML SOLUTION DL | 4 | PA,QL(80 per 28 days) |
| VANFLYTA 17.7 MG, 26.5 MG TABLET DL | 4 | PA,QL(56 per 28 days) |
| VECTIBIX 100 MG/5 ML (20 MG/ML), 400 MG/20 ML (20 MG/ML) SOLUTION DL | 4 | PA |
| VEGZELMA 25 MG/ML SOLUTION DL | 4 | PA |

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Paxlovid/Vaccine/Diabetic • ST – Step Therapy

| DRUG NAME | TIER | UTILIZATION MANAGEMENT REQUIREMENTS |
|------------------------------------------------------------------------------------------------------|------|-------------------------------------|
| VELCADE 3.5 MG RECON SOLUTION DL | 4 | PA |
| VENCLEXTA 10 MG TABLET MO | 2 | PA,QL(56 per 28 days) |
| VENCLEXTA 100 MG TABLET DL | 4 | PA,QL(180 per 30 days) |
| VENCLEXTA 50 MG TABLET MO | 2 | PA,QL(28 per 28 days) |
| VENCLEXTA STARTING PACK 10 MG-50 MG- 100 MG TABLET, DOSE PACK DL | 4 | PA,QL(42 per 28 days) |
| VERZENIO 100 MG, 150 MG, 200 MG, 50 MG TABLET DL | 4 | PA,QL(60 per 30 days) |
| VIDAZA 100 MG RECON SOLUTION DL | 4 | PA |
| vinblastine 1 mg/ml SOLUTION MO | 1 | BvsD |
| vincasar pfs 1 mg/ml, 2 mg/2 ml SOLUTION MO | 1 | BvsD |
| vincristine 1 mg/ml, 2 mg/2 ml SOLUTION MO | 1 | BvsD |
| vinorelbine 10 mg/ml, 50 mg/5 ml SOLUTION MO | 1 | |
| VISTOGARD 10 GRAM GRANULES IN PACKET DL | 4 | QL(20 per 365 days) |
| VITRAKVI 100 MG CAPSULE DL | 4 | PA,QL(60 per 30 days) |
| VITRAKVI 20 MG/ML SOLUTION DL | 4 | PA,QL(300 per 30 days) |
| VITRAKVI 25 MG CAPSULE DL | 4 | PA,QL(180 per 30 days) |
| VIZIMPRO 15 MG, 30 MG, 45 MG TABLET DL | 4 | PA,QL(30 per 30 days) |
| VONJO 100 MG CAPSULE DL | 4 | PA,QL(120 per 30 days) |
| VOTRIENT 200 MG TABLET DL | 4 | PA,QL(120 per 30 days) |
| VYXEOS 44-100 MG RECON SOLUTION DL | 4 | PA |
| WELIREG 40 MG TABLET DL | 4 | PA,QL(90 per 30 days) |
| XALKORI 150 MG PELLET DL | 4 | PA,QL(180 per 30 days) |
| XALKORI 20 MG PELLET DL | 4 | PA,QL(120 per 30 days) |
| XALKORI 200 MG, 250 MG CAPSULE DL | 4 | PA,QL(120 per 30 days) |
| XALKORI 50 MG PELLET DL | 4 | PA,QL(240 per 30 days) |
| XOSPATA 40 MG TABLET DL | 4 | PA,QL(90 per 30 days) |
| XPOVIO 100 MG/WEEK (50 MG X 2), 40MG TWICE WEEK (40 MG X 2), 80 MG/WEEK (40 MG X 2) TABLET DL | 4 | PA,QL(8 per 28 days) |
| XPOVIO 40 MG/WEEK (40 MG X 1), 60 MG/WEEK (60 MG X 1) TABLET DL | 4 | PA,QL(4 per 28 days) |
| XPOVIO 60MG TWICE WEEK (120 MG/WEEK) TABLET DL | 4 | PA,QL(24 per 28 days) |
| XPOVIO 80MG TWICE WEEK (160 MG/WEEK) TABLET DL | 4 | PA,QL(32 per 28 days) |
| XTANDI 40 MG CAPSULE DL | 4 | PA,QL(120 per 30 days) |
| XTANDI 40 MG TABLET DL | 4 | PA,QL(120 per 30 days) |

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Paxlovid/Vaccine/Diabetic • ST – Step Therapy

| DRUG NAME | TIER | UTILIZATION MANAGEMENT REQUIREMENTS |
|---------------------------------------------------------------------------|------|-------------------------------------|
| XTANDI 80 MG TABLET DL | 4 | PA,QL(60 per 30 days) |
| YEROVY 200 MG/40 ML (5 MG/ML), 50 MG/10 ML (5 MG/ML) SOLUTION DL | 4 | PA |
| YONDELIS 1 MG RECON SOLUTION DL | 4 | PA |
| YONSA 125 MG TABLET DL | 4 | PA,QL(120 per 30 days) |
| ZALTRAP 100 MG/4 ML (25 MG/ML), 200 MG/8 ML (25 MG/ML) SOLUTION DL | 4 | PA |
| ZANOSAR 1 GRAM RECON SOLUTION MO | 3 | |
| ZEJULA 100 MG CAPSULE DL | 4 | PA,QL(90 per 30 days) |
| ZEJULA 100 MG, 200 MG, 300 MG TABLET DL | 4 | PA,QL(30 per 30 days) |
| ZELBORAF 240 MG TABLET DL | 4 | PA,QL(240 per 30 days) |
| ZEPZELCA 4 MG RECON SOLUTION DL | 4 | PA |
| ZIRABEV 25 MG/ML SOLUTION DL | 4 | PA |
| ZOLINZA 100 MG CAPSULE DL | 4 | PA,QL(120 per 30 days) |
| ZYDELIG 100 MG, 150 MG TABLET DL | 4 | PA,QL(60 per 30 days) |
| ZYKADIA 150 MG TABLET DL | 4 | PA,QL(150 per 30 days) |
| ZYNLONTA 10 MG RECON SOLUTION DL | 4 | PA |
| ZYNYZ 500 MG/20 ML SOLUTION DL | 4 | PA,QL(20 per 28 days) |
| ZYTIGA 250 MG TABLET DL | 4 | PA,QL(120 per 30 days) |
| ZYTIGA 500 MG TABLET DL | 4 | PA,QL(60 per 30 days) |
| ANTIPARASITICS | | |
| albendazole 200 mg TABLET MO | 1 | |
| ALBENZA 200 MG TABLET DL | 4 | |
| atovaquone 750 mg/5 ml SUSPENSION MO | 1 | |
| atovaquone-proguanil 250-100 mg, 62.5-25 mg TABLET MO | 1 | |
| benznidazole 100 mg, 12.5 mg TABLET MO | 3 | |
| BILTRICIDE 600 MG TABLET DL | 4 | PA |
| chloroquine phosphate 250 mg, 500 mg TABLET MO | 1 | |
| COARTEM 20-120 MG TABLET MO | 3 | QL(24 per 30 days) |
| DARAPRIM 25 MG TABLET DL | 4 | PA,QL(90 per 30 days) |
| EGATEN 250 MG TABLET MO | 3 | |
| emverm 100 mg CHEWABLE TABLET DL | 4 | |
| hydroxychloroquine 100 mg, 300 mg, 400 mg TABLET MO | 1 | |
| hydroxychloroquine 200 mg TABLET MO | 1 | |

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Paxlovid/Vaccine/Diabetic • ST – Step Therapy

| DRUG NAME | TIER | UTILIZATION MANAGEMENT REQUIREMENTS |
|-------------------------------------------------|------|-------------------------------------|
| IMPAVIDO 50 MG CAPSULE DL | 4 | QL(84 per 28 days) |
| ivermectin 3 mg TABLET MO | 1 | |
| KRINTAFEL 150 MG TABLET MO | 2 | QL(4 per 180 days) |
| LAMPIT 120 MG, 30 MG TABLET MO | 3 | |
| MALARONE 250-100 MG TABLET MO | 3 | PA |
| MALARONE PEDIATRIC 62.5-25 MG TABLET MO | 3 | PA |
| mefloquine 250 mg TABLET MO | 1 | |
| MEPRON 750 MG/5 ML SUSPENSION DL | 4 | |
| NEBUPENT 300 MG RECON SOLUTION MO | 3 | BvsD |
| nitazoxanide 500 mg TABLET DL | 4 | |
| PENTAM 300 MG RECON SOLUTION MO | 3 | |
| pentamidine 300 mg RECON SOLUTION MO | 1 | |
| pentamidine 300 mg RECON SOLUTION MO | 1 | BvsD |
| PLAQUENIL 200 MG TABLET MO | 3 | PA |
| praziquantel 600 mg TABLET MO | 1 | |
| primaquine 26.3 mg TABLET MO | 1 | |
| pyrimethamine 25 mg TABLET DL | 4 | QL(90 per 30 days) |
| QUALAQUIN 324 MG CAPSULE MO | 3 | PA,QL(42 per 7 days) |
| quinine sulfate 324 mg CAPSULE MO | 1 | PA,QL(42 per 7 days) |
| SOVUNA 200 MG, 300 MG TABLET MO | 3 | |
| STROMECTOL 3 MG TABLET MO | 3 | PA |
| ANTIPARKINSON AGENTS | | |
| amantadine hcl 100 mg CAPSULE MO | 1 | |
| amantadine hcl 100 mg TABLET MO | 1 | |
| amantadine hcl 50 mg/5 ml SOLUTION MO | 1 | |
| APOKYN 10 MG/ML CARTRIDGE DL | 4 | PA,QL(84 per 28 days) |
| apomorphine 10 mg/ml CARTRIDGE DL | 4 | PA,QL(84 per 28 days) |
| AZILECT 0.5 MG, 1 MG TABLET DL | 4 | PA,QL(30 per 30 days) |
| benztropine 0.5 mg, 1 mg, 2 mg TABLET MO | 1 | |
| benztropine 1 mg/ml SOLUTION MO | 1 | |
| bromocriptine 2.5 mg TABLET MO | 1 | |
| bromocriptine 5 mg CAPSULE MO | 1 | QL(600 per 30 days) |

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Paxlovid/Vaccine/Diabetic • ST – Step Therapy

| DRUG NAME | TIER | UTILIZATION MANAGEMENT REQUIREMENTS |
|-------------------------------------------------------------------------------------------------------------------------------------|------|-------------------------------------|
| carbidopa 25 mg TABLET MO | 1 | |
| carbidopa-levodopa 10-100 mg, 25-100 mg, 25-250 mg TABLET, DISINTEGRATING MO | 1 | |
| carbidopa-levodopa 10-100 mg, 25-250 mg TABLET MO | 1 | |
| carbidopa-levodopa 25-100 mg TABLET MO | 1 | |
| carbidopa-levodopa 25-100 mg, 50-200 mg TABLET ER MO | 1 | |
| carbidopa-levodopa-entacapone 12.5-50-200 mg, 18.75-75-200 mg, 25-100-200 mg, 31.25-125-200 mg, 37.5-150-200 mg TABLET MO | 1 | QL(240 per 30 days) |
| carbidopa-levodopa-entacapone 50-200-200 mg TABLET MO | 1 | |
| COMTAN 200 MG TABLET MO | 3 | PA,QL(300 per 30 days) |
| DHIVY 25-100 MG TABLET MO | 3 | |
| DUOPA 4.63-20 MG/ML INTESTINAL PUMP SUSPENSION DL | 4 | PA,QL(2800 per 28 days) |
| entacapone 200 mg TABLET MO | 1 | QL(300 per 30 days) |
| GOCOVRI 137 MG CAPSULE, ER 24 HR. | 4 | PA,QL(60 per 30 days) |
| GOCOVRI 68.5 MG CAPSULE, ER 24 HR. | 4 | PA,QL(30 per 30 days) |
| INBRIJA 42 MG CAPSULE DL | 4 | PA,QL(300 per 30 days) |
| INBRIJA 42 MG CAPSULE, W/INHALATION DEVICE DL | 4 | PA,QL(300 per 30 days) |
| LODOSYN 25 MG TABLET DL | 4 | PA |
| MIRAPEX ER 0.375 MG, 0.75 MG, 1.5 MG, 2.25 MG, 3 MG, 3.75 MG, 4.5 MG TABLET, ER 24 HR. MO | 3 | ST,QL(30 per 30 days) |
| NEUPRO 1 MG/24 HOUR, 2 MG/24 HOUR, 3 MG/24 HOUR, 4 MG/24 HOUR, 6 MG/24 HOUR, 8 MG/24 HOUR PATCH, 24 HR. MO | 3 | ST,QL(30 per 30 days) |
| NOURIANZ 20 MG, 40 MG TABLET DL | 4 | PA,QL(30 per 30 days) |
| ONGENTYS 25 MG, 50 MG CAPSULE MO | 3 | PA,QL(30 per 30 days) |
| OSMOLEX ER 129 MG, 193 MG, 258 MG TABLET, IR/ER 24 HR., BIPHASIC MO | 3 | PA,QL(30 per 30 days) |
| OSMOLEX ER 322 MG/DAY(129 MG X1-193MG X1) TABLET, IR/ER 24 HR., BIPHASIC MO | 3 | PA,QL(60 per 30 days) |
| PARLODEL 2.5 MG TABLET MO | 3 | PA |
| PARLODEL 5 MG CAPSULE MO | 3 | PA,QL(600 per 30 days) |
| pramipexole 0.125 mg, 0.25 mg, 0.5 mg, 0.75 mg, 1 mg, 1.5 mg TABLET MO | 1 | |
| pramipexole 0.375 mg, 0.75 mg, 1.5 mg, 2.25 mg, 3 mg, 3.75 mg, 4.5 mg TABLET, ER 24 HR. MO | 1 | ST,QL(30 per 30 days) |
| rasagiline 0.5 mg, 1 mg TABLET MO | 1 | PA,QL(30 per 30 days) |

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Paxlovid/Vaccine/Diabetic • ST – Step Therapy

| DRUG NAME | TIER | UTILIZATION MANAGEMENT REQUIREMENTS |
|---------------------------------------------------------------------------------------|------|-------------------------------------|
| ropinirole 0.25 mg, 0.5 mg, 1 mg, 2 mg, 3 mg, 4 mg, 5 mg TABLET MO | 1 | |
| ropinirole 12 mg, 2 mg, 4 mg, 6 mg, 8 mg TABLET, ER 24 HR. MO | 1 | ST,QL(90 per 30 days) |
| RYTARY 23.75-95 MG CAPSULE, ER MO | 3 | ST,QL(360 per 30 days) |
| RYTARY 36.25-145 MG CAPSULE, ER MO | 3 | ST,QL(270 per 30 days) |
| RYTARY 48.75-195 MG CAPSULE, ER MO | 3 | ST,QL(360 per 30 days) |
| RYTARY 61.25-245 MG CAPSULE, ER MO | 3 | ST,QL(300 per 30 days) |
| selegiline hcl 5 mg CAPSULE MO | 1 | |
| selegiline hcl 5 mg TABLET MO | 1 | |
| SINEMET 10-100 MG, 25-100 MG TABLET MO | 3 | PA |
| STALEVO 100 25-100-200 MG TABLET DL | 4 | PA,QL(240 per 30 days) |
| STALEVO 125 31.25-125-200 MG TABLET DL | 4 | PA,QL(240 per 30 days) |
| STALEVO 150 37.5-150-200 MG TABLET DL | 4 | PA,QL(240 per 30 days) |
| STALEVO 200 50-200-200 MG TABLET DL | 4 | PA |
| STALEVO 50 12.5-50-200 MG TABLET DL | 4 | PA,QL(240 per 30 days) |
| STALEVO 75 18.75-75-200 MG TABLET DL | 4 | PA,QL(240 per 30 days) |
| TASMAR 100 MG TABLET DL | 4 | PA |
| tolcapone 100 mg TABLET DL | 4 | PA |
| trihexyphenidyl 0.4 mg/ml ELIXIR MO | 1 | |
| trihexyphenidyl 2 mg, 5 mg TABLET MO | 1 | |
| XADAGO 100 MG, 50 MG TABLET | 4 | PA,QL(30 per 30 days) |
| ZELAPAR 1.25 MG TABLET, DISINTEGRATING DL | 4 | |
| ANTIPSYCHOTICS | | |
| ABILIFY 10 MG, 15 MG, 2 MG, 20 MG, 30 MG, 5 MG TABLET MO | 3 | PA |
| ABILIFY ASIMTUFII 720 MG/2.4 ML SUSPENSION, ER, SYRINGE | 4 | QL(2.4 per 56 days) |
| ABILIFY ASIMTUFII 960 MG/3.2 ML SUSPENSION, ER, SYRINGE | 4 | QL(3.2 per 56 days) |
| ABILIFY MAINTENA 300 MG, 400 MG SUSPENSION, ER, RECON DL | 4 | QL(1 per 28 days) |
| ABILIFY MAINTENA 300 MG, 400 MG SUSPENSION, ER, SYRINGE DL | 4 | QL(1 per 28 days) |
| ABILIFY MYCITE 10 MG, 15 MG, 2 MG, 20 MG, 5 MG TABLET WITH SENSOR AND PATCH DL | 4 | PA,QL(30 per 30 days) |
| ABILIFY MYCITE 30 MG TABLET WITH SENSOR AND PATCH DL | 4 | PA,QL(30 per 30 days) |
| ABILIFY MYCITE MAINTENANCE KIT 10 MG, 30 MG TABLET WITH SENSOR AND STRIP DL | 4 | PA,QL(30 per 30 days) |

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Paxlovid/Vaccine/Diabetic • ST – Step Therapy

| DRUG NAME | TIER | UTILIZATION MANAGEMENT REQUIREMENTS |
|-----------------------------------------------------------------------------------------------------|------|-------------------------------------|
| ABILIFY MYCITE MAINTENANCE KIT 15 MG, 2 MG, 20 MG, 5 MG TABLET WITH SENSOR AND STRIP DL | 4 | PA,QL(30 per 30 days) |
| ABILIFY MYCITE STARTER KIT 10 MG TABLET W/SENSOR AND STRIP, POD DL | 4 | PA,QL(30 per 30 days) |
| ABILIFY MYCITE STARTER KIT 15 MG, 2 MG, 20 MG, 30 MG, 5 MG TABLET W/SENSOR AND STRIP, POD DL | 4 | PA,QL(30 per 30 days) |
| aripiprazole 1 mg/ml SOLUTION MO | 1 | QL(750 per 30 days) |
| aripiprazole 10 mg, 15 mg TABLET, DISINTEGRATING MO | 1 | QL(60 per 30 days) |
| aripiprazole 10 mg, 15 mg, 2 mg, 20 mg, 30 mg, 5 mg TABLET MO | 1 | |
| ARISTADA 1,064 MG/3.9 ML SUSPENSION, ER, SYRINGE | 4 | QL(3.9 per 56 days) |
| ARISTADA 441 MG/1.6 ML SUSPENSION, ER, SYRINGE | 4 | QL(1.6 per 28 days) |
| ARISTADA 662 MG/2.4 ML SUSPENSION, ER, SYRINGE | 4 | QL(2.4 per 28 days) |
| ARISTADA 882 MG/3.2 ML SUSPENSION, ER, SYRINGE | 4 | QL(3.2 per 28 days) |
| ARISTADA INITIO 675 MG/2.4 ML SUSPENSION, ER, SYRINGE | 4 | QL(2.4 per 42 days) |
| asenapine maleate 10 mg, 2.5 mg, 5 mg SUBLINGUAL TABLET MO | 1 | PA,QL(60 per 30 days) |
| CAPLYTA 10.5 MG, 21 MG CAPSULE DL | 4 | PA,QL(30 per 30 days) |
| CAPLYTA 42 MG CAPSULE | 4 | PA,QL(30 per 30 days) |
| chlorpromazine 10 mg, 25 mg TABLET MO | 1 | BvsD |
| chlorpromazine 100 mg, 200 mg, 50 mg TABLET MO | 1 | |
| chlorpromazine 100 mg/ml, 30 mg/ml CONCENTRATE MO | 1 | |
| chlorpromazine 25 mg/ml SOLUTION MO | 1 | |
| clozapine 100 mg TABLET MO | 1 | QL(270 per 30 days) |
| clozapine 100 mg TABLET, DISINTEGRATING MO | 1 | PA,QL(270 per 30 days) |
| clozapine 12.5 mg TABLET, DISINTEGRATING MO | 1 | PA |
| clozapine 150 mg TABLET, DISINTEGRATING MO | 1 | PA,QL(180 per 30 days) |
| clozapine 200 mg TABLET MO | 1 | QL(135 per 30 days) |
| clozapine 200 mg TABLET, DISINTEGRATING MO | 1 | PA,QL(135 per 30 days) |
| clozapine 25 mg TABLET MO | 1 | QL(1080 per 30 days) |
| clozapine 25 mg TABLET, DISINTEGRATING MO | 1 | PA,QL(1080 per 30 days) |
| clozapine 50 mg TABLET MO | 1 | |
| CLOZARIL 100 MG TABLET DL | 4 | QL(270 per 30 days) |
| CLOZARIL 200 MG TABLET DL | 4 | QL(135 per 30 days) |
| CLOZARIL 25 MG TABLET DL | 4 | QL(1080 per 30 days) |
| CLOZARIL 50 MG TABLET DL | 4 | |

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Paxlovid/Vaccine/Diabetic • ST – Step Therapy

| DRUG NAME | TIER | UTILIZATION MANAGEMENT REQUIREMENTS |
|-------------------------------------------------------------------------------|------|-------------------------------------|
| droperidol 2.5 mg/ml SOLUTION MO | 1 | |
| FANAPT 1 MG, 10 MG, 12 MG, 2 MG, 4 MG, 6 MG, 8 MG TABLET DL | 4 | PA,QL(60 per 30 days) |
| FANAPT 1MG(2)-2MG(2)- 4MG(2)-6MG(2) TABLET, DOSE PACK MO | 3 | PA,QL(56 per 28 days) |
| fluphenazine decanoate 25 mg/ml SOLUTION MO | 1 | |
| fluphenazine hcl 1 mg, 10 mg, 2.5 mg, 5 mg TABLET MO | 1 | |
| fluphenazine hcl 2.5 mg/5 ml Elixir MO | 1 | |
| fluphenazine hcl 2.5 mg/ml SOLUTION MO | 1 | |
| fluphenazine hcl 5 mg/ml CONCENTRATE MO | 1 | |
| GEODON 20 MG, 40 MG, 60 MG, 80 MG CAPSULE DL | 4 | PA |
| GEODON 20 MG/ML (FINAL CONC.) RECON SOLUTION MO | 3 | PA |
| HALDOL DECANOATE 100 MG/ML, 50 MG/ML SOLUTION MO | 3 | PA |
| haloperidol 0.5 mg, 1 mg, 10 mg, 2 mg, 20 mg, 5 mg TABLET MO | 1 | |
| haloperidol decanoate 100 mg/ml, 50 mg/ml SOLUTION MO | 1 | |
| haloperidol lactate 2 mg/ml CONCENTRATE MO | 1 | |
| haloperidol lactate 5 mg/ml SOLUTION MO | 1 | |
| haloperidol lactate 5 mg/ml SYRINGE MO | 1 | |
| INVEGA 1.5 MG, 3 MG, 9 MG TABLET, ER 24 HR. DL | 4 | PA,QL(30 per 30 days) |
| INVEGA 6 MG TABLET, ER 24 HR. DL | 4 | PA,QL(60 per 30 days) |
| INVEGA HAFYERA 1,092 MG/3.5 ML SYRINGE | 4 | QL(3.5 per 180 days) |
| INVEGA HAFYERA 1,560 MG/5 ML SYRINGE | 4 | QL(5 per 180 days) |
| INVEGA SUSTENNA 117 MG/0.75 ML, 234 MG/1.5 ML, 78 MG/0.5 ML SYRINGE DL | 4 | QL(1.5 per 28 days) |
| INVEGA SUSTENNA 156 MG/ML SYRINGE DL | 4 | QL(1 per 28 days) |
| INVEGA SUSTENNA 39 MG/0.25 ML SYRINGE MO | 3 | QL(1.5 per 28 days) |
| INVEGA TRINZA 273 MG/0.88 ML SYRINGE | 4 | QL(0.88 per 90 days) |
| INVEGA TRINZA 410 MG/1.32 ML SYRINGE | 4 | QL(1.32 per 90 days) |
| INVEGA TRINZA 546 MG/1.75 ML SYRINGE | 4 | QL(1.75 per 90 days) |
| INVEGA TRINZA 819 MG/2.63 ML SYRINGE | 4 | QL(2.63 per 90 days) |
| LATUDA 120 MG, 20 MG, 40 MG, 60 MG TABLET | 4 | PA,QL(30 per 30 days) |
| LATUDA 80 MG TABLET | 4 | PA,QL(60 per 30 days) |
| loxapine succinate 10 mg, 25 mg, 5 mg, 50 mg CAPSULE MO | 1 | |
| lurasidone 120 mg, 20 mg, 40 mg, 60 mg TABLET MO | 1 | QL(30 per 30 days) |

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Paxlovid/Vaccine/Diabetic • ST – Step Therapy

| DRUG NAME | TIER | UTILIZATION MANAGEMENT REQUIREMENTS |
|---------------------------------------------------------------------------|------|-------------------------------------|
| lurasidone 80 mg TABLET MO | 1 | QL(60 per 30 days) |
| LYBALVI 10-10 MG, 15-10 MG, 20-10 MG, 5-10 MG TABLET DL | 4 | PA,QL(30 per 30 days) |
| molindone 10 mg TABLET MO | 1 | PA,QL(240 per 30 days) |
| molindone 25 mg TABLET MO | 1 | PA,QL(270 per 30 days) |
| molindone 5 mg TABLET MO | 1 | PA,QL(360 per 30 days) |
| NUPLAZID 10 MG TABLET DL | 4 | PA,QL(30 per 30 days) |
| NUPLAZID 34 MG CAPSULE DL | 4 | PA,QL(30 per 30 days) |
| olanzapine 10 mg RECON SOLUTION MO | 1 | |
| olanzapine 10 mg, 15 mg, 2.5 mg, 20 mg, 5 mg, 7.5 mg TABLET MO | 1 | |
| olanzapine 10 mg, 5 mg TABLET, DISINTEGRATING MO | 1 | QL(30 per 30 days) |
| olanzapine 15 mg, 20 mg TABLET, DISINTEGRATING MO | 1 | QL(60 per 30 days) |
| paliperidone 1.5 mg, 3 mg, 9 mg TABLET, ER 24 HR. MO | 1 | QL(30 per 30 days) |
| paliperidone 6 mg TABLET, ER 24 HR. MO | 1 | QL(60 per 30 days) |
| perphenazine 16 mg, 2 mg, 4 mg, 8 mg TABLET MO | 1 | |
| PERSERIS 120 MG, 90 MG SUSPENSION, ER, SYRINGE DL | 4 | QL(1 per 28 days) |
| pimozide 1 mg, 2 mg TABLET MO | 1 | |
| quetiapine 100 mg TABLET MO | 1 | QL(90 per 30 days) |
| quetiapine 150 mg TABLET MO | 1 | QL(30 per 30 days) |
| quetiapine 150 mg TABLET, ER 24 HR. MO | 1 | QL(90 per 30 days) |
| quetiapine 200 mg TABLET MO | 1 | QL(120 per 30 days) |
| quetiapine 200 mg TABLET, ER 24 HR. MO | 1 | QL(30 per 30 days) |
| quetiapine 25 mg, 50 mg TABLET MO | 1 | QL(120 per 30 days) |
| quetiapine 300 mg, 400 mg TABLET MO | 1 | QL(60 per 30 days) |
| quetiapine 300 mg, 400 mg TABLET, ER 24 HR. MO | 1 | QL(60 per 30 days) |
| quetiapine 50 mg TABLET, ER 24 HR. MO | 1 | QL(120 per 30 days) |
| REXULTI 0.25 MG, 0.5 MG, 1 MG, 2 MG, 3 MG, 4 MG TABLET MO | 3 | PA,QL(30 per 30 days) |
| RISPERDAL 0.5 MG TABLET MO | 3 | QL(120 per 30 days) |
| RISPERDAL 1 MG, 2 MG TABLET MO | 3 | QL(60 per 30 days) |
| RISPERDAL 1 MG/ML SOLUTION DL | 4 | |
| RISPERDAL 3 MG, 4 MG TABLET DL | 4 | QL(60 per 30 days) |
| RISPERDAL CONSTA 12.5 MG/2 ML, 25 MG/2 ML SUSPENSION, ER, RECON MO | 3 | QL(2 per 28 days) |
| RISPERDAL CONSTA 37.5 MG/2 ML, 50 MG/2 ML SUSPENSION, ER, RECON DL | 4 | QL(2 per 28 days) |

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Paxlovid/Vaccine/Diabetic • ST – Step Therapy

| DRUG NAME | TIER | UTILIZATION MANAGEMENT REQUIREMENTS |
|------------------------------------------------------------------------------|------|-------------------------------------|
| <i>risperidone 0.25 mg, 1 mg, 2 mg, 3 mg, 4 mg TABLET MO</i> | 1 | QL(60 per 30 days) |
| <i>risperidone 0.25 mg, 1 mg, 2 mg, 3 mg, 4 mg TABLET, DISINTEGRATING MO</i> | 1 | ST,QL(60 per 30 days) |
| <i>risperidone 0.5 mg TABLET MO</i> | 1 | QL(120 per 30 days) |
| <i>risperidone 0.5 mg TABLET, DISINTEGRATING MO</i> | 1 | ST,QL(120 per 30 days) |
| <i>risperidone 1 mg/ml SOLUTION MO</i> | 1 | |
| SAPHRIS 10 MG, 2.5 MG, 5 MG SUBLINGUAL TABLET DL | 4 | PA,QL(60 per 30 days) |
| SECUADO 3.8 MG/24 HOUR, 5.7 MG/24 HOUR, 7.6 MG/24 HOUR PATCH, 24 HR. DL | 4 | PA,QL(30 per 30 days) |
| SEROQUEL 100 MG TABLET MO | 3 | QL(90 per 30 days) |
| SEROQUEL 200 MG, 25 MG, 50 MG TABLET MO | 3 | QL(120 per 30 days) |
| SEROQUEL 300 MG, 400 MG TABLET MO | 3 | QL(60 per 30 days) |
| SEROQUEL XR 150 MG TABLET, ER 24 HR. MO | 3 | PA,QL(90 per 30 days) |
| SEROQUEL XR 200 MG TABLET, ER 24 HR. MO | 3 | PA,QL(30 per 30 days) |
| SEROQUEL XR 300 MG, 400 MG TABLET, ER 24 HR. MO | 3 | PA,QL(60 per 30 days) |
| SEROQUEL XR 50 MG TABLET, ER 24 HR. MO | 3 | PA,QL(120 per 30 days) |
| SEROQUEL XR 50 MG(3)-200 MG (1)-300 MG(11) TABLET, ER 24 HR., DOSE PACK MO | 3 | PA,QL(15 per 30 days) |
| <i>thioridazine 10 mg, 100 mg, 25 mg, 50 mg TABLET MO</i> | 1 | |
| <i>thiothixene 1 mg, 10 mg, 2 mg, 5 mg CAPSULE MO</i> | 1 | |
| <i>trifluoperazine 1 mg, 10 mg, 2 mg, 5 mg TABLET MO</i> | 1 | |
| UZEDY 100 MG/0.28 ML SUSPENSION, ER, SYRINGE DL | 4 | QL(0.28 per 28 days) |
| UZEDY 125 MG/0.35 ML SUSPENSION, ER, SYRINGE DL | 4 | QL(0.35 per 28 days) |
| UZEDY 150 MG/0.42 ML SUSPENSION, ER, SYRINGE | 4 | QL(0.42 per 56 days) |
| UZEDY 200 MG/0.56 ML SUSPENSION, ER, SYRINGE | 4 | QL(0.56 per 56 days) |
| UZEDY 250 MG/0.7 ML SUSPENSION, ER, SYRINGE | 4 | QL(0.7 per 56 days) |
| UZEDY 50 MG/0.14 ML SUSPENSION, ER, SYRINGE DL | 4 | QL(0.14 per 28 days) |
| UZEDY 75 MG/0.21 ML SUSPENSION, ER, SYRINGE DL | 4 | QL(0.21 per 28 days) |
| VERSACLOZ 50 MG/ML SUSPENSION DL | 4 | PA,QL(540 per 30 days) |
| VRAYLAR 1.5 MG (1)- 3 MG (6) CAPSULE, DOSE PACK MO | 3 | PA |
| VRAYLAR 1.5 MG, 3 MG, 4.5 MG, 6 MG CAPSULE | 4 | PA,QL(30 per 30 days) |
| <i>ziprasidone hcl 20 mg, 40 mg, 60 mg, 80 mg CAPSULE MO</i> | 1 | |
| <i>ziprasidone mesylate 20 mg/ml (final conc.) RECON SOLUTION MO</i> | 1 | |
| ZYPREXA 10 MG RECON SOLUTION MO | 3 | |

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Paxlovid/Vaccine/Diabetic • ST – Step Therapy

| DRUG NAME | TIER | UTILIZATION MANAGEMENT REQUIREMENTS |
|-----------------------------------------------------------------|------|-------------------------------------|
| ZYPREXA 10 MG, 15 MG, 2.5 MG, 20 MG, 5 MG, 7.5 MG TABLET | 4 | |
| ZYPREXA RELPREVV 210 MG SUSPENSION FOR RECONSTITUTION MO | 3 | QL(4 per 28 days) |
| ZYPREXA RELPREVV 300 MG SUSPENSION FOR RECONSTITUTION | 4 | QL(2 per 28 days) |
| ZYPREXA RELPREVV 405 MG SUSPENSION FOR RECONSTITUTION | 4 | QL(1 per 28 days) |
| ZYPREXA ZYDIS 10 MG TABLET, DISINTEGRATING | 4 | QL(30 per 30 days) |
| ZYPREXA ZYDIS 15 MG, 20 MG TABLET, DISINTEGRATING | 4 | QL(60 per 30 days) |
| ZYPREXA ZYDIS 5 MG TABLET, DISINTEGRATING MO | 3 | QL(30 per 30 days) |
| ANTISPASTICITY AGENTS | | |
| baclofen 10 mg TABLET MO | 1 | |
| baclofen 10 mg/5 ml (2 mg/ml), 5 mg/5 ml SOLUTION DL | 4 | |
| baclofen 15 mg, 20 mg TABLET MO | 1 | |
| baclofen 25 mg/5 ml (5 mg/ml) SUSPENSION DL | 4 | QL(480 per 30 days) |
| baclofen 5 mg TABLET MO | 1 | QL(90 per 30 days) |
| DANTRIUM 20 MG RECON SOLUTION MO | 3 | |
| DANTRIUM 25 MG CAPSULE MO | 3 | |
| dantrolene 100 mg, 25 mg, 50 mg CAPSULE MO | 1 | |
| dantrolene 20 mg RECON SOLUTION MO | 1 | |
| FLEQSVUVY 25 MG/5 ML (5 MG/ML) SUSPENSION DL | 4 | QL(480 per 30 days) |
| LYVISPAH 10 MG, 20 MG GRANULES IN PACKET DL | 4 | ST,QL(120 per 30 days) |
| LYVISPAH 5 MG GRANULES IN PACKET MO | 3 | ST,QL(270 per 30 days) |
| OZOBAX 5 MG/5 ML SOLUTION DL | 4 | |
| OZOBAX DS 10 MG/5 ML (2 MG/ML) SOLUTION DL | 4 | |
| revonto 20 mg RECON SOLUTION MO | 1 | |
| tizanidine 2 mg, 4 mg TABLET MO | 1 | |
| tizanidine 2 mg, 4 mg, 6 mg CAPSULE MO | 1 | ST |
| ZANAFLEX 2 MG, 4 MG, 6 MG CAPSULE MO | 3 | ST |
| ZANAFLEX 4 MG TABLET MO | 3 | ST |
| ANTIVIRALS | | |
| abacavir 20 mg/ml SOLUTION MO | 1 | QL(960 per 30 days) |
| abacavir 300 mg TABLET MO | 1 | QL(60 per 30 days) |
| abacavir-lamivudine 600-300 mg TABLET MO | 1 | QL(30 per 30 days) |
| acyclovir 200 mg CAPSULE MO | 1 | |

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Paxlovid/Vaccine/Diabetic • ST – Step Therapy

| DRUG NAME | TIER | UTILIZATION MANAGEMENT REQUIREMENTS |
|--------------------------------------------------------------------------------------|------|-------------------------------------|
| acyclovir 200 mg/5 ml SUSPENSION MO | 1 | |
| acyclovir 400 mg TABLET MO | 1 | |
| acyclovir 5 % CREAM MO | 3 | PA,QL(5 per 30 days) |
| acyclovir 5 % OINTMENT MO | 1 | PA,QL(30 per 30 days) |
| acyclovir 800 mg TABLET MO | 1 | |
| acyclovir sodium 1,000 mg, 500 mg RECON SOLUTION MO | 1 | BvsD |
| acyclovir sodium 50 mg/ml SOLUTION MO | 1 | BvsD |
| adefovir 10 mg TABLET MO | 1 | |
| APRETUDE 600 MG/3 ML (200 MG/ML) SUSPENSION, ER DL | 4 | QL(21 per 365 days) |
| APTIVUS 250 MG CAPSULE DL | 4 | QL(120 per 30 days) |
| atazanavir 150 mg, 200 mg CAPSULE MO | 1 | QL(60 per 30 days) |
| atazanavir 300 mg CAPSULE MO | 1 | QL(30 per 30 days) |
| ATRIPLA 600-200-300 MG TABLET DL | 4 | QL(30 per 30 days) |
| BARACLUDE 0.05 MG/ML SOLUTION MO | 3 | QL(630 per 30 days) |
| BARACLUDE 0.5 MG, 1 MG TABLET DL | 4 | PA,QL(30 per 30 days) |
| BIKTARVY 30-120-15 MG, 50-200-25 MG TABLET DL | 4 | QL(30 per 30 days) |
| CABENUVA 400 MG/2 ML- 600 MG/2 ML, 600 MG/3 ML- 900 MG/3 ML SUSPENSION, ER DL | 4 | QL(50 per 365 days) |
| cidofovir 75 mg/ml SOLUTION DL | 4 | |
| CIMDUO 300-300 MG TABLET DL | 4 | QL(30 per 30 days) |
| COMBIVIR 150-300 MG TABLET DL | 4 | QL(60 per 30 days) |
| COMPLERA 200-25-300 MG TABLET DL | 4 | QL(30 per 30 days) |
| darunavir 600 mg TABLET DL | 4 | QL(60 per 30 days) |
| darunavir 800 mg TABLET DL | 4 | QL(30 per 30 days) |
| DELSTRIGO 100-300-300 MG TABLET DL | 4 | QL(30 per 30 days) |
| DENAVIR 1 % CREAM MO | 3 | PA |
| DESCOVY 120-15 MG TABLET DL | 4 | QL(30 per 30 days) |
| DESCOVY 200-25 MG TABLET DL | 4 | QL(30 per 30 days) |
| didanosine 250 mg, 400 mg CAPSULE, DR/EC MO | 1 | QL(30 per 30 days) |
| DOVATO 50-300 MG TABLET DL | 4 | QL(30 per 30 days) |
| EDURANT 25 MG TABLET DL | 4 | QL(30 per 30 days) |
| efavirenz 200 mg CAPSULE MO | 1 | QL(120 per 30 days) |

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Paxlovid/Vaccine/Diabetic • ST – Step Therapy

| DRUG NAME | TIER | UTILIZATION MANAGEMENT REQUIREMENTS |
|-----------------------------------------------------------------------------------------------|------|-------------------------------------|
| efavirenz 50 mg CAPSULE MO | 1 | QL(480 per 30 days) |
| efavirenz 600 mg TABLET MO | 1 | QL(30 per 30 days) |
| efavirenz-emtricitabin-tenofovir 600-200-300 mg TABLET DL | 1 | QL(30 per 30 days) |
| efavirenz-lamivu-tenofov disop 400-300-300 mg, 600-300-300 mg TABLET DL | 4 | QL(30 per 30 days) |
| emtricitabine 200 mg CAPSULE MO | 1 | QL(30 per 30 days) |
| emtricitabine-tenofovir (tdf) 100-150 mg, 133-200 mg, 167-250 mg, 200-300 mg TABLET MO | 1 | QL(30 per 30 days) |
| EMTRIVA 10 MG/ML SOLUTION MO | 3 | QL(680 per 28 days) |
| EMTRIVA 200 MG CAPSULE MO | 3 | QL(30 per 30 days) |
| entecavir 0.5 mg, 1 mg TABLET MO | 1 | QL(30 per 30 days) |
| EPCLUSA 150-37.5 MG PELLETS IN PACKET DL | 4 | PA,QL(28 per 28 days) |
| EPCLUSA 200-50 MG PELLETS IN PACKET DL | 4 | PA,QL(56 per 28 days) |
| EPCLUSA 200-50 MG, 400-100 MG TABLET DL | 4 | PA,QL(28 per 28 days) |
| EPIVIR 10 MG/ML SOLUTION MO | 3 | QL(900 per 30 days) |
| EPIVIR 150 MG TABLET MO | 3 | QL(60 per 30 days) |
| EPIVIR 300 MG TABLET MO | 3 | QL(30 per 30 days) |
| EPIVIR HBV 100 MG TABLET MO | 3 | QL(90 per 30 days) |
| EPIVIR HBV 25 MG/5 ML (5 MG/ML) SOLUTION MO | 3 | |
| EPZICOM 600-300 MG TABLET DL | 4 | QL(30 per 30 days) |
| etravirine 100 mg TABLET DL | 4 | QL(120 per 30 days) |
| etravirine 200 mg TABLET DL | 4 | QL(60 per 30 days) |
| EVOTAZ 300-150 MG TABLET DL | 4 | QL(30 per 30 days) |
| famciclovir 125 mg, 250 mg, 500 mg TABLET MO | 1 | QL(90 per 30 days) |
| FLUMADINE 100 MG TABLET MO | 3 | |
| fosamprenavir 700 mg TABLET DL | 4 | QL(120 per 30 days) |
| foscarnet 24 mg/ml SOLUTION MO | 1 | BvsD |
| FOSCAVIR 24 MG/ML SOLUTION MO | 3 | BvsD |
| FUZEON 90 MG RECON SOLUTION DL | 4 | QL(60 per 30 days) |
| ganciclovir sodium 50 mg/ml SOLUTION MO | 1 | BvsD |
| ganciclovir sodium 500 mg RECON SOLUTION MO | 1 | BvsD |
| GENVOYA 150-150-200-10 MG TABLET DL | 4 | QL(30 per 30 days) |
| HARVONI 33.75-150 MG PELLETS IN PACKET DL | 4 | PA,QL(28 per 28 days) |

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Paxlovid/Vaccine/Diabetic • ST – Step Therapy

| DRUG NAME | TIER | UTILIZATION MANAGEMENT REQUIREMENTS |
|--------------------------------------------------------|------|-------------------------------------|
| HARVONI 45-200 MG PELLETS IN PACKET DL | 4 | PA,QL(56 per 28 days) |
| HARVONI 45-200 MG TABLET DL | 4 | PA,QL(28 per 28 days) |
| HARVONI 90-400 MG TABLET DL | 4 | PA,QL(28 per 28 days) |
| HEPSERA 10 MG TABLET DL | 4 | |
| INTELLENCE 100 MG TABLET DL | 4 | QL(120 per 30 days) |
| INTELLENCE 200 MG TABLET DL | 4 | QL(60 per 30 days) |
| INTELLENCE 25 MG TABLET MO | 3 | QL(120 per 30 days) |
| ISENTRESS 100 MG CHEWABLE TABLET DL | 4 | QL(180 per 30 days) |
| ISENTRESS 100 MG POWDER IN PACKET MO | 2 | QL(300 per 30 days) |
| ISENTRESS 25 MG CHEWABLE TABLET MO | 3 | QL(180 per 30 days) |
| ISENTRESS 400 MG TABLET DL | 4 | QL(120 per 30 days) |
| ISENTRESS HD 600 MG TABLET DL | 4 | QL(60 per 30 days) |
| JULUCA 50-25 MG TABLET DL | 4 | QL(30 per 30 days) |
| KALETRA 100-25 MG TABLET MO | 3 | QL(300 per 30 days) |
| KALETRA 200-50 MG TABLET MO | 3 | QL(150 per 30 days) |
| KALETRA 400-100 MG/5 ML SOLUTION DL | 4 | |
| lamivudine 10 mg/ml SOLUTION MO | 1 | QL(900 per 30 days) |
| lamivudine 100 mg TABLET MO | 1 | QL(90 per 30 days) |
| lamivudine 150 mg TABLET MO | 1 | QL(60 per 30 days) |
| lamivudine 300 mg TABLET MO | 1 | QL(30 per 30 days) |
| lamivudine-zidovudine 150-300 mg TABLET MO | 1 | QL(60 per 30 days) |
| LEXIVA 50 MG/ML SUSPENSION MO | 3 | QL(1575 per 28 days) |
| LEXIVA 700 MG TABLET DL | 4 | QL(120 per 30 days) |
| LIVTENCITY 200 MG TABLET DL | 4 | PA,QL(120 per 30 days) |
| lopinavir-ritonavir 100-25 mg TABLET MO | 1 | QL(300 per 30 days) |
| lopinavir-ritonavir 200-50 mg TABLET MO | 1 | QL(150 per 30 days) |
| lopinavir-ritonavir 400-100 mg/5 ml SOLUTION MO | 1 | |
| maraviroc 150 mg TABLET DL | 4 | QL(240 per 30 days) |
| maraviroc 300 mg TABLET DL | 4 | QL(120 per 30 days) |
| MAVYRET 100-40 MG TABLET DL | 4 | PA,QL(84 per 28 days) |
| MAVYRET 50-20 MG PELLETS IN PACKET DL | 4 | PA,QL(150 per 30 days) |
| nevirapine 100 mg TABLET, ER 24 HR. MO | 1 | QL(120 per 30 days) |

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Paxlovid/Vaccine/Diabetic • ST – Step Therapy

| DRUG NAME | TIER | UTILIZATION MANAGEMENT REQUIREMENTS |
|----------------------------------------------------------------|------|-------------------------------------|
| nevirapine 200 mg TABLET MO | 1 | QL(60 per 30 days) |
| nevirapine 400 mg TABLET, ER 24 HR. MO | 1 | QL(30 per 30 days) |
| nevirapine 50 mg/5 ml SUSPENSION MO | 1 | QL(1200 per 30 days) |
| NORVIR 100 MG POWDER IN PACKET MO | 3 | QL(360 per 30 days) |
| NORVIR 100 MG TABLET MO | 3 | QL(360 per 30 days) |
| NORVIR 80 MG/ML SOLUTION MO | 3 | QL(480 per 30 days) |
| ODEFSEY 200-25-25 MG TABLET DL | 4 | QL(30 per 30 days) |
| oseltamivir 30 mg CAPSULE MO | 1 | QL(224 per 365 days) |
| oseltamivir 45 mg, 75 mg CAPSULE MO | 1 | QL(112 per 365 days) |
| oseltamivir 6 mg/ml SUSPENSION FOR RECONSTITUTION MO | 1 | QL(1440 per 365 days) |
| penciclovir 1 % CREAM MO | 1 | PA |
| PIFELTRO 100 MG TABLET DL | 4 | QL(60 per 30 days) |
| PREVYMIS 240 MG TABLET DL | 4 | PA,QL(28 per 28 days) |
| PREVYMIS 240 MG/12 ML SOLUTION DL | 4 | PA,QL(336 per 28 days) |
| PREVYMIS 480 MG TABLET DL | 4 | PA |
| PREVYMIS 480 MG/24 ML SOLUTION DL | 4 | PA,QL(672 per 28 days) |
| PREZCOBIX 800-150 MG-MG TABLET DL | 4 | QL(30 per 30 days) |
| PREZISTA 100 MG/ML SUSPENSION DL | 4 | QL(360 per 30 days) |
| PREZISTA 150 MG TABLET DL | 4 | QL(240 per 30 days) |
| PREZISTA 600 MG TABLET DL | 4 | QL(60 per 30 days) |
| PREZISTA 75 MG TABLET MO | 3 | QL(480 per 30 days) |
| PREZISTA 800 MG TABLET DL | 4 | QL(30 per 30 days) |
| RELENZA DISKHALER 5 MG/ACTUATION BLISTER WITH DEVICE MO | 3 | QL(60 per 180 days) |
| RETROVIR 10 MG/ML SOLUTION MO | 3 | |
| RETROVIR 10 MG/ML SYRUP MO | 3 | QL(1680 per 28 days) |
| RETROVIR 100 MG CAPSULE MO | 3 | QL(180 per 30 days) |
| REYATAZ 200 MG CAPSULE DL | 4 | QL(60 per 30 days) |
| REYATAZ 300 MG CAPSULE DL | 4 | QL(30 per 30 days) |
| REYATAZ 50 MG POWDER IN PACKET MO | 3 | |
| ribavirin 200 mg CAPSULE MO | 1 | QL(168 per 28 days) |
| ribavirin 200 mg TABLET MO | 1 | QL(168 per 28 days) |
| rimantadine 100 mg TABLET MO | 1 | |

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Paxlovid/Vaccine/Diabetic • ST – Step Therapy

| DRUG NAME | TIER | UTILIZATION MANAGEMENT REQUIREMENTS |
|---------------------------------------------------------|------|-------------------------------------|
| ritonavir 100 mg TABLET MO | 1 | QL(360 per 30 days) |
| RUKOBIA 600 MG TABLET, ER 12 HR. DL | 4 | QL(60 per 30 days) |
| SELZENTRY 150 MG TABLET DL | 4 | QL(240 per 30 days) |
| SELZENTRY 20 MG/ML SOLUTION DL | 4 | QL(1800 per 30 days) |
| SELZENTRY 25 MG TABLET MO | 3 | QL(240 per 30 days) |
| SELZENTRY 300 MG, 75 MG TABLET DL | 4 | QL(120 per 30 days) |
| SOVALDI 150 MG PELLETS IN PACKET DL | 4 | PA,QL(28 per 28 days) |
| SOVALDI 200 MG PELLETS IN PACKET DL | 4 | PA,QL(56 per 28 days) |
| SOVALDI 200 MG, 400 MG TABLET DL | 4 | PA,QL(28 per 28 days) |
| stavudine 15 mg, 20 mg CAPSULE MO | 1 | QL(120 per 30 days) |
| stavudine 30 mg, 40 mg CAPSULE MO | 1 | QL(60 per 30 days) |
| STRIBILD 150-150-200-300 MG TABLET DL | 4 | QL(30 per 30 days) |
| SUNLENCA 300 MG TABLET DL | 4 | QL(10 per 365 days) |
| SUNLENCA 309 MG/ML SOLUTION | 4 | QL(9 per 365 days) |
| SUSTIVA 200 MG CAPSULE DL | 4 | QL(120 per 30 days) |
| SUSTIVA 50 MG CAPSULE DL | 4 | QL(480 per 30 days) |
| SUSTIVA 600 MG TABLET DL | 4 | QL(30 per 30 days) |
| SYMFI 600-300-300 MG TABLET DL | 4 | QL(30 per 30 days) |
| SYMFI LO 400-300-300 MG TABLET DL | 4 | QL(30 per 30 days) |
| SYMTUZA 800-150-200-10 MG TABLET DL | 4 | QL(30 per 30 days) |
| TAMIFLU 30 MG CAPSULE MO | 3 | PA,QL(224 per 365 days) |
| TAMIFLU 45 MG, 75 MG CAPSULE MO | 3 | PA,QL(112 per 365 days) |
| TAMIFLU 6 MG/ML SUSPENSION FOR RECONSTITUTION MO | 3 | PA,QL(1440 per 365 days) |
| TEMIXYS 300-300 MG TABLET MO | 3 | QL(30 per 30 days) |
| tenofovir disoproxil fumarate 300 mg TABLET MO | 1 | QL(30 per 30 days) |
| TIVICAY 10 MG TABLET MO | 3 | QL(60 per 30 days) |
| TIVICAY 25 MG, 50 MG TABLET DL | 4 | QL(60 per 30 days) |
| TIVICAY PD 5 MG TABLET FOR SUSPENSION DL | 4 | QL(180 per 30 days) |
| TRIUMEQ 600-50-300 MG TABLET DL | 4 | QL(30 per 30 days) |
| TRIUMEQ PD 60-5-30 MG TABLET FOR SUSPENSION DL | 4 | QL(180 per 30 days) |
| TRIZIVIR 300-150-300 MG TABLET DL | 4 | QL(60 per 30 days) |
| TROGARZO 200 MG/1.33 ML (150 MG/ML) SOLUTION DL | 4 | |

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Paxlovid/Vaccine/Diabetic • ST – Step Therapy

| DRUG NAME | TIER | UTILIZATION MANAGEMENT REQUIREMENTS |
|-------------------------------------------------------------------------|------|-------------------------------------|
| TRUVADA 100-150 MG, 133-200 MG, 167-250 MG, 200-300 MG TABLET DL | 4 | QL(30 per 30 days) |
| TYBOST 150 MG TABLET MO | 2 | QL(30 per 30 days) |
| valacyclovir 1 gram, 500 mg TABLET MO | 1 | |
| VALCYTE 450 MG TABLET DL | 4 | PA,QL(120 per 30 days) |
| VALCYTE 50 MG/ML RECON SOLUTION DL | 4 | PA,QL(1056 per 30 days) |
| valganciclovir 450 mg TABLET MO | 1 | QL(120 per 30 days) |
| valganciclovir 50 mg/ml RECON SOLUTION DL | 4 | QL(1056 per 30 days) |
| VALTREX 1 GRAM, 500 MG TABLET MO | 3 | PA |
| VEMLIDY 25 MG TABLET DL | 4 | QL(30 per 30 days) |
| VIRACEPT 250 MG TABLET DL | 4 | QL(300 per 30 days) |
| VIRACEPT 625 MG TABLET DL | 4 | QL(120 per 30 days) |
| VIREAD 150 MG, 200 MG, 250 MG, 300 MG TABLET DL | 4 | QL(30 per 30 days) |
| VIREAD 40 MG/SCOOP (40 MG/GRAM) POWDER DL | 4 | QL(240 per 30 days) |
| VOCABRIA 30 MG TABLET DL | 4 | QL(30 per 30 days) |
| VOSEVI 400-100-100 MG TABLET DL | 4 | PA,QL(28 per 28 days) |
| XERESE 5-1 % CREAM DL | 4 | QL(5 per 30 days) |
| XOFLUZA 20 MG, 40 MG, 80 MG TABLET MO | 3 | |
| ZEPATIER 50-100 MG TABLET DL | 4 | PA,QL(28 per 28 days) |
| ZIAGEN 20 MG/ML SOLUTION MO | 3 | QL(960 per 30 days) |
| ZIAGEN 300 MG TABLET MO | 3 | QL(60 per 30 days) |
| zidovudine 10 mg/ml SYRUP MO | 1 | QL(1680 per 28 days) |
| zidovudine 100 mg CAPSULE MO | 1 | QL(180 per 30 days) |
| zidovudine 300 mg TABLET MO | 1 | QL(60 per 30 days) |
| ZIRGAN 0.15 % GEL MO | 3 | QL(5 per 30 days) |
| ZOVIRAX 200 MG/5 ML SUSPENSION MO | 3 | PA |
| ZOVIRAX 5 % CREAM MO | 3 | PA,QL(5 per 30 days) |
| ZOVIRAX 5 % OINTMENT DL | 4 | PA,QL(30 per 30 days) |
| ANXIOLYTICS | | |
| alprazolam 0.25 mg, 0.5 mg, 1 mg TABLET DL | 1 | QL(120 per 30 days) |
| alprazolam 0.25 mg, 0.5 mg, 1 mg, 2 mg TABLET, DISINTEGRATING DL | 1 | |
| alprazolam 0.5 mg, 1 mg, 2 mg, 3 mg TABLET, ER 24 HR. DL | 1 | QL(60 per 30 days) |
| alprazolam 2 mg TABLET DL | 1 | QL(150 per 30 days) |

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Paxlovid/Vaccine/Diabetic • ST – Step Therapy

| DRUG NAME | TIER | UTILIZATION MANAGEMENT REQUIREMENTS |
|-----------------------------------------------------------------------------------|------|-------------------------------------|
| alprazolam intensol 1 mg/ml CONCENTRATE DL | 1 | |
| ATIVAN 0.5 MG, 1 MG TABLET DL | 4 | PA,QL(90 per 30 days) |
| ATIVAN 2 MG TABLET DL | 4 | PA,QL(150 per 30 days) |
| ATIVAN 2 MG/ML, 4 MG/ML SOLUTION DL | 3 | PA |
| buspirone 10 mg, 15 mg, 5 mg TABLET MO | 1 | |
| buspirone 30 mg, 7.5 mg TABLET MO | 1 | |
| chlordiazepoxide hcl 10 mg, 25 mg, 5 mg CAPSULE DL | 1 | QL(120 per 30 days) |
| clonazepam 0.125 mg, 0.25 mg, 0.5 mg, 1 mg, 2 mg TABLET, DISINTEGRATING DL | 1 | |
| clonazepam 0.5 mg, 1 mg TABLET DL | 1 | |
| clonazepam 2 mg TABLET DL | 1 | |
| clorazepate dipotassium 15 mg, 3.75 mg, 7.5 mg TABLET DL | 1 | |
| diazepam 10 mg TABLET DL | 1 | QL(120 per 30 days) |
| diazepam 2 mg TABLET DL | 1 | QL(90 per 30 days) |
| diazepam 5 mg TABLET DL | 1 | QL(90 per 30 days) |
| diazepam 5 mg/5 ml (1 mg/ml), 5 mg/5 ml (1 mg/ml, 5 ml) SOLUTION DL | 1 | QL(1200 per 30 days) |
| diazepam 5 mg/ml CONCENTRATE DL | 1 | QL(240 per 30 days) |
| diazepam 5 mg/ml SOLUTION DL | 1 | |
| diazepam 5 mg/ml SYRINGE DL | 1 | |
| diazepam intensol 5 mg/ml CONCENTRATE DL | 1 | QL(240 per 30 days) |
| doxepin 10 mg, 100 mg, 150 mg, 25 mg, 50 mg, 75 mg CAPSULE MO | 1 | |
| doxepin 10 mg/ml CONCENTRATE MO | 1 | |
| hydroxyzine hcl 10 mg, 50 mg TABLET MO | 1 | |
| hydroxyzine hcl 10 mg/5 ml, 25 mg/ml, 50 mg/ml SOLUTION MO | 1 | |
| hydroxyzine hcl 25 mg TABLET MO | 1 | |
| KLONOPIN 0.5 MG, 1 MG, 2 MG TABLET DL | 3 | PA |
| lorazepam 0.5 mg, 1 mg TABLET DL | 1 | QL(90 per 30 days) |
| lorazepam 2 mg TABLET DL | 1 | QL(150 per 30 days) |
| lorazepam 2 mg/ml CONCENTRATE DL | 1 | QL(150 per 30 days) |
| lorazepam 2 mg/ml SYRINGE DL | 1 | |
| lorazepam 2 mg/ml, 4 mg/ml SOLUTION DL | 1 | |
| lorazepam intensol 2 mg/ml CONCENTRATE DL | 1 | QL(150 per 30 days) |

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Paxlovid/Vaccine/Diabetic • ST – Step Therapy

| DRUG NAME | TIER | UTILIZATION MANAGEMENT REQUIREMENTS |
|---------------------------------------------------------------------------------------------------------------------------|------|-------------------------------------|
| LOREEV XR 1 MG CAPSULE, ER 24 HR. DL | 4 | PA,QL(210 per 30 days) |
| LOREEV XR 1.5 MG, 2 MG CAPSULE, ER 24 HR. DL | 4 | PA,QL(150 per 30 days) |
| LOREEV XR 3 MG CAPSULE, ER 24 HR. DL | 4 | PA,QL(90 per 30 days) |
| meprobamate 200 mg, 400 mg TABLET MO | 1 | |
| oxazepam 10 mg, 15 mg, 30 mg CAPSULE DL | 1 | |
| TRANXENE T-TAB 7.5 MG TABLET DL | 3 | PA |
| VALIUM 10 MG TABLET DL | 3 | PA,QL(120 per 30 days) |
| VALIUM 2 MG, 5 MG TABLET DL | 3 | PA,QL(90 per 30 days) |
| XANAX 0.25 MG, 0.5 MG, 1 MG TABLET DL | 3 | PA,QL(120 per 30 days) |
| XANAX 2 MG TABLET DL | 3 | PA,QL(150 per 30 days) |
| XANAX XR 0.5 MG, 1 MG, 2 MG, 3 MG TABLET, ER 24 HR. DL | 3 | PA,QL(60 per 30 days) |
| BIPOLAR AGENTS | | |
| lithium carbonate 150 mg, 300 mg, 600 mg CAPSULE MO | 1 | |
| lithium carbonate 300 mg TABLET MO | 1 | |
| lithium carbonate 300 mg, 450 mg TABLET ER MO | 1 | |
| lithium citrate 8 meq/5 ml SOLUTION MO | 1 | |
| LITHOBID 300 MG TABLET ER MO | 3 | |
| BLOOD GLUCOSE REGULATORS | | |
| acarbose 100 mg, 25 mg, 50 mg TABLET MO | 1 | |
| ACTOPLUS MET 15-850 MG TABLET MO | 3 | PA,QL(90 per 30 days) |
| ACTOS 15 MG, 30 MG, 45 MG TABLET MO | 3 | PA,QL(30 per 30 days) |
| ADLYXIN 10 MCG/0.2 ML- 20 MCG/0.2 ML, 20 MCG/0.2 ML PEN INJECTOR MO | 3 | ST,QL(6 per 28 days) |
| ADMELOG SOLOSTAR U-100 INSULIN 100 UNIT/ML INSULIN PEN CI,MO | 3 | ST |
| ADMELOG U-100 INSULIN LISPRO 100 UNIT/ML SOLUTION CI,MO | 3 | ST |
| AFREZZA 12 UNIT CARTRIDGE WITH INHALER CI | 4 | PA,QL(90 per 30 days) |
| AFREZZA 4 UNIT (90)/ 8 UNIT (90), 4 UNIT/8 UNIT/ 12 UNIT (60), 8 UNIT (90)/ 12 UNIT (90) CARTRIDGE WITH INHALER CI | 4 | PA,QL(180 per 30 days) |
| AFREZZA 4 UNIT, 8 UNIT CARTRIDGE WITH INHALER CI,MO | 3 | PA,QL(90 per 30 days) |
| AMARYL 1 MG, 2 MG, 4 MG TABLET MO | 3 | PA |
| APIDRA SOLOSTAR U-100 INSULIN 100 UNIT/ML INSULIN PEN CI,MO | 3 | ST |
| APIDRA U-100 INSULIN 100 UNIT/ML SOLUTION CI,MO | 3 | ST |
| BAQSIMI 3 MG/ACTUATION SPRAY, NON-AEROSOL MO | 2 | |

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Paxlovid/Vaccine/Diabetic • ST – Step Therapy

| DRUG NAME | TIER | UTILIZATION MANAGEMENT REQUIREMENTS |
|----------------------------------------------------------------------------------------------|------|-------------------------------------|
| BASAGLAR KWIKPEN U-100 INSULIN 100 UNIT/ML (3 ML) INSULIN PEN CI,MO | 3 | PA |
| BASAGLAR TEMPO PEN(U-100)INSLN 100 UNIT/ML (3 ML) INSULIN PEN, SENSOR CI,MO | 3 | PA |
| BYDUREON BCISE 2 MG/0.85 ML AUTO-INJECTOR MO | 3 | QL(3.4 per 28 days) |
| BYETTA 10 MCG/DOSE(250 MCG/ML) 2.4 ML, 5 MCG/DOSE (250 MCG/ML) 1.2 ML PEN INJECTOR MO | 3 | ST,QL(2.4 per 30 days) |
| CYCLOSET 0.8 MG TABLET MO | 3 | ST,QL(180 per 30 days) |
| diazoxide 50 mg/ml SUSPENSION MO | 1 | |
| DUETACT 30-2 MG, 30-4 MG TABLET MO | 3 | QL(30 per 30 days) |
| FARXIGA 10 MG TABLET MO | 3 | QL(30 per 30 days) |
| FARXIGA 5 MG TABLET MO | 3 | QL(30 per 30 days) |
| FIASP FLEXTOUCH U-100 INSULIN 100 UNIT/ML (3 ML) INSULIN PEN CI,MO | 2 | |
| FIASP PENFILL U-100 INSULIN 100 UNIT/ML (3 ML) CARTRIDGE CI,MO | 2 | |
| FIASP U-100 INSULIN 100 UNIT/ML SOLUTION CI,MO | 2 | |
| glimepiride 1 mg TABLET MO | 1 | |
| glimepiride 2 mg, 4 mg TABLET MO | 1 | |
| glipizide 10 mg TABLET, ER 24 HR. MO | 1 | |
| glipizide 10 mg, 5 mg TABLET MO | 1 | |
| glipizide 2.5 mg TABLET MO | 1 | |
| glipizide 2.5 mg, 5 mg TABLET, ER 24 HR. MO | 1 | |
| glipizide-metformin 2.5-250 mg, 2.5-500 mg, 5-500 mg TABLET MO | 1 | |
| GLUCAGEN HYPOKIT 1 MG RECON SOLUTION MO | 2 | |
| GLUCAGON (HCL) EMERGENCY KIT 1 MG RECON SOLUTION MO | 3 | ST |
| GLUCAGON EMERGENCY KIT (HUMAN) 1 MG RECON SOLUTION MO | 3 | ST |
| glucagon emergency kit (human) 1 mg RECON SOLUTION MO | 3 | ST |
| GLUCOTROL XL 10 MG, 2.5 MG, 5 MG TABLET, ER 24 HR. MO | 3 | |
| GLUMETZA 1,000 MG TABLET, GAST. RETENTION 24 HR. DL | 4 | ST,QL(60 per 30 days) |
| GLUMETZA 500 MG TABLET, GAST. RETENTION 24 HR. DL | 4 | ST,QL(120 per 30 days) |
| glyburide 1.25 mg, 2.5 mg, 5 mg TABLET MO | 1 | |
| glyburide micronized 1.5 mg, 3 mg, 6 mg TABLET MO | 1 | |
| glyburide-metformin 1.25-250 mg, 2.5-500 mg, 5-500 mg TABLET MO | 1 | |
| GLYNASE 1.5 MG, 3 MG, 6 MG TABLET MO | 3 | |

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Paxlovid/Vaccine/Diabetic • ST – Step Therapy

| DRUG NAME | TIER | UTILIZATION MANAGEMENT REQUIREMENTS |
|----------------------------------------------------------------------------------|------|-------------------------------------|
| GLYXAMBI 10-5 MG, 25-5 MG TABLET MO | 2 | QL(30 per 30 days) |
| GVOKE 1 MG/0.2 ML SOLUTION MO | 2 | |
| GVOKE HYPOPEN 1-PACK 0.5 MG/0.1 ML, 1 MG/0.2 ML AUTO-INJECTOR MO | 2 | |
| GVOKE HYPOPEN 2-PACK 0.5 MG/0.1 ML, 1 MG/0.2 ML AUTO-INJECTOR MO | 2 | |
| GVOKE PFS 1-PACK SYRINGE 0.5 MG/0.1 ML, 1 MG/0.2 ML SYRINGE MO | 2 | |
| GVOKE PFS 2-PACK SYRINGE 0.5 MG/0.1 ML, 1 MG/0.2 ML SYRINGE MO | 2 | |
| HUMALOG JUNIOR KWIKPEN U-100 100 UNIT/ML INSULIN PEN, HALF-UNIT CI,MO | 2 | |
| HUMALOG KWIKPEN INSULIN 100 UNIT/ML, 200 UNIT/ML (3 ML) INSULIN PEN CI,MO | 2 | |
| HUMALOG MIX 50-50 INSULN U-100 100 UNIT/ML (50-50) SUSPENSION CI,MO | 2 | |
| HUMALOG MIX 50-50 KWIKPEN 100 UNIT/ML (50-50) INSULIN PEN CI,MO | 2 | |
| HUMALOG MIX 75-25 KWIKPEN 100 UNIT/ML (75-25) INSULIN PEN CI,MO | 2 | |
| HUMALOG MIX 75-25(U-100)INSULN 100 UNIT/ML (75-25) SUSPENSION CI,MO | 2 | |
| HUMALOG TEMPO PEN(U-100)INSULN 100 UNIT/ML INSULIN PEN, SENSOR CI,MO | 2 | |
| HUMALOG U-100 INSULIN 100 UNIT/ML CARTRIDGE CI,MO | 2 | |
| HUMALOG U-100 INSULIN 100 UNIT/ML SOLUTION CI,MO | 2 | |
| HUMULIN 70/30 U-100 INSULIN 100 UNIT/ML (70-30) SUSPENSION CI,MO | 2 | |
| HUMULIN 70/30 U-100 KWIKPEN 100 UNIT/ML (70-30) INSULIN PEN CI,MO | 2 | |
| HUMULIN N NPH INSULIN KWIKPEN 100 UNIT/ML (3 ML) INSULIN PEN CI,MO | 2 | |
| HUMULIN N NPH U-100 INSULIN 100 UNIT/ML SUSPENSION CI,MO | 2 | |
| HUMULIN R REGULAR U-100 INSULN 100 UNIT/ML SOLUTION CI,MO | 2 | |
| HUMULIN R U-500 (CONC) INSULIN 500 UNIT/ML SOLUTION CI | 4 | |
| HUMULIN R U-500 (CONC) KWIKPEN 500 UNIT/ML (3 ML) INSULIN PEN CI | 4 | |
| INPEFA 200 MG, 400 MG TABLET MO | 3 | PA,QL(30 per 30 days) |
| INSULIN ASP PRT-INSULIN ASPART 100 UNIT/ML (70-30) INSULIN PEN CI,MO | 2 | |
| INSULIN ASP PRT-INSULIN ASPART 100 UNIT/ML (70-30) SOLUTION CI,MO | 2 | |
| INSULIN ASPART U-100 100 UNIT/ML (3 ML) INSULIN PEN CI,MO | 2 | |
| INSULIN ASPART U-100 100 UNIT/ML CARTRIDGE CI,MO | 2 | |
| INSULIN ASPART U-100 100 UNIT/ML SOLUTION CI,MO | 2 | |

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Paxlovid/Vaccine/Diabetic • ST – Step Therapy

| DRUG NAME | TIER | UTILIZATION MANAGEMENT REQUIREMENTS |
|--------------------------------------------------------------------------------------------------------|------|-------------------------------------|
| INSULIN DEGLUDEC 100 UNIT/ML (3 ML), 200 UNIT/ML (3 ML) INSULIN PEN CI,MO | 3 | PA |
| INSULIN DEGLUDEC 100 UNIT/ML SOLUTION CI,MO | 3 | PA |
| INSULIN GLARGINE 100 UNIT/ML (3 ML) INSULIN PEN CI,MO | 3 | PA |
| INSULIN GLARGINE 100 UNIT/ML SOLUTION CI,MO | 3 | PA |
| INSULIN GLARGINE U-300 CONC 300 UNIT/ML (1.5 ML), 300 UNIT/ML (3 ML) INSULIN PEN CI,MO | 3 | PA |
| INSULIN GLARGINE-YFGN 100 UNIT/ML (3 ML) INSULIN PEN CI,MO | 3 | PA |
| INSULIN GLARGINE-YFGN 100 UNIT/ML SOLUTION CI,MO | 3 | PA |
| INSULIN LISPRO 100 UNIT/ML INSULIN PEN CI,MO | 2 | |
| INSULIN LISPRO 100 UNIT/ML INSULIN PEN, HALF-UNIT CI,MO | 2 | |
| INSULIN LISPRO 100 UNIT/ML SOLUTION CI,MO | 2 | |
| INSULIN LISPRO PROTAMIN-LISPRO 100 UNIT/ML (75-25) INSULIN PEN CI,MO | 2 | |
| INVOKAMET 150-1,000 MG, 150-500 MG, 50-1,000 MG, 50-500 MG TABLET MO | 2 | QL(60 per 30 days) |
| INVOKAMET XR 150-1,000 MG, 150-500 MG, 50-1,000 MG, 50-500 MG TABLET, IR/ER 24 HR., BIPHASIC MO | 2 | QL(60 per 30 days) |
| INVOKANA 100 MG, 300 MG TABLET MO | 2 | QL(30 per 30 days) |
| JANUMET 50-1,000 MG TABLET MO | 2 | QL(60 per 30 days) |
| JANUMET 50-500 MG TABLET MO | 2 | QL(60 per 30 days) |
| JANUMET XR 100-1,000 MG TABLET, ER 24 HR., MULTIPHASE MO | 2 | QL(30 per 30 days) |
| JANUMET XR 50-1,000 MG TABLET, ER 24 HR., MULTIPHASE MO | 2 | QL(60 per 30 days) |
| JANUMET XR 50-500 MG TABLET, ER 24 HR., MULTIPHASE MO | 2 | QL(60 per 30 days) |
| JANUVIA 100 MG, 25 MG, 50 MG TABLET MO | 2 | QL(30 per 30 days) |
| JARDIANCE 10 MG, 25 MG TABLET MO | 2 | QL(30 per 30 days) |
| JENTADUETO 2.5-1,000 MG, 2.5-500 MG, 2.5-850 MG TABLET MO | 2 | QL(60 per 30 days) |
| JENTADUETO XR 2.5-1,000 MG TABLET, IR/ER 24 HR., BIPHASIC MO | 2 | QL(60 per 30 days) |
| JENTADUETO XR 5-1,000 MG TABLET, IR/ER 24 HR., BIPHASIC MO | 2 | QL(30 per 30 days) |
| KAZANO 12.5-1,000 MG, 12.5-500 MG TABLET MO | 3 | PA,QL(60 per 30 days) |
| LANTUS SOLOSTAR U-100 INSULIN 100 UNIT/ML (3 ML) INSULIN PEN CI,MO | 2 | |
| LANTUS U-100 INSULIN 100 UNIT/ML SOLUTION CI,MO | 2 | |
| LEVEMIR FLEXPEN 100 UNIT/ML (3 ML) INSULIN PEN CI,MO | 3 | PA |

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Paxlovid/Vaccine/Diabetic • ST – Step Therapy

| DRUG NAME | TIER | UTILIZATION MANAGEMENT REQUIREMENTS |
|-----------------------------------------------------------------------------------------------------------------------|------|-------------------------------------|
| LEVEMIR FLEXTOUCH U100 INSULIN 100 UNIT/ML (3 ML) INSULIN PEN CI,MO | 3 | PA |
| LEVEMIR U-100 INSULIN 100 UNIT/ML SOLUTION CI,MO | 3 | PA |
| LYUMJEV KWIKPEN U-100 INSULIN 100 UNIT/ML INSULIN PEN CI,MO | 2 | |
| LYUMJEV KWIKPEN U-200 INSULIN 200 UNIT/ML (3 ML) INSULIN PEN CI,MO | 2 | |
| LYUMJEV TEMPO PEN(U-100)INSULN 100 UNIT/ML INSULIN PEN, SENSOR CI,MO | 2 | |
| LYUMJEV U-100 INSULIN 100 UNIT/ML SOLUTION CI,MO | 2 | |
| metformin 1,000 mg TABLET, ER 24 HR. MO | 3 | ST,QL(60 per 30 days) |
| metformin 1,000 mg TABLET, GAST. RETENTION 24 HR. | 4 | ST,QL(60 per 30 days) |
| metformin 1,000 mg, 500 mg TABLET MO | 1 | |
| metformin 500 mg TABLET, ER 24 HR. MO | 1 | QL(120 per 30 days) |
| metformin 500 mg TABLET, ER 24 HR. MO | 3 | ST,QL(150 per 30 days) |
| metformin 500 mg TABLET, GAST. RETENTION 24 HR. | 4 | ST,QL(120 per 30 days) |
| metformin 500 mg/5 ml SOLUTION MO | 1 | QL(750 per 30 days) |
| metformin 625 mg TABLET DL | 4 | ST,QL(120 per 30 days) |
| metformin 750 mg TABLET, ER 24 HR. MO | 1 | QL(60 per 30 days) |
| metformin 850 mg TABLET MO | 1 | |
| miglitol 100 mg, 25 mg, 50 mg TABLET MO | 1 | |
| MOUNJARO 10 MG/0.5 ML, 12.5 MG/0.5 ML, 15 MG/0.5 ML, 2.5 MG/0.5 ML, 5 MG/0.5 ML, 7.5 MG/0.5 ML PEN INJECTOR MO | 2 | QL(2 per 28 days) |
| nateglinide 120 mg, 60 mg TABLET MO | 1 | |
| NESINA 12.5 MG, 25 MG, 6.25 MG TABLET MO | 3 | PA,QL(30 per 30 days) |
| NOVOLIN 70-30 FLEXPEN U-100 100 UNIT/ML (70-30) INSULIN PEN CI,MO | 2 | |
| NOVOLIN 70/30 U-100 INSULIN 100 UNIT/ML (70-30) SUSPENSION CI,MO | 2 | |
| NOVOLIN N FLEXPEN 100 UNIT/ML (3 ML) INSULIN PEN CI,MO | 2 | |
| NOVOLIN N NPH U-100 INSULIN 100 UNIT/ML SUSPENSION CI,MO | 2 | |
| NOVOLIN R FLEXPEN 100 UNIT/ML (3 ML) INSULIN PEN CI,MO | 2 | |
| NOVOLIN R REGULAR U100 INSULIN 100 UNIT/ML SOLUTION CI,MO | 2 | |
| NOVOLOG FLEXPEN U-100 INSULIN 100 UNIT/ML (3 ML) INSULIN PEN CI,MO | 2 | |
| NOVOLOG MIX 70-30 U-100 INSULN 100 UNIT/ML (70-30) SOLUTION CI,MO | 2 | |
| NOVOLOG MIX 70-30FLEXPEN U-100 100 UNIT/ML (70-30) INSULIN PEN CI,MO | 2 | |
| NOVOLOG PENFILL U-100 INSULIN 100 UNIT/ML CARTRIDGE CI,MO | 2 | |

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Paxlovid/Vaccine/Diabetic • ST – Step Therapy

| DRUG NAME | TIER | UTILIZATION MANAGEMENT REQUIREMENTS |
|-----------------------------------------------------------------------------------------|------|-------------------------------------|
| NOVOLOG U-100 INSULIN ASPART 100 UNIT/ML SOLUTION CI,MO | 2 | |
| OSENI 12.5-15 MG, 12.5-30 MG, 12.5-45 MG, 25-15 MG, 25-30 MG, 25-45 MG TABLET MO | 3 | PA,QL(30 per 30 days) |
| OZEMPI C 0.25 MG OR 0.5 MG (2 MG/3 ML) PEN INJECTOR MO | 2 | QL(3 per 28 days) |
| OZEMPI C 0.25 MG OR 0.5 MG(2 MG/1.5 ML) PEN INJECTOR MO | 2 | QL(1.5 per 28 days) |
| OZEMPI C 1 MG/DOSE (4 MG/3 ML), 2 MG/DOSE (8 MG/3 ML) PEN INJECTOR MO | 2 | QL(3 per 28 days) |
| pioglitazone 15 mg, 30 mg TABLET MO | 1 | QL(30 per 30 days) |
| pioglitazone 45 mg TABLET MO | 1 | QL(30 per 30 days) |
| pioglitazone-glimepiride 30-2 mg, 30-4 mg TABLET MO | 1 | QL(30 per 30 days) |
| pioglitazone-metformin 15-500 mg, 15-850 mg TABLET MO | 1 | QL(90 per 30 days) |
| PRECOSE 100 MG, 25 MG, 50 MG TABLET MO | 3 | |
| PROGLYCEM 50 MG/ML SUSPENSION DL | 4 | PA |
| QTERN 10-5 MG, 5-5 MG TABLET MO | 3 | PA,QL(30 per 30 days) |
| repaglinide 0.5 mg, 1 mg, 2 mg TABLET MO | 1 | |
| REZVOGLAR KWIKPEN 100 UNIT/ML (3 ML) INSULIN PEN CI,MO | 3 | PA |
| RIOMET 500 MG/5 ML SOLUTION MO | 3 | QL(750 per 30 days) |
| RIOMET ER 500 MG/5 ML SUSPENSION, ER, RECON MO | 3 | QL(750 per 30 days) |
| RYBELSUS 14 MG, 3 MG, 7 MG TABLET MO | 2 | QL(30 per 30 days) |
| saxagliptin 2.5 mg, 5 mg TABLET MO | 1 | QL(30 per 30 days) |
| saxagliptin-metformin 2.5-1,000 mg TABLET, ER 24 HR., MULTIPHASE MO | 1 | QL(60 per 30 days) |
| saxagliptin-metformin 5-1,000 mg, 5-500 mg TABLET, ER 24 HR., MULTIPHASE MO | 1 | QL(30 per 30 days) |
| SEGLUROMET 2.5-1,000 MG, 2.5-500 MG, 7.5-1,000 MG, 7.5-500 MG TABLET MO | 3 | PA,QL(60 per 30 days) |
| SEMGLEE(INSULIN GLARG-YFGN)PEN 100 UNIT/ML (3 ML) INSULIN PEN CI,MO | 3 | PA |
| SEMGLEE(INSULIN GLARGINE-YFGN) 100 UNIT/ML SOLUTION CI,MO | 3 | PA |
| sitagliptin 100 mg, 25 mg, 50 mg TABLET MO | 3 | PA,QL(30 per 30 days) |
| SOLIQUA 100/33 100 UNIT-33 MCG/ML INSULIN PEN CI,MO | 2 | QL(15 per 24 days) |
| STEGLATRO 15 MG, 5 MG TABLET MO | 3 | PA,QL(30 per 30 days) |
| STEGLUJAN 15-100 MG, 5-100 MG TABLET MO | 3 | PA,QL(30 per 30 days) |
| SYMLINPEN 120 2,700 MCG/2.7 ML PEN INJECTOR | 4 | QL(10.8 per 30 days) |
| SYMLINPEN 60 1,500 MCG/1.5 ML PEN INJECTOR | 4 | QL(10.5 per 28 days) |

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Paxlovid/Vaccine/Diabetic • ST – Step Therapy

| DRUG NAME | TIER | UTILIZATION MANAGEMENT REQUIREMENTS |
|-----------------------------------------------------------------------------------------------------|------|-------------------------------------|
| SYNJARDY 12.5-1,000 MG, 12.5-500 MG, 5-1,000 MG, 5-500 MG TABLET MO | 2 | QL(60 per 30 days) |
| SYNJARDY XR 10-1,000 MG, 25-1,000 MG TABLET, IR/ER 24 HR., BIPHASIC MO | 2 | QL(30 per 30 days) |
| SYNJARDY XR 12.5-1,000 MG, 5-1,000 MG TABLET, IR/ER 24 HR., BIPHASIC MO | 2 | QL(60 per 30 days) |
| TOUJEO MAX U-300 SOLOSTAR 300 UNIT/ML (3 ML) INSULIN PEN CI,MO | 2 | |
| TOUJEO SOLOSTAR U-300 INSULIN 300 UNIT/ML (1.5 ML) INSULIN PEN CI,MO | 2 | |
| TRADJENTA 5 MG TABLET MO | 2 | QL(30 per 30 days) |
| TRESIBA FLEXTOUCH U-100 100 UNIT/ML (3 ML) INSULIN PEN CI,MO | 2 | |
| TRESIBA FLEXTOUCH U-200 200 UNIT/ML (3 ML) INSULIN PEN CI,MO | 2 | |
| TRESIBA U-100 INSULIN 100 UNIT/ML SOLUTION CI,MO | 2 | |
| TRIJARDY XR 10-5-1,000 MG, 25-5-1,000 MG TABLET, IR/ER 24 HR., BIPHASIC MO | 2 | QL(30 per 30 days) |
| TRIJARDY XR 12.5-2.5-1,000 MG, 5-2.5-1,000 MG TABLET, IR/ER 24 HR., BIPHASIC MO | 2 | QL(60 per 30 days) |
| TRULICITY 0.75 MG/0.5 ML, 1.5 MG/0.5 ML, 3 MG/0.5 ML, 4.5 MG/0.5 ML PEN INJECTOR MO | 2 | QL(2 per 28 days) |
| VICTOZA 2-PAK 0.6 MG/0.1 ML (18 MG/3 ML) PEN INJECTOR MO | 2 | QL(9 per 30 days) |
| VICTOZA 3-PAK 0.6 MG/0.1 ML (18 MG/3 ML) PEN INJECTOR MO | 2 | QL(9 per 30 days) |
| XIGDUO XR 10-1,000 MG, 10-500 MG TABLET, IR/ER 24 HR., BIPHASIC MO | 3 | QL(30 per 30 days) |
| XIGDUO XR 2.5-1,000 MG, 5-1,000 MG TABLET, IR/ER 24 HR., BIPHASIC MO | 3 | QL(60 per 30 days) |
| XIGDUO XR 5-500 MG TABLET, IR/ER 24 HR., BIPHASIC MO | 3 | QL(30 per 30 days) |
| XULTOPHY 100/3.6 100 UNIT-3.6 MG/ML (3 ML) INSULIN PEN CI,MO | 2 | QL(15 per 30 days) |
| ZEGALOGUE AUTOINJECTOR 0.6 MG/0.6 ML AUTO-INJECTOR MO | 2 | |
| ZEGALOGUE SYRINGE 0.6 MG/0.6 ML SYRINGE MO | 2 | |
| ZITUVIO 100 MG, 25 MG, 50 MG TABLET MO | 3 | PA,QL(30 per 30 days) |
| BLOOD PRODUCTS AND MODIFIERS | | |
| ADZYNMA 1,500 UNIT, 500 UNIT KIT DL | 4 | PA |
| AGGRASTAT CONCENTRATE 250 MCG/ML CONCENTRATE MO | 3 | |
| AGGRASTAT IN SODIUM CHLORIDE 12.5 MG/250 ML (50 MCG/ML), 5 MG/100 ML (50 MCG/ML) SOLUTION MO | 3 | |
| AGRYLIN 0.5 MG CAPSULE MO | 3 | PA |
| ALVAIZ 18 MG, 9 MG TABLET DL | 4 | PA,QL(30 per 30 days) |

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Paxlovid/Vaccine/Diabetic • ST – Step Therapy

| DRUG NAME | TIER | UTILIZATION MANAGEMENT REQUIREMENTS |
|-------------------------------------------------------------------------------|------|-------------------------------------|
| ALVAIZ 36 MG, 54 MG TABLET DL | 4 | PA,QL(60 per 30 days) |
| aminocaproic acid 1,000 mg TABLET DL | 4 | |
| aminocaproic acid 250 mg/ml, 250 mg/ml (25 %) SOLUTION MO | 1 | |
| aminocaproic acid 500 mg TABLET MO | 1 | |
| anagrelide 0.5 mg, 1 mg CAPSULE MO | 1 | |
| ARANESP (IN POLYSORBATE) 10 MCG/0.4 ML, 40 MCG/0.4 ML SYRINGE MO | 3 | PA,QL(1.6 per 30 days) |
| ARANESP (IN POLYSORBATE) 100 MCG/0.5 ML SYRINGE DL | 4 | PA,QL(2 per 30 days) |
| ARANESP (IN POLYSORBATE) 100 MCG/ML, 200 MCG/ML, 60 MCG/ML SOLUTION DL | 4 | PA,QL(4 per 30 days) |
| ARANESP (IN POLYSORBATE) 150 MCG/0.3 ML SYRINGE DL | 4 | PA,QL(1.2 per 30 days) |
| ARANESP (IN POLYSORBATE) 200 MCG/0.4 ML SYRINGE DL | 4 | PA,QL(1.6 per 30 days) |
| ARANESP (IN POLYSORBATE) 25 MCG/0.42 ML SYRINGE MO | 3 | PA,QL(1.68 per 30 days) |
| ARANESP (IN POLYSORBATE) 25 MCG/ML, 40 MCG/ML SOLUTION MO | 3 | PA,QL(4 per 30 days) |
| ARANESP (IN POLYSORBATE) 300 MCG/0.6 ML SYRINGE DL | 4 | PA,QL(2.4 per 30 days) |
| ARANESP (IN POLYSORBATE) 500 MCG/ML SYRINGE DL | 4 | PA,QL(4 per 30 days) |
| ARANESP (IN POLYSORBATE) 60 MCG/0.3 ML SYRINGE MO | 3 | PA,QL(1.2 per 30 days) |
| ARIIXTRA 10 MG/0.8 ML SYRINGE DL | 4 | PA,QL(24 per 30 days) |
| ARIIXTRA 2.5 MG/0.5 ML SYRINGE DL | 4 | PA,QL(15 per 30 days) |
| ARIIXTRA 5 MG/0.4 ML SYRINGE DL | 4 | PA,QL(12 per 30 days) |
| ARIIXTRA 7.5 MG/0.6 ML SYRINGE DL | 4 | PA,QL(18 per 30 days) |
| aspirin-dipyridamole 25-200 mg CAPSULE ER MULTIPHASE 12 HR. MO | 1 | ST,QL(60 per 30 days) |
| BRILINTA 60 MG, 90 MG TABLET MO | 2 | QL(60 per 30 days) |
| CABLIVI 11 MG KIT DL | 4 | PA,QL(30 per 30 days) |
| cilostazol 100 mg, 50 mg TABLET MO | 1 | |
| clopidogrel 300 mg TABLET MO | 1 | |
| clopidogrel 75 mg TABLET MO | 1 | QL(30 per 30 days) |
| CYKLOKAPRON 1,000 MG/10 ML (100 MG/ML) SOLUTION DL | 4 | PA |
| dabigatran etexilate 110 mg, 150 mg, 75 mg CAPSULE MO | 1 | QL(60 per 30 days) |
| dipyridamole 25 mg, 50 mg, 75 mg TABLET MO | 1 | |
| DOPTELET (10 TAB PACK) 20 MG TABLET DL | 4 | PA,QL(60 per 30 days) |
| DOPTELET (15 TAB PACK) 20 MG TABLET DL | 4 | PA,QL(60 per 30 days) |
| DOPTELET (30 TAB PACK) 20 MG TABLET DL | 4 | PA,QL(60 per 30 days) |

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Paxlovid/Vaccine/Diabetic • ST – Step Therapy

| DRUG NAME | TIER | UTILIZATION MANAGEMENT REQUIREMENTS |
|--------------------------------------------------------------------------------------------------------------------------|------|-------------------------------------|
| EFFIENT 10 MG, 5 MG TABLET MO | 3 | PA,QL(30 per 30 days) |
| ELIQUIS 2.5 MG TABLET MO | 2 | QL(60 per 30 days) |
| ELIQUIS 5 MG TABLET MO | 2 | QL(74 per 30 days) |
| ELIQUIS DVT-PE TREAT 30D START 5 MG (74 TABS) TABLET, DOSE PACK MO | 2 | QL(74 per 30 days) |
| enoxaparin 100 mg/ml, 120 mg/0.8 ml, 150 mg/ml, 30 mg/0.3 ml, 40 mg/0.4 ml, 60 mg/0.6 ml, 80 mg/0.8 ml SYRINGE MO | 1 | |
| enoxaparin 300 mg/3 ml SOLUTION MO | 1 | |
| EPOGEN 10,000 UNIT/ML, 2,000 UNIT/ML, 20,000 UNIT/ML, 3,000 UNIT/ML, 4,000 UNIT/ML SOLUTION MO | 3 | PA,QL(14 per 30 days) |
| EPOGEN 20,000 UNIT/2 ML SOLUTION MO | 3 | PA,QL(28 per 30 days) |
| eptifibatide 0.75 mg/ml, 2 mg/ml SOLUTION MO | 1 | |
| fondaparinux 10 mg/0.8 ml SYRINGE DL | 4 | QL(24 per 30 days) |
| fondaparinux 2.5 mg/0.5 ml SYRINGE DL | 4 | QL(15 per 30 days) |
| fondaparinux 5 mg/0.4 ml SYRINGE DL | 4 | QL(12 per 30 days) |
| fondaparinux 7.5 mg/0.6 ml SYRINGE DL | 4 | QL(18 per 30 days) |
| FRAGMIN 10,000 ANTI-XA UNIT/ML SYRINGE DL | 4 | QL(30 per 30 days) |
| FRAGMIN 12,500 ANTI-XA UNIT/0.5 ML SYRINGE DL | 4 | QL(15 per 30 days) |
| FRAGMIN 15,000 ANTI-XA UNIT/0.6 ML SYRINGE DL | 4 | QL(18 per 30 days) |
| FRAGMIN 18,000 ANTI-XA UNIT/0.72 ML SYRINGE DL | 4 | QL(21.6 per 30 days) |
| FRAGMIN 2,500 ANTI-XA UNIT/0.2 ML, 5,000 ANTI-XA UNIT/0.2 ML SYRINGE DL | 4 | QL(6 per 30 days) |
| FRAGMIN 2,500 ANTI-XA UNIT/ML SOLUTION DL | 4 | QL(120 per 30 days) |
| FRAGMIN 25,000 ANTI-XA UNIT/ML SOLUTION DL | 4 | QL(22.8 per 30 days) |
| FRAGMIN 7,500 ANTI-XA UNIT/0.3 ML SYRINGE DL | 4 | QL(9 per 30 days) |
| FULPHILA 6 MG/0.6 ML SYRINGE DL | 4 | PA,QL(1.2 per 28 days) |
| FYLNETRA 6 MG/0.6 ML SYRINGE DL | 4 | PA,QL(1.2 per 28 days) |
| GRANIX 300 MCG/0.5 ML SYRINGE DL | 4 | PA,QL(7 per 28 days) |
| GRANIX 300 MCG/ML SOLUTION DL | 4 | PA,QL(14 per 28 days) |
| GRANIX 480 MCG/0.8 ML SYRINGE DL | 4 | PA,QL(11.2 per 28 days) |
| GRANIX 480 MCG/1.6 ML SOLUTION DL | 4 | PA,QL(22.4 per 28 days) |
| heparin (porcine) 1,000 unit/ml, 10,000 unit/ml, 20,000 unit/ml, 5,000 unit/ml SOLUTION MO | 1 | |
| heparin (porcine) 5,000 unit/ml (1 ml) CARTRIDGE MO | 1 | |

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Paxlovid/Vaccine/Diabetic • ST – Step Therapy

| DRUG NAME | TIER | UTILIZATION MANAGEMENT REQUIREMENTS |
|-----------------------------------------------------------------------------------------------------------------------|------|-------------------------------------|
| heparin (porcine) 5,000 unit/ml SYRINGE MO | 1 | |
| heparin, porcine (pf) 1,000 unit/ml, 5,000 unit/0.5 ml SOLUTION MO | 1 | |
| heparin, porcine (pf) 5,000 unit/0.5 ml, 5,000 unit/ml SYRINGE MO | 1 | |
| jantoven 1 mg, 10 mg, 2 mg, 2.5 mg, 3 mg, 4 mg, 5 mg, 6 mg, 7.5 mg TABLET MO | 1 | |
| KENGREAL 50 MG RECON SOLUTION DL | 4 | |
| LEUKINE 250 MCG RECON SOLUTION DL | 4 | PA |
| LOVENOX 100 MG/ML, 120 MG/0.8 ML, 150 MG/ML, 30 MG/0.3 ML, 40 MG/0.4 ML, 60 MG/0.6 ML, 80 MG/0.8 ML SYRINGE DL | 4 | PA |
| LOVENOX 300 MG/3 ML SOLUTION DL | 4 | PA |
| LYSTEDA 650 MG TABLET MO | 3 | QL(30 per 5 days) |
| MOZOBIL 24 MG/1.2 ML (20 MG/ML) SOLUTION DL | 4 | PA,QL(9.6 per 30 days) |
| MULPLETA 3 MG TABLET DL | 4 | PA |
| NEULASTA 6 MG/0.6 ML SYRINGE DL | 4 | PA,QL(1.2 per 28 days) |
| NEULASTA ONPRO 6 MG/0.6 ML SYRINGE W/WEARABLE INJECTOR DL | 4 | PA,QL(1.2 per 28 days) |
| NEUPOGEN 300 MCG/0.5 ML SYRINGE DL | 4 | PA,QL(7 per 30 days) |
| NEUPOGEN 300 MCG/ML SOLUTION DL | 4 | PA,QL(14 per 30 days) |
| NEUPOGEN 480 MCG/0.8 ML SYRINGE DL | 4 | PA,QL(11.2 per 30 days) |
| NEUPOGEN 480 MCG/1.6 ML SOLUTION DL | 4 | PA,QL(22.4 per 30 days) |
| NIVESTYM 300 MCG/0.5 ML SYRINGE DL | 4 | PA,QL(7 per 30 days) |
| NIVESTYM 300 MCG/ML SOLUTION DL | 4 | PA,QL(14 per 30 days) |
| NIVESTYM 480 MCG/0.8 ML SYRINGE DL | 4 | PA,QL(11.2 per 30 days) |
| NIVESTYM 480 MCG/1.6 ML SOLUTION DL | 4 | PA,QL(22.4 per 30 days) |
| NYVEPRIA 6 MG/0.6 ML SYRINGE DL | 4 | PA,QL(1.2 per 28 days) |
| PLAVIX 75 MG TABLET MO | 3 | PA,QL(30 per 30 days) |
| plerixafor 24 mg/1.2 ml (20 mg/ml) SOLUTION DL | 4 | PA,QL(9.6 per 30 days) |
| PRADAXA 110 MG, 150 MG, 75 MG CAPSULE MO | 3 | QL(60 per 30 days) |
| PRADAXA 110 MG, 30 MG, 40 MG, 50 MG PELLETS IN PACKET DL | 4 | PA,QL(120 per 30 days) |
| PRADAXA 150 MG, 20 MG PELLETS IN PACKET DL | 4 | PA,QL(60 per 30 days) |
| prasugrel 10 mg, 5 mg TABLET MO | 1 | QL(30 per 30 days) |
| PROCRIT 10,000 UNIT/ML SOLUTION MO | 3 | PA,QL(14 per 30 days) |
| PROCRIT 2,000 UNIT/ML, 3,000 UNIT/ML, 4,000 UNIT/ML SOLUTION MO | 3 | PA,QL(14 per 30 days) |
| PROCRIT 20,000 UNIT/2 ML SOLUTION DL | 3 | PA,QL(28 per 30 days) |

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Paxlovid/Vaccine/Diabetic • ST – Step Therapy

| DRUG NAME | TIER | UTILIZATION MANAGEMENT REQUIREMENTS |
|-------------------------------------------------------------------------------------------------------------------------------------------|------|-------------------------------------|
| PROCRIT 20,000 UNIT/ML, 40,000 UNIT/ML SOLUTION DL | 3 | PA,QL(14 per 30 days) |
| PROMACTA 12.5 MG POWDER IN PACKET DL,LA | 4 | PA,QL(360 per 30 days) |
| PROMACTA 12.5 MG, 75 MG TABLET DL,LA | 4 | PA,QL(60 per 30 days) |
| PROMACTA 25 MG POWDER IN PACKET DL,LA | 4 | PA,QL(180 per 30 days) |
| PROMACTA 25 MG TABLET DL,LA | 4 | PA,QL(30 per 30 days) |
| PROMACTA 50 MG TABLET DL,LA | 4 | PA,QL(90 per 30 days) |
| PYRUKYND 20 MG (7)- 5 MG (7), 50 MG (7)- 20 MG (7) TABLET, DOSE PACK DL | 4 | PA,QL(14 per 14 days) |
| PYRUKYND 20 MG, 5 MG, 50 MG TABLET DL | 4 | PA,QL(60 per 30 days) |
| REBLOZYL 25 MG, 75 MG RECON SOLUTION DL | 4 | PA |
| RELEUKO 300 MCG/0.5 ML SYRINGE DL | 4 | PA,QL(7 per 30 days) |
| RELEUKO 300 MCG/ML SOLUTION DL | 4 | PA,QL(14 per 30 days) |
| RELEUKO 480 MCG/0.8 ML SYRINGE DL | 4 | PA,QL(11.2 per 30 days) |
| RELEUKO 480 MCG/1.6 ML SOLUTION DL | 4 | PA,QL(22.4 per 30 days) |
| RETACRIT 10,000 UNIT/ML, 2,000 UNIT/ML, 20,000 UNIT/2 ML, 20,000 UNIT/ML, 3,000 UNIT/ML, 4,000 UNIT/ML, 40,000 UNIT/ML SOLUTION MO | 3 | PA,QL(14 per 30 days) |
| RIASTAP 1 GRAM (900MG-1,300MG) RECON SOLUTION MO | 3 | |
| ROLVEDON 13.2 MG/0.6 ML SYRINGE DL | 4 | PA,QL(1.2 per 28 days) |
| SAVAYSA 15 MG, 30 MG, 60 MG TABLET MO | 3 | PA,QL(30 per 30 days) |
| STIMUFEND 6 MG/0.6 ML SYRINGE DL | 4 | PA,QL(1.2 per 28 days) |
| TAVALISSE 100 MG, 150 MG TABLET DL | 4 | PA,QL(60 per 30 days) |
| tirofiban-0.9% sodium chloride 12.5 mg/250 ml (50 mcg/ml), 5 mg/100 ml (50 mcg/ml) SOLUTION MO | 1 | |
| tranexamic acid 1,000 mg/10 ml (100 mg/ml) SOLUTION MO | 1 | PA |
| tranexamic acid 650 mg TABLET MO | 1 | QL(30 per 5 days) |
| UDENYCA 6 MG/0.6 ML SYRINGE DL | 4 | PA,QL(1.2 per 28 days) |
| UDENYCA AUTOINJECTOR 6 MG/0.6 ML AUTO-INJECTOR DL | 4 | PA,QL(1.2 per 28 days) |
| UDENYCA ONBODY 6 MG/0.6 ML SYRINGE W/WEARABLE INJECTOR DL | 4 | PA,QL(1.2 per 28 days) |
| warfarin 1 mg, 10 mg, 2 mg, 2.5 mg, 3 mg, 4 mg, 6 mg, 7.5 mg TABLET MO | 1 | |
| warfarin 5 mg TABLET MO | 1 | |
| XARELTO 1 MG/ML SUSPENSION FOR RECONSTITUTION MO | 2 | ST,QL(600 per 30 days) |
| XARELTO 10 MG, 20 MG TABLET MO | 2 | QL(30 per 30 days) |
| XARELTO 15 MG, 2.5 MG TABLET MO | 2 | QL(60 per 30 days) |

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Paxlovid/Vaccine/Diabetic • ST – Step Therapy

| DRUG NAME | TIER | UTILIZATION MANAGEMENT REQUIREMENTS |
|------------------------------------------------------------------------------------------------------------------------------------------------------|------|-------------------------------------|
| XARELTO DVT-PE TREAT 30D START 15 MG (42)- 20 MG (9) TABLET, DOSE PACK MO | 2 | QL(51 per 30 days) |
| YOSPRALA 325-40 MG, 81-40 MG TABLET, IR, DR, BIPHASIC MO | 3 | PA,QL(30 per 30 days) |
| ZARXIO 300 MCG/0.5 ML SYRINGE DL | 4 | PA,QL(7 per 30 days) |
| ZARXIO 480 MCG/0.8 ML SYRINGE DL | 4 | PA,QL(11.2 per 30 days) |
| ZIEXTENZO 6 MG/0.6 ML SYRINGE DL | 4 | PA,QL(1.2 per 28 days) |
| ZONTIVITY 2.08 MG TABLET MO | 3 | QL(30 per 30 days) |
| CARDIOVASCULAR AGENTS | | |
| ACCUPRIL 10 MG, 20 MG, 40 MG, 5 MG TABLET MO | 3 | |
| ACCURETIC 10-12.5 MG, 20-12.5 MG, 20-25 MG TABLET MO | 3 | |
| acebutolol 200 mg, 400 mg CAPSULE MO | 1 | |
| acetazolamide 125 mg, 250 mg TABLET MO | 1 | |
| acetazolamide 500 mg CAPSULE, ER MO | 1 | |
| acetazolamide sodium 500 mg RECON SOLUTION MO | 1 | |
| adenosine 3 mg/ml SOLUTION MO | 1 | |
| adenosine 3 mg/ml SYRINGE MO | 1 | |
| ALDACTAZIDE 25-25 MG, 50-50 MG TABLET MO | 3 | |
| ALDACTONE 100 MG, 25 MG, 50 MG TABLET MO | 3 | |
| aliskiren 150 mg, 300 mg TABLET MO | 1 | QL(30 per 30 days) |
| ALTACE 1.25 MG, 10 MG, 2.5 MG, 5 MG CAPSULE MO | 3 | PA |
| ALTOPREV 20 MG, 40 MG, 60 MG TABLET, ER 24 HR. DL | 4 | ST,QL(30 per 30 days) |
| amiloride 5 mg TABLET MO | 1 | |
| amiloride-hydrochlorothiazide 5-50 mg TABLET MO | 1 | |
| amiodarone 100 mg TABLET MO | 1 | |
| amiodarone 150 mg/3 ml SYRINGE MO | 1 | |
| amiodarone 200 mg TABLET MO | 1 | |
| amiodarone 400 mg TABLET MO | 1 | QL(60 per 30 days) |
| amiodarone 50 mg/ml SOLUTION MO | 1 | |
| amlodipine 10 mg, 2.5 mg, 5 mg TABLET MO | 1 | |
| amlodipine-atorvastatin 10-10 mg, 10-20 mg, 10-40 mg, 10-80 mg, 2.5-10 mg, 2.5-20 mg, 2.5-40 mg, 5-10 mg, 5-20 mg, 5-40 mg, 5-80 mg TABLET MO | 1 | QL(30 per 30 days) |
| amlodipine-benazepril 10-20 mg, 2.5-10 mg, 5-10 mg, 5-20 mg CAPSULE MO | 1 | QL(60 per 30 days) |

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Paxlovid/Vaccine/Diabetic • ST – Step Therapy

| DRUG NAME | TIER | UTILIZATION MANAGEMENT REQUIREMENTS |
|------------------------------------------------------------------------------------------------------------------------|------|-------------------------------------|
| amlodipine-benazepril 10-40 mg, 5-40 mg CAPSULE MO | 1 | QL(30 per 30 days) |
| amlodipine-olmesartan 10-20 mg, 10-40 mg, 5-20 mg, 5-40 mg TABLET MO | 1 | QL(30 per 30 days) |
| amlodipine-valsartan 10-160 mg, 10-320 mg, 5-160 mg, 5-320 mg TABLET MO | 1 | QL(30 per 30 days) |
| amlodipine-valsartan-hcthiazid 10-160-12.5 mg, 10-160-25 mg, 10-320-25 mg, 5-160-12.5 mg, 5-160-25 mg TABLET MO | 1 | QL(30 per 30 days) |
| ASPRUZY SPRINKLE 1,000 MG, 500 MG ER GRANULES, PACKET MO | 3 | QL(60 per 30 days) |
| ATACAND 16 MG, 4 MG, 8 MG TABLET MO | 3 | PA,QL(60 per 30 days) |
| ATACAND 32 MG TABLET MO | 3 | PA,QL(30 per 30 days) |
| ATACAND HCT 16-12.5 MG, 32-12.5 MG, 32-25 MG TABLET MO | 3 | PA,QL(30 per 30 days) |
| atenolol 100 mg TABLET MO | 1 | |
| atenolol 25 mg, 50 mg TABLET MO | 1 | |
| atenolol-chlorthalidone 100-25 mg, 50-25 mg TABLET MO | 1 | |
| ATORVALIQ 20 MG/5 ML (4 MG/ML) SUSPENSION MO | 3 | ST,QL(600 per 30 days) |
| atorvastatin 10 mg, 20 mg, 40 mg, 80 mg TABLET MO | 1 | |
| AVALIDE 150-12.5 MG TABLET MO | 3 | PA,QL(60 per 30 days) |
| AVALIDE 300-12.5 MG TABLET MO | 3 | PA,QL(30 per 30 days) |
| AVAPRO 150 MG, 300 MG, 75 MG TABLET MO | 3 | PA,QL(30 per 30 days) |
| AZOR 10-20 MG, 10-40 MG, 5-20 MG, 5-40 MG TABLET MO | 3 | PA,QL(30 per 30 days) |
| benazepril 10 mg, 20 mg, 40 mg, 5 mg TABLET MO | 1 | |
| benazepril-hydrochlorothiazide 10-12.5 mg, 20-12.5 mg, 20-25 mg, 5-6.25 mg TABLET MO | 1 | |
| BENICAR 20 MG, 40 MG TABLET MO | 3 | PA,QL(30 per 30 days) |
| BENICAR 5 MG TABLET MO | 3 | PA,QL(60 per 30 days) |
| BENICAR HCT 20-12.5 MG, 40-12.5 MG, 40-25 MG TABLET MO | 3 | PA,QL(30 per 30 days) |
| BETAPACE 120 MG, 160 MG, 240 MG, 80 MG TABLET DL | 4 | PA |
| BETAPACE AF 120 MG, 160 MG, 80 MG TABLET DL | 4 | PA |
| betaxolol 10 mg, 20 mg TABLET MO | 1 | |
| BIDIL 20-37.5 MG TABLET MO | 3 | PA,QL(180 per 30 days) |
| BIORPHEN 0.1 MG/ML SOLUTION MO | 3 | |
| bisoprolol fumarate 10 mg, 5 mg TABLET MO | 1 | |
| bisoprolol-hydrochlorothiazide 10-6.25 mg, 2.5-6.25 mg, 5-6.25 mg TABLET MO | 1 | |
| bretylium tosylate 50 mg/ml SOLUTION MO | 1 | |
| BREVIBLOC 100 MG/10 ML (10 MG/ML) SOLUTION MO | 3 | |

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Paxlovid/Vaccine/Diabetic • ST – Step Therapy

| DRUG NAME | TIER | UTILIZATION MANAGEMENT REQUIREMENTS |
|--------------------------------------------------------------------------------------------------------|------|-------------------------------------|
| BREVIBLOC IN NAACL (ISO-OSM) 2,000 MG/100 ML, 2,500 MG/250 ML (10 MG/ML) PARENTERAL SOLUTION MO | 3 | |
| bumetanide 0.25 mg/ml SOLUTION MO | 1 | |
| bumetanide 0.5 mg, 2 mg TABLET MO | 1 | |
| bumetanide 1 mg TABLET MO | 1 | |
| BYSTOLIC 10 MG TABLET MO | 3 | PA,QL(120 per 30 days) |
| BYSTOLIC 2.5 MG, 5 MG TABLET MO | 3 | PA,QL(30 per 30 days) |
| BYSTOLIC 20 MG TABLET MO | 3 | PA,QL(60 per 30 days) |
| CADUET 10-10 MG, 10-20 MG, 10-40 MG, 10-80 MG, 5-10 MG, 5-20 MG, 5-40 MG, 5-80 MG TABLET MO | 3 | PA,QL(30 per 30 days) |
| CALAN SR 120 MG, 240 MG TABLET ER MO | 3 | |
| CAMZYOS 10 MG, 15 MG, 2.5 MG, 5 MG CAPSULE DL | 4 | PA,QL(30 per 30 days) |
| candesartan 16 mg, 4 mg, 8 mg TABLET MO | 1 | QL(60 per 30 days) |
| candesartan 32 mg TABLET MO | 1 | QL(30 per 30 days) |
| candesartan-hydrochlorothiazid 16-12.5 mg, 32-12.5 mg, 32-25 mg TABLET MO | 1 | QL(30 per 30 days) |
| captopril 100 mg, 12.5 mg, 25 mg, 50 mg TABLET MO | 1 | |
| captopril-hydrochlorothiazide 25-15 mg, 25-25 mg, 50-15 mg, 50-25 mg TABLET MO | 1 | |
| CARDIZEM 120 MG, 30 MG, 60 MG TABLET MO | 3 | |
| CARDIZEM CD 120 MG, 180 MG, 240 MG CAPSULE, ER 24 HR. DL | 4 | PA,QL(60 per 30 days) |
| CARDIZEM CD 300 MG, 360 MG CAPSULE, ER 24 HR. DL | 4 | PA,QL(30 per 30 days) |
| CARDIZEM LA 120 MG, 300 MG, 360 MG, 420 MG TABLET, ER 24 HR. MO | 3 | QL(30 per 30 days) |
| CARDIZEM LA 180 MG, 240 MG TABLET, ER 24 HR. MO | 3 | QL(60 per 30 days) |
| CARDURA 1 MG, 2 MG, 4 MG, 8 MG TABLET MO | 3 | |
| CARDURA XL 4 MG, 8 MG TABLET, ER 24 HR. MO | 3 | QL(30 per 30 days) |
| CAROSPIR 25 MG/5 ML SUSPENSION MO | 3 | PA,QL(450 per 30 days) |
| cartia xt 120 mg, 180 mg, 240 mg CAPSULE, ER 24 HR. MO | 1 | QL(60 per 30 days) |
| cartia xt 300 mg CAPSULE, ER 24 HR. MO | 1 | QL(30 per 30 days) |
| carvedilol 12.5 mg, 25 mg, 3.125 mg, 6.25 mg TABLET MO | 1 | |
| carvedilol phosphate 10 mg, 20 mg, 40 mg, 80 mg CAPSULE ER MULTIPHASE 24 HR. MO | 1 | QL(30 per 30 days) |
| CATAPRES-TTS-1 0.1 MG/24 HR PATCH, WEEKLY MO | 3 | PA,QL(4 per 28 days) |
| CATAPRES-TTS-2 0.2 MG/24 HR PATCH, WEEKLY MO | 3 | PA,QL(4 per 28 days) |

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Paxlovid/Vaccine/Diabetic • ST – Step Therapy

| DRUG NAME | TIER | UTILIZATION MANAGEMENT REQUIREMENTS |
|----------------------------------------------------------------------------|------|-------------------------------------|
| CATAPRES-TTS-3 0.3 MG/24 HR PATCH, WEEKLY MO | 3 | PA,QL(4 per 28 days) |
| chlorothiazide sodium 500 mg RECON SOLUTION MO | 1 | |
| chlorthalidone 25 mg TABLET MO | 1 | |
| chlorthalidone 50 mg TABLET MO | 1 | |
| cholestyramine (with sugar) 4 gram POWDER MO | 1 | |
| cholestyramine (with sugar) 4 gram POWDER IN PACKET MO | 1 | |
| cholestyramine light 4 gram POWDER MO | 1 | |
| cholestyramine light 4 gram POWDER IN PACKET MO | 1 | |
| cholestyramine-aspartame 4 gram POWDER IN PACKET MO | 1 | |
| CLEVIPREX 25 MG/50 ML, 50 MG/100 ML EMULSION MO | 3 | |
| clonidine 0.1 mg/24 hr, 0.2 mg/24 hr, 0.3 mg/24 hr PATCH, WEEKLY MO | 1 | QL(4 per 28 days) |
| clonidine hcl 0.1 mg TABLET MO | 1 | |
| clonidine hcl 0.17 mg TABLET, ER 24 HR. DL | 4 | PA,QL(90 per 30 days) |
| clonidine hcl 0.2 mg, 0.3 mg TABLET MO | 1 | |
| colesevelam 3.75 gram POWDER IN PACKET MO | 1 | QL(30 per 30 days) |
| colesevelam 625 mg TABLET MO | 1 | QL(180 per 30 days) |
| COLESTID 1 GRAM TABLET MO | 3 | |
| COLESTID 5 GRAM GRANULES MO | 3 | QL(1000 per 30 days) |
| COLESTID 5 GRAM PACKET MO | 3 | |
| COLESTID FLAVORED 5 GRAM GRANULES MO | 3 | QL(1000 per 30 days) |
| COLESTID FLAVORED 7.5 GRAM PACKET MO | 3 | |
| colestipol 1 gram TABLET MO | 1 | |
| colestipol 5 gram GRANULES MO | 1 | QL(1000 per 30 days) |
| colestipol 5 gram PACKET MO | 1 | |
| CONJUPRI 2.5 MG, 5 MG TABLET MO | 3 | QL(30 per 30 days) |
| COREG 12.5 MG, 25 MG, 3.125 MG, 6.25 MG TABLET MO | 3 | PA |
| COREG CR 10 MG, 20 MG, 40 MG, 80 MG CAPSULE ER MULTIPHASE 24 HR. MO | 3 | PA,QL(30 per 30 days) |
| CORGARD 20 MG, 40 MG, 80 MG TABLET MO | 3 | PA |
| CORLANOR 5 MG, 7.5 MG TABLET MO | 3 | PA,QL(60 per 30 days) |
| CORLANOR 5 MG/5 ML SOLUTION MO | 3 | PA,QL(560 per 28 days) |
| CORLOPAM 10 MG/ML SOLUTION MO | 3 | |
| CORVERT 0.1 MG/ML SOLUTION MO | 3 | |

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Paxlovid/Vaccine/Diabetic • ST – Step Therapy

| DRUG NAME | TIER | UTILIZATION MANAGEMENT REQUIREMENTS |
|-------------------------------------------------------------------------------------------------------------------------------------------------------|------|-------------------------------------|
| COZAAR 100 MG, 25 MG, 50 MG TABLET MO | 3 | PA,QL(60 per 30 days) |
| CRESTOR 10 MG, 20 MG, 40 MG, 5 MG TABLET MO | 3 | PA |
| DEMSEER 250 MG CAPSULE DL | 4 | |
| DIBENZYLINE 10 MG CAPSULE DL | 4 | |
| digitek 125 mcg (0.125 mg), 250 mcg (0.25 mg) TABLET MO | 1 | QL(30 per 30 days) |
| digox 125 mcg (0.125 mg), 250 mcg (0.25 mg) TABLET MO | 1 | QL(30 per 30 days) |
| digoxin 125 mcg (0.125 mg) TABLET MO | 1 | QL(30 per 30 days) |
| digoxin 250 mcg (0.25 mg), 62.5 mcg (0.0625 mg) TABLET MO | 1 | QL(30 per 30 days) |
| digoxin 250 mcg/ml (0.25 mg/ml), 50 mcg/ml (0.05 mg/ml) SOLUTION MO | 1 | |
| dilt-xr 120 mg, 180 mg, 240 mg CAPSULE, ER 24 HR. MO | 1 | QL(60 per 30 days) |
| diltiazem hcl 100 mg RECON SOLUTION MO | 1 | |
| diltiazem hcl 120 mg CAPSULE, ER 12 HR. MO | 1 | QL(90 per 30 days) |
| diltiazem hcl 120 mg, 180 mg, 240 mg CAPSULE, ER 24 HR. MO | 1 | QL(60 per 30 days) |
| diltiazem hcl 120 mg, 180 mg, 240 mg CAPSULE, ER 24 HR. MO | 1 | QL(60 per 30 days) |
| diltiazem hcl 120 mg, 30 mg, 60 mg, 90 mg TABLET MO | 1 | |
| diltiazem hcl 120 mg, 300 mg, 360 mg, 420 mg TABLET, ER 24 HR. MO | 1 | QL(30 per 30 days) |
| diltiazem hcl 180 mg, 240 mg TABLET, ER 24 HR. MO | 1 | QL(60 per 30 days) |
| diltiazem hcl 300 mg, 360 mg, 420 mg CAPSULE, ER 24 HR. MO | 1 | QL(30 per 30 days) |
| diltiazem hcl 5 mg/ml SOLUTION MO | 1 | |
| diltiazem hcl 60 mg, 90 mg CAPSULE, ER 12 HR. MO | 1 | QL(180 per 30 days) |
| DIOVAN 160 MG, 320 MG, 40 MG, 80 MG TABLET MO | 3 | PA,QL(60 per 30 days) |
| DIOVAN HCT 160-12.5 MG, 160-25 MG, 320-12.5 MG, 320-25 MG, 80-12.5 MG TABLET MO | 3 | PA,QL(30 per 30 days) |
| disopyramide phosphate 100 mg, 150 mg CAPSULE MO | 1 | |
| DIURIL 250 MG/5 ML SUSPENSION MO | 3 | |
| dobutamine 250 mg/20 ml (12.5 mg/ml) SOLUTION MO | 1 | BvsD |
| dobutamine in d5w 1,000 mg/250 ml (4,000 mcg/ml), 250 mg/250 ml (1 mg/ml), 500 mg/250 ml (2,000 mcg/ml) PARENTERAL SOLUTION MO | 1 | BvsD |
| dofetilide 125 mcg, 250 mcg, 500 mcg CAPSULE MO | 1 | |
| dopamine 200 mg/5 ml (40 mg/ml), 400 mg/10 ml (40 mg/ml), 400 mg/5 ml (80 mg/ml), 800 mg/10 ml (80 mg/ml), 800 mg/5 ml (160 mg/ml) SOLUTION MO | 1 | BvsD |

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Paxlovid/Vaccine/Diabetic • ST – Step Therapy

| DRUG NAME | TIER | UTILIZATION MANAGEMENT REQUIREMENTS |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|-------------------------------------|
| dopamine in 5 % dextrose 200 mg/250 ml (800 mcg/ml), 400 mg/250 ml (1,600 mcg/ml), 400 mg/500 ml (800 mcg/ml), 800 mg/250 ml (3,200 mcg/ml), 800 mg/500 ml (1,600 mcg/ml) SOLUTION MO | 1 | BvsD |
| doxazosin 1 mg, 2 mg, 4 mg, 8 mg TABLET MO | 1 | |
| droxidopa 100 mg, 200 mg CAPSULE MO | 1 | PA,QL(90 per 30 days) |
| droxidopa 300 mg CAPSULE MO | 1 | PA,QL(180 per 30 days) |
| DYRENIUM 100 MG, 50 MG CAPSULE MO | 3 | |
| EDARBI 40 MG, 80 MG TABLET MO | 3 | ST,QL(30 per 30 days) |
| EDARBYCLOR 40-12.5 MG, 40-25 MG TABLET MO | 3 | ST,QL(30 per 30 days) |
| EDECIN 25 MG TABLET DL | 4 | QL(480 per 30 days) |
| enalapril maleate 1 mg/ml SOLUTION MO | 1 | |
| enalapril maleate 10 mg, 2.5 mg, 20 mg, 5 mg TABLET MO | 1 | |
| enalapril-hydrochlorothiazide 10-25 mg, 5-12.5 mg TABLET MO | 1 | |
| enalaprilat 1.25 mg/ml SOLUTION MO | 1 | |
| ENTRESTO 24-26 MG, 49-51 MG, 97-103 MG TABLET MO | 2 | QL(60 per 30 days) |
| EPANED 1 MG/ML SOLUTION DL | 4 | |
| eplerenone 25 mg, 50 mg TABLET MO | 1 | PA |
| eprosartan 600 mg TABLET MO | 1 | QL(60 per 30 days) |
| esmolol 100 mg/10 ml (10 mg/ml) SOLUTION MO | 1 | |
| esmolol in nacl (iso-osm) 2,000 mg/100 ml, 2,500 mg/250 ml (10 mg/ml) PARENTERAL SOLUTION MO | 1 | |
| ethacrylate sodium 50 mg RECON SOLUTION MO | 1 | |
| ethacrynic acid 25 mg TABLET MO | 1 | QL(480 per 30 days) |
| EVKEEZA 150 MG/ML SOLUTION DL | 4 | PA |
| EXFORGE 10-160 MG, 10-320 MG, 5-160 MG, 5-320 MG TABLET MO | 3 | PA,QL(30 per 30 days) |
| EXFORGE HCT 10-160-12.5 MG, 10-160-25 MG, 10-320-25 MG, 5-160-12.5 MG, 5-160-25 MG TABLET MO | 3 | PA,QL(30 per 30 days) |
| EZALLOR SPRINKLE 10 MG, 20 MG, 40 MG, 5 MG CAPSULE, SPRINKLE MO | 3 | ST,QL(30 per 30 days) |
| ezetimibe 10 mg TABLET MO | 1 | QL(30 per 30 days) |
| ezetimibe-atorvastatin 10-10 mg, 10-20 mg, 10-40 mg, 10-80 mg TABLET MO | 1 | ST,QL(30 per 30 days) |
| ezetimibe-rosuvastatin 10-10 mg, 10-20 mg, 10-40 mg, 10-5 mg TABLET MO | 3 | ST,QL(30 per 30 days) |
| ezetimibe-simvastatin 10-10 mg, 10-20 mg, 10-40 mg, 10-80 mg TABLET MO | 1 | QL(30 per 30 days) |
| felodipine 10 mg, 2.5 mg, 5 mg TABLET, ER 24 HR. MO | 1 | QL(30 per 30 days) |

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Paxlovid/Vaccine/Diabetic • ST – Step Therapy

| DRUG NAME | TIER | UTILIZATION MANAGEMENT REQUIREMENTS |
|--------------------------------------------------------------------------|------|-------------------------------------|
| fenofibrate 120 mg TABLET MO | 1 | QL(30 per 30 days) |
| fenofibrate 150 mg CAPSULE MO | 1 | QL(30 per 30 days) |
| fenofibrate 160 mg TABLET MO | 1 | QL(30 per 30 days) |
| fenofibrate 40 mg, 54 mg TABLET MO | 1 | QL(60 per 30 days) |
| fenofibrate 50 mg CAPSULE MO | 1 | QL(60 per 30 days) |
| fenofibrate micronized 130 mg, 43 mg CAPSULE MO | 1 | ST,QL(30 per 30 days) |
| fenofibrate micronized 134 mg, 200 mg CAPSULE MO | 1 | QL(30 per 30 days) |
| fenofibrate micronized 30 mg, 90 mg CAPSULE MO | 3 | QL(30 per 30 days) |
| fenofibrate micronized 67 mg CAPSULE MO | 1 | QL(60 per 30 days) |
| fenofibrate nanocrystallized 145 mg TABLET MO | 1 | QL(30 per 30 days) |
| fenofibrate nanocrystallized 48 mg TABLET MO | 1 | QL(60 per 30 days) |
| fenofibric acid 105 mg, 35 mg TABLET MO | 2 | QL(30 per 30 days) |
| fenofibric acid (choline) 135 mg, 45 mg CAPSULE, DR/EC MO | 1 | QL(30 per 30 days) |
| FENOGLIDE 120 MG TABLET MO | 3 | QL(30 per 30 days) |
| FENOGLIDE 40 MG TABLET MO | 3 | QL(60 per 30 days) |
| FIBRICOR 105 MG, 35 MG TABLET MO | 3 | QL(30 per 30 days) |
| flecainide 100 mg, 150 mg, 50 mg TABLET MO | 1 | |
| FLOLIPID 20 MG/5 ML (4 MG/ML), 40 MG/5 ML (8 MG/ML) SUSPENSION MO | 3 | ST,QL(150 per 30 days) |
| fluvastatin 20 mg, 40 mg CAPSULE MO | 1 | ST,QL(60 per 30 days) |
| fluvastatin 80 mg TABLET, ER 24 HR. MO | 1 | ST,QL(30 per 30 days) |
| fosinopril 10 mg, 20 mg, 40 mg TABLET MO | 1 | |
| fosinopril-hydrochlorothiazide 10-12.5 mg, 20-12.5 mg TABLET MO | 1 | |
| FUROSCIX 80 MG/10 ML KIT MO | 3 | PA |
| furosemide 10 mg/ml SYRINGE MO | 1 | |
| furosemide 10 mg/ml, 40 mg/5 ml (8 mg/ml) SOLUTION MO | 1 | |
| furosemide 20 mg, 40 mg TABLET MO | 1 | |
| furosemide 80 mg TABLET MO | 1 | |
| gemfibrozil 600 mg TABLET MO | 1 | QL(60 per 30 days) |
| GONITRO 400 MCG POWDER IN PACKET MO | 3 | |
| guanfacine 1 mg TABLET MO | 1 | |
| guanfacine 2 mg TABLET MO | 1 | |
| HEMANGEOL 4.28 MG/ML SOLUTION MO | 3 | |

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Paxlovid/Vaccine/Diabetic • ST – Step Therapy

| DRUG NAME | TIER | UTILIZATION MANAGEMENT REQUIREMENTS |
|------------------------------------------------------------------------------|------|-------------------------------------|
| hydralazine 10 mg, 100 mg TABLET MO | 1 | |
| hydralazine 20 mg/ml SOLUTION MO | 1 | |
| hydralazine 25 mg, 50 mg TABLET MO | 1 | |
| hydrochlorothiazide 12.5 mg CAPSULE MO | 1 | |
| hydrochlorothiazide 12.5 mg, 25 mg TABLET MO | 1 | |
| hydrochlorothiazide 50 mg TABLET MO | 1 | |
| HYZAAR 100-12.5 MG, 100-25 MG, 50-12.5 MG TABLET MO | 3 | PA,QL(60 per 30 days) |
| ibutilide fumarate 0.1 mg/ml SOLUTION MO | 1 | |
| IMMPHENIV 0.1 MG/ML SOLUTION MO | 3 | |
| indapamide 1.25 mg, 2.5 mg TABLET MO | 1 | |
| INDERAL LA 120 MG, 160 MG, 60 MG, 80 MG CAPSULE, ER 24 HR. DL | 4 | PA |
| INNOPRAN XL 120 MG, 80 MG CAPSULE, ER 24 HR. | 4 | |
| INSPRA 25 MG, 50 MG TABLET MO | 3 | PA |
| irbesartan 150 mg, 75 mg TABLET MO | 1 | QL(30 per 30 days) |
| irbesartan 300 mg TABLET MO | 1 | QL(30 per 30 days) |
| irbesartan-hydrochlorothiazide 150-12.5 mg TABLET MO | 1 | QL(60 per 30 days) |
| irbesartan-hydrochlorothiazide 300-12.5 mg TABLET MO | 1 | QL(30 per 30 days) |
| ISORDIL 40 MG TABLET DL | 4 | |
| ISORDIL TITRADOSE 5 MG TABLET DL | 4 | PA |
| isosorbide dinitrate 10 mg, 20 mg, 30 mg, 40 mg, 5 mg TABLET MO | 1 | |
| isosorbide mononitrate 10 mg, 20 mg TABLET MO | 1 | |
| isosorbide mononitrate 120 mg TABLET, ER 24 HR. MO | 1 | |
| isosorbide mononitrate 30 mg, 60 mg TABLET, ER 24 HR. MO | 1 | |
| isosorbide-hydralazine 20-37.5 mg TABLET MO | 1 | QL(180 per 30 days) |
| isradipine 2.5 mg, 5 mg CAPSULE MO | 1 | |
| ISUPREL 0.2 MG/ML SOLUTION MO | 3 | |
| JUXTAPID 10 MG, 30 MG, 5 MG CAPSULE DL | 4 | PA,QL(28 per 28 days) |
| JUXTAPID 20 MG CAPSULE DL | 4 | PA,QL(84 per 28 days) |
| KAPSPARGO SPRINKLE 100 MG, 25 MG, 50 MG CAPSULE ER SPRINKLE 24 HR. MO | 3 | ST,QL(30 per 30 days) |
| KAPSPARGO SPRINKLE 200 MG CAPSULE ER SPRINKLE 24 HR. MO | 3 | ST,QL(60 per 30 days) |
| KATERZIA 1 MG/ML SUSPENSION MO | 3 | ST,QL(300 per 30 days) |

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Paxlovid/Vaccine/Diabetic • ST – Step Therapy

| DRUG NAME | TIER | UTILIZATION MANAGEMENT REQUIREMENTS |
|-----------------------------------------------------------------------------------------------|------|-------------------------------------|
| KERENDIA 10 MG, 20 MG TABLET MO | 2 | PA,QL(30 per 30 days) |
| labetalol 100 mg, 200 mg, 300 mg TABLET MO | 1 | |
| labetalol 5 mg/ml SOLUTION MO | 1 | |
| LABETALOL IN DEXTROSE,ISO-OSM 1 MG/ML SOLUTION MO | 1 | |
| LABETALOL IN NAACL (ISO-OSMOT) 1 MG/ ML SOLUTION MO | 1 | |
| LANOXIN 125 MCG (0.125 MG), 250 MCG (0.25 MG), 62.5 MCG (0.0625 MG) TABLET MO | 3 | QL(30 per 30 days) |
| LANOXIN 250 MCG/ML (0.25 MG/ML), 500 MCG/2 ML (0.5 MG/2 ML) SOLUTION MO | 3 | |
| LANOXIN PEDIATRIC 100 MCG/ML (0.1 MG/ML) SOLUTION MO | 3 | |
| LASIX 20 MG, 40 MG, 80 MG TABLET MO | 3 | |
| LEQVIO 284 MG/1.5 ML SYRINGE | 4 | PA,QL(4.5 per 365 days) |
| LESCOL XL 80 MG TABLET, ER 24 HR. MO | 3 | ST,QL(30 per 30 days) |
| levamlodipine 2.5 mg, 5 mg TABLET MO | 3 | QL(30 per 30 days) |
| LEVOPHED (BITARTRATE) 1 MG/ML SOLUTION MO | 3 | |
| lidocaine (pf) 20 mg/ml (2 %) SOLUTION MO | 1 | |
| lidocaine in 5 % dextrose (pf) 4 mg/ml (0.4 %), 8 mg/ml (0.8 %) PARENTERAL SOLUTION MO | 1 | |
| LIPITOR 10 MG, 20 MG, 40 MG, 80 MG TABLET MO | 3 | PA |
| LIPOFEN 150 MG CAPSULE MO | 3 | QL(30 per 30 days) |
| LIPOFEN 50 MG CAPSULE MO | 3 | QL(60 per 30 days) |
| lisinopril 10 mg, 2.5 mg, 20 mg, 40 mg, 5 mg TABLET MO | 1 | |
| lisinopril 30 mg TABLET MO | 1 | |
| lisinopril-hydrochlorothiazide 10-12.5 mg, 20-12.5 mg, 20-25 mg TABLET MO | 1 | |
| LIVALO 1 MG, 2 MG, 4 MG TABLET MO | 3 | ST,QL(30 per 30 days) |
| LODOC0 0.5 MG TABLET MO | 3 | PA,QL(30 per 30 days) |
| LOPID 600 MG TABLET MO | 3 | PA,QL(60 per 30 days) |
| LOPRESSOR 100 MG, 50 MG TABLET MO | 3 | |
| losartan 100 mg, 25 mg, 50 mg TABLET MO | 1 | QL(60 per 30 days) |
| losartan-hydrochlorothiazide 100-12.5 mg, 100-25 mg, 50-12.5 mg TABLET MO | 1 | QL(60 per 30 days) |
| LOTENSIN 10 MG, 20 MG, 40 MG TABLET MO | 3 | |
| LOTENSIN HCT 10-12.5 MG, 20-12.5 MG, 20-25 MG TABLET MO | 3 | |
| LOTREL 10-20 MG, 5-10 MG, 5-20 MG CAPSULE MO | 3 | PA,QL(60 per 30 days) |

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Paxlovid/Vaccine/Diabetic • ST – Step Therapy

| DRUG NAME | TIER | UTILIZATION MANAGEMENT REQUIREMENTS |
|--------------------------------------------------------------------------------|------|-------------------------------------|
| LOTREL 10-40 MG CAPSULE MO | 3 | PA,QL(30 per 30 days) |
| lovastatin 10 mg TABLET MO | 1 | |
| lovastatin 20 mg, 40 mg TABLET MO | 1 | |
| LOVAZA 1 GRAM CAPSULE MO | 3 | PA,QL(120 per 30 days) |
| mannitol 10 % 10 % PARENTERAL SOLUTION MO | 1 | |
| mannitol 20 % 20 % PARENTERAL SOLUTION MO | 1 | |
| mannitol 25 % 25 % SOLUTION MO | 1 | |
| mannitol 5 % 5 % PARENTERAL SOLUTION MO | 1 | |
| matzim la 180 mg, 240 mg TABLET, ER 24 HR. MO | 1 | QL(60 per 30 days) |
| matzim la 300 mg, 360 mg, 420 mg TABLET, ER 24 HR. MO | 1 | QL(30 per 30 days) |
| MAXZIDE 75-50 MG TABLET MO | 3 | PA |
| MAXZIDE-25MG 37.5-25 MG TABLET MO | 3 | PA |
| methazolamide 25 mg, 50 mg TABLET MO | 1 | |
| methyldopa 250 mg, 500 mg TABLET MO | 1 | |
| methyldopa-hydrochlorothiazide 250-15 mg, 250-25 mg TABLET MO | 1 | |
| methyldopate 250 mg/5 ml SOLUTION MO | 1 | |
| metolazone 10 mg, 2.5 mg, 5 mg TABLET MO | 1 | |
| metoprolol succinate 100 mg, 25 mg, 50 mg TABLET, ER 24 HR. MO | 1 | |
| metoprolol succinate 200 mg TABLET, ER 24 HR. MO | 1 | |
| metoprolol ta-hydrochlorothiaz 100-25 mg, 100-50 mg, 50-25 mg TABLET MO | 1 | |
| metoprolol tartrate 100 mg, 25 mg, 50 mg TABLET MO | 1 | |
| metoprolol tartrate 37.5 mg, 75 mg TABLET MO | 1 | |
| metoprolol tartrate 5 mg/5 ml SOLUTION MO | 1 | |
| metyrosine 250 mg CAPSULE DL | 4 | |
| mexiletine 150 mg, 200 mg, 250 mg CAPSULE MO | 1 | |
| MICARDIS 20 MG, 40 MG TABLET MO | 3 | PA,QL(30 per 30 days) |
| MICARDIS 80 MG TABLET MO | 3 | PA,QL(60 per 30 days) |
| MICARDIS HCT 40-12.5 MG, 80-25 MG TABLET MO | 3 | PA,QL(30 per 30 days) |
| MICARDIS HCT 80-12.5 MG TABLET MO | 3 | PA,QL(60 per 30 days) |
| midodrine 10 mg, 2.5 mg, 5 mg TABLET MO | 1 | |
| milrinone 1 mg/ml SOLUTION MO | 1 | BvsD |

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Paxlovid/Vaccine/Diabetic • ST – Step Therapy

| DRUG NAME | TIER | UTILIZATION MANAGEMENT REQUIREMENTS |
|----------------------------------------------------------------------------------------------------|------|-------------------------------------|
| milrinone in 5 % dextrose 20 mg/100 ml (200 mcg/ml), 40 mg/200 ml (200 mcg/ml) PIGGYBACK MO | 1 | BvsD |
| MINIPRESS 1 MG, 2 MG, 5 MG CAPSULE MO | 3 | |
| minoxidil 10 mg, 2.5 mg TABLET MO | 1 | |
| moexipril 15 mg, 7.5 mg TABLET MO | 1 | |
| MULTAQ 400 MG TABLET MO | 2 | QL(60 per 30 days) |
| nadolol 20 mg, 40 mg, 80 mg TABLET MO | 1 | |
| nebivolol 10 mg TABLET MO | 1 | QL(120 per 30 days) |
| nebivolol 2.5 mg, 5 mg TABLET MO | 1 | QL(30 per 30 days) |
| nebivolol 20 mg TABLET MO | 1 | QL(60 per 30 days) |
| NEXICLON XR 0.17 MG TABLET, ER 24 HR. DL | 4 | PA,QL(90 per 30 days) |
| NEXLETOL 180 MG TABLET MO | 2 | PA,QL(30 per 30 days) |
| NEXLIZET 180-10 MG TABLET MO | 2 | PA,QL(30 per 30 days) |
| NEXTERONE 150 MG/100 ML (1.5 MG/ML), 360 MG/200 ML (1.8 MG/ML) SOLUTION MO | 3 | |
| niacin 1,000 mg, 500 mg, 750 mg TABLET, ER 24 HR. MO | 1 | |
| niacin 500 mg TABLET MO | 1 | |
| niacor 500 mg TABLET MO | 1 | |
| nicardipine 20 mg, 30 mg CAPSULE MO | 1 | |
| nicardipine 25 mg/10 ml SOLUTION MO | 1 | |
| nifedipine 10 mg, 20 mg CAPSULE MO | 1 | |
| nifedipine 30 mg, 60 mg, 90 mg TABLET ER MO | 1 | QL(60 per 30 days) |
| nifedipine 30 mg, 60 mg, 90 mg TABLET, ER 24 HR. MO | 1 | QL(60 per 30 days) |
| nimodipine 30 mg CAPSULE MO | 1 | |
| nisoldipine 17 mg, 20 mg, 34 mg, 40 mg, 8.5 mg TABLET, ER 24 HR. MO | 1 | QL(30 per 30 days) |
| nisoldipine 25.5 mg, 30 mg TABLET, ER 24 HR. MO | 1 | QL(60 per 30 days) |
| NITRO-BID 2 % OINTMENT MO | 1 | |
| NITRO-DUR 0.1 MG/HR, 0.4 MG/HR PATCH, 24 HR. MO | 3 | |
| NITRO-DUR 0.2 MG/HR, 0.3 MG/HR, 0.6 MG/HR, 0.8 MG/HR PATCH, 24 HR. | 4 | |
| nitroglycerin 0.1 mg/hr, 0.2 mg/hr, 0.4 mg/hr, 0.6 mg/hr PATCH, 24 HR. MO | 1 | |
| nitroglycerin 0.3 mg, 0.6 mg SUBLINGUAL TABLET MO | 1 | |
| nitroglycerin 0.4 mg SUBLINGUAL TABLET MO | 1 | |
| nitroglycerin 400 mcg/spray SPRAY, NON-AEROSOL MO | 1 | |

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Paxlovid/Vaccine/Diabetic • ST – Step Therapy

| DRUG NAME | TIER | UTILIZATION MANAGEMENT REQUIREMENTS |
|-----------------------------------------------------------------------------------------------------------------------------------|------|-------------------------------------|
| nitroglycerin 50 mg/10 ml (5 mg/ml) SOLUTION MO | 1 | |
| nitroglycerin in 5 % dextrose 100 mg/250 ml (400 mcg/ml), 25 mg/250 ml (100 mcg/ml), 50 mg/250 ml (200 mcg/ml) SOLUTION MO | 1 | |
| NITROLINGUAL 400 MCG/SPRAY SPRAY, NON-AEROSOL MO | 3 | |
| NITROSTAT 0.3 MG, 0.4 MG, 0.6 MG SUBLINGUAL TABLET MO | 2 | |
| norepinephrine bitartrate 1 mg/ml SOLUTION MO | 1 | |
| NORLIQVA 1 MG/ML SOLUTION DL | 4 | ST,QL(300 per 30 days) |
| NORPACE 100 MG, 150 MG CAPSULE MO | 3 | |
| NORPACE CR 100 MG, 150 MG CAPSULE, ER MO | 3 | |
| NORTHERA 100 MG, 200 MG CAPSULE DL | 4 | PA,QL(90 per 30 days) |
| NORTHERA 300 MG CAPSULE DL | 4 | PA,QL(180 per 30 days) |
| NORVASC 10 MG, 2.5 MG, 5 MG TABLET MO | 3 | PA |
| NYMALIZE 30 MG/5 ML SYRINGE DL | 4 | QL(630 per 28 days) |
| NYMALIZE 60 MG/10 ML SOLUTION DL | 4 | QL(1260 per 28 days) |
| NYMALIZE 60 MG/10 ML SYRINGE DL | 4 | QL(1260 per 28 days) |
| olmesartan 20 mg TABLET MO | 1 | QL(30 per 30 days) |
| olmesartan 40 mg TABLET MO | 1 | QL(30 per 30 days) |
| olmesartan 5 mg TABLET MO | 1 | QL(60 per 30 days) |
| olmesartan-amlodipine-hctiazid 20-5-12.5 mg, 40-10-12.5 mg, 40-10-25 mg, 40-5-12.5 mg, 40-5-25 mg TABLET MO | 1 | QL(30 per 30 days) |
| olmesartan-hydrochlorothiazide 20-12.5 mg, 40-12.5 mg, 40-25 mg TABLET MO | 1 | QL(30 per 30 days) |
| omega-3 acid ethyl esters 1 gram CAPSULE MO | 1 | QL(120 per 30 days) |
| OSMITROL 10 % 10 % PARENTERAL SOLUTION MO | 3 | |
| OSMITROL 15 % 15 % PARENTERAL SOLUTION MO | 3 | |
| OSMITROL 20 % 20 % PARENTERAL SOLUTION MO | 3 | |
| OSMITROL 5 % 5 % PARENTERAL SOLUTION MO | 3 | |
| PACERONE 100 MG TABLET MO | 1 | |
| pacerone 200 mg TABLET MO | 1 | |
| PACERONE 400 MG TABLET MO | 1 | QL(60 per 30 days) |
| pentoxifylline 400 mg TABLET ER MO | 1 | |
| perindopril erbumine 2 mg, 4 mg, 8 mg TABLET MO | 1 | |
| phenoxybenzamine 10 mg CAPSULE DL | 4 | |
| phenylephrine hcl 10 mg/ml SOLUTION MO | 1 | |

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Paxlovid/Vaccine/Diabetic • ST – Step Therapy

| DRUG NAME | TIER | UTILIZATION MANAGEMENT REQUIREMENTS |
|------------------------------------------------------------------------------------|------|-------------------------------------|
| pindolol 10 mg, 5 mg TABLET MO | 1 | |
| pitavastatin calcium 1 mg, 2 mg, 4 mg TABLET MO | 1 | ST,QL(30 per 30 days) |
| PRALUENT PEN 150 MG/ML, 75 MG/ML PEN INJECTOR MO | 3 | PA,QL(2 per 28 days) |
| pravastatin 10 mg, 20 mg, 40 mg, 80 mg TABLET MO | 1 | |
| prazosin 1 mg, 2 mg, 5 mg CAPSULE MO | 1 | |
| PRESTALIA 14-10 MG, 3.5-2.5 MG, 7-5 MG TABLET MO | 3 | QL(30 per 30 days) |
| prevalite 4 gram POWDER MO | 1 | |
| prevalite 4 gram POWDER IN PACKET MO | 1 | |
| procainamide 100 mg/ml, 500 mg/ml SOLUTION MO | 1 | |
| PROCARDIA XL 30 MG, 60 MG, 90 MG TABLET, ER 24 HR. MO | 3 | PA,QL(60 per 30 days) |
| propafenone 150 mg, 225 mg, 300 mg TABLET MO | 1 | |
| propafenone 225 mg, 325 mg CAPSULE, ER 12 HR. MO | 1 | QL(60 per 30 days) |
| propafenone 425 mg CAPSULE, ER 12 HR. MO | 1 | |
| propranolol 1 mg/ml, 20 mg/5 ml (4 mg/ml), 40 mg/5 ml (8 mg/ml) SOLUTION MO | 1 | |
| propranolol 10 mg, 20 mg, 40 mg, 60 mg, 80 mg TABLET MO | 1 | |
| propranolol 120 mg, 160 mg, 60 mg, 80 mg CAPSULE, ER 24 HR. MO | 1 | |
| propranolol-hydrochlorothiazid 40-25 mg, 80-25 mg TABLET MO | 1 | |
| QBRELIS 1 MG/ML SOLUTION DL | 4 | QL(1200 per 30 days) |
| QUESTRAN 4 GRAM POWDER MO | 1 | |
| QUESTRAN 4 GRAM POWDER IN PACKET MO | 1 | |
| QUESTRAN LIGHT 4 GRAM POWDER MO | 1 | |
| quinapril 10 mg, 20 mg, 40 mg, 5 mg TABLET MO | 1 | |
| quinapril-hydrochlorothiazide 10-12.5 mg, 20-12.5 mg, 20-25 mg TABLET MO | 1 | |
| quinidine gluconate 324 mg TABLET ER MO | 1 | |
| quinidine sulfate 200 mg, 300 mg TABLET MO | 1 | |
| ramipril 1.25 mg, 10 mg, 2.5 mg, 5 mg CAPSULE MO | 1 | |
| RANEXA 1,000 MG, 500 MG TABLET, ER 12 HR. MO | 3 | PA,QL(120 per 30 days) |
| ranolazine 1,000 mg, 500 mg TABLET, ER 12 HR. MO | 1 | QL(120 per 30 days) |
| REPATHA PUSHTRONEX 420 MG/3.5 ML WEARABLE INJECTOR MO | 2 | PA,QL(3.5 per 28 days) |
| REPATHA SURECLICK 140 MG/ML PEN INJECTOR MO | 2 | PA,QL(3 per 28 days) |
| REPATHA SYRINGE 140 MG/ML SYRINGE MO | 2 | PA,QL(3 per 28 days) |

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Paxlovid/Vaccine/Diabetic • ST – Step Therapy

| DRUG NAME | TIER | UTILIZATION MANAGEMENT REQUIREMENTS |
|-------------------------------------------------------------------------------|------|-------------------------------------|
| rosuvastatin 10 mg, 20 mg, 40 mg, 5 mg TABLET MO | 1 | |
| ROSZET 10-10 MG, 10-20 MG, 10-40 MG, 10-5 MG TABLET MO | 3 | ST,QL(30 per 30 days) |
| RYTHMOL SR 225 MG, 325 MG CAPSULE, ER 12 HR. MO | 3 | PA,QL(60 per 30 days) |
| RYTHMOL SR 425 MG CAPSULE, ER 12 HR. MO | 3 | PA |
| simvastatin 10 mg, 20 mg, 40 mg TABLET MO | 1 | |
| simvastatin 5 mg, 80 mg TABLET MO | 1 | |
| SOAANZ 20 MG, 40 MG, 60 MG TABLET MO | 3 | ST |
| SODIUM EDECRIN 50 MG RECON SOLUTION MO | 3 | |
| sorine 120 mg, 160 mg, 240 mg, 80 mg TABLET MO | 1 | |
| sotalol 120 mg, 160 mg, 240 mg, 80 mg TABLET MO | 1 | |
| sotalol 150 mg/10 ml (15 mg/ml) SOLUTION MO | 1 | |
| sotalol af 120 mg, 160 mg, 80 mg TABLET MO | 1 | |
| SOTYLIZE 5 MG/ML SOLUTION MO | 3 | |
| spironolacton-hydrochlorothiaz 25-25 mg TABLET MO | 1 | |
| spironolactone 100 mg TABLET MO | 1 | |
| spironolactone 25 mg, 50 mg TABLET MO | 1 | |
| spironolactone 25 mg/5 ml SUSPENSION MO | 3 | PA,QL(450 per 30 days) |
| SULAR 17 MG, 34 MG, 8.5 MG TABLET, ER 24 HR. MO | 3 | PA,QL(30 per 30 days) |
| taztia xt 120 mg, 180 mg, 240 mg CAPSULE, ER 24 HR. MO | 1 | QL(60 per 30 days) |
| taztia xt 300 mg, 360 mg CAPSULE, ER 24 HR. MO | 1 | QL(30 per 30 days) |
| TEKTURN A 150 MG, 300 MG TABLET MO | 3 | PA,QL(30 per 30 days) |
| TEKTURN A HCT 150-12.5 MG, 150-25 MG, 300-12.5 MG, 300-25 MG TABLET MO | 3 | ST,QL(30 per 30 days) |
| telmisartan 20 mg, 40 mg TABLET MO | 1 | QL(30 per 30 days) |
| telmisartan 80 mg TABLET MO | 1 | QL(60 per 30 days) |
| telmisartan-amlodipine 40-10 mg, 40-5 mg, 80-10 mg, 80-5 mg TABLET MO | 1 | QL(30 per 30 days) |
| telmisartan-hydrochlorothiazid 40-12.5 mg, 80-25 mg TABLET MO | 1 | QL(30 per 30 days) |
| telmisartan-hydrochlorothiazid 80-12.5 mg TABLET MO | 1 | QL(60 per 30 days) |
| TENORETIC 100 100-25 MG TABLET MO | 3 | |
| TENORETIC 50 50-25 MG TABLET MO | 3 | PA |
| TENORMIN 100 MG, 25 MG, 50 MG TABLET MO | 3 | PA |
| terazosin 1 mg, 10 mg, 2 mg, 5 mg CAPSULE MO | 1 | |

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Paxlovid/Vaccine/Diabetic • ST – Step Therapy

| DRUG NAME | TIER | UTILIZATION MANAGEMENT REQUIREMENTS |
|--------------------------------------------------------------------------------------------------------------|------|-------------------------------------|
| THALITONE 15 MG TABLET MO | 3 | |
| tiadylt er 120 mg, 180 mg, 240 mg CAPSULE, ER 24 HR. MO | 1 | QL(60 per 30 days) |
| tiadylt er 300 mg, 360 mg, 420 mg CAPSULE, ER 24 HR. MO | 1 | QL(30 per 30 days) |
| TIAZAC 120 MG, 180 MG, 240 MG CAPSULE, ER 24 HR. MO | 3 | QL(60 per 30 days) |
| TIAZAC 300 MG, 360 MG, 420 MG CAPSULE, ER 24 HR. MO | 3 | QL(30 per 30 days) |
| TIKOSYN 125 MCG, 250 MCG, 500 MCG CAPSULE MO | 3 | PA |
| timolol maleate 10 mg, 20 mg, 5 mg TABLET MO | 1 | |
| TOPROL XL 100 MG, 200 MG, 25 MG, 50 MG TABLET, ER 24 HR. MO | 3 | |
| torsemide 10 mg, 100 mg, 5 mg TABLET MO | 1 | |
| torsemide 20 mg TABLET MO | 1 | |
| trandolapril 1 mg, 2 mg, 4 mg TABLET MO | 1 | |
| trandolapril-verapamil 1-240 mg, 2-180 mg, 2-240 mg, 4-240 mg TABLET, IR/ER 24 HR., BIPHASIC MO | 1 | |
| triamterene 100 mg, 50 mg CAPSULE MO | 1 | |
| triamterene-hydrochlorothiazid 37.5-25 mg CAPSULE MO | 1 | |
| triamterene-hydrochlorothiazid 37.5-25 mg TABLET MO | 1 | |
| triamterene-hydrochlorothiazid 75-50 mg TABLET MO | 1 | |
| TRIBENZOR 20-5-12.5 MG, 40-10-12.5 MG, 40-10-25 MG, 40-5-12.5 MG, 40-5-25 MG TABLET MO | 3 | PA,QL(30 per 30 days) |
| TRICOR 145 MG TABLET MO | 3 | PA,QL(30 per 30 days) |
| TRICOR 48 MG TABLET MO | 3 | PA,QL(60 per 30 days) |
| TRILIPIX 135 MG, 45 MG CAPSULE, DR/EC MO | 3 | PA,QL(30 per 30 days) |
| valsartan 160 mg TABLET MO | 1 | QL(60 per 30 days) |
| valsartan 320 mg, 40 mg, 80 mg TABLET MO | 1 | QL(60 per 30 days) |
| VALSARTAN 4 MG/ML SOLUTION DL | 4 | ST,QL(2400 per 30 days) |
| valsartan 4 mg/ml SOLUTION DL | 4 | ST,QL(2400 per 30 days) |
| valsartan-hydrochlorothiazide 160-12.5 mg, 160-25 mg, 320-12.5 mg, 320-25 mg, 80-12.5 mg TABLET MO | 1 | QL(30 per 30 days) |
| VASCEPA 0.5 GRAM CAPSULE MO | 2 | QL(240 per 30 days) |
| VASCEPA 1 GRAM CAPSULE MO | 2 | QL(120 per 30 days) |
| VASERETIC 10-25 MG TABLET MO | 3 | |
| VASOTEC 10 MG, 2.5 MG, 20 MG, 5 MG TABLET DL | 4 | PA |
| VAZCULEP 10 MG/ML SOLUTION MO | 3 | |

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Paxlovid/Vaccine/Diabetic • ST – Step Therapy

| DRUG NAME | TIER | UTILIZATION MANAGEMENT REQUIREMENTS |
|-----------------------------------------------------------------------------------------------------------|------|-------------------------------------|
| vecamyl 2.5 mg TABLET DL | 4 | QL(300 per 30 days) |
| verapamil 100 mg, 120 mg, 180 mg, 200 mg, 240 mg, 300 mg CAPSULE ER PELLETS 24 HR. MO | 1 | |
| verapamil 120 mg, 180 mg, 240 mg TABLET ER MO | 1 | |
| verapamil 120 mg, 40 mg, 80 mg TABLET MO | 1 | QL(120 per 30 days) |
| verapamil 2.5 mg/ml SOLUTION MO | 1 | |
| verapamil 2.5 mg/ml SYRINGE MO | 1 | |
| verapamil 360 mg CAPSULE ER PELLETS 24 HR. MO | 1 | QL(60 per 30 days) |
| VERELAN 120 MG, 180 MG, 240 MG CAPSULE ER PELLETS 24 HR. MO | 3 | |
| VERELAN 360 MG CAPSULE ER PELLETS 24 HR. MO | 3 | QL(60 per 30 days) |
| VERELAN PM 100 MG, 200 MG, 300 MG CAPSULE ER PELLETS 24 HR. MO | 3 | PA |
| VERQUVO 10 MG, 2.5 MG, 5 MG TABLET MO | 2 | PA,QL(30 per 30 days) |
| VYTORIN 10-10 10-10 MG TABLET MO | 3 | PA,QL(30 per 30 days) |
| VYTORIN 10-20 10-20 MG TABLET MO | 3 | PA,QL(30 per 30 days) |
| VYTORIN 10-40 10-40 MG TABLET MO | 3 | PA,QL(30 per 30 days) |
| VYTORIN 10-80 10-80 MG TABLET MO | 3 | PA,QL(30 per 30 days) |
| WELCHOL 3.75 GRAM POWDER IN PACKET MO | 3 | QL(30 per 30 days) |
| WELCHOL 625 MG TABLET MO | 3 | QL(180 per 30 days) |
| ZESTORETIC 10-12.5 MG, 20-12.5 MG, 20-25 MG TABLET MO | 3 | |
| ZESTRIL 10 MG, 2.5 MG, 20 MG, 30 MG, 40 MG, 5 MG TABLET MO | 3 | PA |
| ZETIA 10 MG TABLET MO | 3 | PA,QL(30 per 30 days) |
| ZIAC 10-6.25 MG, 2.5-6.25 MG, 5-6.25 MG TABLET MO | 3 | PA |
| ZOCOR 10 MG, 20 MG, 40 MG, 80 MG TABLET MO | 3 | PA |
| ZYPITAMAG 2 MG, 4 MG TABLET MO | 2 | ST,QL(30 per 30 days) |
| CENTRAL NERVOUS SYSTEM AGENTS | | |
| ADDERALL 10 MG, 12.5 MG, 15 MG, 20 MG, 5 MG, 7.5 MG TABLET MO | 1 | PA,QL(90 per 30 days) |
| ADDERALL 30 MG TABLET MO | 1 | PA,QL(60 per 30 days) |
| ADDERALL XR 10 MG, 15 MG, 5 MG CAPSULE, ER 24 HR. MO | 3 | PA,QL(30 per 30 days) |
| ADDERALL XR 20 MG, 25 MG, 30 MG CAPSULE, ER 24 HR. MO | 3 | PA,QL(60 per 30 days) |
| ADZENYS XR-ODT 12.5 MG, 15.7 MG, 18.8 MG, 3.1 MG, 6.3 MG, 9.4 MG TABLET, DISINTEGRATING ER BIPH MO | 3 | QL(30 per 30 days) |
| amphetamine 1.25 mg/ml SUSPENSION, IR/ER BIPHASIC MO | 3 | QL(450 per 30 days) |

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Paxlovid/Vaccine/Diabetic • ST – Step Therapy

| DRUG NAME | TIER | UTILIZATION MANAGEMENT REQUIREMENTS |
|-------------------------------------------------------------------------------------------------------|------|-------------------------------------|
| amphetamine sulfate 10 mg, 5 mg TABLET MO | 1 | QL(90 per 30 days) |
| AMPYRA 10 MG TABLET, ER 12 HR. DL | 4 | PA,QL(60 per 30 days) |
| APTENSIO XR 10 MG, 15 MG, 20 MG, 30 MG, 40 MG, 50 MG, 60 MG CAPSULE, ER SPRINKLE, BIPHASIC MO | 3 | QL(30 per 30 days) |
| atomoxetine 10 mg, 18 mg, 25 mg, 40 mg CAPSULE MO | 1 | QL(60 per 30 days) |
| atomoxetine 100 mg, 60 mg, 80 mg CAPSULE MO | 1 | QL(30 per 30 days) |
| AUBAGIO 14 MG, 7 MG TABLET DL | 4 | PA,QL(30 per 30 days) |
| AUSTEDO 12 MG, 9 MG TABLET DL | 4 | PA,QL(120 per 30 days) |
| AUSTEDO 6 MG TABLET DL | 4 | PA,QL(60 per 30 days) |
| AUSTEDO XR 12 MG, 6 MG TABLET, ER 24 HR. DL | 4 | PA,QL(90 per 30 days) |
| AUSTEDO XR 24 MG TABLET, ER 24 HR. DL | 4 | PA,QL(60 per 30 days) |
| AUSTEDO XR TITRATION KT(WK1-4) 6 MG (14)-12 MG (14)-24 MG (14) TABLET, ER 24 HR., DOSE PACK DL | 4 | PA,QL(42 per 28 days) |
| AVONEX 30 MCG/0.5 ML PEN INJECTOR KIT DL | 4 | PA,QL(1 per 28 days) |
| AVONEX 30 MCG/0.5 ML SYRINGE KIT DL | 4 | PA,QL(1 per 28 days) |
| AZSTARYS 26.1 MG- 5.2 MG, 39.2 MG- 7.8 MG, 52.3 MG- 10.4 MG CAPSULE MO | 3 | QL(30 per 30 days) |
| BAFIERTAM 95 MG CAPSULE, DR/EC DL | 4 | PA,QL(120 per 30 days) |
| BETASERON 0.3 MG KIT DL | 4 | PA,QL(15 per 30 days) |
| BRIUMVI 25 MG/ML SOLUTION | 4 | PA |
| clonidine hcl 0.1 mg TABLET, ER 12 HR. MO | 1 | QL(120 per 30 days) |
| CONCERTA 18 MG, 27 MG, 54 MG TABLET, ER 24 HR. MO | 3 | PA,QL(30 per 30 days) |
| CONCERTA 36 MG TABLET, ER 24 HR. MO | 3 | PA,QL(60 per 30 days) |
| COPAXONE 20 MG/ML SYRINGE DL | 4 | PA,QL(30 per 30 days) |
| COPAXONE 40 MG/ML SYRINGE DL | 4 | PA,QL(12 per 28 days) |
| COTEMPLA XR-ODT 17.3 MG, 8.6 MG TABLET, DISINTEGRATING ER BIPH MO | 3 | QL(30 per 30 days) |
| COTEMPLA XR-ODT 25.9 MG TABLET, DISINTEGRATING ER BIPH MO | 3 | QL(60 per 30 days) |
| dalfampridine 10 mg TABLET, ER 12 HR. MO | 1 | PA,QL(60 per 30 days) |
| DAYBUE 200 MG/ML SOLUTION DL | 4 | PA,QL(3600 per 30 days) |
| DAYTRANA 10 MG/9 HR, 15 MG/9 HR, 20 MG/9 HR, 30 MG/9 HR PATCH, 24 HR. MO | 3 | QL(30 per 30 days) |
| DESOXYN 5 MG TABLET DL | 4 | PA,QL(150 per 30 days) |
| DEXEDRINE SPANSULE 10 MG CAPSULE, ER DL | 4 | PA,QL(180 per 30 days) |
| DEXEDRINE SPANSULE 15 MG CAPSULE, ER DL | 4 | PA,QL(120 per 30 days) |

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Paxlovid/Vaccine/Diabetic • ST – Step Therapy

| DRUG NAME | TIER | UTILIZATION MANAGEMENT REQUIREMENTS |
|------------------------------------------------------------------------------------------------------|------|-------------------------------------|
| DEXEDRINE SPANSULE 5 MG CAPSULE, ER DL | 4 | PA,QL(60 per 30 days) |
| dexamphetamine 10 mg, 15 mg, 20 mg, 25 mg, 30 mg, 35 mg, 40 mg, 5 mg CAPSULE, ER, BIPHASIC MO | 1 | QL(30 per 30 days) |
| dexamphetamine 10 mg, 2.5 mg, 5 mg TABLET MO | 1 | QL(60 per 30 days) |
| dextroamphetamine sulfate 10 mg CAPSULE, ER MO | 1 | QL(180 per 30 days) |
| dextroamphetamine sulfate 10 mg TABLET MO | 1 | QL(180 per 30 days) |
| dextroamphetamine sulfate 15 mg CAPSULE, ER MO | 1 | QL(120 per 30 days) |
| dextroamphetamine sulfate 15 mg TABLET MO | 1 | QL(120 per 30 days) |
| dextroamphetamine sulfate 2.5 mg, 20 mg, 7.5 mg TABLET MO | 1 | QL(90 per 30 days) |
| dextroamphetamine sulfate 30 mg TABLET MO | 1 | QL(60 per 30 days) |
| dextroamphetamine sulfate 5 mg CAPSULE, ER MO | 1 | QL(60 per 30 days) |
| dextroamphetamine sulfate 5 mg TABLET MO | 1 | QL(150 per 30 days) |
| dextroamphetamine sulfate 5 mg/5 ml SOLUTION MO | 1 | QL(1800 per 30 days) |
| dextroamphetamine-amphetamine 10 mg, 12.5 mg, 15 mg, 20 mg, 5 mg, 7.5 mg TABLET MO | 1 | QL(90 per 30 days) |
| dextroamphetamine-amphetamine 10 mg, 15 mg, 5 mg CAPSULE, ER 24 HR. MO | 1 | QL(30 per 30 days) |
| dextroamphetamine-amphetamine 12.5 mg, 25 mg, 37.5 mg, 50 mg CAPSULE ER TRIPHASIC 24 HR. MO | 1 | QL(30 per 30 days) |
| dextroamphetamine-amphetamine 20 mg, 25 mg, 30 mg CAPSULE, ER 24 HR. MO | 1 | QL(60 per 30 days) |
| dextroamphetamine-amphetamine 30 mg TABLET MO | 1 | QL(60 per 30 days) |
| dimethyl fumarate 120 mg (14)- 240 mg (46), 240 mg CAPSULE, DR/EC MO | 1 | PA,QL(60 per 30 days) |
| dimethyl fumarate 120 mg CAPSULE, DR/EC MO | 1 | PA,QL(14 per 30 days) |
| DYANAVEL XR 10 MG, 15 MG, 20 MG, 5 MG TABLET, IR/ER 24 HR., BIPHASIC MO | 3 | QL(30 per 30 days) |
| DYANAVEL XR 2.5 MG/ML SUSPENSION, IR/ER BIPHASIC MO | 3 | QL(240 per 30 days) |
| EVEKEO 10 MG, 5 MG TABLET MO | 1 | QL(90 per 30 days) |
| EVEKEO ODT 10 MG, 5 MG TABLET, DISINTEGRATING MO | 3 | QL(90 per 30 days) |
| EVEKEO ODT 15 MG, 20 MG TABLET, DISINTEGRATING MO | 3 | QL(60 per 30 days) |
| EXSERVAN 50 MG FILM DL | 4 | PA,QL(60 per 30 days) |
| EXTAVIA 0.3 MG KIT DL | 4 | PA,QL(15 per 30 days) |
| EXTAVIA 0.3 MG RECON SOLUTION DL | 4 | PA,QL(15 per 30 days) |
| fingolimod 0.5 mg CAPSULE MO | 1 | PA,QL(30 per 30 days) |

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Paxlovid/Vaccine/Diabetic • ST – Step Therapy

| DRUG NAME | TIER | UTILIZATION MANAGEMENT REQUIREMENTS |
|--------------------------------------------------------------------------------------------------|------|-------------------------------------|
| FIRDAPSE 10 MG TABLET DL | 4 | PA,QL(240 per 30 days) |
| FOCALIN 10 MG, 2.5 MG, 5 MG TABLET MO | 3 | PA,QL(60 per 30 days) |
| FOCALIN XR 10 MG, 15 MG, 20 MG, 25 MG, 30 MG, 35 MG, 40 MG, 5 MG CAPSULE, ER, BIPHASIC MO | 3 | QL(30 per 30 days) |
| gabapentin 300 mg TABLET, ER 24 HR. MO | 1 | ST,QL(30 per 30 days) |
| gabapentin 600 mg TABLET, ER 24 HR. MO | 1 | ST,QL(90 per 30 days) |
| GILENYA 0.25 MG CAPSULE DL | 4 | PA,QL(30 per 30 days) |
| GILENYA 0.5 MG CAPSULE DL | 4 | PA,QL(30 per 30 days) |
| glatiramer 20 mg/ml SYRINGE DL | 4 | PA,QL(30 per 30 days) |
| glatiramer 40 mg/ml SYRINGE DL | 4 | PA,QL(12 per 28 days) |
| glatopa 20 mg/ml SYRINGE DL | 4 | PA,QL(30 per 30 days) |
| glatopa 40 mg/ml SYRINGE DL | 4 | PA,QL(12 per 28 days) |
| GRALISE 300 MG TABLET, ER 24 HR. MO | 3 | ST,QL(30 per 30 days) |
| GRALISE 450 MG, 600 MG TABLET, ER 24 HR. MO | 3 | ST,QL(90 per 30 days) |
| GRALISE 750 MG, 900 MG TABLET, ER 24 HR. MO | 3 | ST,QL(60 per 30 days) |
| guanfacine 1 mg, 2 mg, 3 mg, 4 mg TABLET, ER 24 HR. MO | 1 | QL(30 per 30 days) |
| HORIZANT 300 MG, 600 MG TABLET ER MO | 3 | PA,QL(60 per 30 days) |
| INGREZZA 40 MG, 60 MG, 80 MG CAPSULE DL | 4 | PA,QL(30 per 30 days) |
| INGREZZA INITIATION PACK 40 MG (7)- 80 MG (21) CAPSULE, DOSE PACK DL | 4 | PA,QL(28 per 28 days) |
| INTUNIV ER 1 MG, 2 MG, 3 MG, 4 MG TABLET, ER 24 HR. MO | 3 | QL(30 per 30 days) |
| JORNAY PM 100 MG, 20 MG, 40 MG, 60 MG, 80 MG CAPSULE, DR, ER SPRINKLE MO | 3 | QL(30 per 30 days) |
| KAPVAY 0.1 MG TABLET, ER 12 HR. MO | 3 | QL(120 per 30 days) |
| KESIMPTA PEN 20 MG/0.4 ML PEN INJECTOR DL | 4 | PA,QL(1.2 per 28 days) |
| LEMTRADA 12 MG/1.2 ML SOLUTION DL | 4 | PA,QL(6 per 365 days) |
| lisdexamfetamine 10 mg, 20 mg, 30 mg, 40 mg, 50 mg, 60 mg CHEWABLE TABLET MO | 1 | PA,QL(30 per 30 days) |
| lisdexamfetamine 10 mg, 20 mg, 30 mg, 40 mg, 50 mg, 60 mg, 70 mg CAPSULE MO | 1 | PA,QL(30 per 30 days) |
| LYRICA 100 MG, 150 MG, 200 MG, 25 MG, 50 MG, 75 MG CAPSULE MO | 3 | PA,QL(90 per 30 days) |
| LYRICA 20 MG/ML SOLUTION MO | 3 | PA,QL(900 per 30 days) |
| LYRICA 225 MG, 300 MG CAPSULE MO | 3 | PA,QL(60 per 30 days) |
| LYRICA CR 165 MG, 82.5 MG TABLET, ER 24 HR. MO | 3 | PA,QL(30 per 30 days) |

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Paxlovid/Vaccine/Diabetic • ST – Step Therapy

| DRUG NAME | TIER | UTILIZATION MANAGEMENT REQUIREMENTS |
|--------------------------------------------------------------------------------------------------------------|------|-------------------------------------|
| LYRICA CR 330 MG TABLET, ER 24 HR. MO | 3 | PA,QL(60 per 30 days) |
| MAVENCLAD (10 TABLET PACK) 10 MG TABLET DL | 4 | PA |
| MAVENCLAD (4 TABLET PACK) 10 MG TABLET DL | 4 | PA |
| MAVENCLAD (5 TABLET PACK) 10 MG TABLET DL | 4 | PA |
| MAVENCLAD (6 TABLET PACK) 10 MG TABLET DL | 4 | PA |
| MAVENCLAD (7 TABLET PACK) 10 MG TABLET DL | 4 | PA |
| MAVENCLAD (8 TABLET PACK) 10 MG TABLET DL | 4 | PA |
| MAVENCLAD (9 TABLET PACK) 10 MG TABLET DL | 4 | PA |
| MAYZENT 0.25 MG TABLET DL | 4 | PA,QL(120 per 30 days) |
| MAYZENT 1 MG, 2 MG TABLET DL | 4 | PA,QL(30 per 30 days) |
| MAYZENT STARTER(FOR 1MG MAINT) 0.25 MG (7 TABS) TABLET, DOSE PACK DL | 4 | PA,QL(7 per 30 days) |
| MAYZENT STARTER(FOR 2MG MAINT) 0.25 MG (12 TABS) TABLET, DOSE PACK DL | 4 | PA,QL(12 per 30 days) |
| METADATE CD 10 MG, 40 MG, 50 MG, 60 MG CAPSULE, ER, BIPHASIC MO | 3 | QL(30 per 30 days) |
| METADATE CD 20 MG, 30 MG CAPSULE, ER, BIPHASIC MO | 3 | QL(60 per 30 days) |
| metadate er 20 mg TABLET ER MO | 1 | QL(90 per 30 days) |
| methamphetamine 5 mg TABLET DL | 4 | QL(150 per 30 days) |
| METHYLIN 10 MG/5 ML SOLUTION MO | 3 | PA,QL(900 per 30 days) |
| METHYLIN 5 MG/5 ML SOLUTION MO | 3 | PA,QL(1800 per 30 days) |
| methylphenidate 10 mg/9 hr, 15 mg/9 hr, 20 mg/9 hr, 30 mg/9 hr PATCH, 24 HR. MO | 1 | QL(30 per 30 days) |
| methylphenidate hcl 10 mg CHEWABLE TABLET MO | 1 | QL(180 per 30 days) |
| methylphenidate hcl 10 mg TABLET ER MO | 1 | QL(180 per 30 days) |
| methylphenidate hcl 10 mg, 15 mg, 20 mg, 30 mg, 40 mg, 50 mg, 60 mg CAPSULE, ER SPRINKLE, BIPHASIC MO | 3 | QL(30 per 30 days) |
| methylphenidate hcl 10 mg, 20 mg, 40 mg, 50 mg, 60 mg CAPSULE, ER, BIPHASIC MO | 1 | QL(30 per 30 days) |
| methylphenidate hcl 10 mg, 20 mg, 5 mg TABLET MO | 1 | QL(90 per 30 days) |
| methylphenidate hcl 10 mg/5 ml SOLUTION MO | 1 | QL(900 per 30 days) |
| methylphenidate hcl 18 mg, 27 mg, 54 mg, 72 mg TABLET, ER 24 HR. MO | 1 | QL(30 per 30 days) |
| methylphenidate hcl 2.5 mg, 5 mg CHEWABLE TABLET MO | 1 | QL(150 per 30 days) |
| methylphenidate hcl 20 mg TABLET ER MO | 1 | QL(90 per 30 days) |
| methylphenidate hcl 20 mg, 30 mg CAPSULE, ER, BIPHASIC MO | 1 | QL(60 per 30 days) |

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Paxlovid/Vaccine/Diabetic • ST – Step Therapy

| DRUG NAME | TIER | UTILIZATION MANAGEMENT REQUIREMENTS |
|------------------------------------------------------------------------------|------|-------------------------------------|
| methylphenidate hcl 36 mg TABLET, ER 24 HR. MO | 1 | QL(60 per 30 days) |
| methylphenidate hcl 45 mg, 63 mg TABLET, ER 24 HR. MO | 3 | QL(30 per 30 days) |
| methylphenidate hcl 5 mg/5 ml SOLUTION MO | 1 | QL(1800 per 30 days) |
| MYDAYIS 12.5 MG, 25 MG, 37.5 MG, 50 MG CAPSULE ER TRIPHASIC 24 HR. MO | 3 | QL(30 per 30 days) |
| NUEDEXTA 20-10 MG CAPSULE | 4 | PA,QL(60 per 30 days) |
| OCREVUS 30 MG/ML SOLUTION | 4 | PA,QL(40 per 365 days) |
| PLEGRIDY 125 MCG/0.5 ML, 63 MCG/0.5 ML- 94 MCG/0.5 ML PEN INJECTOR DL | 4 | PA,QL(1 per 28 days) |
| PLEGRIDY 125 MCG/0.5 ML, 63 MCG/0.5 ML- 94 MCG/0.5 ML SYRINGE DL | 4 | PA,QL(1 per 28 days) |
| PONVORY 20 MG TABLET DL | 4 | PA,QL(30 per 30 days) |
| PONVORY 14-DAY STARTER PACK 2 MG (2) - 10 MG (3) TABLET, DOSE PACK DL | 4 | PA,QL(14 per 30 days) |
| pregabalin 100 mg, 150 mg, 50 mg, 75 mg CAPSULE MO | 1 | QL(90 per 30 days) |
| pregabalin 165 mg, 82.5 mg TABLET, ER 24 HR. MO | 1 | PA,QL(30 per 30 days) |
| pregabalin 20 mg/ml SOLUTION MO | 1 | QL(900 per 30 days) |
| pregabalin 200 mg, 25 mg CAPSULE MO | 1 | QL(90 per 30 days) |
| pregabalin 225 mg, 300 mg CAPSULE MO | 1 | QL(60 per 30 days) |
| pregabalin 330 mg TABLET, ER 24 HR. MO | 1 | PA,QL(60 per 30 days) |
| procentra 5 mg/5 ml SOLUTION DL | 4 | QL(1800 per 30 days) |
| QALSODY 100 MG/15 ML (6.7 MG/ML) SOLUTION DL | 4 | PA |
| QELBREE 100 MG CAPSULE, ER 24 HR. MO | 3 | PA,QL(30 per 30 days) |
| QELBREE 150 MG, 200 MG CAPSULE, ER 24 HR. MO | 3 | PA,QL(60 per 30 days) |
| QUILLICHEW ER 20 MG, 40 MG CHEWABLE TABLET, IR/ER BIPHASE MO | 3 | QL(30 per 30 days) |
| QUILLICHEW ER 30 MG CHEWABLE TABLET, IR/ER BIPHASE MO | 3 | QL(60 per 30 days) |
| QUILLIVANT XR 5 MG/ML (25 MG/5 ML) SUSPENSION, ER, RECON MO | 3 | QL(360 per 30 days) |
| RADICAVA 30 MG/100 ML SOLUTION DL | 4 | PA |
| RADICAVA ORS 105 MG/5 ML SUSPENSION DL | 4 | PA,QL(70 per 28 days) |
| RADICAVA ORS STARTER KIT SUSP 105 MG/5 ML SUSPENSION DL | 4 | PA,QL(70 per 28 days) |
| REBIF (WITH ALBUMIN) 22 MCG/0.5 ML, 44 MCG/0.5 ML SYRINGE DL | 4 | PA,QL(6 per 28 days) |
| REBIF REBIDOSE 22 MCG/0.5 ML, 44 MCG/0.5 ML PEN INJECTOR DL | 4 | PA,QL(6 per 28 days) |
| REBIF REBIDOSE 8.8MCG/0.2ML-22 MCG/0.5ML (6) PEN INJECTOR DL | 4 | PA,QL(4.2 per 28 days) |
| REBIF TITRATION PACK 8.8MCG/0.2ML-22 MCG/0.5ML (6) SYRINGE DL | 4 | PA,QL(4.2 per 28 days) |
| RELEXXII 18 MG, 27 MG, 45 MG, 54 MG, 63 MG TABLET, ER 24 HR. MO | 3 | QL(30 per 30 days) |

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Paxlovid/Vaccine/Diabetic • ST – Step Therapy

| DRUG NAME | TIER | UTILIZATION MANAGEMENT REQUIREMENTS |
|------------------------------------------------------------------------------------------|------|-------------------------------------|
| RELEXXII 36 MG TABLET, ER 24 HR. MO | 3 | QL(60 per 30 days) |
| RELEXXII 72 MG TABLET, ER 24 HR. MO | 1 | QL(30 per 30 days) |
| RILUTEK 50 MG TABLET DL | 4 | |
| riluzole 50 mg TABLET MO | 1 | |
| RITALIN 10 MG, 20 MG, 5 MG TABLET MO | 3 | PA,QL(90 per 30 days) |
| RITALIN LA 10 MG, 20 MG, 40 MG CAPSULE, ER, BIPHASIC MO | 3 | PA,QL(30 per 30 days) |
| RITALIN LA 30 MG CAPSULE, ER, BIPHASIC MO | 3 | PA,QL(60 per 30 days) |
| SAVELLA 100 MG, 12.5 MG, 25 MG, 50 MG TABLET MO | 2 | QL(60 per 30 days) |
| SAVELLA 12.5 MG (5)-25 MG(8)-50 MG(42) TABLET, DOSE PACK MO | 2 | QL(55 per 28 days) |
| SKYCLARYS 50 MG CAPSULE DL | 4 | PA,QL(90 per 30 days) |
| STRATTERA 10 MG, 18 MG, 25 MG, 40 MG CAPSULE MO | 3 | PA,QL(60 per 30 days) |
| STRATTERA 100 MG, 60 MG, 80 MG CAPSULE MO | 3 | PA,QL(30 per 30 days) |
| TASCENO ODT 0.25 MG, 0.5 MG TABLET, DISINTEGRATING DL | 4 | PA,QL(30 per 30 days) |
| TECFIDERA 120 MG (14)- 240 MG (46), 240 MG CAPSULE, DR/EC DL | 4 | PA,QL(60 per 30 days) |
| TECFIDERA 120 MG CAPSULE, DR/EC DL | 4 | PA,QL(14 per 30 days) |
| TEGLUTIK 50 MG/10 ML SUSPENSION DL | 4 | PA,QL(600 per 30 days) |
| teriflunomide 14 mg, 7 mg TABLET MO | 1 | PA,QL(30 per 30 days) |
| tetrabenazine 12.5 mg TABLET MO | 1 | PA,QL(240 per 30 days) |
| tetrabenazine 25 mg TABLET MO | 1 | PA,QL(120 per 30 days) |
| TIGLUTIK 50 MG/10 ML SUSPENSION DL | 4 | PA,QL(600 per 30 days) |
| TYSABRI 300 MG/15 ML SOLUTION DL | 4 | PA,QL(15 per 28 days) |
| VUMERTY 231 MG CAPSULE, DR/EC DL | 4 | PA,QL(120 per 30 days) |
| VYVANSE 10 MG, 20 MG, 30 MG, 40 MG, 50 MG, 60 MG CHEWABLE TABLET MO | 3 | PA,QL(30 per 30 days) |
| VYVANSE 10 MG, 20 MG, 30 MG, 40 MG, 50 MG, 60 MG, 70 MG CAPSULE MO | 3 | PA,QL(30 per 30 days) |
| XELTRYM 13.5 MG/9 HOUR, 18 MG/9 HOUR, 4.5 MG/9 HOUR, 9 MG/9 HOUR PATCH, 24 HR. MO | 3 | QL(30 per 30 days) |
| XENAZINE 12.5 MG TABLET DL | 4 | PA,QL(240 per 30 days) |
| XENAZINE 25 MG TABLET DL | 4 | PA,QL(120 per 30 days) |
| zenzedi 10 mg TABLET MO | 1 | QL(180 per 30 days) |
| ZENZEDI 15 MG TABLET MO | 1 | QL(120 per 30 days) |
| ZENZEDI 2.5 MG, 20 MG, 7.5 MG TABLET MO | 1 | QL(90 per 30 days) |
| ZENZEDI 30 MG TABLET MO | 1 | QL(60 per 30 days) |

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Paxlovid/Vaccine/Diabetic • ST – Step Therapy

| DRUG NAME | TIER | UTILIZATION MANAGEMENT REQUIREMENTS |
|-----------------------------------------------------------------------------------------|------|-------------------------------------|
| zenzedi 5 mg TABLET MO | 1 | QL(150 per 30 days) |
| ZEPOSIA 0.92 MG CAPSULE DL | 4 | PA,QL(30 per 30 days) |
| ZEPOSIA STARTER KIT (28-DAY) 0.23 MG-0.46 MG -0.92 MG (21) CAPSULE, DOSE PACK DL | 4 | PA,QL(28 per 28 days) |
| ZEPOSIA STARTER KIT (37-DAY) 0.23 MG-0.46 MG -0.92 MG (30) CAPSULE, DOSE PACK | 4 | PA,QL(37 per 37 days) |
| ZEPOSIA STARTER PACK (7-DAY) 0.23 MG (4)- 0.46 MG (3) CAPSULE, DOSE PACK DL | 4 | PA,QL(7 per 7 days) |
| DENTAL & ORAL AGENTS | | |
| cevimeline 30 mg CAPSULE MO | 1 | |
| chlorhexidine gluconate 0.12 % MOUTHWASH MO | 1 | |
| EVOXAC 30 MG CAPSULE MO | 3 | PA |
| KEPIVANCE 5.16 MG, 6.25 MG RECON SOLUTION DL | 4 | |
| kourzeq 0.1 % PASTE MO | 1 | |
| oralone 0.1 % PASTE MO | 1 | |
| paroex oral rinse 0.12 % MOUTHWASH MO | 1 | |
| periogard 0.12 % MOUTHWASH MO | 1 | |
| pilocarpine hcl 5 mg, 7.5 mg TABLET MO | 1 | |
| SALAGEN (PILOCARPINE) 5 MG, 7.5 MG TABLET MO | 3 | |
| triamcinolone acetonide 0.1 % PASTE MO | 1 | |
| DERMATOLOGICAL AGENTS | | |
| ABSORICA 10 MG, 20 MG, 25 MG, 30 MG, 35 MG CAPSULE DL | 4 | ST,QL(60 per 30 days) |
| ABSORICA 40 MG CAPSULE DL | 4 | ST,QL(120 per 30 days) |
| ABSORICA LD 16 MG, 24 MG, 8 MG CAPSULE DL | 4 | ST,QL(60 per 30 days) |
| ABSORICA LD 32 MG CAPSULE DL | 4 | ST,QL(120 per 30 days) |
| ACANYA 1.2-2.5 % GEL WITH PUMP MO | 3 | QL(50 per 30 days) |
| accutane 10 mg, 20 mg, 30 mg CAPSULE MO | 1 | QL(60 per 30 days) |
| accutane 40 mg CAPSULE MO | 1 | QL(120 per 30 days) |
| acitretin 10 mg CAPSULE MO | 1 | PA,QL(90 per 30 days) |
| acitretin 17.5 mg CAPSULE MO | 1 | PA,QL(60 per 30 days) |
| acitretin 25 mg CAPSULE MO | 1 | PA |
| ACZONE 5 % GEL MO | 3 | QL(90 per 30 days) |
| ACZONE 7.5 % GEL WITH PUMP MO | 3 | QL(90 per 30 days) |

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Paxlovid/Vaccine/Diabetic • ST – Step Therapy

| DRUG NAME | TIER | UTILIZATION MANAGEMENT REQUIREMENTS |
|--------------------------------------------------------------|------|-------------------------------------|
| adapalene 0.1 % CREAM MO | 1 | QL(45 per 30 days) |
| adapalene 0.1 % SOLUTION DL | 4 | QL(60 per 30 days) |
| adapalene 0.1 % SWAB MO | 1 | QL(30 per 30 days) |
| adapalene 0.3 % GEL MO | 1 | QL(45 per 30 days) |
| adapalene 0.3 % GEL WITH PUMP MO | 1 | QL(45 per 30 days) |
| adapalene-benzoyl peroxide 0.1-2.5 % GEL WITH PUMP MO | 1 | QL(45 per 30 days) |
| adapalene-benzoyl peroxide 0.3-2.5 % GEL WITH PUMP MO | 1 | QL(60 per 30 days) |
| AKLIEF 0.005 % CREAM MO | 3 | PA,QL(90 per 30 days) |
| ALA-CORT 1 % CREAM MO | 1 | QL(240 per 30 days) |
| ALA-SCALP 2 % LOTION MO | 1 | QL(236.8 per 30 days) |
| alclometasone 0.05 % CREAM MO | 1 | QL(240 per 30 days) |
| alclometasone 0.05 % OINTMENT MO | 1 | QL(240 per 30 days) |
| ALTABAX 1 % OINTMENT MO | 3 | |
| ALTRENO 0.05 % LOTION MO | 3 | PA,QL(90 per 30 days) |
| amcinonide 0.1 % CREAM MO | 1 | QL(120 per 30 days) |
| amcinonide 0.1 % OINTMENT DL | 4 | ST,QL(120 per 30 days) |
| ammonium lactate 12 % CREAM MO | 1 | |
| ammonium lactate 12 % LOTION MO | 1 | |
| amnesteem 10 mg, 20 mg CAPSULE MO | 1 | QL(60 per 30 days) |
| amnesteem 40 mg CAPSULE MO | 1 | QL(120 per 30 days) |
| AMZEEQ 4 % FOAM MO | 3 | PA,QL(30 per 30 days) |
| anusol-hc 2.5 % CREAM W/PERINEAL APPLICATOR MO | 1 | QL(60 per 30 days) |
| apexicon e 0.05 % CREAM MO | 1 | QL(60 per 30 days) |
| ARAZLO 0.045 % LOTION MO | 3 | PA |
| ATRALIN 0.05 % GEL MO | 3 | PA,QL(45 per 30 days) |
| AVITA 0.025 % CREAM MO | 3 | PA,QL(45 per 30 days) |
| AVITA 0.025 % GEL MO | 3 | PA,QL(45 per 30 days) |
| azelaic acid 15 % GEL MO | 1 | ST,QL(50 per 30 days) |
| AZELEX 20 % CREAM MO | 3 | QL(50 per 30 days) |
| BENZAMYCIN 3-5 % GEL MO | 3 | QL(46.6 per 30 days) |
| beser 0.05 % LOTION MO | 1 | QL(240 per 30 days) |
| betamethasone dipropionate 0.05 % CREAM MO | 1 | QL(90 per 30 days) |

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Paxlovid/Vaccine/Diabetic • ST – Step Therapy

| DRUG NAME | TIER | UTILIZATION MANAGEMENT REQUIREMENTS |
|----------------------------------------------------------------|------|-------------------------------------|
| betamethasone dipropionate 0.05 % LOTION MO | 1 | QL(120 per 30 days) |
| betamethasone dipropionate 0.05 % OINTMENT MO | 1 | QL(90 per 30 days) |
| betamethasone valerate 0.1 % CREAM MO | 1 | QL(180 per 30 days) |
| betamethasone valerate 0.1 % LOTION MO | 1 | QL(120 per 30 days) |
| betamethasone valerate 0.1 % OINTMENT MO | 1 | QL(180 per 30 days) |
| betamethasone valerate 0.12 % FOAM MO | 1 | QL(200 per 30 days) |
| betamethasone, augmented 0.05 % CREAM MO | 1 | QL(100 per 30 days) |
| betamethasone, augmented 0.05 % GEL MO | 1 | QL(100 per 30 days) |
| betamethasone, augmented 0.05 % LOTION MO | 1 | QL(120 per 30 days) |
| betamethasone, augmented 0.05 % OINTMENT MO | 1 | QL(100 per 30 days) |
| brimonidine 0.33 % GEL WITH PUMP MO | 1 | ST,QL(30 per 30 days) |
| BRYHALI 0.01 % LOTION MO | 3 | ST,QL(200 per 30 days) |
| CABTREO 0.15-3.1-1.2 % GEL MO | 3 | QL(50 per 30 days) |
| calcipotriene 0.005 % CREAM MO | 1 | PA,QL(120 per 30 days) |
| calcipotriene 0.005 % FOAM MO | 1 | ST,QL(120 per 28 days) |
| calcipotriene 0.005 % OINTMENT MO | 1 | QL(240 per 30 days) |
| calcipotriene 0.005 % SOLUTION MO | 1 | QL(60 per 30 days) |
| calcipotriene-betamethasone 0.005-0.064 % OINTMENT MO | 1 | PA,QL(60 per 30 days) |
| calcipotriene-betamethasone 0.005-0.064 % SUSPENSION MO | 1 | PA,QL(420 per 30 days) |
| calcitriol 3 mcg/gram OINTMENT MO | 1 | ST,QL(800 per 28 days) |
| CAPEX 0.01 % SHAMPOO MO | 3 | QL(840 per 30 days) |
| CARAC 0.5 % CREAM DL | 4 | PA,QL(60 per 30 days) |
| CENTANY 2 % OINTMENT MO | 3 | |
| claravis 10 mg, 20 mg, 30 mg CAPSULE MO | 1 | QL(60 per 30 days) |
| claravis 40 mg CAPSULE MO | 1 | QL(120 per 30 days) |
| CLEOCIN T 1 % LOTION MO | 3 | QL(60 per 30 days) |
| clindacin 1 % FOAM MO | 1 | QL(100 per 30 days) |
| clindacin etz 1 % SWAB MO | 1 | |
| clindacin p 1 % SWAB MO | 1 | |
| CLINDAGEL 1 % GEL, ONCE DAILY DL | 4 | PA,QL(75 per 30 days) |
| clindamycin phosphate 1 % FOAM MO | 1 | QL(100 per 30 days) |
| clindamycin phosphate 1 % GEL MO | 1 | QL(60 per 30 days) |

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Paxlovid/Vaccine/Diabetic • ST – Step Therapy

| DRUG NAME | TIER | UTILIZATION MANAGEMENT REQUIREMENTS |
|------------------------------------------------------------------------------------------------|------|-------------------------------------|
| clindamycin phosphate 1 % GEL, ONCE DAILY MO | 1 | PA,QL(75 per 30 days) |
| clindamycin phosphate 1 % LOTION MO | 1 | QL(60 per 30 days) |
| clindamycin phosphate 1 % SOLUTION MO | 1 | QL(60 per 30 days) |
| clindamycin phosphate 1 % SWAB MO | 1 | |
| clindamycin-benzoyl peroxide 1-5 % GEL MO | 1 | QL(50 per 30 days) |
| clindamycin-benzoyl peroxide 1-5 %, 1.2 %(1 % base) -3.75 %, 1.2-2.5 % GEL WITH PUMP MO | 1 | QL(50 per 30 days) |
| clindamycin-benzoyl peroxide 1.2 %(1 % base) -5 % GEL MO | 1 | QL(45 per 30 days) |
| clindamycin-tretinoin 1.2-0.025 % GEL MO | 1 | QL(60 per 30 days) |
| clobetasol 0.05 % CREAM MO | 1 | QL(120 per 30 days) |
| clobetasol 0.05 % FOAM MO | 1 | QL(100 per 28 days) |
| clobetasol 0.05 % GEL MO | 1 | QL(120 per 28 days) |
| clobetasol 0.05 % LOTION MO | 1 | QL(240 per 28 days) |
| clobetasol 0.05 % OINTMENT MO | 1 | QL(120 per 28 days) |
| clobetasol 0.05 % SHAMPOO MO | 1 | QL(240 per 30 days) |
| clobetasol 0.05 % SOLUTION MO | 1 | QL(100 per 30 days) |
| clobetasol 0.05 % SPRAY, NON-AEROSOL MO | 1 | QL(240 per 30 days) |
| clobetasol-emollient 0.05 % CREAM MO | 1 | QL(120 per 30 days) |
| clobetasol-emollient 0.05 % FOAM MO | 1 | QL(100 per 30 days) |
| CLOBEX 0.05 % LOTION MO | 3 | ST,QL(240 per 28 days) |
| CLOBEX 0.05 % SHAMPOO MO | 3 | ST,QL(240 per 30 days) |
| CLOBEX 0.05 % SPRAY, NON-AEROSOL MO | 3 | ST,QL(240 per 30 days) |
| clocortolone pivalate 0.1 % CREAM MO | 1 | QL(180 per 30 days) |
| clodan 0.05 % SHAMPOO MO | 1 | QL(240 per 30 days) |
| CONDYLOX 0.5 % GEL MO | 3 | |
| CORDRAN 0.025 % CREAM MO | 3 | ST,QL(240 per 30 days) |
| CORDRAN 0.05 % CREAM DL | 4 | ST,QL(240 per 30 days) |
| CORDRAN 0.05 % LOTION DL | 4 | ST,QL(240 per 30 days) |
| CORDRAN 0.05 % OINTMENT MO | 3 | ST,QL(240 per 30 days) |
| CORDRAN TAPE LARGE ROLL 4 MCG/CM2 TAPE MO | 3 | QL(2 per 30 days) |
| CORTEF 10 MG, 20 MG, 5 MG TABLET MO | 3 | |
| crotan 10 % LOTION DL | 4 | PA,QL(454 per 30 days) |

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Paxlovid/Vaccine/Diabetic • ST – Step Therapy

| DRUG NAME | TIER | UTILIZATION MANAGEMENT REQUIREMENTS |
|----------------------------------------------------|------|-------------------------------------|
| dapsone 5 % GEL MO | 1 | QL(90 per 30 days) |
| dapsone 7.5 % GEL WITH PUMP MO | 1 | QL(90 per 30 days) |
| DERMA-SMOOTH/FS BODY OIL 0.01 % OIL MO | 3 | QL(118.28 per 30 days) |
| DERMA-SMOOTH/FS SCALP OIL 0.01 % OIL MO | 3 | QL(118.28 per 30 days) |
| desonide 0.05 % CREAM MO | 1 | QL(240 per 30 days) |
| desonide 0.05 % GEL MO | 1 | QL(240 per 30 days) |
| desonide 0.05 % LOTION MO | 1 | QL(240 per 30 days) |
| desonide 0.05 % OINTMENT MO | 1 | QL(240 per 30 days) |
| DESOWEN 0.05 % CREAM MO | 3 | QL(240 per 30 days) |
| desoximetasone 0.05 % CREAM MO | 1 | QL(240 per 30 days) |
| desoximetasone 0.05 % GEL MO | 1 | QL(240 per 30 days) |
| desoximetasone 0.05 % OINTMENT MO | 1 | QL(240 per 30 days) |
| desoximetasone 0.25 % CREAM MO | 1 | QL(120 per 30 days) |
| desoximetasone 0.25 % OINTMENT MO | 1 | QL(120 per 30 days) |
| desoximetasone 0.25 % SPRAY, NON-AEROSOL MO | 1 | QL(100 per 30 days) |
| desrx 0.05 % GEL MO | 1 | QL(240 per 30 days) |
| diclofenac sodium 3 % GEL MO | 1 | PA |
| DIFFERIN 0.1 % CREAM MO | 3 | PA,QL(45 per 30 days) |
| DIFFERIN 0.1 % LOTION MO | 3 | QL(59 per 30 days) |
| DIFFERIN 0.3 % GEL WITH PUMP MO | 3 | QL(45 per 30 days) |
| diflorasone 0.05 % CREAM DL | 4 | QL(120 per 30 days) |
| diflurasone 0.05 % OINTMENT MO | 3 | QL(120 per 30 days) |
| DIPROLENE (AUGMENTED) 0.05 % OINTMENT MO | 3 | QL(100 per 30 days) |
| DOVONEX 0.005 % CREAM MO | 3 | PA,QL(120 per 30 days) |
| doxepin 5 % CREAM DL | 4 | PA,QL(45 per 30 days) |
| DUOBRII 0.01-0.045 % LOTION MO | 3 | PA,QL(200 per 28 days) |
| EFUDEX 5 % CREAM MO | 3 | PA |
| ELIDEL 1 % CREAM MO | 3 | PA,QL(100 per 30 days) |
| ELIMITE 5 % CREAM MO | 3 | |
| ENSTILAR 0.005-0.064 % FOAM MO | 3 | QL(120 per 30 days) |
| EPIDUO 0.1-2.5 % GEL WITH PUMP MO | 3 | QL(45 per 30 days) |
| EPIDUO FORTE 0.3-2.5 % GEL WITH PUMP MO | 3 | QL(60 per 30 days) |

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Paxlovid/Vaccine/Diabetic • ST – Step Therapy

| DRUG NAME | TIER | UTILIZATION MANAGEMENT REQUIREMENTS |
|---------------------------------------------------|------|-------------------------------------|
| EPIFOAM 1-1 % FOAM MO | 1 | |
| EPSOLAY 5 % CREAM MO | 3 | ST,QL(30 per 30 days) |
| ery pads 2 % SWAB MO | 1 | QL(60 per 30 days) |
| ERYGEL 2 % GEL MO | 1 | QL(60 per 30 days) |
| erythromycin with ethanol 2 % GEL MO | 1 | QL(60 per 30 days) |
| erythromycin with ethanol 2 % SOLUTION MO | 1 | QL(120 per 30 days) |
| erythromycin-benzoyl peroxide 3-5 % GEL MO | 1 | QL(46.6 per 30 days) |
| EUCRISA 2 % OINTMENT MO | 3 | PA,QL(100 per 30 days) |
| EURAX 10 % CREAM MO | 3 | PA |
| EURAX 10 % LOTION MO | 3 | PA,QL(454 per 30 days) |
| EVOCLIN 1 % FOAM MO | 3 | PA,QL(100 per 30 days) |
| FABIOR 0.1 % FOAM MO | 3 | PA,QL(100 per 30 days) |
| FINACEA 15 % FOAM MO | 3 | ST,QL(50 per 30 days) |
| FINACEA 15 % GEL MO | 3 | ST,QL(50 per 30 days) |
| fluocinolone 0.01 % OIL MO | 1 | QL(118.28 per 30 days) |
| fluocinolone 0.01 % SOLUTION MO | 1 | QL(180 per 30 days) |
| fluocinolone 0.01 %, 0.025 % CREAM MO | 1 | QL(120 per 30 days) |
| fluocinolone 0.025 % OINTMENT MO | 1 | QL(120 per 30 days) |
| fluocinolone and shower cap 0.01 % OIL MO | 1 | QL(118.28 per 30 days) |
| fluocinonide 0.05 % CREAM MO | 1 | QL(120 per 30 days) |
| fluocinonide 0.05 % GEL MO | 1 | QL(120 per 30 days) |
| fluocinonide 0.05 % OINTMENT MO | 1 | QL(120 per 30 days) |
| fluocinonide 0.05 % SOLUTION MO | 1 | QL(120 per 30 days) |
| fluocinonide 0.1 % CREAM MO | 1 | QL(120 per 28 days) |
| fluocinonide-e 0.05 % CREAM MO | 1 | QL(120 per 30 days) |
| fluocinonide-emollient 0.05 % CREAM MO | 1 | QL(120 per 30 days) |
| FLUOROPLEX 1 % CREAM DL | 4 | |
| fluorouracil 0.5 % CREAM DL | 4 | QL(60 per 30 days) |
| fluorouracil 2 % SOLUTION MO | 1 | QL(30 per 30 days) |
| fluorouracil 5 % CREAM MO | 1 | |
| fluorouracil 5 % SOLUTION MO | 1 | QL(60 per 30 days) |
| flurandrenolide 0.05 % CREAM MO | 1 | QL(240 per 30 days) |

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Paxlovid/Vaccine/Diabetic • ST – Step Therapy

| DRUG NAME | TIER | UTILIZATION MANAGEMENT REQUIREMENTS |
|------------------------------------------------------------|------|-------------------------------------|
| flurandrenolide 0.05 % LOTION MO | 3 | QL(240 per 30 days) |
| flurandrenolide 0.05 % OINTMENT MO | 1 | QL(240 per 30 days) |
| fluticasone propionate 0.005 % OINTMENT MO | 1 | QL(240 per 30 days) |
| fluticasone propionate 0.05 % CREAM MO | 1 | QL(240 per 30 days) |
| fluticasone propionate 0.05 % LOTION MO | 1 | QL(240 per 30 days) |
| halcinonide 0.1 % CREAM MO | 1 | QL(120 per 30 days) |
| halobetasol propionate 0.05 % CREAM MO | 1 | QL(100 per 30 days) |
| halobetasol propionate 0.05 % FOAM MO | 3 | PA,QL(100 per 30 days) |
| halobetasol propionate 0.05 % OINTMENT MO | 1 | QL(100 per 30 days) |
| HALOG 0.1 % CREAM DL | 4 | QL(120 per 30 days) |
| HALOG 0.1 % OINTMENT MO | 3 | QL(120 per 30 days) |
| HALOG 0.1 % SOLUTION MO | 3 | QL(120 per 30 days) |
| hydrocortisone 1 % CREAM W/PERINEAL APPLICATOR MO | 1 | QL(28.4 per 30 days) |
| hydrocortisone 1 %, 2.5 % CREAM MO | 1 | QL(240 per 30 days) |
| hydrocortisone 1 %, 2.5 % OINTMENT MO | 1 | QL(240 per 30 days) |
| hydrocortisone 10 mg, 20 mg, 5 mg TABLET MO | 1 | |
| hydrocortisone 2.5 % CREAM W/PERINEAL APPLICATOR MO | 1 | QL(60 per 30 days) |
| hydrocortisone 2.5 % LOTION MO | 1 | QL(236 per 30 days) |
| hydrocortisone butyr-emollient 0.1 % CREAM MO | 1 | QL(240 per 30 days) |
| hydrocortisone butyrate 0.1 % CREAM MO | 1 | QL(240 per 30 days) |
| hydrocortisone butyrate 0.1 % LOTION MO | 1 | QL(236 per 30 days) |
| hydrocortisone butyrate 0.1 % OINTMENT MO | 1 | QL(180 per 30 days) |
| hydrocortisone butyrate 0.1 % SOLUTION MO | 1 | QL(240 per 30 days) |
| hydrocortisone valerate 0.2 % CREAM MO | 1 | QL(240 per 30 days) |
| hydrocortisone valerate 0.2 % OINTMENT MO | 1 | QL(240 per 30 days) |
| HYFTOR 0.2 % GEL DL | 4 | PA |
| imiquimod 3.75 % CREAM IN PACKET MO | 3 | ST,QL(28 per 28 days) |
| imiquimod 3.75 % CREAM, METERED DOSE PUMP DL | 4 | ST,QL(15 per 30 days) |
| imiquimod 5 % CREAM IN PACKET MO | 1 | QL(12 per 30 days) |
| IMPEKLO 0.05 % LOTION IN METERED DOSE PUMP DL | 4 | ST,QL(136 per 28 days) |
| isotretinoin 10 mg, 20 mg, 30 mg CAPSULE MO | 1 | QL(60 per 30 days) |
| isotretinoin 25 mg, 35 mg CAPSULE DL | 4 | QL(60 per 30 days) |

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Paxlovid/Vaccine/Diabetic • ST – Step Therapy

| DRUG NAME | TIER | UTILIZATION MANAGEMENT REQUIREMENTS |
|---------------------------------------------------------------------------|------|-------------------------------------|
| isotretinoin 40 mg CAPSULE MO | 1 | QL(120 per 30 days) |
| ivermectin 1 % CREAM MO | 1 | ST,QL(45 per 30 days) |
| KLISYRI 1 % OINTMENT IN PACKET DL | 4 | PA,QL(5 per 30 days) |
| LEXETTE 0.05 % FOAM MO | 3 | PA,QL(100 per 30 days) |
| lindane 1 % SHAMPOO MO | 1 | QL(60 per 30 days) |
| LOCOID 0.1 % LOTION MO | 3 | QL(236 per 30 days) |
| LOCOID LIPOCREAM 0.1 % CREAM MO | 3 | QL(240 per 30 days) |
| LUXIQ 0.12 % FOAM MO | 3 | ST,QL(200 per 30 days) |
| mafénide acetate 50 gram PACKET MO | 1 | |
| malathion 0.5 % LOTION MO | 1 | |
| methoxsalen 10 mg CAPSULE, LIQ FILLED, RAPID REL MO | 1 | |
| MIRVASO 0.33 % GEL WITH PUMP MO | 3 | ST,QL(30 per 30 days) |
| mometasone 0.1 % CREAM MO | 1 | QL(180 per 30 days) |
| mometasone 0.1 % OINTMENT MO | 1 | QL(180 per 30 days) |
| mometasone 0.1 % SOLUTION MO | 1 | QL(180 per 30 days) |
| mupirocin 2 % OINTMENT MO | 1 | |
| mupirocin calcium 2 % CREAM MO | 1 | ST |
| myorisan 10 mg, 20 mg, 30 mg CAPSULE MO | 1 | QL(60 per 30 days) |
| myorisan 40 mg CAPSULE MO | 1 | QL(120 per 30 days) |
| NATROBA 0.9 % SUSPENSION MO | 3 | QL(240 per 30 days) |
| NEO-SYNALAR 0.5 % (0.35 % BASE)-0.025 % CREAM MO | 3 | |
| neuac 1.2 %(1 % base) -5 % GEL MO | 1 | QL(45 per 30 days) |
| nolix 0.05 % LOTION MO | 1 | QL(240 per 30 days) |
| OLUX 0.05 % FOAM MO | 3 | PA,QL(100 per 28 days) |
| OLUX-E 0.05 % FOAM MO | 3 | PA,QL(100 per 30 days) |
| ONEXTON 1.2 %(1 % BASE) -3.75 % GEL MO | 3 | |
| ONEXTON 1.2 %(1 % BASE) -3.75 % GEL WITH PUMP MO | 3 | QL(50 per 30 days) |
| OPZELURA 1.5 % CREAM DL | 4 | PA,QL(240 per 28 days) |
| OTEZLA 30 MG TABLET DL | 4 | PA,QL(60 per 30 days) |
| OTEZLA STARTER 10 MG (4)-20 MG (4)-30 MG (47) TABLET, DOSE PACK DL | 4 | PA,QL(55 per 28 days) |
| OTEZLA STARTER 10 MG (4)-20 MG (4)-30 MG(19) TABLET, DOSE PACK DL | 4 | PA,QL(27 per 30 days) |
| OVIDE 0.5 % LOTION MO | 3 | PA |

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Paxlovid/Vaccine/Diabetic • ST – Step Therapy

| DRUG NAME | TIER | UTILIZATION MANAGEMENT REQUIREMENTS |
|-----------------------------------------------------------|------|-------------------------------------|
| PANDEL 0.1 % CREAM DL | 4 | QL(160 per 30 days) |
| permethrin 5 % CREAM MO | 1 | |
| pimecrolimus 1 % CREAM MO | 1 | PA,QL(100 per 30 days) |
| podofilox 0.5 % GEL MO | 1 | |
| podofilox 0.5 % SOLUTION MO | 1 | QL(7 per 30 days) |
| prednicarbate 0.1 % CREAM MO | 1 | QL(240 per 30 days) |
| prednicarbate 0.1 % OINTMENT MO | 1 | QL(240 per 30 days) |
| procto-med hc 2.5 % CREAM W/PERINEAL APPLICATOR MO | 1 | QL(60 per 30 days) |
| proctosol hc 2.5 % CREAM W/PERINEAL APPLICATOR MO | 1 | QL(60 per 30 days) |
| proctozone-hc 2.5 % CREAM W/PERINEAL APPLICATOR MO | 1 | QL(60 per 30 days) |
| PROTOPIC 0.03 %, 0.1 % OINTMENT MO | 3 | QL(200 per 30 days) |
| PRUDEXIN 5 % CREAM DL | 4 | PA,QL(45 per 30 days) |
| QBREXZA 2.4 % TOWELETTE MO | 3 | PA,QL(30 per 30 days) |
| REGRANEX 0.01 % GEL | 4 | PA |
| RETIN-A 0.01 %, 0.025 % GEL MO | 3 | PA,QL(45 per 30 days) |
| RETIN-A 0.025 %, 0.05 %, 0.1 % CREAM MO | 3 | PA,QL(45 per 30 days) |
| RETIN-A MICRO 0.04 % GEL DL | 4 | PA,QL(45 per 30 days) |
| RETIN-A MICRO 0.1 % GEL MO | 3 | PA,QL(45 per 30 days) |
| RETIN-A MICRO PUMP 0.04 %, 0.1 % GEL WITH PUMP DL | 4 | PA,QL(50 per 30 days) |
| RETIN-A MICRO PUMP 0.06 %, 0.08 % GEL WITH PUMP MO | 3 | PA,QL(50 per 30 days) |
| SANTYL 250 UNIT/GRAM OINTMENT MO | 3 | QL(180 per 30 days) |
| selenium sulfide 2.5 % LOTION MO | 1 | QL(120 per 30 days) |
| SILVADENE 1 % CREAM MO | 2 | |
| silver sulfadiazine 1 % CREAM MO | 1 | |
| SOOLANTRA 1 % CREAM MO | 3 | ST,QL(45 per 30 days) |
| SORILUX 0.005 % FOAM DL | 4 | ST,QL(120 per 28 days) |
| spinosad 0.9 % SUSPENSION MO | 3 | QL(240 per 30 days) |
| SSD 1 % CREAM MO | 1 | |
| SULFAMYLYN 50 GRAM PACKET MO | 3 | |
| SULFAMYLYN 85 MG/G CREAM MO | 3 | |
| SYNALAR 0.01 % SOLUTION MO | 3 | QL(180 per 30 days) |
| TACLONEX 0.005-0.064 % OINTMENT DL | 4 | PA,QL(60 per 30 days) |

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Paxlovid/Vaccine/Diabetic • ST – Step Therapy

| DRUG NAME | TIER | UTILIZATION MANAGEMENT REQUIREMENTS |
|----------------------------------------------------------------------|------|-------------------------------------|
| TACLONEX 0.005-0.064 % SUSPENSION DL | 4 | PA,QL(420 per 30 days) |
| tacrolimus 0.03 %, 0.1 % OINTMENT MO | 1 | QL(200 per 30 days) |
| tazarotene 0.05 %, 0.1 % GEL MO | 1 | PA,QL(200 per 30 days) |
| tazarotene 0.1 % CREAM MO | 1 | PA,QL(120 per 30 days) |
| tazarotene 0.1 % FOAM DL | 4 | PA,QL(100 per 30 days) |
| TAZORAC 0.05 %, 0.1 % CREAM MO | 3 | PA,QL(120 per 30 days) |
| TAZORAC 0.05 %, 0.1 % GEL MO | 3 | PA,QL(200 per 30 days) |
| TEMOVATE 0.05 % OINTMENT MO | 3 | PA,QL(120 per 28 days) |
| TEXACORT 2.5 % SOLUTION MO | 1 | QL(240 per 30 days) |
| TOLAK 4 % CREAM MO | 3 | PA |
| TOPICORT 0.05 % CREAM MO | 1 | QL(240 per 30 days) |
| TOPICORT 0.05 % GEL MO | 1 | QL(240 per 30 days) |
| TOPICORT 0.05 % OINTMENT MO | 3 | QL(240 per 30 days) |
| TOPICORT 0.25 % CREAM MO | 1 | QL(120 per 30 days) |
| TOPICORT 0.25 % OINTMENT MO | 1 | QL(120 per 30 days) |
| TOPICORT 0.25 % SPRAY, NON-AEROSOL MO | 3 | QL(100 per 30 days) |
| tovet emollient 0.05 % FOAM MO | 1 | QL(100 per 30 days) |
| tretinoin 0.01 %, 0.025 %, 0.05 % GEL MO | 1 | PA,QL(45 per 30 days) |
| tretinoin 0.025 %, 0.05 %, 0.1 % CREAM MO | 1 | PA,QL(45 per 30 days) |
| tretinoin microspheres 0.04 %, 0.08 %, 0.1 % GEL WITH PUMP MO | 1 | PA,QL(50 per 30 days) |
| tretinoin microspheres 0.04 %, 0.1 % GEL MO | 1 | PA,QL(45 per 30 days) |
| TWYNEO 0.1-3 % CREAM MO | 3 | QL(30 per 30 days) |
| ULTRAVATE 0.05 % LOTION MO | 3 | QL(120 per 30 days) |
| UVADEX 20 MCG/ML SOLUTION MO | 3 | |
| VANOS 0.1 % CREAM MO | 3 | QL(120 per 28 days) |
| VECTICAL 3 MCG/GRAM OINTMENT DL | 4 | ST,QL(800 per 28 days) |
| VELTIN 1.2-0.025 % GEL MO | 3 | PA,QL(60 per 30 days) |
| VERDESO 0.05 % FOAM DL | 4 | QL(200 per 30 days) |
| VEREGEN 15 % OINTMENT DL | 4 | QL(30 per 30 days) |
| VTAMA 1 % CREAM DL | 4 | PA,QL(60 per 30 days) |
| WINLEVI 1 % CREAM MO | 3 | PA |
| XEPI 1 % CREAM MO | 3 | PA |

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Paxlovid/Vaccine/Diabetic • ST – Step Therapy

| DRUG NAME | TIER | UTILIZATION MANAGEMENT REQUIREMENTS |
|--------------------------------------------------------------------|------|-------------------------------------|
| zenatane 10 mg, 20 mg, 30 mg CAPSULE MO | 1 | QL(60 per 30 days) |
| zenatane 40 mg CAPSULE MO | 1 | QL(120 per 30 days) |
| ZIANA 1.2-0.025 % GEL MO | 3 | PA,QL(60 per 30 days) |
| ZILXI 1.5 % FOAM MO | 3 | PA,QL(30 per 30 days) |
| ZONALON 5 % CREAM MO | 3 | PA,QL(45 per 30 days) |
| ZORYVE 0.3 % CREAM DL | 4 | PA,QL(120 per 30 days) |
| ZORYVE 0.3 % FOAM DL | 4 | PA,QL(120 per 30 days) |
| ZYCLARA 2.5 %, 3.75 % CREAM, METERED DOSE PUMP DL | 4 | ST,QL(15 per 30 days) |
| ZYCLARA 3.75 % CREAM IN PACKET MO | 3 | ST,QL(28 per 28 days) |
| ELECTROLYTES/MINERALS/METALS/VITAMINS | | |
| AMINOSYN 10 % 10 % PARENTERAL SOLUTION MO | 3 | BvsD |
| AMINOSYN 7 % WITH ELECTROLYTES 7 % PARENTERAL SOLUTION MO | 3 | BvsD |
| AMINOSYN 8.5 % 8.5 % PARENTERAL SOLUTION MO | 3 | BvsD |
| AMINOSYN 8.5 %-ELECTROLYTES 8.5 % PARENTERAL SOLUTION MO | 3 | BvsD |
| AMINOSYN II 10 % 10 % PARENTERAL SOLUTION MO | 3 | BvsD |
| AMINOSYN II 15 % 15 % PARENTERAL SOLUTION MO | 3 | BvsD |
| AMINOSYN II 7 % 7 % PARENTERAL SOLUTION MO | 3 | BvsD |
| AMINOSYN II 8.5 % 8.5 % PARENTERAL SOLUTION MO | 3 | BvsD |
| AMINOSYN II 8.5 %-ELECTROLYTES 8.5 % PARENTERAL SOLUTION MO | 3 | BvsD |
| AMINOSYN M 3.5 % 3.5 % PARENTERAL SOLUTION MO | 3 | BvsD |
| AMINOSYN-PF 10 % 10 % PARENTERAL SOLUTION MO | 3 | BvsD |
| AMINOSYN-PF 7 % (SULFITE-FREE) 7 % PARENTERAL SOLUTION MO | 3 | BvsD |
| AMINOSYN-RF 5.2 % 5.2 % PARENTERAL SOLUTION MO | 3 | BvsD |
| AURYXIA 210 MG IRON TABLET MO | 3 | PA,QL(360 per 30 days) |
| bal-care dha 27-1-430 mg COMBO PACK, DR TAB/DR CAP MO | 1 | |
| c-nate dha 28 mg iron-1 mg -200 mg CAPSULE MO | 1 | |
| calcium acetate(phosphat bind) 667 mg CAPSULE MO | 1 | |
| calcium acetate(phosphat bind) 667 mg TABLET MO | 1 | |
| calcium chloride 100 mg/ml (10 %) SOLUTION MO | 1 | |
| calcium chloride 100 mg/ml (10 %) SYRINGE MO | 1 | |
| calcium gluconate 100 mg/ml (10%) SOLUTION MO | 1 | |
| CARBAGLU 200 MG TABLET, DISPERSIBLE DL | 4 | PA |

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Paxlovid/Vaccine/Diabetic • ST – Step Therapy

| DRUG NAME | TIER | UTILIZATION MANAGEMENT REQUIREMENTS |
|---------------------------------------------------------------------------------------|------|-------------------------------------|
| carglumic acid 200 mg TABLET, DISPERSIBLE DL | 4 | PA |
| CARNITOR 100 MG/ML, 200 MG/ML SOLUTION MO | 3 | |
| CARNITOR 330 MG TABLET MO | 3 | |
| CARNITOR (SUGAR-FREE) 100 MG/ML SOLUTION MO | 3 | |
| CHEMET 100 MG CAPSULE DL | 4 | |
| CITRANATAL B-CALM (FE GLUC) 20 MG IRON-1 MG -25 MG/25 MG TABLET, SEQUENTIAL MO | 3 | |
| CLINIMIX 5%/D15W SULFITE FREE 5 % PARENTERAL SOLUTION MO | 3 | BvsD |
| CLINIMIX 4.25%/D10W SULF FREE 4.25 % PARENTERAL SOLUTION MO | 3 | BvsD |
| CLINIMIX 4.25%/D5W SULFIT FREE 4.25 % PARENTERAL SOLUTION MO | 3 | BvsD |
| CLINIMIX 5%-D20W(SULFITE-FREE) 5 % PARENTERAL SOLUTION MO | 3 | BvsD |
| CLINIMIX 6%-D5W (SULFITE-FREE) 6-5 % PARENTERAL SOLUTION MO | 3 | BvsD |
| CLINIMIX 8%-D10W(SULFITE-FREE) 8-10 % PARENTERAL SOLUTION MO | 3 | BvsD |
| CLINIMIX 8%-D14W(SULFITE-FREE) 8-14 % PARENTERAL SOLUTION MO | 3 | BvsD |
| CLINIMIX E 2.75%/D5W SULF FREE 2.75 % PARENTERAL SOLUTION MO | 3 | BvsD |
| CLINIMIX E 4.25%/D10W SUL FREE 4.25 % PARENTERAL SOLUTION MO | 3 | BvsD |
| CLINIMIX E 4.25%/D5W SULF FREE 4.25 % PARENTERAL SOLUTION MO | 3 | BvsD |
| CLINIMIX E 5%/D15W SULFIT FREE 5 % PARENTERAL SOLUTION MO | 3 | BvsD |
| CLINIMIX E 5%/D20W SULFIT FREE 5 % PARENTERAL SOLUTION MO | 3 | BvsD |
| CLINIMIX E 8%-D10W SULFITEFREE 8-10 % PARENTERAL SOLUTION MO | 3 | BvsD |
| CLINIMIX E 8%-D14W SULFITEFREE 8-14 % PARENTERAL SOLUTION MO | 3 | BvsD |
| CLINISOL SF 15 % 15 % PARENTERAL SOLUTION MO | 1 | BvsD |
| CLINOLIPID 20 % EMULSION MO | 3 | BvsD |
| complete natal dha 29 mg iron- 1 mg-200 mg COMBO PACK MO | 1 | |
| CUPRIMINE 250 MG CAPSULE DL | 4 | PA,QL(600 per 30 days) |
| CUVRIOR 300 MG TABLET DL | 4 | PA,QL(300 per 30 days) |
| d10 %-0.45 % sodium chloride PARENTERAL SOLUTION MO | 1 | |
| d2.5 %-0.45 % sodium chloride PARENTERAL SOLUTION MO | 1 | |
| d5 % and 0.9 % sodium chloride PARENTERAL SOLUTION MO | 1 | |
| d5 %-0.45 % sodium chloride PARENTERAL SOLUTION MO | 1 | |
| deferasirox 125 mg, 250 mg, 500 mg TABLET, DISPERSIBLE DL | 4 | PA |
| deferasirox 180 mg, 360 mg, 90 mg GRANULES IN PACKET DL | 4 | PA |

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Paxlovid/Vaccine/Diabetic • ST – Step Therapy

| DRUG NAME | TIER | UTILIZATION MANAGEMENT REQUIREMENTS |
|-----------------------------------------------------------------------|------|-------------------------------------|
| deferasirox 180 mg, 360 mg, 90 mg TABLET MO | 1 | PA |
| deferiprone 1,000 mg TABLET DL | 4 | PA,QL(300 per 30 days) |
| deferiprone 500 mg TABLET DL | 4 | PA,QL(720 per 30 days) |
| deferoxamine 2 gram, 500 mg RECON SOLUTION MO | 1 | BvsD |
| DEPEN TITRATABS 250 MG TABLET DL | 4 | PA |
| DESFERAL 500 MG RECON SOLUTION MO | 3 | BvsD |
| dextrose 10 % and 0.2 % nacl PARENTERAL SOLUTION MO | 1 | |
| dextrose 10 % in water (d10w) 10 % PARENTERAL SOLUTION MO | 1 | |
| dextrose 20 % in water (d20w) 20 % PARENTERAL SOLUTION MO | 1 | |
| dextrose 25 % in water (d25w) SYRINGE MO | 1 | |
| dextrose 30 % in water (d30w) PARENTERAL SOLUTION MO | 1 | |
| dextrose 40 % in water (d40w) 40 % PARENTERAL SOLUTION MO | 1 | |
| dextrose 5 % in water (d5w) PARENTERAL SOLUTION MO | 1 | |
| dextrose 5 % in water (d5w) 5 % PIGGYBACK MO | 1 | |
| dextrose 5 %-lactated ringers PARENTERAL SOLUTION MO | 1 | |
| dextrose 5%-0.2 % sod chloride PARENTERAL SOLUTION MO | 1 | |
| dextrose 5%-0.3 % sod.chloride PARENTERAL SOLUTION MO | 1 | |
| dextrose 50 % in water (d50w) PARENTERAL SOLUTION MO | 1 | |
| dextrose 50 % in water (d50w) SYRINGE MO | 1 | |
| dextrose 70 % in water (d70w) PARENTERAL SOLUTION MO | 1 | |
| DUET DHA WITH OMEGA-3 25 MG IRON-1 MG -400 MG COMBO PACK MO | 3 | |
| electrolyte-148 PARENTERAL SOLUTION MO | 1 | |
| electrolyte-48 in d5w PARENTERAL SOLUTION MO | 1 | |
| electrolyte-a PARENTERAL SOLUTION MO | 1 | |
| EXJADE 125 MG, 250 MG, 500 MG TABLET, DISPERSIBLE DL | 4 | PA |
| FERRIPROX 1,000 MG TABLET DL | 4 | PA,QL(300 per 30 days) |
| FERRIPROX 100 MG/ML SOLUTION DL | 4 | PA,QL(3600 per 30 days) |
| FERRIPROX 500 MG TABLET DL | 4 | PA,QL(720 per 30 days) |
| FERRIPROX (2 TIMES A DAY) 1,000 MG TABLET, MODIFIED RELEASE DL | 4 | PA,QL(300 per 30 days) |
| FOSRENOL 1,000 MG, 500 MG, 750 MG CHEWABLE TABLET DL | 4 | ST |
| FOSRENOL 1,000 MG, 750 MG POWDER IN PACKET DL | 4 | ST |
| GLYCOPHOS 1 MMOL/ML SOLUTION MO | 1 | |

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Paxlovid/Vaccine/Diabetic • ST – Step Therapy

| DRUG NAME | TIER | UTILIZATION MANAGEMENT REQUIREMENTS |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------|------|-------------------------------------|
| INTRALIPID 20 %, 30 % EMULSION MO | 3 | BvsD |
| IONOSOL-B IN D5W 5 % PARENTERAL SOLUTION MO | 3 | |
| IONOSOL-MB IN D5W 5 % PARENTERAL SOLUTION MO | 3 | |
| ISOLYTE S PH 7.4 PARENTERAL SOLUTION MO | 3 | |
| ISOLYTE-P IN 5 % DEXTROSE 5 % PARENTERAL SOLUTION MO | 3 | |
| ISOLYTE-S PARENTERAL SOLUTION MO | 3 | |
| JADENU 180 MG, 360 MG, 90 MG TABLET DL | 4 | PA |
| JADENU SPRINKLE 180 MG, 360 MG, 90 MG GRANULES IN PACKET DL | 4 | PA |
| JYNARQUE 15 MG (AM)/ 15 MG (PM), 30 MG (AM)/ 15 MG (PM), 45 MG (AM)/ 15 MG (PM), 60 MG (AM)/ 30 MG (PM), 90 MG (AM)/ 30 MG (PM) TABLET, SEQUENTIAL DL | 4 | PA,QL(56 per 28 days) |
| JYNARQUE 15 MG, 30 MG TABLET DL | 4 | PA,QL(60 per 30 days) |
| K-TAB 10 MEQ, 20 MEQ TABLET ER MO | 3 | |
| KABIVEN 3.31-9.8-3.9 % EMULSION MO | 3 | BvsD |
| klor-con 20 meq PACKET MO | 1 | QL(240 per 30 days) |
| KLOR-CON 10 10 MEQ TABLET ER MO | 1 | |
| KLOR-CON 8 8 MEQ TABLET ER MO | 1 | |
| klor-con m10 10 meq TABLET, ER PARTICLES/CRYSTALS MO | 1 | |
| KLOR-CON M15 15 MEQ TABLET, ER PARTICLES/CRYSTALS MO | 1 | |
| klor-con m20 20 meq TABLET, ER PARTICLES/CRYSTALS MO | 1 | |
| KOSHER PRENATAL PLUS IRON 30 MG IRON- 1 MG TABLET MO | 3 | |
| lactated ringers PARENTERAL SOLUTION MO | 1 | |
| lanthanum 1,000 mg, 500 mg, 750 mg CHEWABLE TABLET DL | 4 | ST |
| levocarnitine 100 mg/ml, 200 mg/ml SOLUTION MO | 1 | |
| levocarnitine 330 mg TABLET MO | 1 | |
| levocarnitine (with sugar) 100 mg/ml SOLUTION MO | 1 | |
| LOKELMA 10 GRAM, 5 GRAM POWDER IN PACKET MO | 3 | PA,QL(30 per 30 days) |
| m-natal plus 27 mg iron- 1 mg TABLET MO | 1 | |
| magnesium sulfate 500 mg/ml (50 %) SOLUTION MO | 1 | |
| magnesium sulfate 500 mg/ml (50 %) SYRINGE MO | 1 | |
| magnesium sulfate in d5w 1 gram/100 ml PIGGYBACK MO | 1 | |
| magnesium sulfate in water 2 gram/50 ml (4 %), 4 gram/100 ml (4 %), 4 gram/50 ml (8 %) PIGGYBACK MO | 1 | |

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Paxlovid/Vaccine/Diabetic • ST – Step Therapy

| DRUG NAME | TIER | UTILIZATION MANAGEMENT REQUIREMENTS |
|----------------------------------------------------------------------------------------------------------|------|-------------------------------------|
| magnesium sulfate in water 20 gram/500 ml (4 %), 40 gram/1,000 ml (4 %) PARENTERAL SOLUTION MO | 1 | |
| NATACHEW (FE BIS-GLYCINATE) 28 MG IRON -1 MG CHEWABLE TABLET MO | 3 | |
| NEONATAL COMPLETE 29-1 MG TABLET MO | 1 | |
| NEONATAL PLUS VITAMIN 27 MG IRON- 1 MG TABLET MO | 1 | |
| NEONATAL-DHA 29-1-200-500 MG COMBO PACK MO | 1 | |
| NORMOSOL-M IN 5 % DEXTROSE PARENTERAL SOLUTION MO | 3 | |
| NORMOSOL-R PARENTERAL SOLUTION MO | 3 | |
| NORMOSOL-R IN 5 % DEXTROSE 5 % PARENTERAL SOLUTION MO | 3 | |
| NORMOSOL-R PH 7.4 PARENTERAL SOLUTION MO | 3 | |
| NUTRILIPID 20 % EMULSION MO | 3 | BvsD |
| OB COMPLETE ONE 40-10-1-300 MG CAPSULE MO | 3 | |
| OB COMPLETE PETITE 35 MG IRON-5 MG IRON-1 MG CAPSULE MO | 3 | |
| OB COMPLETE PREMIER 30-20-1 MG TABLET MO | 3 | |
| OMEGAVEN 10 % EMULSION DL | 4 | BvsD |
| penicillamine 250 mg CAPSULE DL | 4 | PA,QL(600 per 30 days) |
| penicillamine 250 mg TABLET DL | 4 | |
| PERIKABIVEN 2.36-7.5-3.5 % EMULSION MO | 3 | BvsD |
| PHOSLYRA 667 MG (169 MG CALCIUM)/5 ML SOLUTION MO | 3 | ST |
| PLASMA-LYTE 148 PARENTERAL SOLUTION MO | 3 | |
| PLASMA-LYTE A PARENTERAL SOLUTION MO | 3 | |
| PLENAMINE 15 % PARENTERAL SOLUTION MO | 1 | BvsD |
| pnv-dha 27 mg iron-1 mg -300 mg CAPSULE MO | 1 | |
| pnv-omega 28-1-300 mg CAPSULE MO | 1 | |
| potassium acetate 2 meq/ml SOLUTION MO | 1 | |
| potassium chlorid-d5-0.45%nacl 10 meq/l, 20 meq/l, 30 meq/l, 40 meq/l PARENTERAL SOLUTION MO | 1 | |
| potassium chloride 10 meq CAPSULE, ER MO | 1 | |
| potassium chloride 10 meq, 20 meq TABLET ER MO | 1 | |
| potassium chloride 10 meq, 20 meq TABLET, ER PARTICLES/CRYSTALS MO | 1 | |
| potassium chloride 15 meq TABLET, ER PARTICLES/CRYSTALS MO | 1 | |
| potassium chloride 2 meq/ml SOLUTION MO | 1 | |
| potassium chloride 20 meq PACKET MO | 1 | QL(240 per 30 days) |

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Paxlovid/Vaccine/Diabetic • ST – Step Therapy

| DRUG NAME | TIER | UTILIZATION MANAGEMENT REQUIREMENTS |
|----------------------------------------------------------------------------------------------------------------------------------------|------|-------------------------------------|
| potassium chloride 20 meq/15 ml LIQUID MO | 1 | QL(1125 per 30 days) |
| potassium chloride 40 meq/15 ml LIQUID MO | 1 | |
| potassium chloride 8 meq CAPSULE, ER MO | 1 | |
| potassium chloride 8 meq TABLET ER MO | 1 | |
| potassium chloride in 0.9%nacl 20 meq/l, 40 meq/l PARENTERAL SOLUTION MO | 1 | |
| potassium chloride in 5 % dex 10 meq/l, 20 meq/l, 30 meq/l PARENTERAL SOLUTION MO | 1 | |
| potassium chloride in lr-d5 20 meq/l, 40 meq/l PARENTERAL SOLUTION MO | 1 | |
| potassium chloride in water 10 meq/100 ml, 10 meq/50 ml, 20 meq/100 ml, 20 meq/50 ml, 30 meq/100 ml, 40 meq/100 ml PIGGYBACK MO | 1 | |
| potassium chloride-0.45 % nacl 20 meq/l PARENTERAL SOLUTION MO | 1 | |
| potassium chloride-d5-0.2%nacl 20 meq/l, 40 meq/l PARENTERAL SOLUTION MO | 1 | |
| potassium chloride-d5-0.3%nacl 20 meq/l PARENTERAL SOLUTION MO | 1 | |
| potassium chloride-d5-0.9%nacl 20 meq/l, 40 meq/l PARENTERAL SOLUTION MO | 1 | |
| potassium citrate 10 meq (1,080 mg), 15 meq, 5 meq (540 mg) TABLET ER MO | 1 | |
| pr natal 400 29-1-400 mg COMBO PACK MO | 1 | |
| pr natal 400 ec 29-1-400 mg COMBO PACK, DR TAB/DR CAP MO | 1 | |
| pr natal 430 29 mg iron-1 mg -430 mg COMBO PACK MO | 1 | |
| pr natal 430 ec 29-1-430 mg COMBO PACK, DR TAB/DR CAP MO | 1 | |
| PREMASOL 10 % 10 % PARENTERAL SOLUTION MO | 1 | BvsD |
| PRENATA 29 MG IRON- 1 MG CHEWABLE TABLET MO | 1 | |
| PRENATABS FA 29-1 MG TABLET MO | 1 | |
| prenatal plus (calcium carb) 27 mg iron- 1 mg TABLET MO | 1 | |
| prenatal plus dha 27 mg iron-1 mg -312 mg-250 mg COMBO PACK MO | 3 | |
| prenatal plus vitamin-mineral 27 mg iron- 1 mg TABLET MO | 1 | |
| prenatal vitamin plus low iron 27 mg iron- 1 mg TABLET MO | 1 | |
| prenatal-u 106.5-1 mg CAPSULE MO | 1 | |
| PRENATE ELITE 26 MG IRON- 1 MG TABLET MO | 1 | |
| preplus 27 mg iron- 1 mg TABLET MO | 1 | |
| PROCALAMINE 3% 3 % PARENTERAL SOLUTION MO | 3 | BvsD |
| PROSOL 20 % PARENTERAL SOLUTION MO | 3 | BvsD |
| RENAGEL 800 MG TABLET DL | 4 | ST |
| RENVELA 0.8 GRAM POWDER IN PACKET DL | 4 | PA,QL(540 per 30 days) |

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Paxlovid/Vaccine/Diabetic • ST – Step Therapy

| DRUG NAME | TIER | UTILIZATION MANAGEMENT REQUIREMENTS |
|-------------------------------------------------------------------|------|-------------------------------------|
| RENVELA 2.4 GRAM POWDER IN PACKET DL | 4 | PA,QL(180 per 30 days) |
| RENVELA 800 MG TABLET DL | 4 | PA,QL(540 per 30 days) |
| ringer's PARENTERAL SOLUTION MO | 1 | |
| SAMSCA 15 MG, 30 MG TABLET DL | 4 | PA,QL(60 per 30 days) |
| se-natal 19 chewable 29 mg iron- 1 mg CHEWABLE TABLET MO | 1 | |
| SELECT-OB 29 MG IRON- 1 MG CHEWABLE TABLET MO | 3 | |
| SELECT-OB (FOLIC ACID) 29 MG IRON- 1 MG CHEWABLE TABLET MO | 3 | |
| SELECT-OB + DHA 29 MG IRON-1 MG -250 MG COMBO PACK MO | 3 | |
| sevelamer carbonate 0.8 gram POWDER IN PACKET MO | 1 | QL(540 per 30 days) |
| sevelamer carbonate 2.4 gram POWDER IN PACKET MO | 1 | QL(180 per 30 days) |
| sevelamer carbonate 800 mg TABLET MO | 1 | QL(540 per 30 days) |
| sevelamer hcl 400 mg, 800 mg TABLET MO | 1 | ST |
| SMOFLIPID 20 % EMULSION MO | 3 | BvsD |
| sodium bicarbonate 8.4 % (1 meq/ml) SYRINGE MO | 1 | |
| sodium chloride 2.5 meq/ml SOLUTION MO | 1 | |
| sodium chloride 0.45 % 0.45 % PARENTERAL SOLUTION MO | 1 | |
| sodium chloride 0.9 % PARENTERAL SOLUTION MO | 1 | |
| sodium chloride 0.9 % PIGGYBACK MO | 1 | |
| sodium chloride 0.9 % SOLUTION MO | 1 | |
| sodium chloride 3 % hypertonic 3 % PARENTERAL SOLUTION MO | 1 | |
| sodium chloride 5 % hypertonic 5 % PARENTERAL SOLUTION MO | 1 | |
| sodium phosphate 3 mmol/ml SOLUTION MO | 1 | |
| sodium polystyrene sulfonate POWDER MO | 1 | |
| SPS (WITH SORBITOL) 15-20 GRAM/60 ML SUSPENSION MO | 1 | |
| SPS (WITH SORBITOL) 30-40 GRAM/120 ML ENEMA MO | 1 | |
| SYPRINE 250 MG CAPSULE DL | 4 | PA,QL(240 per 30 days) |
| THAM 36 MG/ML (0.3 M) SOLUTION MO | 3 | |
| tolvaptan 15 mg, 30 mg TABLET DL | 4 | PA,QL(60 per 30 days) |
| TPN ELECTROLYTES 35-20-5 MEQ/20 ML SOLUTION MO | 3 | |
| TRAVASOL 10 % 10 % PARENTERAL SOLUTION MO | 3 | BvsD |
| TRICARE 27 MG IRON- 1 MG TABLET MO | 1 | |
| trientine 250 mg CAPSULE DL | 4 | QL(240 per 30 days) |

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Paxlovid/Vaccine/Diabetic • ST – Step Therapy

| DRUG NAME | TIER | UTILIZATION MANAGEMENT REQUIREMENTS |
|--------------------------------------------------------------------|------|-------------------------------------|
| trientine 500 mg CAPSULE DL | 4 | QL(120 per 30 days) |
| trinatal rx 1 60 mg iron-1 mg TABLET MO | 1 | |
| TRISTART DHA 31 MG IRON- 1 MG-200 MG CAPSULE MO | 3 | |
| TROPHAMINE 10 % 10 % PARENTERAL SOLUTION MO | 3 | BvsD |
| UROCIT-K 10 10 MEQ (1,080 MG) TABLET ER MO | 3 | |
| UROCIT-K 15 15 MEQ TABLET ER MO | 3 | |
| UROCIT-K 5 5 MEQ (540 MG) TABLET ER MO | 3 | |
| VAPRISOL IN 5 % DEXTROSE 20 MG/100 ML SOLUTION MO | 3 | |
| VELPHORO 500 MG CHEWABLE TABLET | 4 | ST |
| VELTASSA 16.8 GRAM, 25.2 GRAM, 8.4 GRAM POWDER IN PACKET MO | 2 | QL(30 per 30 days) |
| virt-c dha 35-1-200 mg CAPSULE MO | 1 | |
| virt-nate dha 28 mg iron-1 mg -200 mg CAPSULE MO | 1 | |
| virt-pn dha 27 mg iron-1 mg -300 mg CAPSULE MO | 1 | |
| VITAFOL FE PLUS 90 MG IRON- 1 MG-200 MG CAPSULE MO | 3 | |
| VITAFOL GUMMIES 3.33 MG IRON- 0.33 MG CHEWABLE TABLET MO | 3 | |
| VITAFOL NANO 18 MG IRON- 1 MG TABLET MO | 3 | |
| VITAFOL ULTRA 29 MG IRON- 1 MG-200 MG CAPSULE MO | 3 | |
| VITAFOL-OB 65-1 MG TABLET MO | 3 | |
| VITAFOL-OB+DHA 65-1-250 MG COMBO PACK MO | 3 | |
| VITAFOL-ONE 29 MG IRON- 1 MG-200 MG CAPSULE MO | 3 | |
| VITAMEDMD ONE RX 30 MG IRON-1MG -200 MG CAPSULE MO | 3 | |
| VP-PNV-DHA 28 MG IRON- 1 MG-200 MG CAPSULE MO | 3 | |
| wescap-pn dha 27 mg iron-1 mg -300 mg CAPSULE MO | 1 | |
| wesnatal dha complete 29 mg iron- 1 mg-200 mg COMBO PACK MO | 1 | |
| wesnate dha 28 mg iron-1 mg -200 mg CAPSULE MO | 1 | |
| westab plus 27 mg iron- 1 mg TABLET MO | 1 | |
| westgel dha 31 mg iron- 1 mg-200 mg CAPSULE MO | 1 | |
| XPHOZAH 20 MG, 30 MG TABLET DL | 4 | ST,QL(60 per 30 days) |
| zatean-pn dha 27 mg iron-1 mg -300 mg CAPSULE MO | 1 | |
| zatean-pn plus 28-1-300 mq CAPSULE MO | 1 | |
| GASTROINTESTINAL AGENTS | | |
| ACIPHEX 20 MG TABLET, DR/EC MO | 3 | PA,QL(60 per 30 days) |

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Paxlovid/Vaccine/Diabetic • ST – Step Therapy

| DRUG NAME | TIER | UTILIZATION MANAGEMENT REQUIREMENTS |
|----------------------------------------------------------------------------|------|-------------------------------------|
| ACIPHEX SPRINKLE 10 MG CAPSULE, DR SPRINKLE DL | 4 | QL(60 per 30 days) |
| ACIPHEX SPRINKLE 5 MG CAPSULE, DR SPRINKLE DL | 4 | QL(30 per 30 days) |
| AEMCOLO 194 MG TABLET, DR/EC MO | 3 | PA,QL(12 per 30 days) |
| closetron 0.5 mg, 1 mg TABLET MO | 1 | PA,QL(60 per 30 days) |
| AMITIZA 24 MCG, 8 MCG CAPSULE MO | 3 | PA,QL(60 per 30 days) |
| amoxicil-clarithromy-lansopraz 500-500-30 mg COMBO PACK MO | 1 | ST |
| atropine 0.1 mg/ml, 0.25 mg/5 ml (0.05 mg/ml) SYRINGE MO | 1 | |
| BENTYL 10 MG/ML SOLUTION MO | 3 | |
| bismuth subcit k-metronidz-tcn 140-125-125 mg CAPSULE MO | 1 | QL(120 per 30 days) |
| CARAFATE 1 GRAM TABLET MO | 3 | |
| CARAFATE 100 MG/ML SUSPENSION MO | 3 | |
| CHENODAL 250 MG TABLET DL | 4 | PA |
| cimetidine 200 mg, 300 mg, 400 mg, 800 mg TABLET MO | 1 | |
| cimetidine hcl 300 mg/5 ml SOLUTION MO | 1 | |
| CLENPIQ 10 MG-3.5 GRAM- 12 GRAM/160 ML SOLUTION MO | 2 | |
| CLENPIQ 10 MG-3.5 GRAM- 12 GRAM/175 ML SOLUTION MO | 2 | |
| constulose 10 gram/15 ml SOLUTION MO | 1 | |
| CUVPOSA 1 MG/5 ML (0.2 MG/ML) SOLUTION MO | 3 | |
| CYTOTEC 100 MCG, 200 MCG TABLET DL | 4 | |
| DARTISLA 1.7 MG TABLET, DISINTEGRATING MO | 3 | ST,QL(120 per 30 days) |
| DEXILANT 30 MG, 60 MG CAPSULE, DR, BIPHASIC MO | 3 | ST,QL(30 per 30 days) |
| dexlansoprazole 30 mg, 60 mg CAPSULE, DR, BIPHASIC MO | 3 | ST,QL(30 per 30 days) |
| dicyclomine 10 mg CAPSULE MO | 1 | |
| dicyclomine 10 mg/5 ml, 10 mg/ml SOLUTION MO | 1 | |
| dicyclomine 20 mg TABLET MO | 1 | |
| diphenoxylate-atropine 2.5-0.025 mg TABLET MO | 1 | |
| diphenoxylate-atropine 2.5-0.025 mg/5 ml LIQUID MO | 1 | |
| ENDARI 5 GRAM POWDER IN PACKET DL | 4 | PA,QL(180 per 30 days) |
| enulose 10 gram/15 ml SOLUTION MO | 1 | |
| esomeprazole magnesium 10 mg, 20 mg, 40 mg DR GRANULES IN PACKET MO | 1 | QL(30 per 30 days) |
| esomeprazole magnesium 20 mg CAPSULE, DR/EC MO | 1 | QL(60 per 30 days) |
| esomeprazole magnesium 40 mg CAPSULE, DR/EC MO | 1 | QL(60 per 30 days) |

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Paxlovid/Vaccine/Diabetic • ST – Step Therapy

| DRUG NAME | TIER | UTILIZATION MANAGEMENT REQUIREMENTS |
|-------------------------------------------------------------------------|------|-------------------------------------|
| esomeprazole sodium 20 mg, 40 mg RECON SOLUTION MO | 1 | |
| ESOMEPRAZOLE STRONTIUM 49.3 MG CAPSULE, DR/EC MO | 3 | QL(30 per 30 days) |
| famotidine 10 mg/ml SOLUTION MO | 1 | |
| famotidine 20 mg, 40 mg TABLET MO | 1 | |
| famotidine 40 mg/5 ml (8 mg/ml) SUSPENSION FOR RECONSTITUTION MO | 1 | |
| famotidine (pf) 20 mg/2 ml SOLUTION MO | 1 | |
| famotidine (pf)-nacl (iso-os) 20 mg/50 ml PIGGYBACK MO | 1 | |
| GATTEX 30-VIAL 5 MG KIT DL,LA | 4 | PA |
| GATTEX ONE-VIAL 5 MG KIT DL,LA | 4 | PA |
| gavilyte-c 240-22.72-6.72 -5.84 gram RECON SOLUTION MO | 1 | |
| gavilyte-g 236-22.74-6.74 -5.86 gram RECON SOLUTION MO | 1 | |
| generlac 10 gram/15 ml SOLUTION MO | 1 | |
| GLYCATE 1.5 MG TABLET MO | 1 | |
| glycopyrrolate 0.2 mg/ml, 1 mg/5 ml (0.2 mg/ml) SOLUTION MO | 1 | |
| glycopyrrolate 1 mg, 1.5 mg, 2 mg TABLET MO | 1 | |
| glycopyrrolate (pf) 0.6 mg/3 ml (0.2 mg/ml) SYRINGE MO | 3 | |
| glycopyrrolate (pf) in water 0.2 mg/ml SYRINGE MO | 1 | |
| GOLYTELY 236-22.74-6.74 -5.86 GRAM RECON SOLUTION MO | 3 | ST |
| IBSRELA 50 MG TABLET DL | 4 | PA,QL(60 per 30 days) |
| KONVOMEP 2-84 MG/ML SUSPENSION FOR RECONSTITUTION DL | 4 | ST,QL(600 per 30 days) |
| KRISTALOSE 10 GRAM, 20 GRAM PACKET MO | 1 | |
| lactulose 10 gram PACKET DL | 4 | |
| lactulose 10 gram/15 ml (15 ml), 20 gram/30 ml SOLUTION MO | 1 | |
| lactulose 10 gram/15 ml SOLUTION MO | 1 | |
| lansoprazole 15 mg, 30 mg CAPSULE, DR/EC MO | 1 | QL(60 per 30 days) |
| lansoprazole 15 mg, 30 mg TABLET, DISINTEGRATING DR MO | 1 | QL(30 per 30 days) |
| LINZESS 145 MCG, 290 MCG, 72 MCG CAPSULE MO | 2 | QL(30 per 30 days) |
| LOMOTIL 2.5-0.025 MG TABLET MO | 3 | |
| loperamide 2 mg CAPSULE MO | 1 | |
| LOTRONEX 0.5 MG, 1 MG TABLET | 4 | PA,QL(60 per 30 days) |
| lubiprostone 24 mcg, 8 mcg CAPSULE MO | 1 | QL(60 per 30 days) |
| methscopolamine 2.5 mg, 5 mg TABLET MO | 1 | |

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Paxlovid/Vaccine/Diabetic • ST – Step Therapy

| DRUG NAME | TIER | UTILIZATION MANAGEMENT REQUIREMENTS |
|---------------------------------------------------------------------------------|------|-------------------------------------|
| misoprostol 100 mcg TABLET MO | 1 | |
| misoprostol 200 mcg TABLET MO | 1 | |
| MOTEGRITY 1 MG, 2 MG TABLET MO | 3 | PA,QL(30 per 30 days) |
| MOTOFEN 1-0.025 MG TABLET MO | 3 | |
| MOVANTIK 12.5 MG, 25 MG TABLET MO | 2 | QL(30 per 30 days) |
| MOVIPREP 100-7.5-2.691 GRAM POWDER IN PACKET MO | 3 | ST |
| MYALEPT 5 MG/ML (FINAL CONC.) RECON SOLUTION DL | 4 | PA,QL(30 per 30 days) |
| MYTESI 125 MG TABLET, DR/EC DL | 4 | PA,QL(60 per 30 days) |
| NEXIUM 20 MG, 40 MG CAPSULE, DR/EC MO | 3 | PA,QL(60 per 30 days) |
| NEXIUM IV 40 MG RECON SOLUTION MO | 3 | PA |
| NEXIUM PACKET 10 MG, 2.5 MG, 20 MG, 40 MG, 5 MG DR GRANULES IN PACKET MO | 3 | QL(30 per 30 days) |
| nizatidine 150 mg, 300 mg CAPSULE MO | 1 | |
| nizatidine 150 mg/10 ml SOLUTION MO | 1 | |
| NULYTELY LEMON-LIME 420 GRAM RECON SOLUTION MO | 3 | ST |
| OCALIVA 10 MG, 5 MG TABLET DL | 4 | PA,QL(30 per 30 days) |
| OMECLAMOX-PAK 20 MG-500 MG- 500 MG (40) COMBO PACK MO | 3 | ST |
| omeprazole 10 mg CAPSULE, DR/EC MO | 1 | QL(60 per 30 days) |
| omeprazole 20 mg, 40 mg CAPSULE, DR/EC MO | 1 | QL(60 per 30 days) |
| omeprazole-sodium bicarbonate 20-1,680 mg, 40-1,680 mg PACKET DL | 4 | ST,QL(30 per 30 days) |
| omeprazole-sodium bicarbonate 20-1.1 mg-gram, 40-1.1 mg-gram CAPSULE MO | 1 | ST,QL(30 per 30 days) |
| opium tincture 10 mg/ml (morphine) TINCTURE MO | 3 | QL(180 per 30 days) |
| OSMOPREP 1.5 GRAM TABLET MO | 3 | ST |
| pantoprazole 20 mg, 40 mg TABLET, DR/EC MO | 1 | QL(60 per 30 days) |
| pantoprazole 40 mg DR GRANULES IN PACKET MO | 1 | QL(30 per 30 days) |
| pantoprazole 40 mg RECON SOLUTION MO | 1 | |
| peg 3350-electrolytes 236-22.74-6.74 -5.86 gram RECON SOLUTION MO | 1 | |
| peg-electrolyte soln 420 gram RECON SOLUTION MO | 1 | |
| peg-prep 5-210 mg-gram KIT MO | 1 | |
| peg3350-sod sul-nacl-kcl-asb-c 100-7.5-2.691 gram POWDER IN PACKET MO | 1 | ST |
| pepcid 20 mg, 40 mg TABLET MO | 3 | PA |
| PLENVU 140-9-5.2 GRAM POWDER IN PACKET, SEQUENTIAL MO | 3 | ST |

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Paxlovid/Vaccine/Diabetic • ST – Step Therapy

| DRUG NAME | TIER | UTILIZATION MANAGEMENT REQUIREMENTS |
|---------------------------------------------------------------------------|------|-------------------------------------|
| PREVACID 30 MG CAPSULE, DR/EC MO | 3 | PA,QL(60 per 30 days) |
| PREVACID SOLUTAB 15 MG, 30 MG TABLET, DISINTEGRATING DR MO | 3 | QL(30 per 30 days) |
| PRILOSEC 10 MG, 2.5 MG SUSPENSION, DR FOR RECON MO | 3 | |
| PROTONIX 20 MG, 40 MG TABLET, DR/EC MO | 3 | PA,QL(60 per 30 days) |
| PROTONIX 40 MG DR GRANULES IN PACKET MO | 3 | QL(30 per 30 days) |
| PROTONIX 40 MG RECON SOLUTION MO | 3 | PA |
| PYLERA 140-125-125 MG CAPSULE MO | 3 | ST,QL(120 per 30 days) |
| rabeprazole 20 mg TABLET, DR/EC MO | 1 | QL(60 per 30 days) |
| RELISTOR 12 MG/0.6 ML SOLUTION DL | 4 | PA,QL(36 per 30 days) |
| RELISTOR 12 MG/0.6 ML SYRINGE DL | 4 | PA,QL(36 per 28 days) |
| RELISTOR 150 MG TABLET DL | 4 | PA,QL(90 per 30 days) |
| RELISTOR 8 MG/0.4 ML SYRINGE DL | 4 | PA,QL(12 per 30 days) |
| RELTONE 200 MG CAPSULE DL | 4 | PA,QL(150 per 30 days) |
| RELTONE 400 MG CAPSULE DL | 4 | PA,QL(60 per 30 days) |
| ROBINUL 1 MG TABLET MO | 3 | PA |
| ROBINUL FORTE 2 MG TABLET MO | 3 | PA |
| sodium,potassium,mag sulfates 17.5-3.13-1.6 gram RECON SOLUTION MO | 1 | |
| sucralfate 1 gram TABLET MO | 1 | |
| sucralfate 100 mg/ml SUSPENSION MO | 1 | |
| SUFLAVE 178.7-7.3-0.5 GRAM RECON SOLUTION MO | 3 | ST |
| SUPREP BOWEL PREP KIT 17.5-3.13-1.6 GRAM RECON SOLUTION MO | 3 | ST |
| SUTAB 1.479-0.188- 0.225 GRAM TABLET MO | 3 | ST |
| SYMPROIC 0.2 MG TABLET MO | 3 | PA,QL(30 per 30 days) |
| TALICIA 10-250-12.5 MG CAPSULE, IR/DR, BIPHASIC MO | 3 | ST |
| TRULANCE 3 MG TABLET MO | 3 | PA,QL(30 per 30 days) |
| URSO 250 250 MG TABLET MO | 3 | PA |
| URSO FORTE 500 MG TABLET MO | 3 | PA |
| ursodiol 200 mg CAPSULE DL | 4 | PA,QL(150 per 30 days) |
| ursodiol 250 mg, 500 mg TABLET MO | 1 | |
| ursodiol 300 mg CAPSULE MO | 1 | |
| ursodiol 400 mg CAPSULE DL | 4 | PA,QL(60 per 30 days) |
| VIBERZI 100 MG, 75 MG TABLET | 4 | PA,QL(60 per 30 days) |

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Paxlovid/Vaccine/Diabetic • ST – Step Therapy

| DRUG NAME | TIER | UTILIZATION MANAGEMENT REQUIREMENTS |
|----------------------------------------------------------------------------------------------------------------------------------------------------|------|-------------------------------------|
| VOQUEZNA 10 MG TABLET MO | 3 | PA,QL(30 per 30 days) |
| VOQUEZNA 20 MG TABLET MO | 3 | PA,QL(60 per 30 days) |
| VOQUEZNA DUAL PAK 20 MG (28)- 500 MG (84) COMBO PACK MO | 3 | ST,QL(112 per 30 days) |
| VOQUEZNA TRIPLE PAK 20-500-500 MG COMBO PACK MO | 3 | ST,QL(112 per 30 days) |
| XERMELO 250 MG TABLET DL | 4 | PA,QL(84 per 28 days) |
| XIFAXAN 200 MG TABLET MO | 3 | PA,QL(9 per 30 days) |
| XIFAXAN 550 MG TABLET | 4 | PA,QL(84 per 28 days) |
| ZEGERID 20-1,680 MG, 40-1,680 MG PACKET DL | 4 | ST,QL(30 per 30 days) |
| ZEGERID 20-1.1 MG-GRAM, 40-1.1 MG-GRAM CAPSULE DL | 4 | ST,QL(30 per 30 days) |
| ZINPLAVA 25 MG/ML SOLUTION DL | 4 | PA |
| GENETIC/ENZYME/PROTEIN DISORDER: REPLACEMENT, MODIFIERS, TREATMENT | | |
| ALDURAZYME 2.9 MG/5 ML SOLUTION DL | 4 | PA |
| AMVUTTRA 25 MG/0.5 ML SYRINGE DL | 4 | PA,QL(0.5 per 90 days) |
| ARALAST NP 1,000 MG, 500 MG RECON SOLUTION DL | 4 | PA |
| betaine 1 gram/scoop POWDER DL | 4 | |
| BUPHENYL 0.94 GRAM/GRAM POWDER DL | 4 | PA |
| BUPHENYL 500 MG TABLET DL | 4 | PA |
| CERDELGA 84 MG CAPSULE DL | 4 | PA |
| CEREZYME 400 UNIT RECON SOLUTION DL | 4 | PA |
| CHOLBAM 250 MG, 50 MG CAPSULE DL | 4 | PA,QL(120 per 30 days) |
| CREON 12,000-38,000 -60,000 UNIT, 3,000-9,500- 15,000 UNIT, 36,000-114,000- 180,000 UNIT, 6,000-19,000 -30,000 UNIT CAPSULE, DR/EC MO | 2 | |
| CREON 24,000-76,000 -120,000 UNIT CAPSULE, DR/EC MO | 2 | |
| CRYSVITA 10 MG/ML, 20 MG/ML SOLUTION DL | 4 | PA,QL(2 per 28 days) |
| CRYSVITA 30 MG/ML SOLUTION DL | 4 | PA,QL(6 per 28 days) |
| CYSTADANE 1 GRAM/SCOOP POWDER DL | 4 | PA |
| CYSTAGON 150 MG, 50 MG CAPSULE MO | 3 | |
| dichlorphenamide 50 mg TABLET DL | 4 | PA,QL(120 per 30 days) |
| ELAPRASE 6 MG/3 ML SOLUTION DL | 4 | PA |
| ELELYSO 200 UNIT RECON SOLUTION DL | 4 | PA |
| ELEVIDYS 1.33 X 10EXP13 VG/ML SUSPENSION DL | 4 | PA |

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Paxlovid/Vaccine/Diabetic • ST – Step Therapy

| DRUG NAME | TIER | UTILIZATION MANAGEMENT REQUIREMENTS |
|------------------------------------------------------------------------------------------|------|-------------------------------------|
| ELFABRIO 2 MG/ML SOLUTION DL | 4 | PA |
| EVRYSDI 0.75 MG/ML RECON SOLUTION DL | 4 | PA,QL(240 per 30 days) |
| FABRAZYME 35 MG, 5 MG RECON SOLUTION DL | 4 | PA |
| GALAFOLD 123 MG CAPSULE DL | 4 | PA,QL(14 per 28 days) |
| GLASSIA 1 GRAM/50 ML (2 %) SOLUTION DL | 4 | PA |
| javygtor 100 mg TABLET, SOLUBLE DL | 4 | PA |
| javygtor 100 mg, 500 mg POWDER IN PACKET DL | 4 | PA |
| JOENJA 70 MG TABLET DL | 4 | PA,QL(60 per 30 days) |
| KANUMA 2 MG/ML SOLUTION DL | 4 | PA |
| KEVEYIS 50 MG TABLET DL | 4 | PA,QL(120 per 30 days) |
| KUVAN 100 MG TABLET, SOLUBLE DL | 4 | PA |
| KUVAN 100 MG, 500 MG POWDER IN PACKET DL | 4 | PA |
| LAMZEDE 10 MG RECON SOLUTION DL | 4 | PA |
| LUMIZYME 50 MG RECON SOLUTION DL | 4 | PA |
| MEPSEVII 2 MG/ML SOLUTION DL | 4 | PA |
| miglustat 100 mg CAPSULE DL | 4 | PA,QL(90 per 30 days) |
| NAGLAZYME 5 MG/5 ML SOLUTION DL | 4 | PA |
| NEXVIAZYME 100 MG RECON SOLUTION DL | 4 | PA |
| nitisinone 10 mg, 2 mg, 20 mg, 5 mg CAPSULE DL | 4 | |
| NITYR 10 MG, 2 MG, 5 MG TABLET DL | 4 | |
| NULIBRY 9.5 MG RECON SOLUTION DL | 4 | PA |
| OLPRUVA 2 GRAM, 3 GRAM, 4 GRAM, 5 GRAM, 6 GRAM, 6.67 GRAM PELLETS IN PACKET DL | 4 | PA |
| ONPATRO 2 MG/ML SOLUTION DL | 4 | PA |
| OPFOLDA 65 MG CAPSULE MO | 3 | PA |
| ORFADIN 10 MG, 2 MG, 20 MG, 5 MG CAPSULE DL | 4 | |
| ORFADIN 4 MG/ML SUSPENSION DL | 4 | |
| ormalvi 50 mg TABLET DL | 4 | PA,QL(120 per 30 days) |
| PALYNZIQ 10 MG/0.5 ML SYRINGE DL | 4 | PA,QL(15 per 30 days) |
| PALYNZIQ 2.5 MG/0.5 ML SYRINGE DL | 4 | PA,QL(4 per 28 days) |
| PALYNZIQ 20 MG/ML SYRINGE DL | 4 | PA,QL(90 per 30 days) |
| PANCREAZE 10,500-35,500- 61,500 UNIT, 4,200-14,200- 24,600 UNIT CAPSULE, DR/EC MO | 3 | ST |

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Paxlovid/Vaccine/Diabetic • ST – Step Therapy

| DRUG NAME | TIER | UTILIZATION MANAGEMENT REQUIREMENTS |
|-----------------------------------------------------------------------------------------------------------------------------------------------|------|-------------------------------------|
| PANCREAZE 16,800-56,800- 98,400 UNIT, 2,600-8,800- 15,200 UNIT, 21,000-54,700- 83,900 UNIT CAPSULE, DR/EC | 4 | ST |
| PANCREAZE 37,000-97,300- 149,900 UNIT CAPSULE, DR/EC DL | 4 | ST |
| PERTZYE 16,000-57,500- 60,500 UNIT, 24,000-86,250- 90,750 UNIT, 4,000-14,375- 15,125 UNIT, 8,000-28,750- 30,250 UNIT CAPSULE, DR/EC DL | 4 | ST |
| PHEBURANE 483 MG/GRAM GRANULES DL | 4 | PA |
| POMBILITI 105 MG RECON SOLUTION DL | 4 | PA |
| PROSYSBI 25 MG CAPSULE, DR SPRINKLE DL | 4 | PA,QL(120 per 30 days) |
| PROSYSBI 300 MG DR GRANULES IN PACKET DL | 4 | PA,QL(210 per 30 days) |
| PROSYSBI 75 MG CAPSULE, DR SPRINKLE DL | 4 | PA,QL(780 per 30 days) |
| PROSYSBI 75 MG DR GRANULES IN PACKET DL | 4 | PA,QL(780 per 30 days) |
| PROLASTIN-C 1,000 MG (+/-)/20 ML SOLUTION DL | 4 | PA |
| RAVICTI 1.1 GRAM/ML LIQUID DL | 4 | PA,QL(525 per 30 days) |
| REVCORI 2.4 MG/1.5 ML (1.6 MG/ML) SOLUTION DL | 4 | |
| sapropterin 100 mg TABLET, SOLUBLE DL | 4 | PA |
| sapropterin 100 mg, 500 mg POWDER IN PACKET DL | 4 | PA |
| sodium phenylbutyrate 0.94 gram/gram POWDER DL | 4 | |
| sodium phenylbutyrate 500 mg TABLET DL | 4 | |
| STRENSIQ 18 MG/0.45 ML, 28 MG/0.7 ML, 40 MG/ML, 80 MG/0.8 ML SOLUTION DL | 4 | PA |
| SUCRAID 8,500 UNIT/ML SOLUTION DL | 4 | |
| TEGSEDI 284 MG/1.5 ML SYRINGE DL | 4 | PA,QL(6 per 28 days) |
| VIJOICE 125 MG, 50 MG TABLET DL | 4 | PA,QL(28 per 28 days) |
| VIJOICE 250 MG/DAY (200 MG X1-50 MG X1) TABLET DL | 4 | PA,QL(56 per 28 days) |
| VIOKACE 10,440-39,150- 39,150 UNIT, 20,880-78,300- 78,300 UNIT TABLET DL | 4 | ST |
| VPRIV 400 UNIT RECON SOLUTION DL | 4 | PA |
| VYNDAMAX 61 MG CAPSULE DL | 4 | PA,QL(30 per 30 days) |
| VYNDAQEL 20 MG CAPSULE DL | 4 | PA,QL(120 per 30 days) |
| WAINUA 45 MG/0.8 ML AUTO-INJECTOR DL | 4 | PA,QL(0.8 per 28 days) |
| XENPOZYME 20 MG, 4 MG RECON SOLUTION DL | 4 | PA |
| XURIDEN 2 GRAM GRANULES IN PACKET DL | 4 | PA,QL(120 per 30 days) |

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Paxlovid/Vaccine/Diabetic • ST – Step Therapy

| DRUG NAME | TIER | UTILIZATION MANAGEMENT REQUIREMENTS |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|-------------------------------------|
| yargesa 100 mg CAPSULE DL | 4 | PA,QL(90 per 30 days) |
| ZAVESCA 100 MG CAPSULE DL | 4 | PA,QL(90 per 30 days) |
| ZEMAIRA 1,000 MG, 4,000 MG, 5,000 MG RECON SOLUTION DL | 4 | PA |
| ZENPEP 10,000-32,000 -42,000 UNIT, 15,000-47,000 -63,000 UNIT, 20,000-63,000- 84,000 UNIT, 3,000-10,000 -14,000-UNIT, 40,000-126,000- 168,000 UNIT, 5,000-17,000- 24,000 UNIT, 60,000-189,600- 252,600 UNIT CAPSULE, DR/EC MO | 3 | |
| ZENPEP 25,000-79,000- 105,000 UNIT CAPSULE, DR/EC MO | 3 | |
| ZOKINVY 50 MG, 75 MG CAPSULE DL | 4 | PA,QL(120 per 30 days) |
| GENITOURINARY AGENTS | | |
| alfuzosin 10 mg TABLET, ER 24 HR. MO | 1 | |
| AVODART 0.5 MG CAPSULE MO | 3 | PA,QL(30 per 30 days) |
| bethanechol chloride 10 mg, 25 mg, 5 mg, 50 mg TABLET MO | 1 | |
| CIALIS 2.5 MG, 5 MG TABLET MO | 3 | PA |
| darifenacin 15 mg, 7.5 mg TABLET, ER 24 HR. MO | 1 | QL(30 per 30 days) |
| DETROL 1 MG, 2 MG TABLET MO | 3 | PA,QL(60 per 30 days) |
| DETROL LA 2 MG, 4 MG CAPSULE, ER 24 HR. MO | 3 | PA,QL(30 per 30 days) |
| DITROPAN XL 10 MG, 5 MG TABLET, ER 24 HR. MO | 3 | PA,QL(60 per 30 days) |
| dutasteride 0.5 mg CAPSULE MO | 1 | QL(30 per 30 days) |
| dutasteride-tamsulosin 0.5-0.4 mg CAPSULE ER MULTIPHASE 24 HR. MO | 1 | QL(30 per 30 days) |
| ELMIRON 100 MG CAPSULE MO | 3 | QL(90 per 30 days) |
| ENTADFI 5-5 MG CAPSULE MO | 3 | PA,QL(182 per 365 days) |
| fesoterodine 4 mg, 8 mg TABLET, ER 24 HR. MO | 1 | QL(30 per 30 days) |
| finasteride 5 mg TABLET MO | 1 | QL(30 per 30 days) |
| flavoxate 100 mg TABLET MO | 1 | |
| FLOMAX 0.4 MG CAPSULE MO | 3 | |
| GELNIQUE 10 % (100 MG/GRAM) GEL IN PACKET MO | 3 | ST,QL(30 per 30 days) |
| GEMTESA 75 MG TABLET MO | 3 | QL(30 per 30 days) |
| JALYN 0.5-0.4 MG CAPSULE ER MULTIPHASE 24 HR. MO | 3 | PA,QL(30 per 30 days) |
| MYRBETRIQ 25 MG, 50 MG TABLET, ER 24 HR. MO | 2 | QL(30 per 30 days) |
| MYRBETRIQ 8 MG/ML SUSPENSION, ER, RECON MO | 2 | QL(300 per 30 days) |
| oxybutynin chloride 10 mg, 5 mg TABLET, ER 24 HR. MO | 1 | QL(60 per 30 days) |
| oxybutynin chloride 15 mg TABLET, ER 24 HR. MO | 1 | QL(60 per 30 days) |

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order
 • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Paxlovid/Vaccine/Diabetic • ST – Step Therapy

| DRUG NAME | TIER | UTILIZATION MANAGEMENT REQUIREMENTS |
|-----------------------------------------------------------------------|------|-------------------------------------|
| oxybutynin chloride 2.5 mg TABLET MO | 1 | QL(90 per 30 days) |
| oxybutynin chloride 5 mg TABLET MO | 1 | |
| oxybutynin chloride 5 mg/5 ml SYRUP MO | 1 | |
| OXYTROL 3.9 MG/24 HR PATCH, SEMIWEEKLY MO | 3 | ST,QL(8 per 28 days) |
| PROSCAR 5 MG TABLET MO | 3 | PA,QL(30 per 30 days) |
| RAPAFLO 4 MG, 8 MG CAPSULE MO | 3 | PA,QL(30 per 30 days) |
| silodosin 4 mg, 8 mg CAPSULE MO | 1 | QL(30 per 30 days) |
| solifenacain 10 mg, 5 mg TABLET MO | 1 | QL(30 per 30 days) |
| tadalafil 2.5 mg, 5 mg TABLET MO | 1 | PA |
| tamsulosin 0.4 mg CAPSULE MO | 1 | |
| THIOLA 100 MG TABLET DL | 4 | |
| THIOLA EC 100 MG, 300 MG TABLET, DR/EC DL | 4 | |
| tiopronin 100 mg TABLET DL | 4 | |
| tiopronin 100 mg, 300 mg TABLET, DR/EC DL | 4 | |
| tolterodine 1 mg, 2 mg TABLET MO | 1 | QL(60 per 30 days) |
| tolterodine 2 mg, 4 mg CAPSULE, ER 24 HR. MO | 1 | QL(30 per 30 days) |
| TOVIAZ 4 MG, 8 MG TABLET, ER 24 HR. MO | 3 | PA,QL(30 per 30 days) |
| trospium 20 mg TABLET MO | 1 | |
| trospium 60 mg CAPSULE, ER 24 HR. MO | 1 | QL(30 per 30 days) |
| UROXATRAL 10 MG TABLET, ER 24 HR. MO | 3 | |
| VESICARE 10 MG, 5 MG TABLET MO | 3 | PA,QL(30 per 30 days) |
| VESICARE LS 1 MG/ML SUSPENSION MO | 3 | PA,QL(300 per 30 days) |
| HORMONAL AGENTS, STIMULANT/REPLACEMENT/MODIFYING (ADRENAL) | | |
| ACTHAR 80 UNIT/ML GEL DL | 4 | PA,QL(30 per 30 days) |
| AGAMREE 40 MG/ML SUSPENSION DL | 4 | PA,QL(225 per 30 days) |
| ALKINDI SPRINKLE 0.5 MG, 1 MG, 2 MG, 5 MG CAPSULE, SPRINKLE DL | 4 | PA |
| betamethasone acet,sod phos 6 mg/ml SUSPENSION MO | 1 | |
| CELESTONE SOLUSPAN 6 MG/ML SUSPENSION MO | 3 | |
| CORTROPHIN GEL 80 UNIT/ML GEL DL | 4 | PA,QL(30 per 30 days) |
| deflazacort 18 mg, 30 mg, 36 mg, 6 mg TABLET DL | 4 | PA |
| DEPO-MEDROL 20 MG/ML, 40 MG/ML, 80 MG/ML SUSPENSION MO | 3 | |
| dexabliss 1.5 mg (39 tabs) TABLET, DOSE PACK MO | 1 | |

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Paxlovid/Vaccine/Diabetic • ST – Step Therapy

| DRUG NAME | TIER | UTILIZATION MANAGEMENT REQUIREMENTS |
|---------------------------------------------------------------------------------------------------|------|-------------------------------------|
| dexamethasone 0.5 mg, 0.75 mg, 1 mg, 1.5 mg, 2 mg, 4 mg, 6 mg TABLET MO | 1 | |
| dexamethasone 0.5 mg/5 ml ELIXIR MO | 1 | |
| dexamethasone 0.5 mg/5 ml SOLUTION MO | 1 | |
| dexamethasone 1.5 mg (21 tabs), 1.5 mg (35 tabs), 1.5 mg (51 tabs) TABLET, DOSE PACK MO | 1 | |
| dexamethasone intensol 1 mg/ml DROPS MO | 1 | |
| dexamethasone sodium phos (pf) 10 mg/ml SOLUTION MO | 1 | |
| dexamethasone sodium phos (pf) 10 mg/ml SYRINGE MO | 1 | |
| dexamethasone sodium phosphate 10 mg/ml, 4 mg/ml SOLUTION MO | 1 | |
| dexamethasone sodium phosphate 4 mg/ml SYRINGE MO | 1 | |
| EMFLAZA 18 MG, 30 MG, 36 MG, 6 MG TABLET DL | 4 | PA |
| EMFLAZA 22.75 MG/ML SUSPENSION DL | 4 | PA |
| fludrocortisone 0.1 mg TABLET MO | 1 | |
| HEMADY 20 MG TABLET MO | 3 | PA,QL(24 per 28 days) |
| KENALOG 0.147 MG/GRAM AEROSOL MO | 3 | QL(200 per 30 days) |
| KENALOG 10 MG/ML, 40 MG/ML SUSPENSION MO | 3 | |
| KENALOG-80 80 MG/ML SUSPENSION MO | 3 | |
| MEDROL 16 MG, 2 MG, 32 MG, 4 MG, 8 MG TABLET MO | 3 | BvsD |
| MEDROL (PAK) 4 MG TABLET, DOSE PACK MO | 3 | |
| methylprednisolone 16 mg, 32 mg, 4 mg, 8 mg TABLET MO | 1 | BvsD |
| methylprednisolone 4 mg TABLET, DOSE PACK MO | 1 | |
| methylprednisolone acetate 40 mg/ml, 80 mg/ml SUSPENSION MO | 1 | |
| methylprednisolone sodium succ 1,000 mg, 125 mg, 40 mg, 500 mg RECON SOLUTION MO | 1 | |
| millipred 5 mg TABLET MO | 1 | BvsD |
| millipred dp 5 mg (21 tabs), 5 mg (48 tabs) TABLET, DOSE PACK MO | 1 | |
| ORAPRED ODT 10 MG, 15 MG, 30 MG TABLET, DISINTEGRATING MO | 3 | |
| PEDIAPRED 5 MG BASE/5 ML (6.7 MG/5 ML) SOLUTION MO | 3 | |
| prednisolone 15 mg/5 ml SOLUTION MO | 1 | |
| prednisolone 5 mg TABLET MO | 1 | BvsD |
| prednisolone sodium phosphate 10 mg, 15 mg, 30 mg TABLET, DISINTEGRATING MO | 1 | |

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order
 • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Paxlovid/Vaccine/Diabetic • ST – Step Therapy

| DRUG NAME | TIER | UTILIZATION MANAGEMENT REQUIREMENTS |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------|------|-------------------------------------|
| prednisolone sodium phosphate 10 mg/5 ml, 15 mg/5 ml (3 mg/ml), 20 mg/5 ml (4 mg/ml), 25 mg/5 ml (5 mg/ml), 5 mg base/5 ml (6.7 mg/5 ml) SOLUTION MO | 1 | |
| prednisone 1 mg, 2.5 mg, 50 mg TABLET MO | 1 | BvsD |
| prednisone 10 mg, 20 mg, 5 mg TABLET MO | 1 | BvsD |
| prednisone 10 mg, 5 mg TABLET, DOSE PACK MO | 1 | |
| prednisone 5 mg/5 ml SOLUTION MO | 1 | BvsD |
| prednisone intensol 5 mg/ml CONCENTRATE MO | 1 | BvsD |
| RAYOS 1 MG, 2 MG, 5 MG TABLET, DR/EC DL | 4 | PA |
| SOLU-CORTEF 100 MG RECON SOLUTION MO | 3 | |
| SOLU-CORTEF ACT-O-VIAL (PF) 1,000 MG/8 ML, 100 MG/2 ML, 250 MG/2 ML, 500 MG/4 ML RECON SOLUTION MO | 3 | |
| SOLU-MEDROL 1,000 MG, 2 GRAM, 500 MG RECON SOLUTION MO | 3 | |
| SOLU-MEDROL (PF) 1,000 MG/8 ML, 125 MG/2 ML, 40 MG/ML, 500 MG/4 ML RECON SOLUTION MO | 3 | |
| taperdex 1.5 mg (21 tabs), 1.5 mg (27 tabs), 1.5 mg (49 tabs) TABLET, DOSE PACK MO | 1 | |
| triamcinolone acetonide 0.025 %, 0.05 %, 0.1 %, 0.5 % OINTMENT MO | 1 | |
| triamcinolone acetonide 0.025 %, 0.1 % LOTION MO | 1 | |
| triamcinolone acetonide 0.025 %, 0.5 % CREAM MO | 1 | |
| triamcinolone acetonide 0.1 % CREAM MO | 1 | |
| triamcinolone acetonide 0.147 mg/gram AEROSOL MO | 1 | QL(200 per 30 days) |
| triamcinolone acetonide 40 mg/ml SUSPENSION MO | 1 | |
| trianex 0.05 % OINTMENT MO | 1 | |
| triderm 0.1 %, 0.5 % CREAM MO | 1 | |
| tritocin 0.05 % OINTMENT MO | 1 | |
| VERIPRED 20 20 MG/5 ML (4 MG/ML) SOLUTION MO | 1 | |
| ZCORT 1.5 MG (25 TABS) TABLET, DOSE PACK MO | 1 | |
| ZILRETTA 32 MG SUSPENSION, ER, RECON MO | 3 | PA |
| HORMONAL AGENTS, STIMULANT/REPLACEMENT/MODIFYING (PITUITARY) | | |
| CHORIONIC GONADOTROPIN, HUMAN 10,000 UNIT RECON SOLUTION MO | 3 | PA |
| DDAVP 0.1 MG TABLET MO | 3 | PA |
| DDAVP 0.2 MG TABLET DL | 4 | PA |

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Paxlovid/Vaccine/Diabetic • ST – Step Therapy

| DRUG NAME | TIER | UTILIZATION MANAGEMENT REQUIREMENTS |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|-------------------------------------|
| DDAVP 4 MCG/ML SOLUTION MO | 3 | PA |
| desmopressin 0.1 mg, 0.2 mg TABLET MO | 1 | |
| desmopressin 10 mcg/spray (0.1 ml) SPRAY WITH PUMP MO | 1 | PA,QL(25 per 30 days) |
| desmopressin 10 mcg/spray (0.1 ml) SPRAY, NON-AEROSOL MO | 1 | PA,QL(25 per 30 days) |
| desmopressin 4 mcg/ml SOLUTION DL | 4 | |
| EGRIFTA SV 2 MG RECON SOLUTION DL | 4 | PA,QL(30 per 30 days) |
| GENOTROPIN 12 MG/ML (36 UNIT/ML), 5 MG/ML (15 UNIT/ML) CARTRIDGE DL | 4 | PA |
| GENOTROPIN MINIQUICK 0.2 MG/0.25 ML, 0.4 MG/0.25 ML, 0.6 MG/0.25 ML, 0.8 MG/0.25 ML, 1 MG/0.25 ML, 1.2 MG/0.25 ML, 1.4 MG/0.25 ML, 1.6 MG/0.25 ML, 1.8 MG/0.25 ML, 2 MG/0.25 ML SYRINGE DL | 4 | PA |
| HUMATROPE 12 MG (36 UNIT), 24 MG (72 UNIT), 6 MG (18 UNIT) CARTRIDGE DL | 4 | PA |
| HUMATROPE 5 (15 UNIT) MG RECON SOLUTION DL | 4 | PA |
| INCRELEX 10 MG/ML SOLUTION DL | 4 | PA |
| NGENLA 24 MG/1.2 ML (20 MG/ML), 60 MG/1.2 ML (50 MG/ML) PEN INJECTOR DL | 4 | PA |
| NOCDURNA (MEN) 55.3 MCG TABLET, DISINTEGRATING MO | 3 | PA,QL(30 per 30 days) |
| NOCDURNA (WOMEN) 27.7 MCG TABLET, DISINTEGRATING MO | 3 | PA,QL(30 per 30 days) |
| NORDITROPIN FLEXPRESS 10 MG/1.5 ML (6.7 MG/ML), 15 MG/1.5 ML (10 MG/ML), 30 MG/3 ML (10 MG/ML), 5 MG/1.5 ML (3.3 MG/ML) PEN INJECTOR DL | 4 | PA |
| NOVAREL 5,000 UNIT RECON SOLUTION MO | 3 | PA |
| NUTROPIN AQ NUSPIN 10 MG/2 ML (5 MG/ML), 20 MG/2 ML (10 MG/ML), 5 MG/2 ML (2.5 MG/ML) PEN INJECTOR DL | 4 | PA |
| OMNITROPE 10 MG/1.5 ML (6.7 MG/ML), 5 MG/1.5 ML (3.3 MG/ML) CARTRIDGE DL | 4 | PA |
| OMNITROPE 5.8 MG RECON SOLUTION DL | 4 | PA |
| PREGNYL 10,000 UNIT RECON SOLUTION MO | 3 | PA |
| SAIZEN 5 MG RECON SOLUTION DL | 4 | PA,QL(28 per 28 days) |
| SAIZEN 8.8 MG RECON SOLUTION DL | 4 | PA |
| SAIZEN SAIZENPREP 8.8 MG/1.51 ML (FINAL CONC.) CARTRIDGE DL | 4 | PA |
| SEROSTIM 4 MG, 5 MG, 6 MG RECON SOLUTION DL | 4 | PA,QL(28 per 28 days) |
| SKYTROFA 11 MG, 7.6 MG, 9.1 MG CARTRIDGE DL | 4 | PA,QL(8 per 28 days) |
| SKYTROFA 13.3 MG, 3 MG, 3.6 MG, 4.3 MG, 5.2 MG, 6.3 MG CARTRIDGE DL | 4 | PA,QL(4 per 28 days) |

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Paxlovid/Vaccine/Diabetic • ST – Step Therapy

| DRUG NAME | TIER | UTILIZATION MANAGEMENT REQUIREMENTS |
|-----------------------------------------------------------------------------------------------------------|------|-------------------------------------|
| SOGROYA 10 MG/1.5 ML (6.7 MG/ML), 15 MG/1.5 ML (10 MG/ML), 5 MG/1.5 ML (3.3 MG/ML) PEN INJECTOR DL | 4 | PA,QL(6 per 28 days) |
| ZOMACTON 10 MG RECON SOLUTION DL | 4 | PA |
| ZOMACTON 5 MG RECON SOLUTION DL | 4 | PA,QL(28 per 28 days) |
| HORMONAL AGENTS, STIMULANT/REPLACEMENT/MODIFYING (PROSTAGLANDINS) | | |
| carboprost tromethamine 250 mcg/ml SOLUTION MO | 1 | |
| carboprost tromethamine 250 mcg/ml SYRINGE MO | 1 | |
| HEMABATE 250 MCG/ML SOLUTION MO | 3 | |
| HORMONAL AGENTS, STIMULANT/REPLACEMENT/MODIFYING (SEX HORMONES/MODIFIERS) | | |
| ACTIVELLA 1-0.5 MG TABLET MO | 3 | |
| afirmelle 0.1-20 mg-mcg TABLET MO | 1 | |
| altavera (28) 0.15-0.03 mg TABLET MO | 1 | |
| alyacen 1/35 (28) 1-35 mg-mcg TABLET MO | 1 | |
| alyacen 7/7/7 (28) 0.5/0.75/1 mg- 35 mcg TABLET MO | 1 | |
| amabelz 0.5-0.1 mg, 1-0.5 mg TABLET MO | 1 | |
| amethia 0.15 mg-30 mcg (84)/10 mcg (7) TABLET, DOSE PACK, 3 MONTH MO | 3 | QL(91 per 90 days) |
| amethyst (28) 90-20 mcg (28) TABLET MO | 1 | |
| ANDRODERM 2 MG/24 HOUR PATCH, 24 HR. MO | 3 | PA,QL(90 per 30 days) |
| ANDRODERM 4 MG/24 HR PATCH, 24 HR. MO | 3 | PA,QL(30 per 30 days) |
| ANDROGEL 1 % (25 MG/2.5GRAM), 1 % (50 MG/5 GRAM) GEL IN PACKET MO | 3 | PA,QL(300 per 30 days) |
| ANDROGEL 1.62 % (20.25 MG/1.25 GRAM) GEL IN PACKET DL | 4 | PA,QL(37.5 per 30 days) |
| ANDROGEL 1.62 % (40.5 MG/2.5 GRAM) GEL IN PACKET DL | 4 | PA,QL(150 per 30 days) |
| ANDROGEL 20.25 MG/1.25 GRAM (1.62 %) GEL IN METERED DOSE PUMP DL | 4 | PA,QL(150 per 30 days) |
| ANGELIQ 0.25-0.5 MG, 0.5-1 MG TABLET MO | 3 | |
| ANNOVERA 0.15-0.013 MG/24 HOUR RING MO | 3 | QL(1 per 365 days) |
| apri 0.15-0.03 mg TABLET MO | 1 | |
| aranelle (28) 0.5/1/0.5-35 mg-mcg TABLET MO | 1 | |
| ashlyna 0.15 mg-30 mcg (84)/10 mcg (7) TABLET, DOSE PACK, 3 MONTH MO | 1 | QL(91 per 90 days) |
| aubra 0.1-20 mg-mcg TABLET MO | 1 | |
| aubra eq 0.1-20 mg-mcg TABLET MO | 1 | |
| aurovela 1.5/30 (21) 1.5-30 mg-mcg TABLET MO | 1 | |
| aurovela 1/20 (21) 1-20 mg-mcg TABLET MO | 1 | |

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Paxlovid/Vaccine/Diabetic • ST – Step Therapy

| DRUG NAME | TIER | UTILIZATION MANAGEMENT REQUIREMENTS |
|-----------------------------------------------------------------------------------------------------------------------------|------|-------------------------------------|
| aurovela 24 fe 1 mg-20 mcg (24)/75 mg (4) TABLET MO | 1 | |
| aurovela fe 1-20 (28) 1 mg-20 mcg (21)/75 mg (7) TABLET MO | 1 | |
| aurovela fe 1.5/30 (28) 1.5 mg-30 mcg (21)/75 mg (7) TABLET MO | 1 | |
| AVEED 750 MG/3 ML (250 MG/ML) SOLUTION | 4 | PA |
| aviane 0.1-20 mg-mcg TABLET MO | 1 | |
| AYGESTIN 5 MG TABLET MO | 1 | |
| ayuna 0.15-0.03 mg TABLET MO | 1 | |
| azurette (28) 0.15-0.02 mgx21 /0.01 mg x 5 TABLET MO | 1 | |
| BALCOLTRA 0.1 MG-0.02 MG (21)/IRON (7) TABLET MO | 3 | |
| balziva (28) 0.4-35 mg-mcg TABLET MO | 1 | |
| BEYAZ 3-0.02-0.451 MG (24) (4) TABLET MO | 3 | |
| BIJUVA 0.5-100 MG, 1-100 MG CAPSULE MO | 3 | QL(30 per 30 days) |
| blisovi 24 fe 1 mg-20 mcg (24)/75 mg (4) TABLET MO | 1 | |
| blisovi fe 1.5/30 (28) 1.5 mg-30 mcg (21)/75 mg (7) TABLET MO | 1 | |
| blisovi fe 1/20 (28) 1 mg-20 mcg (21)/75 mg (7) TABLET MO | 1 | |
| brielllyn 0.4-35 mg-mcg TABLET MO | 1 | |
| camila 0.35 mg TABLET MO | 1 | |
| camrese 0.15 mg-30 mcg (84)/10 mcg (7) TABLET, DOSE PACK, 3 MONTH MO | 3 | QL(91 per 90 days) |
| camrese lo 0.1 mg-20 mcg (84)/10 mcg (7) TABLET, DOSE PACK, 3 MONTH MO | 1 | QL(91 per 90 days) |
| caziant (28) 0.1/.125/.15-25 mg-mcg TABLET MO | 1 | |
| charlotte 24 fe 1 mg-20 mcg(24) /75 mg (4) CHEWABLE TABLET MO | 1 | |
| chateal (28) 0.15-0.03 mg TABLET MO | 1 | |
| chateal eq (28) 0.15-0.03 mg TABLET MO | 1 | |
| CLIMARA 0.025 MG/24 HR, 0.0375 MG/24 HR, 0.05 MG/24 HR, 0.06 MG/24 HR, 0.075 MG/24 HR, 0.1 MG/24 HR PATCH, WEEKLY MO | 3 | QL(4 per 28 days) |
| CLIMARA PRO 0.045-0.015 MG/24 HR PATCH, WEEKLY MO | 3 | QL(4 per 28 days) |
| COMBIPATCH 0.05-0.14 MG/24 HR, 0.05-0.25 MG/24 HR PATCH, SEMIWEEKLY MO | 3 | QL(8 per 28 days) |
| CRINONE 4 %, 8 % GEL MO | 3 | |
| cryselle (28) 0.3-30 mg-mcg TABLET MO | 1 | |
| cyclafem 1/35 (28) 1-35 mg-mcg TABLET MO | 1 | |
| cyclafem 7/7/7 (28) 0.5/0.75/1 mg- 35 mcg TABLET MO | 1 | |
| cyred 0.15-0.03 mg TABLET MO | 1 | |

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Paxlovid/Vaccine/Diabetic • ST – Step Therapy

| DRUG NAME | TIER | UTILIZATION MANAGEMENT REQUIREMENTS |
|------------------------------------------------------------------------------------------------------------------------------------------------------------|------|-------------------------------------|
| cyred eq 0.15-0.03 mg TABLET MO | 1 | |
| danazol 100 mg, 200 mg, 50 mg CAPSULE MO | 1 | |
| dasetta 1/35 (28) 1-35 mg-mcg TABLET MO | 1 | |
| dasetta 7/7/7 (28) 0.5/0.75/1 mg- 35 mcg TABLET MO | 1 | |
| daysee 0.15 mg-30 mcg (84)/10 mcg (7) TABLET, DOSE PACK, 3 MONTH MO | 1 | QL(91 per 90 days) |
| deblitane 0.35 mg TABLET MO | 1 | |
| DELESTROGEN 10 MG/ML, 20 MG/ML, 40 MG/ML OIL MO | 3 | |
| DEPO-ESTRADIOL 5 MG/ML OIL MO | 1 | QL(5 per 30 days) |
| DEPO-PROVERA 150 MG/ML SUSPENSION MO | 3 | QL(1 per 90 days) |
| DEPO-PROVERA 150 MG/ML SYRINGE MO | 3 | QL(1 per 90 days) |
| DEPO-SUBQ PROVERA 104 104 MG/0.65 ML SYRINGE MO | 3 | QL(0.65 per 90 days) |
| DEPO-TESTOSTERONE 100 MG/ML, 200 MG/ML OIL MO | 1 | |
| desog-e.estradiol/e.estradol 0.15-0.02 mgx21 /0.01 mg x 5 TABLET MO | 1 | |
| desogestrel-ethinyl estradiol 0.15-0.03 mg TABLET MO | 1 | |
| DIVIGEL 0.25 MG/0.25 GRAM (0.1 %), 0.5 MG/0.5 GRAM (0.1 %), 0.75 MG/0.75 GRAM (0.1%), 1 MG/GRAM (0.1 %), 1.25 MG/1.25 GRAM (0.1 %) GEL IN PACKET MO | 3 | |
| dolishale 90-20 mcg (28) TABLET MO | 1 | |
| dotti 0.025 mg/24 hr, 0.0375 mg/24 hr, 0.05 mg/24 hr, 0.075 mg/24 hr, 0.1 mg/24 hr PATCH, SEMIWEEKLY MO | 1 | QL(8 per 28 days) |
| drospirenone-e.estradol-lm.fa 3-0.02-0.451 mg (24) (4), 3-0.03-0.451 mg (21) (7) TABLET MO | 1 | |
| drospirenone-ethinyl estradiol 3-0.02 mg, 3-0.03 mg TABLET MO | 1 | |
| DUAVEE 0.45-20 MG TABLET MO | 3 | PA,QL(30 per 30 days) |
| ELESTRIN 0.87 GRAM/ACTUATION GEL IN METERED DOSE PUMP MO | 3 | QL(52 per 30 days) |
| elinet 0.3-30 mg-mcg TABLET MO | 1 | |
| ELLA 30 MG TABLET MO | 2 | QL(1 per 30 days) |
| eluryng 0.12-0.015 mg/24 hr RING MO | 1 | QL(1 per 28 days) |
| emzahh 0.35 mg TABLET MO | 1 | |
| ENDOMETRIN 100 MG INSERT MO | 3 | |
| enilloring 0.12-0.015 mg/24 hr RING MO | 1 | QL(1 per 28 days) |
| enpresse 50-30 (6)/75-40 (5)/125-30(10) TABLET MO | 1 | |
| enskyce 0.15-0.03 mg TABLET MO | 1 | |

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Paxlovid/Vaccine/Diabetic • ST – Step Therapy

| DRUG NAME | TIER | UTILIZATION MANAGEMENT REQUIREMENTS |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------|------|-------------------------------------|
| errin 0.35 mg TABLET MO | 1 | |
| estarrylla 0.25-35 mg-mcg TABLET MO | 1 | |
| ESTRACE 0.01 % (0.1 MG/GRAM) CREAM MO | 3 | PA |
| ESTRACE 0.5 MG, 1 MG, 2 MG TABLET MO | 1 | |
| estradiol 0.01 % (0.1 mg/gram) CREAM MO | 1 | |
| estradiol 0.025 mg/24 hr, 0.0375 mg/24 hr, 0.05 mg/24 hr, 0.06 mg/24 hr, 0.075 mg/24 hr, 0.1 mg/24 hr PATCH, WEEKLY MO | 1 | QL(4 per 28 days) |
| estradiol 0.025 mg/24 hr, 0.0375 mg/24 hr, 0.05 mg/24 hr, 0.075 mg/24 hr, 0.1 mg/24 hr PATCH, SEMIWEEKLY MO | 1 | QL(8 per 28 days) |
| estradiol 0.25 mg/0.25 gram (0.1 %), 0.5 mg/0.5 gram (0.1 %), 0.75 mg/0.75 gram (0.1%), 1 mg/gram (0.1 %), 1.25 mg/1.25 gram (0.1 %) GEL IN PACKET MO | 1 | |
| estradiol 0.5 mg, 1 mg, 10 mcg, 2 mg TABLET MO | 1 | |
| estradiol valerate 10 mg/ml, 20 mg/ml, 40 mg/ml OIL MO | 1 | |
| estradiol-norethindrone acet 0.5-0.1 mg, 1-0.5 mg TABLET MO | 1 | |
| ESTRING 2 MG (7.5 MCG /24 HOUR) RING MO | 3 | QL(1 per 90 days) |
| ESTROGEL 1.25 GRAM/ACTUATION GEL IN METERED DOSE PUMP MO | 3 | |
| ethynodiol diac-eth estradiol 1-35 mg-mcg, 1-50 mg-mcg TABLET MO | 1 | |
| etonogestrel-ethinyl estradiol 0.12-0.015 mg/24 hr RING MO | 1 | QL(1 per 28 days) |
| EVAMIST 1.53 MG/SPRAY (1.7%) SPRAY, NON-AEROSOL MO | 3 | |
| EVISTA 60 MG TABLET MO | 3 | PA,QL(30 per 30 days) |
| falmina (28) 0.1-20 mg-mcg TABLET MO | 1 | |
| FEMHRT LOW DOSE 0.5-2.5 MG-MCG TABLET MO | 3 | |
| FEMRING 0.05 MG/24 HR, 0.1 MG/24 HR RING MO | 3 | QL(1 per 90 days) |
| femynor 0.25-35 mg-mcg TABLET MO | 1 | |
| finzala 1 mg-20 mcg(24) /75 mg (4) CHEWABLE TABLET MO | 1 | |
| FORTESTA 10 MG/0.5 GRAM /ACTUATION GEL IN METERED DOSE PUMP MO | 3 | PA,QL(120 per 30 days) |
| fyavolv 0.5-2.5 mg-mcg, 1-5 mg-mcg TABLET MO | 1 | |
| gemmily 1 mg-20 mcg (24)/75 mg (4) CAPSULE MO | 1 | |
| GENERESS FE 0.8MG-25MCG(24) AND 75 MG (4) CHEWABLE TABLET MO | 3 | |
| hailey 1.5-30 mg-mcg TABLET MO | 1 | |
| hailey 24 fe 1 mg-20 mcg (24)/75 mg (4) TABLET MO | 1 | |
| hailey fe 1.5/30 (28) 1.5 mg-30 mcg (21)/75 mg (7) TABLET MO | 1 | |
| hailey fe 1/20 (28) 1 mg-20 mcg (21)/75 mg (7) TABLET MO | 1 | |

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Paxlovid/Vaccine/Diabetic • ST – Step Therapy

| DRUG NAME | TIER | UTILIZATION MANAGEMENT REQUIREMENTS |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|-------------------------------------|
| haloette 0.12-0.015 mg/24 hr RING MO | 1 | QL(1 per 28 days) |
| heather 0.35 mg TABLET MO | 1 | |
| iclevia 0.15 mg-30 mcg (91) TABLET, DOSE PACK, 3 MONTH MO | 1 | QL(91 per 90 days) |
| incassia 0.35 mg TABLET MO | 1 | |
| isibloom 0.15-0.03 mg TABLET MO | 1 | |
| jaimiess 0.15 mg-30 mcg (84)/10 mcg (7) TABLET, DOSE PACK, 3 MONTH MO | 1 | QL(91 per 90 days) |
| jasmiel (28) 3-0.02 mg TABLET MO | 1 | |
| JATENZO 158 MG, 198 MG CAPSULE MO | 3 | PA,QL(120 per 30 days) |
| JATENZO 237 MG CAPSULE MO | 3 | PA,QL(60 per 30 days) |
| jencycla 0.35 mg TABLET MO | 1 | |
| jinteli 1-5 mg-mcg TABLET MO | 1 | |
| jolessa 0.15 mg-30 mcg (91) TABLET, DOSE PACK, 3 MONTH MO | 1 | QL(91 per 90 days) |
| joyeaux 0.1 mg-0.02 mg (21)/iron (7) TABLET MO | 1 | |
| juleber 0.15-0.03 mg TABLET MO | 1 | |
| junel 1.5/30 (21) 1.5-30 mg-mcg TABLET MO | 1 | |
| junel 1/20 (21) 1-20 mg-mcg TABLET MO | 1 | |
| junel fe 1.5/30 (28) 1.5 mg-30 mcg (21)/75 mg (7) TABLET MO | 1 | |
| junel fe 1/20 (28) 1 mg-20 mcg (21)/75 mg (7) TABLET MO | 1 | |
| junel fe 24 1 mg-20 mcg (24)/75 mg (4) TABLET MO | 1 | |
| kaitlib fe 0.8mg-25mcg(24) and 75 mg (4) CHEWABLE TABLET MO | 1 | |
| kalliga 0.15-0.03 mg TABLET MO | 1 | |
| kariva (28) 0.15-0.02 mgx21 /0.01 mg x 5 TABLET MO | 1 | |
| kelnor 1-50 (28) 1-50 mg-mcg TABLET MO | 1 | |
| kelnor 1/35 (28) 1-35 mg-mcg TABLET MO | 1 | |
| kurvelo (28) 0.15-0.03 mg TABLET MO | 1 | |
| l norgest/e.estradiol-e.estrad 0.1 mg-20 mcg (84)/10 mcg (7), 0.15 mg-20 mcg/ 0.15 mg-25 mcg, 0.15 mg-30 mcg (84)/10 mcg (7) TABLET, DOSE PACK, 3 MONTH MO | 1 | QL(91 per 90 days) |
| larin 1.5/30 (21) 1.5-30 mg-mcg TABLET MO | 1 | |
| larin 1/20 (21) 1-20 mg-mcg TABLET MO | 1 | |
| larin 24 fe 1 mg-20 mcg (24)/75 mg (4) TABLET MO | 1 | |
| larin fe 1.5/30 (28) 1.5 mg-30 mcg (21)/75 mg (7) TABLET MO | 1 | |
| larin fe 1/20 (28) 1 mg-20 mcg (21)/75 mg (7) TABLET MO | 1 | |

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Paxlovid/Vaccine/Diabetic • ST – Step Therapy

| DRUG NAME | TIER | UTILIZATION MANAGEMENT REQUIREMENTS |
|------------------------------------------------------------------------------------------------------------------|------|-------------------------------------|
| larissa 0.1-20 mg-mcg TABLET MO | 1 | |
| LAYOLIS FE 0.8MG-25MCG(24) AND 75 MG (4) CHEWABLE TABLET MO | 3 | |
| leena 28 0.5/1/0.5-35 mg-mcg TABLET MO | 1 | |
| lessina 0.1-20 mg-mcg TABLET MO | 1 | |
| levonest (28) 50-30 (6)/75-40 (5)/125-30(10) TABLET MO | 1 | |
| levonorg-eth estrad triphasic 50-30 (6)/75-40 (5)/125-30(10) TABLET MO | 1 | |
| levonorgest-eth.estradiol-iron 0.1 mg-0.02 mg (21)/iron (7) TABLET MO | 3 | |
| levonorgestrel-ethinyl estrad 0.1-20 mg-mcg, 0.15-0.03 mg, 90-20 mcg (28) TABLET MO | 1 | |
| levonorgestrel-ethinyl estrad 0.15 mg-30 mcg (91) TABLET, DOSE PACK, 3 MONTH MO | 1 | QL(91 per 90 days) |
| levora-28 0.15-0.03 mg TABLET MO | 1 | |
| lillow (28) 0.15-0.03 mg TABLET MO | 1 | |
| LO LOESTRIN FE 1 MG-10 MCG (24)/10 MCG (2) TABLET MO | 3 | |
| lo-zumandimine (28) 3-0.02 mg TABLET MO | 1 | |
| LOESTRIN 1.5/30 (21) 1.5-30 MG-MCG TABLET MO | 1 | |
| LOESTRIN 1/20 (21) 1-20 MG-MCG TABLET MO | 1 | |
| LOESTRIN FE 1.5/30 (28-DAY) 1.5 MG-30 MCG (21)/75 MG (7) TABLET MO | 1 | |
| LOESTRIN FE 1/20 (28-DAY) 1 MG-20 MCG (21)/75 MG (7) TABLET MO | 1 | |
| lojaimiess 0.1 mg-20 mcg (84)/10 mcg (7) TABLET, DOSE PACK, 3 MONTH MO | 1 | QL(91 per 90 days) |
| loryna (28) 3-0.02 mg TABLET MO | 1 | |
| LOSEASONIQUE 0.1 MG-20 MCG (84)/10 MCG (7) TABLET, DOSE PACK, 3 MONTH MO | 3 | QL(91 per 90 days) |
| low-ogestrel (28) 0.3-30 mg-mcg TABLET MO | 1 | |
| lutera (28) 0.1-20 mg-mcg TABLET MO | 1 | |
| lyleg 0.35 mg TABLET MO | 1 | |
| lyllana 0.025 mg/24 hr, 0.0375 mg/24 hr, 0.05 mg/24 hr, 0.075 mg/24 hr, 0.1 mg/24 hr PATCH, SEMIWEEKLY MO | 1 | QL(8 per 28 days) |
| lyza 0.35 mg TABLET MO | 1 | |
| marlissa (28) 0.15-0.03 mg TABLET MO | 1 | |
| medroxyprogesterone 10 mg, 2.5 mg, 5 mg TABLET MO | 1 | |
| medroxyprogesterone 150 mg/ml SUSPENSION MO | 1 | QL(1 per 90 days) |
| medroxyprogesterone 150 mg/ml SYRINGE MO | 1 | QL(1 per 90 days) |

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Paxlovid/Vaccine/Diabetic • ST – Step Therapy

| DRUG NAME | TIER | UTILIZATION MANAGEMENT REQUIREMENTS |
|----------------------------------------------------------------------------------------------------------------------|------|-------------------------------------|
| megestrol 20 mg, 40 mg TABLET MO | 1 | |
| megestrol 400 mg/10 ml (10 ml), 400 mg/10 ml (40 mg/ml), 625 mg/5 ml (125 mg/ml) SUSPENSION MO | 1 | |
| MENEST 0.3 MG, 0.625 MG, 1.25 MG, 2.5 MG TABLET MO | 1 | |
| MENOSTAR 14 MCG/24 HR PATCH, WEEKLY MO | 3 | QL(8 per 28 days) |
| merzee 1 mg-20 mcg (24)/75 mg (4) CAPSULE MO | 1 | |
| METHITEST 10 MG TABLET DL | 4 | |
| methyltestosterone 10 mg CAPSULE DL | 4 | |
| mibelas 24 fe 1 mg-20 mcg(24) /75 mg (4) CHEWABLE TABLET MO | 1 | |
| microgestin 1.5/30 (21) 1.5-30 mg-mcg TABLET MO | 1 | |
| microgestin 1/20 (21) 1-20 mg-mcg TABLET MO | 1 | |
| microgestin 24 fe 1 mg-20 mcg (24)/75 mg (4) TABLET MO | 1 | |
| microgestin fe 1.5/30 (28) 1.5 mg-30 mcg (21)/75 mg (7) TABLET MO | 1 | |
| microgestin fe 1/20 (28) 1 mg-20 mcg (21)/75 mg (7) TABLET MO | 1 | |
| mini 0.25-35 mg-mcg TABLET MO | 1 | |
| mimvey 1-0.5 mg TABLET MO | 1 | |
| MINASTRIN 24 FE 1 MG-20 MCG(24) /75 MG (4) CHEWABLE TABLET MO | 3 | |
| MINIVELLE 0.025 MG/24 HR, 0.0375 MG/24 HR, 0.05 MG/24 HR, 0.075 MG/24 HR, 0.1 MG/24 HR PATCH, SEMIWEEKLY MO | 3 | QL(8 per 28 days) |
| MIRCETTE (28) 0.15-0.02 MGX21 /0.01 MG X 5 TABLET MO | 1 | |
| mono-lynah 0.25-35 mg-mcg TABLET MO | 1 | |
| NATAZIA 3 MG/2 MG-2 MG/ 2 MG-3 MG/1 MG TABLET MO | 3 | |
| NATESTO 5.5 MG/0.122 GRAM/ACTUATION GEL IN METERED DOSE PUMP MO | 3 | PA,QL(21.96 per 30 days) |
| necon 0.5/35 (28) 0.5-35 mg-mcg TABLET MO | 1 | |
| NEXTSTELLIS 3 MG- 14.2 MG (28) TABLET MO | 3 | |
| nikki (28) 3-0.02 mg TABLET MO | 1 | |
| NORA-BE 0.35 MG TABLET MO | 1 | |
| nora-be 0.35 mg TABLET MO | 1 | |
| norelgestromin-ethin estradiol 150-35 mcg/24 hr PATCH, WEEKLY MO | 1 | QL(3 per 28 days) |
| noreth-ethinyl estradiol-iron 0.4mg-35mcg(21) and 75 mg (7), 0.8mg-25mcg(24) and 75 mg (4) CHEWABLE TABLET MO | 1 | |
| norethindrone (contraceptive) 0.35 mg TABLET MO | 1 | |

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Paxlovid/Vaccine/Diabetic • ST – Step Therapy

| DRUG NAME | TIER | UTILIZATION MANAGEMENT REQUIREMENTS |
|--------------------------------------------------------------------------------------------------------------------------------------------|------|-------------------------------------|
| norethindrone ac-eth estradiol 0.5-2.5 mg-mcg, 1-20 mg-mcg, 1-5 mg-mcg, 1.5-30 mg-mcg TABLET MO | 1 | |
| norethindrone acetate 5 mg TABLET MO | 1 | |
| norethindrone-e.estradol-iron 1 mg-20 mcg (21)/75 mg (7), 1-20(5)/1-30(7) /1mg-35mcg (9), 1.5 mg-30 mcg (21)/75 mg (7) TABLET MO | 1 | |
| norethindrone-e.estradol-iron 1 mg-20 mcg (24)/75 mg (4) CAPSULE MO | 1 | |
| norethindrone-e.estradol-iron 1 mg-20 mcg(24) /75 mg (4) CHEWABLE TABLET MO | 1 | |
| norgestimate-ethinyl estradiol 0.18/0.215/0.25 mg-25 mcg, 0.18/0.215/0.25 mg-35 mcg (28), 0.25-35 mg-mcg TABLET MO | 1 | |
| norlyda 0.35 mg TABLET MO | 1 | |
| nortrel 0.5/35 (28) 0.5-35 mg-mcg TABLET MO | 1 | |
| nortrel 1/35 (21) 1-35 mg-mcg (21) TABLET MO | 1 | |
| nortrel 1/35 (28) 1-35 mg-mcg TABLET MO | 1 | |
| nortrel 7/7/7 (28) 0.5/0.75/1 mg- 35 mcg TABLET MO | 1 | |
| NUVARING 0.12-0.015 MG/24 HR RING MO | 3 | QL(1 per 28 days) |
| nylia 1/35 (28) 1-35 mg-mcg TABLET MO | 1 | |
| nylia 7/7/7 (28) 0.5/0.75/1 mg- 35 mcg TABLET MO | 1 | |
| nymyo 0.25-35 mg-mcg TABLET MO | 1 | |
| ocella 3-0.03 mg TABLET MO | 1 | |
| orsythia 0.1-20 mg-mcg TABLET MO | 1 | |
| ORTHO TRI-CYCLEN (28) 0.18/0.215/0.25 MG-35 MCG (28) TABLET MO | 3 | |
| ORTHO-NOVUM 7/7/7 (28) 0.5/0.75/1 MG- 35 MCG TABLET MO | 1 | |
| OSPHENA 60 MG TABLET MO | 2 | PA |
| oxandrolone 10 mg TABLET MO | 1 | PA,QL(60 per 30 days) |
| oxandrolone 2.5 mg TABLET MO | 1 | PA,QL(120 per 30 days) |
| philith 0.4-35 mg-mcg TABLET MO | 1 | |
| pimtrea (28) 0.15-0.02 mgx21 /0.01 mg x 5 TABLET MO | 1 | |
| pirmella 0.5/0.75/1 mg- 35 mcg, 1-35 mg-mcg TABLET MO | 1 | |
| portia 28 0.15-0.03 mg TABLET MO | 1 | |
| PREFEST 1 MG (15)/1 MG- 0.09 MG (15) TABLET MO | 1 | |
| PREMARIN 0.3 MG, 0.45 MG, 0.625 MG, 0.9 MG, 1.25 MG TABLET MO | 3 | |
| PREMARIN 0.625 MG/GRAM CREAM MO | 2 | |

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Paxlovid/Vaccine/Diabetic • ST – Step Therapy

| DRUG NAME | TIER | UTILIZATION MANAGEMENT REQUIREMENTS |
|--------------------------------------------------------------------------------|------|-------------------------------------|
| PREMARIN 25 MG RECON SOLUTION MO | 3 | |
| PREMPHASE 0.625 MG (14)/ 0.625MG-5MG(14) TABLET MO | 3 | |
| PREMPRO 0.3-1.5 MG, 0.45-1.5 MG, 0.625-2.5 MG, 0.625-5 MG TABLET MO | 3 | |
| previfem 0.25-35 mg-mcg TABLET MO | 1 | |
| progesterone 50 mg/ml OIL MO | 1 | |
| progesterone micronized 100 mg, 200 mg CAPSULE MO | 1 | |
| PROMETRIUM 100 MG, 200 MG CAPSULE MO | 3 | |
| PROVERA 10 MG, 2.5 MG, 5 MG TABLET MO | 3 | |
| QUARTETTE 0.15 MG-20 MCG/ 0.15 MG-25 MCG TABLET, DOSE PACK, 3 MONTH MO | 3 | QL(91 per 90 days) |
| raloxifene 60 mg TABLET MO | 1 | QL(30 per 30 days) |
| reclipsen (28) 0.15-0.03 mg TABLET MO | 1 | |
| rivelsa 0.15 mg-20 mcg/ 0.15 mg-25 mcg TABLET, DOSE PACK, 3 MONTH MO | 1 | QL(91 per 90 days) |
| SAFYRAL 3-0.03-0.451 MG (21) (7) TABLET MO | 3 | |
| SEASONIQUE 0.15 MG-30 MCG (84)/10 MCG (7) TABLET, DOSE PACK, 3 MONTH MO | 3 | QL(91 per 90 days) |
| setlakin 0.15 mg-30 mcg (91) TABLET, DOSE PACK, 3 MONTH MO | 1 | QL(91 per 90 days) |
| sharobel 0.35 mg TABLET MO | 1 | |
| simliya (28) 0.15-0.02 mgx21 /0.01 mg x 5 TABLET MO | 1 | |
| simpesse 0.15 mg-30 mcg (84)/10 mcg (7) TABLET, DOSE PACK, 3 MONTH MO | 1 | QL(91 per 90 days) |
| SLYND 4 MG (28) TABLET MO | 3 | |
| sprintec (28) 0.25-35 mg-mcg TABLET MO | 1 | |
| sronyx 0.1-20 mg-mcg TABLET MO | 1 | |
| syeda 3-0.03 mg TABLET MO | 1 | |
| tarina 24 fe 1 mg-20 mcg (24)/75 mg (4) TABLET MO | 1 | |
| tarina fe 1-20 eq (28) 1 mg-20 mcg (21)/75 mg (7) TABLET MO | 1 | |
| tarina fe 1/20 (28) 1 mg-20 mcg (21)/75 mg (7) TABLET MO | 1 | |
| taysofy 1 mg-20 mcg (24)/75 mg (4) CAPSULE MO | 1 | |
| TAYTULLA 1 MG-20 MCG (24)/75 MG (4) CAPSULE MO | 3 | |
| TESTIM 50 MG/5 GRAM (1 %) GEL MO | 3 | PA,QL(300 per 30 days) |
| testosterone 1 % (25 mg/2.5gram), 1 % (50 mg/5 gram) GEL IN PACKET MO | 1 | PA,QL(300 per 30 days) |
| testosterone 1.62 % (20.25 mg/1.25 gram) GEL IN PACKET MO | 1 | PA,QL(37.5 per 30 days) |
| testosterone 1.62 % (40.5 mg/2.5 gram) GEL IN PACKET MO | 1 | PA,QL(150 per 30 days) |

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Paxlovid/Vaccine/Diabetic • ST – Step Therapy

| DRUG NAME | TIER | UTILIZATION MANAGEMENT REQUIREMENTS |
|-------------------------------------------------------------------------------|------|-------------------------------------|
| testosterone 10 mg/0.5 gram /actuation GEL IN METERED DOSE PUMP MO | 1 | PA,QL(120 per 30 days) |
| testosterone 12.5 mg/ 1.25 gram (1 %) GEL IN METERED DOSE PUMP MO | 1 | PA,QL(300 per 30 days) |
| testosterone 20.25 mg/1.25 gram (1.62 %) GEL IN METERED DOSE PUMP MO | 1 | PA,QL(150 per 30 days) |
| testosterone 30 mg/actuation (1.5 ml) SOLUTION IN METERED DOSE PUMP MO | 3 | PA,QL(180 per 30 days) |
| testosterone 50 mg/5 gram (1 %) GEL MO | 3 | PA,QL(300 per 30 days) |
| testosterone cypionate 100 mg/ml, 200 mg/ml OIL MO | 1 | |
| testosterone enanthate 200 mg/ml OIL MO | 1 | QL(25 per 90 days) |
| tilia fe 1-20(5)/1-30(7) /1mg-35mcg (9) TABLET MO | 1 | |
| TLANDO 112.5 MG CAPSULE MO | 3 | PA,QL(120 per 30 days) |
| tri-femynor 0.18/0.215/0.25 mg-35 mcg (28) TABLET MO | 1 | |
| tri-estarrylla 0.18/0.215/0.25 mg-35 mcg (28) TABLET MO | 1 | |
| tri-legest fe 1-20(5)/1-30(7) /1mg-35mcg (9) TABLET MO | 1 | |
| tri-linyah 0.18/0.215/0.25 mg-35 mcg (28) TABLET MO | 1 | |
| tri-lo-estarrylla 0.18/0.215/0.25 mg-25 mcg TABLET MO | 1 | |
| tri-lo-marzia 0.18/0.215/0.25 mg-25 mcg TABLET MO | 1 | |
| tri-lo-mili 0.18/0.215/0.25 mg-25 mcg TABLET MO | 1 | |
| tri-lo-sprintec 0.18/0.215/0.25 mg-25 mcg TABLET MO | 1 | |
| tri-mili 0.18/0.215/0.25 mg-35 mcg (28) TABLET MO | 1 | |
| tri-nymyo 0.18/0.215/0.25 mg-35 mcg (28) TABLET MO | 1 | |
| tri-sprintec (28) 0.18/0.215/0.25 mg-35 mcg (28) TABLET MO | 1 | |
| tri-vylibra 0.18/0.215/0.25 mg-35 mcg (28) TABLET MO | 1 | |
| tri-vylibra lo 0.18/0.215/0.25 mg-25 mcg TABLET MO | 1 | |
| trivora (28) 50-30 (6)/75-40 (5)/125-30(10) TABLET MO | 1 | |
| tulana 0.35 mg TABLET MO | 1 | |
| turqoz (28) 0.3-30 mg-mcg TABLET MO | 1 | |
| TYBLUME 0.1 MG- 20 MCG CHEWABLE TABLET MO | 3 | |
| tydemy 3-0.03-0.451 mg (21) (7) TABLET MO | 1 | |
| VAGIFEM 10 MCG TABLET MO | 3 | PA |
| velvet triphasic regimen (28) 0.1/.125/.15-25 mg-mcg TABLET MO | 1 | |
| vestura (28) 3-0.02 mg TABLET MO | 1 | |
| vienna 0.1-20 mg-mcg TABLET MO | 1 | |
| viorele (28) 0.15-0.02 mgx21 /0.01 mg x 5 TABLET MO | 1 | |

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Paxlovid/Vaccine/Diabetic • ST – Step Therapy

| DRUG NAME | TIER | UTILIZATION MANAGEMENT REQUIREMENTS |
|---------------------------------------------------------------------------------------------------------------------------------------|------|-------------------------------------|
| VIVELLE-DOT 0.025 MG/24 HR, 0.0375 MG/24 HR, 0.05 MG/24 HR, 0.075 MG/24 HR, 0.1 MG/24 HR PATCH, SEMIWEEKLY MO | 3 | QL(8 per 28 days) |
| VOGELXO 1 % (50 MG/5 GRAM) GEL IN PACKET MO | 3 | PA,QL(300 per 30 days) |
| VOGELXO 12.5 MG/ 1.25 GRAM (1 %) GEL IN METERED DOSE PUMP MO | 3 | PA,QL(300 per 30 days) |
| VOGELXO 50 MG/5 GRAM (1 %) GEL MO | 3 | PA,QL(300 per 30 days) |
| volnea (28) 0.15-0.02 mgx21 /0.01 mg x 5 TABLET MO | 1 | |
| vyfemla (28) 0.4-35 mg-mcg TABLET MO | 1 | |
| vylibra 0.25-35 mg-mcg TABLET MO | 1 | |
| wera (28) 0.5-35 mg-mcg TABLET MO | 1 | |
| wymzya fe 0.4mg-35mcg(21) and 75 mg (7) CHEWABLE TABLET MO | 1 | |
| xulane 150-35 mcg/24 hr PATCH, WEEKLY MO | 1 | QL(3 per 28 days) |
| XYOSTED 100 MG/0.5 ML, 50 MG/0.5 ML, 75 MG/0.5 ML AUTO-INJECTOR MO | 3 | PA,QL(2 per 28 days) |
| YASMIN (28) 3-0.03 MG TABLET MO | 3 | |
| YAZ (28) 3-0.02 MG TABLET MO | 3 | |
| yuvafem 10 mcg TABLET MO | 1 | |
| zafemy 150-35 mcg/24 hr PATCH, WEEKLY MO | 1 | QL(3 per 28 days) |
| zarah 3-0.03 mg TABLET MO | 1 | |
| zovia 1-35 (28) 1-35 mg-mcg TABLET MO | 1 | |
| zumandimine (28) 3-0.03 mg TABLET MO | 1 | |
| HORMONAL AGENTS, STIMULANT/REPLACEMENT/MODIFYING (THYROID) | | |
| ARMOUR THYROID 120 MG, 15 MG, 180 MG, 240 MG, 30 MG, 300 MG, 60 MG, 90 MG TABLET MO | 2 | |
| CYTOMEL 25 MCG, 5 MCG, 50 MCG TABLET MO | 3 | |
| ERMEZA 30 MCG/ML SOLUTION MO | 3 | |
| EUTHYROX 100 MCG, 112 MCG, 125 MCG, 137 MCG, 150 MCG, 175 MCG, 200 MCG, 25 MCG, 50 MCG, 75 MCG, 88 MCG TABLET MO | 1 | |
| LEVO-T 100 MCG, 112 MCG, 125 MCG, 137 MCG, 150 MCG, 175 MCG, 200 MCG, 25 MCG, 300 MCG, 50 MCG, 75 MCG, 88 MCG TABLET MO | 2 | |
| levothyroxine 100 mcg RECON SOLUTION MO | 1 | |
| levothyroxine 100 mcg, 112 mcg, 125 mcg, 13 mcg, 137 mcg, 150 mcg, 175 mcg, 200 mcg, 25 mcg, 50 mcg, 75 mcg, 88 mcg CAPSULE MO | 1 | |
| levothyroxine 100 mcg, 112 mcg, 125 mcg, 137 mcg, 150 mcg, 25 mcg, 50 mcg, 75 mcg, 88 mcg TABLET MO | 1 | |

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Paxlovid/Vaccine/Diabetic • ST – Step Therapy

| DRUG NAME | TIER | UTILIZATION MANAGEMENT REQUIREMENTS |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|-------------------------------------|
| levothyroxine 100 mcg/ml, 20 mcg/ml, 40 mcg/ml SOLUTION MO | 1 | |
| levothyroxine 175 mcg, 200 mcg, 300 mcg TABLET MO | 1 | |
| levothyroxine 200 mcg, 500 mcg RECON SOLUTION DL | 4 | |
| LEVOXYL 100 MCG, 112 MCG, 125 MCG, 137 MCG, 150 MCG, 175 MCG, 200 MCG, 25 MCG, 50 MCG, 75 MCG, 88 MCG TABLET MO | 1 | |
| liothyronine 10 mcg/ml SOLUTION MO | 1 | |
| liothyronine 25 mcg, 5 mcg, 50 mcg TABLET MO | 1 | |
| np thyroid 120 mg, 15 mg, 30 mg, 60 mg, 90 mg TABLET MO | 2 | |
| SYNTHROID 100 MCG, 112 MCG, 125 MCG, 137 MCG, 150 MCG, 175 MCG, 200 MCG, 25 MCG, 300 MCG, 50 MCG, 75 MCG, 88 MCG TABLET MO | 2 | |
| THYQUIDITY 20 MCG/ML SOLUTION MO | 3 | |
| TIROSINT 100 MCG, 112 MCG, 125 MCG, 13 MCG, 137 MCG, 150 MCG, 175 MCG, 200 MCG, 25 MCG, 37.5 MCG, 44 MCG, 50 MCG, 62.5 MCG, 75 MCG, 88 MCG CAPSULE MO | 3 | |
| TIROSINT-SOL 100 MCG/ML, 112 MCG/ML, 125 MCG/ML, 13 MCG/ML, 137 MCG/ML, 150 MCG/ML, 175 MCG/ML, 200 MCG/ML, 25 MCG/ML, 37.5 MCG/ML, 44 MCG/ML, 50 MCG/ML, 62.5 MCG/ML, 75 MCG/ML, 88 MCG/ML SOLUTION MO | 3 | |
| TRIOSTAT 10 MCG/ML SOLUTION MO | 3 | |
| UNITHROID 100 MCG, 112 MCG, 125 MCG, 137 MCG, 150 MCG, 175 MCG, 200 MCG, 25 MCG, 300 MCG, 50 MCG, 75 MCG, 88 MCG TABLET MO | 2 | |
| HORMONAL AGENTS, SUPPRESSANT (ADRENAL) | | |
| ISTURISA 1 MG TABLET DL | 4 | PA,QL(240 per 30 days) |
| ISTURISA 10 MG TABLET DL | 4 | PA,QL(180 per 30 days) |
| ISTURISA 5 MG TABLET DL | 4 | PA,QL(360 per 30 days) |
| LYSODREN 500 MG TABLET DL | 4 | |
| RECORLEV 150 MG TABLET DL | 4 | PA,QL(240 per 30 days) |
| HORMONAL AGENTS, SUPPRESSANT (PITUITARY) | | |
| cabergoline 0.5 mg TABLET MO | 1 | |
| ELIGARD 7.5 MG (1 MONTH) SYRINGE MO | 3 | PA |
| ELIGARD (3 MONTH) 22.5 MG SYRINGE MO | 3 | PA |
| ELIGARD (4 MONTH) 30 MG SYRINGE MO | 3 | PA |
| ELIGARD (6 MONTH) 45 MG SYRINGE MO | 3 | PA |
| FENSOLVI 45 MG SYRINGE | 4 | PA,QL(1 per 180 days) |

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Paxlovid/Vaccine/Diabetic • ST – Step Therapy

| DRUG NAME | TIER | UTILIZATION MANAGEMENT REQUIREMENTS |
|---------------------------------------------------------------------------------------------------|------|-------------------------------------|
| FIRMAGON 120 MG RECON SOLUTION DL | 4 | PA |
| FIRMAGON KIT W DILUENT SYRINGE 120 MG RECON SOLUTION DL | 4 | PA |
| FIRMAGON KIT W DILUENT SYRINGE 80 MG RECON SOLUTION MO | 3 | PA |
| lanreotide 120 mg/0.5 ml SYRINGE DL | 4 | PA,QL(0.5 per 28 days) |
| leuprolide 1 mg/0.2 ml KIT MO | 1 | |
| leuprolide (3 month) 22.5 mg SUSPENSION FOR RECONSTITUTION MO | 3 | PA,QL(1 per 90 days) |
| LUPRON DEPOT 3.75 MG SYRINGE KIT MO | 3 | PA,QL(1 per 30 days) |
| LUPRON DEPOT 7.5 MG SYRINGE KIT DL | 4 | PA,QL(1 per 30 days) |
| LUPRON DEPOT (3 MONTH) 11.25 MG, 22.5 MG SYRINGE KIT MO | 3 | PA,QL(1 per 90 days) |
| LUPRON DEPOT (4 MONTH) 30 MG SYRINGE KIT MO | 3 | PA,QL(1 per 112 days) |
| LUPRON DEPOT (6 MONTH) 45 MG SYRINGE KIT | 4 | PA,QL(1 per 168 days) |
| LUPRON DEPOT-PED 11.25 MG KIT DL | 4 | PA,QL(1 per 28 days) |
| LUPRON DEPOT-PED 15 MG, 7.5 MG (PED) KIT DL | 4 | PA,QL(1 per 28 days) |
| LUPRON DEPOT-PED 45 MG SYRINGE KIT | 4 | PA,QL(1 per 168 days) |
| LUPRON DEPOT-PED (3 MONTH) 11.25 MG, 30 MG SYRINGE KIT | 4 | PA,QL(1 per 90 days) |
| MYCAPSSA 20 MG CAPSULE, DR/EC DL | 4 | PA,QL(112 per 28 days) |
| octreotide acetate 1,000 mcg/ml, 100 mcg/ml, 200 mcg/ml, 50 mcg/ml, 500 mcg/ml SOLUTION MO | 1 | PA |
| octreotide acetate 100 mcg/ml (1 ml), 50 mcg/ml (1 ml), 500 mcg/ml (1 ml) SYRINGE MO | 1 | PA |
| ORGOVYX 120 MG TABLET DL | 4 | PA,QL(32 per 30 days) |
| ORILISSA 150 MG TABLET DL | 4 | PA,QL(28 per 28 days) |
| ORILISSA 200 MG TABLET DL | 4 | PA,QL(56 per 28 days) |
| SANDOSTATIN 100 MCG/ML, 50 MCG/ML, 500 MCG/ML SOLUTION DL | 4 | PA |
| SANDOSTATIN LAR DEPOT 10 MG, 20 MG, 30 MG SUSPENSION, ER, RECON DL | 4 | PA |
| SIGNIFOR 0.3 MG/ML (1 ML), 0.6 MG/ML (1 ML), 0.9 MG/ML (1 ML) SOLUTION DL | 4 | PA,QL(60 per 30 days) |
| SIGNIFOR LAR 10 MG, 20 MG, 30 MG, 40 MG, 60 MG SUSPENSION FOR RECONSTITUTION DL | 4 | PA,QL(1 per 28 days) |
| SOMATULINE DEPOT 120 MG/0.5 ML SYRINGE DL | 4 | PA,QL(0.5 per 28 days) |
| SOMATULINE DEPOT 60 MG/0.2 ML SYRINGE DL | 4 | PA,QL(0.2 per 28 days) |
| SOMATULINE DEPOT 90 MG/0.3 ML SYRINGE DL | 4 | PA,QL(0.3 per 28 days) |
| SOMAVERT 10 MG, 15 MG, 20 MG RECON SOLUTION DL | 4 | PA,QL(60 per 30 days) |

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Paxlovid/Vaccine/Diabetic • ST – Step Therapy

| DRUG NAME | TIER | UTILIZATION MANAGEMENT REQUIREMENTS |
|-----------------------------------------------------------------------------------------|------|-------------------------------------|
| SOMAVERT 25 MG, 30 MG RECON SOLUTION DL | 4 | PA,QL(30 per 30 days) |
| SYNAREL 2 MG/ML SPRAY, NON-AEROSOL DL | 4 | |
| TRELSTAR 11.25 MG, 22.5 MG, 3.75 MG SUSPENSION FOR RECONSTITUTION MO | 3 | PA |
| TRIPTODUR 22.5 MG SUSPENSION FOR RECONSTITUTION | 4 | PA,QL(1 per 168 days) |
| ZOLADEX 10.8 MG IMPLANT MO | 3 | PA,QL(1 per 84 days) |
| ZOLADEX 3.6 MG IMPLANT MO | 3 | PA,QL(1 per 28 days) |
| HORMONAL AGENTS, SUPPRESSANT (THYROID) | | |
| methimazole 10 mg, 5 mg TABLET MO | 1 | |
| propylthiouracil 50 mg TABLET MO | 1 | |
| IMMUNOLOGICAL AGENTS | | |
| ABRILADA(CF) 20 MG/0.4 ML SYRINGE KIT DL | 4 | PA,QL(2 per 28 days) |
| ABRILADA(CF) 40 MG/0.8 ML SYRINGE KIT DL | 4 | PA,QL(6 per 28 days) |
| ABRILADA(CF) PEN 40 MG/0.8 ML PEN INJECTOR KIT DL | 4 | PA,QL(6 per 28 days) |
| ABRYNSVO 120 MCG/0.5 ML RECON SOLUTION \$0,DL | 1 | |
| ACTEMRA 162 MG/0.9 ML SYRINGE DL | 4 | PA,QL(3.6 per 28 days) |
| ACTEMRA ACTPEN 162 MG/0.9 ML PEN INJECTOR DL | 4 | PA,QL(3.6 per 28 days) |
| ACTHIB (PF) 10 MCG/0.5 ML RECON SOLUTION \$0,DL | 1 | |
| ACTIMMUNE 100 MCG/0.5 ML SOLUTION DL | 4 | PA |
| ADACEL(TDAP ADOLESN/ADULT)(PF) 2 LF-(2.5-5-3-5 MCG)-5LF/0.5 ML SUSPENSION \$0,DL | 1 | |
| ADACEL(TDAP ADOLESN/ADULT)(PF) 2 LF-(2.5-5-3-5 MCG)-5LF/0.5 ML SYRINGE \$0,DL | 1 | |
| ADALIMUMAB-AACF 40 MG/0.8 ML PEN INJECTOR KIT DL | 4 | PA,QL(6 per 28 days) |
| ADALIMUMAB-AATY 20 MG/0.2 ML, 40 MG/0.4 ML SYRINGE KIT DL | 4 | PA,QL(6 per 28 days) |
| ADALIMUMAB-AATY 40 MG/0.4 ML, 80 MG/0.8 ML AUTO-INJECTOR, KIT DL | 4 | PA,QL(6 per 28 days) |
| ADALIMUMAB-ADAZ 40 MG/0.4 ML PEN INJECTOR DL | 4 | PA,QL(2.4 per 28 days) |
| ADALIMUMAB-ADAZ 40 MG/0.4 ML SYRINGE DL | 4 | PA,QL(2.4 per 28 days) |
| ADALIMUMAB-ADBM 10 MG/0.2 ML, 20 MG/0.4 ML SYRINGE KIT DL | 4 | PA,QL(2 per 28 days) |
| ADALIMUMAB-ADBM 40 MG/0.8 ML PEN INJECTOR KIT DL | 4 | PA,QL(6 per 28 days) |
| ADALIMUMAB-ADBM 40 MG/0.8 ML SYRINGE KIT DL | 4 | PA,QL(6 per 28 days) |
| ADALIMUMAB-ADBM(CF) PEN CROHNS 40 MG/0.8 ML PEN INJECTOR KIT DL | 4 | PA,QL(6 per 28 days) |
| ADALIMUMAB-ADBM(CF) PEN PS-UV 40 MG/0.8 ML PEN INJECTOR KIT DL | 4 | PA,QL(6 per 28 days) |

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Paxlovid/Vaccine/Diabetic • ST – Step Therapy

| DRUG NAME | TIER | UTILIZATION MANAGEMENT REQUIREMENTS |
|------------------------------------------------------------------------------|------|-------------------------------------|
| ADALIMUMAB-FKJP 20 MG/0.4 ML SYRINGE KIT DL | 4 | PA,QL(2 per 28 days) |
| ADALIMUMAB-FKJP 40 MG/0.8 ML PEN INJECTOR KIT DL | 4 | PA,QL(6 per 28 days) |
| ADALIMUMAB-FKJP 40 MG/0.8 ML SYRINGE KIT DL | 4 | PA,QL(6 per 28 days) |
| ADBRY 150 MG/ML SYRINGE DL | 4 | PA,QL(6 per 28 days) |
| ALYGLO 10 % SOLUTION DL | 4 | PA |
| AMJEVITA(CF) 10 MG/0.2 ML, 20 MG/0.2 ML SYRINGE DL | 4 | PA,QL(1.2 per 28 days) |
| AMJEVITA(CF) 20 MG/0.4 ML, 40 MG/0.4 ML SYRINGE DL | 4 | PA,QL(2.4 per 28 days) |
| AMJEVITA(CF) 40 MG/0.8 ML SYRINGE DL | 4 | PA,QL(4.8 per 28 days) |
| AMJEVITA(CF) AUTOINJECTOR 40 MG/0.4 ML AUTO-INJECTOR DL | 4 | PA,QL(2.4 per 28 days) |
| AMJEVITA(CF) AUTOINJECTOR 40 MG/0.8 ML, 80 MG/0.8 ML AUTO-INJECTOR DL | 4 | PA,QL(4.8 per 28 days) |
| ARAVA 10 MG, 20 MG TABLET DL | 4 | PA,QL(30 per 30 days) |
| ARCALYST 220 MG RECON SOLUTION DL | 4 | PA |
| AREXVY (PF) 120 MCG/0.5 ML SUSPENSION FOR RECONSTITUTION \$0,DL | 1 | |
| ASCENIV 10 % SOLUTION DL | 4 | PA |
| ASTAGRAF XL 0.5 MG, 1 MG, 5 MG CAPSULE, ER 24 HR. MO | 3 | BvsD |
| ATGAM 50 MG/ML SOLUTION DL | 4 | PA |
| AVSOLA 100 MG RECON SOLUTION DL | 4 | PA |
| AZASAN 100 MG, 75 MG TABLET MO | 1 | BvsD |
| azathioprine 100 mg, 50 mg, 75 mg TABLET MO | 1 | BvsD |
| azathioprine sodium 100 mg RECON SOLUTION MO | 1 | BvsD |
| BCG VACCINE, LIVE (PF) 50 MG SUSPENSION FOR RECONSTITUTION \$0,DL | 1 | |
| BENLYSTA 120 MG RECON SOLUTION DL | 4 | PA,QL(20 per 28 days) |
| BENLYSTA 200 MG/ML AUTO-INJECTOR DL | 4 | PA,QL(8 per 28 days) |
| BENLYSTA 200 MG/ML SYRINGE DL | 4 | PA,QL(8 per 28 days) |
| BENLYSTA 400 MG RECON SOLUTION DL | 4 | PA,QL(6 per 28 days) |
| BERINERT 500 UNIT (10 ML) KIT DL | 4 | PA,QL(15 per 30 days) |
| BERINERT 500 UNIT (10 ML) RECON SOLUTION DL | 4 | PA,QL(15 per 30 days) |
| BESREMI 500 MCG/ML SYRINGE DL | 4 | PA,QL(2 per 28 days) |
| BEXSERO 50-50-50-25 MCG/0.5 ML SYRINGE \$0,DL | 1 | |
| BIMZELX 160 MG/ML SYRINGE DL | 4 | PA,QL(2 per 28 days) |
| BIMZELX AUTOINJECTOR 160 MG/ML AUTO-INJECTOR DL | 4 | PA,QL(2 per 28 days) |

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Paxlovid/Vaccine/Diabetic • ST – Step Therapy

| DRUG NAME | TIER | UTILIZATION MANAGEMENT REQUIREMENTS |
|---------------------------------------------------------------------------------|------|-------------------------------------|
| BIVIGAM 10 % SOLUTION DL | 4 | PA |
| BOOSTRIX TDAP 2.5-8-5 LF-MCG-LF/0.5ML SUSPENSION \$0,DL | 1 | |
| BOOSTRIX TDAP 2.5-8-5 LF-MCG-LF/0.5ML SYRINGE \$0,DL | 1 | |
| CELLCEPT 200 MG/ML SUSPENSION FOR RECONSTITUTION | 4 | BvsD |
| CELLCEPT 250 MG CAPSULE | 4 | BvsD |
| CELLCEPT 500 MG TABLET | 4 | BvsD |
| CELLCEPT INTRAVENOUS 500 MG RECON SOLUTION MO | 3 | BvsD |
| CIBINQO 100 MG, 200 MG, 50 MG TABLET DL | 4 | PA,QL(30 per 30 days) |
| CIMZIA 400 MG/2 ML (200 MG/ML X 2) SYRINGE KIT DL | 4 | PA,QL(3 per 30 days) |
| CIMZIA POWDER FOR RECONST 400 MG (200 MG X 2 VIALS) KIT DL | 4 | PA,QL(3 per 30 days) |
| CIMZIA STARTER KIT 400 MG/2 ML (200 MG/ML X 2) SYRINGE KIT DL | 4 | PA,QL(3 per 30 days) |
| CINRYZE 500 UNIT (5 ML) RECON SOLUTION DL | 4 | PA,QL(20 per 30 days) |
| COSENTYX 150 MG/ML SYRINGE DL | 4 | PA,QL(8 per 28 days) |
| COSENTYX 25 MG/ML SOLUTION DL | 4 | PA |
| COSENTYX 75 MG/0.5 ML SYRINGE DL | 4 | PA,QL(2 per 28 days) |
| COSENTYX (2 SYRINGES) 150 MG/ML SYRINGE DL | 4 | PA,QL(8 per 28 days) |
| COSENTYX PEN 150 MG/ML PEN INJECTOR DL | 4 | PA,QL(8 per 28 days) |
| COSENTYX PEN (2 PENS) 150 MG/ML PEN INJECTOR DL | 4 | PA,QL(8 per 28 days) |
| COSENTYX UNOREADY PEN 300 MG/2 ML (150 MG/ML) PEN INJECTOR DL | 4 | PA,QL(8 per 28 days) |
| CUTAQUIG 16.5 % SOLUTION DL | 4 | PA |
| cyclosporine 100 mg, 25 mg CAPSULE MO | 1 | BvsD |
| cyclosporine modified 100 mg, 25 mg, 50 mg CAPSULE MO | 1 | BvsD |
| cyclosporine modified 100 mg/ml SOLUTION MO | 1 | BvsD |
| CYLTEZO(CF) 10 MG/0.2 ML, 20 MG/0.4 ML SYRINGE KIT DL | 4 | PA,QL(2 per 28 days) |
| CYLTEZO(CF) 40 MG/0.8 ML SYRINGE KIT DL | 4 | PA,QL(6 per 28 days) |
| CYLTEZO(CF) PEN 40 MG/0.8 ML PEN INJECTOR KIT DL | 4 | PA,QL(6 per 28 days) |
| CYLTEZO(CF) PEN CROHN'S-UC-HS 40 MG/0.8 ML PEN INJECTOR KIT DL | 4 | PA,QL(6 per 28 days) |
| CYLTEZO(CF) PEN PSORIASIS-UV 40 MG/0.8 ML PEN INJECTOR KIT DL | 4 | PA,QL(6 per 28 days) |
| CYTOGAM 50 MG/ML SOLUTION DL | 4 | PA |
| DAPTACEL (DTAP PEDIATRIC) (PF) 15-10-5 LF-MCG-LF/0.5ML SUSPENSION \$0,DL | 1 | |
| DENGVAXIA (PF) 10EXP4.5-6 CCID50/0.5 ML SUSPENSION FOR RECONSTITUTION DL | 1 | |

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Paxlovid/Vaccine/Diabetic • ST – Step Therapy

| DRUG NAME | TIER | UTILIZATION MANAGEMENT REQUIREMENTS |
|--------------------------------------------------------------------------------------------------------------------|------|-------------------------------------|
| DUPIXENT PEN 200 MG/1.14 ML PEN INJECTOR DL | 4 | PA,QL(3.42 per 28 days) |
| DUPIXENT PEN 300 MG/2 ML PEN INJECTOR DL | 4 | PA,QL(8 per 28 days) |
| DUPIXENT SYRINGE 100 MG/0.67 ML SYRINGE DL | 4 | PA,QL(1.34 per 28 days) |
| DUPIXENT SYRINGE 200 MG/1.14 ML SYRINGE DL | 4 | PA,QL(3.42 per 28 days) |
| DUPIXENT SYRINGE 300 MG/2 ML SYRINGE DL | 4 | PA,QL(8 per 28 days) |
| ENBREL 25 MG (1 ML) RECON SOLUTION DL | 4 | PA,QL(8 per 28 days) |
| ENBREL 25 MG/0.5 ML (0.5), 50 MG/ML (1 ML) SYRINGE DL | 4 | PA,QL(8 per 28 days) |
| ENBREL 25 MG/0.5 ML SOLUTION DL | 4 | PA,QL(8 per 28 days) |
| ENBREL MINI 50 MG/ML (1 ML) CARTRIDGE DL | 4 | PA,QL(8 per 28 days) |
| ENBREL SURECLICK 50 MG/ML (1 ML) PEN INJECTOR DL | 4 | PA,QL(8 per 28 days) |
| ENGERIX-B (PF) 20 MCG/ML SUSPENSION \$0,DL | 1 | BvsD |
| ENGERIX-B (PF) 20 MCG/ML SYRINGE \$0,DL | 1 | BvsD |
| ENGERIX-B PEDIATRIC (PF) 10 MCG/0.5 ML SYRINGE \$0,DL | 1 | BvsD |
| ENJAYMO 50 MG/ML SOLUTION DL | 4 | PA |
| ENSPRYNG 120 MG/ML SYRINGE DL | 4 | PA,QL(2 per 28 days) |
| ENTYVIO 300 MG RECON SOLUTION | 4 | PA,QL(8 per 365 days) |
| ENTYVIO PEN 108 MG/0.68 ML PEN INJECTOR DL | 4 | PA,QL(1.36 per 28 days) |
| ENVARSUS XR 0.75 MG, 1 MG TABLET, ER 24 HR. MO | 3 | PA |
| ENVARSUS XR 4 MG TABLET, ER 24 HR. DL | 3 | PA |
| everolimus (immunosuppressive) 0.25 mg TABLET MO | 1 | BvsD,QL(60 per 30 days) |
| everolimus (immunosuppressive) 0.5 mg TABLET | 4 | BvsD,QL(120 per 30 days) |
| everolimus (immunosuppressive) 0.75 mg TABLET | 4 | BvsD,QL(60 per 30 days) |
| everolimus (immunosuppressive) 1 mg TABLET DL | 4 | BvsD,QL(60 per 30 days) |
| FABHALTA 200 MG CAPSULE DL | 4 | PA,QL(60 per 30 days) |
| FIRAZYR 30 MG/3 ML SYRINGE DL | 4 | PA,QL(18 per 30 days) |
| FLEBOGAMMA DIF 10 %, 5 % SOLUTION DL | 4 | PA |
| GAMASTAN 15-18 % RANGE SOLUTION MO | 3 | PA |
| GAMIFANT 5 MG/ML SOLUTION DL | 4 | PA |
| GAMMAGARD LIQUID 10 % SOLUTION DL | 4 | PA |
| GAMMAGARD S-D (IGA < 1 MCG/ML) 10 GRAM, 5 GRAM RECON SOLUTION DL | 4 | PA |
| GAMMAKED 1 GRAM/10 ML (10 %), 10 GRAM/100 ML (10 %), 20 GRAM/200 ML (10 %), 5 GRAM/50 ML (10 %) SOLUTION DL | 4 | PA |

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Paxlovid/Vaccine/Diabetic • ST – Step Therapy

| DRUG NAME | TIER | UTILIZATION MANAGEMENT REQUIREMENTS |
|----------------------------------------------------------------------------------------------------------------------------------------------|------|-------------------------------------|
| GAMMAPLEX 10 % SOLUTION DL | 4 | PA |
| GAMMAPLEX (WITH SORBITOL) 5 % SOLUTION DL | 4 | PA |
| GAMUNEX-C 1 GRAM/10 ML (10 %) SOLUTION DL | 4 | PA |
| GAMUNEX-C 10 GRAM/100 ML (10 %), 2.5 GRAM/25 ML (10 %), 20 GRAM/200 ML (10 %), 40 GRAM/400 ML (10 %), 5 GRAM/50 ML (10 %) SOLUTION DL | 4 | PA |
| GARDASIL 9 (PF) 0.5 ML SUSPENSION \$0,DL | 1 | |
| GARDASIL 9 (PF) 0.5 ML SYRINGE \$0,DL | 1 | |
| gengraf 100 mg, 25 mg CAPSULE MO | 1 | BvsD |
| gengraf 100 mg/ml SOLUTION MO | 1 | BvsD |
| HADLIMA 40 MG/0.8 ML SYRINGE DL | 4 | PA,QL(4.8 per 28 days) |
| HADLIMA PUSHTOUCH 40 MG/0.8 ML AUTO-INJECTOR DL | 4 | PA,QL(4.8 per 28 days) |
| HADLIMA(CF) 40 MG/0.4 ML SYRINGE DL | 4 | PA,QL(2.4 per 28 days) |
| HADLIMA(CF) PUSHTOUCH 40 MG/0.4 ML AUTO-INJECTOR DL | 4 | PA,QL(2.4 per 28 days) |
| HAEGARDA 2,000 UNIT, 3,000 UNIT RECON SOLUTION DL | 4 | PA,QL(24 per 28 days) |
| HAVRIX (PF) 1,440 ELISA UNIT/ML, 720 ELISA UNIT/0.5 ML SYRINGE \$0,DL | 1 | |
| HEPLISAV-B (PF) 20 MCG/0.5 ML SYRINGE \$0,DL | 1 | BvsD |
| HIBERIX (PF) 10 MCG/0.5 ML RECON SOLUTION \$0,DL | 1 | |
| HIZENTRA 1 GRAM/5 ML (20 %), 10 GRAM/50 ML (20 %), 2 GRAM/10 ML (20 %), 4 GRAM/20 ML (20 %) SOLUTION DL | 4 | PA |
| HIZENTRA 1 GRAM/5 ML (20 %), 10 GRAM/50 ML (20 %), 2 GRAM/10 ML (20 %), 4 GRAM/20 ML (20 %) SYRINGE DL | 4 | PA |
| HULIO(CF) 20 MG/0.4 ML SYRINGE KIT DL | 4 | PA,QL(2 per 28 days) |
| HULIO(CF) 40 MG/0.8 ML SYRINGE KIT DL | 4 | PA,QL(6 per 28 days) |
| HULIO(CF) PEN 40 MG/0.8 ML PEN INJECTOR KIT DL | 4 | PA,QL(6 per 28 days) |
| HUMIRA 40 MG/0.8 ML SYRINGE KIT DL | 4 | PA,QL(6 per 28 days) |
| HUMIRA PEN 40 MG/0.8 ML PEN INJECTOR KIT DL | 4 | PA,QL(6 per 28 days) |
| HUMIRA PEN CROHNS-UC-HS START 40 MG/0.8 ML PEN INJECTOR KIT DL | 4 | PA,QL(6 per 28 days) |
| HUMIRA PEN PSOR-UVEITS-ADOL HS 40 MG/0.8 ML PEN INJECTOR KIT DL | 4 | PA,QL(6 per 28 days) |
| HUMIRA(CF) 10 MG/0.1 ML SYRINGE KIT DL | 4 | PA,QL(2 per 28 days) |
| HUMIRA(CF) 20 MG/0.2 ML, 40 MG/0.4 ML SYRINGE KIT DL | 4 | PA,QL(6 per 28 days) |
| HUMIRA(CF) PEDI CROHNS STARTER 80 MG/0.8 ML, 80 MG/0.8 ML-40 MG/0.4 ML SYRINGE KIT DL | 4 | PA,QL(6 per 28 days) |

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Paxlovid/Vaccine/Diabetic • ST – Step Therapy

| DRUG NAME | TIER | UTILIZATION MANAGEMENT REQUIREMENTS |
|--------------------------------------------------------------------------------------|------|-------------------------------------|
| HUMIRA(CF) PEN 40 MG/0.4 ML, 80 MG/0.8 ML PEN INJECTOR KIT DL | 4 | PA,QL(6 per 28 days) |
| HUMIRA(CF) PEN CROHNS-UC-HS 80 MG/0.8 ML PEN INJECTOR KIT DL | 4 | PA,QL(6 per 28 days) |
| HUMIRA(CF) PEN PEDIATRIC UC 80 MG/0.8 ML PEN INJECTOR KIT DL | 4 | PA,QL(6 per 28 days) |
| HUMIRA(CF) PEN PSOR-UV-ADOL HS 80 MG/0.8 ML-40 MG/0.4 ML PEN INJECTOR KIT DL | 4 | PA,QL(6 per 28 days) |
| HYPERRAB (PF) 300 UNIT/ML SOLUTION DL | 4 | BvsD |
| HYPERTET (PF) 250 UNIT/ML SYRINGE DL | 3 | BvsD |
| HYRIMOZ PEN CROHN'S-UC STARTER 80 MG/0.8 ML PEN INJECTOR DL | 4 | PA,QL(4.8 per 28 days) |
| HYRIMOZ PEN PSORIASIS STARTER 80MG/0.8ML(X1)- 40 MG/0.4ML(X2) PEN INJECTOR DL | 4 | PA,QL(3.2 per 28 days) |
| HYRIMOZ(CF) 10 MG/0.1 ML SYRINGE DL | 4 | PA,QL(0.2 per 28 days) |
| HYRIMOZ(CF) 20 MG/0.2 ML SYRINGE DL | 4 | PA,QL(1.2 per 28 days) |
| HYRIMOZ(CF) 40 MG/0.4 ML SYRINGE DL | 4 | PA,QL(2.4 per 28 days) |
| HYRIMOZ(CF) PEDI CROHN STARTER 80 MG/0.8 ML SYRINGE DL | 4 | PA,QL(4.8 per 28 days) |
| HYRIMOZ(CF) PEDI CROHN STARTER 80 MG/0.8 ML- 40 MG/0.4 ML SYRINGE DL | 4 | PA,QL(3.6 per 28 days) |
| HYRIMOZ(CF) PEN 40 MG/0.4 ML PEN INJECTOR DL | 4 | PA,QL(2.4 per 28 days) |
| HYRIMOZ(CF) PEN 80 MG/0.8 ML PEN INJECTOR DL | 4 | PA,QL(4.8 per 28 days) |
| icatibant 30 mg/3 mL SYRINGE DL | 4 | PA,QL(18 per 30 days) |
| IDACIO(CF) 40 MG/0.8 ML SYRINGE KIT DL | 4 | PA,QL(6 per 28 days) |
| IDACIO(CF) PEN 40 MG/0.8 ML PEN INJECTOR KIT DL | 4 | PA,QL(6 per 28 days) |
| IDACIO(CF) PEN CROHN-UC STARTR 40 MG/0.8 ML PEN INJECTOR KIT DL | 4 | PA,QL(6 per 28 days) |
| IDACIO(CF) PEN PSORIASIS START 40 MG/0.8 ML PEN INJECTOR KIT DL | 4 | PA,QL(6 per 28 days) |
| ILUMYA 100 MG/ML SYRINGE | 4 | PA,QL(6 per 365 days) |
| IMOGAM RABIES-HT (PF) 150 UNIT/ML SOLUTION DL | 3 | BvsD |
| IMOVAX RABIES VACCINE (PF) 2.5 UNIT RECON SOLUTION \$0,DL | 1 | BvsD |
| IMURAN 50 MG TABLET MO | 3 | PA |
| INFANRIX (DTAP) (PF) 25-58-10 LF-MCG-LF/0.5ML SYRINGE \$0,DL | 1 | |
| INFLECTRA 100 MG RECON SOLUTION DL | 4 | PA |
| INFLIXIMAB 100 MG RECON SOLUTION DL | 4 | PA |
| INTRON A 10 MILLION UNIT (1 ML), 18 MILLION UNIT (1 ML) RECON SOLUTION MO | 3 | PA |
| INTRON A 50 MILLION UNIT (1 ML) RECON SOLUTION MO | 2 | PA |

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Paxlovid/Vaccine/Diabetic • ST – Step Therapy

| DRUG NAME | TIER | UTILIZATION MANAGEMENT REQUIREMENTS |
|------------------------------------------------------------------|------|-------------------------------------|
| IPOL 40-8-32 UNIT/0.5 ML SUSPENSION \$0,DL | 1 | |
| IXCHIQ 1,000 TCID50/0.5 ML RECON SOLUTION DL | 1 | |
| IXIARO (PF) 6 MCG/0.5 ML SYRINGE \$0,DL | 1 | |
| JYNNEOS (PF) 0.5X TO 3.95X 10EXP8 UNIT/0.5 SUSPENSION \$0,DL | 1 | |
| KEDRAB (PF) 150 UNIT/ML SOLUTION DL | 4 | BvsD |
| KEVZARA 150 MG/1.14 ML, 200 MG/1.14 ML PEN INJECTOR DL | 4 | PA,QL(2.28 per 28 days) |
| KEVZARA 150 MG/1.14 ML, 200 MG/1.14 ML SYRINGE DL | 4 | PA,QL(2.28 per 28 days) |
| KINERET 100 MG/0.67 ML SYRINGE DL | 4 | PA,QL(20.1 per 30 days) |
| KINRIX (PF) 25 LF-58 MCG-10 LF/0.5 ML SYRINGE \$0,DL | 1 | |
| leflunomide 10 mg, 20 mg TABLET MO | 1 | QL(30 per 30 days) |
| LUPKYNIS 7.9 MG CAPSULE DL | 4 | PA,QL(180 per 30 days) |
| M-M-R II (PF) 1,000-12,500 TCID50/0.5 ML RECON SOLUTION \$0,DL | 1 | |
| MENACTRA (PF) 4 MCG/0.5 ML SOLUTION \$0,DL | 1 | |
| MENQUADFI (PF) 10 MCG/0.5 ML SOLUTION \$0,DL | 1 | |
| MENVEO A-C-Y-W-135-DIP (PF) 10-5 MCG/0.5 ML KIT \$0,DL | 1 | |
| MENVEO A-C-Y-W-135-DIP (PF) 10-5 MCG/0.5 ML SOLUTION \$0,DL | 1 | |
| methotrexate sodium 2.5 mg TABLET MO | 1 | BvsD |
| methotrexate sodium 25 mg/ml SOLUTION MO | 1 | |
| methotrexate sodium (pf) 1 gram RECON SOLUTION MO | 1 | |
| methotrexate sodium (pf) 25 mg/ml SOLUTION MO | 1 | |
| MONJUVI 200 MG RECON SOLUTION DL | 4 | PA |
| mycophenolate mofetil 200 mg/ml SUSPENSION FOR RECONSTITUTION MO | 1 | BvsD |
| mycophenolate mofetil 250 mg CAPSULE MO | 1 | BvsD |
| mycophenolate mofetil 500 mg TABLET MO | 1 | BvsD |
| mycophenolate mofetil (hcl) 500 mg RECON SOLUTION MO | 1 | BvsD |
| mycophenolate sodium 180 mg, 360 mg TABLET, DR/EC MO | 1 | BvsD |
| MYFORTIC 180 MG TABLET, DR/EC MO | 3 | BvsD |
| MYFORTIC 360 MG TABLET, DR/EC | 4 | BvsD |
| NEORAL 100 MG, 25 MG CAPSULE MO | 3 | BvsD |
| NEORAL 100 MG/ML SOLUTION MO | 3 | BvsD |
| OCTAGAM 10 %, 5 % SOLUTION DL | 4 | PA |
| OLUMIANT 1 MG, 2 MG, 4 MG TABLET DL | 4 | PA,QL(30 per 30 days) |

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Paxlovid/Vaccine/Diabetic • ST – Step Therapy

| DRUG NAME | TIER | UTILIZATION MANAGEMENT REQUIREMENTS |
|---------------------------------------------------------------------------------------------------------------------------------------------|------|-------------------------------------|
| OMVOH 300 MG/15 ML (20 MG/ML) SOLUTION DL | 4 | PA |
| OMVOH PEN 100 MG/ML PEN INJECTOR DL | 4 | PA,QL(2 per 28 days) |
| ORENCIA 125 MG/ML SYRINGE DL | 4 | PA,QL(4 per 28 days) |
| ORENCIA 50 MG/0.4 ML SYRINGE DL | 4 | PA,QL(1.6 per 28 days) |
| ORENCIA 87.5 MG/0.7 ML SYRINGE DL | 4 | PA,QL(2.8 per 28 days) |
| ORENCIA CLICKJECT 125 MG/ML AUTO-INJECTOR DL | 4 | PA,QL(4 per 28 days) |
| ORLADEYO 110 MG, 150 MG CAPSULE DL | 4 | PA,QL(28 per 28 days) |
| OTREXUP (PF) 10 MG/0.4 ML, 12.5 MG/0.4 ML, 15 MG/0.4 ML, 17.5 MG/0.4 ML, 20 MG/0.4 ML, 22.5 MG/0.4 ML, 25 MG/0.4 ML AUTO-INJECTOR MO | 3 | PA,QL(1.6 per 28 days) |
| PANZYGA 10 % SOLUTION DL | 4 | PA |
| PEDIARIX (PF) 10 MCG-25LF-25 MCG-10LF/0.5 ML SYRINGE \$0,DL | 1 | |
| PEDVAX HIB (PF) 7.5 MCG/0.5 ML SOLUTION \$0,DL | 1 | |
| PEGASYS 180 MCG/0.5 ML SYRINGE DL | 4 | PA,QL(2 per 28 days) |
| PEGASYS 180 MCG/ML SOLUTION DL | 4 | PA,QL(4 per 28 days) |
| PENBRAYA (PF) 5-120 MCG/0.5 ML KIT \$0,DL | 1 | |
| PENTACEL (PF) 15 LF UNIT-20 MCG-5 LF/0.5 ML, 15LF-48MCG-62DU -10 MCG/0.5ML KIT \$0,DL | 1 | |
| PREHEVBRIOS (PF) 10 MCG/ML SUSPENSION \$0,DL | 1 | BvsD |
| PRIORIX (PF) 10EXP3.4-4.2- 3.3CCID50/0.5ML SUSPENSION FOR RECONSTITUTION \$0,DL | 1 | |
| PRIVIGEN 10 % SOLUTION DL | 4 | PA |
| PROGRAF 0.2 MG, 1 MG GRANULES IN PACKET MO | 3 | BvsD |
| PROGRAF 0.5 MG, 1 MG, 5 MG CAPSULE MO | 3 | BvsD |
| PROQUAD (PF) 10EXP3-4.3-3- 3.99 TCID50/0.5 SUSPENSION FOR RECONSTITUTION \$0,DL | 1 | |
| QUADRACEL (PF) 15 LF-48 MCG- 5 LF UNIT/0.5ML SUSPENSION \$0,DL | 1 | |
| QUADRACEL (PF) 15 LF-48 MCG- 5 LF UNIT/0.5ML SYRINGE \$0,DL | 1 | |
| RABAVERT (PF) 2.5 UNIT SUSPENSION FOR RECONSTITUTION \$0,DL | 1 | BvsD |
| RAPAMUNE 0.5 MG, 1 MG, 2 MG TABLET | 4 | BvsD |
| RAPAMUNE 1 MG/ML SOLUTION | 4 | BvsD |
| RASUVO (PF) 10 MG/0.2 ML AUTO-INJECTOR MO | 3 | PA,QL(0.8 per 28 days) |
| RASUVO (PF) 12.5 MG/0.25 ML AUTO-INJECTOR MO | 3 | PA,QL(1 per 28 days) |
| RASUVO (PF) 15 MG/0.3 ML AUTO-INJECTOR MO | 3 | PA,QL(1.2 per 28 days) |

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Paxlovid/Vaccine/Diabetic • ST – Step Therapy

| DRUG NAME | TIER | UTILIZATION MANAGEMENT REQUIREMENTS |
|--------------------------------------------------------------------------------|------|-------------------------------------|
| RASUVO (PF) 17.5 MG/0.35 ML AUTO-INJECTOR MO | 3 | PA,QL(1.4 per 28 days) |
| RASUVO (PF) 20 MG/0.4 ML AUTO-INJECTOR MO | 3 | PA,QL(1.6 per 28 days) |
| RASUVO (PF) 22.5 MG/0.45 ML AUTO-INJECTOR MO | 3 | PA,QL(1.8 per 28 days) |
| RASUVO (PF) 25 MG/0.5 ML AUTO-INJECTOR MO | 3 | PA,QL(2 per 28 days) |
| RASUVO (PF) 30 MG/0.6 ML AUTO-INJECTOR MO | 3 | PA,QL(2.4 per 28 days) |
| RASUVO (PF) 7.5 MG/0.15 ML AUTO-INJECTOR MO | 3 | PA,QL(0.6 per 28 days) |
| RECOMBIVAX HB (PF) 10 MCG/ML, 40 MCG/ML, 5 MCG/0.5 ML SUSPENSION \$0,DL | 1 | BvsD |
| RECOMBIVAX HB (PF) 10 MCG/ML, 5 MCG/0.5 ML SYRINGE \$0,DL | 1 | BvsD |
| REDITREX (PF) 10 MG/0.4 ML SYRINGE MO | 3 | PA,QL(1.6 per 28 days) |
| REDITREX (PF) 12.5 MG/0.5 ML SYRINGE MO | 3 | PA,QL(2 per 28 days) |
| REDITREX (PF) 15 MG/0.6 ML SYRINGE MO | 3 | PA,QL(2.4 per 28 days) |
| REDITREX (PF) 17.5 MG/0.7 ML SYRINGE MO | 3 | PA,QL(2.8 per 28 days) |
| REDITREX (PF) 20 MG/0.8 ML SYRINGE MO | 3 | PA,QL(3.2 per 28 days) |
| REDITREX (PF) 22.5 MG/0.9 ML SYRINGE MO | 3 | PA,QL(3.6 per 28 days) |
| REDITREX (PF) 25 MG/ML SYRINGE MO | 3 | PA,QL(4 per 28 days) |
| REDITREX (PF) 7.5 MG/0.3 ML SYRINGE MO | 3 | PA,QL(1.2 per 28 days) |
| REMICADE 100 MG RECON SOLUTION DL | 4 | PA |
| RENFLEXIS 100 MG RECON SOLUTION DL | 4 | PA |
| REZUROCK 200 MG TABLET DL | 4 | PA,QL(30 per 30 days) |
| RHOPHYLAC 1,500 UNIT (300 MCG)/2 ML SYRINGE MO | 3 | |
| RIDAURA 3 MG CAPSULE DL | 4 | PA |
| RINVOQ 15 MG, 30 MG TABLET, ER 24 HR. DL | 4 | PA,QL(30 per 30 days) |
| RINVOQ 45 MG TABLET, ER 24 HR. DL | 4 | PA,QL(168 per 365 days) |
| ROTARIX 10EXP6 CCID50 /1.5 ML SUSPENSION \$0,DL | 1 | |
| ROTARIX 10EXP6 CCID50/ML SUSPENSION FOR RECONSTITUTION \$0,DL | 1 | |
| ROTATEQ VACCINE 2 ML SOLUTION \$0,DL | 1 | |
| RUCONEST 2,100 UNIT RECON SOLUTION DL | 4 | PA,QL(8 per 28 days) |
| RYSTIGGO 140 MG/ML SOLUTION DL | 4 | PA |
| sajazir 30 mg/3 ml SYRINGE DL | 4 | PA,QL(18 per 30 days) |
| SANDIMMUNE 100 MG, 25 MG CAPSULE MO | 3 | BvsD |
| SANDIMMUNE 100 MG/ML SOLUTION MO | 3 | BvsD |

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Paxlovid/Vaccine/Diabetic • ST – Step Therapy

| DRUG NAME | TIER | UTILIZATION MANAGEMENT REQUIREMENTS |
|-------------------------------------------------------------------------|------|-------------------------------------|
| SAPHNELO 300 MG/2 ML (150 MG/ML) SOLUTION DL | 4 | PA,QL(2 per 28 days) |
| SHINGRIX (PF) 50 MCG/0.5 ML SUSPENSION FOR RECONSTITUTION \$0,DL | 1 | |
| SILIQ 210 MG/1.5 ML SYRINGE DL | 4 | PA,QL(6 per 28 days) |
| SIMLANDI(CF) AUTOINJECTOR 40 MG/0.4 ML AUTO-INJECTOR, KIT DL | 4 | PA,QL(6 per 28 days) |
| SIMPONI 100 MG/ML PEN INJECTOR DL | 4 | PA,QL(3 per 28 days) |
| SIMPONI 100 MG/ML SYRINGE DL | 4 | PA,QL(3 per 28 days) |
| SIMPONI 50 MG/0.5 ML PEN INJECTOR DL | 4 | PA,QL(0.5 per 30 days) |
| SIMPONI 50 MG/0.5 ML SYRINGE DL | 4 | PA,QL(0.5 per 30 days) |
| SIMPONI ARIA 12.5 MG/ML SOLUTION DL | 4 | PA,QL(20 per 28 days) |
| SIMULECT 10 MG, 20 MG RECON SOLUTION DL | 4 | BvsD |
| sirolimus 0.5 mg, 1 mg, 2 mg TABLET MO | 1 | BvsD |
| sirolimus 1 mg/ml SOLUTION MO | 1 | BvsD |
| SKYRIZI 150 MG/ML PEN INJECTOR | 4 | PA,QL(6 per 365 days) |
| SKYRIZI 150 MG/ML SYRINGE | 4 | PA,QL(6 per 365 days) |
| SKYRIZI 180 MG/1.2 ML (150 MG/ML) WEARABLE INJECTOR DL | 4 | PA,QL(8.4 per 365 days) |
| SKYRIZI 360 MG/2.4 ML (150 MG/ML) WEARABLE INJECTOR DL | 4 | PA,QL(16.8 per 365 days) |
| SKYRIZI 60 MG/ML SOLUTION DL | 4 | PA,QL(30 per 365 days) |
| SOLIRIS 300 MG/30 ML SOLUTION DL | 4 | PA |
| SOTYKTU 6 MG TABLET DL | 4 | PA,QL(30 per 30 days) |
| SPEVIGO 150 MG/ML SYRINGE DL | 4 | PA,QL(4 per 28 days) |
| SPEVIGO 60 MG/ML SOLUTION DL | 4 | PA,QL(30 per 84 days) |
| STELARA 130 MG/26 ML SOLUTION DL | 4 | PA,QL(104 per 30 days) |
| STELARA 45 MG/0.5 ML SOLUTION DL | 4 | PA,QL(1.5 per 84 days) |
| STELARA 45 MG/0.5 ML SYRINGE DL | 4 | PA,QL(1.5 per 84 days) |
| STELARA 90 MG/ML SYRINGE DL | 4 | PA,QL(3 per 84 days) |
| SYLVANT 100 MG, 400 MG RECON SOLUTION DL | 4 | PA |
| tacrolimus 0.5 mg, 1 mg, 5 mg CAPSULE MO | 1 | BvsD |
| TAKHZYRO 150 MG/ML SYRINGE DL | 4 | PA,QL(2 per 28 days) |
| TAKHZYRO 300 MG/2 ML (150 MG/ML) SOLUTION DL | 4 | PA,QL(4 per 28 days) |
| TAKHZYRO 300 MG/2 ML (150 MG/ML) SYRINGE DL | 4 | PA,QL(4 per 28 days) |
| TALTZ AUTOINJECTOR 80 MG/ML AUTO-INJECTOR DL | 4 | PA,QL(4 per 28 days) |
| TALTZ AUTOINJECTOR (2 PACK) 80 MG/ML AUTO-INJECTOR DL | 4 | PA,QL(4 per 28 days) |

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Paxlovid/Vaccine/Diabetic • ST – Step Therapy

| DRUG NAME | TIER | UTILIZATION MANAGEMENT REQUIREMENTS |
|----------------------------------------------------------------------------------------------------------------------------------------------------|------|-------------------------------------|
| TALTZ AUTOINJECTOR (3 PACK) 80 MG/ML AUTO-INJECTOR DL | 4 | PA,QL(4 per 28 days) |
| TALTZ SYRINGE 80 MG/ML SYRINGE DL | 4 | PA,QL(4 per 28 days) |
| TAVNEOS 10 MG CAPSULE DL | 4 | PA,QL(180 per 30 days) |
| TDVAX 2-2 LF UNIT/0.5 ML SUSPENSION \$0,DL | 1 | |
| TENIVAC (PF) 5 LF UNIT- 2 LF UNIT/0.5ML SUSPENSION \$0,DL | 1 | |
| TENIVAC (PF) 5-2 LF UNIT/0.5 ML SYRINGE \$0,DL | 1 | |
| TETANUS,DIPHTHERIA TOX PED(PF) 5-25 LF UNIT/0.5 ML SUSPENSION \$0,DL | 1 | |
| TEZSPIRE 210 MG/1.91 ML (110 MG/ML) PEN INJECTOR DL | 4 | PA,QL(1.91 per 28 days) |
| TEZSPIRE 210 MG/1.91 ML (110 MG/ML) SYRINGE DL | 4 | PA,QL(1.91 per 28 days) |
| THYMOGLOBULIN 25 MG RECON SOLUTION MO | 3 | PA |
| TICOVAC 1.2 MCG/0.25 ML, 2.4 MCG/0.5 ML SYRINGE DL | 1 | |
| TREMFYA 100 MG/ML AUTO-INJECTOR | 4 | PA,QL(8 per 365 days) |
| TREMFYA 100 MG/ML SYRINGE | 4 | PA,QL(8 per 365 days) |
| TREXALL 10 MG, 15 MG, 5 MG, 7.5 MG TABLET MO | 1 | BvsD |
| TRUMENBA 120 MCG/0.5 ML SYRINGE \$0,DL | 1 | |
| TWINRIX (PF) 720 ELISA UNIT- 20 MCG/ML SYRINGE \$0,DL | 1 | |
| TYPHIM VI 25 MCG/0.5 ML SOLUTION \$0,DL | 1 | |
| TYPHIM VI 25 MCG/0.5 ML SYRINGE \$0,DL | 1 | |
| ULTOMIRIS 100 MG/ML SOLUTION | 4 | PA |
| UPLIZNA 10 MG/ML SOLUTION DL | 4 | PA,QL(120 per 365 days) |
| VAQTA (PF) 25 UNIT/0.5 ML, 50 UNIT/ML SUSPENSION \$0,DL | 1 | |
| VAQTA (PF) 25 UNIT/0.5 ML, 50 UNIT/ML SYRINGE \$0,DL | 1 | |
| VARIVAX (PF) 1,350 UNIT/0.5 ML SUSPENSION FOR RECONSTITUTION \$0,DL | 1 | |
| VARIZIG 125 UNIT/1.2 ML SOLUTION DL | 4 | PA,QL(12 per 30 days) |
| VELSIPITY 2 MG TABLET DL | 4 | PA,QL(30 per 30 days) |
| VEOPOZ 200 MG/ML SOLUTION DL | 4 | PA |
| VOYDEYA 100 MG, 150 MG (50 MG X 1-100 MG X 1) TABLET DL | 4 | PA,QL(180 per 30 days) |
| VYVGART 20 MG/ML SOLUTION DL | 4 | PA |
| VYVGART HYTRULO 1,008 MG-11,200 UNIT/5.6 ML SOLUTION DL | 4 | PA,QL(22.4 per 28 days) |
| WINRHO SDF 1,500 UNIT (300 MCG)/1.3 ML, 15000 UNIT(3000 MCG)/13 ML, 2,500 UNIT (500 MCG)/2.2 ML, 5,000 UNIT(1000 MCG)/4.4 ML SOLUTION DL | 4 | BvsD |
| XATMEP 2.5 MG/ML SOLUTION MO | 3 | PA |

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order
 • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Paxlovid/Vaccine/Diabetic • ST – Step Therapy

| DRUG NAME | TIER | UTILIZATION MANAGEMENT REQUIREMENTS |
|---------------------------------------------------------------------------------------------------------------|------|-------------------------------------|
| XELJANZ 1 MG/ML SOLUTION DL | 4 | PA,QL(300 per 30 days) |
| XELJANZ 10 MG, 5 MG TABLET DL | 4 | PA,QL(60 per 30 days) |
| XELJANZ XR 11 MG, 22 MG TABLET, ER 24 HR. DL | 4 | PA,QL(30 per 30 days) |
| XEMBIFY 1 GRAM/5 ML (20 %), 10 GRAM/50 ML (20 %), 2 GRAM/10 ML (20 %), 4 GRAM/20 ML (20 %) SOLUTION DL | 4 | PA |
| XOLAIR 150 MG RECON SOLUTION DL | 4 | PA,QL(8 per 28 days) |
| XOLAIR 150 MG/ML, 300 MG/2 ML AUTO-INJECTOR DL,LA | 4 | PA,QL(8 per 28 days) |
| XOLAIR 150 MG/ML, 300 MG/2 ML SYRINGE DL,LA | 4 | PA,QL(8 per 28 days) |
| XOLAIR 75 MG/0.5 ML AUTO-INJECTOR DL,LA | 4 | PA,QL(4 per 28 days) |
| XOLAIR 75 MG/0.5 ML SYRINGE DL,LA | 4 | PA,QL(4 per 28 days) |
| YF-VAX (PF) 10 EXP4.74 UNIT/0.5 ML SUSPENSION FOR RECONSTITUTION \$0,DL | 1 | |
| YUFLYMA(CF) 20 MG/0.2 ML, 40 MG/0.4 ML SYRINGE KIT DL | 4 | PA,QL(6 per 28 days) |
| YUFLYMA(CF) AI CROHN'S-UC-HS 80 MG/0.8 ML AUTO-INJECTOR, KIT DL | 4 | PA,QL(6 per 28 days) |
| YUFLYMA(CF) AUTOINJECTOR 40 MG/0.4 ML, 80 MG/0.8 ML AUTO-INJECTOR, KIT DL | 4 | PA,QL(6 per 28 days) |
| YUSIMRY(CF) PEN 40 MG/0.8 ML PEN INJECTOR DL | 4 | PA,QL(4.8 per 28 days) |
| ZILBRYSQ 16.6 MG/0.416 ML, 23 MG/0.574 ML, 32.4 MG/0.81 ML SYRINGE DL | 4 | PA |
| ZORTRESS 0.25 MG, 0.75 MG, 1 MG TABLET | 4 | BvsD,QL(60 per 30 days) |
| ZORTRESS 0.5 MG TABLET | 4 | BvsD,QL(120 per 30 days) |
| ZYMFENTRA 120 MG/ML PEN INJECTOR KIT DL | 4 | PA,QL(2 per 28 days) |
| ZYMFENTRA 120 MG/ML SYRINGE KIT DL | 4 | PA,QL(2 per 28 days) |
| INFLAMMATORY BOWEL DISEASE AGENTS | | |
| APRISO 0.375 GRAM CAPSULE, ER 24 HR. MO | 3 | ST,QL(120 per 30 days) |
| ASACOL HD 800 MG TABLET, DR/EC MO | 3 | ST,QL(180 per 30 days) |
| AZULFIDINE 500 MG TABLET MO | 3 | |
| AZULFIDINE EN-TABS 500 MG TABLET, DR/EC MO | 3 | |
| balsalazide 750 mg CAPSULE MO | 1 | |
| budesonide 2 mg/actuation FOAM MO | 1 | PA |
| budesonide 3 mg CAPSULE, DR/EC MO | 1 | |
| budesonide 9 mg TABLET, DR/ER | 4 | PA,QL(30 per 30 days) |
| CANASA 1,000 MG SUPPOSITORY | 4 | ST,QL(30 per 30 days) |
| COLAZAL 750 MG CAPSULE | 4 | PA |

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Paxlovid/Vaccine/Diabetic • ST – Step Therapy

| DRUG NAME | TIER | UTILIZATION MANAGEMENT REQUIREMENTS |
|-------------------------------------------------------|------|-------------------------------------|
| CORTENEMA 100 MG/60 ML ENEMA MO | 3 | |
| CORTIFOAM 10 % (80 MG) FOAM MO | 3 | |
| DELZICOL 400 MG CAPSULE (WITH DR TABLETS) MO | 3 | ST,QL(180 per 30 days) |
| DIPENTUM 250 MG CAPSULE | 4 | ST,QL(120 per 30 days) |
| hydrocortisone 100 mg/60 ml ENEMA MO | 1 | |
| LIALDA 1.2 GRAM TABLET, DR/EC MO | 3 | ST,QL(120 per 30 days) |
| mesalamine 0.375 gram CAPSULE, ER 24 HR. MO | 1 | QL(120 per 30 days) |
| mesalamine 1,000 mg SUPPOSITORY MO | 1 | ST,QL(30 per 30 days) |
| mesalamine 1.2 gram TABLET, DR/EC MO | 1 | ST,QL(120 per 30 days) |
| mesalamine 4 gram/60 ml ENEMA MO | 1 | QL(1800 per 30 days) |
| mesalamine 400 mg CAPSULE (WITH DR TABLETS) MO | 1 | ST,QL(180 per 30 days) |
| mesalamine 500 mg CAPSULE, ER MO | 1 | ST,QL(300 per 30 days) |
| mesalamine 800 mg TABLET, DR/EC MO | 1 | ST,QL(180 per 30 days) |
| ORTIKOS 6 MG, 9 MG CAPSULE, ER DL | 4 | PA,QL(30 per 30 days) |
| PENTASA 250 MG CAPSULE, ER MO | 3 | ST,QL(150 per 30 days) |
| PENTASA 500 MG CAPSULE, ER | 4 | ST,QL(300 per 30 days) |
| PROCTOFOAM HC 1-1 % FOAM MO | 1 | |
| ROWASA 4 GRAM/60 ML ENEMA MO | 3 | QL(1800 per 30 days) |
| SFROWASA 4 GRAM/60 ML ENEMA MO | 3 | QL(1800 per 30 days) |
| sulfasalazine 500 mg TABLET MO | 1 | |
| sulfasalazine 500 mg TABLET, DR/EC MO | 1 | |
| TARPEYO 4 MG CAPSULE, DR/EC DL | 4 | PA,QL(120 per 30 days) |
| UCERIS 2 MG/ACTUATION FOAM MO | 3 | PA |
| UCERIS 9 MG TABLET, DR/ER MO | 3 | PA,QL(30 per 30 days) |
| METABOLIC BONE DISEASE AGENTS | | |
| ACTONEL 150 MG TABLET MO | 3 | PA,QL(1 per 30 days) |
| ACTONEL 35 MG TABLET MO | 3 | PA,QL(4 per 28 days) |
| alendronate 10 mg, 5 mg TABLET MO | 1 | QL(30 per 30 days) |
| alendronate 35 mg TABLET MO | 1 | QL(4 per 28 days) |
| alendronate 70 mg TABLET MO | 1 | QL(4 per 28 days) |
| alendronate 70 mg/75 ml SOLUTION MO | 1 | QL(300 per 28 days) |
| ATELVIA 35 MG TABLET, DR/EC MO | 3 | PA,QL(4 per 28 days) |

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Paxlovid/Vaccine/Diabetic • ST – Step Therapy

| DRUG NAME | TIER | UTILIZATION MANAGEMENT REQUIREMENTS |
|------------------------------------------------------------------------------------|------|-------------------------------------|
| BINOSTO 70 MG TABLET, EFFERVESCENT MO | 3 | ST,QL(4 per 28 days) |
| BONIVA 150 MG TABLET MO | 3 | PA,QL(1 per 28 days) |
| calcitonin (salmon) 200 unit/actuation SPRAY, NON-AEROSOL MO | 1 | QL(3.7 per 28 days) |
| calcitonin (salmon) 200 unit/ml SOLUTION DL | 4 | |
| calcitriol 0.25 mcg, 0.5 mcg CAPSULE MO | 1 | |
| calcitriol 1 mcg/ml SOLUTION MO | 1 | |
| cinacalcet 30 mg, 60 mg TABLET MO | 1 | QL(60 per 30 days) |
| cinacalcet 90 mg TABLET MO | 1 | QL(120 per 30 days) |
| doxercalciferol 0.5 mcg, 1 mcg, 2.5 mcg CAPSULE MO | 1 | |
| doxercalciferol 4 mcg/2 ml SOLUTION MO | 1 | |
| EVENITY 105 MG/1.17 ML, 210MG/2.34ML (105MG/1.17MLX2) SYRINGE DL | 4 | PA,QL(2.34 per 30 days) |
| FORTEO 20 MCG/DOSE (600MCG/2.4ML) PEN INJECTOR DL | 4 | PA,QL(2.4 per 28 days) |
| FOSAMAX 70 MG TABLET MO | 3 | PA,QL(4 per 28 days) |
| FOSAMAX PLUS D 70 MG- 2,800 UNIT, 70 MG- 5,600 UNIT TABLET MO | 3 | ST,QL(4 per 28 days) |
| HECTOROL 4 MCG/2 ML SOLUTION MO | 3 | |
| ibandronate 150 mg TABLET MO | 1 | QL(1 per 28 days) |
| ibandronate 3 mg/3 ml SOLUTION MO | 1 | PA,QL(3 per 90 days) |
| ibandronate 3 mg/3 ml SYRINGE MO | 1 | PA,QL(3 per 90 days) |
| MIACALCIN 200 UNIT/ML SOLUTION DL | 4 | |
| NATPARA 100 MCG/DOSE, 25 MCG/DOSE, 50 MCG/DOSE, 75 MCG/DOSE CARTRIDGE DL,LA | 4 | PA,QL(2 per 28 days) |
| pamidronate 30 mg/10 ml (3 mg/ml) SOLUTION MO | 1 | QL(30 per 21 days) |
| pamidronate 60 mg/10 ml (6 mg/ml), 90 mg/10 ml (9 mg/ml) SOLUTION MO | 1 | QL(10 per 21 days) |
| paricalcitol 1 mcg, 2 mcg CAPSULE MO | 1 | QL(30 per 30 days) |
| paricalcitol 2 mcg/ml SOLUTION MO | 1 | QL(24 per 30 days) |
| paricalcitol 4 mcg CAPSULE MO | 1 | QL(12 per 30 days) |
| paricalcitol 5 mcg/ml SOLUTION MO | 1 | QL(48 per 28 days) |
| PROLIA 60 MG/ML SYRINGE MO | 3 | QL(1 per 180 days) |
| RAYALDEE 30 MCG CAPSULE, ER 24 HR. DL | 4 | QL(60 per 30 days) |
| RECLAST 5 MG/100 ML PIGGYBACK MO | 3 | PA,QL(100 per 365 days) |
| risedronate 150 mg TABLET MO | 1 | QL(1 per 30 days) |
| risedronate 30 mg, 5 mg TABLET MO | 1 | QL(30 per 30 days) |

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Paxlovid/Vaccine/Diabetic • ST – Step Therapy

| DRUG NAME | TIER | UTILIZATION MANAGEMENT REQUIREMENTS |
|-----------------------------------------------------------------------------------------|------|-------------------------------------|
| risedronate 35 mg TABLET MO | 1 | QL(4 per 28 days) |
| risedronate 35 mg TABLET, DR/EC MO | 1 | QL(4 per 28 days) |
| ROCALTROL 0.25 MCG, 0.5 MCG CAPSULE MO | 3 | |
| ROCALTROL 1 MCG/ML SOLUTION MO | 3 | |
| SENSIPAR 30 MG TABLET MO | 3 | QL(60 per 30 days) |
| SENSIPAR 60 MG TABLET | 4 | QL(60 per 30 days) |
| SENSIPAR 90 MG TABLET | 4 | QL(120 per 30 days) |
| TYMLOS 80 MCG (3,120 MCG/1.56 ML) PEN INJECTOR DL | 4 | PA,QL(1.56 per 30 days) |
| XGEVA 120 MG/1.7 ML (70 MG/ML) SOLUTION DL | 4 | PA,QL(1.7 per 28 days) |
| ZEMPLAR 1 MCG, 2 MCG CAPSULE MO | 3 | QL(30 per 30 days) |
| ZEMPLAR 2 MCG/ML SOLUTION DL | 4 | QL(24 per 30 days) |
| ZEMPLAR 5 MCG/ML SOLUTION DL | 4 | QL(48 per 28 days) |
| zoledronic ac-mannitol-0.9nacl 4 mg/100 ml PIGGYBACK MO | 1 | QL(300 per 21 days) |
| zoledronic acid 4 mg RECON SOLUTION MO | 1 | |
| zoledronic acid 4 mg/5 ml SOLUTION MO | 1 | QL(15 per 21 days) |
| zoledronic acid-mannitol-water 4 mg/100 ml PIGGYBACK MO | 1 | QL(300 per 21 days) |
| zoledronic acid-mannitol-water 5 mg/100 ml PIGGYBACK MO | 1 | PA,QL(100 per 365 days) |
| MISCELLANEOUS THERAPEUTIC AGENTS | | |
| ACETADOTE 200 MG/ML (20 %) SOLUTION MO | 3 | |
| acetaminophen 1,000 mg/100 ml (10 mg/ml), 500 mg/50 ml (10 mg/ml) SOLUTION MO | 1 | |
| acetic acid 0.25 % SOLUTION MO | 1 | |
| acetylcysteine 200 mg/ml (20 %) SOLUTION MO | 1 | |
| ADAKVEO 10 MG/ML SOLUTION DL | 4 | PA |
| ADSTILADRIN 3X10EXP11 VP/ML SUSPENSION | 4 | PA |
| ALCOHOL PADS PADS, MEDICATED \$0,MO | 1 | |
| ALCOHOL PREP PADS PADS, MEDICATED \$0,MO | 1 | |
| ALCOHOL SWABS PADS, MEDICATED \$0,MO | 1 | |
| ALCOHOL WIPES PADS, MEDICATED \$0,MO | 1 | |
| ALLZITAL 25-325 MG TABLET MO | 1 | QL(360 per 30 days) |
| AMMONUL 10-10 % SOLUTION DL | 4 | |
| AUTOJECT 2 INJECTION DEVICE INSULIN PEN \$0,MO | 1 | |

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Paxlovid/Vaccine/Diabetic • ST – Step Therapy

| DRUG NAME | TIER | UTILIZATION MANAGEMENT REQUIREMENTS |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|-------------------------------------|
| AUTOPEN 1 TO 21 UNITS INSULIN PEN \$0,MO | 1 | |
| AUTOPEN 2 TO 42 UNITS INSULIN PEN \$0,MO | 1 | |
| BAND-AID GAUZE PADS 2 X 2 " BANDAGE \$0,MO | 1 | |
| BD ALCOHOL SWABS PADS, MEDICATED \$0,MO | 1 | |
| BD AUTOSHIELD DUO PEN NEEDLE 30 GAUGE X 3/16" NEEDLE \$0,PDS,MO | 1 | |
| BD ECLIPSE LUER-LOK 1 ML 30 GAUGE X 1/2" SYRINGE \$0,PDS,MO | 1 | |
| BD INSULIN SYRINGE 0.3 ML 29 GAUGE X 1/2", 0.5 ML 29 GAUGE X 1/2", 1 ML 27 GAUGE X 1/2", 1 ML 28 GAUGE X 1/2", 1 ML 29 GAUGE X 1/2" SYRINGE \$0,PDS,MO | 1 | |
| BD INSULIN SYRINGE (HALF UNIT) 0.3 ML 31 GAUGE X 5/16" SYRINGE \$0,PDS,MO | 1 | |
| BD INSULIN SYRINGE MICRO-FINE 1 ML 28 GAUGE X 1/2" SYRINGE \$0,PDS,MO | 1 | |
| BD INSULIN SYRINGE U-500 1/2 ML 31 GAUGE X 15/64" SYRINGE \$0,PDS,MO | 1 | |
| BD INSULIN SYRINGE ULTRA-FINE 0.3 ML 30 GAUGE X 1/2", 0.3 ML 31 GAUGE X 5/16", 0.5 ML 30 GAUGE X 1/2", 0.5 ML 31 GAUGE X 5/16", 1 ML 30 GAUGE X 1/2", 1 ML 31 GAUGE X 5/16 SYRINGE \$0,PDS,MO | 1 | |
| BD LO-DOSE MICRO-FINE IV 1/2 ML 28 GAUGE X 1/2" SYRINGE \$0,PDS,MO | 1 | |
| BD NANO 2ND GEN PEN NEEDLE 32 GAUGE X 5/32" NEEDLE \$0,PDS,MO | 1 | |
| BD SAFETYGLIDE INSULIN SYRINGE 0.3 ML 29 GAUGE X 1/2", 0.3 ML 31 GAUGE X 15/64", 0.3 ML 31 GAUGE X 5/16", 0.5 ML 29 GAUGE X 1/2", 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 15/64", 1 ML 29 GAUGE X 1/2", 1 ML 31 GAUGE X 15/64" SYRINGE \$0,PDS,MO | 1 | |
| BD SAFETYGLIDE SYRINGE 1 ML 27 GAUGE X 5/8" SYRINGE \$0,PDS,MO | 1 | |
| BD ULTRA-FINE MICRO PEN NEEDLE 32 GAUGE X 1/4" NEEDLE \$0,PDS,MO | 1 | |
| BD ULTRA-FINE MINI PEN NEEDLE 31 GAUGE X 3/16" NEEDLE \$0,PDS,MO | 1 | |
| BD ULTRA-FINE NANO PEN NEEDLE 32 GAUGE X 5/32" NEEDLE \$0,PDS,MO | 1 | |
| BD ULTRA-FINE ORIG PEN NEEDLE 29 GAUGE X 1/2" NEEDLE \$0,PDS,MO | 1 | |
| BD ULTRA-FINE SHORT PEN NEEDLE 31 GAUGE X 5/16" NEEDLE \$0,PDS,MO | 1 | |
| BD VEO INSULIN SYR (HALF UNIT) 0.3 ML 31 GAUGE X 15/64" SYRINGE \$0,PDS,MO | 1 | |
| BD VEO INSULIN SYRINGE UF 0.3 ML 31 GAUGE X 15/64", 1 ML 31 GAUGE X 15/64", 1/2 ML 31 GAUGE X 15/64" SYRINGE \$0,PDS,MO | 1 | |
| BEYFORTUS 100 MG/ML, 50 MG/0.5 ML SYRINGE DL | 4 | |
| BORDERED GAUZE 2 X 2 " BANDAGE \$0,MO | 1 | |

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Paxlovid/Vaccine/Diabetic • ST – Step Therapy

| DRUG NAME | TIER | UTILIZATION MANAGEMENT REQUIREMENTS |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|-------------------------------------|
| bupap 50-300 mg TABLET MO | 1 | QL(180 per 30 days) |
| butalbital-acetaminop-caf-cod 50-300-40-30 mg CAPSULE DL | 1 | QL(180 per 30 days) |
| butalbital-acetaminop-caf-cod 50-325-40-30 mg CAPSULE DL | 1 | QL(360 per 30 days) |
| butalbital-acetaminophen 50-300 mg CAPSULE MO | 1 | QL(180 per 30 days) |
| butalbital-acetaminophen 50-300 mg, 50-325 mg TABLET MO | 1 | QL(180 per 30 days) |
| butalbital-acetaminophen-caff 50-300-40 mg, 50-325-40 mg CAPSULE MO | 1 | QL(180 per 30 days) |
| butalbital-acetaminophen-caff 50-325-40 mg TABLET MO | 1 | QL(180 per 30 days) |
| butalbital-aspirin-caffeine 50-325-40 mg CAPSULE MO | 1 | QL(180 per 30 days) |
| butalbital-aspirin-caffeine 50-325-40 mg TABLET MO | 1 | QL(180 per 30 days) |
| BYLVAY 1,200 MCG CAPSULE DL | 4 | PA,QL(150 per 30 days) |
| BYLVAY 200 MCG PELLET DL | 4 | PA,QL(360 per 30 days) |
| BYLVAY 400 MCG CAPSULE DL | 4 | PA,QL(420 per 30 days) |
| BYLVAY 600 MCG PELLET DL | 4 | PA,QL(120 per 30 days) |
| CAFCIT 60 MG/3 ML (20 MG/ML) SOLUTION MO | 3 | |
| caffeine citrate 60 mg/3 ml (20 mg/ml) SOLUTION MO | 1 | |
| calcium disodium versenate 200 mg/ml SOLUTION MO | 1 | |
| CARETOUCH ALCOHOL PREP PAD PADS, MEDICATED \$0,MO | 1 | |
| CERVIDIL 10 MG INSERT, ER MO | 3 | |
| CINVANTI 7.2 MG/ML EMULSION MO | 3 | PA,QL(36 per 28 days) |
| CLARINEX-D 12 HOUR 2.5-120 MG TABLET, ER 12 HR., MULTIPHASE MO | 3 | ST,QL(60 per 30 days) |
| COMBOGESIC IV 300-1,000 MG/100 ML SOLUTION MO | 3 | |
| CURITY ALCOHOL SWABS PADS, MEDICATED \$0,MO | 1 | |
| CURITY GAUZE 2 X 2 " BANDAGE \$0,MO | 1 | |
| DEFITELIO 80 MG/ML SOLUTION DL | 4 | PA |
| DERMACEA 2 X 2 " BANDAGE \$0,MO | 1 | |
| DOJOLVI 8.3 KCAL/ML LIQUID DL | 4 | PA |
| DROPLET INSULIN SYR(HALF UNIT) 0.5 ML 29 GAUGE X 1/2", 0.5 ML 30 GAUGE X 1/2", 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 15/64", 0.5 ML 31 GAUGE X 5/16", 0.5ML 30 GAUGE X 15/64" SYRINGE \$0,PDS,MO | 1 | |

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Paxlovid/Vaccine/Diabetic • ST – Step Therapy

| DRUG NAME | TIER | UTILIZATION MANAGEMENT REQUIREMENTS |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|-------------------------------------|
| DROPLET INSULIN SYRINGE 0.3 ML 29 GAUGE X 1/2", 0.3 ML 30 GAUGE X 1/2", 0.3 ML 30 GAUGE X 15/64", 0.3 ML 30 GAUGE X 5/16", 0.3 ML 31 GAUGE X 15/64", 0.3 ML 31 GAUGE X 5/16", 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 1/2", 1 ML 30 GAUGE X 15/64", 1 ML 30 GAUGE X 5/16, 1 ML 31 GAUGE X 15/64", 1 ML 31 GAUGE X 5/16 SYRINGE \$0,PDS,MO | 1 | |
| DROPLET MICRON PEN NEEDLE 34 GAUGE X 9/64" NEEDLE \$0,PDS,MO | 1 | |
| DROPLET PEN NEEDLE 29 GAUGE X 1/2", 29 GAUGE X 3/8", 30 GAUGE X 5/16", 31 GAUGE X 1/4", 31 GAUGE X 3/16", 31 GAUGE X 5/16", 32 GAUGE X 1/4", 32 GAUGE X 3/16", 32 GAUGE X 5/16", 32 GAUGE X 5/32" NEEDLE \$0,PDS,MO | 1 | |
| DROPSAFE ALCOHOL PREP PADS PADS, MEDICATED \$0,MO | 1 | |
| DROPSAFE PEN NEEDLE 31 GAUGE X 1/4", 31 GAUGE X 3/16", 31 GAUGE X 5/16" NEEDLE \$0,PDS,MO | 1 | |
| DROXIA 200 MG, 300 MG, 400 MG CAPSULE MO | 2 | |
| EASY COMFORT ALCOHOL PAD PADS, MEDICATED \$0,MO | 1 | |
| EASY TOUCH ALCOHOL PREP PADS PADS, MEDICATED \$0,MO | 1 | |
| <i>edetate calcium disodium 200 mg/ml SOLUTION DL</i> | 4 | |
| ELYXYB 120 MG/4.8 ML (25 MG/ML) SOLUTION DL | 4 | ST,QL(43.2 per 30 days) |
| EMPAVELI 1,080 MG/20 ML SOLUTION DL | 4 | PA,QL(160 per 28 days) |
| EOHILIA 2 MG/10 ML SUSPENSION IN PACKET DL | 4 | PA |
| ESGIC 50-325-40 MG CAPSULE MO | 1 | QL(180 per 30 days) |
| ESGIC 50-325-40 MG TABLET MO | 1 | QL(180 per 30 days) |
| FILSPARI 200 MG, 400 MG TABLET DL | 4 | PA,QL(30 per 30 days) |
| FILSUVEZ 10 % GEL DL | 4 | PA |
| <i>fioricet 50-300-40 mg CAPSULE MO</i> | 1 | QL(180 per 30 days) |
| FIORICET WITH CODEINE 50-300-40-30 MG CAPSULE DL | 3 | QL(180 per 30 days) |
| <i>flumazenil 0.1 mg/ml SOLUTION MO</i> | 1 | |
| <i>fomepizole 1 gram/ml SOLUTION MO</i> | 1 | |
| GAUZE BANDAGE 2 X 2 " BANDAGE \$0,MO | 1 | |
| GAUZE PAD 2 X 2 " BANDAGE \$0,MO | 1 | |
| GIVLAARI 189 MG/ML SOLUTION DL | 4 | PA |
| IGALMI 120 MCG, 180 MCG FILM MO | 3 | PA |
| INCONTROL ALCOHOL PADS PADS, MEDICATED \$0,MO | 1 | |
| INSULIN SYRINGE 0.5 ML 29 GAUGE X 1/2" SYRINGE \$0,PDS,MO | 1 | |

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Paxlovid/Vaccine/Diabetic • ST – Step Therapy

| DRUG NAME | TIER | UTILIZATION MANAGEMENT REQUIREMENTS |
|-------------------------------------------------------------------------------------------|------|-------------------------------------|
| INSULIN SYRINGE MICROFINE 1 ML 27 GAUGE X 5/8", 1/2 ML 28 GAUGE X 1/2" SYRINGE \$0,PDS,MO | 1 | |
| INSULIN SYRINGE NEEDLELESS 1 ML SYRINGE \$0,PDS,MO | 1 | |
| INSULIN SYRINGE-NEEDLE U-100 1 ML 28 GAUGE X 1/2" SYRINGE \$0,PDS,MO | 1 | |
| IV PREP WIPES PADS, MEDICATED \$0,MO | 1 | |
| KORLYM 300 MG TABLET DL | 4 | PA,QL(120 per 30 days) |
| lactated ringers SOLUTION MO | 1 | |
| LAGEVRIO (EUA) 200 MG CAPSULE MO | 2 | QL(40 per 5 days) |
| LITFULO 50 MG CAPSULE DL | 4 | PA,QL(28 per 28 days) |
| LITHOSTAT 250 MG TABLET MO | 3 | |
| LIVMARLI 9.5 MG/ML SOLUTION DL | 4 | PA,QL(90 per 30 days) |
| methylergonovine 0.2 mg TABLET DL | 4 | |
| methylergonovine 0.2 mg/ml (1 ml) SOLUTION MO | 1 | |
| mifepristone 300 mg TABLET DL | 4 | PA,QL(120 per 30 days) |
| MYFEMBREE 40-1-0.5 MG TABLET DL | 4 | PA,QL(28 per 28 days) |
| neomycin-polymyxin b gu 40 mg-200,000 unit/ml SOLUTION MO | 1 | |
| nitroglycerin 0.4 % (w/w) OINTMENT MO | 1 | QL(30 per 30 days) |
| NOVOPEN ECHO INSULIN PEN \$0,MO | 1 | |
| NURTEC ODT 75 MG TABLET, DISINTEGRATING | 4 | PA,QL(18 per 30 days) |
| OMNIPOD 5 G6 INTRO KIT (GEN 5) CARTRIDGE \$0,MO | 2 | |
| OMNIPOD 5 G6 PODS (GEN 5) CARTRIDGE \$0,MO | 2 | |
| OMNIPOD 5 G6-G7 INTRO KT(GEN5) CARTRIDGE \$0,MO | 2 | |
| OMNIPOD 5 G6-G7 PODS (GEN 5) CARTRIDGE \$0,MO | 2 | |
| OMNIPOD CLASSIC PODS (GEN 3) CARTRIDGE \$0,MO | 2 | |
| OMNIPOD DASH INTRO KIT (GEN 4) CARTRIDGE \$0,MO | 2 | |
| OMNIPOD DASH PODS (GEN 4) CARTRIDGE \$0,MO | 2 | |
| OMNIPOD GO PODS CARTRIDGE \$0,MO | 2 | |
| OMNIPOD GO PODS 10 UNITS/DAY CARTRIDGE \$0,MO | 2 | |
| OMNIPOD GO PODS 15 UNITS/DAY CARTRIDGE \$0,MO | 2 | |
| OMNIPOD GO PODS 20 UNITS/DAY CARTRIDGE \$0,MO | 2 | |
| OMNIPOD GO PODS 25 UNITS/DAY CARTRIDGE \$0,MO | 2 | |
| OMNIPOD GO PODS 30 UNITS/DAY CARTRIDGE \$0,MO | 2 | |

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Paxlovid/Vaccine/Diabetic • ST – Step Therapy

| DRUG NAME | TIER | UTILIZATION MANAGEMENT REQUIREMENTS |
|-------------------------------------------------------------------------------------------------------------------------------------------------|------|-------------------------------------|
| OMNIPOD GO PODS 40 UNITS/DAY CARTRIDGE \$0,MO | 2 | |
| ORIAHNN 300-1-0.5MG(AM) /300 MG(PM) CAPSULE, SEQUENTIAL DL | 4 | PA,QL(56 per 28 days) |
| orlistat 120 mg CAPSULE MO | 3 | PA |
| OXBRYTA 300 MG TABLET DL | 4 | PA,QL(240 per 30 days) |
| OXBRYTA 300 MG TABLET FOR SUSPENSION DL | 4 | PA,QL(150 per 30 days) |
| OXBRYTA 500 MG TABLET DL | 4 | PA,QL(90 per 30 days) |
| OXLUMO 94.5 MG/0.5 ML SOLUTION | 4 | PA |
| oxytocin 10 unit/ml SOLUTION MO | 1 | |
| PALFORZIA (LEVEL 1) 3 MG (1 MG X 3) CAPSULE, SPRINKLE DL | 3 | PA |
| PALFORZIA (LEVEL 2) 6 MG (1 MG X 6) CAPSULE, SPRINKLE DL | 3 | PA |
| PALFORZIA (LEVEL 3) 12 MG (1 MG X 2, 10 MG X 1) CAPSULE, SPRINKLE DL | 3 | PA |
| PALFORZIA (LEVEL 4) 20 MG CAPSULE, SPRINKLE DL | 3 | PA |
| PALFORZIA (LEVEL 5) 40 MG (20 MG X 2) CAPSULE, SPRINKLE DL | 3 | PA |
| PALFORZIA (LEVEL 6) 80 MG (20 MG X 4) CAPSULE, SPRINKLE DL | 3 | PA |
| PALFORZIA (LEVEL 7) 120 MG (20 MG X 1, 100 MG X 1) CAPSULE, SPRINKLE DL | 3 | PA |
| PALFORZIA (LEVEL 8) 160 MG (20 MG X 3, 100 MG X1) CAPSULE, SPRINKLE DL | 3 | PA |
| PALFORZIA (LEVEL 9) 200 MG (100 MG X 2) CAPSULE, SPRINKLE DL | 3 | PA |
| PALFORZIA (LEVEL 10) 240 MG (20 MG X 2, 100 MG X 2) CAPSULE, SPRINKLE DL | 3 | PA |
| PALFORZIA (LEVEL 11 UP-DOSE) 300 MG POWDER IN PACKET DL | 3 | PA |
| PALFORZIA INITIAL DOSE 0.5/1/1.5/3/6 MG CAPSULE, SPRINKLE MO | 3 | PA |
| PALFORZIA LEVEL 11 MAINTENANCE 300 MG POWDER IN PACKET DL | 3 | PA |
| PAXLOVID 150-100 MG TABLET, DOSE PACK \$0,MO | 2 | QL(40 per 10 days) |
| PAXLOVID 300 MG (150 MG X 2)-100 MG TABLET, DOSE PACK \$0,MO | 2 | QL(60 per 10 days) |
| PEN NEEDLE, DIABETIC 29 GAUGE X 1/2", 31 GAUGE X 1/4", 31 GAUGE X 3/16", 31 GAUGE X 5/16", 32 GAUGE X 5/32", 33 GAUGE X 5/32" NEEDLE \$0,PDS,MO | 1 | |
| phenazopyridine 100 mg, 200 mg TABLET MO | 1 | |
| PHEXXI 1.8-1-0.4 % GEL MO | 3 | QL(60 per 30 days) |
| PHYSIOLYTE 140-5-3-98 MEQ/L SOLUTION MO | 1 | |
| PHYSIOSOL IRRIGATION 140-5-3-98 MEQ/L SOLUTION MO | 1 | |
| PITOCIN 10 UNIT/ML SOLUTION MO | 3 | |

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Paxlovid/Vaccine/Diabetic • ST – Step Therapy

| DRUG NAME | TIER | UTILIZATION MANAGEMENT REQUIREMENTS |
|--------------------------------------------------------------|------|-------------------------------------|
| PREVDUO 0.6 MG-3 MG/3ML (0.2 MG-1MG/ML) SYRINGE MO | 3 | |
| PRIALT 100 MCG/ML, 25 MCG/ML SOLUTION DL | 4 | PA |
| PRO COMFORT ALCOHOL PADS PADS, MEDICATED \$0,MO | 1 | |
| promethazine vc 6.25-5 mg/5 ml SYRUP MO | 1 | |
| promethazine-phenylephrine 6.25-5 mg/5 ml SYRUP MO | 1 | |
| protamine 10 mg/ml SOLUTION MO | 1 | |
| PURE COMFORT ALCOHOL PADS PADS, MEDICATED \$0,MO | 1 | |
| PYRIDIUM 100 MG, 200 MG TABLET MO | 3 | |
| QUTENZA 8 % KIT DL | 4 | PA |
| REBYOTA 150 ML ENEMA DL | 4 | PA |
| RECTIV 0.4 % (W/W) OINTMENT MO | 3 | QL(30 per 30 days) |
| RENACIDIN 1980.6 MG-59.4 MG-980.4MG/30ML SOLUTION MO | 3 | |
| REZDIFRA 100 MG, 60 MG, 80 MG TABLET DL | 4 | PA,QL(30 per 30 days) |
| ribavirin 6 gram RECON SOLUTION DL | 4 | BvsD |
| RIMSO-50 50 % SOLUTION DL | 4 | |
| ringer's SOLUTION MO | 1 | |
| RIVFLOZA 128 MG/0.8 ML, 160 MG/ML SYRINGE DL | 4 | PA |
| RIVFLOZA 80 MG/0.5 ML (160 MG/ML) SOLUTION DL | 4 | PA |
| SIKLOS 1,000 MG, 100 MG TABLET MO | 3 | PA |
| sodium benzoate-sod phenylacet 10-10 % SOLUTION DL | 4 | |
| sodium chloride 0.9 % SOLUTION MO | 1 | |
| SOHONOS 1 MG, 1.5 MG, 10 MG, 2.5 MG, 5 MG CAPSULE DL | 4 | PA |
| sorbitol-mannitol 2.7-0.54 gram/100 ml SOLUTION MO | 1 | |
| SURE COMFORT ALCOHOL PREP PADS PADS, MEDICATED \$0,MO | 1 | |
| SURE-PREP ALCOHOL PREP PADS PADS, MEDICATED \$0,MO | 1 | |
| SYNAGIS 100 MG/ML, 50 MG/0.5 ML SOLUTION DL | 4 | PA |
| tencon 50-325 mg TABLET MO | 1 | QL(180 per 30 days) |
| TEPEZZA 500 MG RECON SOLUTION DL | 4 | PA |
| TRUE COMFORT ALCOHOL PADS PADS, MEDICATED \$0,MO | 1 | |
| TRUE COMFORT PRO ALCOHOL PADS PADS, MEDICATED \$0,MO | 1 | |
| TZIELD 1 MG/ML SOLUTION DL | 4 | PA,QL(28 per 365 days) |
| UBRELVY 100 MG, 50 MG TABLET MO | 2 | PA,QL(16 per 30 days) |

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Paxlovid/Vaccine/Diabetic • ST – Step Therapy

| DRUG NAME | TIER | UTILIZATION MANAGEMENT REQUIREMENTS |
|---------------------------------------------------------------------------------------------------|------|-------------------------------------|
| ULTILET ALCOHOL SWAB PADS, MEDICATED \$0,MO | 1 | |
| V-GO 20 DEVICE \$0,MO | 2 | |
| V-GO 30 DEVICE \$0,MO | 2 | |
| V-GO 40 DEVICE \$0,MO | 2 | |
| VEOZAH 45 MG TABLET MO | 3 | PA,QL(30 per 30 days) |
| VIRAZOLE 6 GRAM RECON SOLUTION DL | 4 | BvsD |
| VOWST CAPSULE DL | 4 | PA |
| VOXZOGO 0.4 MG, 0.56 MG, 1.2 MG RECON SOLUTION DL | 4 | PA,QL(30 per 30 days) |
| vtol lq 50-325-40 mg/15 ml SOLUTION DL | 4 | QL(450 per 30 days) |
| VYJUVEK 5 X 10EXP9 PFU/2.5 ML GEL DL | 4 | PA,QL(10 per 28 days) |
| water for irrigation, sterile SOLUTION MO | 1 | |
| WEBCOL PADS, MEDICATED \$0,MO | 1 | |
| WEGOVY 0.25 MG/0.5 ML, 0.5 MG/0.5 ML, 1 MG/0.5 ML, 1.7 MG/0.75 ML, 2.4 MG/0.75 ML PEN INJECTOR MO | 3 | PA |
| XDEMVY 0.25 % DROPS | 4 | PA,QL(10 per 42 days) |
| XENICAL 120 MG CAPSULE MO | 3 | PA |
| YCANTH 0.7 % SOLUTION W/APPLICATOR DL | 4 | PA |
| ZAVZPRET 10 MG/ACTUATION SPRAY, NON-AEROSOL DL | 4 | PA,QL(8 per 30 days) |
| ZEBUTAL 50-325-40 MG CAPSULE MO | 1 | QL(180 per 30 days) |
| ZEVALIN (Y-90) 3.2 MG/2 ML KIT DL | 4 | PA |
| zingiber 1.2 mg-40 mg- 124.1 mg-100 mg TABLET MO | 1 | |
| ZYNRELEF 200 MG-6 MG /7 ML, 400 MG-12 MG /14 ML ER SOLUTION MO | 3 | |
| OPHTHALMIC AGENTS | | |
| ACULAR 0.5 % DROPS MO | 3 | ST,QL(10 per 30 days) |
| ACULAR LS 0.4 % DROPS MO | 3 | ST,QL(10 per 30 days) |
| ACUVAIL (PF) 0.45 % DROPPERETTE MO | 3 | ST |
| ak-poly-bac 500-10,000 unit/gram OINTMENT MO | 1 | |
| ALCAINE 0.5 % DROPS MO | 1 | |
| ALOCRIL 2 % DROPS MO | 3 | |
| ALOMIDE 0.1 % DROPS MO | 3 | |
| ALPHAGAN P 0.1 % DROPS MO | 2 | |
| ALPHAGAN P 0.15 % DROPS MO | 3 | PA |

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Paxlovid/Vaccine/Diabetic • ST – Step Therapy

| DRUG NAME | TIER | UTILIZATION MANAGEMENT REQUIREMENTS |
|----------------------------------------------------------------|------|-------------------------------------|
| ALREX 0.2 % DROPS, SUSPENSION MO | 3 | ST |
| apraclonidine 0.5 % DROPS MO | 1 | |
| atropine 1 % DROPS MO | 1 | |
| ATROPINE SULFATE (PF) 1 % DROPPERETTE MO | 1 | |
| AZASITE 1 % DROPS MO | 3 | ST,QL(2.5 per 25 days) |
| azelastine 0.05 % DROPS MO | 1 | |
| AZOPT 1 % DROPS, SUSPENSION MO | 3 | ST,QL(10 per 28 days) |
| bacitracin 500 unit/gram OINTMENT MO | 1 | |
| bacitracin-polymyxin b 500-10,000 unit/gram OINTMENT MO | 1 | |
| balanced salt SOLUTION MO | 1 | |
| bepotastine besilate 1.5 % DROPS MO | 1 | ST,QL(5 per 25 days) |
| BEPREVE 1.5 % DROPS MO | 3 | ST,QL(5 per 25 days) |
| BESIVANCE 0.6 % DROPS, SUSPENSION MO | 3 | ST |
| BETADINE OPHTHALMIC PREP 5 % SOLUTION MO | 3 | |
| betaxolol 0.5 % DROPS MO | 1 | |
| BETIMOL 0.25 %, 0.5 % DROPS MO | 3 | ST |
| BETOPTIC S 0.25 % DROPS, SUSPENSION MO | 3 | ST |
| bimatoprost 0.03 % DROPS MO | 1 | QL(2.5 per 25 days) |
| BLEPHAMIDE 10-0.2 % DROPS, SUSPENSION MO | 3 | |
| brimonidine 0.15 % DROPS MO | 1 | |
| brimonidine 0.2 % DROPS MO | 1 | |
| brinzolamide 1 % DROPS, SUSPENSION MO | 1 | ST,QL(10 per 28 days) |
| bromfenac 0.07 % DROPS MO | 1 | ST,QL(3 per 30 days) |
| bromfenac 0.075 % DROPS MO | 1 | ST,QL(5 per 30 days) |
| bromfenac 0.09 % DROPS MO | 1 | QL(1.7 per 30 days) |
| BROMSITE 0.075 % DROPS MO | 3 | ST,QL(5 per 30 days) |
| BSS SOLUTION MO | 3 | |
| BSS PLUS SOLUTION MO | 3 | |
| carteolol 1 % DROPS MO | 1 | |
| CEQUA 0.09 % DROPPERETTE MO | 3 | PA,QL(60 per 30 days) |
| CILOXAN 0.3 % OINTMENT MO | 3 | |
| ciprofloxacin hcl 0.3 % DROPS MO | 1 | |

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Paxlovid/Vaccine/Diabetic • ST – Step Therapy

| DRUG NAME | TIER | UTILIZATION MANAGEMENT REQUIREMENTS |
|--------------------------------------------------------|------|-------------------------------------|
| COMBIGAN 0.2-0.5 % DROPS MO | 2 | QL(5 per 25 days) |
| COSOPT 22.3-6.8 MG/ML DROPS MO | 3 | ST |
| COSOPT (PF) 2-0.5 % DROPPERETTE MO | 3 | ST,QL(60 per 30 days) |
| cromolyn 4 % DROPS MO | 1 | |
| cyclopentolate 0.5 %, 1 %, 2 % DROPS MO | 1 | |
| CYSTADROPS 0.37 % DROPS DL | 4 | PA,QL(20 per 28 days) |
| CYSTARAN 0.44 % DROPS DL | 4 | PA,QL(60 per 28 days) |
| dexamethasone sodium phosphate 0.1 % DROPS MO | 1 | |
| DEXTENZA 0.4 MG INSERT MO | 3 | QL(1 per 30 days) |
| diclofenac sodium 0.1 % DROPS MO | 1 | |
| difluprednate 0.05 % DROPS MO | 1 | ST |
| dorzolamide 2 % DROPS MO | 1 | |
| dorzolamide-timolol 22.3-6.8 mg/ml DROPS MO | 1 | |
| dorzolamide-timolol (pf) 2-0.5 % DROPPERETTE MO | 1 | QL(60 per 30 days) |
| DUREZOL 0.05 % DROPS MO | 3 | ST |
| DURYSTA 10 MCG IMPLANT DL | 4 | PA |
| epinastine 0.05 % DROPS MO | 1 | ST,QL(5 per 25 days) |
| erythromycin 5 mg/gram (0.5 %) OINTMENT MO | 1 | QL(3.5 per 28 days) |
| EYSUVIS 0.25 % DROPS, SUSPENSION MO | 2 | QL(16.6 per 30 days) |
| FLAREX 0.1 % DROPS, SUSPENSION MO | 3 | ST |
| fluorometholone 0.1 % DROPS, SUSPENSION MO | 1 | |
| flurbiprofen sodium 0.03 % DROPS MO | 1 | |
| FML FORTE 0.25 % DROPS, SUSPENSION MO | 3 | ST |
| FML LIQUIFILM 0.1 % DROPS, SUSPENSION MO | 3 | ST |
| gatifloxacin 0.5 % DROPS MO | 1 | QL(2.5 per 25 days) |
| gentak 0.3 % (3 mg/gram) OINTMENT MO | 1 | |
| gentamicin 0.3 % DROPS MO | 1 | |
| ILEVRO 0.3 % DROPS, SUSPENSION MO | 2 | QL(3 per 30 days) |
| INVELTYS 1 % DROPS, SUSPENSION MO | 3 | ST |
| IOPIDINE 1 % DROPPERETTE MO | 3 | |
| ISOPTO CARPINE 1 % DROPS MO | 3 | |
| ISTALOL 0.5 % DROPS, ONCE DAILY MO | 3 | |

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Paxlovid/Vaccine/Diabetic • ST – Step Therapy

| DRUG NAME | TIER | UTILIZATION MANAGEMENT REQUIREMENTS |
|-----------------------------------------------------------------------------------------|------|-------------------------------------|
| IYUZEH 0.005 % DROPPERETTE MO | 3 | ST,QL(30 per 30 days) |
| ketorolac 0.4 % DROPS MO | 1 | QL(10 per 30 days) |
| ketorolac 0.5 % DROPS MO | 1 | QL(10 per 30 days) |
| LACRISERT 5 MG INSERT MO | 3 | |
| latanoprost 0.005 % DROPS MO | 1 | QL(5 per 25 days) |
| levobunolol 0.5 % DROPS MO | 1 | |
| levofloxacin 0.5 %, 1.5 % DROPS MO | 1 | |
| LOTEMAX 0.5 % DROPS, GEL MO | 3 | ST |
| LOTEMAX 0.5 % DROPS, SUSPENSION MO | 3 | ST |
| LOTEMAX 0.5 % OINTMENT MO | 3 | ST |
| LOTEMAX SM 0.38 % DROPS, GEL MO | 3 | |
| loteprednol etabonate 0.2 %, 0.5 % DROPS, SUSPENSION MO | 1 | ST |
| loteprednol etabonate 0.5 % DROPS, GEL MO | 1 | ST |
| LUMIGAN 0.01 % DROPS MO | 2 | QL(2.5 per 25 days) |
| MAXIDEX 0.1 % DROPS, SUSPENSION MO | 3 | ST |
| MAXITROL 3.5 MG/G-10,000 UNIT/G-0.1 % OINTMENT MO | 3 | |
| MAXITROL 3.5MG/ML-10,000 UNIT/ML-0.1 % DROPS, SUSPENSION MO | 1 | |
| MIEBO 100 % DROPS MO | 3 | PA,QL(3 per 30 days) |
| MIOSTAT 0.01 % SOLUTION MO | 3 | |
| moxifloxacin 0.5 % DROPS MO | 1 | |
| moxifloxacin 0.5 % DROPS, VISCOUS MO | 1 | ST |
| NATACYN 5 % DROPS, SUSPENSION MO | 3 | |
| neo-polycin 3.5-400-10,000 mg-unit-unit/g OINTMENT MO | 1 | |
| neo-polycin hc 3.5-400-10,000 mg-unit/g-1% OINTMENT MO | 1 | |
| neomycin-bacitracin-poly-hc 3.5-400-10,000 mg-unit/g-1% OINTMENT MO | 1 | |
| neomycin-bacitracin-polymyxin 3.5-400-10,000 mg-unit-unit/g OINTMENT MO | 1 | |
| neomycin-polymyxin b-dexameth 3.5 mg/g-10,000 unit/g-0.1 % OINTMENT MO | 1 | |
| neomycin-polymyxin b-dexameth 3.5mg/ml-10,000 unit/ml-0.1 % DROPS, SUSPENSION MO | 1 | |
| neomycin-polymyxin-gramicidin 1.75 mg-10,000 unit-0.025mg/ml DROPS MO | 1 | |
| neomycin-polymyxin-hc 3.5-10,000-10 mg-unit-mg/ml DROPS, SUSPENSION MO | 1 | |
| NEVANAC 0.1 % DROPS, SUSPENSION MO | 3 | ST |

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Paxlovid/Vaccine/Diabetic • ST – Step Therapy

| DRUG NAME | TIER | UTILIZATION MANAGEMENT REQUIREMENTS |
|--------------------------------------------------------------------|------|-------------------------------------|
| OCUFLOX 0.3 % DROPS MO | 3 | |
| ofloxacin 0.3 % DROPS MO | 1 | |
| olopatadine 0.1 %, 0.2 % DROPS MO | 1 | |
| OXERVATE 0.002 % DROPS DL | 4 | PA,QL(112 per 365 days) |
| PHOSPHOLINE IODIDE 0.125 % DROPS MO | 3 | |
| pilocarpine hcl 1 %, 2 %, 4 % DROPS MO | 1 | |
| polycin 500-10,000 unit/gram OINTMENT MO | 1 | |
| polymyxin b sulf-trimethoprim 10,000 unit- 1 mg/ml DROPS MO | 1 | |
| POLYTRIM 10,000 UNIT- 1 MG/ML DROPS MO | 3 | |
| PRED FORTE 1 % DROPS, SUSPENSION MO | 3 | ST |
| PRED MILD 0.12 % DROPS, SUSPENSION MO | 3 | ST |
| PRED-G 0.3-1 % DROPS, SUSPENSION MO | 3 | |
| prednisolone acetate 1 % DROPS, SUSPENSION MO | 1 | |
| prednisolone sodium phosphate 1 % DROPS MO | 1 | |
| PROLENSA 0.07 % DROPS MO | 3 | ST,QL(3 per 30 days) |
| proparacaine 0.5 % DROPS MO | 1 | |
| RESTASIS 0.05 % DROPPERETTE MO | 2 | QL(60 per 30 days) |
| RESTASIS MULTIDOSE 0.05 % DROPS MO | 2 | QL(5.5 per 25 days) |
| RHOPRESSA 0.02 % DROPS MO | 2 | ST,QL(2.5 per 25 days) |
| ROCKLATAN 0.02-0.005 % DROPS MO | 2 | ST,QL(2.5 per 25 days) |
| SIMBRINZA 1-0.2 % DROPS, SUSPENSION MO | 3 | QL(16 per 30 days) |
| sulfacetamide sodium 10 % DROPS MO | 1 | |
| sulfacetamide-prednisolone 10 %-0.23 % (0.25 %) DROPS MO | 1 | |
| tafluprost (pf) 0.0015 % DROPPERETTE MO | 3 | ST,QL(30 per 30 days) |
| timolol maleate 0.25 % DROPS MO | 1 | |
| timolol maleate 0.25 %, 0.5 % GEL FORMING SOLUTION MO | 1 | |
| timolol maleate 0.5 % DROPS MO | 1 | |
| timolol maleate 0.5 % DROPS, ONCE DAILY MO | 1 | |
| timolol maleate (pf) 0.25 %, 0.5 % DROPPERETTE MO | 1 | |
| TIMOPTIC 0.25 %, 0.5 % DROPS MO | 3 | ST |
| TIMOPTIC OCUDOSE (PF) 0.25 %, 0.5 % DROPPERETTE MO | 3 | ST |
| TIMOPTIC-XE 0.25 %, 0.5 % GEL FORMING SOLUTION MO | 3 | PA |

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Paxlovid/Vaccine/Diabetic • ST – Step Therapy

| DRUG NAME | TIER | UTILIZATION MANAGEMENT REQUIREMENTS |
|---------------------------------------------------------------------|------|-------------------------------------|
| TOBRADEX 0.3-0.1 % DROPS, SUSPENSION MO | 3 | |
| TOBRADEX 0.3-0.1 % OINTMENT MO | 3 | |
| TOBRADEX ST 0.3-0.05 % DROPS, SUSPENSION MO | 3 | |
| tobramycin 0.3 % DROPS MO | 1 | |
| tobramycin-dexamethasone 0.3-0.1 % DROPS, SUSPENSION MO | 1 | |
| TOBREX 0.3 % OINTMENT MO | 3 | |
| TRAVATAN Z 0.004 % DROPS MO | 3 | ST,QL(2.5 per 25 days) |
| travoprost 0.004 % DROPS MO | 1 | QL(2.5 per 25 days) |
| trifluridine 1 % DROPS MO | 1 | |
| tropicamide 0.5 %, 1 % DROPS MO | 1 | |
| TRUSOPT 2 % DROPS MO | 3 | |
| TYRVAYA 0.03 MG/SPRAY SPRAY, METERED, NON-AEROSOL MO | 3 | PA,QL(8.4 per 30 days) |
| VERKAZIA 0.1 % DROPPERETTE DL | 4 | PA,QL(120 per 30 days) |
| VEVYE 0.1 % DROPS MO | 3 | PA,QL(2 per 30 days) |
| VIGAMOX 0.5 % DROPS MO | 3 | PA |
| VURITY 1.25 % DROPS MO | 3 | |
| VYZULTA 0.024 % DROPS MO | 3 | QL(2.5 per 25 days) |
| XALATAN 0.005 % DROPS MO | 3 | PA,QL(5 per 25 days) |
| XELPROS 0.005 % DROPS, EMULSION MO | 3 | ST,QL(2.5 per 25 days) |
| XXIDRA 5 % DROPPERETTE MO | 3 | PA,QL(60 per 30 days) |
| ZERVIADE 0.24 % DROPPERETTE MO | 3 | QL(60 per 30 days) |
| ZIOPTAN (PF) 0.0015 % DROPPERETTE MO | 3 | ST,QL(30 per 30 days) |
| ZYLET 0.3-0.5 % DROPS, SUSPENSION MO | 3 | |
| ZYMAXID 0.5 % DROPS MO | 3 | ST,QL(2.5 per 25 days) |
| OTIC AGENTS | | |
| CIPRO HC 0.2-1 % DROPS, SUSPENSION MO | 3 | |
| CIPRODEX 0.3-0.1 % DROPS, SUSPENSION MO | 3 | QL(7.5 per 30 days) |
| ciprofloxacin hcl 0.2 % DROPPERETTE MO | 1 | |
| ciprofloxacin-dexamethasone 0.3-0.1 % DROPS, SUSPENSION MO | 3 | QL(7.5 per 30 days) |
| ciprofloxacin-fluocinolone 0.3-0.025 % (0.25 ml) SOLUTION MO | 3 | |
| CORTISPORIN-TC 3.3-3-10-0.5 MG/ML DROPS, SUSPENSION MO | 3 | |
| DERMOTIC OIL 0.01 % DROPS MO | 3 | |

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Paxlovid/Vaccine/Diabetic • ST – Step Therapy

| DRUG NAME | TIER | UTILIZATION MANAGEMENT REQUIREMENTS |
|----------------------------------------------------------------------------------------------------------------------------------|------|-------------------------------------|
| flac otic oil 0.01 % DROPS MO | 1 | |
| fluocinolone acetonide oil 0.01 % DROPS MO | 1 | |
| hydrocortisone-acetic acid 1-2 % DROPS MO | 1 | |
| neomycin-polymyxin-hc 3.5-10,000-1 mg/ml-unit/ml-% DROPS, SUSPENSION MO | 1 | |
| neomycin-polymyxin-hc 3.5-10,000-1 mg/ml-unit/ml-% SOLUTION MO | 1 | |
| ofloxacin 0.3 % DROPS MO | 1 | |
| OTOVEL 0.3-0.025 % (0.25 ML) SOLUTION MO | 3 | |
| RESPIRATORY TRACT/PULMONARY AGENTS | | |
| ACCOLATE 10 MG, 20 MG TABLET MO | 3 | PA,QL(60 per 30 days) |
| acetylcysteine 100 mg/ml (10 %), 200 mg/ml (20 %) SOLUTION MO | 1 | BvsD |
| ADCIRCA 20 MG TABLET DL | 4 | PA,QL(60 per 30 days) |
| ADEMPAS 0.5 MG, 1 MG, 1.5 MG, 2 MG, 2.5 MG TABLET DL,LA | 4 | PA,QL(90 per 30 days) |
| ADRENALIN 1 MG/ML, 1 MG/ML (1 ML) SOLUTION MO | 3 | |
| ADVAIR DISKUS 100-50 MCG/DOSE, 250-50 MCG/DOSE, 500-50 MCG/DOSE BLISTER WITH DEVICE MO | 3 | ST,QL(60 per 30 days) |
| ADVAIR HFA 115-21 MCG/ACTUATION, 230-21 MCG/ACTUATION, 45-21 MCG/ACTUATION HFA AEROSOL INHALER MO | 2 | QL(12 per 30 days) |
| AIRDUO DIGIHALER 113 MCG-14 MCG/ACTUATION, 232-14 MCG/ACTUATION, 55-14 MCG/ACTUATION AEROSOL POWDER BREATH ACTIV. MO | 3 | ST,QL(1 per 30 days) |
| AIRDUO RESPICLICK 113-14 MCG/ACTUATION, 232-14 MCG/ACTUATION, 55-14 MCG/ACTUATION AEROSOL POWDER BREATH ACTIV. MO | 3 | ST,QL(1 per 30 days) |
| AIRSUPRA 90-80 MCG/ACTUATION HFA AEROSOL INHALER DL | 4 | PA,QL(32.1 per 30 days) |
| albuterol sulfate 0.63 mg/3 ml, 1.25 mg/3 ml, 2.5 mg /3 ml (0.083 %), 2.5 mg/0.5 ml, 5 mg/ml SOLUTION FOR NEBULIZATION MO | 1 | BvsD |
| albuterol sulfate 2 mg, 4 mg TABLET MO | 1 | |
| albuterol sulfate 2 mg/5 ml SYRUP MO | 1 | |
| albuterol sulfate 4 mg, 8 mg TABLET, ER 12 HR. MO | 1 | |
| albuterol sulfate 90 mcg/actuation HFA AEROSOL INHALER MO | 1 | QL(36 per 30 days) |
| ALVESCO 160 MCG/ACTUATION, 80 MCG/ACTUATION HFA AEROSOL INHALER MO | 3 | ST,QL(18.3 per 28 days) |
| alyq 20 mg TABLET MO | 1 | PA,QL(60 per 30 days) |
| ambrisentan 10 mg, 5 mg TABLET DL | 4 | PA,QL(30 per 30 days) |

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Paxlovid/Vaccine/Diabetic • ST – Step Therapy

| DRUG NAME | TIER | UTILIZATION MANAGEMENT REQUIREMENTS |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|-------------------------------------|
| aminophylline 250 mg/10 ml, 500 mg/20 ml SOLUTION MO | 1 | |
| ANORO ELLIPTA 62.5-25 MCG/ACTUATION BLISTER WITH DEVICE MO | 3 | PA,QL(60 per 30 days) |
| arformoterol 15 mcg/2 ml SOLUTION FOR NEBULIZATION MO | 1 | BvsD,QL(120 per 30 days) |
| ARMONAIR DIGIHALER 113 MCG/ACTUATION, 232 MCG/ACTUATION, 55 MCG/ACTUATION AEROSOL POWDER BREATH ACTIV. MO | 3 | ST,QL(1 per 30 days) |
| ARNUITY ELLIPTA 100 MCG/ACTUATION, 200 MCG/ACTUATION, 50 MCG/ACTUATION BLISTER WITH DEVICE MO | 2 | QL(30 per 30 days) |
| ASMANEX HFA 100 MCG/ACTUATION, 200 MCG/ACTUATION, 50 MCG/ACTUATION HFA AEROSOL INHALER MO | 3 | ST,QL(13 per 30 days) |
| ASMANEX TWISTHALER 110 MCG/ ACTUATION (30), 220 MCG/ ACTUATION (120), 220 MCG/ ACTUATION (14), 220 MCG/ ACTUATION (30), 220 MCG/ ACTUATION (60) AEROSOL POWDER BREATH ACTIV. MO | 3 | ST,QL(1 per 28 days) |
| ATROVENT HFA 17 MCG/ACTUATION HFA AEROSOL INHALER MO | 3 | QL(25.8 per 30 days) |
| AUVI-Q 0.1 MG/0.1 ML, 0.15 MG/0.15 ML, 0.3 MG/0.3 ML AUTO-INJECTOR MO | 2 | QL(4 per 30 days) |
| azelastine 137 mcg (0.1 %) AEROSOL SPRAY MO | 1 | QL(30 per 25 days) |
| azelastine 205.5 mcg (0.15 %) SPRAY, NON-AEROSOL MO | 1 | QL(30 per 25 days) |
| azelastine-fluticasone 137-50 mcg/spray SPRAY, NON-AEROSOL MO | 1 | ST,QL(23 per 28 days) |
| BECONASE AQ 42 MCG (0.042 %) SPRAY, NON-AEROSOL MO | 3 | ST,QL(50 per 30 days) |
| BEVESPI AEROSPHERE 9-4.8 MCG HFA AEROSOL INHALER MO | 3 | QL(10.7 per 30 days) |
| bosentan 125 mg, 62.5 mg TABLET DL | 4 | PA,QL(60 per 30 days) |
| BREO ELLIPTA 100-25 MCG/DOSE, 200-25 MCG/DOSE BLISTER WITH DEVICE MO | 2 | QL(60 per 30 days) |
| BREO ELLIPTA 50-25 MCG/DOSE BLISTER WITH DEVICE MO | 2 | QL(60 per 30 days) |
| BREZTRI AEROSPHERE 160-9-4.8 MCG/ACTUATION HFA AEROSOL INHALER MO | 2 | QL(10.7 per 30 days) |
| BRONCHITOL 40 MG CAPSULE, W/INHALATION DEVICE DL | 4 | PA,QL(560 per 28 days) |
| BROVANA 15 MCG/2 ML SOLUTION FOR NEBULIZATION | 4 | BvsD,QL(120 per 30 days) |
| budesonide 0.25 mg/2 ml, 0.5 mg/2 ml, 1 mg/2 ml SUSPENSION FOR NEBULIZATION MO | 1 | BvsD |
| carbinoxamine maleate 4 mg TABLET MO | 1 | |
| carbinoxamine maleate 4 mg/5 ml LIQUID MO | 1 | |
| carbinoxamine maleate 6 mg TABLET DL | 4 | QL(120 per 30 days) |
| CAYSTON 75 MG/ML SOLUTION FOR NEBULIZATION DL | 4 | PA,QL(84 per 28 days) |
| cetirizine 1 mg/ml SOLUTION MO | 1 | QL(300 per 30 days) |

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Paxlovid/Vaccine/Diabetic • ST – Step Therapy

| DRUG NAME | TIER | UTILIZATION MANAGEMENT REQUIREMENTS |
|---------------------------------------------------------------------------------------------------|------|-------------------------------------|
| CINQAIR 10 MG/ML SOLUTION DL | 4 | PA |
| CLARINEX 5 MG TABLET MO | 3 | PA,QL(30 per 30 days) |
| clemastine 0.5 mg/5 ml SYRUP DL | 4 | PA,QL(1800 per 30 days) |
| clemastine 2.68 mg TABLET MO | 1 | |
| COMBIVENT RESPIMAT 20-100 MCG/ACTUATION MIST MO | 3 | QL(4 per 20 days) |
| cromolyn 100 mg/5 ml CONCENTRATE MO | 1 | |
| cromolyn 20 mg/2 ml SOLUTION FOR NEBULIZATION MO | 1 | BvsD |
| cyproheptadine 2 mg/5 ml SYRUP MO | 1 | |
| cyproheptadine 4 mg TABLET MO | 1 | |
| DALIRESP 250 MCG TABLET MO | 3 | PA,QL(28 per 365 days) |
| DALIRESP 500 MCG TABLET MO | 3 | PA,QL(30 per 30 days) |
| desloratadine 2.5 mg, 5 mg TABLET, DISINTEGRATING MO | 1 | ST,QL(30 per 30 days) |
| desloratadine 5 mg TABLET MO | 1 | QL(30 per 30 days) |
| dexchlorpheniramine maleate 2 mg/5 ml SOLUTION MO | 1 | PA |
| DIPHEN 12.5 MG/5 ML ELIXIR MO | 1 | |
| diphen 12.5 mg/5 ml ELIXIR MO | 1 | |
| diphenhydramine hcl 12.5 mg/5 ml ELIXIR MO | 1 | |
| diphenhydramine hcl 50 mg/ml SOLUTION MO | 1 | |
| diphenhydramine hcl 50 mg/ml SYRINGE MO | 1 | |
| DOPRAM 20 MG/ML SOLUTION MO | 3 | |
| DUAKLIR PRESSAIR 400-12 MCG/ACTUATION AEROSOL POWDER BREATH ACTIV. MO | 3 | PA,QL(1 per 30 days) |
| DULERA 100-5 MCG/ACTUATION, 200-5 MCG/ACTUATION, 50-5 MCG/ACTUATION HFA AEROSOL INHALER MO | 3 | ST,QL(13 per 30 days) |
| DYMISTA 137-50 MCG/SPRAY SPRAY, NON-AEROSOL MO | 3 | ST,QL(23 per 28 days) |
| ELIXOPHYLLIN 80 MG/15 ML ELIXIR MO | 1 | |
| epinephrine 0.15 mg/0.15 ml, 0.15 mg/0.3 ml, 0.3 mg/0.3 ml AUTO-INJECTOR MO | 1 | QL(4 per 30 days) |
| EPIPEN 0.3 MG/0.3 ML AUTO-INJECTOR MO | 3 | PA,QL(4 per 30 days) |
| EPIPEN 2-PAK 0.3 MG/0.3 ML AUTO-INJECTOR MO | 3 | PA,QL(4 per 30 days) |
| EPIPEN JR 0.15 MG/0.3 ML AUTO-INJECTOR MO | 3 | PA,QL(4 per 30 days) |
| EPIPEN JR 2-PAK 0.15 MG/0.3 ML AUTO-INJECTOR MO | 3 | PA,QL(4 per 30 days) |
| epoprostenol 0.5 mg, 1.5 mg RECON SOLUTION DL | 4 | PA |

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Paxlovid/Vaccine/Diabetic • ST – Step Therapy

| DRUG NAME | TIER | UTILIZATION MANAGEMENT REQUIREMENTS |
|---------------------------------------------------------------------------------------------------------------------------------------|------|-------------------------------------|
| epoprostenol (glycine) 0.5 mg, 1.5 mg RECON SOLUTION DL | 4 | PA |
| ESBRIET 267 MG CAPSULE DL | 4 | PA,QL(270 per 30 days) |
| ESBRIET 267 MG TABLET DL | 4 | PA,QL(270 per 30 days) |
| ESBRIET 801 MG TABLET DL | 4 | PA,QL(90 per 30 days) |
| FASENRA 30 MG/ML SYRINGE DL | 4 | PA,QL(1 per 28 days) |
| FASENRA PEN 30 MG/ML AUTO-INJECTOR DL | 4 | PA,QL(1 per 28 days) |
| flunisolide 25 mcg (0.025 %) SPRAY, NON-AEROSOL MO | 1 | QL(50 per 30 days) |
| fluticasone propion-salmeterol 100-50 mcg/dose, 500-50 mcg/dose BLISTER WITH DEVICE MO | 1 | QL(60 per 30 days) |
| fluticasone propion-salmeterol 113-14 mcg/actuation, 232-14 mcg/actuation, 55-14 mcg/actuation AEROSOL POWDER BREATH ACTIV. MO | 2 | QL(1 per 30 days) |
| fluticasone propion-salmeterol 250-50 mcg/dose BLISTER WITH DEVICE MO | 1 | QL(60 per 30 days) |
| fluticasone propionate 100 mcg/actuation, 250 mcg/actuation, 50 mcg/actuation BLISTER WITH DEVICE MO | 3 | ST,QL(60 per 30 days) |
| fluticasone propionate 110 mcg/actuation, 220 mcg/actuation HFA AEROSOL INHALER MO | 3 | ST,QL(24 per 30 days) |
| fluticasone propionate 44 mcg/actuation HFA AEROSOL INHALER MO | 3 | ST,QL(10.6 per 30 days) |
| fluticasone propionate 50 mcg/actuation SPRAY, SUSPENSION MO | 1 | QL(16 per 30 days) |
| formoterol fumarate 20 mcg/2 ml SOLUTION FOR NEBULIZATION MO | 1 | BvsD,QL(120 per 30 days) |
| GASTROCROM 100 MG/5 ML CONCENTRATE MO | 3 | |
| GRASTEK 2,800 BAU SUBLINGUAL TABLET MO | 3 | PA,QL(30 per 30 days) |
| hydroxyzine pamoate 100 mg, 50 mg CAPSULE MO | 1 | |
| hydroxyzine pamoate 25 mg CAPSULE MO | 1 | |
| INCRUSE ELLIPTA 62.5 MCG/ACTUATION BLISTER WITH DEVICE MO | 3 | PA,QL(30 per 30 days) |
| ipratropium bromide 0.02 % SOLUTION MO | 1 | BvsD |
| ipratropium bromide 21 mcg (0.03 %) SPRAY, NON-AEROSOL MO | 1 | QL(30 per 30 days) |
| ipratropium bromide 42 mcg (0.06 %) SPRAY, NON-AEROSOL MO | 1 | QL(45 per 30 days) |
| ipratropium-albuterol 0.5 mg-3 mg(2.5 mg base)/3 ml SOLUTION FOR NEBULIZATION MO | 1 | BvsD |
| KALYDECO 13.4 MG, 25 MG, 5.8 MG, 50 MG, 75 MG GRANULES IN PACKET DL | 4 | PA,QL(56 per 28 days) |
| KALYDECO 150 MG TABLET DL | 4 | PA,QL(60 per 30 days) |
| KARBINAL ER 4 MG/5 ML SUSPENSION, ER 12 HR. MO | 3 | |
| LETAIRIS 10 MG, 5 MG TABLET DL | 4 | PA,QL(30 per 30 days) |

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Paxlovid/Vaccine/Diabetic • ST – Step Therapy

| DRUG NAME | TIER | UTILIZATION MANAGEMENT REQUIREMENTS |
|------------------------------------------------------------------------------------------------------------------|------|-------------------------------------|
| levalbuterol hcl 0.31 mg/3 ml, 0.63 mg/3 ml, 1.25 mg/0.5 ml, 1.25 mg/3 ml SOLUTION FOR NEBULIZATION MO | 1 | BvsD |
| levalbuterol tartrate 45 mcg/actuation HFA AEROSOL INHALER MO | 1 | ST,QL(30 per 30 days) |
| levocetirizine 2.5 mg/5 ml SOLUTION MO | 1 | QL(300 per 30 days) |
| levocetirizine 5 mg TABLET MO | 1 | QL(30 per 30 days) |
| LIQREV 10 MG/ML SUSPENSION DL | 4 | PA,QL(180 per 30 days) |
| LONHALA MAGNAIR REFILL 25 MCG/ML SOLUTION FOR NEBULIZATION DL | 4 | PA,QL(60 per 30 days) |
| LONHALA MAGNAIR STARTER 25 MCG/ML SOLUTION FOR NEBULIZATION DL | 4 | PA,QL(60 per 365 days) |
| mometasone 50 mcg/actuation SPRAY, NON-AEROSOL MO | 1 | QL(34 per 30 days) |
| montelukast 10 mg TABLET MO | 1 | QL(30 per 30 days) |
| montelukast 4 mg GRANULES IN PACKET MO | 1 | QL(30 per 30 days) |
| montelukast 4 mg, 5 mg CHEWABLE TABLET MO | 1 | QL(30 per 30 days) |
| NUCALA 100 MG RECON SOLUTION DL | 4 | PA,QL(3 per 28 days) |
| NUCALA 100 MG/ML AUTO-INJECTOR DL | 4 | PA,QL(3 per 28 days) |
| NUCALA 100 MG/ML SYRINGE DL | 4 | PA,QL(3 per 28 days) |
| NUCALA 40 MG/0.4 ML SYRINGE DL | 4 | PA,QL(0.4 per 28 days) |
| ODACTRA 12 SQ-HDM SUBLINGUAL TABLET MO | 3 | PA,QL(30 per 30 days) |
| OFEV 100 MG, 150 MG CAPSULE DL,LA | 4 | PA,QL(60 per 30 days) |
| olopatadine 0.6 % SPRAY, NON-AEROSOL MO | 1 | ST,QL(30.5 per 30 days) |
| OMNARIS 50 MCG SPRAY, NON-AEROSOL MO | 3 | ST,QL(12.5 per 30 days) |
| OPSUMIT 10 MG TABLET DL,LA | 4 | PA,QL(30 per 30 days) |
| OPSYNVI 10-20 MG, 10-40 MG TABLET DL | 4 | PA,QL(30 per 30 days) |
| ORALAIR 100 INDX REACTIVITY, 100 IR (3) /300 IR (6), 300 INDX REACTIVITY SUBLINGUAL TABLET MO | 3 | PA,QL(30 per 30 days) |
| ORENITRAM 0.125 MG TABLET ER DL | 4 | PA,QL(1000 per 30 days) |
| ORENITRAM 0.25 MG TABLET ER DL | 4 | PA,QL(500 per 30 days) |
| ORENITRAM 1 MG TABLET ER DL | 4 | PA,QL(720 per 30 days) |
| ORENITRAM 2.5 MG TABLET ER DL | 4 | PA,QL(300 per 30 days) |
| ORENITRAM 5 MG TABLET ER DL | 4 | PA,QL(150 per 30 days) |
| ORENITRAM MONTH 1 TITRATION KT 0.125 MG (126)- 0.25 MG (42) TABLET, ER, DOSE PACK DL | 4 | PA,QL(168 per 28 days) |
| ORENITRAM MONTH 2 TITRATION KT 0.125 MG (126)- 0.25 MG (210) TABLET, ER, DOSE PACK DL | 4 | PA,QL(336 per 28 days) |

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Paxlovid/Vaccine/Diabetic • ST – Step Therapy

| DRUG NAME | TIER | UTILIZATION MANAGEMENT REQUIREMENTS |
|------------------------------------------------------------------------------------------------|------|-------------------------------------|
| ORENITRAM MONTH 3 TITRATION KT 0.125 MG (126)- 0.25 MG(42)-1MG TABLET, ER, DOSE PACK DL | 4 | PA,QL(252 per 28 days) |
| ORKAMBI 100-125 MG, 150-188 MG, 75-94 MG GRANULES IN PACKET DL | 4 | PA,QL(56 per 28 days) |
| ORKAMBI 100-125 MG, 200-125 MG TABLET DL | 4 | PA,QL(112 per 28 days) |
| PATANASE 0.6 % SPRAY, NON-AEROSOL MO | 3 | ST,QL(30.5 per 30 days) |
| PERFOROMIST 20 MCG/2 ML SOLUTION FOR NEBULIZATION DL | 4 | BvsD,QL(120 per 30 days) |
| pirfenidone 267 mg CAPSULE DL | 4 | PA,QL(270 per 30 days) |
| pirfenidone 267 mg TABLET DL | 4 | PA,QL(270 per 30 days) |
| pirfenidone 534 mg, 801 mg TABLET DL | 4 | PA,QL(90 per 30 days) |
| PROAIR DIGIHALER 90 MCG/ACTUATION AEROSOL POWDER BREATH ACTIV. MO | 3 | ST,QL(2 per 30 days) |
| PROAIR HFA 90 MCG/ACTUATION HFA AEROSOL INHALER MO | 3 | ST,QL(36 per 30 days) |
| PROAIR RESPICLICK 90 MCG/ACTUATION AEROSOL POWDER BREATH ACTIV. MO | 3 | ST,QL(2 per 30 days) |
| PROVENTIL HFA 90 MCG/ACTUATION HFA AEROSOL INHALER MO | 3 | ST,QL(36 per 30 days) |
| PULMICORT 0.25 MG/2 ML, 0.5 MG/2 ML, 1 MG/2 ML SUSPENSION FOR NEBULIZATION MO | 3 | BvsD |
| PULMICORT FLEXHALER 180 MCG/ACTUATION, 90 MCG/ACTUATION AEROSOL POWDER BREATH ACTIV. MO | 3 | ST,QL(2 per 30 days) |
| PULMOZYME 1 MG/ML SOLUTION DL | 4 | BvsD |
| QNASL 40 MCG/ACTUATION HFA AEROSOL INHALER MO | 3 | ST,QL(6.8 per 30 days) |
| QNASL 80 MCG/ACTUATION HFA AEROSOL INHALER MO | 3 | ST,QL(10.6 per 30 days) |
| QUZYTIR 10 MG/ML SOLUTION MO | 3 | |
| QVAR REDIHALER 40 MCG/ACTUATION HFA AEROSOL BREATH ACTIVATED MO | 3 | ST,QL(10.6 per 30 days) |
| QVAR REDIHALER 80 MCG/ACTUATION HFA AEROSOL BREATH ACTIVATED MO | 3 | ST,QL(21.2 per 30 days) |
| RAGWITEK 12 AMB A 1 UNIT SUBLINGUAL TABLET MO | 3 | PA,QL(30 per 30 days) |
| REMODULIN 1 MG/ML, 10 MG/ML, 2.5 MG/ML, 5 MG/ML SOLUTION DL | 4 | PA |
| REVATIO 10 MG/ML SUSPENSION FOR RECONSTITUTION DL | 4 | PA,QL(180 per 30 days) |
| REVATIO 20 MG TABLET DL | 4 | PA,QL(90 per 30 days) |
| roflumilast 250 mcg TABLET MO | 1 | QL(28 per 365 days) |
| roflumilast 500 mcg TABLET MO | 1 | QL(30 per 30 days) |
| RYALTRIS 665-25 MCG/SPRAY SPRAY, NON-AEROSOL MO | 3 | ST,QL(29 per 30 days) |
| RYCLORA 2 MG/5 ML SOLUTION MO | 1 | |

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Paxlovid/Vaccine/Diabetic • ST – Step Therapy

| DRUG NAME | TIER | UTILIZATION MANAGEMENT REQUIREMENTS |
|----------------------------------------------------------------------------------------------------------------------|------|-------------------------------------|
| RYVENT 6 MG TABLET MO | 1 | QL(120 per 30 days) |
| SEREVENT DISKUS 50 MCG/DOSE BLISTER WITH DEVICE MO | 3 | PA,QL(60 per 30 days) |
| sildenafil (pulm.hypertension) 10 mg/ml SUSPENSION FOR RECONSTITUTION DL | 4 | PA,QL(180 per 30 days) |
| sildenafil (pulm.hypertension) 20 mg TABLET MO | 1 | PA,QL(90 per 30 days) |
| SINGULAIR 10 MG TABLET MO | 3 | PA,QL(30 per 30 days) |
| SINGULAIR 4 MG GRANULES IN PACKET MO | 3 | PA,QL(30 per 30 days) |
| SINGULAIR 4 MG, 5 MG CHEWABLE TABLET MO | 3 | PA,QL(30 per 30 days) |
| SPIRIVA RESPIMAT 1.25 MCG/ACTUATION, 2.5 MCG/ACTUATION MIST MO | 2 | QL(4 per 28 days) |
| SPIRIVA WITH HANDIHALER 18 MCG CAPSULE, W/INHALATION DEVICE MO | 2 | QL(30 per 30 days) |
| STIOLTO RESPIMAT 2.5-2.5 MCG/ACTUATION MIST MO | 2 | QL(4 per 28 days) |
| STRIVERDI RESPIMAT 2.5 MCG/ACTUATION MIST MO | 2 | QL(4 per 30 days) |
| SYMBICORT 160-4.5 MCG/ACTUATION, 80-4.5 MCG/ACTUATION HFA AEROSOL INHALER MO | 2 | QL(10.2 per 30 days) |
| SYMDEKO 100-150 MG (D)/ 150 MG (N), 50-75 MG (D)/ 75 MG (N) TABLET, SEQUENTIAL DL | 4 | PA,QL(56 per 28 days) |
| SYMJEPI 0.15 MG/0.3 ML, 0.3 MG/0.3 ML SYRINGE MO | 2 | QL(4 per 30 days) |
| tadalafil (pulm. hypertension) 20 mg TABLET MO | 1 | PA,QL(60 per 30 days) |
| TADLIQ 20 MG/5 ML (4 MG/ML) SUSPENSION DL | 4 | PA,QL(300 per 30 days) |
| terbutaline 1 mg/ml SOLUTION MO | 1 | |
| terbutaline 2.5 mg, 5 mg TABLET MO | 1 | |
| THEO-24 100 MG, 200 MG, 300 MG, 400 MG CAPSULE, ER 24 HR. MO | 1 | |
| theophylline 100 mg, 200 mg, 300 mg, 450 mg TABLET, ER 12 HR. MO | 1 | |
| theophylline 400 mg, 600 mg TABLET, ER 24 HR. MO | 1 | |
| theophylline 80 mg/15 ml ELIXIR MO | 1 | |
| theophylline 80 mg/15 ml SOLUTION MO | 1 | |
| theophylline in dextrose 5 % 200 mg/100 ml, 200 mg/50 ml, 400 mg/250 ml, 800 mg/250 ml PARENTERAL SOLUTION MO | 1 | |
| TOBI PODHALER 28 MG CAPSULE, W/INHALATION DEVICE DL | 4 | PA,QL(224 per 28 days) |
| TRACLEER 125 MG, 62.5 MG TABLET DL | 4 | PA,QL(60 per 30 days) |
| TRACLEER 32 MG TABLET FOR SUSPENSION DL | 4 | PA,QL(120 per 30 days) |
| TRELEGY ELLIPTA 100-62.5-25 MCG, 200-62.5-25 MCG BLISTER WITH DEVICE MO | 2 | QL(60 per 30 days) |
| treprostinil sodium 1 mg/ml, 10 mg/ml, 2.5 mg/ml, 5 mg/ml SOLUTION DL | 4 | PA |

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Paxlovid/Vaccine/Diabetic • ST – Step Therapy

| DRUG NAME | TIER | UTILIZATION MANAGEMENT REQUIREMENTS |
|------------------------------------------------------------------------------------------------------------|------|-------------------------------------|
| TRIKAFTA 100-50-75 MG(D) /150 MG (N), 50-25-37.5 MG (D)/75 MG (N) TABLET, SEQUENTIAL DL | 4 | PA,QL(84 per 28 days) |
| TRIKAFTA 100-50-75MG (D) /75 MG (N), 80-40-60 MG (D) /59.5 MG (N) GRANULES IN PACKET, SEQUENTIAL DL | 4 | PA,QL(56 per 28 days) |
| TUDORZA PRESSAIR 400 MCG/ACTUATION AEROSOL POWDER BREATH ACTIV. MO | 3 | PA,QL(1 per 30 days) |
| TYVASO 1.74 MG/2.9 ML (0.6 MG/ML) SOLUTION FOR NEBULIZATION DL | 4 | PA |
| TYVASO DPI 16 MCG (112)- 32 MCG (84) CARTRIDGE WITH INHALER DL | 4 | PA,QL(196 per 28 days) |
| TYVASO DPI 16 MCG, 32 MCG, 48 MCG, 64 MCG CARTRIDGE WITH INHALER DL | 4 | PA,QL(112 per 28 days) |
| TYVASO DPI 16(112)-32(112) -48(28) MCG CARTRIDGE WITH INHALER DL | 4 | PA,QL(252 per 28 days) |
| TYVASO DPI 32-48 MCG CARTRIDGE WITH INHALER DL | 4 | PA,QL(224 per 28 days) |
| TYVASO INSTITUTIONAL START KIT 1.74 MG/2.9 ML SOLUTION FOR NEBULIZATION DL | 4 | PA |
| TYVASO REFILL KIT 1.74 MG/2.9 ML (0.6 MG/ML) SOLUTION FOR NEBULIZATION DL | 4 | PA |
| TYVASO STARTER KIT 1.74 MG/2.9 ML SOLUTION FOR NEBULIZATION DL | 4 | PA |
| UPTRAVI 1,000 MCG, 1,200 MCG, 1,400 MCG, 1,600 MCG, 200 MCG, 400 MCG, 600 MCG, 800 MCG TABLET DL | 4 | PA,QL(60 per 30 days) |
| UPTRAVI 1,800 MCG RECON SOLUTION DL | 4 | PA |
| UPTRAVI 200 MCG (140)- 800 MCG (60) TABLET, DOSE PACK DL | 4 | PA,QL(200 per 30 days) |
| VELETRI 0.5 MG, 1.5 MG RECON SOLUTION DL | 4 | PA |
| VENTAVIS 10 MCG/ML SOLUTION FOR NEBULIZATION DL | 4 | PA,QL(150 per 30 days) |
| VENTAVIS 20 MCG/ML SOLUTION FOR NEBULIZATION DL | 4 | PA,QL(90 per 30 days) |
| VENTOLIN HFA 90 MCG/ACTUATION HFA AEROSOL INHALER MO | 2 | QL(36 per 30 days) |
| VISTARIL 25 MG, 50 MG CAPSULE MO | 3 | |
| WINREVAIR 45 MG, 60 MG KIT DL | 4 | PA |
| wixela inhuh 100-50 mcg/dose, 250-50 mcg/dose, 500-50 mcg/dose BLISTER WITH DEVICE MO | 1 | QL(60 per 30 days) |
| XHANCE 93 MCG/ACTUATION AEROSOL BREATH ACTIVATED MO | 3 | PA,QL(32 per 30 days) |
| XOPENEX HFA 45 MCG/ACTUATION HFA AEROSOL INHALER MO | 3 | ST,QL(30 per 30 days) |
| YUPELRI 175 MCG/3 ML SOLUTION FOR NEBULIZATION | 4 | PA,QL(90 per 30 days) |
| zafirlukast 10 mg TABLET MO | 1 | QL(60 per 30 days) |
| zafirlukast 20 mg TABLET MO | 1 | QL(60 per 30 days) |

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Paxlovid/Vaccine/Diabetic • ST – Step Therapy

| DRUG NAME | TIER | UTILIZATION MANAGEMENT REQUIREMENTS |
|-------------------------------------------------------------|------|-------------------------------------|
| ZETONNA 37 MCG/ACTUATION HFA AEROSOL INHALER MO | 3 | ST,QL(6.1 per 28 days) |
| zileuton 600 mg TABLET, ER 12 HR., MULTIPHASE | 4 | ST,QL(120 per 30 days) |
| ZYFLO 600 MG TABLET DL | 4 | ST,QL(120 per 30 days) |
| SKELETAL MUSCLE RELAXANTS | | |
| AMRIX 15 MG, 30 MG CAPSULE, ER 24 HR. DL | 4 | ST,QL(21 per 30 days) |
| carisoprodol 250 mg, 350 mg TABLET MO | 1 | QL(120 per 30 days) |
| carisoprodol-aspirin 200-325 mg TABLET MO | 1 | |
| carisoprodol-aspirin-codeine 200-325-16 mg TABLET DL | 1 | QL(360 per 30 days) |
| chlorzoxazone 250 mg TABLET DL | 4 | ST,QL(360 per 30 days) |
| chlorzoxazone 375 mg, 750 mg TABLET MO | 1 | ST,QL(120 per 30 days) |
| chlorzoxazone 500 mg TABLET MO | 1 | ST |
| cyclobenzaprine 10 mg, 5 mg TABLET MO | 1 | |
| cyclobenzaprine 15 mg, 30 mg CAPSULE, ER 24 HR. MO | 1 | ST,QL(21 per 30 days) |
| cyclobenzaprine 7.5 mg TABLET MO | 1 | QL(90 per 30 days) |
| FEXMID 7.5 MG TABLET MO | 1 | ST,QL(90 per 30 days) |
| LORZONE 375 MG TABLET MO | 1 | ST,QL(120 per 30 days) |
| LORZONE 750 MG TABLET DL | 4 | ST,QL(120 per 30 days) |
| metaxalone 400 mg, 800 mg TABLET MO | 1 | ST,QL(120 per 30 days) |
| methocarbamol 1,000 mg TABLET DL | 4 | PA |
| methocarbamol 100 mg/ml SOLUTION MO | 1 | |
| methocarbamol 500 mg, 750 mg TABLET MO | 1 | |
| norgesic 25-385-30 mg TABLET DL | 4 | PA,QL(240 per 30 days) |
| NORGESIC FORTE 50-770-60 MG TABLET DL | 4 | PA,QL(120 per 30 days) |
| orphenadrine citrate 100 mg TABLET ER MO | 1 | |
| orphenadrine citrate 30 mg/ml SOLUTION MO | 1 | ST |
| orphenadrine-asa-caffeine 25-385-30 mg TABLET DL | 4 | PA,QL(240 per 30 days) |
| orphenadrine-asa-caffeine 50-770-60 mg TABLET DL | 4 | PA,QL(120 per 30 days) |
| orphengesic forte 50-770-60 mg TABLET DL | 4 | PA,QL(120 per 30 days) |
| ROBAXIN 100 MG/ML SOLUTION DL | 4 | |
| SOMA 250 MG, 350 MG TABLET DL | 4 | PA,QL(120 per 30 days) |
| vanadom 350 mg TABLET MO | 1 | QL(120 per 30 days) |

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Paxlovid/Vaccine/Diabetic • ST – Step Therapy

| DRUG NAME | TIER | UTILIZATION MANAGEMENT REQUIREMENTS |
|-------------------------------------------------------------------------|------|-------------------------------------|
| SLEEP DISORDER AGENTS | | |
| AMBIEN 10 MG, 5 MG TABLET MO | 3 | PA,QL(30 per 30 days) |
| AMBIEN CR 12.5 MG, 6.25 MG TABLET, ER MULTIPHASE MO | 3 | PA,QL(30 per 30 days) |
| armodafinil 150 mg, 200 mg, 250 mg TABLET MO | 1 | PA,QL(30 per 30 days) |
| armodafinil 50 mg TABLET MO | 1 | PA,QL(60 per 30 days) |
| BELSOMRA 10 MG TABLET MO | 2 | QL(60 per 30 days) |
| BELSOMRA 15 MG, 20 MG TABLET MO | 2 | QL(30 per 30 days) |
| BELSOMRA 5 MG TABLET MO | 2 | QL(120 per 30 days) |
| DAYVIGO 10 MG, 5 MG TABLET MO | 3 | PA,QL(30 per 30 days) |
| doxepin 3 mg, 6 mg TABLET MO | 1 | QL(30 per 30 days) |
| EDLUAR 10 MG SUBLINGUAL TABLET MO | 3 | |
| EDLUAR 5 MG SUBLINGUAL TABLET MO | 3 | QL(30 per 30 days) |
| estazolam 1 mg, 2 mg TABLET DL | 1 | QL(30 per 30 days) |
| eszopiclone 1 mg, 2 mg, 3 mg TABLET MO | 1 | QL(30 per 30 days) |
| flurazepam 15 mg CAPSULE DL | 1 | QL(60 per 30 days) |
| flurazepam 30 mg CAPSULE DL | 1 | QL(30 per 30 days) |
| HALCION 0.25 MG TABLET DL | 3 | PA,QL(30 per 30 days) |
| HETLIOZ 20 MG CAPSULE DL | 4 | PA,QL(30 per 30 days) |
| HETLIOZ LQ 4 MG/ML SUSPENSION DL | 4 | PA,QL(158 per 30 days) |
| LUMRYZ 4.5 GRAM, 6 GRAM, 7.5 GRAM, 9 GRAM ER GRANULES, PACKET DL | 4 | PA,QL(30 per 30 days) |
| LUNESTA 1 MG, 2 MG, 3 MG TABLET MO | 3 | PA,QL(30 per 30 days) |
| modafinil 100 mg, 200 mg TABLET MO | 1 | PA,QL(60 per 30 days) |
| NUVIGIL 150 MG, 200 MG, 250 MG TABLET | 4 | PA,QL(30 per 30 days) |
| NUVIGIL 50 MG TABLET | 4 | PA,QL(60 per 30 days) |
| PROVIGIL 100 MG, 200 MG TABLET | 4 | PA,QL(60 per 30 days) |
| QUVIVIQ 25 MG, 50 MG TABLET MO | 3 | ST,QL(30 per 30 days) |
| ramelteon 8 mg TABLET MO | 1 | ST,QL(30 per 30 days) |
| RESTORIL 15 MG, 22.5 MG, 30 MG, 7.5 MG CAPSULE DL | 4 | PA,QL(30 per 30 days) |
| ROZEREM 8 MG TABLET MO | 3 | ST,QL(30 per 30 days) |
| SILENOR 3 MG, 6 MG TABLET MO | 3 | QL(30 per 30 days) |
| sodium oxybate 500 mg/ml SOLUTION DL | 4 | PA,QL(540 per 30 days) |
| SUNOSI 150 MG, 75 MG TABLET MO | 3 | PA,QL(30 per 30 days) |

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Paxlovid/Vaccine/Diabetic • ST – Step Therapy

| DRUG NAME | TIER | UTILIZATION MANAGEMENT REQUIREMENTS |
|------------------------------------------------------------|------|-------------------------------------|
| tasimelteon 20 mg CAPSULE DL | 4 | PA,QL(30 per 30 days) |
| temazepam 15 mg, 30 mg CAPSULE DL | 1 | QL(30 per 30 days) |
| temazepam 22.5 mg, 7.5 mg CAPSULE DL | 1 | QL(30 per 30 days) |
| triazolam 0.125 mg, 0.25 mg TABLET DL | 1 | QL(30 per 30 days) |
| WAKIX 17.8 MG, 4.45 MG TABLET DL | 4 | PA,QL(60 per 30 days) |
| XYREM 500 MG/ML SOLUTION DL | 4 | PA,QL(540 per 30 days) |
| XYWAV 0.5 GRAM/ML SOLUTION DL | 4 | PA,QL(540 per 30 days) |
| zaleplon 10 mg, 5 mg CAPSULE MO | 1 | QL(30 per 30 days) |
| zolpidem 1.75 mg, 3.5 mg SUBLINGUAL TABLET MO | 1 | QL(30 per 30 days) |
| zolpidem 10 mg, 5 mg TABLET MO | 1 | QL(30 per 30 days) |
| zolpidem 12.5 mg, 6.25 mg TABLET, ER MULTIPHASE MO | 1 | QL(30 per 30 days) |
| ZOLPIDEM 7.5 MG CAPSULE MO | 3 | QL(30 per 30 days) |
| ZOLPIMIST 5 MG/SPRAY (0.1 ML) SPRAY, NON-AEROSOL MO | 3 | QL(23.1 per 365 days) |

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

B vs D – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Paxlovid/Vaccine/Diabetic • ST – Step Therapy

Humana Group Medicare Plan Coverage of Additional Prescription Drugs

| DRUG NAME | TIER | UTILIZATION MANAGEMENT REQUIREMENTS |
|-------------------------------------------------------------------|------|-------------------------------------|
| Cough/Cold - Mail Order Available | | |
| benzonatate 100 mg, 150 mg, 200 mg CAPSULE | 1 | |
| bromfed dm 2-30-10 mg/5 ml SYRUP | 1 | |
| brompheniramine-pseudoeph-dm 2-30-10 mg/5 ml SYRUP | 1 | |
| HYCODAN 5-1.5 MG/5 ML (5 ML) SYRUP | 1 | |
| HYCODAN (WITH HOMATROPINE) 5-1.5 MG TABLET | 1 | |
| HYCODAN (WITH HOMATROPINE) 5-1.5 MG/5 ML SYRUP | 1 | |
| hydrocodone-chlorpheniramine 10-8 mg/5 ml SUSPENSION, ER 12 HR. | 1 | |
| hydrocodone-homatropine 5-1.5 mg TABLET | 1 | |
| hydrocodone-homatropine 5-1.5 mg/5 ml, 5-1.5 mg/5 ml (5 ml) SYRUP | 1 | |
| hydromet 5-1.5 mg/5 ml SYRUP | 1 | |
| OBREDON 2.5-200 MG/5 ML SOLUTION | 3 | |
| promethazine vc-codeine 6.25-5-10 mg/5 ml SYRUP | 1 | |
| promethazine-codeine 6.25-10 mg/5 ml SYRUP | 1 | |
| promethazine-dm 6.25-15 mg/5 ml SYRUP | 1 | |
| promethazine-phenyleph-codeine 6.25-5-10 mg/5 ml SYRUP | 1 | |
| RESPA-AR 8-90-0.24 MG TABLET, ER 12 HR. | 3 | |
| TUXARIN ER 8-54.3 MG TABLET, ER 12 HR. | 3 | |
| TUZISTRA XR 14.7-2.8 MG/5 ML SUSPENSION, ER 12 HR. | 3 | |

Your Humana Group Medicare Plan has additional coverage for some drugs. These drugs are not normally covered under Medicare Part D. These drugs are not subject to the Medicare appeals process. The amount you pay when you fill a prescription for these drugs does not count toward your total drug costs (in other words, the amount you pay does not help you qualify for catastrophic coverage).

B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL - Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • \$0 - Vaccine/Diabetic • ST - Step Therapy

| DRUG NAME | TIER | UTILIZATION MANAGEMENT REQUIREMENTS |
|---------------------------------------------------------------------------------------|------|-------------------------------------|
| Fertility - Mail Order Available | | |
| cetorelix 0.25 mg KIT | 1 | |
| CETROTIDE 0.25 MG KIT | 3 | |
| clomid 50 mg TABLET | 1 | |
| clomiphene citrate 50 mg TABLET | 1 | |
| FOLLISTIM AQ 300 UNIT/0.36 ML, 600 UNIT/0.72 ML, 900 UNIT/1.08 ML CARTRIDGE | 3 | |
| fyremadel 250 mcg/0.5 ml SYRINGE | 1 | |
| GANIRELIX 250 MCG/0.5 ML SYRINGE | 3 | |
| ganirelix 250 mcg/0.5 ml SYRINGE | 3 | |
| GONAL-F 1,050 UNIT, 450 UNIT RECON SOLUTION | 3 | |
| GONAL-F RFF 75 UNIT RECON SOLUTION | 3 | |
| GONAL-F RFF REDI-JECT 300/0.5 UNIT/ML, 450/0.75 UNIT/ML, 900/1.5 UNIT/ML PEN INJECTOR | 3 | |
| MENOPUR 75 UNIT RECON SOLUTION | 3 | |
| OVIDREL 250 MCG/0.5 ML SYRINGE | 3 | |
| Vitamins/Minerals - Mail Order Available | | |
| ascorbic acid (vitamin c) 500 mg/ml SOLUTION | 1 | |
| b complex 100 100-2-100-2-2 mg/ml SOLUTION | 1 | |
| b-complex injection 100-2-100-2-2 mg/ml SOLUTION | 1 | |
| cyanocobalamin (vitamin b-12) 1,000 mcg/ml SOLUTION | 1 | |
| cyanocobalamin (vitamin b-12) 500 mcg/spray SPRAY, NON-AEROSOL | 1 | |

Your Humana Group Medicare Plan has additional coverage for some drugs. These drugs are not normally covered under Medicare Part D. These drugs are not subject to the Medicare appeals process. The amount you pay when you fill a prescription for these drugs does not count toward your total drug costs (in other words, the amount you pay does not help you qualify for catastrophic coverage).

B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL - Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • \$0 - Vaccine/Diabetic • ST - Step Therapy

| DRUG NAME | TIER | UTILIZATION MANAGEMENT REQUIREMENTS |
|-------------------------------------------------------------|------|-------------------------------------|
| Vitamins/Minerals - Mail Order Available | | |
| dodex 1,000 mcg/ml SOLUTION | 1 | |
| DRISDOL 1,250 MCG (50,000 UNIT) CAPSULE | 3 | |
| ergocalciferol (vitamin d2) 1,250 mcg (50,000 unit) CAPSULE | 1 | |
| folic acid 1 mg TABLET | 1 | |
| folic acid 5 mg/ml SOLUTION | 1 | |
| hydroxocobalamin 1,000 mcg/ml SOLUTION | 1 | |
| INFUVITE ADULT 3,300 UNIT- 150 MCG/10 ML SOLUTION | 3 | |
| INFUVITE PEDIATRIC 80 MG-400 UNIT- 200 MCG/5 ML SOLUTION | 3 | |
| MEPHYTON 5 MG TABLET | 3 | |
| NASCOBAL 500 MCG/SPRAY SPRAY, NON-AEROSOL | 3 | |
| phytonadione (vitamin k1) 1 mg/0.5 ml SYRINGE | 1 | |
| phytonadione (vitamin k1) 1 mg/0.5 ml, 10 mg/ml SOLUTION | 1 | |
| phytonadione (vitamin k1) 5 mg TABLET | 1 | |
| POTABA 500 MG CAPSULE | 3 | |
| pyridoxine (vitamin b6) 100 mg/ml SOLUTION | 1 | |
| thiamine hcl (vitamin b1) 100 mg/ml SOLUTION | 1 | |
| vitamin d2 1,250 mcg (50,000 unit) CAPSULE | 1 | |
| vitamin k 1 mg/0.5 ml SOLUTION | 1 | |
| vitamin k1 10 mg/ml SOLUTION | 1 | |

Your Humana Group Medicare Plan has additional coverage for some drugs. These drugs are not normally covered under Medicare Part D. These drugs are not subject to the Medicare appeals process. The amount you pay when you fill a prescription for these drugs does not count toward your total drug costs (in other words, the amount you pay does not help you qualify for catastrophic coverage).

B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL- Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • \$0 - Vaccine/Diabetic • ST - Step Therapy

| DRUG NAME | TIER | UTILIZATION MANAGEMENT REQUIREMENTS |
|----------------------------------------------------------------------------------------------------------------|------|-------------------------------------|
| Weight Loss - Mail Order Available | | |
| adipex-p 37.5 mg CAPSULE | 1 | |
| ADIPEX-P 37.5 MG TABLET | 1 | |
| benzphetamine 50 mg TABLET | 1 | |
| CONTRAVE 8-90 MG TABLET ER | 3 | QL(120 per 30 days) |
| diethylpropion 25 mg TABLET | 1 | |
| diethylpropion 75 mg TABLET ER | 1 | |
| lomaira 8 mg TABLET | 1 | |
| phendimetrazine tartrate 105 mg CAPSULE, ER | 3 | |
| phendimetrazine tartrate 35 mg TABLET | 1 | |
| phentermine 15 mg, 30 mg, 37.5 mg CAPSULE | 1 | |
| phentermine 37.5 mg TABLET | 1 | |
| PLENITY 0.75 GRAM CAPSULE | 3 | |
| PLENITY (WELCOME KIT) 0.75 GRAM CAPSULE | 3 | |
| QSYMIA 11.25-69 MG, 15-92 MG, 3.75-23 MG, 7.5-46 MG CAPSULE ER MULTIPHASE 24 HR. | 3 | QL(30 per 30 days) |
| SAXENDA 3 MG/0.5 ML (18 MG/3 ML) PEN INJECTOR | 3 | |
| ZEPBOUND 10 MG/0.5 ML, 12.5 MG/0.5 ML, 15 MG/0.5 ML, 2.5 MG/0.5 ML, 5 MG/0.5 ML, 7.5 MG/0.5 ML PEN INJECTOR | 3 | |

Your Humana Group Medicare Plan has additional coverage for some drugs. These drugs are not normally covered under Medicare Part D. These drugs are not subject to the Medicare appeals process. The amount you pay when you fill a prescription for these drugs does not count toward your total drug costs (in other words, the amount you pay does not help you qualify for catastrophic coverage).

B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL - Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • \$0 - Vaccine/Diabetic • ST - Step Therapy

Index

| A | | |
|------------------------------------------|-------------------------------------|-----------------------------------|
| abacavir... 74 | acetaminophen... 172 | ACZONE... 115 |
| abacavir-lamivudine... 74 | acetaminophen-caff-dihydrocod... 11 | ADACEL(TDAP |
| ABELCET... 45 | acetaminophen-codeine... 11 | ADOLESN/ADULT)(PF)... 158 |
| ABILIFY ASIMTUFII... 69 | acetazolamide sodium... 93 | ADAKVEO... 172 |
| ABILIFY MAINTENA... 69 | acetazolamide... 93 | ADALIMUMAB-AACF... 158 |
| ABILIFY MYCITE MAINTENANCE KIT... 69, 70 | acetic acid... 22, 172 | ADALIMUMAB-AATY... 158 |
| ABILIFY MYCITE STARTER KIT... 70 | acetylcysteine... 172, 185 | ADALIMUMAB-ADAZ... 158 |
| ABILIFY MYCITE... 69 | ACIPHEX SPRINKLE... 133 | ADALIMUMAB-ADBM... 158 |
| ABILIFY... 69 | ACIPHEX... 132 | ADALIMUMAB-ADBM(CF) PEN |
| abiraterone... 52 | acitretin... 115 | CROHNS... 158 |
| ABRAXANE... 52 | ACTEMRA ACTPEN... 158 | ADALIMUMAB-ADBM(CF) PEN |
| ABRILADA(CF) PEN... 158 | ACTEMRA... 158 | PS-UV... 158 |
| ABRILADA(CF)... 158 | ACTHAR... 141 | ADALIMUMAB-FKJP... 159 |
| ABRYSVO... 158 | ACTHIB (PF)... 158 | adapalene... 116 |
| ABSORICA LD... 115 | ACTICLATE... 22 | adapalene-benzoyl peroxide... 116 |
| ABSORICA... 115 | ACTIMMUNE... 158 | ADBRY... 159 |
| acamprosate... 21 | ACTIQ... 11 | ADCETRIS... 52 |
| ACANYA... 115 | ACTIVELLA... 145 | ADCIRCA... 185 |
| acarbose... 82 | ACTONEL... 170 | ADDERALL XR... 108 |
| ACCOLATE... 185 | ACTOPLUS MET... 82 | ADDERALL... 108 |
| ACCUPRIL... 93 | ACTOS... 82 | adefovir... 75 |
| ACCURETIC... 93 | ACULAR LS... 179 | ADEMPAS... 185 |
| accutane... 115 | ACULAR... 179 | adenosine... 93 |
| acebutolol... 93 | ACUVAIL (PF)... 179 | adipex-p... 199 |
| ACETADOTE... 172 | acyclovir sodium... 75 | ADLARITY... 38 |
| | acyclovir... 74, 75 | ADLYXIN... 82 |

| | | |
|------------------------------------|-------------------------------|---------------------------|
| ADMELOG SOLOSTAR U-100 | AKEEGA... 52 | allopurinol... 48 |
| INSULIN... 82 | AKLIEF... 116 | ALLZITAL... 172 |
| ADMELOG U-100 INSULIN LISPRO... 82 | AKYNZEO (FOSNETUPITANT)... 43 | almotriptan malate... 49 |
| ADRENALIN... 185 | AKYNZEO (NETUPITANT)... 43 | ALOCRIL... 179 |
| ADRIAMYCIN... 52 | ALA-CORT... 116 | ALOMIDE... 179 |
| adrucil... 52 | ALA-SCALP... 116 | ALOPRIM... 48 |
| ADSTILADRIN... 172 | albendazole... 66 | alosetron... 133 |
| ADVAIR DISKUS... 185 | ALBENZA... 66 | ALPHAGAN P... 179 |
| ADVAIR HFA... 185 | albuterol sulfate... 185 | alprazolam intensol... 81 |
| ADZENYS XR-ODT... 108 | ALCAINE... 179 | alprazolam... 80 |
| ADZYNMA... 88 | alclometasone... 116 | ALREX... 180 |
| AEMCOLO... 133 | ALCOHOL PADS... 172 | ALTABAX... 116 |
| AFINITOR DISPERZ... 52 | ALCOHOL PREP PADS... 172 | ALTACE... 93 |
| AFINITOR... 52 | ALCOHOL SWABS... 172 | altavera (28)... 145 |
| afirmelle... 145 | ALCOHOL WIPES... 172 | ALTOPREV... 93 |
| AFREZZA... 82 | ALDACTAZIDE... 93 | ALTRENO... 116 |
| AGAMREE... 141 | ALDACTONE... 93 | ALUNBRIG... 52, 53 |
| AGGRASTAT CONCENTRATE... 88 | ALDURAZYME... 137 | ALVAIZ... 88, 89 |
| AGGRASTAT IN SODIUM CHLORIDE... 88 | ALECENSA... 52 | ALVESCO... 185 |
| AGRYLIN... 88 | alendronate... 170 | alyacen 1/35 (28)... 145 |
| AIMOVIG AUTOINJECTOR... 49 | alfuzosin... 140 | alyacen 7/7/7 (28)... 145 |
| AIRDUO DIGIHALER... 185 | ALIMTA... 52 | ALYGLO... 159 |
| AIRDUO RESPICLICK... 185 | ALIQOPA... 52 | ALYMSYS... 53 |
| AIRSUPRA... 185 | aliskiren... 93 | alyq... 185 |
| AJOVY AUTOINJECTOR... 49 | ALKERAN (AS HCL)... 52 | amabelz... 145 |
| AJOVY SYRINGE... 49 | ALKERAN... 52 | amantadine hcl... 67 |
| ak-poly-bac... 179 | ALKINDI SPRINKLE... 141 | AMARYL... 82 |
| | allopurinol sodium... 48 | AMBIEN CR... 194 |

| | | |
|------------------------------------------|---------------------------------------|----------------------------|
| AMBIEN... 194 | amiodarone... 93 | AMPYRA... 109 |
| AMBISOME... 45 | AMITIZA... 133 | AMRIX... 193 |
| ambrisentan... 185 | amitriptyline... 39 | AMVUTTRA... 137 |
| amcinonide... 116 | amitriptyline-chlordiazepoxide... 39 | AMZEEQ... 116 |
| AMERGE... 49 | AMJEVITA(CF) AUTOINJECTOR... 159 | ANAFRANIL... 39 |
| amethia... 145 | AMJEVITA(CF)... 159 | anagrelide... 89 |
| amethyst (28)... 145 | amlodipine... 93 | ANAPROX DS... 11 |
| amikacin... 22 | amlodipine-atorvastatin... 93 | anastrozole... 53 |
| amiloride... 93 | amlodipine-benazepril... 93, 94 | ANCOBON... 45 |
| amiloride-hydrochlorothiazide... 93 | amlodipine-olmesartan... 94 | ANDRODERM... 145 |
| aminocaproic acid... 89 | amlodipine-valsartan... 94 | ANDROGEL... 145 |
| aminophylline... 186 | amlodipine-valsartan-hcthiazid... 94 | ANGELIQ... 145 |
| AMINOSYN II 10 %... 125 | ammonium lactate... 116 | ANNOVERA... 145 |
| AMINOSYN II 15 %... 125 | AMMONUL... 172 | ANORO ELLIPTA... 186 |
| AMINOSYN II 7 %... 125 | amnesteem... 116 | ANTIVERT... 43 |
| AMINOSYN II 8.5 %... 125 | amoxapine... 39 | anusol-hc... 116 |
| AMINOSYN II 8.5 | amoxicil-clarithromy-lansopraz... 133 | ANZEMET... 43 |
| %-ELECTROLYTES... 125 | amoxicillin... 22, 23 | APADAZ... 11 |
| AMINOSYN M 3.5 %... 125 | amoxicillin-pot clavulanate... 23 | apexicon e... 116 |
| AMINOSYN 10 %... 125 | amphetamine sulfate... 109 | APIDRA SOLOSTAR U-100 |
| AMINOSYN 7 % WITH ELECTROLYTES... 125 | amphetamine... 108 | INSULIN... 82 |
| AMINOSYN 8.5 %... 125 | amphotericin b liposome... 45 | APIDRA U-100 INSULIN... 82 |
| AMINOSYN 8.5 %-ELECTROLYTES... 125 | amphotericin b... 45 | APLENZIN... 39 |
| AMINOSYN-PF 10 %... 125 | ampicillin sodium... 23 | APOKYN... 67 |
| AMINOSYN-PF 7 % (SULFITE-FREE)... 125 | ampicillin... 23 | apomorphine... 67 |
| AMINOSYN-RF 5.2 %... 125 | ampicillin-sulbactam... 23 | APONVIE... 43 |
| | | apraclonidine... 180 |
| | | aprepitant... 43 |

| | | |
|--------------------------------|----------------------------------|--------------------------------|
| APRETUDE... 75 | ARTHROTEC 50... 11 | ATRIPLA... 75 |
| apri... 145 | ARTHROTEC 75... 11 | ATROPINE SULFATE (PF)... 180 |
| APRISO... 169 | ASACOL HD... 169 | atropine... 133, 180 |
| APTENSIO XR... 109 | ASCENIV... 159 | ATROVENT HFA... 186 |
| APTIOM... 33 | ascomp with codeine... 11 | AUBAGIO... 109 |
| APTIVUS... 75 | ascorbic acid (vitamin c)... 197 | aubra eq... 145 |
| ARALAST NP... 137 | asenapine maleate... 70 | aubra... 145 |
| aranelle (28)... 145 | ashlyna... 145 | AUGMENTIN ES-600... 23 |
| ARANESP (IN POLYSORBATE)... 89 | ASMANEX HFA... 186 | AUGMENTIN XR... 23 |
| ARAVA... 159 | ASMANEX TWISTHALER... 186 | AUGMENTIN... 23 |
| ARAZLO... 116 | ASPARLAS... 53 | AUGTYRO... 53 |
| ARCALYST... 159 | aspirin-dipyridamole... 89 | aurovela fe 1.5/30 (28)... 146 |
| AREXVY (PF)... 159 | ASPRUZY SPRINKLE... 94 | aurovela fe 1-20 (28)... 146 |
| arformoterol... 186 | ASTAGRAF XL... 159 | aurovela 1.5/30 (21)... 145 |
| ARICEPT... 38 | ATACAND HCT... 94 | aurovela 1/20 (21)... 145 |
| ARIKAYCE... 23 | ATACAND... 94 | aurovela 24 fe... 146 |
| ARIMIDEX... 53 | atazanavir... 75 | AURYXIA... 125 |
| ariPIPrazole... 70 | ATELVIA... 170 | AUSTEDO XR TITRATION |
| ARISTADA INITIO... 70 | atenolol... 94 | KT(WK1-4)... 109 |
| ARISTADA... 70 | atenolol-chlorthalidone... 94 | AUSTEDO XR... 109 |
| ARIXTRA... 89 | ATGAM... 159 | AUSTEDO... 109 |
| armodafinil... 194 | ATIVAN... 81 | AUTOJECT 2 INJECTION DEVICE... |
| ARMONAIR DIGIHALER... 186 | atomoxetine... 109 | 172 |
| ARMOUR THYROID... 155 | ATORVALIQ... 94 | AUTOPEN 1 TO 21 UNITS... 173 |
| ARNUITY ELLIPTA... 186 | atorvastatin... 94 | AUTOPEN 2 TO 42 UNITS... 173 |
| AROMASIN... 53 | atovaquone... 66 | AUVELITY... 39 |
| ARRANON... 53 | atovaquone-proguanil... 66 | AUVI-Q... 186 |
| arsenic trioxide... 53 | ATRALIN... 116 | AVALIDE... 94 |

| | | |
|------------------------------------|-------------------------------|---------------------------------------|
| AVAPRO... 94 | AZOR... 94 | BASAGLAR TEMPO |
| AVASTIN... 53 | AZSTARYS... 109 | PEN(U-100)INSLN... 83 |
| AVEED... 146 | aztreonam... 24 | BAVENCIO... 53 |
| AVELOX IN NACL (ISO-OSMOTIC)... 23 | AZULFIDINE EN-TABS... 169 | BAXDELA... 24 |
| aviane... 146 | AZULFIDINE... 169 | BCG VACCINE, LIVE (PF)... 159 |
| avidoxy... 23 | azurette (28)... 146 | BD ALCOHOL SWABS... 173 |
| AVITA... 116 | B | BD AUTOSHIELD DUO PEN NEEDLE... 173 |
| AVODART... 140 | b complex 100... 197 | BD ECLIPSE LUER-LOK... 173 |
| AVONEX... 109 | b-complex injection... 197 | BD INSULIN SYRINGE (HALF UNIT)... 173 |
| AVSOLA... 159 | bacitracin... 24, 180 | BD INSULIN SYRINGE MICRO-FINE... 173 |
| AVYCAZ... 23 | bacitracin-polymyxin b... 180 | BD INSULIN SYRINGE U-500... 173 |
| AYGESTIN... 146 | baclofen... 74 | BD INSULIN SYRINGE ULTRA-FINE... 173 |
| ayuna... 146 | BACTRIM DS... 24 | BD INSULIN SYRINGE... 173 |
| AYVAKIT... 53 | BACTRIM... 24 | BD LO-DOSE MICRO-FINE IV... 173 |
| azacitidine... 53 | BAFIERTAM... 109 | BD NANO 2ND GEN PEN NEEDLE... 173 |
| AZACTAM... 23 | bal-care dha... 125 | BD SAFETYGLIDE INSULIN SYRINGE... 173 |
| AZASAN... 159 | balanced salt... 180 | BD SAFETYGLIDE SYRINGE... 173 |
| AZASITE... 180 | BALCOLTRA... 146 | BD ULTRA-FINE MICRO PEN NEEDLE... 173 |
| azathioprine sodium... 159 | balsalazide... 169 | BD ULTRA-FINE MINI PEN NEEDLE... 173 |
| azathioprine... 159 | BALVERSA... 53 | BD ULTRA-FINE NANO PEN NEEDLE... 173 |
| azelaic acid... 116 | balziva (28)... 146 | BD ULTRA-FINE ORIG PEN NEEDLE... 173 |
| azelastine... 180, 186 | BAND-AID GAUZE PADS... 173 | |
| azelastine-fluticasone... 186 | BANZEL... 33 | |
| AZELEX... 116 | BAQSIMI... 82 | |
| AZILECT... 67 | BARACLUDE... 75 | |
| azithromycin... 23 | BASAGLAR KWIKPEN U-100 | |
| AZOPT... 180 | INSULIN... 83 | |

| | | |
|---------------------------------------|-----------------------------------------------------------------------------------------|-----------------------------------------------------------------------|
| BD ULTRA-FINE SHORT PEN NEEDLE... 173 | BESIVANCE... 180 BESPONSA... 53 BESREMI... 159 | BIDIL... 94 BIJUVA... 146 BIKTARVY... 75 |
| BD VEO INSULIN SYR (HALF UNIT)... 173 | BETADINE OPHTHALMIC PREP... 180 betaine... 137 betamethasone acet,sod phos... 141 | BILTRICIDE... 66 bimatoprost... 180 BIMZELX AUTOINJECTOR... 159 |
| BD VEO INSULIN SYRINGE UF... 173 | betamethasone dipropionate... 116, 117 | BIMZELX... 159 |
| BECONASE AQ... 186 | betamethasone valerate... 117 | BINOSTO... 171 |
| BELBUCA... 11 | betamethasone, augmented... 117 | BIORPHEN... 94 |
| BELEODAQ... 53 | BETAPACE AF... 94 | bismuth subcit k-metronidz-tcn... 133 |
| BELRAPZO... 53 | BETAPACE... 94 | bisoprolol fumarate... 94 |
| BELSOMRA... 194 | BETASERON... 109 | bisoprolol-hydrochlorothiazide... 94 |
| benazepril... 94 | betaxolol... 94, 180 | BIVIGAM... 160 |
| benazepril-hydrochlorothiazide... 94 | bethanechol chloride... 140 | bleomycin... 53 |
| bendamustine... 53 | BETHKIS... 24 | BLEPHAMIDE... 180 |
| BENDEKA... 53 | BETIMOL... 180 | blisovi fe 1.5/30 (28)... 146 |
| BENICAR HCT... 94 | BETOPTIC S... 180 | blisovi fe 1/20 (28)... 146 |
| BENICAR... 94 | BEVESPI AEROSPHERE... 186 | blisovi 24 fe... 146 |
| BENLYSTA... 159 | bexarotene... 53 | BONIVA... 171 |
| BENTYL... 133 | BEXSERO... 159 | BONJESTA... 43 |
| BENZAMYCIN... 116 | BEYAZ... 146 | BOOSTRIX TDAP... 160 |
| benzhydrocodone-acetaminophen... 11 | BEYFORTUS... 173 | BORDERED GAUZE... 173 |
| benznidazole... 66 | bicalutamide... 53 | BORTEZOMIB... 53 |
| benzonatate... 196 | BICILLIN C-R... 24 | bosentan... 186 |
| benzphetamine... 199 | BICILLIN L-A... 24 | BOSULIF... 53, 54 |
| benztropine... 67 | BICNU... 53 | BRAFTOVI... 54 |
| bepotastine besilate... 180 | | BREO ELLIPTA... 186 |
| BEPREVE... 180 | | |
| BERINERT... 159 | | |
| beser... 116 | | |

| | | |
|-------------------------------------|--------------------------------------|---------------------------------------|
| bretyleum tosylate... 94 | bupivacaine hcl... 19 | c-nate dha... 125 |
| BREVIBLOC IN NACL (ISO-OSM)... 95 | bupivacaine-dextrose-water(pf)... 19 | CABENUVA... 75 |
| BREVIBLOC... 94 | bupivacaine-epinephrine (pf)... 19 | cabergoline... 156 |
| BREZTRI AEROSPHERE... 186 | bupivacaine-epinephrine... 19 | CABLIVI... 89 |
| briellyn... 146 | BUPRENEX... 11 | CABOMETYX... 54 |
| BRILINTA... 89 | buprenorphine hcl... 11, 21 | CABTREO... 117 |
| brimonidine... 117, 180 | buprenorphine... 11 | CADUET... 95 |
| brinzolamide... 180 | buprenorphine-naloxone... 21 | CAFCIT... 174 |
| BRISDELLE... 39 | bupropion hcl (smoking deter)... 21 | CALAN SR... 95 |
| BRIUMVI... 109 | bupropion hcl... 39, 40 | calcipotriene... 117 |
| BRIVIACT... 33 | buspirone... 81 | calcipotriene-betamethasone... 117 |
| bromfed dm... 196 | busulfan... 54 | calcitonin (salmon)... 171 |
| bromfenac... 180 | BUSULFEX... 54 | calcitriol... 117, 171 |
| bromocriptine... 67 | butalbital compound w/codeine... 11 | calcium acetate(phosphat bind)... 125 |
| brompheniramine-pseudoeph-dm... 196 | butalbital-acetaminop-caf-cod... 174 | calcium chloride... 125 |
| BROMSITE... 180 | butalbital-acetaminophen... 174 | calcium disodium versenate... 174 |
| BRONCHITOL... 186 | butalbital-acetaminophen-caff... 174 | calcium gluconate... 125 |
| BROVANA... 186 | butalbital-aspirin-caffeine... 174 | CALDOLOR... 11 |
| BRUKINSA... 54 | butorphanol... 11 | CALQUENCE (ACALABRUTINIB MAL)... 54 |
| BRYHALI... 117 | BUTRANS... 11 | CAMBIA... 11 |
| BSS PLUS... 180 | BYDUREON BCISE... 83 | camila... 146 |
| BSS... 180 | BYETTA... 83 | CAMPTOSAR... 54 |
| budesonide... 169, 186 | BYLVAY... 174 | camrese lo... 146 |
| bumetanide... 95 | BYSTOLIC... 95 | camrese... 146 |
| bupap... 174 | | |
| BUPHENYL... 137 | | |
| bupivacaine (pf)... 19 | | |

| | | |
|--------------------------------------|--------------------------------------|--------------------------------------|
| CAMZYOS... 95 | CARDIZEM... 95 | cefazolin... 24 |
| CANASA... 169 | CARDURA XL... 95 | cefdinir... 24 |
| CANCIDAS... 45 | CARDURA... 95 | cefepime in dextrose 5 %... 24 |
| candesartan... 95 | CARETOUCH ALCOHOL PREP PAD... 174 | cefepime in dextrose,iso-osm... 24 |
| candesartan-hydrochlorothiazid... 95 | carglumic acid... 126 | cefepime... 24 |
| CAPEX... 117 | carisoprodol... 193 | cefixime... 24 |
| CAPLYTA... 70 | carisoprodol-aspirin... 193 | cefotaxime... 24 |
| CAPRELSA... 54 | carisoprodol-aspirin-codeine... 193 | cefotetan... 24 |
| captopril... 95 | carmustine... 54 | cefoxitin in dextrose, iso-osm... 24 |
| captopril-hydrochlorothiazide... 95 | CARNITOR (SUGAR-FREE)... 126 | cefoxitin... 24 |
| CARAC... 117 | CARNITOR... 126 | cefpodoxime... 25 |
| CARAFATE... 133 | CAROSPIR... 95 | cefprozil... 25 |
| CARBAGLU... 125 | carteolol... 180 | ceftazidime in d5w... 25 |
| carbamazepine... 33 | cartia xt... 95 | ceftazidime... 25 |
| CARBATROL... 33 | carvedilol phosphate... 95 | ceftriaxone in dextrose,iso-os... 25 |
| carbidopa... 68 | carvedilol... 95 | ceftriaxone... 25 |
| carbidopa-levodopa... 68 | CASODEX... 54 | cefuroxime axetil... 25 |
| carbidopa-levodopa-entacapone... 68 | caspofungin... 45 | cefuroxime sodium... 25 |
| carbinoxamine maleate... 186 | cataflam... 11 | CELEBREX... 11 |
| CARBOCAINE (PF)... 19 | CATAPRES-TTS-1... 95 | celecoxib... 11 |
| CARBOCAINE WITH NEO-COBEFRIN... 20 | CATAPRES-TTS-2... 95 | CELESTONE SOLUSPAN... 141 |
| CARBOCAINE... 19 | CATAPRES-TTS-3... 96 | CELEXA... 40 |
| carboplatin... 54 | CAYSTON... 186 | CELLCEPT INTRAVENOUS... 160 |
| carboprost tromethamine... 145 | caziant (28)... 146 | CELLCEPT... 160 |
| CARDIZEM CD... 95 | cefaclor... 24 | CELONTIN... 33 |
| CARDIZEM LA... 95 | cefadroxil... 24 | CENTANY... 117 |
| | cefazolin in dextrose (iso-os)... 24 | cephalexin... 25 |
| | | CEQUA... 180 |

| | | |
|---------------------------------------|-----------------------------------------|------------------------------------|
| CERDELGA... 137 | cholestyramine (with sugar)... 96 | ciprofloxacin... 25 |
| CEREBYX... 33 | cholestyramine light... 96 | ciprofloxacin-dexamethasone... 184 |
| CEREZYME... 137 | cholestyramine-aspartame... 96 | ciprofloxacin-fluocinolone... 184 |
| CERVIDIL... 174 | CHORIONIC GONADOTROPIN, HUMAN... 143 | cisplatin... 54 |
| cetirizine... 186 | CIALIS... 140 | citalopram... 40 |
| cetrorelix... 197 | CIBINQO... 160 | CITRANATAL B-CALM (FE GLUC)... 126 |
| CETROTIDE... 197 | ciclodan... 45 | cladribine... 54 |
| cevimeline... 115 | ciclopirox... 45, 46 | CLAFORAN... 25 |
| CHANTIX CONTINUING MONTH BOX... 22 | cidofovir... 75 | claravis... 117 |
| CHANTIX STARTING MONTH BOX... 22 | cilostazol... 89 | CLARINEX... 187 |
| CHANTIX... 21 | CILOXAN... 180 | CLARINEX-D 12 HOUR... 174 |
| charlotte 24 fe... 146 | CIMDUO... 75 | clarithromycin... 25 |
| chateal (28)... 146 | cimetidine hcl... 133 | clemastine... 187 |
| chateal eq (28)... 146 | cimetidine... 133 | CLENPIQ... 133 |
| CHEMET... 126 | CIMZIA POWDER FOR RECONST... 160 | CLEOCIN HCL... 25 |
| CHENODAL... 133 | CIMZIA STARTER KIT... 160 | CLEOCIN PEDIATRIC... 25 |
| chloramphenicol sod succinate... 25 | CIMZIA... 160 | CLEOCIN T... 117 |
| chlordiazepoxide hcl... 81 | cinacalcet... 171 | CLEOCIN... 25 |
| chlorhexidine gluconate... 115 | CINQAIR... 187 | CLEVIPREX... 96 |
| chlorprocaine (pf)... 20 | CINRYZE... 160 | CLIMARA PRO... 146 |
| chloroquine phosphate... 66 | CINVANTI... 174 | CLIMARA... 146 |
| chlorothiazide sodium... 96 | CIPRO HC... 184 | clindacin etz... 117 |
| chlorpromazine... 70 | CIPRO... 25 | clindacin p... 117 |
| chlorthalidone... 96 | CIPRODEX... 184 | clindacin... 117 |
| chlorzoxazone... 193 | ciprofloxacin hcl... 25, 180, 184 | CLINDAGEL... 117 |
| CHOLBAM... 137 | ciprofloxacin in 5 % dextrose... 25 | clindamycin hcl... 26 |

| | | |
|------------------------------------------|------------------------------------------|------------------------------------|
| clindamycin in 0.9 % sod chlor... 26 | CLINIMIX 6%-D5W (SULFITE-FREE)... 126 | COARTEM... 66 |
| clindamycin in 5 % dextrose... 26 | CLINIMIX 8%-D10W(SULFITE-FREE)... 126 | codeine sulfate... 12 |
| clindamycin palmitate hcl... 26 | CLINIMIX 8%-D14W(SULFITE-FREE)... 126 | codeine-butalbital-asa-caff... 12 |
| clindamycin pediatric... 26 | CLINISOL SF 15 %... 126 | COLAZAL... 169 |
| clindamycin phosphate... 26, 117, 118 | CLINOLIPID... 126 | colchicine... 48 |
| clindamycin-benzoyl peroxide... 118 | clobazam... 33 | colesevelam... 96 |
| clindamycin-tretinoin... 118 | clobetasol... 118 | COLESTID FLAVORED... 96 |
| CLINDESSE... 26 | clobetasol-emollient... 118 | COLESTID... 96 |
| CLINIMIX E 2.75%/D5W SULF FREE... 126 | CLOBEX... 118 | colestipol... 96 |
| CLINIMIX E 4.25%/D10W SUL FREE... 126 | clocortolone pivalate... 118 | colistin (colistimethate na)... 26 |
| CLINIMIX E 4.25%/D5W SULF FREE... 126 | clodan... 118 | COLUMVI... 54 |
| CLINIMIX E 5%/D15W SULFIT FREE... 126 | clofarabine... 54 | COLY-MYCIN M PARENTERAL... 26 |
| CLINIMIX E 5%/D20W SULFIT FREE... 126 | CLOLAR... 54 | COMBIGAN... 181 |
| CLINIMIX E 8%-D10W SULFITEFREE... 126 | clomid... 197 | COMBIPATCH... 146 |
| CLINIMIX E 8%-D14W SULFITEFREE... 126 | clomiphene citrate... 197 | COMBIVENT RESPIMAT... 187 |
| CLINIMIX 4.25%/D10W SULF FREE... 126 | clomipramine... 40 | COMBIVIR... 75 |
| CLINIMIX 4.25%/D5W SULFIT FREE... 126 | clonazepam... 81 | COMBOGESIC IV... 174 |
| CLINIMIX 5%-D20W(SULFITE-FREE)... 126 | clonidine hcl... 96, 109 | COMETRIQ... 54 |
| CLINIMIX 5%/D15W SULFITE FREE... 126 | clonidine... 96 | COMPazine... 44 |
| | clopidogrel... 89 | COMPLERA... 75 |
| | clorazepate dipotassium... 81 | complete natal dha... 126 |
| | CLOROTEKAL... 20 | compro... 44 |
| | clotrimazole... 46 | COMTAN... 68 |
| | clotrimazole-betamethasone... 46 | CONCERTA... 109 |
| | clozapine... 70 | CONDYLOX... 118 |
| | CLOZARIL... 70 | CONJUPRI... 96 |
| | | constulose... 133 |
| | | CONTRAVE... 199 |

| | | | | |
|----------------------------|-----|----------------------------------|----------|----------------------------------|
| CONZIP... | 12 | CREON... | 137 | CYLTEZO(CF) PEN CROHN'S-UC-HS... |
| COPAXONE... | 109 | CRESEMBA... | 46 | 160 |
| COPIKTRA... | 54 | CRESTOR... | 97 | CYLTEZO(CF) PEN PSORIASIS-UV... |
| CORDRAN TAPE LARGE ROLL... | 118 | CRINONE... | 146 | 160 |
| CORDRAN... | 118 | cromolyn... | 181, 187 | CYLTEZO(CF) PEN... 160 |
| COREG CR... | 96 | crotan... | 118 | CYLTEZO(CF)... 160 |
| COREG... | 96 | cryselle (28)... | 146 | CYMBALTA... 40 |
| coremino... | 26 | CRYSVITA... | 137 | ciproheptadine... 187 |
| CORGARD... | 96 | CUBICIN RF... | 26 | CYRAMZA... 54 |
| CORLANOR... | 96 | CUBICIN... | 26 | cyred eq... 147 |
| CORLOPAM... | 96 | CUPRIMINE... | 126 | cyred... 146 |
| CORTEF... | 118 | CURITY ALCOHOL SWABS... | 174 | CYSTADANE... 137 |
| CORTENEMA... | 170 | CURITY GAUZE... | 174 | CYSTADROPS... 181 |
| CORTIFOAM... | 170 | CUTAQUIG... | 160 | CYSTAGON... 137 |
| CORTISPORIN-TC... | 184 | CUVPOSA... | 133 | CYSTARAN... 181 |
| CORTROPHIN GEL... | 141 | CUVRIOR... | 126 | cytarabine (pf)... 55 |
| CORVERT... | 96 | cyanocobalamin (vitamin b-12)... | 197 | cytarabine... 55 |
| COSENTYX (2 SYRINGES)... | 160 | cyclafem 1/35 (28)... | 146 | CYTOGAM... 160 |
| COSENTYX PEN (2 PENS)... | 160 | cyclafem 7/7/7 (28)... | 146 | CYTOMEL... 155 |
| COSENTYX PEN... | 160 | cyclobenzaprine... | 193 | CYTOTEC... 133 |
| COSENTYX UNOREADY PEN... | 160 | cyclopentolate... | 181 | D |
| COSENTYX... | 160 | cyclophosphamide... | 54 | D.H.E.45... 49 |
| COSMEGEN... | 54 | cycloserine... | 51 | dabigatran etexilate... 89 |
| COSOPT (PF)... | 181 | CYCLOSET... | 83 | dacarbazine... 55 |
| COSOPT... | 181 | cyclosporine modified... | 160 | DACOGEN... 55 |
| COTELLIC... | 54 | cyclosporine... | 160 | dactinomycin... 55 |
| COTEMPLA XR-ODT... | 109 | CYKLOKAPRON... | 89 | dalfampridine... 109 |
| COZAAR... | 97 | | | DALIRESP... 187 |

| | | |
|---------------------------------------|----------------------------------|--------------------------------------------|
| DALVANCE... 26 | deferasirox... 126, 127 | dermacinrx lidocan... 20 |
| danazol... 147 | deferiprone... 127 | DERMOTIC OIL... 184 |
| DANTRIUM... 74 | deferoxamine... 127 | DESCOVY... 75 |
| dantrolene... 74 | DEFITELIO... 174 | DESFERAL... 127 |
| DANYELZA... 55 | deflazacort... 141 | desipramine... 40 |
| dapsone... 52, 119 | DELESTROGEN... 147 | desloratadine... 187 |
| DAPTACEL (DTAP PEDIATRIC) (PF)... 160 | DELSTRIGO... 75 | desmopressin... 144 |
| daptomycin in 0.9 % sod chlor... 26 | DELZICOL... 170 | desog-e.estriadiol/e.estriadiol... 147 |
| daptomycin... 26 | demeclocycline... 26 | desogestrel-ethinyl estradiol... 147 |
| DARAPRIM... 66 | DEMEROL (PF)... 12 | desonide... 119 |
| darifenacin... 140 | DEMEROL... 12 | DESOWEN... 119 |
| DARTISLA... 133 | DEMSE... 97 | desoximetasone... 119 |
| darunavir... 75 | DENAVIR... 75 | DESOXYN... 109 |
| DARZALEX FASPRO... 55 | DENGVAXIA (PF)... 160 | desrx... 119 |
| DARZALEX... 55 | DEPAKOTE ER... 33 | desvenlafaxine succinate... 40 |
| dasetta 1/35 (28)... 147 | DEPAKOTE SPRINKLES... 33 | desvenlafaxine... 40 |
| dasetta 7/7/7 (28)... 147 | DEPAKOTE... 33 | DETROL LA... 140 |
| daunorubicin... 55 | DEPEN TITRATABS... 127 | DETROL... 140 |
| DAURISMO... 55 | DEPO-ESTRADIOL... 147 | dexabli... 141 |
| DAYBUE... 109 | DEPO-MEDROL... 141 | dexamethasone intensol... 142 |
| DAYPRO... 12 | DEPO-PROVERA... 147 | dexamethasone sodium phos (pf)... 142 |
| daysee... 147 | DEPO-SUBQ PROVERA 104... 147 | dexamethasone sodium phosphate... 142, 181 |
| DAYTRANA... 109 | DEPO-TESTOSTERONE... 147 | dexamethasone... 142 |
| DAYVIGO... 194 | DERMA-SMOOTH/FS BODY OIL... 119 | dexchlorpheniramine maleate... 187 |
| DDAVP... 143, 144 | DERMA-SMOOTH/FS SCALP OIL... 119 | DEXEDRINE SPANSULE... 109, 110 |
| deblitane... 147 | DERMACEA... 174 | DEXILANT... 133 |
| decitabine... 55 | | |

| | | |
|---------------------------------------|-----------------------------------|-------------------------------|
| dexlansoprazole... 133 | DIASSTAT... 33 | DILANTIN-125... 34 |
| dexamethasone... 110 | diazepam intensol... 81 | DILAUDID... 12 |
| dexrazoxane hcl... 55 | diazepam... 34, 81 | dilt-xr... 97 |
| DEXTENZA... 181 | diazoxide... 83 | diltiazem hcl... 97 |
| dextroamphetamine sulfate... 110 | DIBENZYLINE... 97 | dimenhydrinate... 44 |
| dextroamphetamine-amphetamine... 110 | dichlorphenamide... 137 | dimethyl fumarate... 110 |
| dextrose 10 % and 0.2 % nacl... 127 | DICLEGIS... 44 | DIOVAN HCT... 97 |
| dextrose 10 % in water (d10w)... 127 | diclofenac epolamine... 12 | DIOVAN... 97 |
| dextrose 20 % in water (d20w)... 127 | diclofenac potassium... 12 | DIPENTUM... 170 |
| dextrose 25 % in water (d25w)... 127 | diclofenac sodium... 12, 119, 181 | DIPHEN... 187 |
| dextrose 30 % in water (d30w)... 127 | diclofenac-misoprostol... 12 | diphenhydramine hcl... 187 |
| dextrose 40 % in water (d40w)... 127 | dicloxacillin... 26 | diphenoxylate-atropine... 133 |
| dextrose 5 % in water (d5w)... 127 | dicyclomine... 133 | DIPROLENE (AUGMENTED)... 119 |
| dextrose 5 %-lactated ringers... 127 | didanosine... 75 | dipyridamole... 89 |
| dextrose 5%-0.2 % sod chloride... 127 | diethylpropion... 199 | disopyramide phosphate... 97 |
| dextrose 5%-0.3 % sod.chloride... 127 | DIFFERIN... 119 | disulfiram... 22 |
| dextrose 50 % in water (d50w)... 127 | DIFCID... 26 | DITROPAN XL... 140 |
| dextrose 70 % in water (d70w)... 127 | diflorasone... 119 | DIURIL... 97 |
| DHIVY... 68 | DIFLUCAN... 46 | divalproex... 34 |
| DIACOMIT... 33 | diflunisal... 12 | DIVIGEL... 147 |
| DIASTAT ACUDIAL... 33 | difluprednate... 181 | dobutamine in d5w... 97 |
| | digitek... 97 | dobutamine... 97 |
| | digox... 97 | DOCEFREZ... 55 |
| | digoxin... 97 | docetaxel... 55 |
| | dihydroergotamine... 49 | dodex... 198 |
| | DILANTIN EXTENDED... 34 | dofetilide... 97 |
| | DILANTIN INFATABS... 34 | DOJOLVI... 174 |
| | DILANTIN... 34 | dolishale... 147 |

| | | |
|--------------------------------------|---------------------------------------|---------------------------------------|
| donepezil... 38, 39 | droperidol... 71 | dutasteride... 140 |
| dopamine in 5 % dextrose... 98 | DROPLET INSULIN SYR(HALF UNIT)... 174 | dutasteride-tamsulosin... 140 |
| dopamine... 97 | DROPLET INSULIN SYRINGE... 175 | DUZALLO... 48 |
| DOPRAM... 187 | DROPLET MICRON PEN NEEDLE... 175 | DYANAVEL XR... 110 |
| DOPTELET (10 TAB PACK)... 89 | DROPLET PEN NEEDLE... 175 | DYMISTA... 187 |
| DOPTELET (15 TAB PACK)... 89 | DROPSAFE ALCOHOL PREP PADS... 175 | DYRENIUM... 98 |
| DOPTELET (30 TAB PACK)... 89 | DROPSAFE PEN NEEDLE... 175 | d10 %-0.45 % sodium chloride... 126 |
| DORYX MPC... 26 | drospirenone-e.estradiol-lm.fa... 147 | d2.5 %-0.45 % sodium chloride... 126 |
| DORYX... 26 | drospirenone-ethynodiol-diol... 147 | d5 % and 0.9 % sodium chloride... 126 |
| dorzolamide... 181 | DROXIA... 175 | d5 %-0.45 % sodium chloride... 126 |
| dorzolamide-timolol (pf)... 181 | droxidopa... 98 | E |
| dorzolamide-timolol... 181 | DUAKLIR PRESSAIR... 187 | E.E.S. GRANULES... 27 |
| dotti... 147 | DUAVEE... 147 | E.E.S. 400... 27 |
| DOVATO... 75 | DUET DHA WITH OMEGA-3... 127 | EASY COMFORT ALCOHOL PAD... 175 |
| DOVONEX... 119 | DUETACT... 83 | EASY TOUCH ALCOHOL PREP PADS... 175 |
| doxazosin... 98 | DUEXIS... 12 | EC-NAPROSYN... 12 |
| doxepin... 81, 119, 194 | DULERA... 187 | ec-naproxen... 13 |
| doxercalciferol... 171 | duloxetine... 40 | econazole... 46 |
| DOXIL... 55 | DUOBRII... 119 | EDARBI... 98 |
| doxorubicin... 55 | DUOPA... 68 | EDARBYCLOR... 98 |
| doxorubicin, peg-liposomal... 55 | DUPIXENT PEN... 161 | EDECRIN... 98 |
| doxy-100... 26 | DUPIXENT SYRINGE... 161 | edetate calcium disodium... 175 |
| doxycycline hydiate... 26, 27 | DURAMORPH (PF)... 12 | EDLUAR... 194 |
| doxycycline monohydrate... 27 | DUREZOL... 181 | EDURANT... 75 |
| doxylamine-pyridoxine (vit b6)... 44 | DURYSTA... 181 | efavirenz... 75, 76 |
| DRISDOL... 198 | | |
| DRIZALMA SPRINKLE... 40 | | |
| dronabinol... 44 | | |

| | | |
|----------------------------------------|-------------------------------------|---------------------------------|
| efavirenz-emtricitabin-tenofovir... 76 | ELIXOPHYLLIN... 187 | ENDARI... 133 |
| efavirenz-lamivu-tenofov disop... 76 | ELLA... 147 | endocet... 13 |
| EFFEXOR XR... 40 | ELLENCE... 55 | ENDOMETRIN... 147 |
| EFFIENT... 90 | ELMIRON... 140 | ENGERIX-B (PF)... 161 |
| EFUDEX... 119 | ELREXFIO... 55 | ENGERIX-B PEDIATRIC (PF)... 161 |
| EGATEN... 66 | eluryng... 147 | ENHERTU... 55 |
| EGRIFTA SV... 144 | ELYXYB... 175 | enilloring... 147 |
| ELAPRASE... 137 | ELZONRIS... 55 | ENJAYMO... 161 |
| electrolyte-a... 127 | EMCYT... 55 | enoxaparin... 90 |
| electrolyte-148... 127 | EMEND (FOSAPREPITANT)... 44 | enpresse... 147 |
| electrolyte-48 in d5w... 127 | EMEND... 44 | enskyce... 147 |
| ELELYSO... 137 | EMFLAZA... 142 | ENSPRYNG... 161 |
| ELESTRIN... 147 | EMGALITY PEN... 49 | ENSTILAR... 119 |
| eletriptan... 49 | EMGALITY SYRINGE... 49 | entacapone... 68 |
| ELEVIDYS... 137 | EMPAVELI... 175 | ENTADFI... 140 |
| ELFABRIO... 138 | EMPLICITI... 55 | entecavir... 76 |
| ELIDEL... 119 | EMSAM... 40 | ENTRESTO... 98 |
| ELIGARD (3 MONTH)... 156 | emtricitabine... 76 | ENTYVIO PEN... 161 |
| ELIGARD (4 MONTH)... 156 | emtricitabine-tenofovir (tdf)... 76 | ENTYVIO... 161 |
| ELIGARD (6 MONTH)... 156 | EMTRIVA... 76 | enulose... 133 |
| ELIGARD... 156 | emverm... 66 | ENVARSUS XR... 161 |
| ELIMITE... 119 | emzahh... 147 | EOHILIA... 175 |
| elinest... 147 | enalapril maleate... 98 | EPANED... 98 |
| ELIQUIS DVT-PE TREAT 30D START... 90 | enalaprilat... 98 | EPCLUS... 76 |
| ELIQUIS... 90 | ENBREL MINI... 161 | EPIDIOLEX... 34 |
| ELITEK... 55 | ENBREL SURECLICK... 161 | EPIDUO FORTE... 119 |
| | ENBREL... 161 | EPIDUO... 119 |
| | | EPIFOAM... 120 |

| | | |
|------------------------------------|--------------------------------------|---------------------------------------|
| epinastine... 181 | ERIVEDGE... 56 | estarylla... 148 |
| epinephrine... 187 | ERLEADA... 56 | estazolam... 194 |
| EPIPEN JR 2-PAK... 187 | erlotinib... 56 | ESTRACE... 148 |
| EPIPEN JR... 187 | ERMEZA... 155 | estradiol valerate... 148 |
| EPIPEN 2-PAK... 187 | errin... 148 | estradiol... 148 |
| EPIPEN... 187 | ERTACZO... 46 | estradiol-norethindrone acet... 148 |
| epirubicin... 55 | ertapenem... 27 | ESTRING... 148 |
| epitol... 34 | ery pads... 120 | ESTROGEL... 148 |
| EPIVIR HBV... 76 | ERY-TAB... 27 | eszopiclone... 194 |
| EPIVIR... 76 | ERYGEL... 120 | ethacrynone sodium... 98 |
| EPKINLY... 55 | ERYPED 200... 27 | ethacrynic acid... 98 |
| eplerenone... 98 | ERYPED 400... 27 | ethambutol... 52 |
| EPOGEN... 90 | ERYTHROCIN (AS STEARATE)... 27 | ethosuximide... 34 |
| epoprostenol (glycine)... 188 | ERYTHROCIN... 27 | ethynodiol diacetate-estradiol... 148 |
| epoprostenol... 187 | erythromycin ethylsuccinate... 27 | ETHYOL... 56 |
| EPRONTIA... 49 | erythromycin lactobionate... 27 | etodolac... 13 |
| eprosartan... 98 | erythromycin with ethanol... 120 | etonogestrel-ethynodiol... 148 |
| EPSOLAY... 120 | erythromycin... 27, 181 | ETOPOPHOS... 56 |
| eptifibatide... 90 | erythromycin-benzoyl peroxide... 120 | etoposide... 56 |
| EPZICOM... 76 | ESBRIET... 188 | etravirine... 76 |
| EQUETRO... 34 | escitalopram oxalate... 40 | EUCRISA... 120 |
| ERAXIS(WATER DILUENT)... 46 | ESGIC... 175 | EULEXIN... 56 |
| ERBITUX... 55 | esmolol in nacl (iso-osm)... 98 | EURAX... 120 |
| ergocalciferol (vitamin d2)... 198 | esmolol... 98 | EUTHYROX... 155 |
| ergoloid... 39 | esomeprazole magnesium... 133 | EVAMIST... 148 |
| ERGOMAR... 49 | esomeprazole sodium... 134 | EVEKEO ODT... 110 |
| ergotamine-caffeine... 49 | ESOMEPRAZOLE STRONTIUM... 134 | EVEKEO... 110 |
| eribulin... 56 | | EVENITY... 171 |

| | | |
|---------------------------------------|--------------------------------------|-------------------------------------|
| everolimus (antineoplastic)... 56 | FABHALTA... 161 | FENOGLIDE... 99 |
| everolimus (immunosuppressive)... 161 | FABIOR... 120 | fenoprofen... 13 |
| EVISTA... 148 | FABRAZYME... 138 | FENSOLVI... 156 |
| EVKEEZA... 98 | falmina (28)... 148 | fentanyl citrate (pf)... 13 |
| EVOCLIN... 120 | famciclovir... 76 | fentanyl citrate... 13 |
| EVOMELA... 56 | famotidine (pf)... 134 | fentanyl... 13 |
| EVOTAZ... 76 | famotidine (pf)-nacl (iso-os)... 134 | FENTORA... 13 |
| EVOXAC... 115 | famotidine... 134 | FERRIPROX (2 TIMES A DAY)... 127 |
| EVRYSDI... 138 | FANAPT... 71 | FERRIPROX... 127 |
| EXELDERM... 46 | FARESTON... 56 | fesoterodine... 140 |
| EXELON PATCH... 39 | FARXIGA... 83 | FETROJA... 28 |
| exemestane... 56 | FASENRA PEN... 188 | FETZIMA... 40, 41 |
| EXFORGE HCT... 98 | FASENRA... 188 | FEXMID... 193 |
| EXFORGE... 98 | FASLODEX... 56 | FIASP FLEXTOUCH U-100 INSULIN... 83 |
| EXJADE... 127 | febuxostat... 48 | FIASP PENFILL U-100 INSULIN... 83 |
| EXKIVITY... 56 | felbamate... 34 | FIASP U-100 INSULIN... 83 |
| EXPAREL (PF)... 20 | FELBATOL... 34 | FIBRICOR... 99 |
| EXSERVAN... 110 | FELDENE... 13 | FILSPARI... 175 |
| EXTAVIA... 110 | felodipine... 98 | FILSUVEZ... 175 |
| EXTINA... 46 | FEMARA... 56 | FINACEA... 120 |
| EYSUVIS... 181 | FEMHRT LOW DOSE... 148 | finasteride... 140 |
| EZALLOR SPRINKLE... 98 | FEMRING... 148 | fingolimod... 110 |
| ezetimibe... 98 | femynor... 148 | FINTEPLA... 34 |
| ezetimibe-atorvastatin... 98 | fenofibrate micronized... 99 | finzala... 148 |
| ezetimibe-rosuvastatin... 98 | fenofibrate nanocrystallized... 99 | FIORICET WITH CODEINE... 175 |
| ezetimibe-simvastatin... 98 | fenofibrate... 99 | fioricet... 175 |
| F | | |
| | fenofibric acid (choline)... 99 | FIRAZYR... 161 |
| | fenofibric acid... 99 | |

| | | |
|-------------------------------------|------------------------------------|--------------------------------------|
| FIRDAPSE... 111 | fluocinonide-e... 120 | formoterol fumarate... 188 |
| FIRMAGON KIT W DILUENT | fluocinonide-emollient... 120 | FORTEO... 171 |
| SYRINGE... 157 | fluorometholone... 181 | FORTESTA... 148 |
| FIRMAGON... 157 | FLUOROPLEX... 120 | FOSAMAX PLUS D... 171 |
| FIRVANQ... 28 | fluorouracil... 56, 120 | FOSAMAX... 171 |
| flac otic oil... 185 | fluoxetine... 41 | fosamprenavir... 76 |
| FLAGYL... 28 | fluphenazine decanoate... 71 | fosaprepitant... 44 |
| FLAREX... 181 | fluphenazine hcl... 71 | foscarnet... 76 |
| flavoxate... 140 | flurandrenolide... 120, 121 | FOSCAVIR... 76 |
| FLEBOGAMMA DIF... 161 | flurazepam... 194 | fosfomycin tromethamine... 28 |
| flecainide... 99 | flurbiprofen sodium... 181 | fosinopril... 99 |
| FLECTOR... 13 | flurbiprofen... 13 | fosinopril-hydrochlorothiazide... 99 |
| FLEQSUVY... 74 | flutamide... 56 | fosphenytoin... 34 |
| FLOLIPID... 99 | fluticasone propion-salmeterol... | FOSRENOL... 127 |
| FLOMAX... 140 | 188 | FOTIVDA... 56 |
| flouxuridine... 56 | fluticasone propionate... 121, 188 | FRAGMIN... 90 |
| fluconazole in nacl (iso-osm)... 46 | fluvastatin... 99 | FROVA... 49 |
| fluconazole... 46 | fluvoxamine... 41 | frovatriptan... 49 |
| flucytosine... 46 | FML FORTE... 181 | FRUZAQLA... 56 |
| fludarabine... 56 | FML LIQUIFILM... 181 | FULPHILA... 90 |
| fludrocortisone... 142 | FOCALIN XR... 111 | fulvestrant... 56 |
| FLUMADINE... 76 | FOCALIN... 111 | FURADANTIN... 28 |
| flumazenil... 175 | folic acid... 198 | FUROSCIX... 99 |
| flunisolide... 188 | FOLLISTIM AQ... 197 | furosemide... 99 |
| fluocinolone acetonide oil... 185 | FOLOTYN... 56 | FUSILEV... 56 |
| fluocinolone and shower cap... 120 | fomepizole... 175 | FUZEON... 76 |
| fluocinolone... 120 | fondaparinux... 90 | FYARRO... 56 |
| fluocinonide... 120 | FORFIVO XL... 41 | fyavolv... 148 |

| | | |
|------------------------------------------|-------------------------------------|-------------------------------------|
| FYCOMPA... 34 | GAVRETO... 56 | GLEOSTINE... 57 |
| FYLNETRA... 90 | GAZYVA... 57 | glimepiride... 83 |
| fyremadel... 197 | gefitinib... 57 | glipizide... 83 |
| G | | |
| gabapentin... 34, 111 | GELNIQUE... 140 | glipizide-metformin... 83 |
| GABITRIL... 34 | gemcitabine... 57 | GLOPERBA... 49 |
| GALAFOLD... 138 | gemfibrozil... 99 | GLUCAGEN HYPOKIT... 83 |
| galantamine... 39 | gemmily... 148 | GLUCAGON (HCL) EMERGENCY KIT... |
| GAMASTAN... 161 | GEMTESA... 140 | 83 |
| GAMIFANT... 161 | GENERESS FE... 148 | GLUCAGON EMERGENCY KIT |
| GAMMAGARD LIQUID... 161 | generlac... 134 | (HUMAN)... 83 |
| GAMMAGARD S-D (IGA < 1 MCG/ML)... 161 | gengraf... 162 | GLUCOTROL XL... 83 |
| GAMMAKED... 161 | GENOTROPIN MINIQUICK... 144 | GLUMETZA... 83 |
| GAMMAPLEX (WITH SORBITOL)... 162 | GENOTROPIN... 144 | glyburide micronized... 83 |
| GAMMAPLEX... 162 | gentak... 181 | glyburide... 83 |
| GAMUNEX-C... 162 | gentamicin in nacl (iso-osm)... 28 | glyburide-metformin... 83 |
| ganciclovir sodium... 76 | gentamicin sulfate (ped) (pf)... 28 | GLYCATE... 134 |
| GANIRELIX... 197 | gentamicin sulfate (pf)... 28 | GLYCOPHOS... 127 |
| GARDASIL 9 (PF)... 162 | gentamicin... 28, 181 | glycopyrrolate (pf) in water... 134 |
| GASTROCROM... 188 | GENVOYA... 76 | glycopyrrolate (pf)... 134 |
| gatifloxacin... 181 | GEODON... 71 | glycopyrrolate... 134 |
| GATTEX ONE-VIAL... 134 | GILENYA... 111 | glydo... 20 |
| GATTEX 30-VIAL... 134 | GILOTrif... 57 | GLYNASE... 83 |
| GAUZE BANDAGE... 175 | GIMOTI... 44 | GLYXAMBI... 84 |
| GAUZE PAD... 175 | GIVLAARI... 175 | GOCOVRI... 68 |
| gavilyte-c... 134 | GLASSIA... 138 | GOLYTELY... 134 |
| gavilyte-g... 134 | glatiramer... 111 | GONAL-F RFF REDI-JECT... 197 |
| | glatopa... 111 | GONAL-F RFF... 197 |
| | GLEEVEC... 57 | GONAL-F... 197 |

| | | |
|-----------------------------------|-------------------------------|---------------------------------|
| GONITRO... 99 | HALDOL DECANOATE... 71 | HULIO(CF)... 162 |
| GRALISE... 111 | halobetasol propionate... 121 | HUMALOG JUNIOR KWIKPEN |
| granisetron (pf)... 44 | haloette... 149 | U-100... 84 |
| granisetron hcl... 44 | HALOG... 121 | HUMALOG KWIKPEN INSULIN... 84 |
| GRANIX... 90 | haloperidol decanoate... 71 | HUMALOG MIX 50-50 INSULN |
| GRASTEK... 188 | haloperidol lactate... 71 | U-100... 84 |
| griseofulvin microsize... 46 | haloperidol... 71 | HUMALOG MIX 50-50 KWIKPEN... 84 |
| griseofulvin ultramicrosize... 46 | HARVONI... 76, 77 | HUMALOG MIX 75-25 KWIKPEN... 84 |
| guanfacine... 99, 111 | HAVRIX (PF)... 162 | HUMALOG MIX |
| GVOKE HYPOPEN 1-PACK... 84 | heather... 149 | 75-25(U-100)INSULN... 84 |
| GVOKE HYPOPEN 2-PACK... 84 | HECTOROL... 171 | HUMALOG TEMPO |
| GVOKE PFS 1-PACK SYRINGE... 84 | HEMABATE... 145 | PEN(U-100)INSULN... 84 |
| GVOKE PFS 2-PACK SYRINGE... 84 | HEMADY... 142 | HUMALOG U-100 INSULIN... 84 |
| GVOKE... 84 | HEMANGEOL... 99 | HUMATIN... 28 |
| gynazole-1... 46 | heparin (porcine)... 90, 91 | HUMATROPE... 144 |
| H | | |
| HADLIMA PUSHTOUCH... 162 | HEPLISAV-B (PF)... 162 | HUMIRA PEN CROHNS-UC-HS |
| HADLIMA... 162 | HEPSERA... 77 | START... 162 |
| HADLIMA(CF) PUSHTOUCH... 162 | HERCEPTIN HYLECTA... 57 | HUMIRA PEN PSOR-UVEITS-ADOL |
| HADLIMA(CF)... 162 | HERCEPTIN... 57 | HS... 162 |
| HAEGARDA... 162 | HERZUMA... 57 | HUMIRA PEN... 162 |
| hailey fe 1.5/30 (28)... 148 | HETLIOZ LQ... 194 | HUMIRA(CF) PEDI CROHNS |
| hailey fe 1/20 (28)... 148 | HETLIOZ... 194 | STARTER... 162 |
| hailey 24 fe... 148 | HIBERIX (PF)... 162 | HUMIRA(CF) PEN CROHNS-UC-HS... |
| hailey... 148 | HIPREX... 28 | 163 |
| HALAVEN... 57 | HIZENTRA... 162 | HUMIRA(CF) PEN PEDIATRIC UC... |
| halcinonide... 121 | HORIZANT... 111 | 163 |
| HALCION... 194 | HULIO(CF) PEN... 162 | HUMIRA(CF) PEN PSOR-UV-ADOL |
| | | HS... 163 |
| | | HUMIRA(CF) PEN... 163 |
| | | HUMIRA(CF)... 162 |

| | | |
|---------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| HUMULIN N NPH INSULIN KWIKPEN... 84 | hydrocortisone... 121, 170 hydrocortisone-acetic acid... 185 hydromet... 196 hydromorphone (pf)... 14 HYDROMORPHONE... 13, 14 hydroxocobalamin... 198 hydroxychloroquine... 66 hydroxyurea... 57 hydroxyzine hcl... 81 hydroxyzine pamoate... 188 HYFTOR... 121 HYPERRAB (PF)... 163 HYPERTET (PF)... 163 HYRIMOZ PEN CROHN'S-UC STARTER... 163 HYRIMOZ PEN PSORIASIS STARTER... 163 HYRIMOZ(CF) PEDI CROHN STARTER... 163 HYRIMOZ(CF) PEN... 163 HYRIMOZ(CF)... 163 HYSINGLA ER... 14 HYZAAR... 100 | ibuprofen-famotidine... 14 ibutilide fumarate... 100 icatibant... 163 iclevia... 149 ICLUSIG... 57 IDACIO(CF) PEN CROHN-UC STARTR... 163 IDACIO(CF) PEN PSORIASIS START... 163 IDACIO(CF) PEN... 163 IDACIO(CF)... 163 IDAMYCIN PFS... 57 idarubicin... 57 IDHIFA... 57 IFEX... 57 ifosfamide... 57 IGALMI... 175 ILEVRO... 181 ILUMYA... 163 imatinib... 57 IMBRUVICA... 57, 58 IMFINZI... 58 imipenem-cilastatin... 28 imipramine hcl... 41 imipramine pamoate... 41 imiquimod... 121 IMITREX STATDOSE PEN... 49 IMITREX STATDOSE REFILL... 49 |
| I | | |
| hydrocodone-homatropine... 196 | ibandronate... 171 | |
| hydrocodone-ibuprofen... 13 | IBRANCE... 57 | |
| hydrocortisone butyr-emollient... 121 | IBSRELA... 134 | |
| hydrocortisone butyrate... 121 | ibu... 14 | |
| hydrocortisone valerate... 121 | ibuprofen... 14 | |

| | | |
|-----------------------------------|-----------------------------------------|------------------------------------------|
| IMITREX... 49 | INLYTA... 58 | INVEGA SUSTENNA... 71 |
| IMJUDO... 58 | INNOPRAN XL... 100 | INVEGA TRINZA... 71 |
| IMLYGIC... 58 | INPEFA... 84 | INVEGA... 71 |
| IMMPHENTIV... 100 | INQOVI... 58 | INVELTYS... 181 |
| IMOGLAM RABIES-HT (PF)... 163 | INREBIC... 58 | INVOKAMET XR... 85 |
| IMOVAX RABIES VACCINE (PF)... 163 | INSPRA... 100 | INVOKAMET... 85 |
| IMPAVIDO... 67 | INSULIN ASP PRT-INSULIN ASPART... 84 | INVOKANA... 85 |
| IMPEKLO... 121 | INSULIN ASPART U-100... 84 | IONOSOL-B IN D5W... 128 |
| IMURAN... 163 | INSULIN DEGLUDEC... 85 | IONOSOL-MB IN D5W... 128 |
| INBRIJA... 68 | INSULIN GLARGINE U-300 CONC... 85 | IOPIDINE... 181 |
| incassia... 149 | INSULIN GLARGINE... 85 | IPOL... 164 |
| INCONTROL ALCOHOL PADS... 175 | INSULIN GLARGINE-YFGN... 85 | ipratropium bromide... 188 |
| INCRELEX... 144 | INSULIN LISPRO PROTAMIN-LISPRO... 85 | ipratropium-albuterol... 188 |
| INCRUSE ELLIPTA... 188 | INSULIN LISPRO... 85 | irbesartan... 100 |
| indapamide... 100 | INSULIN SYRINGE MICROFINE... 176 | irbesartan-hydrochlorothiazide... 100 |
| INDERAL LA... 100 | INSULIN SYRINGE NEEDLELESS... 176 | IRESSA... 58 |
| INDOCIN... 14 | INSULIN SYRINGE... 175 | irinotecan... 58 |
| indomethacin sodium... 14 | INSULIN SYRINGE-NEEDLE U-100... 176 | ISENTRESS HD... 77 |
| indomethacin... 14 | INTELENCE... 77 | ISENTRESS... 77 |
| INFANRIX (DTAP) (PF)... 163 | INTRALIPID... 128 | isibloom... 149 |
| INFLECTRA... 163 | INTRON A... 163 | ISOLYTE S PH 7.4... 128 |
| INFILIXIMAB... 163 | INTUNIV ER... 111 | ISOLYTE-P IN 5 % DEXTROSE... 128 |
| INFUGEM... 58 | INVANZ... 28 | ISOLYTE-S... 128 |
| INFUMORPH P/F... 14 | INVEGA HAFYERA... 71 | isoniazid... 52 |
| INFUVITE ADULT... 198 | | ISOPTO CARPINE... 181 |
| INFUVITE PEDIATRIC... 198 | | ISORDIL TITRADOSE... 100 |
| INGREZZA INITIATION PACK... 111 | | ISORDIL... 100 |
| INGREZZA... 111 | | |

| | | |
|-------------------------------|-----------------------------|---------------------------|
| isosorbide dinitrate... 100 | jasmiel (28)... 149 | KADCYLA... 58 |
| isosorbide mononitrate... 100 | JATENZO... 149 | kaitlib fe... 149 |
| isosorbide-hydralazine... 100 | javygtor... 138 | KALETRA... 77 |
| isotretinoin... 121, 122 | JAYPIRCA... 58 | kalliga... 149 |
| isradipine... 100 | JEMPERLI... 58 | KALYDECO... 188 |
| ISTALOL... 181 | jencycla... 149 | KANJINTI... 58 |
| ISTODAX... 58 | JENTADUETO XR... 85 | KANUMA... 138 |
| ISTURISA... 156 | JENTADUETO... 85 | KAPSPARGO SPRINKLE... 100 |
| ISUPREL... 100 | JEVTANA... 58 | KAPVAY... 111 |
| itraconazole... 46 | jinteli... 149 | KARBINAL ER... 188 |
| IV PREP WIPES... 176 | JOENJA... 138 | kariva (28)... 149 |
| ivermectin... 67, 122 | jolessa... 149 | KATERZIA... 100 |
| IWILFIN... 58 | JORNAY PM... 111 | KAZANO... 85 |
| IXCHIQ... 164 | joyeaux... 149 | KEDRAB (PF)... 164 |
| IXEMPRA... 58 | JUBLIA... 46 | kelnor 1-50 (28)... 149 |
| IXIARO (PF)... 164 | juleber... 149 | kelnor 1/35 (28)... 149 |
| IYUZEH... 182 | JULUCA... 77 | KENALOG... 142 |
| J | | |
| JADENU SPRINKLE... 128 | junel fe 1.5/30 (28)... 149 | KENALOG-80... 142 |
| JADENU... 128 | junel fe 1/20 (28)... 149 | KENGREAL... 91 |
| jaimiess... 149 | junel fe 24... 149 | KEPIVANCE... 115 |
| JAKAFI... 58 | junel 1.5/30 (21)... 149 | KEPPRA XR... 34 |
| JALYN... 140 | junel 1/20 (21)... 149 | KEPPRA... 34 |
| jantoven... 91 | JUXTAPID... 100 | KERENDIA... 101 |
| JANUMET XR... 85 | JYNARQUE... 128 | KERYDIN... 46 |
| JANUMET... 85 | JYNNEOS (PF)... 164 | KESIMPTA PEN... 111 |
| K | | |
| JANUVIA... 85 | K-TAB... 128 | ketodan... 47 |
| JARDIANCE... 85 | KABIVEN... 128 | ketoprofen... 14, 15 |

| | | | |
|---------------------------|---------|-----------------------------------|----------------------------------|
| ketorolac... | 15, 182 | KOSHER PRENATAL PLUS IRON... | LAMICTAL STARTER (ORANGE) KIT... |
| KEVEYIS... | 138 | 128 | 35 |
| KEVZARA... | 164 | kourzeq... | LAMICTAL XR STARTER (BLUE)... |
| KEYTRUDA... | 58 | KRAZATI... | LAMICTAL XR STARTER (GREEN)... |
| KHAPZORY... | 58 | KRINTAFEL... | LAMICTAL XR STARTER (ORANGE)... |
| KIMMTRAK... | 58 | KRISTALOSE... | 35 |
| KIMYRSA... | 28 | kurvelo (28)... | LAMICTAL XR... |
| KINERET... | 164 | KUVAN... | LAMICTAL... |
| KINRIX (PF)... | 164 | KYPROLIS... | lamivudine... |
| kiprofen... | 15 | L | 77 |
| KISQALI FEMARA CO-PACK... | 58, 59 | l norgest/e.estradiol-e.estrad... | lamotrigine... |
| KISQALI... | 58 | LABETALOL IN | 35, 36 |
| KITABIS PAK... | 28 | DEXTROSE,ISO-OSM... | LAMPIT... |
| KLARON... | 28 | 101 | 67 |
| klayesta... | 47 | LABETALOL IN NACL (ISO-OSMOT)... | LAMZEDE... |
| KLISYRI... | 122 | 101 | 138 |
| KLONOPIN... | 81 | labetalol... | LANOXIN PEDIATRIC... |
| klor-con m10... | 128 | 101 | 101 |
| KLOR-CON M15... | 128 | lacosamide... | lanreotide... |
| klor-con m20... | 128 | LACRISERT... | 157 |
| KLOR-CON 10... | 128 | lactated ringers... | lansoprazole... |
| KLOR-CON 8... | 128 | 128, 176 | 134 |
| klor-con... | 128 | lactulose... | lanthanum... |
| KLOXXADO... | 22 | 134 | 128 |
| KONVOMEP... | 134 | LAGEVRIO (EUA)... | LANTUS SOLOSTAR U-100 |
| KORLYM... | 176 | 176 | INSULIN... |
| KOSELUGO... | 59 | LAMICTAL ODT STARTER (BLUE)... | 85 |
| | | LAMICTAL ODT STARTER (GREEN)... | LANTUS U-100 INSULIN... |
| | | 35 | 85 |
| | | LAMICTAL ODT STARTER (ORANGE)... | lapatinib... |
| | | 35 | 59 |
| | | LAMICTAL ODT... | larin fe 1.5/30 (28)... |
| | | 35 | 149 |
| | | LAMICTAL STARTER (BLUE) KIT... | larin fe 1/20 (28)... |
| | | LAMICTAL STARTER (GREEN) KIT... | 149 |
| | | 35 | larin 1.5/30 (21)... |
| | | | 149 |
| | | | larin 1/20 (21)... |
| | | | 149 |
| | | | larin 24 fe... |
| | | | 149 |
| | | | larissia... |
| | | | 150 |
| | | | LASIX... |
| | | | 101 |

| | | |
|--------------------------------------|---------------------------------------|---------------------------------------|
| latanoprost... 182 | LEVO-T... 155 | lidocaine viscous... 20 |
| LATUDA... 71 | levobunolol... 182 | lidocaine... 20 |
| LAYOLIS FE... 150 | levocarnitine (with sugar)... 128 | lidocaine-epinephrine bit... 20 |
| LAZANDA... 15 | levocarnitine... 128 | lidocaine-epinephrine... 20 |
| leena 28... 150 | levocetirizine... 189 | lidocaine-prilocaine... 20 |
| leflunomide... 164 | levofloxacin in d5w... 28 | lidocan iii... 20 |
| LEMTRADA... 111 | levofloxacin... 28, 182 | lidocan iv... 20 |
| lenalidomide... 59 | levoleucovorin calcium... 59 | lidocan v... 20 |
| LENVIMA... 59 | levonest (28)... 150 | LIDODERM... 20 |
| LEQVIO... 101 | levonorg-eth estrad triphasic... 150 | lignospan standard... 20 |
| LESCOL XL... 101 | levonorgest-eth.estradiol-iron... 150 | lillow (28)... 150 |
| lessina... 150 | levonorgestrel-ethinyl estrad... 150 | LINCOCIN... 28 |
| LETAIRIS... 188 | LEVOPHED (BITARTRATE)... 101 | lincomycin... 28 |
| letrozole... 59 | levora-28... 150 | lindane... 122 |
| leucovorin calcium... 59 | levorphanol tartrate... 15 | linezolid in dextrose 5%... 28 |
| LEUKERAN... 59 | levothyroxine... 155, 156 | linezolid... 28 |
| LEUKINE... 91 | LEVOXYL... 156 | linezolid-0.9% sodium chloride... 28 |
| leuprolide (3 month)... 157 | LEVULAN... 59 | LINZESS... 134 |
| leuprolide... 157 | LEXAPRO... 41 | liothyronine... 156 |
| levalbuterol hcl... 189 | LEXETTE... 122 | LIPITOR... 101 |
| levalbuterol tartrate... 189 | LEXIVA... 77 | LIPOFEN... 101 |
| levamlodipine... 101 | LIALDA... 170 | LIQREV... 189 |
| LEVEMIR FLEXPEN... 85 | LIBTAYO... 59 | lisdexexamfetamine... 111 |
| LEVEMIR FLEXTOUCH U100 | LICART... 15 | lisinopril... 101 |
| INSULIN... 86 | lidocaine (pf) in d7.5w... 20 | lisinopril-hydrochlorothiazide... 101 |
| LEVEMIR U-100 INSULIN... 86 | lidocaine (pf)... 20, 101 | LITFULO... 176 |
| levetiracetam in nacl (iso-os)... 36 | lidocaine hcl... 20 | lithium carbonate... 82 |
| levetiracetam... 36 | lidocaine in 5 % dextrose (pf)... 101 | lithium citrate... 82 |

| | | | | | |
|--------------------------------|-----|---------------------------------|----------|-------------------------------|----------|
| LITHOBID... | 82 | LOPROX (AS OLAMINE)... | 47 | LUMAKRAS... | 59 |
| LITHOSTAT... | 176 | LOPROX... | 47 | LUMIGAN... | 182 |
| LIVALO... | 101 | LOQTORZI... | 59 | LUMIZYME... | 138 |
| LIVMARLI... | 176 | lorazepam intensol... | 81 | LUMRYZ... | 194 |
| LIVTENCITY... | 77 | lorazepam... | 81 | LUNESTA... | 194 |
| LO LOESTRIN FE... | 150 | LORBRENA... | 59 | LUNSUMIO... | 59 |
| lo-zumandimine (28)... | 150 | LOREEV XR... | 82 | LUPKYNIS... | 164 |
| LOCOID LIPOCREAM... | 122 | lortab elixir... | 15 | LUPRON DEPOT (3 MONTH)... | 157 |
| LOCOID... | 122 | loryna (28)... | 150 | LUPRON DEPOT (4 MONTH)... | 157 |
| LODINE... | 15 | LORZONE... | 193 | LUPRON DEPOT (6 MONTH)... | 157 |
| LODOC0... | 101 | losartan... | 101 | LUPRON DEPOT... | 157 |
| LODOSYN... | 68 | losartan-hydrochlorothiazide... | 101 | LUPRON DEPOT-PED (3 MONTH)... | |
| LOESTRIN FE 1.5/30 (28-DAY)... | 150 | LOSEASONIQUE... | 150 | 157 | |
| LOESTRIN FE 1/20 (28-DAY)... | 150 | LOTEMAX SM... | 182 | LUPRON DEPOT-PED... | 157 |
| LOESTRIN 1.5/30 (21)... | 150 | LOTEMAX... | 182 | lurasidone... | 71, 72 |
| LOESTRIN 1/20 (21)... | 150 | LOTENSIN HCT... | 101 | lutera (28)... | 150 |
| lofena... | 15 | LOTENSIN... | 101 | LUXIQ... | 122 |
| lojaimiess... | 150 | loteprednol etabonate... | 182 | LUZU... | 47 |
| LOKELMA... | 128 | LOTREL... | 101, 102 | LYBALVI... | 72 |
| lomaira... | 199 | LOTRONEX... | 134 | lyleq... | 150 |
| LOMOTIL... | 134 | lovastatin... | 102 | lyllana... | 150 |
| LONHALA MAGNAIR REFILL... | 189 | LOVAZA... | 102 | LYNPARZA... | 60 |
| LONHALA MAGNAIR STARTER... | 189 | LOVENOX... | 91 | LYRICA CR... | 111, 112 |
| LONSURF... | 59 | low-ogestrel (28)... | 150 | LYRICA... | 111 |
| loperamide... | 134 | loxapine succinate... | 71 | LYSODREN... | 156 |
| LOPID... | 101 | lubiprostone... | 134 | LYSTEDA... | 91 |
| lopinavir-ritonavir... | 77 | LUCEMYRA... | 22 | LYTGEOBI... | 60 |
| LOPRESSOR... | 101 | luliconazole... | 47 | | |

| | | |
|------------------------------------|---------------------------------------|------------------------------------|
| LYUMJEV KWIKPEN U-100 | MARCAINE... 20 | meclizine... 44 |
| INSULIN... 86 | MARCAINE-EPINEPHRINE (PF)... 21 | meclofenamate... 15 |
| LYUMJEV KWIKPEN U-200 | MARCAINE-EPINEPHRINE... 20 | MEDROL (PAK)... 142 |
| INSULIN... 86 | MARGENZA... 60 | MEDROL... 142 |
| LYUMJEV TEMPO | MARINOL... 44 | medroxyprogesterone... 150 |
| PEN(U-100)INSULN... 86 | marlissa (28)... 150 | mefenamic acid... 15 |
| LYUMJEV U-100 INSULIN... 86 | MARPLAN... 41 | mefloquine... 67 |
| LYVISPAH... 74 | MATULANE... 60 | megestrol... 151 |
| lyza... 150 | matzim la... 102 | MEKINIST... 60 |
| M | | |
| M-M-R II (PF)... 164 | MAVENCLAD (10 TABLET PACK)... 112 | MEKTOVI... 60 |
| m-natal plus... 128 | MAVENCLAD (4 TABLET PACK)... 112 | meloxicam submicronized... 15 |
| MACROBID... 28 | MAVENCLAD (5 TABLET PACK)... 112 | meloxicam... 15 |
| MACRODANTIN... 28 | MAVENCLAD (6 TABLET PACK)... 112 | melphalan hcl... 60 |
| mafенide acetate... 122 | MAVENCLAD (7 TABLET PACK)... 112 | melphalan... 60 |
| magnesium sulfate in d5w... 128 | MAVENCLAD (8 TABLET PACK)... 112 | memantine... 39 |
| magnesium sulfate in water... 128, | MAVENCLAD (9 TABLET PACK)... 112 | MENACTRA (PF)... 164 |
| 129 | MAVYRET... 77 | MENEST... 151 |
| magnesium sulfate... 128 | MAXALT... 49 | MENOPUR... 197 |
| MALARONE PEDIATRIC... 67 | MAXALT-MLT... 50 | MENOSTAR... 151 |
| MALARONE... 67 | MAXIDEX... 182 | MENQUADFI (PF)... 164 |
| malathion... 122 | MAXITROL... 182 | MENTAX... 47 |
| mannitol 10 %... 102 | MAXZIDE... 102 | MENVEO A-C-Y-W-135-DIP (PF)... 164 |
| mannitol 20 %... 102 | MAXZIDE-25MG... 102 | meperidine (pf)... 15 |
| mannitol 25 %... 102 | MAYZENT STARTER(FOR 1MG MAINT)... 112 | meperidine... 15 |
| mannitol 5 %... 102 | MAYZENT STARTER(FOR 2MG MAINT)... 112 | MEPHYTON... 198 |
| maraviroc... 77 | MAYZENT... 112 | meprobamate... 82 |
| MARCAINE (PF)... 20 | | MEPRON... 67 |
| MARCAINE SPINAL (PF)... 20 | | |

| | | |
|--------------------------------------|---------------------------------------|--------------------------------------|
| MEPSEVII... 138 | methsuximide... 36 | mibelas 24 fe... 151 |
| mercaptopurine... 60 | methyldopa... 102 | micafungin... 47 |
| meropenem... 29 | methyldopa-hydrochlorothiazide... 102 | MICARDIS HCT... 102 |
| meropenem-0.9% sodium chloride... 29 | methyldopate... 102 | MICARDIS... 102 |
| merzee... 151 | methylergonovine... 176 | miconazole nitrate-zinc ox-pet... 47 |
| mesalamine... 170 | METHYLIN... 112 | miconazole-3... 47 |
| mesna... 60 | methylphenidate hcl... 112, 113 | microgestin fe 1.5/30 (28)... 151 |
| MESNEX... 60 | methylphenidate... 112 | microgestin fe 1/20 (28)... 151 |
| MESTINON TIMESPAN... 51 | methylprednisolone acetate... 142 | microgestin 1.5/30 (21)... 151 |
| MESTINON... 51 | methylprednisolone sodium succ... 142 | microgestin 1/20 (21)... 151 |
| METADATE CD... 112 | methylprednisolone... 142 | microgestin 24 fe... 151 |
| metadate er... 112 | methyltestosterone... 151 | midodrine... 102 |
| metaxalone... 193 | metoclopramide hcl... 44 | MIEBO... 182 |
| metformin... 86 | metolazone... 102 | mifepristone... 176 |
| methadone intensol... 15 | metoprolol succinate... 102 | migergot... 50 |
| methadone... 15 | metoprolol ta-hydrochlorothiaz... 102 | miglitol... 86 |
| METHADOSE... 16 | metoprolol tartrate... 102 | miglustat... 138 |
| methamphetamine... 112 | METRO I.V.... 29 | MIGRAL... 50 |
| methazolamide... 102 | METROCREAM... 29 | mil... 151 |
| methenamine hippurate... 29 | METROGEL... 29 | millipred dp... 142 |
| methimazole... 158 | METROLOTION... 29 | millipred... 142 |
| METHITEST... 151 | metronidazole in nacl (iso-os)... 29 | milrinone in 5 % dextrose... 103 |
| methocarbamol... 193 | metronidazole... 29 | milrinone... 102 |
| methotrexate sodium (pf)... 164 | metyrosine... 102 | mimvey... 151 |
| methotrexate sodium... 164 | mexiletine... 102 | MINASTRIN 24 FE... 151 |
| methoxsalen... 122 | MIACALCIN... 171 | MINIPRESS... 103 |
| methscopolamine... 134 | | MINIVELLE... 151 |
| | | MINOCIN... 29 |

| | | |
|----------------------------|--------------------------------------|-------------------------------------|
| minocycline... 29 | MOTPOLY XR... 36 | myorisan... 122 |
| minoxidil... 103 | MOUNJARO... 86 | MYRBETRIQ... 140 |
| MIOSTAT... 182 | MOVANTIK... 135 | mysoline... 36 |
| MIRAPEX ER... 68 | MOVIPREP... 135 | MYTESI... 135 |
| MIRCETTE (28)... 151 | moxifloxacin... 29, 182 | N |
| mirtazapine... 41 | moxifloxacin-sod.ace,sul-water... 29 | nabumetone... 16 |
| MIRVASO... 122 | moxifloxacin-sod.chloride(iso)... 29 | nadolol... 103 |
| misoprostol... 135 | MOZOBIL... 91 | nafcillin in dextrose iso-osm... 29 |
| MITIGARE... 49 | MS CONTIN... 16 | nafcillin... 29 |
| mitigo (pf)... 16 | MULPLETA... 91 | naftifine... 47 |
| mitomycin... 60 | MULTAQ... 103 | NAFTIN... 47 |
| mitoxantrone... 60 | mupirocin calcium... 122 | NAGLAZYME... 138 |
| modafinil... 194 | mupirocin... 122 | nalbuphine... 17 |
| moexipril... 103 | MUTAMYCIN... 60 | NALFON... 17 |
| molindone... 72 | MVASI... 60 | nalmefene... 22 |
| mometasone... 122, 189 | MYALEPT... 135 | nalocet... 17 |
| monodoxine nl... 29 | MYAMBUTOL... 52 | naloxone... 22 |
| MONJUVI... 164 | MYCAMINE... 47 | naltrexone... 22 |
| mono-linyah... 151 | MYCAPSSA... 157 | NAMENDA TITRATION PAK... 39 |
| MONODOX... 29 | MYCOBUTIN... 52 | NAMENDA XR... 39 |
| montelukast... 189 | mycophenolate mofetil (hcl)... 164 | NAMENDA... 39 |
| MONUROL... 29 | mycophenolate mofetil... 164 | NAMZARIC... 39 |
| morgidox... 29 | mycophenolate sodium... 164 | NAPRELAN CR... 17 |
| morphine (pf)... 16 | MYDAYIS... 113 | NAPROSYN... 17 |
| morphine concentrate... 16 | MYFEMBREE... 176 | naproxen sodium... 17 |
| morphine... 16 | MYFORTIC... 164 | naproxen... 17 |
| MOTEGRITY... 135 | MYLOTARG... 60 | naproxen-esomeprazole... 17 |
| MOTOFEN... 135 | | naratriptan... 50 |

| | | |
|--------------------------------------|--------------------------------------|--------------------------------------|
| NARCAN... 22 | neomycin-polymyxin-gramicidin... 182 | NEXVIAZYME... 138 |
| NARDIL... 41 | neomycin-polymyxin-hc... 182, 185 | NGENLA... 144 |
| NAROPIN (PF)... 21 | NEONATAL COMPLETE... 129 | niacin... 103 |
| NASCOBAL... 198 | NEONATAL PLUS VITAMIN... 129 | niacor... 103 |
| NATACHEW (FE BIS-GLYCINATE)... 129 | NEONATAL-DHA... 129 | nicardipine... 103 |
| NATACYN... 182 | NEORAL... 164 | NICOTROL NS... 22 |
| NATAZIA... 151 | NERLYNX... 60 | NICOTROL... 22 |
| nateglinide... 86 | NESACAINE... 21 | nifedipine... 103 |
| NATESTO... 151 | NESACAINE-MPF... 21 | nikki (28)... 151 |
| NATPARA... 171 | NESINA... 86 | NILANDRON... 60 |
| NATROBA... 122 | neuac... 122 | nilutamide... 60 |
| NAYZILAM... 36 | NEULASTA ONPRO... 91 | nimodipine... 103 |
| nebivolol... 103 | NEULASTA... 91 | NINLARO... 60 |
| NEBUPENT... 67 | NEUPOGEN... 91 | NIPENT... 60 |
| necon 0.5/35 (28)... 151 | NEUPRO... 68 | nisoldipine... 103 |
| nefazodone... 41 | NEURONTIN... 36 | nitazoxanide... 67 |
| nelarabine... 60 | NEVANAC... 182 | nitisinone... 138 |
| NEMBUTAL SODIUM... 36 | nevirapine... 77, 78 | NITRO-BID... 103 |
| neo-polycin hc... 182 | NEXAVAR... 60 | NITRO-DUR... 103 |
| neo-polycin... 182 | NEXICLON XR... 103 | nitrofurantoin macrocrystal... 30 |
| NEO-SYNALAR... 122 | NEXIUM IV... 135 | nitrofurantoin monohyd/m-cryst... 30 |
| neomycin... 29 | NEXIUM PACKET... 135 | nitrofurantoin... 30 |
| neomycin-bacitracin-poly-hc... 182 | NEXIUM... 135 | nitroglycerin in 5 % dextrose... 104 |
| neomycin-bacitracin-polymyxin... 182 | NEXLETOL... 103 | nitroglycerin... 103, 104, 176 |
| neomycin-polymyxin b gu... 176 | NEXLIZET... 103 | NITROLINGUAL... 104 |
| neomycin-polymyxin b-dexameth... 182 | NEXTERONE... 103 | NITROSTAT... 104 |
| | NEXTSTELLIS... 151 | NITYR... 138 |

| | | |
|------------------------------------------|-----------------------------------------|---------------------------------------|
| NIVESTYM... 91 | NORPACE CR... 104 | NOVOLOG PENFILL U-100 |
| nizatidine... 135 | NORPACE... 104 | INSULIN... 86 |
| NOCDURNA (MEN)... 144 | NORPRAMIN... 41 | NOVOLOG U-100 INSULIN ASPART... 87 |
| NOCDURNA (WOMEN)... 144 | NORTHERA... 104 | NOVOPEN ECHO... 176 |
| nolix... 122 | nortrel 0.5/35 (28)... 152 | NOXAFIL... 47 |
| NORA-BE... 151 | nortrel 1/35 (21)... 152 | np thyroid... 156 |
| NORDITROPIN FLEXPRO... 144 | nortrel 1/35 (28)... 152 | NUBEQA... 60 |
| norelgestromin-ethin.estradiol... 151 | nortrel 7/7/7 (28)... 152 | NUCALA... 189 |
| norepinephrine bitartrate... 104 | nortriptyline... 41 | NUCYNTA ER... 17 |
| noreth-ethinyl estradiol-iron... 151 | NORVASC... 104 | NUCYNTA... 17 |
| norethindrone (contraceptive)... 151 | NORVIR... 78 | NUEDEXTA... 113 |
| norethindrone ac-eth estradiol... 152 | NOURIANZ... 68 | NULIBRY... 138 |
| norethindrone acetate... 152 | NOVAREL... 144 | NULYTELY LEMON-LIME... 135 |
| norethindrone-e.estradiol-iron... 152 | NOVOLIN N FLEXPEN... 86 | NUPLAZID... 72 |
| NORGESIC FORTE... 193 | NOVOLIN N NPH U-100 INSULIN... 86 | NURTEC ODT... 176 |
| norgesic... 193 | NOVOLIN R FLEXPEN... 86 | NUTRILIPID... 129 |
| norgestimate-ethinyl estradiol... 152 | NOVOLIN R REGULAR U100 INSULIN... 86 | NUTROPIN AQ NUSPIN... 144 |
| NORITATE... 30 | NOVOLIN 70-30 FLEXPEN U-100... 86 | NUVARING... 152 |
| NORLIQVA... 104 | NOVOLIN 70/30 U-100 INSULIN... 86 | NUVESSA... 30 |
| norlyda... 152 | NOVOLOG FLEXPEN U-100 INSULIN... 86 | NUVIGIL... 194 |
| NORMOSOL-M IN 5 % DEXTROSE... 129 | NOVOLOG MIX 70-30 U-100 INSULN... 86 | NUZYRA... 30 |
| NORMOSOL-R IN 5 % DEXTROSE... 129 | NOVOLOG MIX 70-30FLEXPEN U-100... 86 | nyamyc... 47 |
| NORMOSOL-R PH 7.4... 129 | | nylia 1/35 (28)... 152 |
| NORMOSOL-R... 129 | | nylia 7/7/7 (28)... 152 |
| | | NYMALIZE... 104 |
| | | nymyo... 152 |
| | | nystatin... 47 |

| | | | |
|----------------------------------|--------------|-----------------------------------|-----------------------------------|
| nystatin-triamcinolone... | 47 | olmesartan-hydrochlorothiazide... | OMNIPOD GO PODS... 176 |
| nystop... | 47 | 104 | OMNIPOD 5 G6 INTRO KIT (GEN 5)... |
| NYVEPRIA... | 91 | olopatadine... | 176 |
| O | | | |
| OB COMPLETE ONE... | 129 | OLPRUVA... | 138 |
| OB COMPLETE PETITE... | 129 | OLUMIANT... | 164 |
| OB COMPLETE PREMIER... | 129 | OLUX... | 122 |
| OBREDON... | 196 | OLUX-E... | 122 |
| OCALIVA... | 135 | OMECLAMOX-PAK... | 135 |
| ocella... | 152 | omega-3 acid ethyl esters... | 104 |
| OCREVUS... | 113 | OMEGAVEN... | 129 |
| OCTAGAM... | 164 | omeprazole... | 135 |
| octreotide acetate... | 157 | omeprazole-sodium bicarbonate... | 135 |
| OCUFLOX... | 183 | OMNARIS... | 189 |
| ODACTRA... | 189 | OMNIPOD CLASSIC PODS (GEN 3)... | 176 |
| ODEFSEY... | 78 | OMNIPOD DASH INTRO KIT (GEN | |
| ODOMZO... | 60 | 4)... 176 | |
| OFEV... | 189 | OMNIPOD DASH PODS (GEN 4)... 176 | |
| ofloxacin... | 30, 183, 185 | OMNIPOD GO PODS 10 UNITS/DAY... | |
| OGIVRI... | 60 | 176 | |
| OGSIVEO... | 60 | OMNIPOD GO PODS 15 UNITS/DAY... | |
| OJJAARA... | 60 | 176 | |
| olanzapine... | 72 | OMNIPOD GO PODS 20 UNITS/DAY... | |
| olanzapine-fluoxetine... | 41 | 176 | |
| OLINVYK... | 17 | OMNIPOD GO PODS 25 UNITS/DAY... | |
| olmesartan... | 104 | 176 | |
| olmesartanamlodipin-hcthiazid... | | OMNIPOD GO PODS 30 UNITS/DAY... | |
| 104 | | 176 | |
| | | OMNIPOD GO PODS 40 UNITS/DAY... | |
| | | 177 | |
| | | OPSYNVI... | 189 |

| | | |
|---------------------------------------|--------------------------------------|-------------------------------------|
| OPVEE... 22 | ORTHO TRI-CYCLEN (28)... 152 | oxiconazole... 48 |
| OPZELURA... 122 | ORTHO-NOVUM 7/7/7 (28)... 152 | OXISTAT... 48 |
| ORACEA... 30 | ORTIKOS... 170 | OXLUMO... 177 |
| ORALAIR... 189 | oseltamivir... 78 | OXTELLAR XR... 36 |
| oralone... 115 | OSENI... 87 | oxybutynin chloride... 140, 141 |
| ORAPRED ODT... 142 | OSMITROL 10 %... 104 | oxycodone... 17, 18 |
| ORBACTIV... 30 | OSMITROL 15 %... 104 | oxycodone-acetaminophen... 18 |
| ORENCIA CLICKJECT... 165 | OSMITROL 20 %... 104 | OXYCONTIN... 18 |
| ORENCIA... 165 | OSMITROL 5 %... 104 | oxymorphone... 18 |
| ORENITRAM MONTH 1 TITRATION KT... 189 | OSMOLEX ER... 68 | oxytocin... 177 |
| ORENITRAM MONTH 2 TITRATION KT... 189 | OSMOPREP... 135 | OXYTROL... 141 |
| ORENITRAM MONTH 3 TITRATION KT... 190 | OSPHENA... 152 | OZEMPIC... 87 |
| ORENITRAM... 189 | OTEZLA STARTER... 122 | OZOBAX DS... 74 |
| ORFADIN... 138 | OTEZLA... 122 | OZOBAX... 74 |
| ORGOVYX... 157 | OTOVEL... 185 | P |
| ORIAHNN... 177 | OTREXUP (PF)... 165 | PACERONE... 104 |
| ORILISSA... 157 | OVIDE... 122 | paclitaxel protein-bound... 61 |
| ORKAMBI... 190 | OVIDREL... 197 | paclitaxel... 61 |
| ORLADEYO... 165 | oxacillin in dextrose(iso-osm)... 30 | PADCEV... 61 |
| orlistat... 177 | oxacillin... 30 | PALFORZIA (LEVEL 1)... 177 |
| ormalvi... 138 | oxaliplatin... 61 | PALFORZIA (LEVEL 10)... 177 |
| orphenadrine citrate... 193 | oxandrolone... 152 | PALFORZIA (LEVEL 11 UP-DOSE)... 177 |
| orphenadrine-asa-caffeine... 193 | oxaprozin... 17 | PALFORZIA (LEVEL 2)... 177 |
| orphengesic forte... 193 | OXAYDO... 17 | PALFORZIA (LEVEL 3)... 177 |
| ORSERDU... 61 | oxazepam... 82 | PALFORZIA (LEVEL 4)... 177 |
| orsythia... 152 | OXBRYTA... 177 | PALFORZIA (LEVEL 5)... 177 |
| | oxcarbazepine... 36 | PALFORZIA (LEVEL 6)... 177 |
| | OXERVATE... 183 | |

| | | |
|---------------------------------------|---------------------------------------|----------------------------------|
| PALFORZIA (LEVEL 7)... 177 | PAXLOVID... 177 | pentamidine... 67 |
| PALFORZIA (LEVEL 8)... 177 | pazopanib... 61 | PENTASA... 170 |
| PALFORZIA (LEVEL 9)... 177 | PEDIAPRED... 142 | pentazocine-naloxone... 18 |
| PALFORZIA INITIAL DOSE... 177 | PEDIARIX (PF)... 165 | pentobarbital sodium... 36 |
| PALFORZIA LEVEL 11 MAINTENANCE... 177 | PEDMARK... 61 | pentoxifylline... 104 |
| paliperidone... 72 | PEDVAX HIB (PF)... 165 | pepcid... 135 |
| PALYNZIQ... 138 | peg 3350-electrolytes... 135 | PERCOCET... 18 |
| PAMELOR... 41 | peg-electrolyte soln... 135 | PERFOROMIST... 190 |
| pamidronate... 171 | peg-prep... 135 | PERIKABIVEN... 129 |
| PANCREAZE... 138, 139 | PEGASYS... 165 | perindopril erbumine... 104 |
| PANDEL... 123 | peg3350-sod sul-nacl-kcl-asb-c... 135 | periogard... 115 |
| PANRETIN... 61 | PEMAZYRE... 61 | PERJETA... 61 |
| pantoprazole... 135 | pemetrexed disodium... 61 | permethrin... 123 |
| PANZYGA... 165 | pemetrexed... 61 | perphenazine... 72 |
| paraplatin... 61 | PEMRYDI RTU... 61 | perphenazine-amitriptyline... 42 |
| paricalcitol... 171 | PEN NEEDLE, DIABETIC... 177 | PERSERIS... 72 |
| PARLODEL... 68 | PENBRAYA (PF)... 165 | PERTZYE... 139 |
| PARNATE... 41 | penciclovir... 78 | PEXEVA... 42 |
| paroex oral rinse... 115 | penicillamine... 129 | pfizerpen-g... 30 |
| paromomycin... 30 | penicillin g pot in dextrose... 30 | PHEBURANE... 139 |
| paroxetine hcl... 41, 42 | penicillin g potassium... 30 | phenazopyridine... 177 |
| paroxetine mesylate(menop.sym)... 42 | penicillin g procaine... 30 | phendimetrazine tartrate... 199 |
| PASER... 52 | penicillin g sodium... 30 | phenelzine... 42 |
| PATANASE... 190 | penicillin v potassium... 30 | PHENERGAN... 45 |
| PAXIL CR... 42 | PENNSAID... 18 | phenobarbital sodium... 36 |
| PAXIL... 42 | PENTACEL (PF)... 165 | phenobarbital... 36 |
| | PENTAM... 67 | phenoxybenzamine... 104 |
| | | phentermine... 199 |

| | | | | | |
|------------------------------|----------|----------------------------------|-----|-----------------------------------|----------|
| phenylephrine hcl... | 104 | PITOCIN... | 177 | portia 28... | 152 |
| PHENYTEK... | 36 | PLAQUENIL... | 67 | PORTRAZZA... | 62 |
| phenytoin sodium extended... | 37 | PLASMA-LYTE A... | 129 | posaconazole... | 48 |
| phenytoin sodium... | 36, 37 | PLASMA-LYTE 148... | 129 | POTABA... | 198 |
| phenytoin... | 36 | PLAVIX... | 91 | potassium acetate... | 129 |
| PHESGO... | 61 | PLEGRIDY... | 113 | potassium chlorid-d5-0.45%nacl... | |
| PHEXXI... | 177 | PLENAMINE... | 129 | 129 | |
| philith... | 152 | PLENITY (WELCOME KIT)... | 199 | potassium chloride in lr-d5... | 130 |
| PHOSLYRA... | 129 | PLENITY... | 199 | potassium chloride in water... | 130 |
| PHOSPHOLINE IODIDE... | 183 | PLENVU... | 135 | potassium chloride in 0.9%nacl... | |
| PHYSIOLYTE... | 177 | plerixafor... | 91 | 130 | |
| PHYSIOSOL IRRIGATION... | 177 | PLIAGLIS... | 21 | potassium chloride in 5 % dex... | 130 |
| phytonadione (vitamin k1)... | 198 | pnv-dha... | 129 | potassium chloride... | 129, 130 |
| PIFELTRO... | 78 | pnv-omega... | 129 | potassium chloride-d5-0.2%nacl... | |
| pilocarpine hcl... | 115, 183 | podofilox... | 123 | 130 | |
| pimecrolimus... | 123 | POLIVY... | 62 | potassium chloride-d5-0.3%nacl... | |
| pimozide... | 72 | polocaine... | 21 | 130 | |
| pimtrea (28)... | 152 | polocaine-mpf... | 21 | potassium chloride-d5-0.9%nacl... | |
| pindolol... | 105 | polycin... | 183 | 130 | |
| pioglitazone... | 87 | polymyxin b sulf-trimethoprim... | | potassium chloride-0.45 % nacl... | |
| pioglitazone-glimepiride... | 87 | 183 | | 130 | |
| pioglitazone-metformin... | 87 | polymyxin b sulfate... | 30 | potassium citrate... | 130 |
| piperacillin-tazobactam... | 30 | POLYTRIM... | 183 | POTELIGEO... | 62 |
| PIQRAY... | 61 | POMALYST... | 62 | pr natal 400 ec... | 130 |
| pirfenidone... | 190 | POMBILITI... | 139 | pr natal 400... | 130 |
| pirmella... | 152 | PONVORY 14-DAY STARTER PACK... | | pr natal 430 ec... | 130 |
| piroxicam... | 18 | 113 | | pr natal 430... | 130 |
| pitavastatin calcium... | 105 | PONVORY... | 113 | PRADAXA... | 91 |
| | | | | pralatrexate... | 62 |

| | | |
|------------------------------------------------|---------------------------------------|----------------------------------|
| PRALUENT PEN... 105 | prenatal plus dha... 130 | PROAIR DIGIHALER... 190 |
| pramipexole... 68 | prenatal plus vitamin-mineral... 130 | PROAIR HFA... 190 |
| prasugrel... 91 | prenatal vitamin plus low iron... 130 | PROAIR RESPICLICK... 190 |
| pravastatin... 105 | prenatal-u... 130 | probenecid... 49 |
| praziquantel... 67 | PRENATE ELITE... 130 | probenecid-colchicine... 49 |
| prazosin... 105 | preplus... 130 | procainamide... 105 |
| PRECOSE... 87 | PRESTALIA... 105 | PROCALAMINE 3%... 130 |
| PRED FORTE... 183 | PRETOMANID... 52 | PROCARDIA XL... 105 |
| PRED MILD... 183 | PREVACID SOLUTAB... 136 | procentra... 113 |
| PRED-G... 183 | PREVACID... 136 | prochlorperazine edisylate... 45 |
| prednicarbate... 123 | prevalite... 105 | prochlorperazine maleate... 45 |
| prednisolone acetate... 183 | PREVDUO... 178 | prochlorperazine... 45 |
| prednisolone sodium phosphate... 142, 143, 183 | previfem... 153 | PROCRIT... 91, 92 |
| prednisolone... 142 | PREVYMIS... 78 | procto-med hc... 123 |
| prednisone intensol... 143 | PREZCOBIX... 78 | PROCTOFOAM HC... 170 |
| prednisone... 143 | PREZISTA... 78 | proctosol hc... 123 |
| PREFEST... 152 | PRIALT... 178 | proctozone-hc... 123 |
| pregabalin... 113 | PRIFTIN... 52 | PROSYSBI... 139 |
| PREGNYL... 144 | PRILOSEC... 136 | progesterone micronized... 153 |
| PREHEVBARIO (PF)... 165 | primaquine... 67 | progesterone... 153 |
| PREMARIN... 152, 153 | PRIMAXIN IV... 30 | PROGLYCEM... 87 |
| PREMASOL 10 %... 130 | primidone... 37 | PROGRAF... 165 |
| PREMPHASE... 153 | primlev... 18 | PROLASTIN-C... 139 |
| PREMPRO... 153 | PRIMSOL... 30 | prolate... 18 |
| PRENATA... 130 | PRIORIX (PF)... 165 | PROLENSA... 183 |
| PRENATABS FA... 130 | PRISTIQ... 42 | PROLEUKIN... 62 |
| prenatal plus (calcium carb)... 130 | PRIVIGEN... 165 | PROLIA... 171 |
| | PRO COMFORT ALCOHOL PADS... 178 | PROMACTA... 92 |

| | | |
|---------------------------------------|----------------------------------|--------------------------------------|
| promethazine vc... 178 | PULMICORT FLEXHALER... 190 | QUESTRAN... 105 |
| promethazine vc-codeine... 196 | PULMICORT... 190 | quetiapine... 72 |
| promethazine... 45 | PULMOZYME... 190 | QUILLICHEW ER... 113 |
| promethazine-codeine... 196 | PURE COMFORT ALCOHOL PADS... 178 | QUILLIVANT XR... 113 |
| promethazine-dm... 196 | PURIXAN... 62 | quinapril... 105 |
| promethazine-phenyleph-codeine... 196 | PYLERA... 136 | quinapril-hydrochlorothiazide... 105 |
| promethazine-phenylephrine... 178 | pyrazinamide... 52 | quinidine gluconate... 105 |
| promethegan... 45 | PYRIDIUM... 178 | quinidine sulfate... 105 |
| PROMETRIUM... 153 | pyridostigmine bromide... 51 | quinine sulfate... 67 |
| propafenone... 105 | pyridoxine (vitamin b6)... 198 | QULIPTA... 50 |
| proparacaine... 183 | pyrimethamine... 67 | QUTENZA... 178 |
| propranolol... 105 | PYRUKYND... 92 | QUVIVIQ... 194 |
| propranolol-hydrochlorothiazid... 105 | Q | QUZYTIR... 190 |
| propylthiouracil... 158 | QALSODY... 113 | QVAR REDIHALER... 190 |
| PROQUAD (PF)... 165 | QBRELIS... 105 | R |
| PROSCAR... 141 | QBREXZA... 123 | RABAVERT (PF)... 165 |
| PROSOL 20 %... 130 | QDOLO... 18 | rabeprazole... 136 |
| protamine... 178 | QELBREE... 113 | RADICAVA ORS STARTER KIT SUSP... 113 |
| PROTONIX... 136 | QINLOCK... 62 | RADICAVA ORS... 113 |
| PROTOPIC... 123 | QNDSL... 190 | RADICAVA... 113 |
| protriptyline... 42 | QSYMIA... 199 | RAGWITEK... 190 |
| PROVENTIL HFA... 190 | QTERN... 87 | raloxifene... 153 |
| PROVERA... 153 | QUADRACEL (PF)... 165 | ramelteon... 194 |
| PROVIGIL... 194 | QUALAQUIN... 67 | ramipril... 105 |
| PROZAC... 42 | QUARTETTE... 153 | RANEXA... 105 |
| PRUDOXIN... 123 | QUDEXY XR... 50 | ranolazine... 105 |
| | QUESTRAN LIGHT... 105 | RAPAFLO... 141 |

| | | |
|-----------------------------|---------------------------|-------------------------|
| RAPAMUNE... 165 | RELPAX... 50 | REYATAZ... 78 |
| rasagiline... 68 | RELTONE... 136 | REYVOW... 50 |
| RASUVO (PF)... 165, 166 | REMERON SOLTAB... 42 | REZDIFFRA... 178 |
| RAVICTI... 139 | REMERON... 42 | REZLIDHIA... 62 |
| RAYALDEE... 171 | REMICADE... 166 | REZUROCK... 166 |
| RAYOS... 143 | REMODULIN... 190 | REZVOGLAR KWIKPEN... 87 |
| RAZADYNE ER... 39 | RENACIDIN... 178 | REZZAYO... 48 |
| REBIF (WITH ALBUMIN)... 113 | RENAGEL... 130 | RHOPHYLAC... 166 |
| REBIF REBIDOSE... 113 | RENFLEXIS... 166 | RHOPRESSA... 183 |
| REBIF TITRATION PACK... 113 | RENVELA... 130, 131 | RIABNI... 62 |
| REBLOZYL... 92 | repaglinide... 87 | RIASTAP... 92 |
| REBYOTA... 178 | REPATHA PUSHTRONEX... 105 | ribavirin... 78, 178 |
| RECARBRI... 30 | REPATHA SURECLICK... 105 | RIDAURA... 166 |
| RECLAST... 171 | REPATHA SYRINGE... 105 | rifabutin... 52 |
| reclipsen (28)... 153 | RESPA-AR... 196 | RIFADIN... 52 |
| RECOMBIVAX HB (PF)... 166 | RESTASIS MULTIDOSE... 183 | rifampin... 52 |
| RECORLEV... 156 | RESTASIS... 183 | RILUTEK... 114 |
| RECTIV... 178 | RESTORIL... 194 | riluzole... 114 |
| REDITREX (PF)... 166 | RETACRIT... 92 | rimantadine... 78 |
| REGLAN... 45 | RETEVMO... 62 | RIMSO-50... 178 |
| REGONOL... 51 | RETIN-A MICRO PUMP... 123 | ringer's... 131, 178 |
| REGRANEX... 123 | RETIN-A MICRO... 123 | RINVOQ... 166 |
| RELAFEN DS... 18 | RETIN-A... 123 | RIOMET ER... 87 |
| RELAFEN... 18 | RETROVIR... 78 | RIOMET... 87 |
| RELENZA DISKHALER... 78 | REVATIO... 190 | risedronate... 171, 172 |
| RELEUKO... 92 | REVCovi... 139 | RISPERDAL CONSTA... 72 |
| RELEXXII... 113, 114 | revonto... 74 | RISPERDAL... 72 |
| RELISTOR... 136 | REXULTI... 72 | risperidone... 73 |

| | | |
|-----------------------------|------------------------------|-------------------------------|
| RITALIN LA... 114 | ROXICODONE... 18 | SANDIMMUNE... 166 |
| RITALIN... 114 | ROXYBOND... 18 | SANDOSTATIN LAR DEPOT... 157 |
| ritonavir... 79 | ROZEREM... 194 | SANDOSTATIN... 157 |
| RITUXAN HYCELA... 62 | ROZLYTREK... 62 | SANTYL... 123 |
| RITUXAN... 62 | RUBRACA... 62 | SAPHNELO... 167 |
| rivastigmine tartrate... 39 | RUCONEST... 166 | SAPHRIS... 73 |
| rivastigmine... 39 | rufinamide... 37 | sapropterin... 139 |
| rivelsa... 153 | RUKOBIA... 79 | SARCLISA... 62 |
| RIVFLOZA... 178 | RUXIENCE... 62 | SAVAYSA... 92 |
| rizatriptan... 50 | RYALTRIS... 190 | SAVELLA... 114 |
| ROBAXIN... 193 | RYBELSUS... 87 | saxagliptin... 87 |
| ROBINUL FORTE... 136 | RYBREVANT... 62 | saxagliptin-metformin... 87 |
| ROBINUL... 136 | RYCLORA... 190 | SAXENDA... 199 |
| ROCALTROL... 172 | RYDAPT... 62 | SCEMBLIX... 62 |
| ROCKLATAN... 183 | RYLAZE... 62 | scopolamine base... 45 |
| roflumilast... 190 | RYSTIGGO... 166 | se-natal 19 chewable... 131 |
| ROLVEDON... 92 | RYTARY... 69 | SEASONIQUE... 153 |
| romidepsin... 62 | RYTHMOL SR... 106 | SECUADO... 73 |
| ropinirole... 69 | RYVENT... 191 | SEGLENTIS... 18 |
| ropivacaine (pf)... 21 | S | SEGLUROMET... 87 |
| rosadan... 30 | SABRIL... 37 | SELECT-OB (FOLIC ACID)... 131 |
| rosuvastatin... 106 | SAFYRAL... 153 | SELECT-OB + DHA... 131 |
| ROSZET... 106 | SAIZEN SAIZENPREP... 144 | SELECT-OB... 131 |
| ROTARIX... 166 | SAIZEN... 144 | selegiline hcl... 69 |
| ROTATEQ VACCINE... 166 | sajazir... 166 | selenium sulfide... 123 |
| ROWASA... 170 | SALAGEN (PILOCARPINE)... 115 | SELZENTRY... 79 |
| roweepra xr... 37 | SAMSCA... 131 | SEMGLEE(INSULIN |
| roweepra... 37 | SANCUSO... 45 | GLARG-YFGN)PEN... 87 |

| | | | | |
|-----------------------------------|-----|-----------------------------------|-----|-------------------------------------|
| SEMGLEE(INSULIN GLARGINE-YFGN)... | 87 | SILVADENE... | 123 | sodium chloride 3 % hypertonic... |
| SENSIPAR... | 172 | silver sulfadiazine... | 123 | 131 |
| SENSORCAINE... | 21 | SIMBRINZA... | 183 | sodium chloride 5 % hypertonic... |
| sensorcaine-epinephrine... | 21 | SIMLANDI(CF) AUTOINJECTOR... | | 131 |
| sensorcaine-mpf spinal... | 21 | 167 | | sodium chloride... 131, 178 |
| SENSORCAINE-MPF... | 21 | simliya (28)... | 153 | SODIUM EDECRIN... |
| sensorcaine-mpf/epinephrine... | 21 | simpesse... | 153 | 106 |
| SEREVENT DISKUS... | 191 | SIMPONI ARIA... | 167 | sodium oxybate... 194 |
| SEROQUEL XR... | 73 | SIMPONI... | 167 | sodium phenylbutyrate... 139 |
| SEROQUEL... | 73 | SIMULECT... | 167 | sodium phosphate... 131 |
| SEROSTIM... | 144 | simvastatin... | 106 | sodium polystyrene sulfonate... 131 |
| sertraline... | 42 | SINEMET... | 69 | sodium,potassium,mag sulfates... |
| setlakin... | 153 | SINGULAIR... | 191 | 136 |
| sevelamer carbonate... | 131 | sirolimus... | 167 | SOGROYA... 145 |
| sevelamer hcl... | 131 | SIRTURO... | 52 | SOHONOS... 178 |
| SEYSARA... | 30 | sitagliptin... | 87 | solifenacin... 141 |
| SEZABY... | 37 | SIVEXTRO... | 30 | SOLIQUA 100/33... |
| SFROWASA... | 170 | SKYCLARYS... | 114 | 87 |
| sharobel... | 153 | SKYRIZI... | 167 | SOLIRIS... 167 |
| SHINGRIX (PF)... | 167 | SKYTROFA... | 144 | SOLODYN... 30 |
| SIGNIFOR LAR... | 157 | SLYND... | 153 | SOLOSEC... 31 |
| SIGNIFOR... | 157 | SMOFLIPID... | 131 | SOLTAMOX... 62 |
| SIKLOS... | 178 | SOAANZ... | 106 | SOLU-CORTEF ACT-O-VIAL (PF)... |
| sildenafil (pulm.hypertension)... | 191 | sodium benzoate-sod phenylacet... | | 143 |
| SILENOR... | 194 | 178 | | SOLU-CORTEF... 143 |
| SILIQ... | 167 | sodium bicarbonate... | 131 | SOLU-MEDROL (PF)... 143 |
| silodosin... | 141 | sodium chloride 0.45 %... | 131 | SOLU-MEDROL... 143 |
| | | sodium chloride 0.9 %... | 131 | SOMA... 193 |
| | | | | SOMATULINE DEPOT... 157 |
| | | | | SOMAVERT... 157, 158 |
| | | | | SOOLANTRA... 123 |

| | | |
|---------------------------------------|--------------------------------------|---------------------------------------|
| sorafenib... 62 | STALEVO 150... 69 | sulfacetamide sodium... 31, 183 |
| sorbitol-mannitol... 178 | STALEVO 200... 69 | sulfacetamide-prednisolone... 183 |
| SORILUX... 123 | STALEVO 50... 69 | sulfadiazine... 31 |
| sorine... 106 | STALEVO 75... 69 | sulfamethoxazole-trimethoprim... 31 |
| sotalol af... 106 | stavudine... 79 | SULFAMYLON... 123 |
| sotalol... 106 | STEGLATRO... 87 | sulfasalazine... 170 |
| SOTYKTU... 167 | STEGLUJAN... 87 | SULFATRIM... 31 |
| SOTYLIZE... 106 | STELARA... 167 | sulindac... 19 |
| SOVALDI... 79 | STIMUFEND... 92 | sumatriptan succinate... 50 |
| SOVUNA... 67 | STIOLTO RESPIMAT... 191 | sumatriptan... 50 |
| SPEVIGO... 167 | STIVARGA... 63 | sumatriptan-naproxen... 50 |
| spinosad... 123 | STRATTERA... 114 | sunitinib malate... 63 |
| SPIRIVA RESPIMAT... 191 | STRENSIQ... 139 | SUNLENCA... 79 |
| SPIRIVA WITH HANDIHALER... 191 | streptomycin... 31 | SUNOSI... 194 |
| spironolacton-hydrochlorothiaz... 106 | STRIBILD... 79 | SUPRAX... 31 |
| spironolactone... 106 | STRIVERDI RESPIMAT... 191 | SUPREP BOWEL PREP KIT... 136 |
| SPORANOX PULSEPAK... 48 | STROMECTOL... 67 | SURE COMFORT ALCOHOL PREP PADS... 178 |
| SPORANOX... 48 | SUBOXONE... 22 | SURE-PREP ALCOHOL PREP PADS... 178 |
| sprintec (28)... 153 | SUBSYS... 19 | SUSTIVA... 79 |
| SPRITAM... 37 | subvenite starter (blue) kit... 37 | SUTAB... 136 |
| SPRIX... 18 | subvenite starter (green) kit... 37 | SUTENT... 63 |
| SPRYCEL... 62, 63 | subvenite starter (orange) kit... 37 | syeda... 153 |
| SPS (WITH SORBITOL)... 131 | subvenite... 37 | SYLVANT... 167 |
| sronyx... 153 | SUCRAID... 139 | SYMBICORT... 191 |
| SSD... 123 | sucralfate... 136 | SYMBYAX... 42 |
| STALEVO 100... 69 | SUFLAVE... 136 | SYMDEKO... 191 |
| STALEVO 125... 69 | SULAR... 106 | |
| | sulfacetamide sodium (acne)... 31 | |

| | | |
|---------------------------------------|---------------------------------------|------------------------------------------|
| SYMFLO... 79 | tafluprost (pf)... 183 | TAVALISSE... 92 |
| SYMFI... 79 | TAGRISSO... 63 | TAVNEOS... 168 |
| SYMJEPI... 191 | TAKHZYRO... 167 | taysofy... 153 |
| SYMLINPEN 120... 87 | TALICIA... 136 | TAYTULLA... 153 |
| SYMLINPEN 60... 87 | TALTZ AUTOINJECTOR (2 PACK)... 167 | azarotene... 124 |
| SYMPAZAN... 37 | TALTZ AUTOINJECTOR (3 PACK)... 168 | tazicef... 31 |
| SYMPROIC... 136 | TALTZ AUTOINJECTOR... 167 | TAZORAC... 124 |
| SYMTUZA... 79 | TALTZ SYRINGE... 168 | taztia xt... 106 |
| SYNAGIS... 178 | TALVEY... 63 | TAZVERIK... 63 |
| SYNALAR... 123 | TALZENNA... 63 | TDVAX... 168 |
| SYNAREL... 158 | TAMIFLU... 79 | TECENTRIQ... 63 |
| SYNDROS... 45 | tamoxifen... 63 | TECFIDERA... 114 |
| SYNERA... 21 | tamsulosin... 141 | TECVAYLI... 63 |
| SYNERCID... 31 | taperdex... 143 | TEFLARO... 31 |
| SYNJARDY XR... 88 | TARCEVA... 63 | TEGLUTIK... 114 |
| SYNJARDY... 88 | TARGADOX... 31 | TEGRETOL XR... 37 |
| SYNRIBO... 63 | TARGETIN... 63 | TEGRETOL... 37 |
| SYNTROID... 156 | tarina fe 1-20 eq (28)... 153 | TEGSEDI... 139 |
| SYPRINE... 131 | tarina fe 1/20 (28)... 153 | TEKTURNA HCT... 106 |
| T | tarina 24 fe... 153 | TEKTURNA... 106 |
| TABLOID... 63 | TARPEYO... 170 | telmisartan... 106 |
| TABRECTA... 63 | TASCENO ODT... 114 | telmisartan-amlodipine... 106 |
| TACLONEX... 123, 124 | TASIGNA... 63 | telmisartan-hydrochlorothiazid... 106 |
| tacrolimus... 124, 167 | tasimelteon... 195 | temazepam... 195 |
| tadalafil (pulm. hypertension)... 191 | TASMAR... 69 | TEMIXYS... 79 |
| tadalafil... 141 | tavorole... 48 | TEMODAR... 63 |
| TADLIQ... 191 | | TEMOVATE... 124 |
| TAFINLAR... 63 | | |

| | | |
|---------------------------------------|-------------------------------------|--------------------------------------|
| temsirolimus... 63 | THAM... 131 | tiopronin... 141 |
| tencon... 178 | THEO-24... 191 | tirofiban-0.9% sodium chloride... 92 |
| teniposide... 63 | theophylline in dextrose 5 %... 191 | TIROSINT... 156 |
| TENIVAC (PF)... 168 | theophylline... 191 | TIROSINT-SOL... 156 |
| tenofovir disoproxil fumarate... 79 | thiamine hcl (vitamin b1)... 198 | TIVDAK... 64 |
| TENORETIC 100... 106 | THIOLA EC... 141 | TIVICAY PD... 79 |
| TENORETIC 50... 106 | THIOLA... 141 | TIVICAY... 79 |
| TENORMIN... 106 | thioridazine... 73 | tizanidine... 74 |
| TEPADINA... 63 | thiotepa... 64 | TLANDO... 154 |
| TEPEZZA... 178 | thiothixene... 73 | TOBI PODHALER... 191 |
| TEPMETKO... 63 | THYMOGLOBULIN... 168 | TOBI... 31 |
| terazosin... 106 | THYQUIDITY... 156 | TOBRADEX ST... 184 |
| terbinafine hcl... 48 | tiadylt er... 107 | TOBRADEX... 184 |
| terbutaline... 191 | tiagabine... 37 | tobramycin in 0.225 % nacl... 31 |
| terconazole... 48 | TIAZAC... 107 | tobramycin sulfate... 31 |
| teriflunomide... 114 | TIBSOVO... 64 | tobramycin with nebulizer... 31 |
| TESTIM... 153 | TICOVAC... 168 | tobramycin... 31, 184 |
| testosterone cypionate... 154 | TIGAN... 45 | tobramycin-dexamethasone... 184 |
| testosterone enanthate... 154 | tigecycline... 31 | TOBREX... 184 |
| testosterone... 153, 154 | TIGLUTIK... 114 | TOLAK... 124 |
| TETANUS,DIPHTHERIA TOX PED(PF)... 168 | TIKOSYN... 107 | tolcapone... 69 |
| tetrabenazine... 114 | tilia fe... 154 | tolmetin... 19 |
| tetracycline... 31 | timolol maleate (pf)... 183 | TOLSURA... 48 |
| TEXACORT... 124 | timolol maleate... 107, 183 | tolterodine... 141 |
| TEZSPIRE... 168 | TIMOPTIC OCUDOSE (PF)... 183 | tolvaptan... 131 |
| THALITONE... 107 | TIMOPTIC... 183 | TOPAMAX... 50 |
| THALOMID... 63 | TIMOPTIC-XE... 183 | TOPICORT... 124 |
| | tinidazole... 31 | topiramate... 50, 51 |

| | | |
|----------------------------------------|----------------------------------|-------------------------------------|
| toposar... 64 | trazodone... 42 | tri-vylibra... 154 |
| topotecan... 64 | TREANDA... 64 | triamcinolone acetonide... 115, 143 |
| TOPROL XL... 107 | TRECATOR... 52 | triamterene... 107 |
| toremifene... 64 | TRELEGY ELLIPTA... 191 | triamterene-hydrochlorothiazid... |
| TORISEL... 64 | TRELSTAR... 158 | 107 |
| torsemide... 107 | TREMFYA... 168 | trianex... 143 |
| TOSYMRA... 51 | treprostinil sodium... 191 | triazolam... 195 |
| TOTECT... 64 | TRESIBA FLEXTOUCH U-100... 88 | TRIBENZOR... 107 |
| TOUJEO MAX U-300 SOLOSTAR... 88 | TRESIBA FLEXTOUCH U-200... 88 | TRICARE... 131 |
| TOUJEO SOLOSTAR U-300 INSULIN... 88 | TRESIBA U-100 INSULIN... 88 | TRICOR... 107 |
| tovet emollient... 124 | tretinoin (antineoplastic)... 64 | triderm... 143 |
| TOVIAZ... 141 | tretinoin microspheres... 124 | trientine... 131, 132 |
| TPN ELECTROLYTES... 131 | tretinoin... 124 | trifluoperazine... 73 |
| TRACLEER... 191 | TREXALL... 168 | trifluridine... 184 |
| TRADJENTA... 88 | TREXIMET... 51 | trihexyphenidyl... 69 |
| tramadol... 19 | TREZIX... 19 | TRIJARDY XR... 88 |
| tramadol-acetaminophen... 19 | tri-femynor... 154 | TRIKAFTA... 192 |
| trandolapril... 107 | tri-estarrylla... 154 | TRILEPTAL... 37 |
| trandolapril-verapamil... 107 | tri-legest fe... 154 | TRILIPIX... 107 |
| tranexamic acid... 92 | tri-linyah... 154 | trimethobenzamide... 45 |
| TRANSDERM-SCOP... 45 | tri-lo-estarrylla... 154 | trimethoprim... 31 |
| TRANXENE T-TAB... 82 | tri-lo-marzia... 154 | trimipramine... 42 |
| tranylcypromine... 42 | tri-lo-mili... 154 | trinatal rx 1... 132 |
| TRAVASOL 10 %... 131 | tri-lo-sprintec... 154 | TRINELLIX... 42 |
| TRAVATAN Z... 184 | tri-mili... 154 | TRIOSTAT... 156 |
| travoprost... 184 | tri-nymyo... 154 | TRIPTODUR... 158 |
| TRAZIMERA... 64 | tri-sprintec (28)... 154 | TRISENOX... 64 |
| | tri-vylibra lo... 154 | TRISTART DHA... 132 |

| | | |
|--------------------------------------|---------------------------------------|-----------------------------|
| tritocin... 143 | turqoz (28)... 154 | ULTILET ALCOHOL SWAB... 179 |
| TRIUMEQ PD... 79 | TUXARIN ER... 196 | ULTOMIRIS... 168 |
| TRIUMEQ... 79 | TUZISTRA XR... 196 | ULTRACET... 19 |
| trivora (28)... 154 | TWINRIX (PF)... 168 | ULTRAM... 19 |
| TRIZIVIR... 79 | TWYNEO... 124 | ULTRAVATE... 124 |
| TRODELVY... 64 | TYBLUME... 154 | UNASYN... 31 |
| TROGARZO... 79 | TYBOST... 80 | UNITHROID... 156 |
| TROKENDI XR... 51 | tydemy... 154 | UNITUXIN... 64 |
| TROPHAMINE 10 %... 132 | TYGACIL... 31 | UPLIZNA... 168 |
| tropicamide... 184 | TYKERB... 64 | UPTRAVI... 192 |
| trospium... 141 | TYMLOS... 172 | UROCIT-K 10... 132 |
| TRUDHESA... 51 | TYPHIM VI... 168 | UROCIT-K 15... 132 |
| TRUE COMFORT ALCOHOL PADS... 178 | TYRVAYA... 184 | UROCIT-K 5... 132 |
| TRUE COMFORT PRO ALCOHOL PADS... 178 | TYSABRI... 114 | UROXATRAL... 141 |
| TRULANCE... 136 | TYVASO DPI... 192 | URSO FORTE... 136 |
| TRULICITY... 88 | TYVASO INSTITUTIONAL START KIT... 192 | URSO 250... 136 |
| TRUMENBA... 168 | TYVASO REFILL KIT... 192 | ursodiol... 136 |
| TRUQAP... 64 | TYVASO STARTER KIT... 192 | UVADEX... 124 |
| TRUSELTIQ... 64 | TYVASO... 192 | UZEDY... 73 |
| TRUSOPT... 184 | TZIELD... 178 | V |
| TRUVADA... 80 | UBRELVY... 178 | V-GO 20... 179 |
| TRUXIMA... 64 | UCERIS... 170 | V-GO 30... 179 |
| TUDORZA PRESSAIR... 192 | UDENYCA AUTOINJECTOR... 92 | VAGIFEM... 154 |
| TUKYSA... 64 | UDENYCA ONBODY... 92 | valacyclovir... 80 |
| tulana... 154 | UDENYCA... 92 | VALCHLOR... 64 |
| TURALIO... 64 | ULORIC... 49 | VALCYTE... 80 |

| | | |
|--------------------------------------|---------------------------------------|----------------------------|
| valganciclovir... 80 | VASCEPA... 107 | VERELAN... 108 |
| VALIUM... 82 | VASERETIC... 107 | VERIPRED 20... 143 |
| valproate sodium... 37 | VASOTEC... 107 | VERKAZIA... 184 |
| valproic acid (as sodium salt)... 38 | VAZCULEP... 107 | VERQUVO... 108 |
| valproic acid... 37 | vecamyl... 108 | VERSACLOZ... 73 |
| valrubicin... 64 | VECTIBIX... 64 | VERZENIO... 65 |
| valsartan... 107 | VECTICAL... 124 | VESICARE LS... 141 |
| valsartan-hydrochlorothiazide... 107 | VEGZELMA... 64 | VESICARE... 141 |
| VALSTAR... 64 | VELCADE... 65 | vestura (28)... 154 |
| VALTOCO... 38 | VELETRI... 192 | VEVYE... 184 |
| VALTREX... 80 | velivet triphasic regimen (28)... 154 | VFEND IV... 48 |
| vanadom... 193 | VELPHORO... 132 | VFEND... 48 |
| VANCOCIN... 31 | VELSIPITY... 168 | VIBATIV... 32 |
| vancomycin in dextrose 5 %... 32 | VELTASSA... 132 | VIBERZI... 136 |
| vancomycin in 0.9 % sodium chl... 32 | VELTIN... 124 | VIBRAMYCIN (CALCIUM)... 32 |
| vancomycin... 32 | VEMLIDY... 80 | VIBRAMYCIN... 32 |
| vancomycin-diluent combo no.1... 32 | VENCLEXTA STARTING PACK... 65 | VICTOZA 2-PAK... 88 |
| VANDAZOLE... 32 | VENCLEXTA... 65 | VICTOZA 3-PAK... 88 |
| VANFLYTA... 64 | VENLAFAXINE BESYLATE... 43 | VIDAZA... 65 |
| VANOS... 124 | venlafaxine... 42, 43 | vienna... 154 |
| VAPRISOL IN 5 % DEXTROSE... 132 | VENTAVIS... 192 | vigabatrin... 38 |
| VAQTA (PF)... 168 | VENTOLIN HFA... 192 | vigadrone... 38 |
| varenicline... 22 | VEOPOZ... 168 | VIGAMOX... 184 |
| VARIVAX (PF)... 168 | VEOZAH... 179 | vigpoder... 38 |
| VARIZIG... 168 | verapamil... 108 | VIIBRYD... 43 |
| VARUBI... 45 | VERDESO... 124 | VIJOICE... 139 |
| | VEREGEN... 124 | vilazodone... 43 |
| | VERELAN PM... 108 | VIMOVO... 19 |

| | | |
|-------------------------|----------------------------|--------------------------------------|
| VIMPAT... 38 | VIVELLE-DOT... 155 | VYJUVEK... 179 |
| vinblastine... 65 | VIVITROL... 22 | vylibra... 155 |
| vincasar pfs... 65 | VIVJOA... 48 | VYNDAMAX... 139 |
| vincristine... 65 | VIVLODEX... 19 | VYNDAQEL... 139 |
| vinorelbine... 65 | VIZIMPRO... 65 | VYTORIN 10-10... 108 |
| VIOKACE... 139 | VOCABRIA... 80 | VYTORIN 10-20... 108 |
| viorele (28)... 154 | VOGELXO... 155 | VYTORIN 10-40... 108 |
| VIRACEPT... 80 | volnea (28)... 155 | VYTORIN 10-80... 108 |
| VIRAZOLE... 179 | VONJO... 65 | VYVANSE... 114 |
| VIREAD... 80 | VOQUEZNA DUAL PAK... 137 | VYVGART HYTRULO... 168 |
| virt-c dha... 132 | VOQUEZNA TRIPLE PAK... 137 | VYVGART... 168 |
| virt-nate dha... 132 | VOQUEZNA... 137 | VYXEOS... 65 |
| virt-pn dha... 132 | voriconazole... 48 | VYZULTA... 184 |
| VISTARIL... 192 | VOSEVI... 80 | W |
| VISTOGARD... 65 | VOTRIENT... 65 | WAINUA... 139 |
| VITAFOL FE PLUS... 132 | VOWST... 179 | WAKIX... 195 |
| VITAFOL GUMMIES... 132 | VOXZOGO... 179 | warfarin... 92 |
| VITAFOL NANO... 132 | VOYDEYA... 168 | water for irrigation, sterile... 179 |
| VITAFOL ULTRA... 132 | VP-PNV-DHA... 132 | WEBCOL... 179 |
| VITAFOL-OB... 132 | VPRIV... 139 | WEGOVY... 179 |
| VITAFOL-OB+DHA... 132 | VRAYLAR... 73 | WELCHOL... 108 |
| VITAFOL-ONE... 132 | VTAMA... 124 | WELIREG... 65 |
| VITAMEDMD ONE RX... 132 | vtol lq... 179 | WELLBUTRIN SR... 43 |
| vitamin d2... 198 | VUITY... 184 | WELLBUTRIN XL... 43 |
| vitamin k... 198 | VUMERTY... 114 | wera (28)... 155 |
| vitamin k1... 198 | VUSION... 48 | wescap-pn dha... 132 |
| VITRAKVI... 65 | VYEPTI... 51 | wesnatal dha complete... 132 |
| vivacaine... 21 | vyfemla (28)... 155 | wesnate dha... 132 |

| | | |
|-------------------------------|------------------------|-------------------------------------|
| westab plus... 132 | XENICAL... 179 | Y |
| westgel dha... 132 | XENLETA... 32 | yargesa... 140 |
| WINLEVI... 124 | XENPOZYME... 139 | YASMIN (28)... 155 |
| WINREVAIR... 192 | XEPI... 124 | YAZ (28)... 155 |
| WINRHO SDF... 168 | XERAVA... 32 | YCANTH... 179 |
| wixela inh... 192 | XERESE... 80 | YERVOY... 66 |
| wymzya fe... 155 | XERMELO... 137 | YF-VAX (PF)... 169 |
| X | | |
| XACIATO... 32 | XGEVA... 172 | YONDELIS... 66 |
| XADAGO... 69 | XHANCE... 192 | YONSA... 66 |
| XALATAN... 184 | XIFAXAN... 137 | YOSPRALA... 93 |
| XALKORI... 65 | XIGDUO XR... 88 | YUFLYMA(CF) AI CROHN'S-UC-HS... 169 |
| XANAX XR... 82 | XiIDRA... 184 | YUFLYMA(CF) AUTOINJECTOR... 169 |
| XANAX... 82 | XIMINO... 32 | YUFLYMA(CF)... 169 |
| XARELTO DVT-PE TREAT 30D | XOFLUZA... 80 | YUPELRI... 192 |
| START... 93 | XOLAIR... 169 | YUSIMRY(CF) PEN... 169 |
| XARELTO... 92 | XOLEGEL... 48 | yuafem... 155 |
| XATMEP... 168 | XOPENEX HFA... 192 | Z |
| XCOPRI MAINTENANCE PACK... 38 | XOSPATA... 65 | zafemy... 155 |
| XCOPRI TITRATION PACK... 38 | XPHOZAH... 132 | zafirlukast... 192 |
| XCOPRI... 38 | XPOVIO... 65 | zaleplon... 195 |
| XDEMVY... 179 | XTAMPZA ER... 19 | ZALTRAP... 66 |
| XELJANZ XR... 169 | XTANDI... 65, 66 | ZANAFLEX... 74 |
| XELJANZ... 169 | xulane... 155 | ZANOSAR... 66 |
| XELPROS... 184 | XULTOPHY 100/3.6... 88 | zarah... 155 |
| XELSTRYM... 114 | XURIDEN... 139 | ZARONTIN... 38 |
| XEMBIFY... 169 | XYOSTED... 155 | ZARXIO... 93 |
| XENAZINE... 114 | XYREM... 195 | zatean-pn dha... 132 |
| | XYWAV... 195 | |

| | | |
|-------------------------------------|----------------------------|---------------------------------------|
| zatean-pn plus... 132 | ZERVIATE... 184 | ZOCOR... 108 |
| ZAVESCA... 140 | ZESTORETIC... 108 | ZOKINVY... 140 |
| ZAVZPRET... 179 | ZESTRIL... 108 | ZOLADEX... 158 |
| ZCORT... 143 | ZETIA... 108 | zoledronic ac-mannitol-0.9nacl... 172 |
| ZEBUTAL... 179 | ZETONNA... 193 | zoledronic acid... 172 |
| ZEGALOGUE AUTOINJECTOR... 88 | ZEVALIN (Y-90)... 179 | zoledronic acid-mannitol-water... 172 |
| ZEGALOGUE SYRINGE... 88 | ZIAC... 108 | ZOLINZA... 66 |
| ZEGERID... 137 | ZIAGEN... 80 | zolmitriptan... 51 |
| ZEJULA... 66 | ZIANA... 125 | ZOLOFT... 43 |
| ZELAPAR... 69 | zidovudine... 80 | zolpidem... 195 |
| ZELBORA F... 66 | ZIEXTENZO... 93 | ZOLPIMIST... 195 |
| ZEMAIRA... 140 | ZILBRYSQ... 169 | ZOMACTON... 145 |
| ZEMBRACE SYMTOUCH... 51 | zileuton... 193 | zomig... 51 |
| ZEMDRI... 32 | ZILRETTA... 143 | ZONALON... 125 |
| ZEMPLAR... 172 | ZILXI... 125 | ZONEGRAN... 38 |
| zenatane... 125 | ZIMHI... 22 | ZONISADE... 38 |
| ZENPEP... 140 | zingiber... 179 | zonisamide... 38 |
| zenzedi... 114, 115 | ZINPLAVA... 137 | ZONTIVITY... 93 |
| ZEPATIER... 80 | ZIOPTAN (PF)... 184 | ZORTRESS... 169 |
| ZEPBOUND... 199 | ziprasidone hcl... 73 | ZORVOLEX... 19 |
| ZEPOSIA STARTER KIT (28-DAY)... 115 | ziprasidone mesylate... 73 | ZORYVE... 125 |
| ZEPOSIA STARTER KIT (37-DAY)... 115 | ZIPSOR... 19 | ZOSYN IN DEXTROSE (ISO-OSM)... 33 |
| ZEPOSIA STARTER PACK (7-DAY)... 115 | ZIRABEV... 66 | zovia 1-35 (28)... 155 |
| ZEPOSIA... 115 | ZIRGAN... 80 | ZOVIRAX... 80 |
| ZEPZELCA... 66 | ZITHROMAX TRI-PAK... 32 | ZTALMY... 38 |
| ZERBAXA... 32 | ZITHROMAX Z-PAK... 32 | ZTLIDO... 21 |
| | ZITUPIO... 88 | |

ZUBSOLV... 22
ZULRESSO... 43
zumandimine (28)... 155
ZURZUVAE... 43
ZYCLARA... 125
ZYDELIG... 66
ZYFLO... 193
ZYKADIA... 66
ZYLET... 184
ZYLOPRIM... 49
ZYMAXID... 184
ZYMFENTRA... 169
ZYNLONTA... 66
ZYNRELEF... 179
ZYNYZ... 66
ZYPITAMAG... 108
ZYPREXA RELPREVV... 74
ZYPREXA ZYDIS... 74
ZYPREXA... 73, 74
ZYTIGA... 66
ZYVOX... 33

Important

At Humana, it is important you are treated fairly.

Humana Inc. and its subsidiaries do not discriminate or exclude people because of their race, color, national origin, age, disability, sex, sexual orientation, gender, gender identity, ancestry, ethnicity, marital status, religion, or language. Discrimination is against the law. Humana and its subsidiaries comply with applicable federal civil rights laws. If you believe that you have been discriminated against by Humana or its subsidiaries, there are ways to get help.

- You may file a complaint, also known as a grievance:
Discrimination Grievances, P.O. Box 14618, Lexington, KY 40512-4618
If you need help filing a grievance, call **1-888-700-2263** or if you use a **TTY**,
call **711**.
- You can also file a civil rights complaint with the **U.S. Department of Health and Human Services**, Office for Civil Rights electronically through the Office for Civil Rights Complaint Portal, available at <https://ocrportal.hhs.gov/ocr/portal/lobby.jsf>, or at **U.S. Department of Health and Human Services**, 200 Independence Avenue, SW, Room 509F, HHH Building, Washington, DC 20201, **1-800-368-1019**, **800-537-7697 (TDD)**.
- **California residents:** You may also call the California Department of Insurance toll-free hotline number: **1-800-927-HELP (4357)**, to file a grievance.

Complaint forms are available at <https://www.hhs.gov/ocr/office/file/index.html>.

Auxiliary aids and services, free of charge, are available to you. 1-888-700-2263 (TTY: 711)

Humana provides free auxiliary aids and services, such as qualified sign language interpreters, video remote interpretation, and written information in other formats to people with disabilities when such auxiliary aids and services are necessary to ensure an equal opportunity to participate.

Multi-Language Insert

Multi-language Interpreter Services

English: We have free interpreter services to answer any questions you may have about our health or drug plan. To get an interpreter, just call us at 1-877-320-1235 (TTY: 711). Someone who speaks English can help you. This is a free service.

Spanish: Tenemos servicios de intérprete sin costo alguno para responder cualquier pregunta que pueda tener sobre nuestro plan de salud o medicamentos. Para hablar con un intérprete, por favor llame al 1-877-320-1235 (TTY: 711). Alguien que hable español le podrá ayudar. Este es un servicio gratuito.

Chinese Mandarin: 我们提供免费的翻译服务，帮助您解答关于健康或药物保险的任何疑问。如果您需要此翻译服务，请致电 1-877-320-1235 (听障专线：711)。我们的中文工作人员很乐意帮助您。这是一项免费服务。

Chinese Cantonese: 您對我們的健康或藥物保險可能存有疑問，為此我們提供免費的翻譯服務。如需翻譯服務，請致電 1-877-320-1235 (聽障專線：711)。我們講中文的人員將樂意為您提供幫助。這是一項免費服務。

Tagalog: Mayroon kaming libreng serbisyo sa pagsasaling-wika upang masagot ang anumang mga katanungan ninyo hinggil sa aming planong pangkalusugan o panggamot. Upang makakuha ng tagasaling-wika, tawagan lamang kami sa 1-877-320-1235 (TTY: 711). Maaari kayong tulungan ng isang nakakapagsalita ng Tagalog. Ito ay libreng serbisyo.

French: Nous proposons des services gratuits d'interprétation pour répondre à toutes vos questions relatives à notre régime de santé ou d'assurance-médicaments. Pour accéder au service d'interprétation, il vous suffit de nous appeler au 1-877-320-1235 (TTY: 711). Un interlocuteur parlant Français pourra vous aider. Ce service est gratuit.

Vietnamese: Chúng tôi có dịch vụ thông dịch miễn phí để trả lời các câu hỏi về chương sức khỏe và chương trình thuốc men. Nếu quý vị cần thông dịch viên xin gọi 1-877-320-1235 (TTY: 711) sẽ có nhân viên nói tiếng Việt giúp đỡ quý vị. Đây là dịch vụ miễn phí.

German: Unser kostenloser Dolmetscherservice beantwortet Ihren Fragen zu unserem Gesundheits- und Arzneimittelplan. Unsere Dolmetscher erreichen Sie unter 1-877-320-1235 (TTY: 711). Man wird Ihnen dort auf Deutsch weiterhelfen. Dieser Service ist kostenlos.

Korean: 당사는 의료 보험 또는 약품 보험에 관한 질문에 답해 드리고자 무료 통역 서비스를 제공하고 있습니다. 통역 서비스를 이용하려면 전화 1-877-320-1235 (TTY: 711) 번으로 문의해 주십시오 . 한국어를 하는 담당자가 도와 드릴 것입니다 . 이 서비스는 무료로 운영됩니다 .

Russian: Если у вас возникнут вопросы относительно страхового или медикаментного плана, вы можете воспользоваться нашими бесплатными услугами переводчиков. Чтобы воспользоваться услугами переводчика, позвоните нам по телефону 1-877-320-1235 (TTY: 711). Вам окажет помощь сотрудник, который говорит по-русски. Данная услуга бесплатная.

Arabic: إننا نقدم خدمات المترجم الفوري المجانية للإجابة عن أي أسئلة تتعلق بخطتنا الصحية أو خطة الأدوية الموصوفة لدينا. للحصول على مترجم فوري، ليس عليك سوى الاتصال بنا على 1-877-320-1235 (TTY: 711). سيقوم شخص ما يتحدث العربية بمساعدتك. هذه خدمة مجانية.

Hindi: हमारे स्वास्थ्य या दवा की योजना के बारे में आपके किसी भी प्रश्न के जवाब देने के लिए हमारे पास मुफ्त दुभाषिया सेवाएँ उपलब्ध हैं। एक दुभाषिया प्राप्त करने के लिए, बस हमें 1-877-320-1235 (TTY: 711) पर फोन करें। कोई व्यक्ति जो हिन्दी बोलता है आपकी मदद कर सकता है। यह एक मुफ्त सेवा है।

Italian: È disponibile un servizio di interpretariato gratuito per rispondere a eventuali domande sul nostro piano sanitario e farmaceutico. Per un interprete, contattare il numero 1-877-320-1235 (TTY: 711). Un nostro incaricato che parla Italiano fornirà l'assistenza necessaria. È un servizio gratuito.

Portuguese: Dispomos de serviços de interpretação gratuitos para responder a qualquer questão que tenha acerca do nosso plano de saúde ou de medicação. Para obter um intérprete, contacte-nos através do número 1-877-320-1235 (TTY: 711). Irá encontrar alguém que fale o idioma Português para o ajudar. Este serviço é gratuito.

French Creole: Nou genyen sèvis entèprèt gratis pou reponn tout kesyon ou ta genyen konsènan plan medikal oswa dwòg nou an. Pou jwenn yon entèprèt, jis rele nou nan 1-877-320-1235 (TTY: 711). Yon moun ki pale Kreyòl kapab ede w. Sa a se yon sèvis ki gratis.

Polish: Umożliwiamy bezpłatne skorzystanie z usług tłumacza ustnego, który pomoże w uzyskaniu odpowiedzi na temat planu zdrowotnego lub dawkowania leków. Aby skorzystać z pomocy tłumacza znającego język polski, należy zadzwonić pod numer 1-877-320-1235 (TTY: 711). Ta usługa jest bezpłatna.

Japanese: 当社の健康保険と処方薬プランに関するご質問にお答えするために、無料の通訳サービスをご用意しています。通訳をご用命になるには、1-877-320-1235 (TTY:711) にお電話ください。日本語を話す者が支援いたします。これは無料のサービスです。

Notes

Notes

The Humana logo consists of the word "Humana" in a bold, black, sans-serif font. A registered trademark symbol (®) is positioned at the top right of the letter "a".

Dale R. Folwell, CPA
STATE TREASURER OF NORTH CAROLINA
DALE R. FOLWELL, CPA

This formulary was updated on 05/01/2024. For more recent information or other questions, please contact the NC State Health Plan Humana Customer Care Team with any questions at 1-888-700-2263 or, for TTY users, 711, or visit your.humana.com/ncshp. Monday through Friday, from 8 a.m. - 9 p.m., Eastern time. Our automated phone system is available after hours, weekends, and holidays. Our website is also available 24 hours a day, 7 days a week, by visiting [our.humana.com/ncshp](http://your.humana.com/ncshp).