

2026

Prescription Drug Guide

NC State Health Plan Formulary

List of covered drugs or "Drug List"

PLEASE READ: THIS DOCUMENT CONTAINS INFORMATION
ABOUT THE DRUGS WE COVER IN THIS PLAN.

42

Formulary 26800

This formulary was updated on 09/03/2025. For more recent information or other questions, please contact the NC State Health Plan Humana Customer Care Team with any questions at 1-888-700-2263, or for TTY users, 711, or visit your.humana.com/ncshp.

Humana[®]

Y0040_PDG26_FINAL_109C_C

Updated 09/03/2025



GRP042PDG2680026C_v1

Welcome to Humana Group Medicare Plan!

Note to existing members: This Formulary has changed since last year. Please review this document to make sure that it still contains the drugs you take.

When this Drug List (Formulary) refers to "we," "us", or "our," it means Humana. When it refers to "plan" or "our plan," it means Humana Group Medicare Plan.

This document includes a Drug List (formulary) for our plan which is current as of January 1, 2026. For an updated Drug List (formulary), please contact us. Our contact information, along with the date we last updated the Drug List (formulary), appears on the front and back cover pages.

You must generally use network pharmacies to use your prescription drug benefit. Benefits, formulary, pharmacy network, and/or copayments/coinsurance may change on January 1 of each year, and from time to time during the year.

What is the Humana formulary?

In this document, we use the terms Drug List and formulary to mean the same thing. A formulary is the entire list of covered drugs or medications selected by Humana. The terms formulary and Drug List may be used interchangeably throughout communications regarding changes to your pharmacy benefits. Humana Group Medicare Plan worked with a team of doctors and pharmacists to make a formulary that represents the prescription drugs we think you need for a quality treatment program. Humana Group Medicare Plan will generally cover the drugs listed in the formulary as long as the drug is medically necessary, the prescription is filled at a Humana Group Medicare Plan network pharmacy, and other plan rules are followed. For more information on how to fill your medications, please review your Evidence of Coverage.

Can the formulary change?

Most changes in drug coverage happen on January 1, but we may add or remove drugs on the formulary during the year, move them to different cost sharing tiers, or add new restrictions. We must follow Medicare rules in making these changes. Updates to the formulary are posted monthly to our website here: your.humana.com/ncshp.

Changes that can affect you this year: In the below cases, you will be affected by coverage changes during the year:

- **Immediate substitutions of certain new versions of brand name drugs and original biological products.**

We may immediately remove a drug on our formulary if we are replacing it with a certain new version of that drug that will appear on the same or lower cost-sharing tier and with the same or fewer restrictions. When we add a new version of a drug to our formulary, we may decide to keep the brand name drug or biological product on our formulary, but immediately move it to a different cost-sharing tier or add new restrictions.

We can make these immediate changes only if we are adding a new generic version of a brand name drug, or adding certain new biosimilar versions of an original biological product, that was already on the formulary (for example, adding an interchangeable biosimilar that can be substituted for an original biological product by a pharmacy without a new prescription).

If you are currently taking the brand name drug or biological product, we may not tell you in advance before we make an immediate change, but we will later provide you with information about the specific change(s) we have made.

If we make such a change, you or your prescriber can ask us to make an exception and continue to cover for you the drug that is being changed. For more information, see the section below titled "How do I request an exception to the Humana Formulary?"

Some of these drug types may be new to you. For more information, see the section below titled "What are

original biological products and how are they related to biosimilars?"

- **Drugs removed from the market.** If a drug is withdrawn from sale by the manufacturer or the Food and Drug Administration (FDA) determines to be withdrawn for safety or effectiveness reasons, we may immediately remove the drug from our formulary and later provide notice to members who take the drug.
- **Other changes.** We may make other changes that affect members currently taking a drug. For instance, we may remove a brand name drug from the formulary when adding a generic equivalent or remove an original biological product when adding a biosimilar. We may also apply new restrictions to the brand name drug or original biological product, or move it to a different cost-sharing tier, or both. We may make changes based on new clinical guidelines. If we remove drugs from our formulary, add prior authorization, quantity limits and/or step therapy restrictions on a drug, or move a drug to a higher cost-sharing tier, we must notify affected members of the change at least 30 days before the change becomes effective. Alternatively, when a member requests a refill of the drug, they may receive a 30-day supply of the drug and notice of the change.

We will notify members who are affected by the following changes to the formulary:

- When a drug is removed from the formulary.
- When prior authorization, quantity limits, or step-therapy restrictions are added to a drug or made more restrictive.
- When a drug is moved to a higher cost sharing tier.

If we make these other changes, you or your prescriber can ask us to make an exception and continue to cover the drug you have been taking. The notice we provide you will also include information on how to request an exception, and you can also find information in the section below titled "How do I request an exception to the Humana Formulary?"

Changes that will not affect you if you are currently taking the drug. Generally, if you are taking a drug on our formulary that was covered at the beginning of the year, we will not discontinue or reduce coverage of the drug during the coverage year except as described above. This means these drugs will remain available at the same cost sharing and with no new restrictions for those members taking them for the remainder of the coverage year. You will not get direct notice this year about changes that do not affect you. However, on January 1 of the next year, such changes would affect you, and it is important to check the formulary for the new benefit year for any changes to drugs.

What if you are affected by a Drug List change?

We will notify you by mail at least 30 days before one of these changes happens or we will provide a 30-day refill of the affected medicine with notice of the change.

The enclosed formulary is current as of January 1, 2026. To get updated information about the drugs covered by Humana please contact us. Our contact information appears on the front and back cover pages.

How do I use the Formulary?

There are two ways to find your drug in the formulary:

Medical condition

The formulary begins on page 11. The drugs in this formulary are grouped into categories depending on the type of medical conditions that they are used to treat. For example, drugs that treat a heart condition are listed under the category “Cardiovascular Agents.” If you know what your drug is used for, look for the category name in the list that begins on page 11. Then look under the category name for your drug. The formulary also lists the Tier and Utilization Management Requirements for each drug (see page 6 for more information on Utilization Management Requirements).

Alphabetical listing

If you are not sure what category to look under, you should look for your drug in the Index that begins on page 188. The Index provides an alphabetical list of all of the drugs included in this document. Both brand name drugs and generic drugs are listed in the Index. Look in the Index and find your drug. Next to each drug, you will see the page number where you can find coverage information. Turn to the page listed in the Index and find the name of the drug in the first column of the list.

What are generic drugs?

Humana covers both brand name drugs and generic drugs. A generic drug is approved by the FDA as having the same active ingredient as the brand name drug. Generally, generic drugs work just as well as and usually cost less than brand name drugs. There are generic drug substitutes available for many brand name drugs. Generic drugs usually can be substituted for the brand name drug at the pharmacy without needing a new prescription, depending on state laws.

What are original biological products and how are they related to biosimilars?

On the formulary, when we refer to drugs, this could mean a drug or a biological product. Biological products are drugs that are more complex than typical drugs. Since biological products are more complex than typical drugs, instead of having a generic form, they have alternatives that are called biosimilars. Generally, biosimilars work just as well as the original biological product and may cost less. There are biosimilar alternatives for some original biological products. Some biosimilars are interchangeable biosimilars and, depending on state laws, may be substituted for the original biological product at the pharmacy without needing a new prescription, just like generic drugs can be substituted for brand name drugs.

- For discussion of drug types, please see the Evidence of Coverage, Chapter 5, Section 3.1, “The ‘Drug List’ tells which Part D drugs are covered.”

Prescription drugs are grouped into one of four tiers.

Humana Group Medicare Plan covers both brand-name drugs and generic drugs. A generic drug is approved by the FDA as having the same active ingredient as the brand-name drug. Generally, generic drugs cost less than brand-name drugs.

- **Tier 1 – Generic or Preferred Generic:** Generic or brand drugs that are available at the lowest cost share for the plan
- **Tier 2 – Preferred Brand:** Generic or brand drugs that the plan offers at a higher cost to you than Tier 1 Generic or Preferred Generic, and at a lower cost to you than Tier 3 Non-Preferred Drug
- **Tier 3 – Non-Preferred Drug:** Generic or brand drugs that the plan offers at a higher cost to you than Tier 2 Preferred Brand drug
- **Tier 4 – Specialty Tier:** Some injectables and other high-cost drugs

How much will I pay for covered drugs?

The Humana Group Medicare Plan pays part of the costs for your covered drugs and you pay part of the costs, too.

The amount of money you pay depends on:

- Which tier your drug is on
- Whether you fill your prescription at a network pharmacy
- Your current drug payment stage - please read your Evidence of Coverage (EOC) for more information

If you qualified for extra help with your drug costs, your costs may be different from those described above. Please refer to your Evidence of Coverage (EOC) or call NC State Health Plan Humana Customer Care to find out what your costs are.

Are there any restrictions on my coverage?

Some covered drugs may have additional requirements or limits on coverage. These requirements and limits may include:

- **Prior Authorization (PA):** Humana Group Medicare Plan requires you to get prior authorization for certain drugs. This means that you will need to get approval from Humana Group Medicare Plan before you fill your prescriptions. If you do not get approval, Humana Group Medicare Plan may not cover the drug.
- **Quantity Limits (QL):** For certain drugs, the Humana Group Medicare Plan limits the amount of the drug that is covered. The Humana Group Medicare Plan might limit how many refills you can get or how much of a drug you can get each time you fill your prescription. For example, if it is normally considered safe to take only one pill per day for a certain drug, we may limit coverage for your prescription to no more than one pill per day. Some drugs are limited to a 30-day supply regardless of tier placement.
- **Step Therapy (ST):** In some cases, the Humana Group Medicare Plan requires that you first try certain drugs to treat your medical condition before we will cover another drug for that condition. For example, if Drug A and Drug B both treat your medical condition, the Humana Group Medicare Plan may not cover Drug B unless you try Drug A first. If Drug A does not work for you, the Humana Group Medicare Plan will then cover Drug B.
- **Part B versus Part D (BvsD):** Some drugs may be covered under Medicare Part B or Part D, depending upon the circumstances. Information may need to be submitted to Humana that describes the use and the place where you receive and take the drug so a determination can be made.

For drugs that need prior authorization or step therapy, or drugs that fall outside of quantity limits, your health care provider can fax information about your condition and need for those drugs to Humana Group Medicare Plan at **1-877-486-2621**. Representatives are available Monday - Friday, 8 a.m. - 8 p.m. (EST).

You can find out if your drug has any additional requirements or limits by looking in the formulary that begins on page 11. You can also get more information about the restrictions applied to specific covered drugs by visiting **your.humana.com/ncshp**. We have posted online documents that explain our prior authorization and step therapy restrictions. You may also ask us to send you a copy. Our contact information, along with the date we last updated the formulary, appears on the front and back cover pages.

You can ask Humana to make an exception to these restrictions or limits or for a list of other, similar drugs that may treat your health condition. See the section "**How do I request an exception to the Humana Formulary?**" on page 7 for information about how to request an exception.

What if my drug is not on the Formulary?

If your drug is not included in this formulary (list of covered drugs), you should first contact NC State Health Plan Humana Customer Care and ask if your drug is covered. For more information, please contact us. Our contact information, along with the date we last updated the formulary, appears on the front and back cover pages.

If you learn that Humana Group Medicare Plan does not cover your drug, you have two options:

- You can ask NC State Health Plan Humana Customer Care for a list of similar drugs that are covered by Humana Group Medicare Plan. When you receive the list, show it to your doctor and ask them to prescribe a similar drug that is covered by Humana Group Medicare Plan.
- You can ask Humana Group Medicare Plan to make an exception and cover your drug. See below for information about how to request an exception.

How do I request an exception to the Humana Formulary?

You can ask the Humana Group Medicare Plan to make an exception to the coverage rules. There are several types of exceptions that you can ask us to make.

- **Formulary exception:** You can ask us to cover a drug even if it is not on our formulary. If approved, this drug will be covered at a pre-determined cost-sharing level, and you would not be able to ask us to provide the drug at a lower cost-sharing level.
- **Utilization restriction exception:** You can ask us to waive a coverage restriction including prior authorization, step therapy, or a quantity limit on your drug. For example, for certain drugs, Humana Group Medicare Plan limits the amount of the drug that we will cover. If your drug has a quantity limit, you can ask us to waive the limit and cover a greater amount.
- **Tier exception:** You can ask us to cover a formulary drug at lower cost-sharing level unless the drug is on the specialty tier. If approved, this would lower the amount you must pay for your drug.

Generally, Humana Group Medicare Plan will only approve your request for an exception if the alternative drugs included on the plan's formulary, the lower cost sharing drug, or applying the restriction would not be as effective for you and/or would cause you to have adverse effects.

You or your prescriber should contact us to ask for a tiering, or formulary exception, including an exception to a coverage restriction. **When you request an exception, your prescriber will need to explain the medical reasons why you need the exception.**

Generally, we must make our decision within 72 hours of getting your prescriber's supporting statement. You can ask for an expedited (fast) decision if you believe, and we agree, that your health could be seriously harmed by waiting up to 72 hours for a decision. If we agree, or if your prescriber asks for a fast decision, we must give you a decision no later than 24 hours after we get your prescriber's supporting statement.

What can I do if my drug is not on the formulary or has a restriction?

As a new or continuing member in our plan you may be taking drugs that are not on our formulary. Or, you may be taking a drug that is on our formulary but has a coverage restriction, such as prior authorization. You should talk to your prescriber about requesting a coverage decision to show that you meet the criteria for approval, switching to an alternative drug that we cover, or requesting a formulary exception so that we will cover the drug you take. While you and your doctor determine the right course of action for you, we may cover your drug in certain cases during the first 90 days you are a member of our plan.

For each of your drugs that is not on our formulary or has a coverage restriction, we will cover a temporary 30-day supply. If your prescription is written for fewer days, we'll allow refills to provide up to a maximum 30 day supply of

medication. If coverage is not approved, after your first 30-day supply, we will not pay for these drugs, even if you have been a member of the plan less than 90 days.

If you are a resident of a long-term care facility and you need a drug that is not on our formulary or if your ability to get your drugs is limited, but you are past the first 90 days of membership in our plan, we will cover a 31-day emergency supply of that drug unless you have a prescription written for fewer days. (in which case we will allow multiple fills to provide up to a total of 31 days of a drug) while you pursue a formulary exception.

Throughout the plan year, your treatment setting (the place where you receive and take your medicine) may change. These changes include:

- Members who are discharged from a hospital or skilled-nursing facility to a home setting
- Members who are admitted to a hospital or skilled-nursing facility from a home setting
- Members who transfer from one skilled-nursing facility to another and use a different pharmacy
- Members who end their skilled-nursing facility Medicare Part A stay (where payments include all pharmacy charges) and who now need to use their Part D plan benefit
- Members who give up Hospice Status and go back to standard Medicare Part A and B coverage
- Members discharged from chronic psychiatric hospitals with highly individualized drug regimens

For these changes in treatment settings, Humana Group Medicare Plan will cover as much as a 31-day temporary supply of a Part D-covered drug when you fill your prescription at a pharmacy. If you change treatment settings multiple times within the same month, you may have to request an exception or prior authorization and receive approval for continued coverage of your drug. Humana Group Medicare Plan will review requests for continuation of therapy on a case-by-case basis understanding when you are on a stabilized drug regimen that, if changed, is known to have risks.

Transition extension

Humana Group Medicare Plan will consider on a case-by-case basis an extension of the transition period if your exception request or appeal has not been processed by the end of your initial transition period. We will continue to provide necessary drugs to you if your transition period is extended.

A Transition Policy is available on **your.humana.com/ncshp**, in the same area where the Prescription Drug Guides are displayed.

CenterWell Pharmacy™

You may fill your medicines at any network pharmacy. CenterWell Pharmacy – Humana's mail-delivery pharmacy is one option. To get started or learn more, visit **CenterWellPharmacy.com**. You can also call CenterWell Pharmacy at **1-844-222-2151 (TTY: 711)** Monday – Friday, 8 a.m. to 11 p.m. (EST), and Saturday, 8 a.m. to 6:30 p.m. (EST).

Other pharmacies are available in our network.

For More Information

For more detailed information about your Humana Group Medicare Plan prescription drug coverage, please review your Evidence of Coverage and other plan materials.

If you have questions about Humana Group Medicare Plan, please contact us. Our contact information, along with the date we last updated the formulary, appears on the front and back cover pages.

If you have general questions about Medicare prescription drug coverage, please call Medicare at **1-800-MEDICARE (1-800-633-4227)** 24 hours a day, seven days a week. **TTY** users should call **1-877-486-2048**. You can also visit **www.medicare.gov**.

Humana Group Medicare Plan Formulary

The formulary that begins on the next page provides coverage information about the drugs covered by Humana Group Medicare Plan. If you have trouble finding your drug in the list, turn to the Index that begins on page 188.

Your plan has additional coverage of some drugs. These drugs are not normally covered under Medicare Part D and are not subject to the Medicare appeals process. These drugs are listed separately on page 185.

How to read your formulary

The first column of the chart lists categories of medical conditions in alphabetical order. The drug names are then listed in alphabetical order within each category. Brand-name drugs are CAPITALIZED and generic drugs are listed in lower-case italics. Next to the drug name or Utilization Management column, you may see an indicator to tell you about additional coverage information for that drug. You might see the following indicators:

\$0 - Most vaccines and diabetic supplies covered 100% with no member cost.

DL - Dispensing Limit; Drugs that may be limited to a 30 day supply, regardless of tier placement.

MO - Drugs that are typically available through mail-order. Please contact your mail-order pharmacy to make sure your drug is available.

LA - Limited Access; The health plan has authorized certain pharmacies to dispense this medicine, as it requires extra handling, doctor coordination or patient education. Please call the number on the back of your ID card for additional information.

CI - Covered insulin products; Part D insulin products covered by your plan. For more information on cost sharing for your covered insulin products, please refer to your Evidence of Coverage.

PDS - Preferred Diabetic Supplies; BD and HTL-Droplet are the preferred diabetic syringe and pen needle brands for the plan.

The second column lists the tier of the drug. See page 5 for more details on the drug tiers in your plan.

The third column shows the Utilization Management Requirements for the drug. Humana Group Medicare Plan may have special requirements for covering that drug. If the column is blank, then there are no utilization requirements for that drug. The supply for each drug is based on benefits and whether your health care provider prescribes a supply for 30, 60, or 90 days. The amount of any quantity limits will also be in this column (Example: "QL - 30 for 30 days" means you can only get 30 doses every 30 days). See page 6 for more information about these requirements.

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
ANALGESICS		
acetaminophen-caff-dihydrocod 320.5-30-16 mg CAPSULE DL	1	QL(300 per 30 days)
acetaminophen-codeine 120 mg-12 mg /5 ml (5 ml), 120-12 mg/5 ml, 300 mg-30 mg /12.5 ml SOLUTION DL	1	QL(2700 per 30 days)
acetaminophen-codeine 300-15 mg TABLET DL	1	QL(390 per 30 days)
acetaminophen-codeine 300-30 mg TABLET DL	1	QL(360 per 30 days)
acetaminophen-codeine 300-60 mg TABLET DL	1	QL(180 per 30 days)
APADAZ 4.08-325 MG, 6.12-325 MG, 8.16-325 MG TABLET DL	3	
ARTHROTEC 50 50-200 MG-MCG TABLET, IR, DR, BIPHASIC MO	3	PA
ARTHROTEC 75 75-200 MG-MCG TABLET, IR, DR, BIPHASIC MO	3	PA
ascomp with codeine 30-50-325-40 mg CAPSULE DL	1	QL(360 per 30 days)
BELBUCA 150 MCG, 300 MCG, 450 MCG, 600 MCG, 75 MCG, 750 MCG, 900 MCG FILM DL	3	ST,QL(60 per 30 days)
benzhydrocodone-acetaminophen 4.08-325 mg, 6.12-325 mg, 8.16-325 mg TABLET DL	3	
BUPRENEX 0.3 MG/ML SOLUTION DL	3	QL(240 per 30 days)
buprenorphine 10 mcg/hour, 15 mcg/hour, 20 mcg/hour, 5 mcg/hour, 7.5 mcg/hour PATCH, WEEKLY DL	1	PA,QL(4 per 28 days)
buprenorphine hcl 0.3 mg/ml SYRINGE DL	1	QL(240 per 30 days)
butorphanol 1 mg/ml SOLUTION DL	1	QL(960 per 30 days)
butorphanol 10 mg/ml SPRAY, NON-AEROSOL DL	1	QL(5 per 28 days)
butorphanol 2 mg/ml SOLUTION DL	1	QL(480 per 30 days)
BUTRANS 10 MCG/HOUR, 15 MCG/HOUR, 20 MCG/HOUR, 5 MCG/HOUR, 7.5 MCG/HOUR PATCH, WEEKLY DL	3	PA,QL(4 per 28 days)
CALDOLOR 800 MG/200 ML (4 MG/ML) PIGGYBACK MO	3	
CALDOLOR 800 MG/8 ML (100 MG/ML) RECON SOLUTION MO	3	
CAMBIA 50 MG POWDER IN PACKET DL	4	ST,QL(9 per 30 days)
CELEBREX 100 MG, 200 MG, 400 MG, 50 MG CAPSULE MO	3	PA
celecoxib 100 mg, 200 mg CAPSULE MO	1	
celecoxib 400 mg, 50 mg CAPSULE MO	1	
codeine sulfate 15 mg, 30 mg TABLET DL	1	QL(360 per 30 days)
codeine sulfate 60 mg TABLET DL	1	QL(180 per 30 days)
codeine-bitalbital-asa-caff 30-50-325-40 mg CAPSULE DL	1	QL(360 per 30 days)
CONZIP 100 MG, 200 MG, 300 MG CAPSULE, ER, BIPHASIC DL	3	ST,QL(30 per 30 days)
DAYPRO 600 MG TABLET MO	3	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
DEMEROL 50 MG/ML SOLUTION DL	3	QL(720 per 30 days)
DEMEROL (PF) 100 MG/ML SYRINGE DL	3	QL(360 per 30 days)
DEMEROL (PF) 25 MG/ML SYRINGE DL	3	QL(1440 per 30 days)
DEMEROL (PF) 50 MG/ML SYRINGE DL	3	QL(720 per 30 days)
DEMEROL (PF) 75 MG/ML SYRINGE DL	3	QL(480 per 30 days)
diclofenac epolamine 1.3 % PATCH, 12 HR. MO	1	PA,QL(60 per 30 days)
diclofenac potassium 25 mg CAPSULE MO	3	ST,QL(120 per 30 days)
diclofenac potassium 25 mg TABLET DL	4	
diclofenac potassium 50 mg POWDER IN PACKET MO	3	ST,QL(9 per 30 days)
diclofenac potassium 50 mg TABLET MO	1	
diclofenac sodium 1.5 % DROPS MO	1	PA,QL(300 per 30 days)
diclofenac sodium 100 mg TABLET, ER 24 HR. MO	1	
diclofenac sodium 20 mg/gram /actuation(2 %) SOLUTION IN METERED DOSE PUMP DL	4	PA,QL(224 per 28 days)
diclofenac sodium 25 mg, 50 mg TABLET, DR/EC MO	1	
diclofenac sodium 75 mg TABLET, DR/EC MO	1	
diclofenac-misoprostol 50-200 mg-mcg, 75-200 mg-mcg TABLET, IR, DR, BIPHASIC MO	1	
diflunisal 500 mg TABLET MO	1	
DILAUDID 1 MG/ML LIQUID DL	3	PA,QL(2400 per 30 days)
DILAUDID 2 MG, 4 MG TABLET DL	3	PA,QL(360 per 30 days)
DILAUDID 8 MG TABLET DL	3	PA,QL(240 per 30 days)
dolobid 250 mg TABLET DL	4	ST
DOLOBID 375 MG TABLET DL	4	ST
DUEXIS 800-26.6 MG TABLET DL	4	PA,QL(90 per 30 days)
DURAMORPH (PF) 0.5 MG/ML SOLUTION DL	3	BvsD,QL(7200 per 30 days)
DURAMORPH (PF) 1 MG/ML SOLUTION DL	3	BvsD,QL(3600 per 30 days)
ec-naproxen 500 mg TABLET, DR/EC MO	3	
endocet 10-325 mg, 2.5-325 mg, 5-325 mg, 7.5-325 mg TABLET DL	1	QL(360 per 30 days)
etodolac 200 mg, 300 mg CAPSULE MO	1	
etodolac 400 mg, 500 mg TABLET MO	1	
etodolac 400 mg, 500 mg, 600 mg TABLET, ER 24 HR. MO	1	
FELDENE 10 MG, 20 MG CAPSULE MO	3	
fenoprofen 400 mg CAPSULE MO	1	ST
fenoprofen 600 mg TABLET MO	1	ST

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
fenopron 300 mg CAPSULE DL	4	ST
fentanyl 100 mcg/hr, 12 mcg/hr, 25 mcg/hr, 37.5 mcg/hour, 50 mcg/hr, 62.5 mcg/hour, 75 mcg/hr, 87.5 mcg/hour PATCH. 72 HR. DL	1	QL(20 per 30 days)
FLECTOR 1.3 % PATCH, 12 HR. MO	3	PA,QL(60 per 30 days)
flurbiprofen 100 mg TABLET MO	1	
hydrocodone bitartrate 10 mg, 15 mg, 20 mg, 30 mg, 40 mg CAPSULE, ER 12 HR. DL	1	ST,QL(90 per 30 days)
hydrocodone bitartrate 100 mg, 120 mg, 20 mg, 30 mg, 40 mg, 60 mg, 80 mg TABLET, ER 24 HR. DL	1	ST,QL(30 per 30 days)
hydrocodone bitartrate 50 mg CAPSULE, ER 12 HR. DL	1	ST,QL(120 per 30 days)
hydrocodone-acetaminophen 10-300 mg, 5-300 mg, 7.5-300 mg TABLET DL	1	QL(390 per 30 days)
hydrocodone-acetaminophen 10-300 mg/15 ml SOLUTION DL	4	QL(6000 per 30 days)
hydrocodone-acetaminophen 10-325 mg, 5-325 mg, 7.5-325 mg TABLET DL	1	QL(360 per 30 days)
hydrocodone-acetaminophen 10-325 mg/15 ml, 10-325 mg/15 ml(15 ml) SOLUTION DL	1	QL(2700 per 30 days)
hydrocodone-acetaminophen 2.5-325 mg TABLET DL	1	QL(360 per 30 days)
hydrocodone-acetaminophen 7.5-325 mg/15 ml SOLUTION DL	1	QL(5520 per 30 days)
hydrocodone-ibuprofen 10-200 mg, 5-200 mg, 7.5-200 mg TABLET DL	1	QL(150 per 30 days)
HYDROMORPHONE 0.25 MG/0.5 ML SYRINGE DL	1	BvsD
hydromorphone 0.5 mg/0.5 ml, 1 mg/ml SYRINGE DL	1	BvsD,QL(720 per 30 days)
hydromorphone 1 mg/ml LIQUID DL	1	QL(2400 per 30 days)
hydromorphone 1 mg/ml SOLUTION DL	1	BvsD,QL(720 per 30 days)
hydromorphone 12 mg TABLET, ER 24 HR. DL	1	ST,QL(180 per 30 days)
hydromorphone 16 mg TABLET, ER 24 HR. DL	1	ST,QL(120 per 30 days)
hydromorphone 2 mg, 4 mg TABLET DL	1	QL(360 per 30 days)
hydromorphone 2 mg/ml SOLUTION DL	1	BvsD,QL(360 per 30 days)
hydromorphone 2 mg/ml SYRINGE DL	1	BvsD,QL(360 per 30 days)
hydromorphone 32 mg TABLET, ER 24 HR. DL	1	ST,QL(60 per 30 days)
hydromorphone 4 mg/ml SYRINGE DL	1	BvsD,QL(180 per 30 days)
hydromorphone 8 mg TABLET DL	1	QL(240 per 30 days)
hydromorphone 8 mg TABLET, ER 24 HR. DL	1	ST,QL(240 per 30 days)
hydromorphone (pf) 0.2 mg/ml, 1 mg/ml, 2 mg/ml SYRINGE DL	1	BvsD
hydromorphone (pf) 1 mg/ml SOLUTION DL	1	BvsD,QL(720 per 30 days)
hydromorphone (pf) 10 mg/ml SOLUTION DL	1	BvsD,QL(144 per 30 days)
hydromorphone (pf) 4 mg/ml SOLUTION DL	1	BvsD,QL(180 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
HYSINGLA ER 100 MG, 120 MG, 20 MG, 30 MG, 40 MG, 60 MG, 80 MG TABLET, ER 24 HR. DL	3	ST,QL(30 per 30 days)
<i>ibu</i> 400 mg, 600 mg, 800 mg TABLET MO	1	
<i>ibuprofen</i> 100 mg/5 ml SUSPENSION MO	1	
<i>ibuprofen</i> 300 mg TABLET DL	4	ST
<i>ibuprofen</i> 400 mg TABLET MO	1	
<i>ibuprofen</i> 600 mg, 800 mg TABLET MO	1	
<i>ibuprofen-famotidine</i> 800-26.6 mg TABLET MO	1	PA,QL(90 per 30 days)
INDOCIN 25 MG/5 ML SUSPENSION DL	4	
INDOCIN 50 MG SUPPOSITORY	4	
<i>indomethacin</i> 25 mg, 50 mg CAPSULE MO	1	
<i>indomethacin</i> 25 mg/5 ml SUSPENSION DL	4	
<i>indomethacin</i> 50 mg SUPPOSITORY	4	
<i>indomethacin</i> 75 mg CAPSULE, ER MO	1	
<i>indomethacin</i> sodium 1 mg RECON SOLUTION MO	1	
INFUMORPH P/F 10 MG/ML SOLUTION DL	3	BvsD,QL(360 per 30 days)
INFUMORPH P/F 25 MG/ML SOLUTION DL	3	BvsD,QL(150 per 30 days)
<i>ketoprofen</i> 200 mg CAPSULE ER PELLETS 24 HR. MO	1	
<i>ketoprofen</i> 25 mg CAPSULE	4	
<i>ketoprofen</i> 50 mg, 75 mg CAPSULE MO	1	ST
<i>ketorolac</i> 10 mg TABLET MO	1	QL(20 per 30 days)
<i>ketorolac</i> 15 mg/ml, 30 mg/ml, 30 mg/ml (1 ml), 60 mg/2 ml SOLUTION MO	1	
<i>ketorolac</i> 15 mg/ml, 30 mg/ml, 60 mg/2 ml SYRINGE MO	1	
<i>ketorolac</i> 15.75 mg/spray SPRAY, NON-AEROSOL DL	4	PA,QL(5 per 30 days)
<i>kiprofen</i> 25 mg CAPSULE MO	1	ST
<i>levorphanol</i> tartrate 2 mg TABLET DL	4	ST,QL(240 per 30 days)
<i>levorphanol</i> tartrate 3 mg TABLET DL	4	ST,QL(150 per 30 days)
LICART 1.3 % PATCH, 24 HR. MO	3	PA,QL(30 per 30 days)
LODINE 400 MG TABLET MO	3	PA
<i>lofena</i> 25 mg TABLET DL	4	
<i>lurbipr</i> 100 mg TABLET MO	1	
<i>lurbiro</i> 100 mg TABLET DL	4	
<i>meclofenamate</i> 100 mg, 50 mg CAPSULE MO	1	
<i>mefenamic acid</i> 250 mg CAPSULE MO	1	
<i>meloxicam</i> 15 mg TABLET MO	1	QL(30 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
meloxicam 7.5 mg TABLET MO	1	QL(60 per 30 days)
meloxicam submicronized 10 mg, 5 mg CAPSULE MO	3	QL(30 per 30 days)
meperidine 50 mg TABLET DL	4	QL(480 per 30 days)
meperidine 50 mg/5 ml SOLUTION DL	1	QL(720 per 30 days)
meperidine (pf) 100 mg/ml SOLUTION DL	1	QL(360 per 30 days)
meperidine (pf) 25 mg/ml SOLUTION DL	1	QL(1440 per 30 days)
meperidine (pf) 50 mg/ml SOLUTION DL	1	QL(720 per 30 days)
methadone 10 mg TABLET DL	1	QL(240 per 30 days)
methadone 10 mg/5 ml SOLUTION DL	1	QL(1800 per 30 days)
methadone 10 mg/ml CONCENTRATE DL	1	QL(360 per 30 days)
methadone 10 mg/ml SOLUTION DL	1	QL(360 per 30 days)
methadone 5 mg TABLET DL	1	QL(480 per 30 days)
methadone 5 mg/5 ml SOLUTION DL	1	QL(3600 per 30 days)
methadone intensol 10 mg/ml CONCENTRATE DL	1	QL(360 per 30 days)
METHADOSE 10 MG/ML CONCENTRATE DL	3	QL(360 per 30 days)
mitigo (pf) 10 mg/ml SOLUTION DL	3	BvsD,QL(360 per 30 days)
mitigo (pf) 25 mg/ml SOLUTION DL	3	BvsD,QL(150 per 30 days)
morphine 10 mg, 100 mg, 20 mg, 30 mg, 50 mg, 60 mg, 80 mg CAPSULE ER PELLETS DL	1	ST,QL(60 per 30 days)
morphine 10 mg/5 ml SOLUTION DL	1	QL(2700 per 30 days)
morphine 10 mg/ml SOLUTION DL	1	BvsD,QL(360 per 30 days)
morphine 10 mg/ml SYRINGE DL	1	BvsD,QL(360 per 30 days)
morphine 100 mg TABLET ER DL	1	QL(180 per 30 days)
morphine 120 mg, 60 mg, 75 mg, 90 mg CAPSULE ER MULTIPHASE 24 HR. DL	1	ST,QL(60 per 30 days)
morphine 15 mg, 30 mg TABLET DL	1	QL(180 per 30 days)
morphine 15 mg, 30 mg, 60 mg TABLET ER DL	1	QL(120 per 30 days)
morphine 2 mg/ml SOLUTION DL	1	BvsD,QL(1800 per 30 days)
morphine 2 mg/ml SYRINGE DL	1	BvsD,QL(1800 per 30 days)
morphine 2 mg/ml, 4 mg/ml, 5 mg/ml SYRINGE DL	1	BvsD
morphine 20 mg/5 ml (4 mg/ml) SOLUTION DL	1	QL(1350 per 30 days)
morphine 200 mg TABLET ER DL	1	QL(90 per 30 days)
morphine 30 mg, 45 mg CAPSULE ER MULTIPHASE 24 HR. DL	1	ST,QL(30 per 30 days)
morphine 4 mg/ml SOLUTION DL	1	BvsD,QL(900 per 30 days)
morphine 4 mg/ml SYRINGE DL	1	BvsD,QL(900 per 30 days)
morphine 5 mg/ml SOLUTION DL	1	BvsD,QL(720 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
morphine 8 mg/ml SOLUTION DL	1	BvsD,QL(450 per 30 days)
morphine 8 mg/ml SYRINGE DL	1	BvsD,QL(450 per 30 days)
morphine (pf) 0.5 mg/ml SOLUTION DL	1	BvsD,QL(7200 per 30 days)
morphine (pf) 1 mg/ml SOLUTION DL	1	BvsD,QL(3600 per 30 days)
morphine (pf) 30 mg/30 ml (1 mg/ml) PATIENT CONTROL ANALGESIA SOLN DL	1	BvsD,QL(3600 per 30 days)
morphine concentrate 100 mg/5 ml (20 mg/ml) SOLUTION DL	1	QL(540 per 30 days)
MS CONTIN 100 MG TABLET ER DL	3	PA,QL(180 per 30 days)
MS CONTIN 15 MG, 30 MG, 60 MG TABLET ER DL	3	PA,QL(120 per 30 days)
MS CONTIN 200 MG TABLET ER DL	3	PA,QL(90 per 30 days)
nabumetone 500 mg, 750 mg TABLET MO	1	
nalbuphine 10 mg/ml SOLUTION DL	1	QL(240 per 30 days)
nalbuphine 20 mg/ml SOLUTION DL	1	QL(120 per 30 days)
NALFON 600 MG TABLET MO	1	ST
nalocet 2.5-300 mg TABLET DL	4	PA,QL(360 per 30 days)
NAPRELAN CR 375 MG TABLET, ER 24 HR., MULTIPHASE MO	2	ST,QL(120 per 30 days)
NAPRELAN CR 500 MG TABLET, ER 24 HR., MULTIPHASE MO	2	ST,QL(90 per 30 days)
NAPRELAN CR 750 MG TABLET, ER 24 HR., MULTIPHASE MO	2	ST,QL(60 per 30 days)
NAPROSYN 125 MG/5 ML SUSPENSION DL	4	PA
naproxen 125 mg/5 ml SUSPENSION MO	1	
naproxen 250 mg, 375 mg TABLET MO	1	
naproxen 375 mg, 500 mg TABLET, DR/EC MO	1	
naproxen 500 mg TABLET MO	1	
naproxen sodium 275 mg, 550 mg TABLET MO	1	
naproxen sodium 375 mg TABLET, ER 24 HR., MULTIPHASE MO	1	ST,QL(120 per 30 days)
naproxen sodium 500 mg TABLET, ER 24 HR., MULTIPHASE MO	1	ST,QL(90 per 30 days)
naproxen sodium 750 mg TABLET, ER 24 HR., MULTIPHASE MO	1	ST,QL(60 per 30 days)
naproxen-esomeprazole 375-20 mg, 500-20 mg TABLET, IR, DR, BIPHASIC DL	4	PA,QL(60 per 30 days)
NUCYNTA 100 MG, 50 MG, 75 MG TABLET DL	4	ST,QL(180 per 30 days)
NUCYNTA ER 100 MG, 150 MG, 200 MG, 250 MG TABLET, ER 12 HR. DL	4	ST,QL(60 per 30 days)
NUCYNTA ER 50 MG TABLET, ER 12 HR. DL	3	ST,QL(60 per 30 days)
oxaprozin 600 mg TABLET MO	1	
OXAYDO 5 MG, 7.5 MG TABLET, ORAL ONLY DL	4	PA,QL(360 per 30 days)
oxycodone 10 mg, 20 mg, 40 mg TABLET, ER 12 HR. DL	3	ST,QL(90 per 30 days)
oxycodone 10 mg, 5 mg TABLET DL	1	QL(360 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
oxycodone 10 mg, 5 mg TABLET, ORAL ONLY DL	4	PA,QL(360 per 30 days)
oxycodone 15 mg, 20 mg, 30 mg TABLET DL	1	QL(360 per 30 days)
oxycodone 15 mg, 30 mg TABLET, ORAL ONLY DL	4	PA,QL(180 per 30 days)
oxycodone 20 mg/ml CONCENTRATE DL	1	QL(270 per 30 days)
oxycodone 5 mg CAPSULE DL	1	QL(360 per 30 days)
oxycodone 5 mg/5 ml SOLUTION DL	1	QL(5400 per 30 days)
oxycodone 80 mg TABLET, ER 12 HR. DL	3	ST,QL(120 per 30 days)
oxycodone-acetaminophen 10-300 mg, 5-300 mg, 7.5-300 mg TABLET DL	4	PA,QL(390 per 30 days)
oxycodone-acetaminophen 10-300 mg/5 ml SOLUTION DL	4	PA,QL(900 per 30 days)
oxycodone-acetaminophen 10-325 mg, 5-325 mg, 7.5-325 mg TABLET DL	1	QL(360 per 30 days)
oxycodone-acetaminophen 2.5-300 mg TABLET DL	4	PA,QL(360 per 30 days)
oxycodone-acetaminophen 2.5-325 mg TABLET DL	1	QL(360 per 30 days)
oxycodone-acetaminophen 5-325 mg/5 ml SOLUTION DL	1	QL(1800 per 30 days)
OXYCONTIN 10 MG, 15 MG, 20 MG, 30 MG, 40 MG, 60 MG TABLET, ER 12 HR. DL	3	ST,QL(90 per 30 days)
OXYCONTIN 80 MG TABLET, ER 12 HR. DL	3	ST,QL(120 per 30 days)
oxymorphone 10 mg, 15 mg, 20 mg, 30 mg, 5 mg, 7.5 mg TABLET, ER 12 HR. DL	1	ST,QL(60 per 30 days)
oxymorphone 10 mg, 5 mg TABLET DL	1	QL(360 per 30 days)
oxymorphone 40 mg TABLET, ER 12 HR. DL	4	ST,QL(60 per 30 days)
PENNSAID 2 % SOLUTION IN PACKET DL	4	PA
PENNSAID 20 MG/GRAM /ACTUATION(2 %) SOLUTION IN METERED DOSE PUMP DL	4	PA,QL(224 per 28 days)
pentazocine-naloxone 50-0.5 mg TABLET DL	1	QL(360 per 30 days)
PERCOCET 10-325 MG, 5-325 MG, 7.5-325 MG TABLET DL	4	PA,QL(360 per 30 days)
PERCOCET 2.5-325 MG TABLET DL	1	PA,QL(360 per 30 days)
piroxicam 10 mg, 20 mg CAPSULE MO	1	
primlev 10-300 mg, 5-300 mg, 7.5-300 mg TABLET DL	4	PA,QL(390 per 30 days)
prolate 10-300 mg, 5-300 mg, 7.5-300 mg TABLET DL	4	PA,QL(390 per 30 days)
PROLATE 10-300 MG/5 ML SOLUTION DL	4	PA,QL(900 per 30 days)
QDOLO 5 MG/ML SOLUTION DL	4	QL(2400 per 30 days)
RELAFEN DS 1,000 MG TABLET DL	4	ST,QL(60 per 30 days)
ROXICODONE 15 MG TABLET DL	3	PA,QL(360 per 30 days)
ROXICODONE 30 MG TABLET DL	4	PA,QL(360 per 30 days)
ROXYBOND 10 MG, 5 MG TABLET, ORAL ONLY DL	4	PA,QL(360 per 30 days)
ROXYBOND 15 MG, 30 MG TABLET, ORAL ONLY DL	4	PA,QL(180 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
SEGLENTIS 44-56 MG TABLET DL	3	PA,QL(120 per 30 days)
SPRIX 15.75 MG/SPRAY SPRAY, NON-AEROSOL DL	4	PA,QL(5 per 30 days)
sulindac 150 mg, 200 mg TABLET MO	1	
tolectin 600 600 mg TABLET	4	
tolmetin 400 mg CAPSULE	4	
tolmetin 600 mg TABLET MO	1	
tramadol 100 mg TABLET DL	1	QL(120 per 30 days)
tramadol 100 mg, 200 mg, 300 mg CAPSULE, ER, BIPHASIC DL	1	ST,QL(30 per 30 days)
tramadol 100 mg, 200 mg, 300 mg TABLET, ER 24 HR. DL	1	ST,QL(30 per 30 days)
tramadol 100 mg, 200 mg, 300 mg TABLET, ER 24 HR., MULTIPHASE DL	1	ST,QL(30 per 30 days)
tramadol 25 mg TABLET DL	1	QL(180 per 30 days)
tramadol 5 mg/ml SOLUTION DL	3	QL(2400 per 30 days)
tramadol 50 mg TABLET DL	1	QL(240 per 30 days)
tramadol 75 mg TABLET DL	1	QL(150 per 30 days)
tramadol-acetaminophen 37.5-325 mg TABLET DL	1	QL(240 per 30 days)
TREZIX 320.5-30-16 MG CAPSULE DL	1	QL(300 per 30 days)
VIMOVO 375-20 MG, 500-20 MG TABLET, IR, DR, BIPHASIC DL	4	PA,QL(60 per 30 days)
VIVLODEX 10 MG, 5 MG CAPSULE MO	3	QL(30 per 30 days)
XIFYRM 30 MG/ML SOLUTION MO	3	
XTAMPZA ER 13.5 MG, 18 MG, 27 MG, 36 MG, 9 MG CAPSULE ER SPRINKLE 12 HR. DL	3	ST,QL(60 per 30 days)
ZIPSOR 25 MG CAPSULE DL	4	ST,QL(120 per 30 days)
ZORVOLEX 18 MG, 35 MG CAPSULE MO	3	ST,QL(90 per 30 days)
ANESTHETICS		
bupivacaine (pf) 0.25 % (2.5 mg/ml), 0.5 % (5 mg/ml), 0.75 % (7.5 mg/ml) SOLUTION MO	1	
bupivacaine hcl 0.25 % (2.5 mg/ml), 0.5 % (5 mg/ml) SOLUTION MO	1	
bupivacaine liposome (pf) 1.3 % (13.3 mg/ml) SUSPENSION MO	1	
bupivacaine-dextrose-water(pf) 0.75 % (7.5 mg/ml) SOLUTION MO	1	
bupivacaine-epinephrine 0.25 %-1:200,000, 0.5 %-1:200,000 SOLUTION MO	1	
bupivacaine-epinephrine (pf) 0.25 %-1:200,000, 0.5 %-1:200,000 SOLUTION MO	1	
CARBOCAINE WITH NEO-COBEFRIN 2 % -1:20,000 CARTRIDGE MO	1	
chloroprocaine (pf) 20 mg/ml (2 %), 30 mg/ml (3 %) SOLUTION MO	1	
CLOROTEKAL (PF) 10 MG/ML (1 %) SOLUTION MO	3	
dermacinrx lidocan 5 % ADHESIVE PATCH, MEDICATED MO	1	PA,QL(90 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
EXPAREL (PF) 1.3 % (13.3 MG/ML) SUSPENSION MO	3	
glydo 2 % JELLY IN APPLICATOR MO	1	
lidocaine 5 % ADHESIVE PATCH, MEDICATED MO	1	PA,QL(90 per 30 days)
lidocaine 5 % OINTMENT MO	1	PA
lidocaine (pf) 10 mg/ml (1 %), 15 mg/ml (1.5 %), 20 mg/ml (2 %), 40 mg/ml (4 %), 5 mg/ml (0.5 %) SOLUTION MO	1	
lidocaine hcl 10 mg/ml (1 %), 2 %, 20 mg/ml (2 %), 4 %, 4 % (40 mg/ml), 5 mg/ml (0.5 %) SOLUTION MO	1	
lidocaine hcl 2 % JELLY MO	1	
lidocaine hcl 2 % JELLY IN APPLICATOR MO	1	
lidocaine viscous 2 % SOLUTION MO	1	
lidocaine-epinephrine 0.5 %-1:200,000, 1 %-1:100,000, 2 %-1:100,000 SOLUTION MO	1	
lidocaine-epinephrine bit 2 %-1:100,000, 2 %-1:50,000 CARTRIDGE MO	1	
lidocaine-prilocaine 2.5-2.5 % CREAM MO	1	
lidocan iii 5 % ADHESIVE PATCH, MEDICATED MO	1	PA,QL(90 per 30 days)
lidocan iv 5 % ADHESIVE PATCH, MEDICATED MO	1	PA,QL(90 per 30 days)
lidocan v 5 % ADHESIVE PATCH, MEDICATED MO	1	PA,QL(90 per 30 days)
LIDODERM 5 % ADHESIVE PATCH, MEDICATED MO	3	PA,QL(90 per 30 days)
lignospan standard 2 %-1:100,000 CARTRIDGE MO	1	
MARCAINE 0.25 % (2.5 MG/ML), 0.5 % (5 MG/ML) SOLUTION MO	3	
MARCAINE (PF) 0.25 % (2.5 MG/ML), 0.5 % (5 MG/ML), 0.75 % (7.5 MG/ML) SOLUTION MO	3	
MARCAINE SPINAL (PF) 0.75 % (7.5 MG/ML) SOLUTION MO	3	
MARCAINE-EPINEPHRINE 0.25 %-1:200,000, 0.5 %-1:200,000 SOLUTION MO	3	
marcaine-epinephrine 0.5 %-1:200,000 CARTRIDGE MO	1	
MARCAINE-EPINEPHRINE (PF) 0.25 %-1:200,000, 0.5 %-1:200,000 SOLUTION MO	3	
NAROPIN (PF) 10 MG/ML (1 %), 2 MG/ML (0.2 %), 5 MG/ML (0.5 %), 7.5 MG/ML (0.75 %) SOLUTION MO	3	
NESACAIN 10 MG/ML (1 %), 20 MG/ML (2 %) SOLUTION MO	3	
NESACAIN-MPF 20 MG/ML (2 %), 30 MG/ML (3 %) SOLUTION MO	3	
PLIAGLIS 7-7 % CREAM MO	3	
polocaine 1 % (10 mg/ml), 2 % SOLUTION MO	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
polocaine-mpf 10 mg/ml (1 %), 15 mg/ml (1.5 %), 20 mg/ml (2 %) SOLUTION MO	1	
ropivacaine (pf) 10 mg/ml (1 %), 2 mg/ml (0.2 %), 5 mg/ml (0.5 %), 7.5 mg/ml (0.75 %) SOLUTION MO	1	
SENSORCAINE 0.25 % (2.5 MG/ML), 0.5 % (5 MG/ML) SOLUTION MO	1	
sensorcaine-epinephrine 0.25 %-1:200,000, 0.5 %-1:200,000 SOLUTION MO	1	
SENSORCAINE-MPF 0.25 % (2.5 MG/ML), 0.5 % (5 MG/ML), 0.75 % (7.5 MG/ML) SOLUTION MO	1	
sensorcaine-mpf 0.25 % (2.5 mg/ml), 0.5 % (5 mg/ml), 0.75 % (7.5 mg/ml) SOLUTION MO	1	
sensorcaine-mpf spinal 0.75 % (7.5 mg/ml) SOLUTION MO	1	
sensorcaine-mpf/epinephrine 0.25 %-1:200,000 SOLUTION MO	1	
SENSORCAINE-MPF/EPINEPHRINE 0.5 %-1:200,000, 0.75 %-1:200,000 SOLUTION MO	1	
vivacaine 0.5 %-1:200,000 CARTRIDGE MO	1	
ZTLIDO 1.8 % ADHESIVE PATCH, MEDICATED MO	3	PA,QL(90 per 30 days)
ANTI-ADDICTION/SUBSTANCE ABUSE TREATMENT AGENTS		
acamprosate 333 mg TABLET, DR/EC MO	1	
buprenorphine hcl 2 mg, 8 mg SUBLINGUAL TABLET MO	1	QL(120 per 30 days)
buprenorphine-naloxone 12-3 mg, 2-0.5 mg, 4-1 mg, 8-2 mg FILM MO	1	
buprenorphine-naloxone 2-0.5 mg, 8-2 mg SUBLINGUAL TABLET MO	1	
bupropion hcl (smoking deter) 150 mg TABLET, ER 12 HR. MO	1	QL(90 per 30 days)
CHANTIX 0.5 MG, 1 MG TABLET MO	3	PA,QL(56 per 28 days)
CHANTIX CONTINUING MONTH BOX 1 MG TABLET MO	3	PA,QL(56 per 28 days)
CHANTIX STARTING MONTH BOX 0.5 MG (11)- 1 MG (42) TABLET, DOSE PACK MO	3	PA,QL(53 per 28 days)
disulfiram 250 mg, 500 mg TABLET MO	1	
KLOXXADO 8 MG/ACTUATION SPRAY, NON-AEROSOL MO	2	
lofexidine 0.18 mg TABLET DL	4	PA,QL(224 per 365 days)
LUCEMYRA 0.18 MG TABLET DL	4	PA,QL(224 per 365 days)
nalmefene 1 mg/ml SOLUTION MO	1	
naloxone 0.4 mg/ml SOLUTION MO	1	
naloxone 0.4 mg/ml, 1 mg/ml SYRINGE MO	1	
naltrexone 50 mg TABLET MO	1	
NARCAN 4 MG/ACTUATION SPRAY, NON-AEROSOL MO	3	PA

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
NICOTROL 10 MG CARTRIDGE MO	3	
NICOTROL NS 10 MG/ML SPRAY, NON-AEROSOL MO	3	
OPVEE 2.7 MG/ACTUATION SPRAY, NON-AEROSOL MO	2	
SUBOXONE 12-3 MG, 2-0.5 MG, 4-1 MG, 8-2 MG FILM MO	3	PA
varenicline tartrate 0.5 mg (11)- 1 mg (42) TABLET, DOSE PACK MO	1	QL(53 per 28 days)
varenicline tartrate 0.5 mg, 1 mg TABLET MO	1	QL(56 per 28 days)
VIVITROL 380 MG SUSPENSION, ER, RECON DL	4	QL(1 per 28 days)
ZIMHI 5 MG/0.5 ML SYRINGE MO	3	PA
ZUBSOLV 0.7-0.18 MG, 1.4-0.36 MG, 11.4-2.9 MG, 2.9-0.71 MG, 5.7-1.4 MG, 8.6-2.1 MG SUBLINGUAL TABLET MO	1	
ANTIBACTERIALS		
acetic acid 2 % SOLUTION MO	1	
ACTICLATE 150 MG TABLET DL	4	ST,QL(30 per 30 days)
ACTICLATE 75 MG TABLET DL	4	ST,QL(60 per 30 days)
amikacin 1,000 mg/4 ml, 500 mg/2 ml SOLUTION MO	1	
amoxicillin 125 mg, 250 mg CHEWABLE TABLET MO	1	
amoxicillin 125 mg/5 ml, 200 mg/5 ml, 250 mg/5 ml, 400 mg/5 ml SUSPENSION FOR RECONSTITUTION MO	1	
amoxicillin 250 mg CAPSULE MO	1	
amoxicillin 500 mg CAPSULE MO	1	
amoxicillin 500 mg TABLET MO	1	
amoxicillin 875 mg TABLET MO	1	
amoxicillin-pot clavulanate 1,000-62.5 mg TABLET, ER 12 HR. MO	1	
amoxicillin-pot clavulanate 200-28.5 mg, 400-57 mg CHEWABLE TABLET MO	1	
amoxicillin-pot clavulanate 200-28.5 mg/5 ml, 250-62.5 mg/5 ml, 400-57 mg/5 ml, 600-42.9 mg/5 ml SUSPENSION FOR RECONSTITUTION MO	1	
amoxicillin-pot clavulanate 250-125 mg, 500-125 mg TABLET MO	1	
amoxicillin-pot clavulanate 875-125 mg TABLET MO	1	
ampicillin 500 mg CAPSULE MO	1	
ampicillin sodium 1 gram, 10 gram, 125 mg, 2 gram, 250 mg, 500 mg RECON SOLUTION MO	1	
ampicillin-sulbactam 1.5 gram, 15 gram, 3 gram RECON SOLUTION MO	1	
ARIKAYCE 590 MG/8.4 ML SUSPENSION FOR NEBULIZATION DL	4	PA,QL(235.2 per 28 days)
AUGMENTIN 125-31.25 MG/5 ML, 250-62.5 MG/5 ML SUSPENSION FOR RECONSTITUTION DL	4	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
AUGMENTIN 500-125 MG TABLET MO	3	PA
AUGMENTIN ES-600 600-42.9 MG/5 ML SUSPENSION FOR RECONSTITUTION MO	3	
AUGMENTIN XR 1,000-62.5 MG TABLET, ER 12 HR. MO	3	
AVELOX IN NACL (ISO-OSMOTIC) 400 MG/250 ML PIGGYBACK MO	3	PA
avidoxy 100 mg TABLET MO	1	ST
AVYCAZ 2.5 GRAM RECON SOLUTION DL	4	
AZACTAM 1 GRAM, 2 GRAM RECON SOLUTION MO	3	PA
azithromycin 1 gram PACKET MO	1	
azithromycin 100 mg/5 ml, 200 mg/5 ml SUSPENSION FOR RECONSTITUTION MO	1	
azithromycin 250 mg TABLET MO	1	
azithromycin 500 mg RECON SOLUTION MO	1	
azithromycin 500 mg, 600 mg TABLET MO	1	
aztreonam 1 gram, 2 gram RECON SOLUTION MO	1	
bacitracin 50,000 unit RECON SOLUTION MO	1	
BACTRIM 400-80 MG TABLET MO	3	
BACTRIM DS 800-160 MG TABLET MO	3	
BAXDELA 300 MG RECON SOLUTION DL	4	QL(28 per 14 days)
BAXDELA 450 MG TABLET DL	4	QL(28 per 14 days)
BETHKIS 300 MG/4 ML SOLUTION FOR NEBULIZATION DL	4	PA
BICILLIN C-R 1,200,000 UNIT/ 2 ML(600K/600K), 1,200,000 UNIT/ 2 ML(900K/300K) SYRINGE MO	3	
BICILLIN L-A 1,200,000 UNIT/2 ML, 2,400,000 UNIT/4 ML, 600,000 UNIT/ML SYRINGE MO	3	
cefaclor 125 mg/5 ml, 250 mg/5 ml, 375 mg/5 ml SUSPENSION FOR RECONSTITUTION MO	1	
cefaclor 250 mg, 500 mg CAPSULE MO	1	
cefaclor 500 mg TABLET, ER 12 HR. MO	1	
cefadroxil 1 gram TABLET MO	1	
cefadroxil 250 mg/5 ml, 500 mg/5 ml SUSPENSION FOR RECONSTITUTION MO	1	
cefadroxil 500 mg CAPSULE MO	1	
cefazolin 1 gram, 10 gram, 2 gram, 3 gram, 500 mg RECON SOLUTION MO	1	
CEFAZOLIN 2 GRAM, 3 GRAM RECON SOLUTION MO	1	
cefazolin in dextrose (iso-os) 1 gram/50 ml, 2 gram/100 ml, 2 gram/50 ml, 3 gram/50 ml PIGGYBACK MO	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
CEFAZOLIN IN DEXTROSE (ISO-OS) 3 GRAM/150 ML PIGGYBACK MO	1	
cefdirir 125 mg/5 ml, 250 mg/5 ml SUSPENSION FOR RECONSTITUTION MO	1	
cefdirir 300 mg CAPSULE MO	1	
cefepime 1 gram, 2 gram RECON SOLUTION MO	1	
cefepime in dextrose 5 % 1 gram/50 ml, 2 gram/50 ml PIGGYBACK MO	1	
cefepime in dextrose,iso-osm 1 gram/50 ml, 2 gram/100 ml PIGGYBACK MO	3	
cefixime 100 mg/5 ml, 200 mg/5 ml SUSPENSION FOR RECONSTITUTION MO	1	
cefixime 400 mg CAPSULE MO	1	
cefotetan 1 gram, 10 gram, 2 gram RECON SOLUTION MO	1	
cefoxitin 1 gram, 10 gram, 2 gram RECON SOLUTION MO	1	
cefoxitin in dextrose, iso-osm 1 gram/50 ml, 2 gram/50 ml PIGGYBACK MO	1	
cefpodoxime 100 mg, 200 mg TABLET MO	1	
cefpodoxime 100 mg/5 ml, 50 mg/5 ml SUSPENSION FOR RECONSTITUTION MO	1	
cefprozil 125 mg/5 ml, 250 mg/5 ml SUSPENSION FOR RECONSTITUTION MO	1	
cefprozil 250 mg, 500 mg TABLET MO	1	
ceftazidime 1 gram, 2 gram, 6 gram RECON SOLUTION MO	1	
ceftriaxone 1 gram, 10 gram, 100 gram, 2 gram, 250 mg, 500 mg RECON SOLUTION MO	1	
ceftriaxone in dextrose,iso-os 1 gram/50 ml, 2 gram/50 ml PIGGYBACK MO	1	
cefuroxime axetil 250 mg, 500 mg TABLET MO	1	
cefuroxime sodium 1.5 gram, 7.5 gram, 750 mg RECON SOLUTION MO	1	
cephalexin 125 mg/5 ml, 250 mg/5 ml SUSPENSION FOR RECONSTITUTION MO	1	
cephalexin 250 mg, 500 mg TABLET MO	1	
cephalexin 250 mg, 750 mg CAPSULE MO	1	
cephalexin 500 mg CAPSULE MO	1	
chloramphenicol sod succinate 1 gram RECON SOLUTION MO	1	
CIPRO 250 MG, 500 MG TABLET MO	3	
CIPRO 250 MG/5 ML, 500 MG/5 ML SUSPENSION, MICROCAPSULE RECON MO	3	
ciprofloxacin 250 mg/5 ml, 500 mg/5 ml SUSPENSION, MICROCAPSULE RECON MO	1	
ciprofloxacin hcl 100 mg, 250 mg, 750 mg TABLET MO	1	
ciprofloxacin hcl 500 mg TABLET MO	1	
ciprofloxacin in 5 % dextrose 200 mg/100 ml, 400 mg/200 ml PIGGYBACK MO	1	
CLAFORAN 1 GRAM, 10 GRAM, 2 GRAM RECON SOLUTION MO	3	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
clarithromycin 125 mg/5 ml, 250 mg/5 ml SUSPENSION FOR RECONSTITUTION MO	1	
clarithromycin 250 mg, 500 mg TABLET MO	1	
clarithromycin 500 mg TABLET, ER 24 HR. MO	1	
CLEOCIN 100 MG SUPPOSITORY MO	3	
CLEOCIN 150 MG/ML SOLUTION MO	1	
CLEOCIN 2 % CREAM MO	3	PA
CLEOCIN HCL 150 MG, 300 MG, 75 MG CAPSULE MO	3	
CLEOCIN PEDIATRIC 75 MG/5 ML RECON SOLUTION MO	1	
clindamycin hcl 150 mg, 300 mg, 75 mg CAPSULE MO	1	
clindamycin in 0.9 % sod chlor 300 mg/50 ml, 600 mg/50 ml, 900 mg/50 ml PIGGYBACK MO	1	
clindamycin in 5 % dextrose 300 mg/50 ml, 600 mg/50 ml, 900 mg/50 ml PIGGYBACK MO	1	
clindamycin palmitate hcl 75 mg/5 ml RECON SOLUTION MO	1	
clindamycin pediatric 75 mg/5 ml RECON SOLUTION MO	1	
clindamycin phosphate 150 mg/ml SOLUTION MO	1	
clindamycin phosphate 2 % CREAM MO	1	
CLINDESSE 2 % CREAM, ER MO	3	
colistin (colistimethate na) 150 mg RECON SOLUTION MO	1	
COLY-MYCIN M PARENTERAL 150 MG RECON SOLUTION DL	4	
CUBICIN RF 500 MG RECON SOLUTION DL	4	
DALVANCE 500 MG SOLUTION DL	4	QL(4 per 28 days)
daptomycin 350 mg RECON SOLUTION MO	1	
daptomycin 500 mg RECON SOLUTION DL	4	
daptomycin in 0.9 % sod chlor 1,000 mg/100 ml, 350 mg/50 ml, 500 mg/50 ml, 700 mg/100 ml PIGGYBACK MO	3	
demeclocycline 150 mg TABLET MO	1	QL(240 per 30 days)
demeclocycline 300 mg TABLET MO	1	QL(120 per 30 days)
dicloxacillin 250 mg, 500 mg CAPSULE MO	1	
DIFICID 200 MG TABLET DL	4	
DIFICID 40 MG/ML SUSPENSION FOR RECONSTITUTION DL	4	
DORYX 200 MG TABLET, DR/EC MO	3	ST,QL(30 per 30 days)
DORYX 50 MG TABLET, DR/EC MO	3	ST,QL(60 per 30 days)
DORYX 80 MG TABLET, DR/EC DL	4	ST,QL(60 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
DORYX MPC 120 MG TABLET, DR/EC MO	3	ST,QL(60 per 30 days)
DORYX MPC 60 MG TABLET, DR/EC DL	4	ST,QL(60 per 30 days)
doxy-100 100 mg RECON SOLUTION MO	1	
doxycycline hyclate 100 mg CAPSULE MO	1	
doxycycline hyclate 100 mg RECON SOLUTION MO	1	
doxycycline hyclate 100 mg TABLET MO	1	
doxycycline hyclate 100 mg TABLET, DR/EC MO	1	ST,QL(90 per 30 days)
doxycycline hyclate 150 mg TABLET MO	1	ST,QL(30 per 30 days)
doxycycline hyclate 150 mg, 50 mg, 75 mg TABLET, DR/EC MO	1	ST,QL(60 per 30 days)
doxycycline hyclate 20 mg TABLET MO	1	
doxycycline hyclate 200 mg TABLET, DR/EC MO	1	ST,QL(30 per 30 days)
doxycycline hyclate 50 mg CAPSULE MO	1	
doxycycline hyclate 50 mg TABLET MO	1	ST,QL(180 per 30 days)
doxycycline hyclate 75 mg TABLET MO	1	ST,QL(60 per 30 days)
doxycycline hyclate 80 mg TABLET, DR/EC MO	3	ST,QL(60 per 30 days)
doxycycline monohydrate 100 mg, 150 mg, 50 mg, 75 mg TABLET MO	1	
doxycycline monohydrate 100 mg, 50 mg CAPSULE MO	1	
doxycycline monohydrate 150 mg CAPSULE MO	1	QL(30 per 30 days)
doxycycline monohydrate 25 mg/5 ml SUSPENSION FOR RECONSTITUTION MO	1	
doxycycline monohydrate 40 mg CAPSULE, IR/DR, BIPHASIC MO	1	ST,QL(30 per 30 days)
doxycycline monohydrate 75 mg CAPSULE MO	1	QL(60 per 30 days)
E.E.S. 400 400 MG TABLET MO	1	
E.E.S. GRANULES 200 MG/5 ML SUSPENSION FOR RECONSTITUTION MO	3	
EMBLAVEO 2 GRAM RECON SOLUTION DL	4	
EMROSI 40 MG CAPSULE, IR/ER, BIPHASIC DL	4	PA,QL(30 per 30 days)
ertapenem 1 gram RECON SOLUTION MO	1	
ERY-TAB 250 MG, 333 MG, 500 MG TABLET, DR/EC MO	1	
ERYPED 200 200 MG/5 ML SUSPENSION FOR RECONSTITUTION MO	3	
ERYPED 400 400 MG/5 ML SUSPENSION FOR RECONSTITUTION DL	4	
ERYTHROCIN 500 MG RECON SOLUTION MO	1	
ERYTHROCIN (AS STEARATE) 250 MG TABLET MO	1	
erythromycin 250 mg CAPSULE, DR/EC MO	1	
erythromycin 250 mg, 333 mg, 500 mg TABLET, DR/EC MO	1	
erythromycin 250 mg, 500 mg TABLET MO	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
erythromycin ethylsuccinate 200 mg/5 ml, 400 mg/5 ml SUSPENSION FOR RECONSTITUTION MO	1	
erythromycin ethylsuccinate 400 mg TABLET MO	1	
erythromycin lactobionate 500 mg RECON SOLUTION DL	4	
FETROJA 1 GRAM RECON SOLUTION DL	4	QL(84 per 14 days)
fidaxomicin 200 mg TABLET DL	4	
FIRVANQ 25 MG/ML, 50 MG/ML RECON SOLUTION MO	3	
FLAGYL 375 MG CAPSULE MO	3	QL(320 per 30 days)
fosfomycin tromethamine 3 gram PACKET MO	1	
FURADANTIN 25 MG/5 ML SUSPENSION MO	3	
gentamicin 0.1 % CREAM MO	1	
gentamicin 0.1 % OINTMENT MO	1	
gentamicin 40 mg/ml SOLUTION MO	1	
gentamicin in nacl (iso-osm) 100 mg/100 ml, 100 mg/50 ml, 120 mg/100 ml, 60 mg/50 ml, 80 mg/100 ml, 80 mg/50 ml PIGGYBACK MO	1	
gentamicin sulfate (ped) (pf) 20 mg/2 ml SOLUTION MO	1	
HIPREX 1 GRAM TABLET MO	3	PA
HUMATIN 250 MG CAPSULE DL	4	
imipenem-cilastatin 250 mg, 500 mg RECON SOLUTION MO	1	
KIMYRSA 1,200 MG RECON SOLUTION DL	4	QL(1 per 30 days)
KITABIS PAK 300 MG/5 ML SOLUTION FOR NEBULIZATION DL	4	PA
KLARON 10 % SUSPENSION MO	3	QL(118 per 30 days)
levofloxacin 25 mg/ml, 250 mg/10 ml SOLUTION MO	1	
levofloxacin 250 mg, 750 mg TABLET MO	1	
levofloxacin 500 mg TABLET MO	1	
levofloxacin in d5w 250 mg/50 ml, 500 mg/100 ml, 750 mg/150 ml PIGGYBACK MO	1	
LINCOCIN 300 MG/ML SOLUTION MO	3	
lincomycin 300 mg/ml SOLUTION MO	1	
linezolid 100 mg/5 ml SUSPENSION FOR RECONSTITUTION DL	4	QL(1800 per 30 days)
linezolid 600 mg TABLET MO	1	QL(60 per 30 days)
linezolid in dextrose 5% 600 mg/300 ml PIGGYBACK MO	1	
linezolid-0.9% sodium chloride 600 mg/300 ml PARENTERAL SOLUTION MO	1	
MACROBID 100 MG CAPSULE MO	3	
MACRODANTIN 100 MG, 25 MG, 50 MG CAPSULE MO	3	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
meropenem 1 gram, 500 mg RECON SOLUTION MO	1	
meropenem-0.9% sodium chloride 1 gram/50 ml, 500 mg/50 ml PIGGYBACK MO	1	
methenamine hippurate 1 gram TABLET MO	1	
METRO I.V. 500 MG/100 ML PIGGYBACK MO	3	
METROCREAM 0.75 % CREAM MO	3	PA
METROGEL 1 % GEL MO	3	ST
METROLOTION 0.75 % LOTION MO	3	PA
metronidazole 0.75 % CREAM MO	1	
metronidazole 0.75 % LOTION MO	1	
metronidazole 0.75 %, 0.75 % (37.5mg/5 gram), 1 %, 1.3 % (65 mg/5 gram) GEL MO	1	
metronidazole 1 % GEL WITH PUMP MO	1	
metronidazole 125 mg, 250 mg, 500 mg TABLET MO	1	
metronidazole 375 mg CAPSULE MO	1	QL(320 per 30 days)
metronidazole in nacl (iso-os) 500 mg/100 ml PIGGYBACK MO	1	
MINOCIN 100 MG RECON SOLUTION DL	4	PA
minocycline 100 mg, 50 mg, 75 mg CAPSULE MO	1	
minocycline 100 mg, 50 mg, 75 mg TABLET MO	1	
minocycline 105 mg, 115 mg, 135 mg, 45 mg, 55 mg, 65 mg, 80 mg, 90 mg TABLET, ER 24 HR. MO	1	ST,QL(30 per 30 days)
mondoxylene nl 100 mg CAPSULE MO	1	
mondoxylene nl 75 mg CAPSULE MO	1	ST,QL(60 per 30 days)
morgidox 50 mg CAPSULE MO	1	ST
moxifloxacin 400 mg TABLET MO	1	
moxifloxacin-sod.ace,sul-water 400 mg/250 ml PIGGYBACK MO	1	
moxifloxacin-sod.chloride(iso) 400 mg/250 ml PIGGYBACK MO	1	
nafcillin 1 gram, 10 gram, 2 gram RECON SOLUTION MO	1	
nafcillin in dextrose iso-osm 1 gram/50 ml, 2 gram/100 ml PIGGYBACK DL	4	
neomycin 500 mg TABLET MO	1	
nitrofurantoin 25 mg/5 ml, 50 mg/5 ml SUSPENSION DL	4	
nitrofurantoin macrocrystal 100 mg, 25 mg, 50 mg CAPSULE MO	1	
nitrofurantoin monohyd/m-cryst 100 mg CAPSULE MO	1	
NORITATE 1 % CREAM DL	4	ST,QL(60 per 30 days)
NUZYRA 100 MG RECON SOLUTION DL	4	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
NUZYRA 150 MG TABLET DL	4	QL(30 per 14 days)
ofloxacin 300 mg, 400 mg TABLET MO	1	
ORACEA 40 MG CAPSULE, IR/DR, BIPHASIC MO	3	ST,QL(30 per 30 days)
ORBACTIV 400 MG RECON SOLUTION DL	4	QL(3 per 28 days)
ORLYNVAH 500-500 MG TABLET DL	4	
oxacillin 1 gram, 10 gram, 2 gram RECON SOLUTION MO	1	
oxacillin in dextrose(iso-osm) 1 gram/50 ml, 2 gram/50 ml PIGGYBACK MO	3	
penicillin g pot in dextrose 2 million unit/50 ml, 3 million unit/50 ml PIGGYBACK MO	3	
penicillin g potassium 20 million unit, 5 million unit RECON SOLUTION MO	1	
penicillin g sodium 5 million unit RECON SOLUTION MO	1	
penicillin v potassium 125 mg/5 ml, 250 mg/5 ml RECON SOLUTION MO	1	
penicillin v potassium 250 mg, 500 mg TABLET MO	1	
pfizerpen-g 20 million unit, 5 million unit RECON SOLUTION MO	1	
piperacillin-tazobactam 13.5 gram, 2.25 gram, 3.375 gram, 4.5 gram, 40.5 gram RECON SOLUTION MO	1	
polymyxin b sulfate 500,000 unit RECON SOLUTION MO	1	
PRIMAXIN IV 500 MG RECON SOLUTION MO	3	
PRIMSOL 50 MG/5 ML SOLUTION MO	3	
RECARBRIO 1.25 GRAM RECON SOLUTION DL	4	
rosadan 0.75 % CREAM MO	1	ST
rosadan 0.75 % GEL MO	1	ST
SEYSARA 100 MG, 150 MG, 60 MG TABLET DL	4	ST,QL(30 per 30 days)
SIVEXTRO 200 MG RECON SOLUTION DL	4	QL(6 per 28 days)
SIVEXTRO 200 MG TABLET DL	4	QL(6 per 28 days)
SOLODYN 105 MG, 115 MG, 55 MG, 65 MG, 80 MG TABLET, ER 24 HR. DL	4	ST,QL(30 per 30 days)
SOLOSEC 2 GRAM DR GRANULES IN PACKET MO	3	PA
streptomycin 1 gram RECON SOLUTION DL	4	
sulfacetamide sodium 10 % OINTMENT MO	1	
sulfacetamide sodium (acne) 10 % SUSPENSION MO	1	QL(118 per 30 days)
sulfadiazine 500 mg TABLET MO	1	
sulfamethoxazole-trimethoprim 200-40 mg/5 ml SUSPENSION MO	1	
sulfamethoxazole-trimethoprim 400-80 mg TABLET MO	1	
sulfamethoxazole-trimethoprim 400-80 mg/5 ml SOLUTION MO	1	
sulfamethoxazole-trimethoprim 800-160 mg TABLET MO	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
TARGADOX 50 MG TABLET MO	1	ST,QL(180 per 30 days)
tazicef 1 gram, 2 gram, 6 gram RECON SOLUTION MO	1	
TEFLARO 400 MG, 600 MG RECON SOLUTION DL	4	
tetracycline 250 mg, 500 mg CAPSULE MO	1	
tetracycline 250 mg, 500 mg TABLET DL	4	
tigecycline 50 mg RECON SOLUTION MO	1	
tinidazole 250 mg, 500 mg TABLET MO	1	
TOBI 300 MG/5 ML SOLUTION FOR NEBULIZATION DL	4	PA
tobramycin 300 mg/4 ml SOLUTION FOR NEBULIZATION DL	4	PA
tobramycin in 0.225 % nacl 300 mg/5 ml SOLUTION FOR NEBULIZATION DL	4	BvsD
tobramycin sulfate 1.2 gram RECON SOLUTION DL	4	
tobramycin sulfate 10 mg/ml, 40 mg/ml SOLUTION MO	1	
trimethoprim 100 mg TABLET MO	1	
TYGACIL 50 MG RECON SOLUTION DL	4	
UNASYN 1.5 GRAM, 15 GRAM, 3 GRAM RECON SOLUTION MO	3	
VABOMERE 2 GRAM RECON SOLUTION DL	4	QL(84 per 14 days)
VANOCIN 125 MG CAPSULE MO	3	PA,QL(120 per 30 days)
VANOCIN 250 MG CAPSULE DL	4	PA,QL(240 per 30 days)
vancomycin 1,000 mg, 1.25 gram, 1.5 gram, 10 gram, 25 mg/ml, 5 gram, 50 mg/ml, 500 mg, 750 mg RECON SOLUTION MO	1	
vancomycin 1.75 gram, 2 gram RECON SOLUTION MO	3	
vancomycin 125 mg CAPSULE MO	1	QL(120 per 30 days)
vancomycin 250 mg CAPSULE MO	1	QL(240 per 30 days)
vancomycin in 0.9 % sodium chl 1 gram/200 ml, 500 mg/100 ml, 750 mg/150 ml PIGGYBACK MO	3	
vancomycin in dextrose 5 % 1 gram/200 ml, 500 mg/100 ml, 750 mg/150 ml PIGGYBACK MO	3	
VANCOMYCIN IN DEXTROSE 5 % 1.25 GRAM/250 ML, 1.5 GRAM/300 ML PIGGYBACK MO	3	
vancomycin-diluent combo no.1 1 gram/200 ml, 1.25 gram/250 ml, 1.5 gram/300 ml, 1.75 gram/350 ml, 2 gram/400 ml, 500 mg/100 ml, 750 mg/150 ml PIGGYBACK MO	3	
VANDAZOLE 0.75 % (37.5MG/5 GRAM) GEL MO	3	
VIBATIV 750 MG RECON SOLUTION DL	4	
VIBRAMYCIN 100 MG CAPSULE MO	3	
XACDURO 1 GRAM-1 GRAM (0.5 GRAM X 2) RECON SOLUTION	4	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
XACIATO 2 % GEL MO	3	
XERAVA 100 MG, 50 MG RECON SOLUTION MO	3	
XIMINO 135 MG, 90 MG CAPSULE, ER 24 HR. DL	3	ST,QL(30 per 30 days)
XIMINO 45 MG CAPSULE, ER 24 HR. MO	3	ST,QL(30 per 30 days)
ZEMDRI 50 MG/ML SOLUTION DL	4	
ZERBAXA 1.5 GRAM RECON SOLUTION DL	4	
ZEVERTA 667 MG RECON SOLUTION DL	4	
ZITHROMAX 1 GRAM PACKET MO	3	
ZITHROMAX 100 MG/5 ML, 200 MG/5 ML SUSPENSION FOR RECONSTITUTION MO	3	
ZITHROMAX 250 MG, 500 MG TABLET MO	3	
ZITHROMAX 500 MG RECON SOLUTION MO	3	
ZITHROMAX TRI-PAK 500 MG TABLET MO	3	
ZITHROMAX Z-PAK 250 MG TABLET MO	3	
ZOSYN IN DEXTROSE (ISO-OSM) 2.25 GRAM/50 ML, 3.375 GRAM/50 ML, 4.5 GRAM/100 ML PIGGYBACK MO	3	
ZYVOX 100 MG/5 ML SUSPENSION FOR RECONSTITUTION DL	4	PA,QL(1800 per 30 days)
ZYVOX 200 MG/100 ML, 600 MG/300 ML PIGGYBACK MO	3	
ZYVOX 600 MG TABLET DL	4	PA,QL(60 per 30 days)
ANTICONVULSANTS		
APTiom 200 MG, 400 MG TABLET	4	PA,QL(30 per 30 days)
APTiom 600 MG, 800 MG TABLET	4	PA,QL(60 per 30 days)
BANZEL 200 MG TABLET DL	4	PA,QL(480 per 30 days)
BANZEL 40 MG/ML SUSPENSION DL	4	PA,QL(2760 per 30 days)
BANZEL 400 MG TABLET DL	4	PA,QL(240 per 30 days)
BRIVIACT 10 MG, 100 MG, 25 MG, 50 MG, 75 MG TABLET	4	PA,QL(60 per 30 days)
BRIVIACT 10 MG/ML SOLUTION	4	PA,QL(600 per 30 days)
BRIVIACT 50 MG/5 ML SOLUTION	4	PA
carbamazepine 100 mg, 200 mg CHEWABLE TABLET MO	1	
carbamazepine 100 mg, 200 mg, 300 mg CAPSULE ER MULTIPHASE 12 HR. MO	1	
carbamazepine 100 mg, 200 mg, 400 mg TABLET, ER 12 HR. MO	1	
carbamazepine 100 mg/5 ml, 100 mg/5 ml (5 ml), 200 mg/10 ml SUSPENSION MO	1	
carbamazepine 200 mg TABLET MO	1	
CARBATROL 100 MG, 200 MG, 300 MG CAPSULE ER MULTIPHASE 12 HR. MO	3	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
CELONTIN 300 MG CAPSULE MO	3	
CEREBYX 100 MG PE/2 ML, 500 MG PE/10 ML SOLUTION MO	3	
<i>clobazam 10 mg, 20 mg TABLET</i> DL	1	PA
<i>clobazam 2.5 mg/ml SUSPENSION</i> DL	1	PA
DEPAKOTE 125 MG, 250 MG, 500 MG TABLET, DR/EC MO	3	
DEPAKOTE ER 250 MG, 500 MG TABLET, ER 24 HR. MO	3	
DEPAKOTE SPRINKLES 125 MG CAPSULE, DR SPRINKLE MO	3	
DIACOMIT 250 MG, 500 MG CAPSULE DL	4	PA,QL(180 per 30 days)
DIACOMIT 250 MG, 500 MG POWDER IN PACKET DL	4	PA,QL(180 per 30 days)
DIASTAT 2.5 MG KIT DL	3	PA
DIASTAT ACUDIAL 12.5-15-17.5-20 MG, 5-7.5-10 MG KIT DL	3	PA
<i>diazepam 12.5-15-17.5-20 mg, 2.5 mg, 5-7.5-10 mg KIT</i> DL	1	
DILANTIN 30 MG CAPSULE MO	1	
DILANTIN EXTENDED 100 MG CAPSULE MO	1	
DILANTIN INFATABS 50 MG CHEWABLE TABLET MO	1	
DILANTIN-125 125 MG/5 ML SUSPENSION MO	3	
<i>divalproex 125 mg CAPSULE, DR SPRINKLE</i> MO	1	
<i>divalproex 125 mg, 250 mg, 500 mg TABLET, DR/EC</i> MO	1	
<i>divalproex 250 mg, 500 mg TABLET, ER 24 HR.</i> MO	1	
ELEPSIA XR 1,000 MG, 1,500 MG TABLET, ER 24 HR. DL	4	QL(60 per 30 days)
EPIDIOLEX 100 MG/ML SOLUTION DL	4	PA
<i>epitol 200 mg TABLET</i> MO	1	
EPRONTIA 25 MG/ML SOLUTION MO	3	PA,QL(480 per 30 days)
EQUETRO 100 MG, 200 MG, 300 MG CAPSULE ER MULTIPHASE 12 HR. MO	3	PA
<i>eslicarbazepine 200 mg, 400 mg TABLET</i> DL	4	PA,QL(30 per 30 days)
<i>eslicarbazepine 600 mg, 800 mg TABLET</i> DL	4	PA,QL(60 per 30 days)
<i>ethosuximide 250 mg CAPSULE</i> MO	1	
<i>ethosuximide 250 mg/5 ml SOLUTION</i> MO	1	
<i>felbamate 400 mg, 600 mg TABLET</i> MO	1	PA
<i>felbamate 600 mg/5 ml SUSPENSION</i> MO	1	PA
FELBATOL 400 MG, 600 MG TABLET DL	4	PA
FELBATOL 600 MG/5 ML SUSPENSION DL	4	PA
FINTEPLA 2.2 MG/ML SOLUTION DL,LA	4	PA,QL(360 per 30 days)
<i>fosphenytoin 100 mg pe/2 ml, 500 mg pe/10 ml SOLUTION</i> MO	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
FYCOMPA 0.5 MG/ML SUSPENSION	4	PA,QL(680 per 28 days)
FYCOMPA 10 MG, 12 MG, 4 MG, 6 MG, 8 MG TABLET	4	PA,QL(30 per 30 days)
FYCOMPA 2 MG TABLET MO	3	PA,QL(30 per 30 days)
<i>gabapentin</i> 100 mg, 300 mg, 400 mg CAPSULE MO	1	QL(270 per 30 days)
<i>gabapentin</i> 250 mg/5 ml, 250 mg/5 ml (5 ml), 300 mg/6 ml (6 ml) SOLUTION MO	1	QL(2250 per 30 days)
<i>gabapentin</i> 600 mg, 800 mg TABLET MO	1	QL(180 per 30 days)
GABARONE 100 MG, 400 MG TABLET DL	4	QL(270 per 30 days)
KEPPRA 1,000 MG, 500 MG, 750 MG TABLET	4	PA
KEPPRA 100 MG/ML, 500 MG/5 ML SOLUTION	4	PA
KEPPRA 250 MG TABLET MO	3	PA
KEPPRA XR 500 MG TABLET, ER 24 HR.	4	PA,QL(180 per 30 days)
KEPPRA XR 750 MG TABLET, ER 24 HR.	4	PA,QL(120 per 30 days)
<i>lacosamide</i> 10 mg/ml SOLUTION MO	1	QL(1395 per 30 days)
<i>lacosamide</i> 100 mg, 150 mg, 200 mg, 50 mg TABLET MO	1	QL(60 per 30 days)
<i>lacosamide</i> 200 mg/20 ml SOLUTION DL	4	
LAMICTAL 100 MG TABLET	4	
LAMICTAL 150 MG, 200 MG, 25 MG TABLET MO	3	
LAMICTAL 25 MG TABLET, CHEWABLE DISPERSIBLE	4	
LAMICTAL 5 MG TABLET, CHEWABLE DISPERSIBLE MO	3	
LAMICTAL ODT 100 MG, 200 MG, 50 MG TABLET, DISINTEGRATING	4	
LAMICTAL ODT 25 MG TABLET, DISINTEGRATING MO	3	
LAMICTAL ODT STARTER (BLUE) 25 MG (21) -50 MG (7) TABLET, DISINTEGRATING,DOSE PK	4	
LAMICTAL ODT STARTER (GREEN) 50 MG (42) -100 MG (14) TABLET, DISINTEGRATING,DOSE PK	4	
LAMICTAL ODT STARTER (ORANGE) 25 MG(14)-50 MG (14)-100 MG (7) TABLET, DISINTEGRATING,DOSE PK	4	
LAMICTAL STARTER (BLUE) KIT 25 MG (35) TABLET, DOSE PACK MO	3	
LAMICTAL STARTER (GREEN) KIT 25 MG (84) -100 MG (14) TABLET, DOSE PACK MO	3	
LAMICTAL STARTER (ORANGE) KIT 25 MG (42) -100 MG (7) TABLET, DOSE PACK MO	3	
LAMICTAL XR 100 MG, 200 MG, 250 MG, 300 MG, 50 MG TABLET, ER 24 HR.	4	
LAMICTAL XR 25 MG TABLET, ER 24 HR. MO	3	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
LAMICTAL XR STARTER (BLUE) 25 MG (21) -50 MG (7) TABLET, ER, DOSE PACK MO	3	
LAMICTAL XR STARTER (GREEN) 50 MG(14)-100MG (14)-200 MG (7) TABLET, ER, DOSE PACK MO	3	
LAMICTAL XR STARTER (ORANGE) 25MG (14)-50 MG (14)-100MG (7) TABLET, ER, DOSE PACK MO	3	
lamotrigine 100 mg, 150 mg, 200 mg, 25 mg TABLET MO	1	
lamotrigine 100 mg, 200 mg, 25 mg, 250 mg, 300 mg, 50 mg TABLET, ER 24 HR. MO	1	
lamotrigine 100 mg, 200 mg, 25 mg, 50 mg TABLET, DISINTEGRATING MO	1	
lamotrigine 25 mg (21) -50 mg (7), 25 mg(14)-50 mg (14)-100 mg (7), 50 mg (42) -100 mg (14) TABLET, DISINTEGRATING,DOSE PK MO	1	
lamotrigine 25 mg (35), 25 mg (42) -100 mg (7), 25 mg (84) -100 mg (14) TABLET, DOSE PACK MO	1	
lamotrigine 25 mg, 5 mg TABLET, CHEWABLE DISPERSIBLE MO	1	
levetiracetam 1,000 mg, 250 mg, 750 mg TABLET MO	1	
levetiracetam 100 mg/ml, 500 mg/5 ml SOLUTION MO	1	
levetiracetam 250 mg TABLET FOR SUSPENSION MO	3	ST,QL(360 per 30 days)
levetiracetam 500 mg TABLET MO	1	
levetiracetam 500 mg TABLET, ER 24 HR. MO	1	QL(180 per 30 days)
levetiracetam 500 mg/5 ml (5 ml) SOLUTION MO	1	QL(900 per 30 days)
levetiracetam 750 mg TABLET, ER 24 HR. MO	1	QL(120 per 30 days)
levetiracetam in nacl (iso-os) 1,000 mg/100 ml, 1,500 mg/100 ml, 500 mg/100 ml PIGGYBACK MO	1	
LIBERVANT 10 MG, 12.5 MG, 15 MG, 5 MG, 7.5 MG FILM DL	4	QL(10 per 30 days)
methsuximide 300 mg CAPSULE MO	1	
MOTPOLY XR 100 MG, 150 MG, 200 MG CAPSULE, ER 24 HR. DL	4	PA,QL(60 per 30 days)
MYSOLINE 250 MG, 50 MG TABLET DL	4	PA
NAYZILAM 5 MG/SPRAY (0.1 ML) SPRAY, NON-AEROSOL DL	3	QL(10 per 30 days)
NEURONTIN 100 MG, 300 MG, 400 MG CAPSULE MO	3	PA,QL(270 per 30 days)
NEURONTIN 250 MG/5 ML SOLUTION MO	3	PA,QL(2250 per 30 days)
NEURONTIN 600 MG, 800 MG TABLET	4	PA,QL(180 per 30 days)
ONFI 10 MG, 20 MG TABLET DL	4	PA
ONFI 2.5 MG/ML SUSPENSION DL	4	PA
oxcarbazepine 150 mg, 300 mg, 600 mg TABLET MO	1	
oxcarbazepine 150 mg, 300 mg, 600 mg TABLET, ER 24 HR. MO	1	ST

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
oxcarbazepine 300 mg/5 ml (60 mg/ml) SUSPENSION MO	1	
OXTELLAR XR 150 MG, 300 MG TABLET, ER 24 HR. MO	3	ST
OXTELLAR XR 600 MG TABLET, ER 24 HR.	4	ST
pentobarbital sodium 50 mg/ml SOLUTION MO	1	
perampanel 10 mg, 12 mg, 4 mg, 6 mg, 8 mg TABLET	4	PA,QL(30 per 30 days)
perampanel 2 mg TABLET MO	1	PA,QL(30 per 30 days)
phenobarbital 100 mg, 16.2 mg, 32.4 mg, 64.8 mg, 97.2 mg TABLET MO	1	QL(90 per 30 days)
phenobarbital 15 mg, 60 mg TABLET MO	1	QL(120 per 30 days)
phenobarbital 20 mg/5 ml (4 mg/ml) ELIXIR MO	1	QL(1500 per 30 days)
phenobarbital 30 mg TABLET MO	1	QL(300 per 30 days)
phenobarbital sodium 130 mg/ml, 65 mg/ml SOLUTION DL	4	
PHENYTEK 200 MG, 300 MG CAPSULE MO	1	
phenytoin 100 mg/4 ml, 125 mg/5 ml SUSPENSION MO	1	
phenytoin 50 mg CHEWABLE TABLET MO	1	
phenytoin sodium 50 mg/ml SOLUTION MO	1	
phenytoin sodium 50 mg/ml SYRINGE MO	1	
phenytoin sodium extended 100 mg, 200 mg, 300 mg CAPSULE MO	1	
primidone 125 mg, 250 mg, 50 mg TABLET MO	1	
QUDEXY XR 100 MG, 50 MG CAPSULE ER SPRINKLE 24 HR. MO	3	PA,QL(30 per 30 days)
QUDEXY XR 150 MG, 200 MG CAPSULE ER SPRINKLE 24 HR. DL	4	PA,QL(60 per 30 days)
QUDEXY XR 25 MG CAPSULE ER SPRINKLE 24 HR. MO	3	PA,QL(90 per 30 days)
roweepra 500 mg TABLET MO	1	
roweepra xr 500 mg TABLET, ER 24 HR. MO	1	QL(180 per 30 days)
roweepra xr 750 mg TABLET, ER 24 HR. MO	1	QL(120 per 30 days)
rufinamide 200 mg TABLET MO	1	PA,QL(480 per 30 days)
rufinamide 40 mg/ml SUSPENSION	4	PA,QL(2760 per 30 days)
rufinamide 400 mg TABLET MO	1	PA,QL(240 per 30 days)
SABRIL 500 MG POWDER IN PACKET DL	4	PA,QL(180 per 30 days)
SABRIL 500 MG TABLET DL	4	PA,QL(180 per 30 days)
SEZABY 100 MG RECON SOLUTION DL	4	
SPRITAM 1,000 MG TABLET FOR SUSPENSION MO	3	ST,QL(90 per 30 days)
SPRITAM 250 MG TABLET FOR SUSPENSION MO	3	ST,QL(360 per 30 days)
SPRITAM 500 MG TABLET FOR SUSPENSION MO	3	ST,QL(180 per 30 days)
SPRITAM 750 MG TABLET FOR SUSPENSION MO	3	ST,QL(120 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
subvenite 100 mg, 150 mg, 200 mg, 25 mg TABLET MO	1	
subvenite starter (blue) kit 25 mg (35) TABLET, DOSE PACK MO	1	
subvenite starter (green) kit 25 mg (84) -100 mg (14) TABLET, DOSE PACK MO	1	
subvenite starter (orange) kit 25 mg (42) -100 mg (7) TABLET, DOSE PACK MO	1	
SYMPAZAN 10 MG, 20 MG FILM DL	4	PA,QL(60 per 30 days)
SYMPAZAN 5 MG FILM DL	3	PA,QL(60 per 30 days)
TEGRETOL 100 MG/5 ML SUSPENSION MO	3	
TEGRETOL 200 MG TABLET MO	3	
TEGRETOL XR 100 MG, 200 MG, 400 MG TABLET, ER 12 HR. MO	3	
tiagabine 12 mg, 16 mg, 2 mg, 4 mg TABLET MO	1	
TOPAMAX 100 MG, 200 MG TABLET	4	
TOPAMAX 15 MG, 25 MG CAPSULE, SPRINKLE	4	
TOPAMAX 25 MG, 50 MG TABLET MO	3	
topiramate 100 mg, 200 mg, 25 mg, 50 mg TABLET MO	1	
topiramate 100 mg, 50 mg CAPSULE ER SPRINKLE 24 HR. MO	3	PA,QL(30 per 30 days)
topiramate 100 mg, 50 mg CAPSULE, ER 24 HR. MO	1	PA,QL(30 per 30 days)
topiramate 15 mg, 25 mg, 50 mg CAPSULE, SPRINKLE MO	1	
topiramate 150 mg, 200 mg CAPSULE ER SPRINKLE 24 HR. MO	3	PA,QL(60 per 30 days)
topiramate 200 mg CAPSULE, ER 24 HR. MO	1	PA,QL(60 per 30 days)
topiramate 25 mg CAPSULE ER SPRINKLE 24 HR. MO	3	PA,QL(90 per 30 days)
topiramate 25 mg CAPSULE, ER 24 HR. MO	1	PA,QL(90 per 30 days)
topiramate 25 mg/ml SOLUTION MO	1	PA,QL(480 per 30 days)
TRILEPTAL 150 MG TABLET MO	3	PA
TRILEPTAL 300 MG, 600 MG TABLET	4	PA
TRILEPTAL 300 MG/5 ML (60 MG/ML) SUSPENSION	4	PA
TROKENDI XR 100 MG CAPSULE, ER 24 HR.	4	PA,QL(30 per 30 days)
TROKENDI XR 200 MG CAPSULE, ER 24 HR.	4	PA,QL(60 per 30 days)
TROKENDI XR 25 MG CAPSULE, ER 24 HR. MO	3	PA,QL(90 per 30 days)
TROKENDI XR 50 MG CAPSULE, ER 24 HR. MO	3	PA,QL(30 per 30 days)
valproate sodium 500 mg/5 ml (100 mg/ml) SOLUTION MO	1	
valproic acid 250 mg CAPSULE MO	1	
valproic acid (as sodium salt) 250 mg/5 ml, 250 mg/5 ml (5 ml), 500 mg/10 ml (10 ml) SOLUTION MO	1	
VALTOCO 10 MG/SPRAY (0.1 ML), 15 MG/2 SPRAY (7.5/0.1ML X 2), 20 MG/2 SPRAY (10MG/0.1ML X2), 5 MG/SPRAY (0.1 ML) SPRAY, NON-AEROSOL DL	4	QL(10 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
<i>vigabatrin</i> 500 mg POWDER IN PACKET DL	4	PA,QL(180 per 30 days)
<i>vigabatrin</i> 500 mg TABLET DL	4	PA,QL(180 per 30 days)
<i>vigadrone</i> 500 mg POWDER IN PACKET DL	4	PA,QL(180 per 30 days)
<i>vigadrone</i> 500 mg TABLET DL	4	PA,QL(180 per 30 days)
VIGAFYDE 100 MG/ML SOLUTION DL	4	PA,QL(600 per 25 days)
<i>vigpoder</i> 500 mg POWDER IN PACKET DL	4	PA,QL(180 per 30 days)
VIMPAT 10 MG/ML SOLUTION DL	4	PA,QL(1395 per 30 days)
VIMPAT 100 MG, 150 MG, 200 MG TABLET DL	4	PA,QL(60 per 30 days)
VIMPAT 200 MG/20 ML SOLUTION DL	4	PA
VIMPAT 50 MG TABLET MO	3	PA,QL(60 per 30 days)
XCOPRI 100 MG, 25 MG, 50 MG TABLET DL	4	PA,QL(30 per 30 days)
XCOPRI 150 MG, 200 MG TABLET DL	4	PA,QL(60 per 30 days)
XCOPRI MAINTENANCE PACK 250MG/DAY(150 MG X1-100MG X1), 350 MG/DAY (200 MG X1-150MG X1) TABLET DL	4	PA,QL(56 per 28 days)
XCOPRI TITRATION PACK 12.5 MG (14)- 25 MG (14) TABLET, DOSE PACK MO	3	PA,QL(28 per 28 days)
XCOPRI TITRATION PACK 150 MG (14)- 200 MG (14), 50 MG (14)- 100 MG (14) TABLET, DOSE PACK DL	4	PA,QL(28 per 28 days)
ZARONTIN 250 MG CAPSULE MO	3	
ZARONTIN 250 MG/5 ML SOLUTION MO	1	
ZONEGRAN 100 MG, 25 MG CAPSULE	4	PA
ZONISADE 100 MG/5 ML SUSPENSION MO	3	PA,QL(900 per 30 days)
<i>zonisamide</i> 100 mg, 25 mg, 50 mg CAPSULE MO	1	
ZTALMY 50 MG/ML SUSPENSION DL	4	PA,QL(1080 per 30 days)
ANTIDEMENTIA AGENTS		
ADLARTY 10 MG/24 HOUR, 5 MG/24 HOUR PATCH, WEEKLY MO	3	ST,QL(4 per 28 days)
ARICEPT 10 MG, 5 MG TABLET MO	3	PA
ARICEPT 23 MG TABLET MO	3	PA,QL(30 per 30 days)
<i>donepezil</i> 10 mg, 5 mg TABLET MO	1	
<i>donepezil</i> 10 mg, 5 mg TABLET, DISINTEGRATING MO	1	
<i>donepezil</i> 23 mg TABLET MO	1	QL(30 per 30 days)
<i>ergoloid</i> 1 mg TABLET MO	1	
EXELON PATCH 13.3 MG/24 HOUR, 4.6 MG/24 HOUR, 9.5 MG/24 HOUR PATCH, 24 HR. MO	3	PA,QL(30 per 30 days)
<i>galantamine</i> 12 mg, 4 mg, 8 mg TABLET MO	1	QL(60 per 30 days)
<i>galantamine</i> 16 mg, 24 mg, 8 mg CAPSULE ER PELLETS 24 HR. MO	1	QL(30 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
galantamine 4 mg/ml SOLUTION MO	1	QL(200 per 30 days)
memantine 10 mg, 5 mg TABLET MO	1	PA
memantine 14 mg, 21 mg, 28 mg, 7 mg CAPSULE ER SPRINKLE 24 HR. MO	1	PA,QL(30 per 30 days)
memantine 2 mg/ml SOLUTION MO	1	PA
memantine 5-10 mg TABLET, DOSE PACK MO	1	PA,QL(98 per 30 days)
memantine-donepezil 14-10 mg, 21-10 mg, 28-10 mg CAPSULE ER SPRINKLE 24 HR. MO	1	PA,QL(30 per 30 days)
NAMENDA 10 MG TABLET MO	3	PA
NAMENDA TITRATION PAK 5-10 MG TABLET, DOSE PACK MO	3	PA,QL(98 per 30 days)
NAMENDA XR 14 MG, 21 MG, 28 MG, 7 MG CAPSULE ER SPRINKLE 24 HR. MO	3	PA,QL(30 per 30 days)
NAMENDA XR 7-14-21-28 MG CAPSULE ER SPRINKLE 24 HR. MO	3	PA,QL(28 per 28 days)
NAMZARIC 14-10 MG, 21-10 MG, 28-10 MG, 7-10 MG CAPSULE ER SPRINKLE 24 HR. MO	3	PA,QL(30 per 30 days)
NAMZARIC 7/14/21/28 MG-10 MG CAPSULE ER SPRINKLE 24 HR. MO	3	PA,QL(28 per 28 days)
rivastigmine 13.3 mg/24 hour, 4.6 mg/24 hour, 9.5 mg/24 hour PATCH, 24 HR. MO	1	QL(30 per 30 days)
rivastigmine tartrate 1.5 mg, 3 mg CAPSULE MO	1	QL(90 per 30 days)
rivastigmine tartrate 4.5 mg, 6 mg CAPSULE MO	1	QL(60 per 30 days)
ZUNVEYL 10 MG, 15 MG, 5 MG TABLET, DR/EC MO	3	PA,QL(60 per 30 days)
ANTIDEPRESSANTS		
amitriptyline 10 mg, 100 mg, 150 mg, 50 mg, 75 mg TABLET MO	1	
amitriptyline 25 mg TABLET MO	1	
amitriptyline-chlordiazepoxide 12.5-5 mg, 25-10 mg TABLET DL	1	
amoxapine 100 mg, 150 mg, 25 mg, 50 mg TABLET MO	1	
ANAFRANIL 25 MG, 50 MG, 75 MG CAPSULE DL	4	
APLENZIN 174 MG, 348 MG, 522 MG TABLET, ER 24 HR.	4	ST,QL(30 per 30 days)
AUVELITY 45-105 MG TABLET, IR/ER, BIPHASIC MO	3	ST,QL(60 per 30 days)
bupropion hcl 100 mg TABLET, SR 12 HR. MO	1	QL(120 per 30 days)
bupropion hcl 100 mg, 75 mg TABLET MO	1	QL(180 per 30 days)
bupropion hcl 150 mg TABLET, ER 24 HR. MO	1	QL(90 per 30 days)
bupropion hcl 150 mg TABLET, SR 12 HR. MO	1	QL(90 per 30 days)
bupropion hcl 200 mg TABLET, SR 12 HR. MO	1	QL(60 per 30 days)
bupropion hcl 300 mg TABLET, ER 24 HR. MO	1	QL(60 per 30 days)
bupropion hcl 450 mg TABLET, ER 24 HR. MO	1	ST,QL(30 per 30 days)
CELEXA 10 MG, 20 MG, 40 MG TABLET MO	3	PA

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
citalopram 10 mg, 20 mg, 40 mg TABLET MO	1	
citalopram 10 mg/5 ml SOLUTION MO	1	
CITALOPRAM 30 MG CAPSULE MO	3	QL(30 per 30 days)
clomipramine 25 mg, 50 mg, 75 mg CAPSULE MO	1	
desipramine 10 mg, 100 mg, 150 mg, 25 mg, 50 mg, 75 mg TABLET MO	1	
desvenlafaxine 100 mg, 50 mg TABLET, ER 24 HR. MO	3	QL(30 per 30 days)
desvenlafaxine succinate 100 mg, 25 mg, 50 mg TABLET, ER 24 HR. MO	1	QL(30 per 30 days)
EFFEXOR XR 150 MG CAPSULE, ER 24 HR. MO	3	PA,QL(60 per 30 days)
EFFEXOR XR 37.5 MG, 75 MG CAPSULE, ER 24 HR. MO	3	PA,QL(90 per 30 days)
EMSAM 12 MG/24 HR, 6 MG/24 HR, 9 MG/24 HR PATCH, 24 HR.	4	PA,QL(30 per 30 days)
escitalopram oxalate 10 mg, 20 mg, 5 mg TABLET MO	1	
escitalopram oxalate 5 mg/5 ml SOLUTION MO	1	QL(600 per 30 days)
FETZIMA 120 MG, 20 MG, 40 MG, 80 MG CAPSULE, ER 24 HR. MO	3	PA,QL(30 per 30 days)
FETZIMA 20 MG (2)- 40 MG (26) CAPSULE, ER 24 HR. MO	3	PA,QL(28 per 28 days)
fluoxetine 10 mg CAPSULE MO	1	QL(60 per 30 days)
fluoxetine 10 mg TABLET MO	1	QL(240 per 30 days)
fluoxetine 20 mg CAPSULE MO	1	QL(120 per 30 days)
fluoxetine 20 mg TABLET MO	1	QL(120 per 30 days)
fluoxetine 20 mg/5 ml (4 mg/ml) SOLUTION MO	1	
fluoxetine 40 mg CAPSULE MO	1	QL(60 per 30 days)
fluoxetine 60 mg TABLET MO	1	QL(30 per 30 days)
fluoxetine 90 mg CAPSULE, DR/EC MO	1	QL(4 per 28 days)
fluvoxamine 100 mg, 150 mg CAPSULE, ER 24 HR. MO	1	QL(60 per 30 days)
fluvoxamine 100 mg, 25 mg, 50 mg TABLET MO	1	QL(90 per 30 days)
FORFIVO XL 450 MG TABLET, ER 24 HR. MO	3	ST,QL(30 per 30 days)
imipramine hcl 10 mg, 25 mg, 50 mg TABLET MO	1	
imipramine pamoate 100 mg, 125 mg, 150 mg, 75 mg CAPSULE MO	1	
LEXAPRO 10 MG, 20 MG, 5 MG TABLET MO	3	PA
MARPLAN 10 MG TABLET MO	3	
mirtazapine 15 mg, 30 mg, 45 mg TABLET, DISINTEGRATING MO	1	QL(30 per 30 days)
mirtazapine 15 mg, 30 mg, 7.5 mg TABLET MO	1	
mirtazapine 45 mg TABLET MO	1	
NARDIL 15 MG TABLET MO	3	
nefazodone 100 mg, 150 mg, 200 mg, 250 mg, 50 mg TABLET MO	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
NORPRAMIN 10 MG, 25 MG TABLET MO	3	
nortriptyline 10 mg, 25 mg, 50 mg, 75 mg CAPSULE MO	1	
nortriptyline 10 mg/5 ml SOLUTION MO	1	
olanzapine-fluoxetine 12-25 mg, 12-50 mg, 3-25 mg, 6-25 mg, 6-50 mg CAPSULE MO	1	QL(30 per 30 days)
PAMELOR 10 MG, 25 MG, 50 MG, 75 MG CAPSULE DL	4	
PARNATE 10 MG TABLET DL	4	
paroxetine hcl 10 mg, 20 mg, 30 mg, 40 mg TABLET MO	1	
paroxetine hcl 10 mg/5 ml SUSPENSION MO	1	
paroxetine hcl 12.5 mg, 37.5 mg TABLET, ER 24 HR. MO	1	QL(60 per 30 days)
paroxetine hcl 25 mg TABLET, ER 24 HR. MO	1	QL(90 per 30 days)
paroxetine mesylate(menop.sym) 7.5 mg CAPSULE MO	1	QL(30 per 30 days)
PAXIL 10 MG, 20 MG, 30 MG, 40 MG TABLET MO	3	
PAXIL 10 MG/5 ML SUSPENSION MO	3	PA
PAXIL CR 12.5 MG, 37.5 MG TABLET, ER 24 HR. MO	3	QL(60 per 30 days)
PAXIL CR 25 MG TABLET, ER 24 HR. MO	3	QL(90 per 30 days)
perphenazine-amitriptyline 2-10 mg, 2-25 mg, 4-10 mg, 4-25 mg, 4-50 mg TABLET MO	1	
phenelzine 15 mg TABLET MO	1	
PRISTIQ 100 MG, 25 MG, 50 MG TABLET, ER 24 HR. MO	3	PA,QL(30 per 30 days)
protriptyline 10 mg, 5 mg TABLET MO	1	
PROZAC 10 MG, 40 MG CAPSULE	4	PA,QL(60 per 30 days)
PROZAC 20 MG CAPSULE	4	PA,QL(120 per 30 days)
RALDESY 10 MG/ML SOLUTION DL	4	
REMERON 15 MG, 30 MG TABLET MO	3	
REMERON SOLTAB 15 MG, 30 MG, 45 MG TABLET, DISINTEGRATING MO	3	QL(30 per 30 days)
sertraline 100 mg TABLET MO	1	QL(60 per 30 days)
SERTRALINE 150 MG, 200 MG CAPSULE MO	3	QL(30 per 30 days)
sertraline 150 mg, 200 mg CAPSULE MO	3	QL(30 per 30 days)
sertraline 20 mg/ml CONCENTRATE MO	1	
sertraline 25 mg, 50 mg TABLET MO	1	QL(90 per 30 days)
SYMBYAX 3-25 MG, 6-25 MG CAPSULE MO	3	PA,QL(30 per 30 days)
tranylcypromine 10 mg TABLET MO	1	
trazodone 100 mg, 150 mg, 50 mg TABLET MO	1	
trazodone 300 mg TABLET MO	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
trimipramine 100 mg, 25 mg, 50 mg CAPSULE MO	1	
TRINTELLIX 10 MG, 20 MG, 5 MG TABLET MO	3	ST,QL(30 per 30 days)
venlafaxine 100 mg, 25 mg, 37.5 mg, 50 mg, 75 mg TABLET MO	1	
venlafaxine 150 mg CAPSULE, ER 24 HR. MO	1	QL(60 per 30 days)
venlafaxine 150 mg, 225 mg, 37.5 mg TABLET, ER 24 HR. MO	1	QL(30 per 30 days)
venlafaxine 37.5 mg CAPSULE, ER 24 HR. MO	1	QL(90 per 30 days)
venlafaxine 75 mg CAPSULE, ER 24 HR. MO	1	QL(90 per 30 days)
venlafaxine 75 mg TABLET, ER 24 HR. MO	1	QL(60 per 30 days)
VENLAFAXINE BESYLATE 112.5 MG TABLET, ER 24 HR. MO	3	QL(60 per 30 days)
VIIIBRYD 10 MG, 20 MG, 40 MG TABLET MO	3	PA,QL(30 per 30 days)
vilazodone 10 mg, 20 mg, 40 mg TABLET MO	1	PA,QL(30 per 30 days)
WELLBUTRIN SR 100 MG TABLET, SR 12 HR. MO	3	PA,QL(120 per 30 days)
WELLBUTRIN SR 150 MG TABLET, SR 12 HR. MO	3	PA,QL(90 per 30 days)
WELLBUTRIN SR 200 MG TABLET, SR 12 HR. MO	3	PA,QL(60 per 30 days)
WELLBUTRIN XL 150 MG TABLET, ER 24 HR.	4	PA,QL(90 per 30 days)
WELLBUTRIN XL 300 MG TABLET, ER 24 HR.	4	PA,QL(60 per 30 days)
ZOLOFT 100 MG TABLET MO	3	PA,QL(60 per 30 days)
ZOLOFT 20 MG/ML CONCENTRATE MO	3	PA
ZOLOFT 25 MG, 50 MG TABLET MO	3	PA,QL(90 per 30 days)
ZULRESSO 5 MG/ML SOLUTION DL	4	PA,QL(100 per 365 days)
ZURZUVAE 20 MG, 25 MG CAPSULE DL	4	PA,QL(28 per 365 days)
ZURZUVAE 30 MG CAPSULE DL	4	PA,QL(14 per 365 days)
ANTIEMETICS		
AKYNZEO (FOSNETUPITANT) 235 MG-0.25 MG /20 ML SOLUTION DL	4	PA,QL(80 per 28 days)
AKYNZEO (FOSNETUPITANT) 235-0.25 MG RECON SOLUTION DL	4	PA,QL(4 per 28 days)
AKYNZEO (NETUPITANT) 300-0.5 MG CAPSULE MO	3	PA
ANTIVERT 25 MG CHEWABLE TABLET MO	3	
ANTIVERT 50 MG TABLET MO	3	
ANZEMET 50 MG TABLET MO	3	BvsD,QL(4 per 28 days)
APONVIE 32 MG/4.4 ML (7.2 MG/ML) EMULSION MO	3	
aprepitant 125 mg (1)- 80 mg (2) CAPSULE, DOSE PACK MO	1	BvsD
aprepitant 125 mg CAPSULE	4	BvsD,QL(2 per 28 days)
aprepitant 40 mg CAPSULE MO	1	BvsD,QL(2 per 28 days)
aprepitant 80 mg CAPSULE MO	1	BvsD,QL(4 per 28 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
BONJESTA 20-20 MG TABLET, IR, DR, BIPHASIC MO	3	QL(60 per 30 days)
CINVANTI 130 MG/18 ML (7.2 MG/ML) EMULSION MO	3	PA,QL(36 per 28 days)
COMPAZINE 10 MG, 5 MG TABLET MO	3	BvsD
COMPAZINE 25 MG SUPPOSITORY MO	1	
<i>compro 25 mg SUPPOSITORY</i> MO	1	
DICLEGIS 10-10 MG TABLET, DR/EC MO	3	QL(120 per 30 days)
<i>dimenhydrinate 50 mg/ml SOLUTION</i> MO	1	
<i>doxylamine-pyridoxine (vit b6) 10-10 mg TABLET, DR/EC</i> MO	1	QL(120 per 30 days)
<i>dronabinol 10 mg, 2.5 mg, 5 mg CAPSULE</i> MO	1	BvsD,QL(120 per 30 days)
EMEND 125 MG (1)- 80 MG (2) CAPSULE, DOSE PACK MO	3	BvsD
EMEND 125 MG (25 MG/ ML FINAL CONC.) SUSPENSION FOR RECONSTITUTION MO	3	BvsD,QL(3 per 28 days)
EMEND 80 MG CAPSULE MO	3	BvsD,QL(4 per 28 days)
EMEND (FOSAPREPITANT) 150 MG RECON SOLUTION MO	3	PA
FOCINVEZ 150 MG/50 ML (3 MG/ML) SOLUTION MO	3	PA
<i>fosaprepitant 150 mg RECON SOLUTION</i> MO	1	PA
GIMOTI 15 MG/SPRAY SPRAY WITH PUMP DL	4	PA,QL(9.8 per 28 days)
<i>granisetron (pf) 1 mg/ml (1 ml), 100 mcg/ml SOLUTION</i> MO	1	
<i>granisetron hcl 1 mg TABLET</i> MO	1	BvsD,QL(28 per 28 days)
<i>granisetron hcl 1 mg/ml, 1 mg/ml (1 ml) SOLUTION</i> MO	1	
MARINOL 10 MG, 2.5 MG, 5 MG CAPSULE DL	4	BvsD,QL(120 per 30 days)
<i>meclizine 12.5 mg TABLET</i> MO	1	
<i>meclizine 25 mg TABLET</i> MO	1	
<i>meclizine 50 mg TABLET</i> MO	3	
<i>metoclopramide hcl 10 mg, 5 mg TABLET</i> MO	1	
<i>metoclopramide hcl 5 mg/5 ml, 5 mg/ml SOLUTION</i> MO	1	
<i>metoclopramide hcl 5 mg/ml SYRINGE</i> MO	1	
<i>ondansetron 16 mg TABLET, DISINTEGRATING</i> DL	4	BvsD
<i>ondansetron 4 mg, 8 mg TABLET, DISINTEGRATING</i> MO	1	BvsD
<i>ondansetron hcl 2 mg/ml SOLUTION</i> MO	1	
<i>ondansetron hcl 4 mg TABLET</i> MO	1	BvsD
<i>ondansetron hcl 4 mg/5 ml SOLUTION</i> MO	1	BvsD,QL(450 per 30 days)
<i>ondansetron hcl 8 mg TABLET</i> MO	1	BvsD
<i>ondansetron hcl (pf) 4 mg/2 ml SOLUTION</i> MO	1	
<i>ondansetron hcl (pf) 4 mg/2 ml SYRINGE</i> MO	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
PHENERGAN 25 MG/ML, 50 MG/ML SOLUTION MO	1	
prochlorperazine 25 mg SUPPOSITORY MO	1	
prochlorperazine edisylate 10 mg/2 ml (5 mg/ml), 5 mg/ml SOLUTION MO	1	
prochlorperazine maleate 10 mg, 5 mg TABLET MO	1	BvsD
promethazine 12.5 mg, 25 mg, 50 mg SUPPOSITORY MO	1	
promethazine 12.5 mg, 25 mg, 50 mg TABLET MO	1	
promethazine 25 mg/ml, 50 mg/ml SOLUTION MO	1	
promethazine 6.25 mg/5 ml SYRUP MO	1	
promethegan 12.5 mg, 25 mg, 50 mg SUPPOSITORY MO	1	
REGLAN 10 MG, 5 MG TABLET MO	3	
SANCUSO 3.1 MG/24 HOUR PATCH, WEEKLY DL	4	PA,QL(4 per 30 days)
scopolamine base 1 mg over 3 days PATCH, 3 DAY MO	1	QL(10 per 30 days)
TIGAN 100 MG/ML SOLUTION MO	3	
TRANSDERM-SCOP 1 MG OVER 3 DAYS PATCH, 3 DAY MO	3	QL(10 per 30 days)
trimethobenzamide 300 mg CAPSULE MO	1	BvsD
VARUBI 90 MG TABLET MO	3	PA
ANTIFUNGALS		
ABELCET 5 MG/ML SUSPENSION MO	3	BvsD
AMBISOME 50 MG SUSPENSION FOR RECONSTITUTION DL	4	BvsD
amphotericin b 50 mg RECON SOLUTION MO	1	BvsD
amphotericin b liposome 50 mg SUSPENSION FOR RECONSTITUTION DL	4	BvsD
ANCOBON 250 MG, 500 MG CAPSULE MO	3	
CANCIDAS 50 MG, 70 MG RECON SOLUTION DL	4	PA
caspofungin 50 mg, 70 mg RECON SOLUTION MO	1	
ciclodan 8 % SOLUTION MO	1	QL(13.2 per 30 days)
ciclopirox 0.77 % CREAM MO	1	QL(90 per 30 days)
ciclopirox 0.77 % GEL MO	1	QL(100 per 30 days)
ciclopirox 0.77 % SUSPENSION MO	1	QL(60 per 30 days)
ciclopirox 1 % SHAMPOO MO	1	QL(120 per 30 days)
ciclopirox 8 % SOLUTION MO	1	QL(13.2 per 30 days)
clotrimazole 1 % CREAM MO	1	
clotrimazole 1 % SOLUTION MO	1	
clotrimazole 10 mg TROCHE MO	1	
clotrimazole-betamethasone 1-0.05 % CREAM MO	1	QL(180 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
clotrimazole-betamethasone 1-0.05 % LOTION MO	1	QL(90 per 28 days)
CRESEMBA 186 MG, 74.5 MG CAPSULE DL	4	PA
CRESEMBA 372 MG RECON SOLUTION DL	4	PA
DIFLUCAN 100 MG TABLET MO	3	PA
DIFLUCAN 200 MG TABLET	4	PA
DIFLUCAN 40 MG/ML SUSPENSION FOR RECONSTITUTION DL	4	PA
econazole nitrate 1 % CREAM MO	1	PA,QL(85 per 30 days)
ERAXIS(WATER DILUENT) 100 MG RECON SOLUTION MO	3	
ERAXIS(WATER DILUENT) 50 MG RECON SOLUTION DL	4	
ERTACZO 2 % CREAM DL	4	QL(60 per 30 days)
EXELDERM 1 % CREAM	4	ST
EXELDERM 1 % SOLUTION	4	ST,QL(60 per 30 days)
EXTINA 2 % FOAM MO	3	QL(100 per 30 days)
fluconazole 10 mg/ml, 40 mg/ml SUSPENSION FOR RECONSTITUTION MO	1	
fluconazole 100 mg, 200 mg, 50 mg TABLET MO	1	
fluconazole 150 mg TABLET MO	1	
fluconazole in nacl (iso-osm) 100 mg/50 ml, 200 mg/100 ml, 400 mg/200 ml PIGGYBACK MO	1	
flucytosine 250 mg, 500 mg CAPSULE DL	4	
FULVICIN P/G 165 MG TABLET DL	4	
griseofulvin microsize 125 mg/5 ml SUSPENSION MO	1	
griseofulvin microsize 500 mg TABLET MO	1	
griseofulvin ultramicrosize 125 mg, 250 mg TABLET MO	1	
griseofulvin ultramicrosize 165 mg TABLET DL	4	
gynazole-1 2 % CREAM MO	1	
itraconazole 10 mg/ml SOLUTION MO	1	
itraconazole 100 mg CAPSULE MO	1	QL(120 per 30 days)
JUBLIA 10 % SOLUTION W/APPLICATOR DL	4	PA,QL(4 per 28 days)
ketoconazole 2 % CREAM MO	1	QL(60 per 30 days)
ketoconazole 2 % FOAM MO	1	QL(100 per 30 days)
ketoconazole 2 % SHAMPOO MO	1	QL(120 per 30 days)
ketoconazole 200 mg TABLET MO	1	PA
ketodan 2 % FOAM MO	1	QL(100 per 30 days)
klayesta 100,000 unit/gram POWDER MO	1	PA
LOPROX (AS OLAMINE) 0.77 % CREAM MO	3	PA,QL(90 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
LOPROX (AS OLAMINE) 0.77 % SUSPENSION MO	3	PA,QL(60 per 30 days)
luliconazole 1 % CREAM MO	1	ST,QL(60 per 28 days)
LUZU 1 % CREAM MO	3	ST,QL(60 per 28 days)
micafungin 100 mg, 50 mg RECON SOLUTION MO	1	
MICAFUNGIN IN 0.9 % SODIUM CHL 100 MG/100 ML, 150 MG/150 ML, 50 MG/50 ML PIGGYBACK DL	4	
micafungin in 0.9 % sodium chl 150 mg/150 ml PIGGYBACK DL	4	
miconazole nitrate-zinc ox-pet 0.25-15-81.35 % OINTMENT MO	1	
miconazole-3 200 mg SUPPOSITORY MO	1	
MYCAMINE 100 MG, 50 MG RECON SOLUTION DL	4	
naftifine 1 % CREAM MO	1	ST,QL(90 per 30 days)
naftifine 2 % CREAM MO	1	ST,QL(120 per 30 days)
naftifine 2 % GEL MO	1	ST,QL(120 per 30 days)
NAFTIN 1 % GEL MO	3	ST,QL(90 per 30 days)
NAFTIN 2 % GEL MO	3	ST,QL(120 per 30 days)
NOXAFIL 100 MG TABLET, DR/EC DL	4	PA
NOXAFIL 200 MG/5 ML (40 MG/ML) SUSPENSION DL	4	PA,QL(840 per 28 days)
NOXAFIL 300 MG SUSPENSION, DR FOR RECON DL	4	PA,QL(32 per 30 days)
NOXAFIL 300 MG/16.7 ML SOLUTION DL	4	PA
nyamyc 100,000 unit/gram POWDER MO	1	
nystatin 100,000 unit/gram CREAM MO	1	
nystatin 100,000 unit/gram OINTMENT MO	1	
nystatin 100,000 unit/gram POWDER MO	1	
nystatin 100,000 unit/ml SUSPENSION MO	1	
nystatin 500,000 unit TABLET MO	1	
nystatin-triamcinolone 100,000-0.1 unit/g-% CREAM MO	1	
nystatin-triamcinolone 100,000-0.1 unit/gram-% OINTMENT MO	1	
nystop 100,000 unit/gram POWDER MO	1	
oxiconazole 1 % CREAM MO	1	PA,QL(60 per 30 days)
OXISTAT 1 % LOTION MO	3	PA
posaconazole 100 mg TABLET, DR/EC DL	4	PA
posaconazole 200 mg/5 ml (40 mg/ml) SUSPENSION DL	4	PA,QL(840 per 28 days)
posaconazole 300 mg/16.7 ml SOLUTION DL	4	PA
REZZAYO 200 MG RECON SOLUTION DL	4	PA
SPORANOX 10 MG/ML SOLUTION DL	4	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
SPORANOX 100 MG CAPSULE MO	3	PA,QL(120 per 30 days)
tavaborole 5 % SOLUTION W/APPLICATOR MO	1	PA,QL(10 per 30 days)
terbinafine hcl 250 mg TABLET MO	1	
terconazole 0.4 %, 0.8 % CREAM MO	1	
terconazole 80 mg SUPPOSITORY MO	1	
TOLSURA 65 MG CAPSULE, SOLID DISPERSION DL	4	PA,QL(120 per 30 days)
VFEND 200 MG, 50 MG TABLET MO	3	PA,QL(120 per 30 days)
VFEND 200 MG/5 ML (40 MG/ML) SUSPENSION FOR RECONSTITUTION DL	4	PA,QL(400 per 30 days)
VFEND IV 200 MG RECON SOLUTION MO	3	PA
VIVJOA 150 MG CAPSULE MO	3	
voriconazole 200 mg RECON SOLUTION MO	1	PA
voriconazole 200 mg, 50 mg TABLET MO	1	PA,QL(120 per 30 days)
voriconazole 200 mg/5 ml (40 mg/ml) SUSPENSION FOR RECONSTITUTION DL	4	PA,QL(400 per 30 days)
voriconazole-hpbc 200 mg RECON SOLUTION MO	1	PA
VUSION 0.25-15-81.35 % OINTMENT MO	3	
XOLEGEL 2 % GEL MO	3	
ANTIGOUT AGENTS		
allopurinol 100 mg, 300 mg TABLET MO	1	
allopurinol 200 mg TABLET MO	3	
allopurinol sodium 500 mg RECON SOLUTION MO	1	
ALOPRIM 500 MG RECON SOLUTION MO	3	
colchicine 0.6 mg CAPSULE MO	1	PA
colchicine 0.6 mg TABLET MO	1	QL(120 per 30 days)
COLCRYS 0.6 MG TABLET MO	3	PA,QL(120 per 30 days)
DUZALLO 200-200 MG, 200-300 MG TABLET MO	3	PA,QL(30 per 30 days)
febuxostat 40 mg, 80 mg TABLET MO	1	ST,QL(30 per 30 days)
GLOPERBA 0.6 MG/5 ML SOLUTION MO	3	PA,QL(300 per 30 days)
MITIGARE 0.6 MG CAPSULE MO	3	PA
probenecid 500 mg TABLET MO	1	
probenecid-colchicine 500-0.5 mg TABLET MO	1	
ULORIC 40 MG, 80 MG TABLET MO	3	ST,QL(30 per 30 days)
ZYLOPRIM 100 MG TABLET MO	3	
ANTIMIGRAINE AGENTS		
AIMOVIG AUTOINJECTOR 140 MG/ML AUTO-INJECTOR MO	3	PA,QL(1 per 28 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
AIMOVIG AUTOINJECTOR 70 MG/ML AUTO-INJECTOR MO	3	PA,QL(2 per 28 days)
AJOVY AUTOINJECTOR 225 MG/1.5 ML AUTO-INJECTOR MO	3	PA,QL(1.5 per 28 days)
AJOVY SYRINGE 225 MG/1.5 ML SYRINGE MO	3	PA,QL(1.5 per 28 days)
almotriptan malate 12.5 mg, 6.25 mg TABLET MO	1	ST,QL(9 per 30 days)
dihydroergotamine 0.5 mg/pump act. (4 mg/ml) SPRAY, NON-AEROSOL DL	4	PA,QL(8 per 30 days)
dihydroergotamine 1 mg/ml SOLUTION DL	4	PA
eletriptan 20 mg, 40 mg TABLET MO	1	ST,QL(9 per 30 days)
EMGALITY PEN 120 MG/ML PEN INJECTOR MO	3	PA,QL(2 per 30 days)
EMGALITY SYRINGE 120 MG/ML SYRINGE MO	3	PA,QL(2 per 30 days)
EMGALITY SYRINGE 300 MG/3 ML (100 MG/ML X 3) SYRINGE MO	3	PA,QL(3 per 30 days)
ERGOMAR 2 MG SUBLINGUAL TABLET DL	4	QL(20 per 28 days)
ergotamine-caffeine 1-100 mg TABLET MO	1	QL(40 per 30 days)
FROVA 2.5 MG TABLET DL	4	ST,QL(12 per 30 days)
frovatriptan 2.5 mg TABLET MO	1	ST,QL(12 per 30 days)
IMITREX 100 MG, 25 MG, 50 MG TABLET MO	3	PA,QL(9 per 30 days)
IMITREX 20 MG/ACTUATION, 5 MG/ACTUATION SPRAY, NON-AEROSOL MO	3	PA,QL(12 per 30 days)
IMITREX STATDOSE PEN 4 MG/0.5 ML, 6 MG/0.5 ML PEN INJECTOR MO	3	PA,QL(6 per 30 days)
IMITREX STATDOSE REFILL 4 MG/0.5 ML, 6 MG/0.5 ML CARTRIDGE DL	4	PA,QL(6 per 30 days)
MAXALT 10 MG TABLET MO	3	PA,QL(12 per 30 days)
MAXALT-MLT 10 MG TABLET, DISINTEGRATING MO	3	PA,QL(12 per 30 days)
migergot 2-100 mg SUPPOSITORY DL	4	QL(20 per 28 days)
MIGRANAL 0.5 MG/PUMP ACT. (4 MG/ML) SPRAY, NON-AEROSOL DL	4	QL(8 per 30 days)
naratriptan 1 mg, 2.5 mg TABLET MO	1	QL(9 per 30 days)
NURTEC ODT 75 MG TABLET, DISINTEGRATING	4	PA,QL(18 per 30 days)
ONZETRA XSAIL 11 MG AEROSOL POWDER BREATH ACTIV. MO	3	ST,QL(16 per 30 days)
QULIPTA 10 MG, 30 MG, 60 MG TABLET MO	3	PA,QL(30 per 30 days)
RELPAX 40 MG TABLET DL	4	ST,QL(9 per 30 days)
REYVOW 100 MG TABLET MO	3	PA,QL(8 per 30 days)
REYVOW 50 MG TABLET MO	3	PA,QL(4 per 30 days)
rizatriptan 10 mg, 5 mg TABLET MO	1	QL(12 per 30 days)
rizatriptan 10 mg, 5 mg TABLET, DISINTEGRATING MO	1	QL(12 per 30 days)
sumatriptan 20 mg/actuation, 5 mg/actuation SPRAY, NON-AEROSOL MO	1	QL(12 per 30 days)
sumatriptan succinate 100 mg, 25 mg, 50 mg TABLET MO	1	QL(9 per 30 days)
sumatriptan succinate 4 mg/0.5 ml, 6 mg/0.5 ml CARTRIDGE MO	3	QL(6 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
sumatriptan succinate 4 mg/0.5 ml, 6 mg/0.5 ml PEN INJECTOR MO	1	QL(6 per 30 days)
sumatriptan succinate 6 mg/0.5 ml SOLUTION MO	1	QL(6 per 30 days)
sumatriptan succinate 6 mg/0.5 ml SYRINGE MO	1	QL(6 per 30 days)
sumatriptan-naproxen 85-500 mg TABLET MO	1	ST,QL(18 per 30 days)
SYMBRAVO 10-20 MG TABLET DL	4	ST,QL(9 per 30 days)
TOSYMRA 10 MG/ACTUATION SPRAY, NON-AEROSOL MO	3	ST,QL(12 per 30 days)
TREXIMET 85-500 MG TABLET DL	4	ST,QL(18 per 30 days)
TRUDHESA 0.725 MG/PUMP ACT. (4 MG/ML) SPRAY, NON-AEROSOL DL	4	PA,QL(8 per 30 days)
UBRELVY 100 MG, 50 MG TABLET MO	2	PA,QL(16 per 30 days)
VYEPTI 100 MG/ML SOLUTION	4	PA,QL(3 per 90 days)
ZAVZPRET 10 MG/ACTUATION SPRAY, NON-AEROSOL DL	4	PA,QL(8 per 30 days)
ZEMBRACE SYMTOUCH 3 MG/0.5 ML PEN INJECTOR DL	4	ST,QL(6 per 30 days)
zolmitriptan 2.5 mg TABLET MO	1	ST,QL(9 per 30 days)
zolmitriptan 2.5 mg TABLET, DISINTEGRATING MO	1	ST,QL(9 per 30 days)
zolmitriptan 2.5 mg, 5 mg SPRAY, NON-AEROSOL MO	1	ST,QL(12 per 30 days)
zolmitriptan 5 mg TABLET MO	1	ST,QL(6 per 30 days)
zolmitriptan 5 mg TABLET, DISINTEGRATING MO	1	ST,QL(6 per 30 days)
zomig 2.5 mg TABLET MO	3	ST,QL(9 per 30 days)
ZOMIG 2.5 MG, 5 MG SPRAY, NON-AEROSOL MO	3	ST,QL(12 per 30 days)
zomig 5 mg TABLET MO	3	ST,QL(6 per 30 days)
ANTIMYASTHENIC AGENTS		
MESTINON 60 MG TABLET	4	PA
MESTINON 60 MG/5 ML SYRUP	4	
MESTINON TIMESPAN 180 MG TABLET ER	4	PA
pyridostigmine bromide 180 mg TABLET ER MO	1	
pyridostigmine bromide 30 mg, 60 mg TABLET MO	1	
pyridostigmine bromide 60 mg/5 ml SYRUP MO	1	
REGONOL 5 MG/ML SOLUTION MO	3	
VYVGART 20 MG/ML SOLUTION DL	4	PA
VYVGART HYTRULO 1,000 MG-10,000 UNIT/5 ML SYRINGE DL	4	PA,QL(20 per 28 days)
VYVGART HYTRULO 1,008 MG-11,200 UNIT/5.6 ML SOLUTION DL	4	PA,QL(22.4 per 28 days)
ANTIMYCOBACTERIALS		
cycloserine 250 mg CAPSULE DL	4	
dapsone 100 mg, 25 mg TABLET MO	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
<i>ethambutol 100 mg, 400 mg TABLET</i> MO	1	
<i>isoniazid 100 mg, 300 mg TABLET</i> MO	1	
<i>isoniazid 100 mg/ml, 50 mg/5 ml SOLUTION</i> MO	1	
MYAMBUTOL 400 MG TABLET MO	3	
MYCOBUTIN 150 MG CAPSULE MO	3	
PRETOMANID 200 MG TABLET MO	3	QL(30 per 30 days)
PRIFTIN 150 MG TABLET MO	3	
<i>pyrazinamide 500 mg TABLET</i> MO	1	
<i>rifabutin 150 mg CAPSULE</i> MO	1	
RIFADIN 600 MG RECON SOLUTION MO	3	
<i>rifampin 150 mg, 300 mg CAPSULE</i> MO	1	
<i>rifampin 600 mg RECON SOLUTION</i> MO	1	
SIRTURO 100 MG, 20 MG TABLET DL	4	PA
TRECTOR 250 MG TABLET MO	3	
ANTINEOPLASTICS		
<i>abiraterone 250 mg TABLET</i> DL	4	PA,QL(120 per 30 days)
<i>abiraterone 500 mg TABLET</i> DL	4	PA,QL(60 per 30 days)
<i>abirtega 250 mg TABLET</i> MO	1	PA,QL(120 per 30 days)
ABRAXANE 100 MG SUSPENSION FOR RECONSTITUTION DL	4	PA
ADCETRIS 50 MG RECON SOLUTION DL	4	PA
ADRIAMYCIN 50 MG RECON SOLUTION MO	1	BvsD
<i>adrucil 2.5 gram/50 ml SOLUTION</i> MO	1	BvsD
AFINITOR 10 MG, 2.5 MG, 5 MG, 7.5 MG TABLET DL	4	PA,QL(30 per 30 days)
AFINITOR DISPERZ 2 MG, 3 MG, 5 MG TABLET FOR SUSPENSION DL	4	PA
AKEEGA 100-500 MG, 50-500 MG TABLET DL	4	PA,QL(60 per 30 days)
ALECENSA 150 MG CAPSULE DL	4	PA,QL(240 per 30 days)
ALIMTA 100 MG, 500 MG RECON SOLUTION DL	4	PA
ALIQOPA 60 MG RECON SOLUTION DL	4	PA,QL(3 per 28 days)
ALUNBRIG 180 MG, 90 MG TABLET DL	4	PA,QL(30 per 30 days)
ALUNBRIG 30 MG TABLET DL	4	PA,QL(180 per 30 days)
ALUNBRIG 90 MG (7)- 180 MG (23) TABLET, DOSE PACK DL	4	PA,QL(30 per 30 days)
ALYMSYS 25 MG/ML SOLUTION DL	4	PA
<i>anastrozole 1 mg TABLET</i> MO	1	QL(30 per 30 days)
ANKTIVA 400 MCG/0.4 ML SOLUTION DL	4	PA

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
ARIMIDEX 1 MG TABLET DL	4	PA,QL(30 per 30 days)
AROMASIN 25 MG TABLET DL	4	PA,QL(60 per 30 days)
ARRANON 250 MG/50 ML SOLUTION DL	4	
<i>arsenic trioxide 1 mg/ml, 2 mg/ml SOLUTION</i> DL	4	PA
ASPARLAS 750 UNIT/ML SOLUTION DL	4	PA
AUGTYRO 160 MG CAPSULE DL	4	PA,QL(60 per 30 days)
AUGTYRO 40 MG CAPSULE DL	4	PA,QL(240 per 30 days)
AVASTIN 25 MG/ML SOLUTION DL	4	PA
AVGEMSI 1 GRAM/26.3 ML (38 MG/ML), 2 GRAM/52.6 ML (38 MG/ML) SOLUTION DL	4	
AVMAPKI-FAKZYNJA 0.8-200 MG COMBO PACK DL	4	PA,QL(66 per 28 days)
AXTLE 100 MG, 500 MG RECON SOLUTION DL	4	PA
AYVAKIT 100 MG, 200 MG, 25 MG, 300 MG, 50 MG TABLET DL	4	PA,QL(30 per 30 days)
<i>azacitidine 100 mg RECON SOLUTION</i> DL	4	PA
BALVERSA 3 MG TABLET DL	4	PA,QL(90 per 30 days)
BALVERSA 4 MG TABLET DL	4	PA,QL(60 per 30 days)
BALVERSA 5 MG TABLET DL	4	PA,QL(30 per 30 days)
BAVENCIO 20 MG/ML SOLUTION DL	4	PA
BELEODAQ 500 MG RECON SOLUTION DL	4	PA
<i>bendamustine 100 mg, 25 mg RECON SOLUTION</i> DL	4	PA
<i>bendamustine 25 mg/ml SOLUTION</i> DL	4	PA
BENDEKA 25 MG/ML SOLUTION DL	4	PA
BESPONSA 0.9 MG (0.25 MG/ML INITIAL) RECON SOLUTION DL	4	PA
<i>bexarotene 1 % GEL</i> DL	4	PA,QL(240 per 30 days)
<i>bexarotene 75 mg CAPSULE</i> DL	4	PA,QL(300 per 30 days)
<i>bicalutamide 50 mg TABLET</i> MO	1	QL(30 per 30 days)
BICNU 100 MG RECON SOLUTION MO	3	
BIZENGRI 375 MG/18.75 ML (20 MG/ML) SOLUTION DL	4	PA,QL(75 per 28 days)
<i>bleomycin 15 unit, 30 unit RECON SOLUTION</i> MO	1	BvsD
BORTEZOMIB 1 MG, 2.5 MG RECON SOLUTION MO	3	PA
<i>bortezomib 3.5 mg RECON SOLUTION</i> DL	4	PA
<i>bortezomib 3.5 mg RECON SOLUTION</i> MO	1	PA
BORUZU 2.5 MG/ML SOLUTION DL	4	PA
BOSULIF 100 MG CAPSULE DL	4	PA,QL(180 per 30 days)
BOSULIF 100 MG TABLET DL	4	PA,QL(120 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
BOSULIF 400 MG, 500 MG TABLET DL	4	PA,QL(30 per 30 days)
BOSULIF 50 MG CAPSULE DL	4	PA,QL(360 per 30 days)
BRAFTOVI 75 MG CAPSULE DL	4	PA,QL(180 per 30 days)
BRUKINSA 160 MG TABLET DL	4	PA,QL(120 per 30 days)
BRUKINSA 80 MG CAPSULE DL	4	PA,QL(120 per 30 days)
<i>busulfan 60 mg/10 ml SOLUTION</i> MO	1	
BUSULFEX 60 MG/10 ML SOLUTION MO	3	
CABOMETYX 20 MG, 40 MG, 60 MG TABLET DL	4	PA,QL(30 per 30 days)
CALQUENCE (ACALABRUTINIB MAL) 100 MG TABLET DL	4	PA,QL(60 per 30 days)
CAMPTOSAR 100 MG/5 ML, 300 MG/15 ML, 40 MG/2 ML SOLUTION DL	4	
CAPRELSA 100 MG TABLET DL,LA	4	PA,QL(60 per 30 days)
CAPRELSA 300 MG TABLET DL,LA	4	PA,QL(30 per 30 days)
<i>carboplatin 10 mg/ml SOLUTION</i> MO	1	
<i>carmustine 100 mg RECON SOLUTION</i> MO	1	
CASODEX 50 MG TABLET DL	4	QL(30 per 30 days)
<i>cisplatin 1 mg/ml SOLUTION</i> MO	1	
<i>cladribine 10 mg/10 ml SOLUTION</i> DL	4	BvsD
<i>clofarabine 1 mg/ml SOLUTION</i> DL	4	
CLOLAR 1 MG/ML SOLUTION DL	4	
COLUMVI 1 MG/ML SOLUTION DL	4	PA
COMETRIQ 100 MG/DAY(80 MG X1-20 MG X1) CAPSULE DL	4	PA,QL(56 per 28 days)
COMETRIQ 140 MG/DAY(80 MG X1-20 MG X3) CAPSULE DL	4	PA,QL(112 per 28 days)
COMETRIQ 60 MG/DAY (20 MG X 3/DAY) CAPSULE DL	4	PA,QL(84 per 28 days)
COPIKTRA 15 MG, 25 MG CAPSULE DL	4	PA,QL(56 per 28 days)
COSMEGEN 0.5 MG RECON SOLUTION DL	4	
COTELLIC 20 MG TABLET DL	4	PA,QL(63 per 28 days)
<i>cyclophosphamide 1 gram, 2 gram, 500 mg RECON SOLUTION</i> MO	1	BvsD
CYCLOPHOSPHAMIDE 100 MG/ML, 200 MG/ML SOLUTION MO	1	BvsD
<i>cyclophosphamide 200 mg/ml SOLUTION</i> MO	1	BvsD
<i>cyclophosphamide 25 mg, 50 mg CAPSULE</i> MO	1	BvsD
<i>cyclophosphamide 25 mg, 50 mg TABLET</i> MO	1	BvsD
<i>cyclophosphamide 500 mg/ml SOLUTION</i> DL	4	BvsD
CYRAMZA 10 MG/ML SOLUTION DL	4	PA
<i>cytarabine 20 mg/ml SOLUTION</i> MO	1	BvsD

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
cytarabine (pf) 100 mg/5 ml (20 mg/ml), 2 gram/20 ml (100 mg/ml), 20 mg/ml SOLUTION MO	1	BvsD
dacarbazine 100 mg, 200 mg RECON SOLUTION MO	1	
dactinomycin 0.5 mg RECON SOLUTION DL	4	
DANYELZA 4 MG/ML SOLUTION DL	4	PA,QL(120 per 28 days)
DANZITEN 71 MG, 95 MG TABLET DL	4	PA,QL(120 per 30 days)
DARZALEX 20 MG/ML SOLUTION DL	4	PA
DARZALEX FASPRO 1,800 MG-30,000 UNIT/15 ML SOLUTION DL	4	PA
dasatinib 100 mg, 50 mg, 70 mg, 80 mg TABLET DL	4	PA,QL(60 per 30 days)
dasatinib 140 mg TABLET DL	4	PA,QL(30 per 30 days)
dasatinib 20 mg TABLET DL	4	PA,QL(90 per 30 days)
DATROWAY 100 MG RECON SOLUTION DL	4	PA
daunorubicin 5 mg/ml SOLUTION MO	1	
DAURISMO 100 MG TABLET DL	4	PA,QL(30 per 30 days)
DAURISMO 25 MG TABLET DL	4	PA,QL(60 per 30 days)
decitabine 50 mg RECON SOLUTION DL	4	PA
dexrazoxane hcl 250 mg, 500 mg RECON SOLUTION MO	1	
docetaxel 160 mg/16 ml (10 mg/ml), 160 mg/8 ml (20 mg/ml), 20 mg/2 ml (10 mg/ml), 20 mg/ml (1 ml), 80 mg/4 ml (20 mg/ml), 80 mg/8 ml (10 mg/ml) SOLUTION MO	1	
DOXIL 2 MG/ML SUSPENSION DL	4	PA
doxorubicin 10 mg, 50 mg RECON SOLUTION MO	1	BvsD
doxorubicin 10 mg/5 ml, 2 mg/ml, 20 mg/10 ml, 50 mg/25 ml SOLUTION MO	1	BvsD
doxorubicin, peg-liposomal 2 mg/ml SUSPENSION DL	4	PA
ELAHERE 5 MG/ML SOLUTION DL	4	PA
ELITEK 1.5 MG, 7.5 MG RECON SOLUTION DL	4	PA
ELLENC 200 MG/100 ML, 50 MG/25 ML SOLUTION DL	4	
ELREXFIO 40 MG/ML SOLUTION DL	4	PA
ELZONRIS 1,000 MCG/ML SOLUTION DL	4	PA,QL(10 per 21 days)
EMCYT 140 MG CAPSULE DL	4	
EMPLICITI 300 MG, 400 MG RECON SOLUTION DL	4	PA
EMRELIS 100 MG, 20 MG RECON SOLUTION DL	4	PA
ENHERTU 100 MG RECON SOLUTION DL	4	PA
epirubicin 200 mg/100 ml, 50 mg/25 ml SOLUTION MO	1	
EPKINLY 4 MG/0.8 ML, 48 MG/0.8 ML SOLUTION DL	4	PA

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
ERBITUX 100 MG/50 ML, 200 MG/100 ML SOLUTION DL	4	PA
eribulin 1 mg/2 ml (0.5 mg/ml) SOLUTION DL	4	
ERIVEDGE 150 MG CAPSULE DL	4	PA,QL(28 per 28 days)
ERLEADA 240 MG TABLET DL	4	PA,QL(30 per 30 days)
ERLEADA 60 MG TABLET DL	4	PA,QL(120 per 30 days)
erlotinib 100 mg, 150 mg TABLET DL	4	PA,QL(30 per 30 days)
erlotinib 25 mg TABLET DL	4	PA,QL(90 per 30 days)
ETOPOPHOS 100 MG RECON SOLUTION MO	3	
etoposide 20 mg/ml SOLUTION MO	1	
EULEXIN 125 MG CAPSULE DL	4	PA
everolimus (antineoplastic) 10 mg, 2.5 mg, 5 mg, 7.5 mg TABLET DL	4	PA,QL(30 per 30 days)
everolimus (antineoplastic) 2 mg, 3 mg, 5 mg TABLET FOR SUSPENSION DL	4	PA
EVOMELA 50 MG RECON SOLUTION DL	4	
exemestane 25 mg TABLET MO	1	QL(60 per 30 days)
EXKIVITY 40 MG CAPSULE DL	4	PA,QL(120 per 30 days)
FARESTON 60 MG TABLET DL	4	QL(30 per 30 days)
FASLODEX 250 MG/5 ML SYRINGE DL	4	PA,QL(30 per 30 days)
FEMARA 2.5 MG TABLET MO	3	PA,QL(30 per 30 days)
floxuridine 0.5 gram RECON SOLUTION MO	1	BvsD
fludarabine 50 mg RECON SOLUTION MO	1	
fludarabine 50 mg/2 ml SOLUTION DL	4	
fluorouracil 1 gram/20 ml, 2.5 gram/50 ml, 5 gram/100 ml, 500 mg/10 ml SOLUTION MO	1	BvsD
FOLOTYN 20 MG/ML (1 ML), 40 MG/2 ML (20 MG/ML) SOLUTION DL	4	PA
FOTIVDA 0.89 MG, 1.34 MG CAPSULE DL	4	PA,QL(21 per 28 days)
FRINDOVYX 500 MG/ML SOLUTION DL	4	BvsD
FRUZAQLA 1 MG CAPSULE DL	4	PA,QL(84 per 28 days)
FRUZAQLA 5 MG CAPSULE DL	4	PA,QL(21 per 28 days)
fulvestrant 250 mg/5 ml SYRINGE MO	1	PA,QL(30 per 30 days)
FUSILEV 50 MG RECON SOLUTION DL	4	PA
FYARRO 100 MG SUSPENSION FOR RECONSTITUTION DL	4	PA
GAVRETO 100 MG CAPSULE DL,LA	4	PA,QL(120 per 30 days)
GAZYVA 1,000 MG/40 ML SOLUTION DL	4	PA,QL(120 per 28 days)
gefitinib 250 mg TABLET DL	4	PA
gemcitabine 1 gram, 2 gram, 200 mg RECON SOLUTION MO	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
gemcitabine 1 gram/26.3 ml (38 mg/ml), 2 gram/52.6 ml (38 mg/ml), 200 mg/5.26 ml (38 mg/ml) SOLUTION MO	1	
GILOTRIF 20 MG, 30 MG, 40 MG TABLET DL,LA	4	PA,QL(30 per 30 days)
GLEEVEC 100 MG TABLET DL	4	PA,QL(90 per 30 days)
GLEEVEC 400 MG TABLET DL	4	PA,QL(60 per 30 days)
GLEOSTINE 10 MG CAPSULE MO	3	PA
GLEOSTINE 100 MG CAPSULE DL	4	PA
GLEOSTINE 40 MG CAPSULE	4	PA
GOMEKLI 1 MG TABLET FOR SUSPENSION DL	4	PA
GOMEKLI 1 MG, 2 MG CAPSULE DL	4	PA
GRAFAPEX 1 GRAM, 5 GRAM RECON SOLUTION DL	4	
HALAVEN 1 MG/2 ML (0.5 MG/ML) SOLUTION DL	4	
HERCEPTIN 150 MG RECON SOLUTION DL	4	PA
HERCEPTIN HYLECTA 600 MG-10,000 UNIT/5 ML SOLUTION DL	4	PA,QL(5 per 21 days)
HERNEXEOS 60 MG TABLET DL	4	PA,QL(180 per 30 days)
HERZUMA 150 MG, 420 MG RECON SOLUTION DL	4	PA
HYCANTIN 4 MG RECON SOLUTION DL	4	
HYDREA 500 MG CAPSULE MO	3	
hydroxyurea 500 mg CAPSULE MO	1	
IBRANCE 100 MG, 125 MG, 75 MG CAPSULE DL	4	PA,QL(21 per 28 days)
IBRANCE 100 MG, 125 MG, 75 MG TABLET DL	4	PA,QL(21 per 28 days)
IBTROZI 200 MG CAPSULE DL	4	PA,QL(90 per 30 days)
ICLUSIG 10 MG, 30 MG, 45 MG TABLET DL	4	PA,QL(30 per 30 days)
ICLUSIG 15 MG TABLET DL	4	PA,QL(60 per 30 days)
IDAMYCIN PFS 1 MG/ML SOLUTION DL	4	
idarubicin 1 mg/ml SOLUTION DL	4	
IDHIFA 100 MG, 50 MG TABLET DL	4	PA,QL(30 per 30 days)
IFEX 1 GRAM, 3 GRAM RECON SOLUTION MO	3	
ifosfamide 1 gram, 3 gram RECON SOLUTION MO	1	
ifosfamide 1 gram/20 ml, 3 gram/60 ml SOLUTION MO	1	
imatinib 100 mg TABLET MO	1	PA,QL(90 per 30 days)
imatinib 400 mg TABLET DL	4	PA,QL(60 per 30 days)
IMBRUVICA 140 MG CAPSULE DL	4	PA,QL(120 per 30 days)
IMBRUVICA 140 MG, 280 MG TABLET DL	4	PA
IMBRUVICA 420 MG TABLET DL	4	PA,QL(28 per 28 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
IMBRUVICA 70 MG CAPSULE DL	4	PA,QL(28 per 28 days)
IMBRUVICA 70 MG/ML SUSPENSION DL	4	PA
IMDELLTRA 1 MG, 10 MG RECON SOLUTION DL	4	PA
IMFINZI 50 MG/ML SOLUTION DL	4	PA
IMJUDO 20 MG/ML SOLUTION DL	4	PA
IMKELDI 80 MG/ML SOLUTION DL	4	PA,QL(300 per 30 days)
IMLYGIC 10EXP6 (1 MILLION) PFU/ML SUSPENSION DL	4	PA,QL(4 per 365 days)
IMLYGIC 10EXP8 (100 MILLION) PFU/ML SUSPENSION DL	4	PA,QL(8 per 28 days)
INFUGEM 1,200 MG/120 ML (10 MG/ML), 1,300 MG/130 ML (10 MG/ML), 1,400 MG/140 ML (10 MG/ML), 1,500 MG/150 ML (10 MG/ML), 1,600 MG/160 ML (10 MG/ML), 1,700 MG/170 ML (10 MG/ML), 1,800 MG/180 ML (10 MG/ML), 1,900 MG/190 ML (10 MG/ML), 2,000 MG/200 ML (10 MG/ML), 2,200 MG/220 ML (10 MG/ML) PIGGYBACK DL	4	
INLYTA 1 MG TABLET DL	4	PA,QL(180 per 30 days)
INLYTA 5 MG TABLET DL	4	PA,QL(120 per 30 days)
INQOVI 35-100 MG TABLET DL	4	PA,QL(5 per 28 days)
INREBIC 100 MG CAPSULE DL	4	PA,QL(120 per 30 days)
IRESSA 250 MG TABLET DL	4	PA
<i>irinotecan 100 mg/5 ml, 300 mg/15 ml, 40 mg/2 ml, 500 mg/25 ml SOLUTION</i> MO	1	
ISTODAX 10 MG/2 ML RECON SOLUTION DL	4	PA
ITOVEBI 3 MG TABLET DL	4	PA,QL(56 per 28 days)
ITOVEBI 9 MG TABLET DL	4	PA,QL(28 per 28 days)
IVRA 90 MG/ML SOLUTION DL	4	
IWILFIN 192 MG TABLET DL	4	PA,QL(240 per 30 days)
IXEMPRA 15 MG, 45 MG RECON SOLUTION DL	4	PA
JAKAFI 10 MG, 15 MG, 20 MG, 25 MG, 5 MG TABLET DL	4	PA,QL(60 per 30 days)
JAYPIRCA 100 MG, 50 MG TABLET DL	4	PA,QL(90 per 30 days)
JEMPERLI 50 MG/ML SOLUTION	4	PA,QL(20 per 42 days)
JEVTANA 10 MG/ML (FIRST DILUTION) SOLUTION DL	4	PA
JOBEVNE 25 MG/ML SOLUTION DL	4	PA
KADCYLA 100 MG, 160 MG RECON SOLUTION DL	4	PA
KANJINTI 150 MG, 420 MG RECON SOLUTION DL	4	PA
KEYTRUDA 25 MG/ML SOLUTION DL	4	PA
KHAPZORY 175 MG RECON SOLUTION DL	4	PA

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
KIMMTRAK 100 MCG/0.5 ML SOLUTION DL	4	PA
KISQALI 200 MG/DAY (200 MG X 1) TABLET DL	4	PA,QL(21 per 28 days)
KISQALI 400 MG/DAY (200 MG X 2) TABLET DL	4	PA,QL(42 per 28 days)
KISQALI 600 MG/DAY (200 MG X 3) TABLET DL	4	PA,QL(63 per 28 days)
KISQALI FEMARA CO-PACK 200 MG/DAY(200 MG X 1)-2.5 MG TABLET DL	4	PA,QL(49 per 28 days)
KISQALI FEMARA CO-PACK 400 MG/DAY(200 MG X 2)-2.5 MG TABLET DL	4	PA,QL(70 per 28 days)
KISQALI FEMARA CO-PACK 600 MG/DAY(200 MG X 3)-2.5 MG TABLET DL	4	PA,QL(91 per 28 days)
KOSELUGO 10 MG CAPSULE DL	4	PA,QL(240 per 30 days)
KOSELUGO 25 MG CAPSULE DL	4	PA,QL(120 per 30 days)
KRAZATI 200 MG TABLET DL	4	PA,QL(180 per 30 days)
KYPROLIS 10 MG RECON SOLUTION DL	4	PA,QL(6 per 28 days)
KYPROLIS 30 MG RECON SOLUTION DL	4	PA,QL(3 per 28 days)
KYPROLIS 60 MG RECON SOLUTION DL	4	PA,QL(12 per 28 days)
<i>lapatinib</i> 250 mg TABLET DL	4	PA,QL(180 per 30 days)
LAZCLUZE 240 MG TABLET DL	4	PA,QL(30 per 30 days)
LAZCLUZE 80 MG TABLET DL	4	PA,QL(60 per 30 days)
<i>lenalidomide</i> 10 mg, 15 mg, 2.5 mg, 20 mg, 25 mg, 5 mg CAPSULE DL	4	PA,QL(28 per 28 days)
LENVIMA 10 MG/DAY (10 MG X 1), 4 MG CAPSULE DL	4	PA,QL(30 per 30 days)
LENVIMA 12 MG/DAY (4 MG X 3), 18 MG/DAY (10 MG X 1-4 MG X2), 24 MG/DAY(10 MG X 2-4 MG X 1) CAPSULE DL	4	PA,QL(90 per 30 days)
LENVIMA 14 MG/DAY(10 MG X 1-4 MG X 1), 20 MG/DAY (10 MG X 2), 8 MG/DAY (4 MG X 2) CAPSULE DL	4	PA,QL(60 per 30 days)
<i>letrozole</i> 2.5 mg TABLET MO	1	QL(30 per 30 days)
<i>leucovorin calcium</i> 10 mg, 15 mg, 25 mg, 5 mg TABLET MO	1	
<i>leucovorin calcium</i> 10 mg/ml SOLUTION MO	1	
<i>leucovorin calcium</i> 100 mg, 200 mg, 350 mg, 50 mg, 500 mg RECON SOLUTION MO	1	
LEUKERAN 2 MG TABLET DL	4	
<i>levoleucovorin calcium</i> 10 mg/ml SOLUTION MO	1	PA
<i>levoleucovorin calcium</i> 50 mg RECON SOLUTION MO	1	PA
LEVULAN 20 % SOLUTION MO	3	
LIBTAYO 50 MG/ML SOLUTION DL	4	PA,QL(7 per 21 days)
LONSURF 15-6.14 MG TABLET DL	4	PA,QL(100 per 30 days)
LONSURF 20-8.19 MG TABLET DL	4	PA,QL(80 per 30 days)
LOQTORZI 240 MG/6 ML (40 MG/ML) SOLUTION DL	4	PA

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
LORBRENA 100 MG TABLET DL	4	PA,QL(30 per 30 days)
LORBRENA 25 MG TABLET DL	4	PA,QL(90 per 30 days)
LUMAKRAS 120 MG TABLET DL	4	PA,QL(240 per 30 days)
LUMAKRAS 240 MG TABLET DL	4	PA,QL(120 per 30 days)
LUMAKRAS 320 MG TABLET DL	4	PA,QL(90 per 30 days)
LUNSUMIO 1 MG/ML SOLUTION DL	4	PA
LYNOZYFIC 2 MG/ML, 20 MG/ML SOLUTION DL	4	PA
LYNPARZA 100 MG, 150 MG TABLET DL	4	PA,QL(120 per 30 days)
LYSODREN 500 MG TABLET DL	4	
LYTGOBI 12 MG/DAY (4 MG X 3), 16 MG/DAY (4 MG X 4), 20 MG/DAY (4 MG X 5) TABLET DL	4	PA,QL(140 per 28 days)
MARGENZA 25 MG/ML SOLUTION DL	4	PA
MATULANE 50 MG CAPSULE DL	4	
MEKINIST 0.05 MG/ML RECON SOLUTION DL	4	PA,QL(1170 per 28 days)
MEKINIST 0.5 MG TABLET DL	4	PA,QL(120 per 30 days)
MEKINIST 2 MG TABLET DL	4	PA,QL(30 per 30 days)
MEKTOVI 15 MG TABLET DL	4	PA,QL(180 per 30 days)
<i>melfphalan 2 mg TABLET MO</i>	1	BvsD
<i>melfphalan hcl 50 mg RECON SOLUTION MO</i>	1	
<i>mercaptopurine 20 mg/ml SUSPENSION DL</i>	4	
<i>mercaptopurine 50 mg TABLET MO</i>	1	
<i>mesna 100 mg/ml SOLUTION MO</i>	1	
<i>mesna 400 mg TABLET DL</i>	4	
MESNEX 100 MG/ML SOLUTION DL	4	
MESNEX 400 MG TABLET DL	4	
<i>mitomycin 20 mg, 5 mg RECON SOLUTION MO</i>	1	
<i>mitomycin 40 mg RECON SOLUTION DL</i>	4	
<i>mitoxantrone 2 mg/ml CONCENTRATE MO</i>	1	
MODEYSO 125 MG CAPSULE DL	4	PA,QL(20 per 28 days)
MUTAMYCIN 20 MG, 40 MG, 5 MG RECON SOLUTION DL	4	
MVASI 25 MG/ML SOLUTION DL	4	PA
MYLOTARG 4.5 MG (1 MG/ML INITIAL CONC) RECON SOLUTION DL	4	PA
<i>nelarabine 250 mg/50 ml SOLUTION DL</i>	4	
NERLYNX 40 MG TABLET DL	4	PA,QL(180 per 30 days)
NEXAVAR 200 MG TABLET DL	4	PA,QL(120 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
NILANDRON 150 MG TABLET DL	4	PA,QL(60 per 30 days)
<i>nilotinib hcl 150 mg, 200 mg, 50 mg CAPSULE</i> DL	4	PA,QL(120 per 30 days)
<i>nilotinib tartrate 150 mg, 200 mg, 50 mg CAPSULE</i> DL	4	PA,QL(120 per 30 days)
<i>nilutamide 150 mg TABLET</i> DL	4	QL(60 per 30 days)
NINLARO 2.3 MG, 3 MG, 4 MG CAPSULE DL	4	PA,QL(3 per 28 days)
NIPENT 10 MG RECON SOLUTION DL	4	
NUBEQA 300 MG TABLET DL	4	PA,QL(120 per 30 days)
ODOMZO 200 MG CAPSULE DL	4	PA,QL(30 per 30 days)
OGIVRI 150 MG, 420 MG RECON SOLUTION DL	4	PA
OGSIVEO 100 MG, 150 MG TABLET DL	4	PA,QL(60 per 30 days)
OGSIVEO 50 MG TABLET DL	4	PA,QL(180 per 30 days)
OJEMDA 25 MG/ML SUSPENSION FOR RECONSTITUTION DL	4	PA,QL(96 per 28 days)
OJEMDA 400 MG/WEEK (100 MG X 4) TABLET DL	4	PA,QL(16 per 28 days)
OJEMDA 500 MG/WEEK (100 MG X 5) TABLET DL	4	PA,QL(20 per 28 days)
OJEMDA 600 MG/WEEK (100 MG X 6) TABLET DL	4	PA,QL(24 per 28 days)
OJJAARA 100 MG, 150 MG, 200 MG TABLET DL	4	PA,QL(30 per 30 days)
ONCASPAR 750 UNIT/ML SOLUTION DL	4	PA
ONIVYDE 4.3 MG/ML DISPERSION DL	4	PA
ONTRUZANT 150 MG, 420 MG RECON SOLUTION DL	4	PA
ONUREG 200 MG, 300 MG TABLET DL	4	PA,QL(14 per 28 days)
OPDIVO 100 MG/10 ML SOLUTION DL	4	PA,QL(40 per 28 days)
OPDIVO 120 MG/12 ML, 240 MG/24 ML SOLUTION DL	4	PA,QL(48 per 28 days)
OPDIVO 40 MG/4 ML SOLUTION DL	4	PA,QL(16 per 28 days)
OPDIVO QVANTIG 600 MG-10,000 UNIT/5 ML SOLUTION DL	4	PA,QL(10 per 28 days)
OPDUALAG 240-80 MG/20 ML SOLUTION DL	4	PA,QL(40 per 28 days)
ORGOVYX 120 MG TABLET DL	4	PA,QL(32 per 30 days)
ORSERDU 345 MG TABLET DL	4	PA,QL(30 per 30 days)
ORSERDU 86 MG TABLET DL	4	PA,QL(90 per 30 days)
<i>oxaliplatin 100 mg, 50 mg RECON SOLUTION</i> MO	1	
<i>oxaliplatin 100 mg/20 ml, 200 mg/40 ml, 50 mg/10 ml (5 mg/ml) SOLUTION</i> MO	1	
<i>paclitaxel 6 mg/ml CONCENTRATE</i> MO	1	
<i>paclitaxel protein-bound 100 mg SUSPENSION FOR RECONSTITUTION</i> DL	4	PA
PADCEV 20 MG RECON SOLUTION DL	4	PA,QL(21 per 28 days)
PADCEV 30 MG RECON SOLUTION DL	4	PA,QL(15 per 28 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
PANRETIN 0.1 % GEL DL	4	PA
paraplatin 10 mg/ml SOLUTION MO	1	
pazopanib 200 mg TABLET DL	4	PA,QL(120 per 30 days)
PEDMARK 12.5 GRAM/100ML (125 MG/ML) SOLUTION DL	4	PA
PEMAZYRE 13.5 MG, 4.5 MG, 9 MG TABLET DL	4	PA,QL(28 per 28 days)
pemetrexed 1 gram, 100 mg, 500 mg RECON SOLUTION DL	4	PA
pemetrexed 25 mg/ml SOLUTION DL	4	PA,QL(120 per 21 days)
pemetrexed disodium 1,000 mg, 750 mg RECON SOLUTION DL	4	PA
pemetrexed disodium 100 mg, 500 mg RECON SOLUTION MO	1	PA
pemetrexed disodium 25 mg/ml SOLUTION DL	4	PA
PEMRYDI RTU 10 MG/ML SOLUTION DL	4	PA
PERJETA 420 MG/14 ML (30 MG/ML) SOLUTION DL	4	PA
PHESGO 1,200 MG-600MG- 30000 UNIT/15ML SOLUTION DL	4	PA,QL(15 per 21 days)
PHESGO 600 MG-600 MG- 20000 UNIT/10ML SOLUTION DL	4	PA,QL(10 per 21 days)
PIQRAY 200 MG/DAY (200 MG X 1) TABLET DL	4	PA,QL(28 per 28 days)
PIQRAY 250 MG/DAY (200 MG X1-50 MG X1), 300 MG/DAY (150 MG X 2) TABLET DL	4	PA,QL(56 per 28 days)
POLIVY 140 MG RECON SOLUTION DL	4	PA,QL(2 per 21 days)
POLIVY 30 MG RECON SOLUTION DL	4	PA,QL(8 per 21 days)
POMALYST 1 MG, 2 MG, 3 MG, 4 MG CAPSULE DL	4	PA,QL(21 per 28 days)
PORTRAZZA 800 MG/50 ML (16 MG/ML) SOLUTION DL	4	PA,QL(100 per 21 days)
POTELIGEO 4 MG/ML SOLUTION DL	4	PA
pralatrexate 20 mg/ml (1 ml), 40 mg/2 ml (20 mg/ml) SOLUTION DL	4	PA
PURIXAN 20 MG/ML SUSPENSION DL	4	
QINLOCK 50 MG TABLET DL	4	PA,QL(90 per 30 days)
RETEVMO 120 MG, 160 MG, 80 MG TABLET DL	4	PA,QL(60 per 30 days)
RETEVMO 40 MG CAPSULE DL	4	PA,QL(180 per 30 days)
RETEVMO 40 MG TABLET DL	4	PA,QL(90 per 30 days)
RETEVMO 80 MG CAPSULE DL	4	PA,QL(120 per 30 days)
REVLIMID 10 MG, 15 MG, 2.5 MG, 20 MG, 25 MG, 5 MG CAPSULE DL	4	PA,QL(28 per 28 days)
REVUFORJ 110 MG, 160 MG, 25 MG TABLET DL	4	PA
REZLIDHIA 150 MG CAPSULE DL	4	PA,QL(60 per 30 days)
RIABNI 10 MG/ML SOLUTION DL	4	PA
RITUXAN 10 MG/ML CONCENTRATE DL	4	PA
RITUXAN HYCELA 1400 MG/11.7 ML (120 MG/ML) SOLUTION DL	4	PA,QL(46.8 per 28 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
RITUXAN HYCELA 1600 MG/13.4 ML (120 MG/ML) SOLUTION DL	4	PA,QL(13.4 per 28 days)
<i>romidepsin 10 mg/2 ml RECON SOLUTION</i> DL	4	PA
ROMIDEPSIN 5 MG/ML SOLUTION DL	4	PA
ROMVIMZA 14 MG, 20 MG, 30 MG CAPSULE DL	4	PA
ROZLYTREK 100 MG CAPSULE DL	4	PA,QL(150 per 30 days)
ROZLYTREK 200 MG CAPSULE DL	4	PA,QL(90 per 30 days)
ROZLYTREK 50 MG PELLETS IN PACKET DL	4	PA,QL(360 per 30 days)
RUBRACA 200 MG, 250 MG, 300 MG TABLET DL	4	PA,QL(120 per 30 days)
RUXIENCE 10 MG/ML SOLUTION DL	4	PA
RYBREVANT 50 MG/ML SOLUTION DL	4	PA,QL(784 per 365 days)
RYDAPT 25 MG CAPSULE DL	4	PA,QL(224 per 28 days)
RYLAZE 10 MG/0.5 ML SOLUTION DL	4	PA
RYTELO 188 MG, 47 MG RECON SOLUTION DL	4	PA
SARCLISA 20 MG/ML SOLUTION DL	4	PA
SCEMBLIX 100 MG TABLET DL	4	PA,QL(120 per 30 days)
SCEMBLIX 20 MG TABLET DL	4	PA,QL(60 per 30 days)
SCEMBLIX 40 MG TABLET DL	4	PA,QL(300 per 30 days)
SOLTAMOX 20 MG/10 ML SOLUTION DL	4	
<i>sorafenib 200 mg TABLET</i> DL	4	PA,QL(120 per 30 days)
SPRYCEL 100 MG, 50 MG, 70 MG, 80 MG TABLET DL	4	PA,QL(60 per 30 days)
SPRYCEL 140 MG TABLET DL	4	PA,QL(30 per 30 days)
SPRYCEL 20 MG TABLET DL	4	PA,QL(90 per 30 days)
STIVARGA 40 MG TABLET DL	4	PA,QL(84 per 28 days)
<i>sunitinib malate 12.5 mg, 25 mg, 37.5 mg, 50 mg CAPSULE</i> DL	4	PA,QL(28 per 28 days)
SUTENT 12.5 MG, 25 MG, 37.5 MG, 50 MG CAPSULE DL	4	PA,QL(28 per 28 days)
SYNRIBO 3.5 MG RECON SOLUTION DL	4	PA
TABLOID 40 MG TABLET MO	3	
TABRECTA 150 MG, 200 MG TABLET DL	4	PA,QL(112 per 28 days)
TAFINLAR 10 MG TABLET FOR SUSPENSION DL	4	PA,QL(840 per 28 days)
TAFINLAR 50 MG CAPSULE DL	4	PA,QL(180 per 30 days)
TAFINLAR 75 MG CAPSULE DL	4	PA,QL(120 per 30 days)
TAGRISSO 40 MG, 80 MG TABLET DL	4	PA,QL(30 per 30 days)
TALVEY 2 MG/ML, 40 MG/ML SOLUTION DL	4	PA
TALZENNA 0.1 MG, 0.35 MG, 0.5 MG, 0.75 MG, 1 MG CAPSULE DL	4	PA,QL(30 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
TALZENNA 0.25 MG CAPSULE DL	4	PA,QL(90 per 30 days)
<i>tamoxifen 10 mg, 20 mg TABLET</i> MO	1	
TARCEVA 100 MG, 150 MG TABLET DL	4	PA,QL(30 per 30 days)
TARCEVA 25 MG TABLET DL	4	PA,QL(90 per 30 days)
TARGRETIN 1 % GEL DL	4	PA,QL(240 per 30 days)
TARGRETIN 75 MG CAPSULE DL	4	PA,QL(300 per 30 days)
TASIGNA 150 MG, 200 MG, 50 MG CAPSULE DL	4	PA,QL(120 per 30 days)
TAZVERIK 200 MG TABLET DL	4	PA,QL(240 per 30 days)
TECENTRIQ 1,200 MG/20 ML (60 MG/ML) SOLUTION DL	4	PA,QL(20 per 21 days)
TECENTRIQ 840 MG/14 ML (60 MG/ML) SOLUTION DL	4	PA,QL(28 per 28 days)
TECENTRIQ HYBREZA 1,875 MG-30,000 UNIT/15 ML SOLUTION DL	4	PA,QL(15 per 21 days)
TECVAYLI 10 MG/ML, 90 MG/ML SOLUTION DL	4	PA
TEMODAR 100 MG RECON SOLUTION DL	4	PA,QL(27 per 30 days)
<i>temsirolimus 30 mg/3 ml (10 mg/ml) (first) RECON SOLUTION</i> DL	4	PA,QL(8 per 28 days)
TEPADINA 100 MG, 15 MG RECON SOLUTION DL	4	
TEPADINA 200 MG SOLUTION DL	4	
TEPMETKO 225 MG TABLET DL	4	PA,QL(60 per 30 days)
TEPYLUTE 10 MG/ML SOLUTION DL	4	
TEVIMBRA 10 MG/ML SOLUTION DL	4	PA,QL(20 per 21 days)
THALOMID 100 MG CAPSULE DL	4	PA,QL(120 per 30 days)
THALOMID 150 MG CAPSULE DL	4	PA,QL(60 per 30 days)
THALOMID 200 MG CAPSULE DL	4	PA,QL(30 per 30 days)
THALOMID 50 MG CAPSULE DL	4	PA,QL(240 per 30 days)
<i>thiotepa 100 mg RECON SOLUTION</i> DL	4	
<i>thiotepa 15 mg RECON SOLUTION</i> MO	1	
TIBSOVO 250 MG TABLET DL	4	PA,QL(60 per 30 days)
TIVDAK 40 MG RECON SOLUTION DL	4	PA,QL(5 per 21 days)
<i>topotecan 4 mg RECON SOLUTION</i>	4	
<i>topotecan 4 mg/4 ml (1 mg/ml) SOLUTION</i> MO	1	
<i>toremifene 60 mg TABLET</i>	4	QL(30 per 30 days)
TORISEL 30 MG/3 ML (10 MG/ML) (FIRST) RECON SOLUTION DL	4	PA,QL(8 per 28 days)
<i>torpenz 10 mg, 2.5 mg, 5 mg, 7.5 mg TABLET</i> DL	4	PA,QL(30 per 30 days)
TRAZIMERA 150 MG, 420 MG RECON SOLUTION DL	4	PA
TREANDA 100 MG, 25 MG RECON SOLUTION DL	4	PA

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
<i>tretinoin (antineoplastic) 10 mg CAPSULE</i> DL	4	
TRISENOX 2 MG/ML SOLUTION DL	4	PA
TRODELVY 180 MG RECON SOLUTION DL	4	PA
TRUQAP 160 MG, 200 MG TABLET DL	4	PA,QL(64 per 28 days)
TRUXIMA 10 MG/ML SOLUTION DL	4	PA
TUKYSA 150 MG TABLET DL	4	PA,QL(120 per 30 days)
TUKYSA 50 MG TABLET DL	4	PA,QL(300 per 30 days)
TURALIO 125 MG CAPSULE DL,LA	4	PA,QL(120 per 30 days)
TYKERB 250 MG TABLET DL	4	PA,QL(180 per 30 days)
UNITUXIN 3.5 MG/ML SOLUTION DL	4	PA
VALCHLOR 0.016 % GEL DL	4	PA,QL(60 per 28 days)
<i>valrubicin 40 mg/ml SOLUTION</i> DL	4	PA,QL(80 per 28 days)
VALSTAR 40 MG/ML SOLUTION DL	4	PA,QL(80 per 28 days)
VANFLYTA 17.7 MG, 26.5 MG TABLET DL	4	PA,QL(56 per 28 days)
VECTIBIX 100 MG/5 ML (20 MG/ML), 400 MG/20 ML (20 MG/ML) SOLUTION DL	4	PA
VEGZELMA 25 MG/ML SOLUTION DL	4	PA
VELCADE 3.5 MG RECON SOLUTION DL	4	PA
VENCLEXTA 10 MG TABLET MO	2	PA,QL(56 per 28 days)
VENCLEXTA 100 MG TABLET DL	4	PA,QL(180 per 30 days)
VENCLEXTA 50 MG TABLET	4	PA,QL(28 per 28 days)
VENCLEXTA STARTING PACK 10 MG-50 MG- 100 MG TABLET, DOSE PACK DL	4	PA,QL(42 per 28 days)
VERZENIO 100 MG, 150 MG, 200 MG, 50 MG TABLET DL	4	PA,QL(60 per 30 days)
VIDAZA 100 MG RECON SOLUTION DL	4	PA
<i>vinblastine 1 mg/ml SOLUTION</i> MO	1	BvsD
<i>vincasar pfs 1 mg/ml, 2 mg/2 ml SOLUTION</i> MO	1	BvsD
<i>vincristine 1 mg/ml, 2 mg/2 ml SOLUTION</i> MO	1	BvsD
<i>vinorelbine 10 mg/ml, 50 mg/5 ml SOLUTION</i> MO	1	
VITRAKVI 100 MG CAPSULE DL	4	PA,QL(60 per 30 days)
VITRAKVI 20 MG/ML SOLUTION DL	4	PA,QL(300 per 30 days)
VITRAKVI 25 MG CAPSULE DL	4	PA,QL(180 per 30 days)
VIZIMPRO 15 MG, 30 MG, 45 MG TABLET DL	4	PA,QL(30 per 30 days)
VONJO 100 MG CAPSULE DL	4	PA,QL(120 per 30 days)
VORANIGO 10 MG TABLET DL	4	PA,QL(60 per 30 days)
VORANIGO 40 MG TABLET DL	4	PA,QL(30 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
VOTRIENT 200 MG TABLET DL	4	PA,QL(120 per 30 days)
VYLOY 100 MG, 300 MG RECON SOLUTION DL	4	PA
VYXEOS 44-100 MG RECON SOLUTION DL	4	PA
XALKORI 150 MG PELLET DL	4	PA,QL(180 per 30 days)
XALKORI 20 MG PELLET DL	4	PA,QL(120 per 30 days)
XALKORI 200 MG, 250 MG CAPSULE DL	4	PA,QL(120 per 30 days)
XALKORI 50 MG PELLET DL	4	PA,QL(240 per 30 days)
XOSPATA 40 MG TABLET DL	4	PA,QL(90 per 30 days)
XPOVIO 100 MG/WEEK (50 MG X 2), 40MG TWICE WEEK (40 MG X 2), 80 MG/WEEK (40 MG X 2) TABLET DL	4	PA,QL(8 per 28 days)
XPOVIO 40 MG/WEEK (10 MG X 4) TABLET DL	4	PA,QL(16 per 28 days)
XPOVIO 40 MG/WEEK (40 MG X 1), 60 MG/WEEK (60 MG X 1) TABLET DL	4	PA,QL(4 per 28 days)
XPOVIO 60MG TWICE WEEK (120 MG/WEEK) TABLET DL	4	PA,QL(24 per 28 days)
XPOVIO 80MG TWICE WEEK (160 MG/WEEK) TABLET DL	4	PA,QL(32 per 28 days)
XTANDI 40 MG CAPSULE DL	4	PA,QL(120 per 30 days)
XTANDI 40 MG TABLET DL	4	PA,QL(120 per 30 days)
XTANDI 80 MG TABLET DL	4	PA,QL(60 per 30 days)
YERVOY 200 MG/40 ML (5 MG/ML), 50 MG/10 ML (5 MG/ML) SOLUTION DL	4	PA
YONDELIS 1 MG RECON SOLUTION DL	4	PA
YONSA 125 MG TABLET DL	4	PA,QL(120 per 30 days)
ZALTRAP 100 MG/4 ML (25 MG/ML), 200 MG/8 ML (25 MG/ML) SOLUTION DL	4	PA
ZANOSAR 1 GRAM RECON SOLUTION MO	3	
ZEJULA 100 MG, 200 MG, 300 MG TABLET DL	4	PA,QL(30 per 30 days)
ZELBORAF 240 MG TABLET DL	4	PA,QL(240 per 30 days)
ZEPZELCA 4 MG RECON SOLUTION DL	4	PA
ZIIHERA 300 MG RECON SOLUTION DL	4	PA
ZIRABEV 25 MG/ML SOLUTION DL	4	PA
ZOLINZA 100 MG CAPSULE DL	4	PA,QL(120 per 30 days)
ZYDELIG 100 MG, 150 MG TABLET DL	4	PA,QL(60 per 30 days)
ZYKADIA 150 MG TABLET DL	4	PA,QL(150 per 30 days)
ZYNLONTA 10 MG RECON SOLUTION DL	4	PA
ZYNYZ 500 MG/20 ML SOLUTION DL	4	PA,QL(20 per 28 days)
ZYTIGA 250 MG TABLET DL	4	PA,QL(120 per 30 days)
ZYTIGA 500 MG TABLET DL	4	PA,QL(60 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
ANTIPARASITICS		
<i>albendazole 200 mg TABLET</i> MO	1	
<i>atovaquone 750 mg/5 ml SUSPENSION</i> MO	1	
<i>atovaquone-proguanil 250-100 mg, 62.5-25 mg TABLET</i> MO	1	
BILTRICIDE 600 MG TABLET DL	4	PA
<i>chloroquine phosphate 250 mg, 500 mg TABLET</i> MO	1	
COARTEM 20-120 MG TABLET MO	3	QL(24 per 30 days)
DARAPRIM 25 MG TABLET DL	4	PA,QL(90 per 30 days)
EGATEN 250 MG TABLET MO	3	
<i>emverm 100 mg CHEWABLE TABLET</i> DL	4	
<i>hydroxychloroquine 100 mg, 300 mg, 400 mg TABLET</i> MO	1	
<i>hydroxychloroquine 200 mg TABLET</i> MO	1	
IMPAVIDO 50 MG CAPSULE DL	4	QL(84 per 28 days)
<i>ivermectin 3 mg, 6 mg TABLET</i> MO	1	
KRINTAFEL 150 MG TABLET MO	3	QL(4 per 180 days)
LAMPIT 120 MG, 30 MG TABLET MO	3	
MALARONE 250-100 MG TABLET MO	3	PA
MALARONE PEDIATRIC 62.5-25 MG TABLET MO	3	PA
<i>mefloquine 250 mg TABLET</i> MO	1	
MEPRON 750 MG/5 ML SUSPENSION DL	4	
NEBUPENT 300 MG RECON SOLUTION MO	3	BvsD
<i>nitazoxanide 500 mg TABLET</i> DL	4	
PENTAM 300 MG RECON SOLUTION MO	3	
<i>pentamidine 300 mg RECON SOLUTION</i> MO	1	
<i>pentamidine 300 mg RECON SOLUTION</i> MO	1	BvsD
PLAQUENIL 200 MG TABLET MO	3	PA
<i>praziquantel 600 mg TABLET</i> MO	1	
<i>primaquine 26.3 mg (15 mg base) TABLET</i> MO	1	
<i>pyrimethamine 25 mg TABLET</i> DL	4	QL(90 per 30 days)
<i>quinine sulfate 324 mg CAPSULE</i> MO	1	PA,QL(42 per 7 days)
SOVUNA 200 MG, 300 MG TABLET MO	3	
STROMEKTOL 3 MG TABLET MO	3	PA
ANTIPARKINSON AGENTS		
<i>amantadine hcl 100 mg CAPSULE</i> MO	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
amantadine hcl 100 mg TABLET MO	1	
amantadine hcl 50 mg/5 ml SOLUTION MO	1	
APOKYN 10 MG/ML CARTRIDGE DL	4	PA,QL(84 per 28 days)
apomorphine 10 mg/ml CARTRIDGE DL	4	PA,QL(84 per 28 days)
AZILECT 0.5 MG, 1 MG TABLET DL	4	PA,QL(30 per 30 days)
benztropine 0.5 mg, 1 mg, 2 mg TABLET MO	1	
benztropine 1 mg/ml SOLUTION MO	1	
bromocriptine 2.5 mg TABLET MO	1	
bromocriptine 5 mg CAPSULE MO	1	QL(600 per 30 days)
carbidopa 25 mg TABLET MO	1	
carbidopa-levodopa 10-100 mg, 25-100 mg, 25-250 mg TABLET, DISINTEGRATING MO	1	
carbidopa-levodopa 10-100 mg, 25-250 mg TABLET MO	1	
carbidopa-levodopa 25-100 mg TABLET MO	1	
carbidopa-levodopa 25-100 mg, 50-200 mg TABLET ER MO	1	
carbidopa-levodopa-entacapone 12.5-50-200 mg, 18.75-75-200 mg, 25-100-200 mg, 31.25-125-200 mg, 37.5-150-200 mg, 50-200-200 mg TABLET MO	1	
COMTAN 200 MG TABLET MO	3	PA,QL(300 per 30 days)
CREXONT 35-140 MG, 52.5-210 MG, 70-280 MG, 87.5-350 MG CAPSULE, IR/ER, BIPHASIC MO	3	ST,QL(180 per 30 days)
DHIVY 25-100 MG TABLET MO	3	
DUOPA 4.63-20 MG/ML INTESTINAL PUMP SUSPENSION DL	4	PA,QL(2800 per 28 days)
entacapone 200 mg TABLET MO	1	QL(300 per 30 days)
GOCOVRI 137 MG CAPSULE, ER 24 HR.	4	PA,QL(60 per 30 days)
GOCOVRI 68.5 MG CAPSULE, ER 24 HR.	4	PA,QL(30 per 30 days)
INBRIJA 42 MG CAPSULE DL	4	PA,QL(300 per 30 days)
INBRIJA 42 MG CAPSULE, W/INHALATION DEVICE DL	4	PA,QL(300 per 30 days)
LODOSYN 25 MG TABLET DL	4	PA
MIRAPEX ER 0.375 MG, 0.75 MG, 1.5 MG, 2.25 MG, 3 MG, 3.75 MG, 4.5 MG TABLET, ER 24 HR. MO	3	ST,QL(30 per 30 days)
NEUPRO 1 MG/24 HOUR, 2 MG/24 HOUR, 3 MG/24 HOUR, 4 MG/24 HOUR, 6 MG/24 HOUR, 8 MG/24 HOUR PATCH, 24 HR. MO	3	ST,QL(30 per 30 days)
NOURIANZ 20 MG, 40 MG TABLET DL	4	PA,QL(30 per 30 days)
ONAPGO 4.9 MG/ ML CARTRIDGE DL	4	PA,QL(600 per 30 days)
ONGENTYS 25 MG, 50 MG CAPSULE MO	3	PA,QL(30 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
OSMOLEX ER 129 MG, 193 MG, 258 MG TABLET, IR/ER 24 HR., BIPHASIC MO	3	PA,QL(30 per 30 days)
OSMOLEX ER 322 MG/DAY(129 MG X1-193MG X1) TABLET, IR/ER 24 HR., BIPHASIC MO	3	PA,QL(60 per 30 days)
PARLODEL 2.5 MG TABLET MO	3	PA
PARLODEL 5 MG CAPSULE MO	3	PA,QL(600 per 30 days)
pramipexole 0.125 mg, 0.25 mg, 0.5 mg, 0.75 mg, 1 mg, 1.5 mg TABLET MO	1	
pramipexole 0.375 mg, 0.75 mg, 1.5 mg, 2.25 mg, 3 mg, 3.75 mg, 4.5 mg TABLET, ER 24 HR. MO	1	ST,QL(30 per 30 days)
rasagiline 0.5 mg, 1 mg TABLET MO	1	QL(30 per 30 days)
ropinirole 0.25 mg, 0.5 mg, 1 mg, 2 mg, 3 mg, 4 mg, 5 mg TABLET MO	1	
ropinirole 12 mg, 2 mg, 4 mg, 6 mg, 8 mg TABLET, ER 24 HR. MO	1	ST,QL(90 per 30 days)
RYTARY 23.75-95 MG, 48.75-195 MG CAPSULE, ER MO	3	ST,QL(360 per 30 days)
RYTARY 36.25-145 MG CAPSULE, ER MO	3	ST,QL(270 per 30 days)
RYTARY 61.25-245 MG CAPSULE, ER MO	3	ST,QL(300 per 30 days)
selegiline hcl 5 mg CAPSULE MO	1	
selegiline hcl 5 mg TABLET MO	1	
SINEMET 10-100 MG, 25-100 MG TABLET MO	3	PA
STALEVO 100 25-100-200 MG TABLET DL	4	PA
STALEVO 125 31.25-125-200 MG TABLET DL	4	PA
STALEVO 150 37.5-150-200 MG TABLET DL	4	PA
STALEVO 200 50-200-200 MG TABLET DL	4	PA
STALEVO 50 12.5-50-200 MG TABLET DL	4	PA
STALEVO 75 18.75-75-200 MG TABLET DL	4	PA
TASMAR 100 MG TABLET DL	4	PA
tolcapone 100 mg TABLET DL	4	PA
trihexyphenidyl 0.4 mg/ml ELIXIR MO	1	
trihexyphenidyl 2 mg, 5 mg TABLET MO	1	
VYALEV 12-240 MG/ML SOLUTION DL	4	PA
XADAGO 100 MG, 50 MG TABLET	4	PA,QL(30 per 30 days)
ZELAPAR 1.25 MG TABLET, DISINTEGRATING DL	4	
ANTIPSYCHOTICS		
ABILIFY 10 MG, 15 MG, 2 MG, 20 MG, 30 MG, 5 MG TABLET MO	3	PA
ABILIFY ASIMTUFII 720 MG/2.4 ML SUSPENSION, ER, SYRINGE	4	QL(2.4 per 56 days)
ABILIFY ASIMTUFII 960 MG/3.2 ML SUSPENSION, ER, SYRINGE	4	QL(3.2 per 56 days)
ABILIFY MAINTENA 300 MG, 400 MG SUSPENSION, ER, RECON DL	4	QL(1 per 28 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
ABILIFY MAINTENA 300 MG, 400 MG SUSPENSION, ER, SYRINGE DL	4	QL(1 per 28 days)
ABILIFY MYCITE MAINTENANCE KIT 10 MG, 15 MG, 2 MG, 20 MG, 30 MG, 5 MG TABLET WITH SENSOR AND STRIP DL	4	PA,QL(30 per 30 days)
ABILIFY MYCITE STARTER KIT 10 MG, 15 MG, 2 MG, 20 MG, 30 MG, 5 MG TABLET W/SENSOR AND STRIP, POD DL	4	PA,QL(30 per 30 days)
aripiprazole 1 mg/ml SOLUTION MO	1	QL(750 per 30 days)
aripiprazole 10 mg, 15 mg TABLET, DISINTEGRATING MO	1	QL(60 per 30 days)
aripiprazole 10 mg, 15 mg, 2 mg, 20 mg, 30 mg, 5 mg TABLET MO	1	
ARISTADA 1,064 MG/3.9 ML SUSPENSION, ER, SYRINGE	4	QL(3.9 per 56 days)
ARISTADA 441 MG/1.6 ML SUSPENSION, ER, SYRINGE	4	QL(1.6 per 28 days)
ARISTADA 662 MG/2.4 ML SUSPENSION, ER, SYRINGE	4	QL(2.4 per 28 days)
ARISTADA 882 MG/3.2 ML SUSPENSION, ER, SYRINGE	4	QL(3.2 per 28 days)
ARISTADA INITIO 675 MG/2.4 ML SUSPENSION, ER, SYRINGE	4	QL(2.4 per 42 days)
asenapine maleate 10 mg, 2.5 mg, 5 mg SUBLINGUAL TABLET MO	1	PA,QL(60 per 30 days)
CAPLYTA 10.5 MG, 21 MG, 42 MG CAPSULE DL	3	PA,QL(30 per 30 days)
chlorpromazine 10 mg, 25 mg TABLET MO	1	BvsD
chlorpromazine 100 mg, 200 mg, 50 mg TABLET MO	1	
chlorpromazine 100 mg/ml, 30 mg/ml CONCENTRATE MO	1	
chlorpromazine 25 mg/ml SOLUTION MO	1	
clozapine 100 mg TABLET MO	1	QL(270 per 30 days)
clozapine 100 mg TABLET, DISINTEGRATING MO	1	PA,QL(270 per 30 days)
clozapine 12.5 mg TABLET, DISINTEGRATING MO	1	PA
clozapine 150 mg TABLET, DISINTEGRATING MO	1	PA,QL(180 per 30 days)
clozapine 200 mg TABLET MO	1	QL(135 per 30 days)
clozapine 200 mg TABLET, DISINTEGRATING MO	1	PA,QL(135 per 30 days)
clozapine 25 mg TABLET MO	1	QL(1080 per 30 days)
clozapine 25 mg TABLET, DISINTEGRATING MO	1	PA,QL(1080 per 30 days)
clozapine 50 mg TABLET MO	1	
CLOZARIL 100 MG TABLET DL	4	QL(270 per 30 days)
CLOZARIL 200 MG TABLET DL	4	QL(135 per 30 days)
CLOZARIL 25 MG TABLET MO	3	QL(1080 per 30 days)
CLOZARIL 50 MG TABLET DL	4	
droperidol 2.5 mg/ml SOLUTION MO	1	
FANAPT 1 MG, 10 MG, 12 MG, 2 MG, 4 MG, 6 MG, 8 MG TABLET DL	3	PA,QL(60 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
FANAPT TITRATION PACK A 1MG(2)-2MG(2)- 4MG(2)-6MG(2) TABLET, DOSE PACK MO	3	PA,QL(56 per 28 days)
FANAPT TITRATION PACK B 1 MG(6)-2MG(2)- 6 MG(2)-8 MG(2) TABLET, DOSE PACK MO	3	PA,QL(56 per 28 days)
FANAPT TITRATION PACK C 1 MG(4)-2 MG(2) -6 MG (2) TABLET, DOSE PACK MO	3	PA,QL(56 per 28 days)
fluphenazine decanoate 25 mg/ml SOLUTION MO	1	
fluphenazine hcl 1 mg, 10 mg, 2.5 mg, 5 mg TABLET MO	1	
fluphenazine hcl 2.5 mg/5 ml ELIXIR MO	1	
fluphenazine hcl 2.5 mg/ml SOLUTION MO	1	
fluphenazine hcl 5 mg/ml CONCENTRATE MO	1	
GEODON 20 MG, 40 MG, 60 MG, 80 MG CAPSULE DL	4	PA
GEODON 20 MG/ML (FINAL CONC.) RECON SOLUTION MO	3	PA
HALDOL DECANOATE 100 MG/ML, 50 MG/ML SOLUTION MO	3	PA
haloperidol 0.5 mg, 1 mg, 10 mg, 2 mg, 20 mg, 5 mg TABLET MO	1	
haloperidol decanoate 100 mg/ml, 50 mg/ml SOLUTION MO	1	
haloperidol lactate 2 mg/ml CONCENTRATE MO	1	
haloperidol lactate 5 mg/ml SOLUTION MO	1	
haloperidol lactate 5 mg/ml SYRINGE MO	1	
INVEGA 1.5 MG TABLET, ER 24 HR. DL	4	PA,QL(30 per 30 days)
INVEGA 3 MG, 9 MG TABLET, ER 24 HR. MO	3	PA,QL(30 per 30 days)
INVEGA 6 MG TABLET, ER 24 HR. MO	3	PA,QL(60 per 30 days)
INVEGA HAFYERA 1,092 MG/3.5 ML SYRINGE	4	QL(3.5 per 180 days)
INVEGA HAFYERA 1,560 MG/5 ML SYRINGE	4	QL(5 per 180 days)
INVEGA SUSTENNA 117 MG/0.75 ML, 234 MG/1.5 ML, 78 MG/0.5 ML SYRINGE DL	4	QL(1.5 per 28 days)
INVEGA SUSTENNA 156 MG/ML SYRINGE DL	4	QL(1 per 28 days)
INVEGA SUSTENNA 39 MG/0.25 ML SYRINGE MO	3	QL(1.5 per 28 days)
INVEGA TRINZA 273 MG/0.88 ML SYRINGE	4	QL(0.88 per 90 days)
INVEGA TRINZA 410 MG/1.32 ML SYRINGE	4	QL(1.32 per 90 days)
INVEGA TRINZA 546 MG/1.75 ML SYRINGE	4	QL(1.75 per 90 days)
INVEGA TRINZA 819 MG/2.63 ML SYRINGE	4	QL(2.63 per 90 days)
LATUDA 120 MG, 20 MG, 40 MG, 60 MG TABLET	4	PA,QL(30 per 30 days)
LATUDA 80 MG TABLET	4	PA,QL(60 per 30 days)
loxapine succinate 10 mg, 25 mg, 5 mg, 50 mg CAPSULE MO	1	
lurasidone 120 mg, 20 mg, 40 mg, 60 mg TABLET MO	1	QL(30 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
<i>lurasidone 80 mg TABLET</i> MO	1	QL(60 per 30 days)
LYBALVI 10-10 MG, 15-10 MG, 20-10 MG, 5-10 MG TABLET DL	4	PA,QL(30 per 30 days)
<i>molindone 10 mg TABLET</i> MO	1	QL(240 per 30 days)
<i>molindone 25 mg TABLET</i> MO	1	QL(270 per 30 days)
<i>molindone 5 mg TABLET</i> MO	1	QL(360 per 30 days)
NUPLAZID 10 MG TABLET DL	4	PA,QL(30 per 30 days)
NUPLAZID 34 MG CAPSULE DL	4	PA,QL(30 per 30 days)
<i>olanzapine 10 mg RECON SOLUTION</i> MO	1	
<i>olanzapine 10 mg, 15 mg, 2.5 mg, 20 mg, 5 mg, 7.5 mg TABLET</i> MO	1	
<i>olanzapine 10 mg, 5 mg TABLET, DISINTEGRATING</i> MO	1	QL(30 per 30 days)
<i>olanzapine 15 mg, 20 mg TABLET, DISINTEGRATING</i> MO	1	QL(60 per 30 days)
OPIPZA 10 MG FILM DL	4	PA,QL(90 per 30 days)
OPIPZA 2 MG FILM DL	4	PA,QL(30 per 30 days)
OPIPZA 5 MG FILM DL	4	PA,QL(180 per 30 days)
<i>paliperidone 1.5 mg, 3 mg, 9 mg TABLET, ER 24 HR.</i> MO	1	QL(30 per 30 days)
<i>paliperidone 6 mg TABLET, ER 24 HR.</i> MO	1	QL(60 per 30 days)
<i>perphenazine 16 mg, 2 mg, 4 mg, 8 mg TABLET</i> MO	1	
PERSERIS 120 MG, 90 MG SUSPENSION, ER, SYRINGE DL	4	QL(1 per 28 days)
<i>pimozide 1 mg, 2 mg TABLET</i> MO	1	
<i>quetiapine 100 mg TABLET</i> MO	1	QL(90 per 30 days)
<i>quetiapine 150 mg TABLET</i> MO	1	QL(30 per 30 days)
<i>quetiapine 150 mg TABLET, ER 24 HR.</i> MO	1	QL(90 per 30 days)
<i>quetiapine 200 mg TABLET</i> MO	1	QL(120 per 30 days)
<i>quetiapine 200 mg TABLET, ER 24 HR.</i> MO	1	QL(30 per 30 days)
<i>quetiapine 25 mg, 50 mg TABLET</i> MO	1	QL(120 per 30 days)
<i>quetiapine 300 mg, 400 mg TABLET</i> MO	1	QL(60 per 30 days)
<i>quetiapine 300 mg, 400 mg TABLET, ER 24 HR.</i> MO	1	QL(60 per 30 days)
<i>quetiapine 50 mg TABLET, ER 24 HR.</i> MO	1	QL(120 per 30 days)
REXULTI 0.25 MG, 0.5 MG, 1 MG, 2 MG, 3 MG, 4 MG TABLET DL	4	PA,QL(30 per 30 days)
RISPERDAL 0.5 MG TABLET MO	3	QL(120 per 30 days)
RISPERDAL 1 MG, 2 MG, 3 MG, 4 MG TABLET MO	3	QL(60 per 30 days)
RISPERDAL 1 MG/ML SOLUTION MO	3	
RISPERDAL CONSTA 12.5 MG/2 ML, 25 MG/2 ML SUSPENSION, ER, RECON MO	3	QL(2 per 28 days)
RISPERDAL CONSTA 37.5 MG/2 ML, 50 MG/2 ML SUSPENSION, ER, RECON DL	4	QL(2 per 28 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
risperidone 0.25 mg, 1 mg, 2 mg, 3 mg, 4 mg TABLET MO	1	QL(60 per 30 days)
risperidone 0.25 mg, 1 mg, 2 mg, 3 mg, 4 mg TABLET, DISINTEGRATING MO	1	ST,QL(60 per 30 days)
risperidone 0.5 mg TABLET MO	1	QL(120 per 30 days)
risperidone 0.5 mg TABLET, DISINTEGRATING MO	1	ST,QL(120 per 30 days)
risperidone 1 mg/ml SOLUTION MO	1	
risperidone microspheres 12.5 mg/2 ml, 25 mg/2 ml SUSPENSION, ER, RECON MO	1	QL(2 per 28 days)
risperidone microspheres 37.5 mg/2 ml, 50 mg/2 ml SUSPENSION, ER, RECON DL	4	QL(2 per 28 days)
SAPHRIS 10 MG, 2.5 MG, 5 MG SUBLINGUAL TABLET DL	4	PA,QL(60 per 30 days)
SECUADO 3.8 MG/24 HOUR, 5.7 MG/24 HOUR, 7.6 MG/24 HOUR PATCH, 24 HR. DL	4	PA,QL(30 per 30 days)
SEROQUEL 100 MG TABLET MO	3	QL(90 per 30 days)
SEROQUEL 200 MG, 25 MG, 50 MG TABLET MO	3	QL(120 per 30 days)
SEROQUEL 300 MG, 400 MG TABLET MO	3	QL(60 per 30 days)
SEROQUEL XR 150 MG TABLET, ER 24 HR. MO	3	PA,QL(90 per 30 days)
SEROQUEL XR 200 MG TABLET, ER 24 HR. MO	3	PA,QL(30 per 30 days)
SEROQUEL XR 300 MG, 400 MG TABLET, ER 24 HR. MO	3	PA,QL(60 per 30 days)
SEROQUEL XR 50 MG TABLET, ER 24 HR. MO	3	PA,QL(120 per 30 days)
SEROQUEL XR 50 MG(3)-200 MG (1)-300 MG(11) TABLET, ER 24 HR., DOSE PACK MO	3	PA,QL(15 per 30 days)
thioridazine 10 mg, 100 mg, 25 mg, 50 mg TABLET MO	1	
thiothixene 1 mg, 10 mg, 2 mg, 5 mg CAPSULE MO	1	
trifluoperazine 1 mg, 10 mg, 2 mg, 5 mg TABLET MO	1	
UZEDY 100 MG/0.28 ML SUSPENSION, ER, SYRINGE DL	4	QL(0.28 per 28 days)
UZEDY 125 MG/0.35 ML SUSPENSION, ER, SYRINGE DL	4	QL(0.35 per 28 days)
UZEDY 150 MG/0.42 ML SUSPENSION, ER, SYRINGE	4	QL(0.42 per 56 days)
UZEDY 200 MG/0.56 ML SUSPENSION, ER, SYRINGE	4	QL(0.56 per 56 days)
UZEDY 250 MG/0.7 ML SUSPENSION, ER, SYRINGE	4	QL(0.7 per 56 days)
UZEDY 50 MG/0.14 ML SUSPENSION, ER, SYRINGE DL	4	QL(0.14 per 28 days)
UZEDY 75 MG/0.21 ML SUSPENSION, ER, SYRINGE DL	4	QL(0.21 per 28 days)
VERSACLOZ 50 MG/ML SUSPENSION DL	4	PA,QL(540 per 30 days)
VRAYLAR 1.5 MG (1)- 3 MG (6) CAPSULE, DOSE PACK MO	3	PA
VRAYLAR 1.5 MG, 3 MG, 4.5 MG, 6 MG CAPSULE DL	3	PA,QL(30 per 30 days)
ziprasidone hcl 20 mg, 40 mg, 60 mg, 80 mg CAPSULE MO	1	
ziprasidone mesylate 20 mg/ml (final conc.) RECON SOLUTION MO	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
ZYPREXA 10 MG RECON SOLUTION MO	3	
ZYPREXA 10 MG, 2.5 MG, 5 MG, 7.5 MG TABLET MO	3	
ZYPREXA 15 MG, 20 MG TABLET	4	
ZYPREXA RELPREVV 210 MG SUSPENSION FOR RECONSTITUTION MO	3	QL(4 per 28 days)
ZYPREXA RELPREVV 300 MG SUSPENSION FOR RECONSTITUTION	4	QL(2 per 28 days)
ZYPREXA RELPREVV 405 MG SUSPENSION FOR RECONSTITUTION	4	QL(1 per 28 days)
ZYPREXA ZYDIS 10 MG, 5 MG TABLET, DISINTEGRATING MO	3	QL(30 per 30 days)
ZYPREXA ZYDIS 15 MG, 20 MG TABLET, DISINTEGRATING	4	QL(60 per 30 days)
ANTISPASTICITY AGENTS		
baclofen 10 mg TABLET MO	1	
baclofen 10 mg/5 ml (2 mg/ml) SOLUTION DL	4	
baclofen 15 mg, 20 mg TABLET MO	1	
baclofen 25 mg/5 ml (5 mg/ml) SUSPENSION MO	1	QL(480 per 30 days)
baclofen 5 mg TABLET MO	1	QL(90 per 30 days)
baclofen 5 mg/5 ml SOLUTION MO	1	
DANTRIUM 20 MG RECON SOLUTION MO	3	
DANTRIUM 25 MG CAPSULE MO	3	
dantrolene 100 mg, 25 mg, 50 mg CAPSULE MO	1	
dantrolene 20 mg RECON SOLUTION MO	1	
FLEQSUVY 25 MG/5 ML (5 MG/ML) SUSPENSION DL	4	QL(480 per 30 days)
LYVISPAH 10 MG, 20 MG GRANULES IN PACKET MO	3	ST,QL(120 per 30 days)
LYVISPAH 5 MG GRANULES IN PACKET MO	3	ST,QL(270 per 30 days)
OZOBAX 5 MG/5 ML SOLUTION DL	4	
OZOBAX DS 10 MG/5 ML (2 MG/ML) SOLUTION DL	4	
revonto 20 mg RECON SOLUTION MO	1	
tizanidine 2 mg TABLET MO	1	
tizanidine 2 mg, 4 mg, 6 mg CAPSULE MO	1	ST
tizanidine 4 mg TABLET MO	1	
ZANAFLEX 2 MG, 4 MG, 6 MG CAPSULE MO	3	ST
ZANAFLEX 4 MG TABLET MO	3	ST
ANTIVIRALS		
abacavir 20 mg/ml SOLUTION MO	1	QL(960 per 30 days)
abacavir 300 mg TABLET MO	1	QL(60 per 30 days)
abacavir-lamivudine 600-300 mg TABLET MO	1	QL(30 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
acyclovir 200 mg CAPSULE MO	1	
acyclovir 200 mg/5 ml (5 ml) SUSPENSION DL	4	
acyclovir 200 mg/5 ml SUSPENSION MO	1	
acyclovir 400 mg, 800 mg TABLET MO	1	
acyclovir 5 % CREAM MO	3	PA,QL(5 per 30 days)
acyclovir 5 % OINTMENT MO	1	PA,QL(30 per 30 days)
acyclovir sodium 50 mg/ml SOLUTION MO	1	BvsD
adefovir 10 mg TABLET MO	1	
APTIVUS 250 MG CAPSULE DL	4	QL(120 per 30 days)
atazanavir 150 mg, 200 mg CAPSULE MO	1	QL(60 per 30 days)
atazanavir 300 mg CAPSULE MO	1	QL(30 per 30 days)
ATRIPLA 600-200-300 MG TABLET DL	4	QL(30 per 30 days)
BARACLUDE 0.05 MG/ML SOLUTION DL	4	QL(630 per 30 days)
BARACLUDE 0.5 MG, 1 MG TABLET DL	4	PA,QL(30 per 30 days)
BIKTARVY 30-120-15 MG, 50-200-25 MG TABLET DL	4	QL(30 per 30 days)
CABENUVA 400 MG/2 ML- 600 MG/2 ML, 600 MG/3 ML- 900 MG/3 ML SUSPENSION, ER DL	4	QL(50 per 365 days)
cidofovir 75 mg/ml SOLUTION DL	4	
CIMDUO 300-300 MG TABLET DL	4	QL(30 per 30 days)
COMBIVIR 150-300 MG TABLET DL	4	QL(60 per 30 days)
COMPLERA 200-25-300 MG TABLET DL	4	QL(30 per 30 days)
darunavir 600 mg TABLET MO	1	QL(60 per 30 days)
darunavir 800 mg TABLET DL	4	QL(30 per 30 days)
DELSTRIGO 100-300-300 MG TABLET DL	4	QL(30 per 30 days)
DENAVIR 1 % CREAM MO	3	PA
DESCOVY 120-15 MG, 200-25 MG TABLET DL	4	QL(30 per 30 days)
didanosine 250 mg, 400 mg CAPSULE, DR/EC MO	1	QL(30 per 30 days)
DOVATO 50-300 MG TABLET DL	4	QL(30 per 30 days)
EDURANT 25 MG TABLET DL	4	QL(30 per 30 days)
EDURANT PED 2.5 MG TABLET FOR SUSPENSION DL	4	QL(180 per 30 days)
efavirenz 200 mg CAPSULE MO	1	QL(120 per 30 days)
efavirenz 50 mg CAPSULE MO	1	QL(480 per 30 days)
efavirenz 600 mg TABLET MO	1	QL(30 per 30 days)
efavirenz-emtricitabin-tenofovir 600-200-300 mg TABLET MO	1	QL(30 per 30 days)
efavirenz-lamivudine-tenofovir disoproxil fumarate 400-300-300 mg, 600-300-300 mg TABLET DL	4	QL(30 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
emtricitabine-tenofovir disoproxil fumarate 200-25-300 mg TABLET DL	4	QL(30 per 30 days)
emtricitabine 200 mg CAPSULE MO	1	QL(30 per 30 days)
emtricitabine-tenofovir (tdf) 100-150 mg, 133-200 mg, 167-250 mg, 200-300 mg TABLET MO	1	QL(30 per 30 days)
EMTRIVA 10 MG/ML SOLUTION MO	3	QL(680 per 28 days)
EMTRIVA 200 MG CAPSULE MO	3	QL(30 per 30 days)
entecavir 0.5 mg, 1 mg TABLET MO	1	QL(30 per 30 days)
EPCLUSA 150-37.5 MG PELLETS IN PACKET DL	4	PA,QL(28 per 28 days)
EPCLUSA 200-50 MG PELLETS IN PACKET DL	4	PA,QL(56 per 28 days)
EPCLUSA 200-50 MG, 400-100 MG TABLET DL	4	PA,QL(28 per 28 days)
EPIVIR 10 MG/ML SOLUTION MO	3	QL(900 per 30 days)
EPIVIR 150 MG TABLET MO	3	QL(60 per 30 days)
EPIVIR 300 MG TABLET MO	3	QL(30 per 30 days)
EPZICOM 600-300 MG TABLET DL	4	QL(30 per 30 days)
etravirine 100 mg TABLET DL	4	QL(120 per 30 days)
etravirine 200 mg TABLET DL	4	QL(60 per 30 days)
EVOTAZ 300-150 MG TABLET DL	4	QL(30 per 30 days)
famciclovir 125 mg, 250 mg, 500 mg TABLET MO	1	QL(90 per 30 days)
FLUMADINE 100 MG TABLET MO	3	
fosamprenavir 700 mg TABLET DL	4	QL(120 per 30 days)
foscarnet 24 mg/ml SOLUTION MO	1	BvsD
FUZEON 90 MG RECON SOLUTION DL	4	QL(60 per 30 days)
ganciclovir sodium 50 mg/ml SOLUTION MO	1	BvsD
ganciclovir sodium 500 mg RECON SOLUTION MO	1	BvsD
GENVOYA 150-150-200-10 MG TABLET DL	4	QL(30 per 30 days)
HARVONI 33.75-150 MG PELLETS IN PACKET DL	4	PA,QL(28 per 28 days)
HARVONI 45-200 MG PELLETS IN PACKET DL	4	PA,QL(56 per 28 days)
HARVONI 45-200 MG, 90-400 MG TABLET DL	4	PA,QL(28 per 28 days)
HEPSERA 10 MG TABLET DL	4	
INTELENCE 100 MG TABLET DL	4	QL(120 per 30 days)
INTELENCE 200 MG TABLET DL	4	QL(60 per 30 days)
INTELENCE 25 MG TABLET MO	3	QL(120 per 30 days)
ISENTRESS 100 MG CHEWABLE TABLET DL	4	QL(180 per 30 days)
ISENTRESS 100 MG POWDER IN PACKET MO	3	QL(300 per 30 days)
ISENTRESS 25 MG CHEWABLE TABLET MO	2	QL(180 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
ISENTRESS 400 MG TABLET DL	4	QL(120 per 30 days)
ISENTRESS HD 600 MG TABLET DL	4	QL(60 per 30 days)
JULUCA 50-25 MG TABLET DL	4	QL(30 per 30 days)
KALETRA 100-25 MG TABLET MO	3	QL(300 per 30 days)
KALETRA 200-50 MG TABLET MO	3	QL(150 per 30 days)
KALETRA 400-100 MG/5 ML SOLUTION DL	4	
lamivudine 10 mg/ml SOLUTION MO	1	QL(900 per 30 days)
lamivudine 100 mg TABLET MO	1	QL(90 per 30 days)
lamivudine 150 mg TABLET MO	1	QL(60 per 30 days)
lamivudine 300 mg TABLET MO	1	QL(30 per 30 days)
lamivudine-zidovudine 150-300 mg TABLET MO	1	QL(60 per 30 days)
ledipasvir-sofosbuvir 90-400 mg TABLET DL	4	PA,QL(28 per 28 days)
LEXIVA 50 MG/ML SUSPENSION MO	3	QL(1575 per 28 days)
LEXIVA 700 MG TABLET DL	4	QL(120 per 30 days)
LIVTENCITY 200 MG TABLET DL	4	PA,QL(120 per 30 days)
lopinavir-ritonavir 100-25 mg TABLET MO	1	QL(300 per 30 days)
lopinavir-ritonavir 200-50 mg TABLET MO	1	QL(150 per 30 days)
lopinavir-ritonavir 400-100 mg/5 ml SOLUTION MO	1	
maraviroc 150 mg TABLET DL	4	QL(240 per 30 days)
maraviroc 300 mg TABLET DL	4	QL(120 per 30 days)
MAVYRET 100-40 MG TABLET DL	4	PA,QL(84 per 28 days)
MAVYRET 50-20 MG PELLETS IN PACKET DL	4	PA,QL(150 per 30 days)
nevirapine 100 mg TABLET, ER 24 HR. MO	1	QL(120 per 30 days)
nevirapine 200 mg TABLET MO	1	QL(60 per 30 days)
nevirapine 400 mg TABLET, ER 24 HR. MO	1	QL(30 per 30 days)
nevirapine 50 mg/5 ml SUSPENSION MO	1	QL(1200 per 30 days)
NORVIR 100 MG CAPSULE MO	3	QL(360 per 30 days)
NORVIR 100 MG POWDER IN PACKET MO	3	QL(360 per 30 days)
NORVIR 100 MG TABLET MO	3	QL(360 per 30 days)
ODEFSEY 200-25-25 MG TABLET DL	4	QL(30 per 30 days)
oseltamivir 30 mg CAPSULE MO	1	QL(224 per 365 days)
oseltamivir 45 mg CAPSULE MO	1	QL(112 per 365 days)
oseltamivir 6 mg/ml SUSPENSION FOR RECONSTITUTION MO	1	QL(1440 per 365 days)
oseltamivir 75 mg CAPSULE MO	1	QL(112 per 365 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
PAXLOVID 150 MG (10)- 100 MG (10) TABLET, DOSE PACK MO	2	QL(40 per 10 days)
PAXLOVID 150 MG (6)- 100 MG (5) TABLET, DOSE PACK MO	2	QL(22 per 10 days)
PAXLOVID 300 MG (150 MG X 2)-100 MG TABLET, DOSE PACK MO	2	QL(60 per 10 days)
<i>penciclovir 1 % CREAM</i> MO	1	PA
PIFELTRO 100 MG TABLET DL	4	QL(60 per 30 days)
PREVYMIS 120 MG, 20 MG PELLETS IN PACKET DL	4	PA,QL(120 per 30 days)
PREVYMIS 240 MG TABLET DL	4	PA,QL(28 per 28 days)
PREVYMIS 240 MG/12 ML SOLUTION DL	4	PA,QL(336 per 28 days)
PREVYMIS 480 MG TABLET DL	4	PA
PREVYMIS 480 MG/24 ML SOLUTION DL	4	PA,QL(672 per 28 days)
PREZCOBIX 675-150 MG, 800-150 MG-MG TABLET DL	4	QL(30 per 30 days)
PREZISTA 100 MG/ML SUSPENSION DL	4	QL(360 per 30 days)
PREZISTA 150 MG TABLET DL	4	QL(240 per 30 days)
PREZISTA 600 MG TABLET DL	4	QL(60 per 30 days)
PREZISTA 75 MG TABLET MO	3	QL(480 per 30 days)
PREZISTA 800 MG TABLET DL	4	QL(30 per 30 days)
RELENZA DISKHALER 5 MG/ACTUATION BLISTER WITH DEVICE MO	3	QL(60 per 180 days)
RETROVIR 10 MG/ML SOLUTION MO	3	
RETROVIR 10 MG/ML SYRUP MO	3	QL(1680 per 28 days)
RETROVIR 100 MG CAPSULE MO	3	QL(180 per 30 days)
REYATAZ 200 MG CAPSULE DL	4	QL(60 per 30 days)
REYATAZ 300 MG CAPSULE DL	4	QL(30 per 30 days)
REYATAZ 50 MG POWDER IN PACKET MO	3	
<i>ribavirin 200 mg CAPSULE</i> MO	1	
<i>ribavirin 200 mg TABLET</i> MO	1	
<i>rimantadine 100 mg TABLET</i> MO	1	
<i>ritonavir 100 mg TABLET</i> MO	1	QL(360 per 30 days)
RUKOBIA 600 MG TABLET, ER 12 HR. DL	4	QL(60 per 30 days)
SELZENTRY 150 MG TABLET DL	4	QL(240 per 30 days)
SELZENTRY 20 MG/ML SOLUTION DL	4	QL(1800 per 30 days)
SELZENTRY 25 MG TABLET MO	3	QL(240 per 30 days)
SELZENTRY 300 MG, 75 MG TABLET DL	4	QL(120 per 30 days)
SOVALDI 150 MG PELLETS IN PACKET DL	4	PA,QL(28 per 28 days)
SOVALDI 200 MG PELLETS IN PACKET DL	4	PA,QL(56 per 28 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
SOVALDI 200 MG, 400 MG TABLET DL	4	PA,QL(28 per 28 days)
stavudine 15 mg, 20 mg CAPSULE MO	1	QL(120 per 30 days)
stavudine 30 mg, 40 mg CAPSULE MO	1	QL(60 per 30 days)
STRIBILD 150-150-200-300 MG TABLET DL	4	QL(30 per 30 days)
SUNLENCA 300 MG TABLET DL	4	QL(10 per 365 days)
SUNLENCA 309 MG/ML SOLUTION	4	QL(9 per 365 days)
SYMFI 600-300-300 MG TABLET DL	4	QL(30 per 30 days)
SYMFI LO 400-300-300 MG TABLET DL	4	QL(30 per 30 days)
SYMTUZA 800-150-200-10 MG TABLET DL	4	QL(30 per 30 days)
TAMIFLU 30 MG CAPSULE MO	3	PA,QL(224 per 365 days)
TAMIFLU 45 MG, 75 MG CAPSULE MO	3	PA,QL(112 per 365 days)
TAMIFLU 6 MG/ML SUSPENSION FOR RECONSTITUTION MO	3	PA,QL(1440 per 365 days)
tenofovir disoproxil fumarate 300 mg TABLET MO	1	QL(30 per 30 days)
TIVICAY 10 MG TABLET MO	3	QL(60 per 30 days)
TIVICAY 25 MG, 50 MG TABLET DL	4	QL(60 per 30 days)
TIVICAY PD 5 MG TABLET FOR SUSPENSION DL	4	QL(180 per 30 days)
TRIUMEQ 600-50-300 MG TABLET DL	4	QL(30 per 30 days)
TRIUMEQ PD 60-5-30 MG TABLET FOR SUSPENSION MO	3	QL(180 per 30 days)
TRIZIVIR 300-150-300 MG TABLET DL	4	QL(60 per 30 days)
TROGARZO 200 MG/1.33 ML (150 MG/ML) SOLUTION DL	4	
TRUVADA 100-150 MG, 133-200 MG, 167-250 MG, 200-300 MG TABLET DL	4	QL(30 per 30 days)
TYBOST 150 MG TABLET MO	2	QL(30 per 30 days)
valacyclovir 1 gram, 500 mg TABLET MO	1	
VALCYTE 450 MG TABLET DL	4	PA,QL(120 per 30 days)
VALCYTE 50 MG/ML RECON SOLUTION DL	4	PA,QL(1056 per 30 days)
valganciclovir 450 mg TABLET MO	1	QL(120 per 30 days)
valganciclovir 50 mg/ml RECON SOLUTION DL	4	QL(1056 per 30 days)
VALTREX 1 GRAM, 500 MG TABLET MO	3	PA
VEMLIDY 25 MG TABLET DL	4	QL(30 per 30 days)
VIRACEPT 250 MG TABLET DL	4	QL(300 per 30 days)
VIRACEPT 625 MG TABLET DL	4	QL(120 per 30 days)
VIREAD 150 MG, 200 MG, 250 MG, 300 MG TABLET DL	4	QL(30 per 30 days)
VIREAD 40 MG/SCOOP (40 MG/GRAM) POWDER DL	4	QL(240 per 30 days)
VOCABRIA 30 MG TABLET DL	4	QL(30 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
VOSEVI 400-100-100 MG TABLET DL	4	PA,QL(28 per 28 days)
XERESE 5-1 % CREAM DL	4	QL(5 per 30 days)
XOFLUZA 20 MG, 40 MG, 80 MG TABLET MO	3	
ZEPATIER 50-100 MG TABLET DL	4	PA,QL(28 per 28 days)
ZIAGEN 20 MG/ML SOLUTION MO	3	QL(960 per 30 days)
ZIAGEN 300 MG TABLET MO	3	QL(60 per 30 days)
zidovudine 10 mg/ml SYRUP MO	1	QL(1680 per 28 days)
zidovudine 100 mg CAPSULE MO	1	QL(180 per 30 days)
zidovudine 300 mg TABLET MO	1	QL(60 per 30 days)
ZIRGAN 0.15 % GEL MO	3	QL(5 per 30 days)
ZOVIRAX 200 MG/5 ML SUSPENSION MO	3	PA
ZOVIRAX 5 % CREAM MO	3	PA,QL(5 per 30 days)
ZOVIRAX 5 % OINTMENT MO	3	PA,QL(30 per 30 days)
ANXIOLYTICS		
alprazolam 0.25 mg, 0.5 mg, 1 mg TABLET DL	1	QL(120 per 30 days)
alprazolam 0.25 mg, 0.5 mg, 1 mg, 2 mg TABLET, DISINTEGRATING DL	1	
alprazolam 0.5 mg, 1 mg, 2 mg, 3 mg TABLET, ER 24 HR. DL	1	QL(60 per 30 days)
alprazolam 2 mg TABLET DL	1	QL(150 per 30 days)
alprazolam intensol 1 mg/ml CONCENTRATE DL	1	
ATIVAN 0.5 MG, 1 MG TABLET DL	4	PA,QL(90 per 30 days)
ATIVAN 2 MG TABLET DL	4	PA,QL(150 per 30 days)
ATIVAN 2 MG/ML, 4 MG/ML SOLUTION DL	3	PA
BUCAPSOL 10 MG, 15 MG, 7.5 MG CAPSULE DL	4	
buspirone 10 mg, 5 mg TABLET MO	1	
buspirone 15 mg, 30 mg, 7.5 mg TABLET MO	1	
chlordiazepoxide hcl 10 mg, 25 mg, 5 mg CAPSULE DL	1	QL(120 per 30 days)
clonazepam 0.125 mg, 0.25 mg, 0.5 mg, 1 mg, 2 mg TABLET, DISINTEGRATING DL	1	
clonazepam 0.5 mg, 1 mg TABLET DL	1	
clonazepam 2 mg TABLET DL	1	
clorazepate dipotassium 15 mg, 3.75 mg, 7.5 mg TABLET DL	1	
diazepam 10 mg TABLET DL	1	QL(120 per 30 days)
diazepam 2 mg TABLET DL	1	QL(90 per 30 days)
diazepam 5 mg TABLET DL	1	QL(90 per 30 days)
diazepam 5 mg/5 ml (1 mg/ml), 5 mg/5 ml (1 mg/ml, 5 ml) SOLUTION DL	1	QL(1200 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
diazepam 5 mg/ml CONCENTRATE DL	1	QL(240 per 30 days)
diazepam 5 mg/ml SOLUTION DL	1	
diazepam 5 mg/ml SYRINGE DL	1	
diazepam intensol 5 mg/ml CONCENTRATE DL	1	QL(240 per 30 days)
doxepin 10 mg, 100 mg, 150 mg, 25 mg, 50 mg, 75 mg CAPSULE MO	1	
doxepin 10 mg/ml CONCENTRATE MO	1	
hydroxyzine hcl 10 mg, 50 mg TABLET MO	1	
hydroxyzine hcl 10 mg/5 ml, 25 mg/ml, 50 mg/ml SOLUTION MO	1	
hydroxyzine hcl 25 mg TABLET MO	1	
KLONOPIN 0.5 MG, 1 MG, 2 MG TABLET DL	3	PA
lorazepam 0.5 mg, 1 mg TABLET DL	1	QL(90 per 30 days)
lorazepam 2 mg TABLET DL	1	QL(150 per 30 days)
lorazepam 2 mg/ml CONCENTRATE DL	1	QL(150 per 30 days)
lorazepam 2 mg/ml SYRINGE DL	1	
lorazepam 2 mg/ml, 4 mg/ml SOLUTION DL	1	
lorazepam intensol 2 mg/ml CONCENTRATE DL	1	QL(150 per 30 days)
LOREEV XR 1 MG CAPSULE, ER 24 HR. DL	3	PA,QL(210 per 30 days)
LOREEV XR 1.5 MG, 2 MG CAPSULE, ER 24 HR. DL	3	PA,QL(150 per 30 days)
LOREEV XR 3 MG CAPSULE, ER 24 HR. DL	3	PA,QL(90 per 30 days)
meprobamate 200 mg, 400 mg TABLET MO	1	
oxazepam 10 mg, 15 mg, 30 mg CAPSULE DL	1	
VALIUM 10 MG TABLET DL	3	PA,QL(120 per 30 days)
VALIUM 2 MG, 5 MG TABLET DL	3	PA,QL(90 per 30 days)
XANAX 0.25 MG, 0.5 MG, 1 MG TABLET DL	3	PA,QL(120 per 30 days)
XANAX 2 MG TABLET DL	3	PA,QL(150 per 30 days)
XANAX XR 0.5 MG, 1 MG, 2 MG, 3 MG TABLET, ER 24 HR. DL	3	PA,QL(60 per 30 days)
BIPOLAR AGENTS		
lithium carbonate 150 mg, 300 mg, 600 mg CAPSULE MO	1	
lithium carbonate 300 mg TABLET MO	1	
lithium carbonate 300 mg, 450 mg TABLET ER MO	1	
lithium citrate 8 meq/5 ml SOLUTION MO	1	
LITHOBID 300 MG TABLET ER MO	3	
BLOOD GLUCOSE REGULATORS		
acarbose 100 mg, 25 mg, 50 mg TABLET MO	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
ACTOPLUS MET 15-850 MG TABLET MO	3	PA,QL(90 per 30 days)
ACTOS 15 MG, 30 MG, 45 MG TABLET MO	3	PA,QL(30 per 30 days)
ADMELOG SOLOSTAR U-100 INSULIN 100 UNIT/ML INSULIN PEN CI,MO	3	ST
ADMELOG U-100 INSULIN LISPRO 100 UNIT/ML SOLUTION CI,MO	3	ST
AFREZZA 12 UNIT CARTRIDGE WITH INHALER CI	4	PA,QL(90 per 30 days)
AFREZZA 4 UNIT (90)/ 8 UNIT (90), 4 UNIT/8 UNIT/ 12 UNIT (60), 8 UNIT (90)/ 12 UNIT (90) CARTRIDGE WITH INHALER CI	4	PA,QL(180 per 30 days)
AFREZZA 4 UNIT, 8 UNIT CARTRIDGE WITH INHALER CI,MO	3	PA,QL(90 per 30 days)
APIDRA SOLOSTAR U-100 INSULIN 100 UNIT/ML INSULIN PEN CI,MO	3	ST
APIDRA U-100 INSULIN 100 UNIT/ML SOLUTION CI,MO	3	ST
BAQSIMI 3 MG/ACTUATION SPRAY, NON-AEROSOL MO	2	
BASAGLAR KWIKPEN U-100 INSULIN 100 UNIT/ML (3 ML) INSULIN PEN CI,MO	3	PA
BASAGLAR TEMPO PEN(U-100)INSLN 100 UNIT/ML (3 ML) INSULIN PEN, SENSOR CI,MO	3	PA
BRYNOVIN 25 MG/ML SOLUTION MO	3	PA,QL(120 per 30 days)
CYCLOSET 0.8 MG TABLET MO	3	ST,QL(180 per 30 days)
dapagliflozin propanediol 10 mg, 5 mg TABLET MO	2	QL(30 per 30 days)
diazoxide 50 mg/ml SUSPENSION DL	4	
DUETACT 30-2 MG, 30-4 MG TABLET MO	3	QL(30 per 30 days)
exenatide 10 mcg/dose(250 mcg/ml) 2.4 ml, 5 mcg/dose (250 mcg/ml) 1.2 ml PEN INJECTOR MO	1	PA,QL(2.4 per 30 days)
FARXIGA 10 MG, 5 MG TABLET MO	2	QL(30 per 30 days)
FIASP FLEXTOUCH U-100 INSULIN 100 UNIT/ML (3 ML) INSULIN PEN CI,MO	2	
FIASP PENFILL U-100 INSULIN 100 UNIT/ML (3 ML) CARTRIDGE CI,MO	2	
FIASP U-100 INSULIN 100 UNIT/ML SOLUTION CI,MO	2	
glimepiride 1 mg, 3 mg TABLET MO	1	
glimepiride 2 mg, 4 mg TABLET MO	1	
glipizide 10 mg, 2.5 mg, 5 mg TABLET, ER 24 HR. MO	1	
glipizide 10 mg, 5 mg TABLET MO	1	
glipizide 2.5 mg TABLET MO	1	
glipizide-metformin 2.5-250 mg, 2.5-500 mg, 5-500 mg TABLET MO	1	
GLUCAGEN HYPOKIT 1 MG RECON SOLUTION MO	3	ST
GLUCAGON (HCL) EMERGENCY KIT 1 MG RECON SOLUTION MO	3	ST
GLUCAGON EMERGENCY KIT (HUMAN) 1 MG RECON SOLUTION MO	3	ST

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
<i>glucagon emergency kit (human) 1 mg RECON SOLUTION</i> MO	3	ST
GLUCOTROL XL 10 MG, 2.5 MG, 5 MG TABLET, ER 24 HR. MO	3	
GLUMETZA 1,000 MG TABLET, GAST. RETENTION 24 HR. DL	4	ST,QL(60 per 30 days)
GLUMETZA 500 MG TABLET, GAST. RETENTION 24 HR. DL	4	ST,QL(120 per 30 days)
<i>glyburide 1.25 mg, 2.5 mg, 5 mg TABLET</i> MO	1	
<i>glyburide micronized 1.5 mg, 3 mg, 6 mg TABLET</i> MO	1	
<i>glyburide-metformin 1.25-250 mg, 2.5-500 mg, 5-500 mg TABLET</i> MO	1	
GLYNASE 1.5 MG, 6 MG TABLET MO	3	
GLYXAMBI 10-5 MG, 25-5 MG TABLET MO	2	QL(30 per 30 days)
GVOKE 1 MG/0.2 ML SOLUTION MO	3	ST
GVOKE HYPOPEN 1-PACK 0.5 MG/0.1 ML, 1 MG/0.2 ML AUTO-INJECTOR MO	3	ST
GVOKE HYPOPEN 2-PACK 0.5 MG/0.1 ML, 1 MG/0.2 ML AUTO-INJECTOR MO	3	ST
GVOKE PFS 1-PACK SYRINGE 0.5 MG/0.1 ML, 1 MG/0.2 ML SYRINGE MO	3	ST
GVOKE PFS 2-PACK SYRINGE 0.5 MG/0.1 ML, 1 MG/0.2 ML SYRINGE MO	3	ST
HUMALOG JUNIOR KWIKPEN U-100 100 UNIT/ML INSULIN PEN, HALF-UNIT CI,MO	3	ST
HUMALOG KWIKPEN INSULIN 100 UNIT/ML, 200 UNIT/ML (3 ML) INSULIN PEN CI,MO	3	ST
HUMALOG MIX 50-50 INSULN U-100 100 UNIT/ML (50-50) SUSPENSION CI,MO	3	ST
HUMALOG MIX 50-50 KWIKPEN 100 UNIT/ML (50-50) INSULIN PEN CI,MO	3	ST
HUMALOG MIX 75-25 KWIKPEN 100 UNIT/ML (75-25) INSULIN PEN CI,MO	3	ST
HUMALOG MIX 75-25(U-100)INSULN 100 UNIT/ML (75-25) SUSPENSION CI,MO	3	ST
HUMALOG TEMPO PEN(U-100)INSULN 100 UNIT/ML INSULIN PEN, SENSOR CI,MO	3	ST
HUMALOG U-100 INSULIN 100 UNIT/ML CARTRIDGE CI,MO	3	ST
HUMALOG U-100 INSULIN 100 UNIT/ML SOLUTION CI,MO	3	ST
HUMULIN 70/30 U-100 INSULIN 100 UNIT/ML (70-30) SUSPENSION CI,MO	3	ST
HUMULIN 70/30 U-100 KWIKPEN 100 UNIT/ML (70-30) INSULIN PEN CI,MO	3	ST
HUMULIN N NPH INSULIN KWIKPEN 100 UNIT/ML (3 ML) INSULIN PEN CI,MO	3	ST
HUMULIN N NPH U-100 INSULIN 100 UNIT/ML SUSPENSION CI,MO	3	ST
HUMULIN R REGULAR U-100 INSULN 100 UNIT/ML SOLUTION CI,MO	3	ST
HUMULIN R U-500 (CONC) KWIKPEN 500 UNIT/ML (3 ML) INSULIN PEN CI	4	
INSULIN ASP PRT-INSULIN ASPART 100 UNIT/ML (70-30) INSULIN PEN CI,MO	2	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
INSULIN ASP PRT-INSULIN ASPART 100 UNIT/ML (70-30) SOLUTION CI,MO	2	
INSULIN ASPART U-100 100 UNIT/ML (3 ML) INSULIN PEN CI,MO	2	
INSULIN ASPART U-100 100 UNIT/ML CARTRIDGE CI,MO	2	
INSULIN ASPART U-100 100 UNIT/ML SOLUTION CI,MO	2	
INSULIN DEGLUDEC 100 UNIT/ML (3 ML), 200 UNIT/ML (3 ML) INSULIN PEN CI,MO	3	PA
INSULIN DEGLUDEC 100 UNIT/ML SOLUTION CI,MO	3	PA
INSULIN GLARGINE 100 UNIT/ML (3 ML) INSULIN PEN CI,MO	3	PA
INSULIN GLARGINE 100 UNIT/ML SOLUTION CI,MO	3	PA
INSULIN GLARGINE U-300 CONC 300 UNIT/ML (1.5 ML), 300 UNIT/ML (3 ML) INSULIN PEN CI,MO	3	PA
INSULIN GLARGINE-YFGN 100 UNIT/ML (3 ML) INSULIN PEN CI,MO	3	PA
INSULIN GLARGINE-YFGN 100 UNIT/ML SOLUTION CI,MO	3	PA
INSULIN LISPRO 100 UNIT/ML INSULIN PEN CI,MO	2	
INSULIN LISPRO 100 UNIT/ML INSULIN PEN, HALF-UNIT CI,MO	2	
INSULIN LISPRO 100 UNIT/ML SOLUTION CI,MO	2	
INSULIN LISPRO PROTAMIN-LISPRO 100 UNIT/ML (75-25) INSULIN PEN CI,MO	2	
INVOKAMET 150-1,000 MG, 150-500 MG, 50-1,000 MG, 50-500 MG TABLET MO	3	PA,QL(60 per 30 days)
INVOKAMET XR 150-1,000 MG, 150-500 MG, 50-1,000 MG, 50-500 MG TABLET, IR/ER 24 HR., BIPHASIC MO	3	PA,QL(60 per 30 days)
INVOKANA 100 MG, 300 MG TABLET MO	3	PA,QL(30 per 30 days)
JANUMET 50-1,000 MG, 50-500 MG TABLET MO	2	QL(60 per 30 days)
JANUMET XR 100-1,000 MG TABLET, ER 24 HR., MULTIPHASE MO	2	QL(30 per 30 days)
JANUMET XR 50-1,000 MG, 50-500 MG TABLET, ER 24 HR., MULTIPHASE MO	2	QL(60 per 30 days)
JANUVIA 100 MG, 25 MG, 50 MG TABLET MO	2	QL(30 per 30 days)
JARDIANCE 10 MG, 25 MG TABLET MO	2	QL(30 per 30 days)
JENTADUETO 2.5-1,000 MG, 2.5-500 MG TABLET MO	2	QL(60 per 30 days)
JENTADUETO 2.5-850 MG TABLET MO	2	QL(60 per 30 days)
JENTADUETO XR 2.5-1,000 MG TABLET, IR/ER 24 HR., BIPHASIC MO	2	QL(60 per 30 days)
JENTADUETO XR 5-1,000 MG TABLET, IR/ER 24 HR., BIPHASIC MO	2	QL(30 per 30 days)
KAZANO 12.5-1,000 MG, 12.5-500 MG TABLET MO	3	PA,QL(60 per 30 days)
KIRSTY 100 UNIT/ML SOLUTION CI,MO	3	ST
KIRSTY PEN 100 UNIT/ML (3 ML) INSULIN PEN CI,MO	3	ST

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
LANTUS SOLOSTAR U-100 INSULIN 100 UNIT/ML (3 ML) INSULIN PEN CI,MO	2	
LANTUS U-100 INSULIN 100 UNIT/ML SOLUTION CI,MO	2	
<i>liraglutide</i> 0.6 mg/0.1 ml (18 mg/3 ml) PEN INJECTOR MO	3	PA,QL(9 per 30 days)
LYUMJEV KWIKPEN U-100 INSULIN 100 UNIT/ML INSULIN PEN CI,MO	3	ST
LYUMJEV KWIKPEN U-200 INSULIN 200 UNIT/ML (3 ML) INSULIN PEN CI,MO	3	ST
LYUMJEV TEMPO PEN(U-100)INSULN 100 UNIT/ML INSULIN PEN, SENSOR CI,MO	3	ST
LYUMJEV U-100 INSULIN 100 UNIT/ML SOLUTION CI,MO	3	ST
MERILOG 100 UNIT/ML SOLUTION CI,MO	3	ST
MERILOG SOLOSTAR 100 UNIT/ML (3 ML) INSULIN PEN CI,MO	3	ST
<i>metformin</i> 1,000 mg TABLET, ER 24 HR. MO	1	ST,QL(60 per 30 days)
<i>metformin</i> 1,000 mg TABLET, GAST. RETENTION 24 HR. MO	1	ST,QL(60 per 30 days)
<i>metformin</i> 1,000 mg, 500 mg TABLET MO	1	
<i>metformin</i> 500 mg TABLET, ER 24 HR. MO	1	QL(120 per 30 days)
<i>metformin</i> 500 mg TABLET, ER 24 HR. MO	1	ST,QL(150 per 30 days)
<i>metformin</i> 500 mg TABLET, GAST. RETENTION 24 HR. MO	1	ST,QL(120 per 30 days)
<i>metformin</i> 500 mg/5 ml SOLUTION MO	1	QL(750 per 30 days)
<i>metformin</i> 625 mg TABLET DL	4	ST,QL(120 per 30 days)
<i>metformin</i> 750 mg TABLET DL	4	ST
<i>metformin</i> 750 mg TABLET, ER 24 HR. MO	1	QL(60 per 30 days)
<i>metformin</i> 850 mg TABLET MO	1	
<i>miglitol</i> 100 mg, 25 mg, 50 mg TABLET MO	1	
MOUNJARO 10 MG/0.5 ML, 12.5 MG/0.5 ML, 15 MG/0.5 ML, 2.5 MG/0.5 ML, 5 MG/0.5 ML, 7.5 MG/0.5 ML PEN INJECTOR MO	2	PA,QL(2 per 28 days)
<i>nateglinide</i> 120 mg, 60 mg TABLET MO	1	
NESINA 12.5 MG, 25 MG, 6.25 MG TABLET MO	3	PA,QL(30 per 30 days)
NOVOLIN 70-30 FLEXPEN U-100 100 UNIT/ML (70-30) INSULIN PEN CI,MO	2	
NOVOLIN 70/30 U-100 INSULIN 100 UNIT/ML (70-30) SUSPENSION CI,MO	2	
NOVOLIN N FLEXPEN 100 UNIT/ML (3 ML) INSULIN PEN CI,MO	2	
NOVOLIN N NPH U-100 INSULIN 100 UNIT/ML SUSPENSION CI,MO	2	
NOVOLIN R FLEXPEN 100 UNIT/ML (3 ML) INSULIN PEN CI,MO	2	
NOVOLIN R REGULAR U100 INSULIN 100 UNIT/ML SOLUTION CI,MO	2	
NOVOLOG FLEXPEN U-100 INSULIN 100 UNIT/ML (3 ML) INSULIN PEN CI,MO	2	
NOVOLOG MIX 70-30 U-100 INSULN 100 UNIT/ML (70-30) SOLUTION CI,MO	2	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
NOVOLOG MIX 70-30FLEXPEN U-100 100 UNIT/ML (70-30) INSULIN PEN CI,MO	2	
NOVOLOG PENFILL U-100 INSULIN 100 UNIT/ML CARTRIDGE CI,MO	2	
NOVOLOG U-100 INSULIN ASPART 100 UNIT/ML SOLUTION CI,MO	2	
OSENI 12.5-30 MG, 25-15 MG, 25-30 MG, 25-45 MG TABLET MO	3	PA,QL(30 per 30 days)
OZEMPIC 0.25 MG OR 0.5 MG (2 MG/3 ML), 1 MG/DOSE (4 MG/3 ML), 2 MG/DOSE (8 MG/3 ML) PEN INJECTOR MO	2	PA,QL(3 per 28 days)
pioglitazone 15 mg, 45 mg TABLET MO	1	QL(30 per 30 days)
pioglitazone 30 mg TABLET MO	1	QL(30 per 30 days)
pioglitazone-glimepiride 30-2 mg, 30-4 mg TABLET MO	1	QL(30 per 30 days)
pioglitazone-metformin 15-500 mg, 15-850 mg TABLET MO	1	QL(90 per 30 days)
PRECOSE 100 MG, 25 MG, 50 MG TABLET MO	3	
PROGLYCEM 50 MG/ML SUSPENSION DL	4	PA
QTERN 10-5 MG, 5-5 MG TABLET MO	3	PA,QL(30 per 30 days)
repaglinide 0.5 mg, 1 mg, 2 mg TABLET MO	1	
REZVOGLAR KWIKPEN 100 UNIT/ML (3 ML) INSULIN PEN CI,MO	3	PA
RIOMET 500 MG/5 ML SOLUTION MO	3	QL(750 per 30 days)
RYBELSUS 14 MG, 3 MG, 7 MG TABLET MO	2	PA,QL(30 per 30 days)
saxagliptin 2.5 mg, 5 mg TABLET MO	1	PA,QL(30 per 30 days)
saxagliptin-metformin 2.5-1,000 mg TABLET, ER 24 HR., MULTIPHASE MO	1	QL(60 per 30 days)
saxagliptin-metformin 5-1,000 mg, 5-500 mg TABLET, ER 24 HR., MULTIPHASE MO	1	QL(30 per 30 days)
SEGLUROMET 2.5-1,000 MG, 2.5-500 MG, 7.5-1,000 MG, 7.5-500 MG TABLET MO	3	PA,QL(60 per 30 days)
SEMGLEE(INSULIN GLARG-YFGN)PEN 100 UNIT/ML (3 ML) INSULIN PEN CI,MO	3	PA
SEMGLEE(INSULIN GLARGINE-YFGN) 100 UNIT/ML SOLUTION CI,MO	3	PA
sitagliptin 100 mg, 25 mg, 50 mg TABLET MO	3	PA,QL(30 per 30 days)
sitagliptin-metformin 100-1,000 mg TABLET, ER 24 HR., MULTIPHASE MO	1	PA,QL(30 per 30 days)
sitagliptin-metformin 50-1,000 mg, 50-500 mg TABLET MO	3	PA,QL(60 per 30 days)
sitagliptin-metformin 50-1,000 mg, 50-500 mg TABLET, ER 24 HR., MULTIPHASE MO	1	PA,QL(60 per 30 days)
SOLIQUA 100/33 100 UNIT-33 MCG/ML INSULIN PEN CI,MO	2	QL(15 per 24 days)
STEGLATRO 15 MG, 5 MG TABLET MO	3	PA,QL(30 per 30 days)
STEGLUJAN 15-100 MG, 5-100 MG TABLET MO	3	PA,QL(30 per 30 days)
SYMLINPEN 120 2,700 MCG/2.7 ML PEN INJECTOR	4	QL(10.8 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
SYMLINPEN 60 1,500 MCG/1.5 ML PEN INJECTOR	4	QL(10.5 per 28 days)
SYNJARDY 12.5-1,000 MG, 12.5-500 MG, 5-1,000 MG, 5-500 MG TABLET MO	2	QL(60 per 30 days)
SYNJARDY XR 10-1,000 MG, 25-1,000 MG TABLET, IR/ER 24 HR., BIPHASIC MO	2	QL(30 per 30 days)
SYNJARDY XR 12.5-1,000 MG, 5-1,000 MG TABLET, IR/ER 24 HR., BIPHASIC MO	2	QL(60 per 30 days)
TOUJEO MAX U-300 SOLOSTAR 300 UNIT/ML (3 ML) INSULIN PEN CI,MO	2	
TOUJEO SOLOSTAR U-300 INSULIN 300 UNIT/ML (1.5 ML) INSULIN PEN CI,MO	2	
TRADJENTA 5 MG TABLET MO	2	QL(30 per 30 days)
TRESIBA FLEXTOUCH U-100 100 UNIT/ML (3 ML) INSULIN PEN CI,MO	2	
TRESIBA FLEXTOUCH U-200 200 UNIT/ML (3 ML) INSULIN PEN CI,MO	2	
TRESIBA U-100 INSULIN 100 UNIT/ML SOLUTION CI,MO	2	
TRIJARDY XR 10-5-1,000 MG, 25-5-1,000 MG TABLET, IR/ER 24 HR., BIPHASIC MO	2	QL(30 per 30 days)
TRIJARDY XR 12.5-2.5-1,000 MG, 5-2.5-1,000 MG TABLET, IR/ER 24 HR., BIPHASIC MO	2	QL(60 per 30 days)
TRULICITY 0.75 MG/0.5 ML, 1.5 MG/0.5 ML, 3 MG/0.5 ML, 4.5 MG/0.5 ML PEN INJECTOR MO	2	PA,QL(2 per 28 days)
VICTOZA 2-PAK 0.6 MG/0.1 ML (18 MG/3 ML) PEN INJECTOR MO	3	PA,QL(9 per 30 days)
VICTOZA 3-PAK 0.6 MG/0.1 ML (18 MG/3 ML) PEN INJECTOR MO	3	PA,QL(9 per 30 days)
XIGDUO XR 10-1,000 MG, 10-500 MG, 5-500 MG TABLET, IR/ER 24 HR., BIPHASIC MO	2	QL(30 per 30 days)
XIGDUO XR 2.5-1,000 MG, 5-1,000 MG TABLET, IR/ER 24 HR., BIPHASIC MO	2	QL(60 per 30 days)
XULTOPHY 100/3.6 100 UNIT-3.6 MG /ML (3 ML) INSULIN PEN CI,MO	3	PA,QL(15 per 30 days)
ZEGALOGUE AUTOINJECTOR 0.6 MG/0.6 ML AUTO-INJECTOR MO	2	
ZEGALOGUE SYRINGE 0.6 MG/0.6 ML SYRINGE MO	2	
ZITUVIMET 50-1,000 MG, 50-500 MG TABLET MO	3	PA,QL(60 per 30 days)
ZITUVIMET XR 100-1,000 MG TABLET, ER 24 HR., MULTIPHASE MO	3	PA,QL(30 per 30 days)
ZITUVIMET XR 50-1,000 MG, 50-500 MG TABLET, ER 24 HR., MULTIPHASE MO	3	PA,QL(60 per 30 days)
ZITUVIO 100 MG, 25 MG, 50 MG TABLET MO	3	PA,QL(30 per 30 days)
BLOOD PRODUCTS AND MODIFIERS		
ADZYNMA 1,500 (+/-) UNIT, 500 (+/-) UNIT KIT DL	4	PA
AGGRASTAT CONCENTRATE 250 MCG/ML CONCENTRATE MO	3	
AGGRASTAT IN SODIUM CHLORIDE 12.5 MG/250 ML (50 MCG/ML), 5 MG/100 ML (50 MCG/ML) SOLUTION MO	3	
AGRYLIN 0.5 MG CAPSULE MO	3	PA

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
ALVAIZ 18 MG, 9 MG TABLET DL	4	PA,QL(30 per 30 days)
ALVAIZ 36 MG, 54 MG TABLET DL	4	PA,QL(60 per 30 days)
aminocaproic acid 1,000 mg TABLET DL	4	
aminocaproic acid 250 mg/ml, 250 mg/ml (25 %) SOLUTION MO	1	
aminocaproic acid 500 mg TABLET MO	1	
anagrelide 0.5 mg, 1 mg CAPSULE MO	1	
ARANESP (IN POLYSORBATE) 10 MCG/0.4 ML, 40 MCG/0.4 ML SYRINGE MO	3	PA,QL(1.6 per 30 days)
ARANESP (IN POLYSORBATE) 100 MCG/0.5 ML SYRINGE DL	4	PA,QL(2 per 30 days)
ARANESP (IN POLYSORBATE) 100 MCG/ML, 200 MCG/ML, 60 MCG/ML SOLUTION DL	4	PA,QL(4 per 30 days)
ARANESP (IN POLYSORBATE) 150 MCG/0.3 ML SYRINGE DL	4	PA,QL(1.2 per 30 days)
ARANESP (IN POLYSORBATE) 200 MCG/0.4 ML SYRINGE DL	4	PA,QL(1.6 per 30 days)
ARANESP (IN POLYSORBATE) 25 MCG/0.42 ML SYRINGE MO	3	PA,QL(1.68 per 30 days)
ARANESP (IN POLYSORBATE) 25 MCG/ML, 40 MCG/ML SOLUTION MO	3	PA,QL(4 per 30 days)
ARANESP (IN POLYSORBATE) 300 MCG/0.6 ML SYRINGE DL	4	PA,QL(2.4 per 30 days)
ARANESP (IN POLYSORBATE) 500 MCG/ML SYRINGE DL	4	PA,QL(4 per 30 days)
ARANESP (IN POLYSORBATE) 60 MCG/0.3 ML SYRINGE MO	3	PA,QL(1.2 per 30 days)
ARIXTRA 10 MG/0.8 ML SYRINGE DL	4	PA,QL(24 per 30 days)
ARIXTRA 2.5 MG/0.5 ML SYRINGE DL	4	PA,QL(15 per 30 days)
ARIXTRA 5 MG/0.4 ML SYRINGE DL	4	PA,QL(12 per 30 days)
ARIXTRA 7.5 MG/0.6 ML SYRINGE DL	4	PA,QL(18 per 30 days)
aspirin-dipyridamole 25-200 mg CAPSULE ER MULTIPHASE 12 HR. MO	1	QL(60 per 30 days)
bivalirudin 250 mg/50 ml (5 mg/ml) SOLUTION MO	3	
BRILINTA 60 MG, 90 MG TABLET MO	3	PA,QL(60 per 30 days)
CABLIVI 11 MG KIT DL	4	PA,QL(30 per 30 days)
cilostazol 100 mg, 50 mg TABLET MO	1	
clopidogrel 300 mg TABLET MO	1	
clopidogrel 75 mg TABLET MO	1	QL(30 per 30 days)
CYKLOKAPRON 1,000 MG/10 ML (100 MG/ML) SOLUTION DL	4	PA
dabigatran etexilate 110 mg, 150 mg, 75 mg CAPSULE MO	1	QL(60 per 30 days)
dipyridamole 25 mg, 50 mg, 75 mg TABLET MO	1	
DOPTELET (10 TAB PACK) 20 MG TABLET DL	4	PA,QL(60 per 30 days)
DOPTELET (15 TAB PACK) 20 MG TABLET DL	4	PA,QL(60 per 30 days)
DOPTELET (30 TAB PACK) 20 MG TABLET DL	4	PA,QL(60 per 30 days)
EFFIENT 10 MG, 5 MG TABLET MO	3	PA,QL(30 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
ELIQUIS 2.5 MG TABLET MO	2	QL(60 per 30 days)
ELIQUIS 5 MG TABLET MO	2	QL(74 per 30 days)
ELIQUIS DVT-PE TREAT 30D START 5 MG (74 TABS) TABLET, DOSE PACK MO	2	QL(74 per 30 days)
enoxaparin 100 mg/ml, 120 mg/0.8 ml, 150 mg/ml, 30 mg/0.3 ml, 40 mg/0.4 ml, 60 mg/0.6 ml, 80 mg/0.8 ml SYRINGE MO	1	
enoxaparin 300 mg/3 ml SOLUTION MO	1	
EPOGEN 10,000 UNIT/ML, 2,000 UNIT/ML, 20,000 UNIT/ML, 3,000 UNIT/ML, 4,000 UNIT/ML SOLUTION MO	3	PA,QL(14 per 30 days)
EPOGEN 20,000 UNIT/2 ML SOLUTION MO	3	PA,QL(28 per 30 days)
eptifibatide 0.75 mg/ml, 2 mg/ml SOLUTION MO	1	
fondaparinux 10 mg/0.8 ml SYRINGE DL	4	QL(24 per 30 days)
fondaparinux 2.5 mg/0.5 ml SYRINGE MO	3	QL(15 per 30 days)
fondaparinux 5 mg/0.4 ml SYRINGE DL	4	QL(12 per 30 days)
fondaparinux 7.5 mg/0.6 ml SYRINGE DL	4	QL(18 per 30 days)
FRAGMIN 10,000 ANTI-XA UNIT/ML SYRINGE DL	4	QL(30 per 30 days)
FRAGMIN 12,500 ANTI-XA UNIT/0.5 ML SYRINGE DL	4	QL(15 per 30 days)
FRAGMIN 15,000 ANTI-XA UNIT/0.6 ML SYRINGE DL	4	QL(18 per 30 days)
FRAGMIN 18,000 ANTI-XA UNIT/0.72 ML SYRINGE DL	4	QL(21.6 per 30 days)
FRAGMIN 2,500 ANTI-XA UNIT/0.2 ML, 5,000 ANTI-XA UNIT/0.2 ML SYRINGE DL	4	QL(6 per 30 days)
FRAGMIN 2,500 ANTI-XA UNIT/ML SOLUTION DL	4	QL(120 per 30 days)
FRAGMIN 25,000 ANTI-XA UNIT/ML SOLUTION DL	4	QL(22.8 per 30 days)
FRAGMIN 7,500 ANTI-XA UNIT/0.3 ML SYRINGE DL	4	QL(9 per 30 days)
FULPHILA 6 MG/0.6 ML SYRINGE DL	4	PA,QL(1.2 per 28 days)
FYLNETRA 6 MG/0.6 ML SYRINGE DL	4	PA,QL(1.2 per 28 days)
GRANIX 300 MCG/0.5 ML, 480 MCG/0.8 ML SYRINGE DL	4	PA
GRANIX 300 MCG/ML, 480 MCG/1.6 ML SOLUTION DL	4	PA
heparin (porcine) 1,000 unit/ml, 10,000 unit/ml, 20,000 unit/ml, 5,000 unit/ml SOLUTION MO	1	
heparin (porcine) 5,000 unit/ml (1 ml) CARTRIDGE MO	1	
heparin (porcine) 5,000 unit/ml SYRINGE MO	1	
heparin, porcine (pf) 1,000 unit/ml, 5,000 unit/0.5 ml SOLUTION MO	1	
heparin, porcine (pf) 5,000 unit/0.5 ml, 5,000 unit/ml SYRINGE MO	1	
jantoven 1 mg, 10 mg, 2 mg, 2.5 mg, 3 mg, 4 mg, 5 mg, 6 mg, 7.5 mg TABLET MO	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
KENGREAL 50 MG RECON SOLUTION DL	4	
LEUKINE 250 MCG RECON SOLUTION DL	4	PA
LOVENOX 100 MG/ML, 120 MG/0.8 ML, 30 MG/0.3 ML, 40 MG/0.4 ML, 60 MG/0.6 ML, 80 MG/0.8 ML SYRINGE MO	3	PA
LOVENOX 150 MG/ML SYRINGE DL	4	PA
LOVENOX 300 MG/3 ML SOLUTION DL	4	PA
MIRCERA 100 MCG/0.3 ML SYRINGE	4	PA,QL(1.2 per 28 days)
MIRCERA 120 MCG/0.3 ML SYRINGE DL	4	PA,QL(0.9 per 28 days)
MIRCERA 150 MCG/0.3 ML, 200 MCG/0.3 ML, 30 MCG/0.3 ML SYRINGE	4	PA,QL(0.6 per 28 days)
MIRCERA 50 MCG/0.3 ML, 75 MCG/0.3 ML SYRINGE	4	PA,QL(0.9 per 28 days)
MOZOBIL 24 MG/1.2 ML (20 MG/ML) SOLUTION DL	4	PA,QL(9.6 per 30 days)
MULPLETA 3 MG TABLET DL	4	PA
NEULASTA 6 MG/0.6 ML SYRINGE DL	4	PA,QL(1.2 per 28 days)
NEULASTA ONPRO 6 MG/0.6 ML SYRINGE W/WEARABLE INJECTOR DL	4	PA,QL(1.2 per 28 days)
NEUPOGEN 300 MCG/0.5 ML, 480 MCG/0.8 ML SYRINGE DL	4	PA
NEUPOGEN 300 MCG/ML, 480 MCG/1.6 ML SOLUTION DL	4	PA
NIVESTYM 300 MCG/0.5 ML, 480 MCG/0.8 ML SYRINGE DL	4	PA
NIVESTYM 300 MCG/ML, 480 MCG/1.6 ML SOLUTION DL	4	PA
NYVEPRIA 6 MG/0.6 ML SYRINGE DL	4	PA,QL(1.2 per 28 days)
PLAVIX 75 MG TABLET MO	3	PA,QL(30 per 30 days)
<i>plerixafor</i> 24 mg/1.2 ml (20 mg/ml) SOLUTION DL	4	PA,QL(9.6 per 30 days)
PRADAXA 110 MG, 150 MG, 75 MG CAPSULE MO	3	QL(60 per 30 days)
PRADAXA 110 MG, 30 MG, 40 MG, 50 MG PELLETS IN PACKET DL	4	PA,QL(120 per 30 days)
PRADAXA 150 MG, 20 MG PELLETS IN PACKET DL	4	PA,QL(60 per 30 days)
<i>prasugrel hcl</i> 10 mg, 5 mg TABLET MO	1	QL(30 per 30 days)
PROCRIT 10,000 UNIT/ML, 2,000 UNIT/ML, 3,000 UNIT/ML, 4,000 UNIT/ML SOLUTION MO	3	PA,QL(14 per 30 days)
PROCRIT 20,000 UNIT/2 ML SOLUTION MO	3	PA,QL(28 per 30 days)
PROCRIT 20,000 UNIT/ML, 40,000 UNIT/ML SOLUTION DL	4	PA,QL(14 per 30 days)
PROMACTA 12.5 MG POWDER IN PACKET DL	4	PA,QL(360 per 30 days)
PROMACTA 12.5 MG, 25 MG TABLET DL	4	PA,QL(30 per 30 days)
PROMACTA 25 MG POWDER IN PACKET DL	4	PA,QL(180 per 30 days)
PROMACTA 50 MG TABLET DL	4	PA,QL(90 per 30 days)
PROMACTA 75 MG TABLET DL	4	PA,QL(60 per 30 days)
REBLOZYL 25 MG, 75 MG RECON SOLUTION DL	4	PA

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
RELEUKO 300 MCG/0.5 ML, 480 MCG/0.8 ML SYRINGE DL	4	PA
RELEUKO 300 MCG/ML, 480 MCG/1.6 ML SOLUTION DL	4	PA
RETACRIT 10,000 UNIT/ML, 2,000 UNIT/ML, 20,000 UNIT/2 ML, 20,000 UNIT/ML, 3,000 UNIT/ML, 4,000 UNIT/ML SOLUTION MO	3	PA,QL(14 per 30 days)
RETACRIT 40,000 UNIT/ML SOLUTION DL	4	PA,QL(14 per 30 days)
RIASTAP 1 GRAM (900MG-1,300MG) RECON SOLUTION MO	3	
<i>rivaroxaban 1 mg/ml SUSPENSION FOR RECONSTITUTION</i> MO	1	ST,QL(600 per 30 days)
<i>rivaroxaban 2.5 mg TABLET</i> MO	1	QL(60 per 30 days)
ROLVEDON 13.2 MG/0.6 ML SYRINGE DL	4	PA,QL(1.2 per 28 days)
RYZNEUTA 20 MG/ML SYRINGE DL	4	PA,QL(2 per 28 days)
SAVAYSA 15 MG, 30 MG, 60 MG TABLET MO	3	PA,QL(30 per 30 days)
STIMUFEND 6 MG/0.6 ML SYRINGE DL	4	PA,QL(1.2 per 28 days)
TAVALLISSE 100 MG, 150 MG TABLET DL	4	PA,QL(60 per 30 days)
<i>ticagrelor 60 mg, 90 mg TABLET</i> MO	1	QL(60 per 30 days)
<i>tirofiban-0.9% sodium chloride 12.5 mg/250 ml (50 mcg/ml), 5 mg/100 ml (50 mcg/ml) SOLUTION</i> MO	1	
<i>tranexamic acid 1,000 mg/10 ml (100 mg/ml) SOLUTION</i> MO	1	PA
<i>tranexamic acid 650 mg TABLET</i> MO	1	QL(30 per 5 days)
UDENYCA 6 MG/0.6 ML SYRINGE DL	4	PA,QL(1.2 per 28 days)
UDENYCA AUTOINJECTOR 6 MG/0.6 ML AUTO-INJECTOR DL	4	PA,QL(1.2 per 28 days)
UDENYCA ONBODY 6 MG/0.6 ML SYRINGE W/WEARABLE INJECTOR DL	4	PA,QL(1.2 per 28 days)
<i>warfarin 1 mg, 10 mg, 2 mg, 2.5 mg, 3 mg, 4 mg, 6 mg, 7.5 mg TABLET</i> MO	1	
<i>warfarin 5 mg TABLET</i> MO	1	
XARELTO 1 MG/ML SUSPENSION FOR RECONSTITUTION MO	2	ST,QL(600 per 30 days)
XARELTO 10 MG, 20 MG TABLET MO	2	QL(30 per 30 days)
XARELTO 15 MG, 2.5 MG TABLET MO	2	QL(60 per 30 days)
XARELTO DVT-PE TREAT 30D START 15 MG (42)- 20 MG (9) TABLET, DOSE PACK MO	2	QL(51 per 30 days)
XOLREMDI 100 MG CAPSULE DL	4	PA,QL(120 per 30 days)
ZARXIO 300 MCG/0.5 ML, 480 MCG/0.8 ML SYRINGE DL	4	PA
ZIEXTENZO 6 MG/0.6 ML SYRINGE DL	4	PA,QL(1.2 per 28 days)
CARDIOVASCULAR AGENTS		
ACCUPRIL 10 MG, 20 MG, 40 MG, 5 MG TABLET MO	3	
ACCURETIC 10-12.5 MG, 20-12.5 MG, 20-25 MG TABLET MO	3	
<i>acebutolol 200 mg, 400 mg CAPSULE</i> MO	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
acetazolamide 125 mg, 250 mg TABLET MO	1	
acetazolamide 500 mg CAPSULE, ER MO	1	
acetazolamide sodium 500 mg RECON SOLUTION MO	1	
adenosine 3 mg/ml SOLUTION MO	1	
adenosine 3 mg/ml SYRINGE MO	1	
ADRENALIN IN 0.9 % SOD CHLOR 10 MG/250 ML (40 MCG/ML), 2 MG/250 ML (8 MCG/ML), 4 MG/250 ML (16 MCG/ML), 5 MG/250 ML (20 MCG/ML), 8 MG/250 ML (32 MCG/ML) SOLUTION MO	3	
ALDACTONE 100 MG, 25 MG, 50 MG TABLET MO	3	
aliskiren 150 mg, 300 mg TABLET MO	1	QL(30 per 30 days)
ALTACE 1.25 MG, 10 MG, 2.5 MG, 5 MG CAPSULE MO	3	PA
ALTOPREV 20 MG, 40 MG, 60 MG TABLET, ER 24 HR. DL	4	ST,QL(30 per 30 days)
amiloride 5 mg TABLET MO	1	
amiloride-hydrochlorothiazide 5-50 mg TABLET MO	1	
amiodarone 100 mg, 400 mg TABLET MO	1	
amiodarone 150 mg/3 ml SYRINGE MO	1	
amiodarone 200 mg TABLET MO	1	
amiodarone 50 mg/ml SOLUTION MO	1	
amlodipine 10 mg, 2.5 mg, 5 mg TABLET MO	1	
amlodipine-atorvastatin 10-10 mg, 10-20 mg, 10-40 mg, 10-80 mg, 2.5-10 mg, 2.5-20 mg, 2.5-40 mg, 5-10 mg, 5-20 mg, 5-40 mg, 5-80 mg TABLET MO	1	QL(30 per 30 days)
amlodipine-benazepril 10-20 mg, 2.5-10 mg, 5-10 mg, 5-20 mg CAPSULE MO	1	QL(60 per 30 days)
amlodipine-benazepril 10-40 mg, 5-40 mg CAPSULE MO	1	QL(30 per 30 days)
amlodipine-olmesartan 10-20 mg, 10-40 mg, 5-20 mg, 5-40 mg TABLET MO	1	QL(30 per 30 days)
amlodipine-valsartan 10-160 mg, 10-320 mg, 5-160 mg, 5-320 mg TABLET MO	1	QL(30 per 30 days)
amlodipine-valsartan-hcthiiazid 10-160-12.5 mg, 10-160-25 mg, 10-320-25 mg, 5-160-12.5 mg, 5-160-25 mg TABLET MO	1	QL(30 per 30 days)
ARBLI 10 MG/ML SUSPENSION DL	4	ST,QL(300 per 30 days)
ASPRUZYO SPRINKLE 1,000 MG, 500 MG ER GRANULES, PACKET MO	3	QL(60 per 30 days)
ATACAND 16 MG, 4 MG, 8 MG TABLET MO	3	PA,QL(60 per 30 days)
ATACAND 32 MG TABLET MO	3	PA,QL(30 per 30 days)
ATACAND HCT 16-12.5 MG, 32-12.5 MG, 32-25 MG TABLET MO	3	PA,QL(30 per 30 days)
atenolol 100 mg TABLET MO	1	
atenolol 25 mg, 50 mg TABLET MO	1	
atenolol-chlorthalidone 100-25 mg, 50-25 mg TABLET MO	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
ATORVALIQ 20 MG/5 ML (4 MG/ML) SUSPENSION MO	3	ST,QL(600 per 30 days)
atorvastatin 10 mg, 20 mg, 40 mg, 80 mg TABLET MO	1	
AVALIDE 150-12.5 MG TABLET MO	3	PA,QL(60 per 30 days)
AVALIDE 300-12.5 MG TABLET MO	3	PA,QL(30 per 30 days)
AVAPRO 150 MG, 300 MG, 75 MG TABLET MO	3	PA,QL(30 per 30 days)
AZOR 10-20 MG, 10-40 MG, 5-20 MG, 5-40 MG TABLET MO	3	PA,QL(30 per 30 days)
benazepril 10 mg, 20 mg, 40 mg, 5 mg TABLET MO	1	
benazepril-hydrochlorothiazide 10-12.5 mg, 20-12.5 mg, 20-25 mg, 5-6.25 mg TABLET MO	1	
BENICAR 20 MG, 40 MG TABLET MO	3	PA,QL(30 per 30 days)
BENICAR 5 MG TABLET MO	3	PA,QL(60 per 30 days)
BENICAR HCT 20-12.5 MG, 40-12.5 MG, 40-25 MG TABLET MO	3	PA,QL(30 per 30 days)
BETAPACE 120 MG, 160 MG, 240 MG, 80 MG TABLET DL	4	PA
BETAPACE AF 120 MG, 160 MG TABLET DL	4	PA
BETAPACE AF 80 MG TABLET MO	3	PA
betaxolol 10 mg, 20 mg TABLET MO	1	
BIDIL 20-37.5 MG TABLET MO	3	PA,QL(180 per 30 days)
BIORPHEN 0.1 MG/ML SOLUTION MO	3	
bisoprolol fumarate 10 mg, 2.5 mg, 5 mg TABLET MO	1	
bisoprolol-hydrochlorothiazide 10-6.25 mg, 2.5-6.25 mg, 5-6.25 mg TABLET MO	1	
BREVIBLOC 100 MG/10 ML (10 MG/ML) SOLUTION MO	3	
BREVIBLOC IN NACL (ISO-OSM) 2,000 MG/100 ML, 2,500 MG/250 ML (10 MG/ML) PARENTERAL SOLUTION MO	3	
bumetanide 0.25 mg/ml SOLUTION MO	1	
bumetanide 0.5 mg, 2 mg TABLET MO	1	
bumetanide 1 mg TABLET MO	1	
BYSTOLIC 10 MG TABLET MO	3	PA,QL(120 per 30 days)
BYSTOLIC 2.5 MG, 5 MG TABLET MO	3	PA,QL(30 per 30 days)
BYSTOLIC 20 MG TABLET MO	3	PA,QL(60 per 30 days)
CADUET 10-10 MG, 10-20 MG, 10-40 MG, 10-80 MG, 5-10 MG, 5-20 MG, 5-40 MG, 5-80 MG TABLET MO	3	PA,QL(30 per 30 days)
CAMZYOS 10 MG, 15 MG, 2.5 MG, 5 MG CAPSULE DL	4	PA,QL(30 per 30 days)
candesartan 16 mg, 4 mg, 8 mg TABLET MO	1	QL(60 per 30 days)
candesartan 32 mg TABLET MO	1	QL(30 per 30 days)
candesartan-hydrochlorothiazid 16-12.5 mg, 32-12.5 mg, 32-25 mg TABLET MO	1	QL(30 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
<i>captopril 100 mg, 12.5 mg, 25 mg, 50 mg TABLET</i> MO	1	
<i>captopril-hydrochlorothiazide 25-15 mg, 25-25 mg, 50-15 mg, 50-25 mg TABLET</i> MO	1	
CARDIZEM 120 MG, 30 MG, 60 MG TABLET MO	3	
CARDIZEM CD 120 MG, 180 MG, 240 MG, 300 MG CAPSULE, ER 24 HR. DL	4	PA
CARDIZEM CD 360 MG CAPSULE, ER 24 HR. DL	4	PA,QL(30 per 30 days)
CARDIZEM LA 120 MG, 300 MG, 360 MG, 420 MG TABLET, ER 24 HR. MO	3	QL(30 per 30 days)
CARDIZEM LA 180 MG, 240 MG TABLET, ER 24 HR. MO	3	QL(60 per 30 days)
CARDURA 1 MG, 2 MG, 4 MG, 8 MG TABLET MO	3	
CARDURA XL 4 MG, 8 MG TABLET, ER 24 HR. MO	3	QL(30 per 30 days)
CAROSPIR 25 MG/5 ML SUSPENSION MO	3	QL(450 per 30 days)
<i>cartia xt 120 mg, 180 mg, 240 mg, 300 mg CAPSULE, ER 24 HR.</i> MO	1	
<i>carvedilol 12.5 mg, 25 mg, 3.125 mg, 6.25 mg TABLET</i> MO	1	
<i>carvedilol phosphate 10 mg, 20 mg, 40 mg, 80 mg CAPSULE ER MULTIPHASE 24 HR.</i> MO	1	QL(30 per 30 days)
<i>chlorothiazide sodium 500 mg RECON SOLUTION</i> MO	1	
<i>chlorthalidone 25 mg TABLET</i> MO	1	
<i>chlorthalidone 50 mg TABLET</i> MO	1	
<i>cholestyramine (with sugar) 4 gram POWDER</i> MO	1	
<i>cholestyramine (with sugar) 4 gram POWDER IN PACKET</i> MO	1	
<i>cholestyramine light 4 gram POWDER</i> MO	1	
<i>cholestyramine light 4 gram POWDER IN PACKET</i> MO	1	
CLEVIPREX 25 MG/50 ML, 50 MG/100 ML EMULSION MO	3	
<i>clonidine 0.1 mg/24 hr, 0.2 mg/24 hr, 0.3 mg/24 hr PATCH, WEEKLY</i> MO	1	QL(4 per 28 days)
<i>clonidine hcl 0.1 mg TABLET</i> MO	1	
<i>clonidine hcl 0.17 mg TABLET, ER 24 HR.</i> DL	4	PA,QL(90 per 30 days)
<i>clonidine hcl 0.2 mg, 0.3 mg TABLET</i> MO	1	
<i>colesevelam 3.75 gram POWDER IN PACKET</i> MO	1	QL(30 per 30 days)
<i>colesevelam 625 mg TABLET</i> MO	1	QL(180 per 30 days)
COLESTID 1 GRAM TABLET MO	3	
COLESTID 5 GRAM GRANULES MO	3	QL(1000 per 30 days)
COLESTID 5 GRAM PACKET MO	3	
COLESTID FLAVORED 7.5 GRAM PACKET MO	3	
<i>colestipol 1 gram TABLET</i> MO	1	
<i>colestipol 5 gram GRANULES</i> MO	1	QL(1000 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
colestipol 5 gram PACKET MO	1	
COREG 12.5 MG, 25 MG, 3.125 MG, 6.25 MG TABLET MO	3	PA
COREG CR 10 MG, 20 MG, 40 MG, 80 MG CAPSULE ER MULTIPHASE 24 HR. MO	3	PA,QL(30 per 30 days)
CORGARD 20 MG, 40 MG TABLET MO	3	PA
CORLANOR 5 MG, 7.5 MG TABLET MO	3	PA,QL(60 per 30 days)
CORLANOR 5 MG/5 ML SOLUTION MO	3	PA,QL(560 per 28 days)
CORLOPAM 10 MG/ML SOLUTION MO	3	
CORVERT 0.1 MG/ML SOLUTION MO	3	
COZAAR 100 MG, 25 MG, 50 MG TABLET MO	3	PA,QL(60 per 30 days)
CRESTOR 10 MG, 20 MG, 40 MG, 5 MG TABLET MO	3	PA
DEMSEER 250 MG CAPSULE DL	4	
DIBENZYLINE 10 MG CAPSULE DL	4	
digitek 125 mcg (0.125 mg), 250 mcg (0.25 mg) TABLET MO	1	QL(30 per 30 days)
digoxin 125 mcg (0.125 mg), 250 mcg (0.25 mg), 62.5 mcg (0.0625 mg) TABLET MO	1	QL(30 per 30 days)
digoxin 250 mcg/ml (0.25 mg/ml), 50 mcg/ml (0.05 mg/ml) SOLUTION MO	1	
dilt-xr 120 mg, 180 mg, 240 mg CAPSULE, ER 24 HR. MO	1	
diltiazem hcl 100 mg RECON SOLUTION MO	1	
diltiazem hcl 120 mg CAPSULE, ER 24 HR. MO	1	
diltiazem hcl 120 mg, 180 mg, 240 mg, 300 mg, 360 mg, 420 mg CAPSULE, ER 24 HR. MO	1	
diltiazem hcl 120 mg, 30 mg, 60 mg, 90 mg TABLET MO	1	
diltiazem hcl 120 mg, 300 mg, 360 mg, 420 mg TABLET, ER 24 HR. MO	1	QL(30 per 30 days)
diltiazem hcl 120 mg, 60 mg, 90 mg CAPSULE, ER 12 HR. MO	1	
diltiazem hcl 180 mg, 240 mg TABLET, ER 24 HR. MO	1	QL(60 per 30 days)
diltiazem hcl 360 mg CAPSULE, ER 24 HR. MO	1	QL(30 per 30 days)
diltiazem hcl 5 mg/ml SOLUTION MO	1	
DIOVAN 160 MG, 320 MG, 40 MG, 80 MG TABLET MO	3	PA,QL(60 per 30 days)
DIOVAN HCT 160-12.5 MG, 160-25 MG, 320-12.5 MG, 320-25 MG, 80-12.5 MG TABLET MO	3	PA,QL(30 per 30 days)
disopyramide phosphate 100 mg, 150 mg CAPSULE MO	1	
DIURIL 250 MG/5 ML SUSPENSION MO	3	
dobutamine 250 mg/20 ml (12.5 mg/ml) SOLUTION MO	1	BvsD
dobutamine in d5w 1,000 mg/250 ml (4,000 mcg/ml), 250 mg/250 ml (1 mg/ml), 500 mg/250 ml (2,000 mcg/ml) PARENTERAL SOLUTION MO	1	BvsD

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
dofetilide 125 mcg, 250 mcg, 500 mcg CAPSULE MO	1	
dopamine 200 mg/5 ml (40 mg/ml), 400 mg/10 ml (40 mg/ml), 400 mg/5 ml (80 mg/ml), 800 mg/5 ml (160 mg/ml) SOLUTION MO	1	BvsD
dopamine in 5 % dextrose 200 mg/250 ml (800 mcg/ml), 400 mg/250 ml (1,600 mcg/ml), 400 mg/500 ml (800 mcg/ml), 800 mg/250 ml (3,200 mcg/ml), 800 mg/500 ml (1,600 mcg/ml) SOLUTION MO	1	BvsD
doxazosin 1 mg, 2 mg, 4 mg, 8 mg TABLET MO	1	
droxidopa 100 mg, 200 mg CAPSULE MO	1	PA,QL(90 per 30 days)
droxidopa 300 mg CAPSULE MO	1	PA,QL(180 per 30 days)
DYRENIUM 100 MG, 50 MG CAPSULE MO	3	
EDARBI 40 MG, 80 MG TABLET MO	3	ST,QL(30 per 30 days)
EDARBYCLOR 40-12.5 MG, 40-25 MG TABLET MO	3	ST,QL(30 per 30 days)
EDECRIIN 25 MG TABLET DL	4	QL(480 per 30 days)
enalapril maleate 1 mg/ml SOLUTION MO	1	
enalapril maleate 10 mg, 2.5 mg, 20 mg, 5 mg TABLET MO	1	
enalapril-hydrochlorothiazide 10-25 mg, 5-12.5 mg TABLET MO	1	
enalaprilat 1.25 mg/ml SOLUTION MO	1	
ENTRESTO 24-26 MG, 49-51 MG, 97-103 MG TABLET MO	2	QL(60 per 30 days)
ENTRESTO SPRINKLE 15-16 MG, 6-6 MG PELLETT MO	2	QL(240 per 30 days)
EPANED 1 MG/ML SOLUTION DL	4	
epineph bitart in 0.9% sod chl 16 mg/250 ml (64 mcg/ml) SOLUTION MO	3	
eplerenone 25 mg, 50 mg TABLET MO	1	
eprosartan 600 mg TABLET MO	1	QL(60 per 30 days)
esmolol 100 mg/10 ml (10 mg/ml) SOLUTION MO	1	
esmolol in nacl (iso-osm) 2,000 mg/100 ml, 2,500 mg/250 ml (10 mg/ml) PARENTERAL SOLUTION MO	1	
ethacrynate sodium 50 mg RECON SOLUTION MO	1	
ethacrynic acid 25 mg TABLET MO	1	QL(480 per 30 days)
EVKEEZA 150 MG/ML SOLUTION DL	4	PA
EXFORGE 10-160 MG, 10-320 MG, 5-160 MG, 5-320 MG TABLET MO	3	PA,QL(30 per 30 days)
EXFORGE HCT 10-160-12.5 MG, 10-160-25 MG, 10-320-25 MG, 5-160-12.5 MG, 5-160-25 MG TABLET MO	3	PA,QL(30 per 30 days)
EZALLOR SPRINKLE 10 MG, 20 MG, 40 MG, 5 MG CAPSULE, SPRINKLE MO	3	ST,QL(30 per 30 days)
ezetimibe 10 mg TABLET MO	1	QL(30 per 30 days)
ezetimibe-simvastatin 10-10 mg, 10-20 mg, 10-40 mg, 10-80 mg TABLET MO	1	QL(30 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
felodipine 10 mg, 2.5 mg, 5 mg TABLET, ER 24 HR. MO	1	
fenofibrate 120 mg TABLET MO	1	QL(30 per 30 days)
fenofibrate 150 mg CAPSULE MO	1	QL(30 per 30 days)
fenofibrate 160 mg TABLET MO	1	QL(30 per 30 days)
fenofibrate 40 mg, 54 mg TABLET MO	1	QL(60 per 30 days)
fenofibrate 50 mg CAPSULE MO	1	QL(60 per 30 days)
fenofibrate micronized 130 mg, 43 mg CAPSULE MO	1	ST,QL(30 per 30 days)
fenofibrate micronized 134 mg, 200 mg CAPSULE MO	1	QL(30 per 30 days)
fenofibrate micronized 67 mg CAPSULE MO	1	QL(60 per 30 days)
fenofibrate micronized 90 mg CAPSULE MO	3	QL(30 per 30 days)
fenofibrate nanocrystallized 145 mg TABLET MO	1	QL(30 per 30 days)
fenofibrate nanocrystallized 48 mg TABLET MO	1	QL(60 per 30 days)
fenofibric acid 105 mg, 35 mg TABLET MO	2	QL(30 per 30 days)
fenofibric acid (choline) 135 mg, 45 mg CAPSULE, DR/EC MO	1	QL(30 per 30 days)
FENOGLIDE 120 MG TABLET MO	3	QL(30 per 30 days)
FENOGLIDE 40 MG TABLET MO	3	QL(60 per 30 days)
FIBRICOR 105 MG, 35 MG TABLET MO	3	QL(30 per 30 days)
flecainide 100 mg, 150 mg, 50 mg TABLET MO	1	
FLOLIPID 20 MG/5 ML (4 MG/ML), 40 MG/5 ML (8 MG/ML) SUSPENSION MO	3	ST,QL(150 per 30 days)
fluvastatin 20 mg, 40 mg CAPSULE MO	1	ST,QL(60 per 30 days)
fluvastatin 80 mg TABLET, ER 24 HR. MO	1	ST,QL(30 per 30 days)
fosinopril 10 mg, 20 mg, 40 mg TABLET MO	1	
fosinopril-hydrochlorothiazide 10-12.5 mg, 20-12.5 mg TABLET MO	1	
FUROSCIX 80 MG/10 ML KIT	4	PA
furosemide 10 mg/ml, 40 mg/5 ml (8 mg/ml) SOLUTION MO	1	
furosemide 20 mg, 40 mg TABLET MO	1	
furosemide 80 mg TABLET MO	1	
gemfibrozil 600 mg TABLET MO	1	QL(60 per 30 days)
GONITRO 400 MCG POWDER IN PACKET MO	3	
guanfacine 1 mg, 2 mg TABLET MO	1	
HEMANGEOL 4.28 MG/ML SOLUTION MO	3	
HEMICLOR 12.5 MG TABLET MO	3	
hydralazine 10 mg, 100 mg TABLET MO	1	
hydralazine 20 mg/ml SOLUTION MO	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
hydralazine 25 mg, 50 mg TABLET MO	1	
hydrochlorothiazide 12.5 mg CAPSULE MO	1	
hydrochlorothiazide 12.5 mg, 25 mg TABLET MO	1	
hydrochlorothiazide 50 mg TABLET MO	1	
HYZAAR 100-12.5 MG, 100-25 MG, 50-12.5 MG TABLET MO	3	PA,QL(60 per 30 days)
ibutilide fumarate 0.1 mg/ml SOLUTION MO	1	
IMMPHENTIV 0.1 MG/ML SOLUTION MO	3	
indapamide 1.25 mg, 2.5 mg TABLET MO	1	
INDERAL LA 120 MG, 160 MG, 60 MG, 80 MG CAPSULE, ER 24 HR. DL	4	PA
INNOPRAN XL 120 MG, 80 MG CAPSULE, ER 24 HR.	4	
INPEFA 200 MG, 400 MG TABLET MO	3	PA,QL(30 per 30 days)
INSPIRA 25 MG, 50 MG TABLET MO	3	
INZIRQO 10 MG/ML SUSPENSION FOR RECONSTITUTION MO	3	
irbesartan 150 mg, 300 mg, 75 mg TABLET MO	1	QL(30 per 30 days)
irbesartan-hydrochlorothiazide 150-12.5 mg TABLET MO	1	QL(60 per 30 days)
irbesartan-hydrochlorothiazide 300-12.5 mg TABLET MO	1	QL(30 per 30 days)
ISORDIL 40 MG TABLET DL	4	
ISORDIL TITRADOSE 5 MG TABLET DL	4	PA
isosorbide dinitrate 10 mg, 20 mg, 30 mg, 40 mg, 5 mg TABLET MO	1	
isosorbide mononitrate 10 mg, 20 mg TABLET MO	1	
isosorbide mononitrate 120 mg TABLET, ER 24 HR. MO	1	
isosorbide mononitrate 30 mg, 60 mg TABLET, ER 24 HR. MO	1	
isosorbide-hydralazine 20-37.5 mg TABLET MO	1	QL(180 per 30 days)
isradipine 2.5 mg, 5 mg CAPSULE MO	1	
ISUPREL 0.2 MG/ML SOLUTION MO	3	
ivabradine 5 mg, 7.5 mg TABLET MO	1	PA,QL(60 per 30 days)
JUXTAPID 10 MG, 30 MG, 5 MG CAPSULE DL	4	PA,QL(28 per 28 days)
JUXTAPID 20 MG CAPSULE DL	4	PA,QL(84 per 28 days)
KAPSPARGO SPRINKLE 100 MG, 25 MG, 50 MG CAPSULE ER SPRINKLE 24 HR. MO	3	ST,QL(30 per 30 days)
KAPSPARGO SPRINKLE 200 MG CAPSULE ER SPRINKLE 24 HR. MO	3	ST,QL(60 per 30 days)
KATERZIA 1 MG/ML SUSPENSION MO	3	ST,QL(300 per 30 days)
KERENDIA 10 MG, 20 MG TABLET MO	2	PA,QL(30 per 30 days)
KERENDIA 40 MG TABLET MO	2	PA,QL(30 per 30 days)
labetalol 100 mg, 200 mg, 300 mg, 400 mg TABLET MO	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
<i>labetalol 5 mg/ml SOLUTION</i> MO	1	
LABETALOL IN DEXTROSE,ISO-OSM 1 MG/ML SOLUTION MO	1	
LABETALOL IN NACL (ISO-OSMOT) 1 MG/ ML SOLUTION MO	1	
LANOXIN 125 MCG (0.125 MG), 250 MCG (0.25 MG), 62.5 MCG (0.0625 MG) TABLET MO	3	QL(30 per 30 days)
LANOXIN 250 MCG/ML (0.25 MG/ML), 500 MCG/2 ML (0.5 MG/2 ML) SOLUTION MO	3	
LANOXIN PEDIATRIC 100 MCG/ML (0.1 MG/ML) SOLUTION MO	3	
LASIX 20 MG, 40 MG, 80 MG TABLET MO	3	
LEQVIO 284 MG/1.5 ML SYRINGE	4	PA,QL(4.5 per 365 days)
LESCOL XL 80 MG TABLET, ER 24 HR. MO	3	ST,QL(30 per 30 days)
LEVOPHED (BITARTRATE) 1 MG/ML SOLUTION MO	3	
<i>lidocaine (pf) 20 mg/ml (2 %) SOLUTION</i> MO	1	
<i>lidocaine in 5 % dextrose (pf) 4 mg/ml (0.4 %), 8 mg/ml (0.8 %) PARENTERAL SOLUTION</i> MO	1	
LIPITOR 10 MG, 20 MG, 40 MG, 80 MG TABLET MO	3	PA
LIPOFEN 150 MG CAPSULE MO	3	QL(30 per 30 days)
LIPOFEN 50 MG CAPSULE MO	3	QL(60 per 30 days)
<i>lisinopril 10 mg, 2.5 mg, 20 mg, 40 mg, 5 mg TABLET</i> MO	1	
<i>lisinopril 30 mg TABLET</i> MO	1	
<i>lisinopril-hydrochlorothiazide 10-12.5 mg TABLET</i> MO	1	
<i>lisinopril-hydrochlorothiazide 20-12.5 mg, 20-25 mg TABLET</i> MO	1	
LIVALO 1 MG, 2 MG, 4 MG TABLET MO	3	ST,QL(30 per 30 days)
LODOCO 0.5 MG TABLET MO	3	PA,QL(30 per 30 days)
LOPID 600 MG TABLET MO	3	PA,QL(60 per 30 days)
LOPRESSOR 10 MG/ML SOLUTION MO	3	
LOPRESSOR 100 MG, 50 MG TABLET MO	3	
<i>losartan 100 mg, 25 mg, 50 mg TABLET</i> MO	1	QL(60 per 30 days)
<i>losartan-hydrochlorothiazide 100-12.5 mg, 100-25 mg, 50-12.5 mg TABLET</i> MO	1	QL(60 per 30 days)
LOTENSIN 10 MG, 20 MG, 40 MG TABLET MO	3	
LOTENSIN HCT 10-12.5 MG, 20-12.5 MG, 20-25 MG TABLET MO	3	
LOTREL 10-20 MG, 5-10 MG, 5-20 MG CAPSULE MO	3	PA,QL(60 per 30 days)
LOTREL 10-40 MG CAPSULE MO	3	PA,QL(30 per 30 days)
<i>lovastatin 10 mg, 20 mg, 40 mg TABLET</i> MO	1	
LOVAZA 1 GRAM CAPSULE MO	3	PA,QL(120 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
lovaza 1 gram CAPSULE MO	3	PA,QL(120 per 30 days)
mannitol 20 % 20 % PARENTERAL SOLUTION MO	1	
mannitol 25 % 25 % SOLUTION MO	1	
matzim la 180 mg, 240 mg TABLET, ER 24 HR. MO	1	QL(60 per 30 days)
matzim la 300 mg, 360 mg, 420 mg TABLET, ER 24 HR. MO	1	QL(30 per 30 days)
MAXZIDE 75-50 MG TABLET MO	3	PA
MAXZIDE-25MG 37.5-25 MG TABLET MO	3	PA
methyldopa 250 mg, 500 mg TABLET MO	1	
methyldopa-hydrochlorothiazide 250-15 mg, 250-25 mg TABLET MO	1	
methyldopate 250 mg/5 ml SOLUTION MO	1	
metolazone 10 mg, 2.5 mg, 5 mg TABLET MO	1	
metoprolol succinate 100 mg, 25 mg, 50 mg TABLET, ER 24 HR. MO	1	
metoprolol succinate 200 mg TABLET, ER 24 HR. MO	1	
metoprolol ta-hydrochlorothiaz 100-25 mg, 100-50 mg, 50-25 mg TABLET MO	1	
metoprolol tartrate 100 mg, 25 mg, 50 mg TABLET MO	1	
metoprolol tartrate 37.5 mg, 75 mg TABLET MO	1	
metoprolol tartrate 5 mg/5 ml SOLUTION MO	1	
metyrosine 250 mg CAPSULE DL	4	
mexiletine 150 mg, 200 mg, 250 mg CAPSULE MO	1	
MICARDIS 20 MG, 40 MG TABLET MO	3	PA,QL(30 per 30 days)
MICARDIS 80 MG TABLET MO	3	PA,QL(60 per 30 days)
MICARDIS HCT 40-12.5 MG, 80-25 MG TABLET MO	3	PA,QL(30 per 30 days)
MICARDIS HCT 80-12.5 MG TABLET MO	3	PA,QL(60 per 30 days)
midodrine 10 mg, 2.5 mg, 5 mg TABLET MO	1	
milrinone 1 mg/ml SOLUTION MO	1	BvsD
milrinone in 5 % dextrose 20 mg/100 ml (200 mcg/ml), 40 mg/200 ml (200 mcg/ml) PIGGYBACK MO	1	BvsD
MINIPRESS 2 MG CAPSULE MO	3	
minoxidil 10 mg, 2.5 mg TABLET MO	1	
moexipril 15 mg, 7.5 mg TABLET MO	1	
MULTAQ 400 MG TABLET MO	2	QL(60 per 30 days)
nadolol 20 mg, 40 mg, 80 mg TABLET MO	1	
nebivolol 10 mg TABLET MO	1	QL(120 per 30 days)
nebivolol 2.5 mg, 5 mg TABLET MO	1	QL(30 per 30 days)
nebivolol 20 mg TABLET MO	1	QL(60 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
NEXICLON XR 0.17 MG TABLET, ER 24 HR. DL	4	PA,QL(90 per 30 days)
NEXLETOL 180 MG TABLET MO	3	PA,QL(30 per 30 days)
NEXLIZET 180-10 MG TABLET MO	3	PA,QL(30 per 30 days)
NEXTERONE 150 MG/100 ML (1.5 MG/ML), 360 MG/200 ML (1.8 MG/ML) SOLUTION MO	3	
niacin 1,000 mg, 500 mg, 750 mg TABLET, ER 24 HR. MO	1	
niacin 500 mg TABLET MO	1	
niacor 500 mg TABLET MO	1	
nicardipine 20 mg, 30 mg CAPSULE MO	1	
nicardipine 25 mg/10 ml SOLUTION MO	1	
nifedipine 10 mg, 20 mg CAPSULE MO	1	
nifedipine 30 mg, 60 mg, 90 mg TABLET ER MO	1	
nifedipine 30 mg, 60 mg, 90 mg TABLET, ER 24 HR. MO	1	
nimodipine 30 mg CAPSULE MO	1	
nimodipine 60 mg/20 ml SOLUTION DL	4	QL(2838 per 28 days)
nisoldipine 17 mg, 20 mg, 34 mg, 40 mg, 8.5 mg TABLET, ER 24 HR. MO	1	QL(30 per 30 days)
nisoldipine 25.5 mg, 30 mg TABLET, ER 24 HR. MO	1	QL(60 per 30 days)
NITRO-BID 2 % OINTMENT MO	1	
NITRO-DUR 0.1 MG/HR, 0.4 MG/HR, 0.6 MG/HR PATCH, 24 HR. MO	3	
NITRO-DUR 0.2 MG/HR, 0.3 MG/HR, 0.8 MG/HR PATCH, 24 HR.	4	
nitroglycerin 0.1 mg/hr, 0.2 mg/hr, 0.4 mg/hr, 0.6 mg/hr PATCH, 24 HR. MO	1	
nitroglycerin 0.3 mg, 0.6 mg SUBLINGUAL TABLET MO	1	
nitroglycerin 0.4 mg SUBLINGUAL TABLET MO	1	
nitroglycerin 2 % OINTMENT MO	1	
nitroglycerin 400 mcg/spray SPRAY, NON-AEROSOL MO	1	
nitroglycerin 50 mg/10 ml (5 mg/ml) SOLUTION MO	1	
nitroglycerin in 5 % dextrose 100 mg/250 ml (400 mcg/ml), 25 mg/250 ml (100 mcg/ml), 50 mg/250 ml (200 mcg/ml) SOLUTION MO	1	
NITROLINGUAL 400 MCG/SPRAY SPRAY, NON-AEROSOL MO	3	
NITROSTAT 0.3 MG, 0.4 MG, 0.6 MG SUBLINGUAL TABLET MO	2	
norepinephrine bitartrate 1 mg/ml SOLUTION MO	1	
NORLIQVA 1 MG/ML SOLUTION MO	3	ST,QL(300 per 30 days)
NORPACE 100 MG, 150 MG CAPSULE MO	3	
NORPACE CR 100 MG, 150 MG CAPSULE, ER MO	3	
NORTHERA 100 MG, 200 MG CAPSULE DL	4	PA,QL(90 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
NORTHERA 300 MG CAPSULE DL	4	PA,QL(180 per 30 days)
NORVASC 10 MG, 2.5 MG, 5 MG TABLET MO	3	PA
NYMALIZE 30 MG/5 ML SYRINGE DL	4	QL(630 per 28 days)
NYMALIZE 60 MG/10 ML SOLUTION DL	4	QL(1260 per 28 days)
NYMALIZE 60 MG/10 ML SYRINGE DL	4	QL(1260 per 28 days)
olmesartan 20 mg, 40 mg TABLET MO	1	QL(30 per 30 days)
olmesartan 5 mg TABLET MO	1	QL(60 per 30 days)
olmesartan-amlodipin-hctiazid 20-5-12.5 mg, 40-10-12.5 mg, 40-10-25 mg, 40-5-12.5 mg, 40-5-25 mg TABLET MO	1	QL(30 per 30 days)
olmesartan-hydrochlorothiazide 20-12.5 mg, 40-12.5 mg, 40-25 mg TABLET MO	1	QL(30 per 30 days)
omega-3 acid ethyl esters 1 gram CAPSULE MO	1	QL(120 per 30 days)
OSMITROL 10 % 10 % PARENTERAL SOLUTION MO	3	
OSMITROL 15 % 15 % PARENTERAL SOLUTION MO	3	
OSMITROL 20 % 20 % PARENTERAL SOLUTION MO	3	
OSMITROL 5 % 5 % PARENTERAL SOLUTION MO	3	
PACERONE 100 MG, 400 MG TABLET MO	1	
pacerone 200 mg TABLET MO	1	
pentoxifylline 400 mg TABLET ER MO	1	
perindopril erbumine 2 mg, 4 mg, 8 mg TABLET MO	1	
phenoxybenzamine 10 mg CAPSULE DL	4	
phenylephrine hcl 10 mg/ml SOLUTION MO	1	
pindolol 10 mg, 5 mg TABLET MO	1	
pitavastatin calcium 1 mg, 2 mg, 4 mg TABLET MO	1	ST,QL(30 per 30 days)
PRALUENT PEN 150 MG/ML, 75 MG/ML PEN INJECTOR MO	3	PA,QL(2 per 28 days)
pravastatin 10 mg, 80 mg TABLET MO	1	
pravastatin 20 mg, 40 mg TABLET MO	1	
prazosin 1 mg, 2 mg, 5 mg CAPSULE MO	1	
prevalite 4 gram POWDER MO	1	
prevalite 4 gram POWDER IN PACKET MO	1	
procainamide 100 mg/ml, 500 mg/ml SOLUTION MO	1	
PROCARDIA XL 30 MG, 60 MG, 90 MG TABLET, ER 24 HR. MO	3	PA
propafenone 150 mg, 225 mg, 300 mg TABLET MO	1	
propafenone 225 mg, 325 mg, 425 mg CAPSULE, ER 12 HR. MO	1	
propranolol 1 mg/ml, 20 mg/5 ml (4 mg/ml), 40 mg/5 ml (8 mg/ml) SOLUTION MO	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
propranolol 10 mg, 20 mg, 40 mg, 60 mg, 80 mg TABLET MO	1	
propranolol 120 mg, 160 mg, 60 mg, 80 mg CAPSULE, ER 24 HR. MO	1	
propranolol-hydrochlorothiazid 40-25 mg, 80-25 mg TABLET MO	1	
QBRELIS 1 MG/ML SOLUTION DL	4	QL(1200 per 30 days)
QUESTRAN 4 GRAM POWDER MO	1	
QUESTRAN 4 GRAM POWDER IN PACKET MO	1	
QUESTRAN LIGHT 4 GRAM POWDER MO	1	
quinapril 10 mg, 20 mg, 40 mg, 5 mg TABLET MO	1	
quinapril-hydrochlorothiazide 10-12.5 mg, 20-12.5 mg, 20-25 mg TABLET MO	1	
quinidine gluconate 324 mg TABLET ER MO	1	
quinidine sulfate 200 mg, 300 mg TABLET MO	1	
ramipril 1.25 mg, 10 mg, 2.5 mg, 5 mg CAPSULE MO	1	
ranolazine 1,000 mg, 500 mg TABLET, ER 12 HR. MO	1	QL(120 per 30 days)
REPATHA PUSHTRONEX 420 MG/3.5 ML WEARABLE INJECTOR MO	2	PA,QL(3.5 per 28 days)
REPATHA SURECLICK 140 MG/ML PEN INJECTOR MO	2	PA,QL(3 per 28 days)
REPATHA SYRINGE 140 MG/ML SYRINGE MO	2	PA,QL(3 per 28 days)
rosuvastatin 10 mg, 20 mg, 40 mg, 5 mg TABLET MO	1	
RYTHMOL SR 225 MG, 325 MG, 425 MG CAPSULE, ER 12 HR. MO	3	PA
sacubitril-valsartan 24-26 mg, 49-51 mg, 97-103 mg TABLET MO	1	QL(60 per 30 days)
simvastatin 10 mg, 20 mg, 40 mg TABLET MO	1	
simvastatin 5 mg, 80 mg TABLET MO	1	
SOAANZ 20 MG, 40 MG, 60 MG TABLET MO	3	ST
SODIUM EDECRIN 50 MG RECON SOLUTION MO	3	
sotalol 120 mg, 160 mg, 240 mg, 80 mg TABLET MO	1	
sotalol af 120 mg, 160 mg, 80 mg TABLET MO	1	
SOTYLIZE 5 MG/ML SOLUTION MO	3	
spironolacton-hydrochlorothiaz 25-25 mg TABLET MO	1	
spironolactone 100 mg TABLET MO	1	
spironolactone 25 mg, 50 mg TABLET MO	1	
spironolactone 25 mg/5 ml SUSPENSION MO	3	QL(450 per 30 days)
SULAR 17 MG, 34 MG, 8.5 MG TABLET, ER 24 HR. MO	3	PA,QL(30 per 30 days)
taztia xt 120 mg, 180 mg, 240 mg, 300 mg, 360 mg CAPSULE, ER 24 HR. MO	1	
TEKTRNA 150 MG, 300 MG TABLET MO	3	PA,QL(30 per 30 days)
TEKTRNA HCT 150-12.5 MG, 150-25 MG, 300-12.5 MG, 300-25 MG TABLET MO	3	ST,QL(30 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
telmisartan 20 mg, 40 mg TABLET MO	1	QL(30 per 30 days)
telmisartan 80 mg TABLET MO	1	QL(60 per 30 days)
telmisartan-amlodipine 40-10 mg, 40-5 mg, 80-10 mg, 80-5 mg TABLET MO	1	QL(30 per 30 days)
telmisartan-hydrochlorothiazid 40-12.5 mg, 80-25 mg TABLET MO	1	QL(30 per 30 days)
telmisartan-hydrochlorothiazid 80-12.5 mg TABLET MO	1	QL(60 per 30 days)
TENORETIC 100 100-25 MG TABLET MO	3	
TENORETIC 50 50-25 MG TABLET MO	3	PA
TENORMIN 100 MG, 25 MG, 50 MG TABLET MO	3	PA
terazosin 1 mg, 10 mg, 2 mg, 5 mg CAPSULE MO	1	
TEZRULY 1 MG/ML SOLUTION DL	4	PA,QL(600 per 30 days)
THALITONE 15 MG TABLET MO	3	
tiadylt er 120 mg, 180 mg, 240 mg, 300 mg, 360 mg, 420 mg CAPSULE, ER 24 HR. MO	1	
TIAZAC 120 MG, 180 MG, 240 MG, 300 MG, 360 MG, 420 MG CAPSULE, ER 24 HR. MO	3	
TIKOSYN 125 MCG, 250 MCG, 500 MCG CAPSULE MO	3	PA
timolol maleate 10 mg, 20 mg, 5 mg TABLET MO	1	
TOPROL XL 100 MG, 200 MG, 25 MG, 50 MG TABLET, ER 24 HR. MO	3	
torse mide 10 mg, 100 mg, 5 mg TABLET MO	1	
torse mide 20 mg TABLET MO	1	
trandolapril 1 mg, 2 mg, 4 mg TABLET MO	1	
trandolapril-verapamil 1-240 mg, 2-180 mg, 2-240 mg, 4-240 mg TABLET, IR/ER 24 HR., BIPHASIC MO	1	
triamterene 100 mg, 50 mg CAPSULE MO	1	
triamterene-hydrochlorothiazid 37.5-25 mg CAPSULE MO	1	
triamterene-hydrochlorothiazid 37.5-25 mg TABLET MO	1	
triamterene-hydrochlorothiazid 75-50 mg TABLET MO	1	
TRIBENZOR 20-5-12.5 MG, 40-10-12.5 MG, 40-10-25 MG, 40-5-12.5 MG, 40-5-25 MG TABLET MO	3	PA,QL(30 per 30 days)
TRICOR 145 MG TABLET MO	3	PA,QL(30 per 30 days)
TRICOR 48 MG TABLET MO	3	PA,QL(60 per 30 days)
TRILIPIX 135 MG, 45 MG CAPSULE, DR/EC MO	3	PA,QL(30 per 30 days)
TRYNGOLZA 80 MG/0.8 ML AUTO-INJECTOR DL	4	PA,QL(0.8 per 28 days)
TRYVIO 12.5 MG TABLET MO	3	PA,QL(30 per 30 days)
valsartan 160 mg, 320 mg TABLET MO	1	QL(60 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
VALSARTAN 4 MG/ML SOLUTION DL	4	ST,QL(2400 per 30 days)
valsartan 4 mg/ml SOLUTION DL	4	ST,QL(2400 per 30 days)
valsartan 40 mg, 80 mg TABLET MO	1	QL(60 per 30 days)
valsartan-hydrochlorothiazide 160-12.5 mg, 160-25 mg, 320-12.5 mg, 320-25 mg, 80-12.5 mg TABLET MO	1	QL(30 per 30 days)
VASCEPA 0.5 GRAM CAPSULE MO	2	QL(240 per 30 days)
VASCEPA 1 GRAM CAPSULE MO	2	QL(120 per 30 days)
VASERETIC 10-25 MG TABLET MO	3	
VASOTEC 10 MG, 2.5 MG, 20 MG, 5 MG TABLET DL	4	PA
vecamyl 2.5 mg TABLET DL	4	QL(300 per 30 days)
verapamil 100 mg, 120 mg, 180 mg, 200 mg, 240 mg, 300 mg, 360 mg CAPSULE ER PELLETS 24 HR. MO	1	
verapamil 120 mg, 180 mg, 240 mg TABLET ER MO	1	
verapamil 120 mg, 40 mg, 80 mg TABLET MO	1	
verapamil 2.5 mg/ml SOLUTION MO	1	
verapamil 2.5 mg/ml SYRINGE MO	1	
VERELAN PM 100 MG, 200 MG, 300 MG CAPSULE ER PELLETS 24 HR. MO	3	PA
VERQUVO 10 MG, 2.5 MG, 5 MG TABLET MO	2	PA,QL(30 per 30 days)
VYTORIN 10-10 10-10 MG TABLET MO	3	PA,QL(30 per 30 days)
VYTORIN 10-20 10-20 MG TABLET MO	3	PA,QL(30 per 30 days)
VYTORIN 10-40 10-40 MG TABLET MO	3	PA,QL(30 per 30 days)
VYTORIN 10-80 10-80 MG TABLET MO	3	PA,QL(30 per 30 days)
WELCHOL 3.75 GRAM POWDER IN PACKET MO	3	QL(30 per 30 days)
WELCHOL 625 MG TABLET MO	3	QL(180 per 30 days)
ZESTORETIC 10-12.5 MG, 20-12.5 MG, 20-25 MG TABLET MO	3	
ZESTRIL 10 MG, 2.5 MG, 20 MG, 30 MG, 40 MG, 5 MG TABLET MO	3	PA
ZETIA 10 MG TABLET MO	3	PA,QL(30 per 30 days)
ZIAC 10-6.25 MG, 2.5-6.25 MG, 5-6.25 MG TABLET MO	3	PA
ZOCOR 10 MG, 20 MG, 40 MG TABLET MO	3	PA
ZYPITAMAG 2 MG, 4 MG TABLET MO	2	ST,QL(30 per 30 days)
CENTRAL NERVOUS SYSTEM AGENTS		
ADDERALL 10 MG, 12.5 MG, 15 MG, 20 MG, 5 MG, 7.5 MG TABLET MO	1	PA,QL(90 per 30 days)
ADDERALL 30 MG TABLET MO	1	PA,QL(60 per 30 days)
ADDERALL XR 10 MG, 15 MG, 5 MG CAPSULE, ER 24 HR. MO	3	PA,QL(30 per 30 days)
ADDERALL XR 20 MG, 25 MG, 30 MG CAPSULE, ER 24 HR. MO	3	PA,QL(60 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
ADZENYS XR-ODT 12.5 MG, 15.7 MG, 18.8 MG, 3.1 MG, 6.3 MG, 9.4 MG TABLET, DISINTEGRATING ER BIPH MO	3	QL(30 per 30 days)
<i>amphetamine sulfate 10 mg, 5 mg TABLET</i> MO	1	QL(90 per 30 days)
AMPYRA 10 MG TABLET, ER 12 HR. DL	4	PA,QL(60 per 30 days)
APTENSIO XR 10 MG, 15 MG, 20 MG, 30 MG, 40 MG, 50 MG, 60 MG CAPSULE, ER SPRINKLE, BIPHASIC MO	3	QL(30 per 30 days)
<i>atomoxetine 10 mg, 18 mg, 25 mg, 40 mg CAPSULE</i> MO	1	QL(60 per 30 days)
<i>atomoxetine 100 mg, 60 mg, 80 mg CAPSULE</i> MO	1	QL(30 per 30 days)
AUBAGIO 14 MG, 7 MG TABLET DL	4	PA,QL(30 per 30 days)
AUSTEDO 12 MG, 9 MG TABLET DL	4	PA,QL(120 per 30 days)
AUSTEDO 6 MG TABLET DL	4	PA,QL(60 per 30 days)
AUSTEDO XR 12 MG, 6 MG TABLET, ER 24 HR. DL	4	PA,QL(90 per 30 days)
AUSTEDO XR 18 MG, 30 MG, 36 MG, 42 MG, 48 MG TABLET, ER 24 HR. DL	4	PA,QL(30 per 30 days)
AUSTEDO XR 24 MG TABLET, ER 24 HR. DL	4	PA,QL(60 per 30 days)
AUSTEDO XR TITRATION KT(WK1-4) 12-18-24-30 MG TABLET, ER 24 HR., DOSE PACK DL	4	PA,QL(28 per 28 days)
AUSTEDO XR TITRATION KT(WK1-4) 6 MG (14)-12 MG (14)-24 MG (14) TABLET, ER 24 HR., DOSE PACK DL	4	PA,QL(42 per 28 days)
AVONEX 30 MCG/0.5 ML PEN INJECTOR KIT DL	4	PA,QL(1 per 28 days)
AVONEX 30 MCG/0.5 ML SYRINGE KIT DL	4	PA,QL(1 per 28 days)
AZSTARYS 26.1 MG- 5.2 MG, 39.2 MG- 7.8 MG, 52.3 MG- 10.4 MG CAPSULE MO	3	QL(30 per 30 days)
BAFIERTAM 95 MG CAPSULE, DR/EC DL	4	PA,QL(120 per 30 days)
BETASERON 0.3 MG KIT DL	4	PA,QL(15 per 30 days)
BRIUMVI 25 MG/ML SOLUTION	4	PA
<i>clonidine hcl 0.1 mg TABLET, ER 12 HR.</i> MO	1	QL(120 per 30 days)
CONCERTA 18 MG, 27 MG, 54 MG TABLET, ER 24 HR. MO	3	PA,QL(30 per 30 days)
CONCERTA 36 MG TABLET, ER 24 HR. MO	3	PA,QL(60 per 30 days)
COPAXONE 20 MG/ML SYRINGE DL	4	PA,QL(30 per 30 days)
COPAXONE 40 MG/ML SYRINGE DL	4	PA,QL(12 per 28 days)
COTEMPLA XR-ODT 17.3 MG, 8.6 MG TABLET, DISINTEGRATING ER BIPH MO	3	QL(30 per 30 days)
COTEMPLA XR-ODT 25.9 MG TABLET, DISINTEGRATING ER BIPH MO	3	QL(60 per 30 days)
CYMBALTA 20 MG CAPSULE, DR/EC MO	3	PA,QL(120 per 30 days)
CYMBALTA 30 MG CAPSULE, DR/EC MO	3	PA,QL(90 per 30 days)
CYMBALTA 60 MG CAPSULE, DR/EC MO	3	PA,QL(60 per 30 days)
<i>dalfampridine 10 mg TABLET, ER 12 HR.</i> MO	1	PA,QL(60 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
DAYTRANA 10 MG/9 HR, 15 MG/9 HR, 20 MG/9 HR, 30 MG/9 HR PATCH, 24 HR. MO	3	QL(30 per 30 days)
DESOXYN 5 MG TABLET DL	4	PA,QL(150 per 30 days)
DEXEDRINE SPANSULE 10 MG CAPSULE, ER DL	4	PA,QL(180 per 30 days)
DEXEDRINE SPANSULE 15 MG CAPSULE, ER DL	4	PA,QL(120 per 30 days)
dexmethylphenidate 10 mg, 15 mg, 20 mg, 25 mg, 30 mg, 35 mg, 40 mg, 5 mg CAPSULE, ER, BIPHASIC MO	1	QL(30 per 30 days)
dexmethylphenidate 10 mg, 2.5 mg, 5 mg TABLET MO	1	QL(60 per 30 days)
dextroamphetamine sulfate 10 mg CAPSULE, ER MO	1	QL(180 per 30 days)
dextroamphetamine sulfate 10 mg TABLET MO	1	QL(180 per 30 days)
dextroamphetamine sulfate 15 mg CAPSULE, ER MO	1	QL(120 per 30 days)
dextroamphetamine sulfate 15 mg TABLET MO	1	QL(120 per 30 days)
dextroamphetamine sulfate 2.5 mg, 20 mg, 7.5 mg TABLET MO	1	QL(90 per 30 days)
dextroamphetamine sulfate 30 mg TABLET MO	1	QL(60 per 30 days)
dextroamphetamine sulfate 5 mg CAPSULE, ER MO	1	QL(60 per 30 days)
dextroamphetamine sulfate 5 mg TABLET MO	1	QL(150 per 30 days)
dextroamphetamine sulfate 5 mg/5 ml SOLUTION MO	1	QL(1800 per 30 days)
dextroamphetamine-amphetamine 10 mg, 12.5 mg, 15 mg, 20 mg, 5 mg, 7.5 mg TABLET MO	1	QL(90 per 30 days)
dextroamphetamine-amphetamine 10 mg, 15 mg, 5 mg CAPSULE, ER 24 HR. MO	1	QL(30 per 30 days)
dextroamphetamine-amphetamine 12.5 mg, 25 mg, 37.5 mg, 50 mg CAPSULE ER TRIPHASIC 24 HR. MO	1	QL(30 per 30 days)
dextroamphetamine-amphetamine 20 mg, 25 mg, 30 mg CAPSULE, ER 24 HR. MO	1	QL(60 per 30 days)
dextroamphetamine-amphetamine 30 mg TABLET MO	1	QL(60 per 30 days)
dimethyl fumarate 120 mg (14)- 240 mg (46), 240 mg CAPSULE, DR/EC MO	1	PA,QL(60 per 30 days)
dimethyl fumarate 120 mg CAPSULE, DR/EC MO	1	PA,QL(14 per 30 days)
DRIZALMA SPRINKLE 20 MG, 30 MG, 40 MG, 60 MG CAPSULE, DR SPRINKLE MO	3	PA,QL(60 per 30 days)
duloxetine 20 mg CAPSULE, DR/EC MO	1	QL(120 per 30 days)
duloxetine 30 mg CAPSULE, DR/EC MO	1	QL(90 per 30 days)
duloxetine 40 mg CAPSULE, DR/EC MO	1	QL(60 per 30 days)
duloxetine 60 mg CAPSULE, DR/EC MO	1	QL(60 per 30 days)
DYANAVAL XR 10 MG, 15 MG, 20 MG, 5 MG TABLET, IR/ER 24 HR., BIPHASIC MO	3	QL(30 per 30 days)
DYANAVAL XR 2.5 MG/ML SUSPENSION, IR/ER BIPHASIC MO	3	QL(240 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
edaravone 30 mg/100 ml, 60 mg/100 ml SOLUTION DL	4	PA
EVEKEO 10 MG, 5 MG TABLET MO	1	QL(90 per 30 days)
EVEKEO ODT 10 MG, 5 MG TABLET, DISINTEGRATING MO	3	QL(90 per 30 days)
EVEKEO ODT 15 MG, 20 MG TABLET, DISINTEGRATING MO	3	QL(60 per 30 days)
EXSERVAN 50 MG FILM DL	4	PA,QL(60 per 30 days)
EXTAVIA 0.3 MG KIT DL	4	PA,QL(15 per 30 days)
EXTAVIA 0.3 MG RECON SOLUTION DL	4	PA,QL(15 per 30 days)
fingolimod 0.5 mg CAPSULE MO	1	PA,QL(30 per 30 days)
FIRDAPSE 10 MG TABLET DL	4	PA,QL(240 per 30 days)
FOCALIN 10 MG, 2.5 MG, 5 MG TABLET MO	3	PA,QL(60 per 30 days)
FOCALIN XR 10 MG, 15 MG, 20 MG, 25 MG, 30 MG, 35 MG, 40 MG, 5 MG CAPSULE, ER, BIPHASIC MO	3	QL(30 per 30 days)
gabapentin 300 mg TABLET, ER 24 HR. MO	1	ST,QL(30 per 30 days)
gabapentin 600 mg TABLET, ER 24 HR. MO	1	ST,QL(90 per 30 days)
GILENYA 0.25 MG, 0.5 MG CAPSULE DL	4	PA,QL(30 per 30 days)
glatiramer 20 mg/ml SYRINGE DL	4	PA,QL(30 per 30 days)
glatiramer 40 mg/ml SYRINGE DL	4	PA,QL(12 per 28 days)
glatopa 20 mg/ml SYRINGE DL	4	PA,QL(30 per 30 days)
glatopa 40 mg/ml SYRINGE DL	4	PA,QL(12 per 28 days)
GRALISE 300 MG TABLET, ER 24 HR. MO	3	ST,QL(30 per 30 days)
GRALISE 450 MG, 600 MG TABLET, ER 24 HR. MO	3	ST,QL(90 per 30 days)
GRALISE 750 MG, 900 MG TABLET, ER 24 HR. MO	3	ST,QL(60 per 30 days)
guanfacine 1 mg, 2 mg, 3 mg, 4 mg TABLET, ER 24 HR. MO	1	QL(30 per 30 days)
HORIZANT 300 MG, 600 MG TABLET ER MO	3	PA,QL(60 per 30 days)
INGREZZA 40 MG, 60 MG, 80 MG CAPSULE DL	4	PA,QL(30 per 30 days)
INGREZZA INITIATION PK(TARDIV) 40 MG (7)- 80 MG (21) CAPSULE, DOSE PACK DL	4	PA,QL(28 per 28 days)
INGREZZA SPRINKLE 40 MG, 60 MG, 80 MG CAPSULE, SPRINKLE DL	4	PA,QL(30 per 30 days)
INTUNIV ER 1 MG, 2 MG, 3 MG, 4 MG TABLET, ER 24 HR. MO	3	QL(30 per 30 days)
JORNAY PM 100 MG, 20 MG, 40 MG, 60 MG, 80 MG CAPSULE, DR, ER SPRINKLE MO	3	QL(30 per 30 days)
KAPVAY 0.1 MG TABLET, ER 12 HR. MO	3	QL(120 per 30 days)
KESIMPTA PEN 20 MG/0.4 ML PEN INJECTOR DL	4	PA,QL(1.2 per 28 days)
LEMTRADA 12 MG/1.2 ML SOLUTION DL	4	PA,QL(6 per 365 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
<i>lisdexamfetamine</i> 10 mg, 20 mg, 30 mg, 40 mg, 50 mg, 60 mg CHEWABLE TABLET MO	1	PA,QL(30 per 30 days)
<i>lisdexamfetamine</i> 10 mg, 20 mg, 30 mg, 40 mg, 50 mg, 60 mg, 70 mg CAPSULE MO	1	PA,QL(30 per 30 days)
LYRICA 100 MG, 150 MG, 200 MG, 25 MG, 50 MG, 75 MG CAPSULE MO	3	PA,QL(90 per 30 days)
LYRICA 20 MG/ML SOLUTION MO	3	PA,QL(900 per 30 days)
LYRICA 225 MG, 300 MG CAPSULE MO	3	PA,QL(60 per 30 days)
LYRICA CR 165 MG, 82.5 MG TABLET, ER 24 HR. MO	3	PA,QL(30 per 30 days)
LYRICA CR 330 MG TABLET, ER 24 HR. MO	3	PA,QL(60 per 30 days)
MAVENCLAD (10 TABLET PACK) 10 MG TABLET DL	4	PA
MAVENCLAD (4 TABLET PACK) 10 MG TABLET DL	4	PA
MAVENCLAD (5 TABLET PACK) 10 MG TABLET DL	4	PA
MAVENCLAD (6 TABLET PACK) 10 MG TABLET DL	4	PA
MAVENCLAD (7 TABLET PACK) 10 MG TABLET DL	4	PA
MAVENCLAD (8 TABLET PACK) 10 MG TABLET DL	4	PA
MAVENCLAD (9 TABLET PACK) 10 MG TABLET DL	4	PA
MAYZENT 0.25 MG TABLET DL	4	PA,QL(120 per 30 days)
MAYZENT 1 MG, 2 MG TABLET DL	4	PA,QL(30 per 30 days)
MAYZENT STARTER(FOR 1MG MAINT) 0.25 MG (7 TABS) TABLET, DOSE PACK DL	4	PA,QL(7 per 30 days)
MAYZENT STARTER(FOR 2MG MAINT) 0.25 MG (12 TABS) TABLET, DOSE PACK DL	4	PA,QL(12 per 30 days)
METADATE CD 10 MG, 40 MG, 50 MG, 60 MG CAPSULE, ER, BIPHASIC MO	3	QL(30 per 30 days)
METADATE CD 20 MG, 30 MG CAPSULE, ER, BIPHASIC MO	3	QL(60 per 30 days)
<i>metadate er</i> 20 mg TABLET ER MO	1	QL(90 per 30 days)
<i>methamphetamine</i> 5 mg TABLET DL	4	QL(150 per 30 days)
METHYLIN 10 MG/5 ML SOLUTION MO	3	PA,QL(900 per 30 days)
METHYLIN 5 MG/5 ML SOLUTION MO	3	PA,QL(1800 per 30 days)
<i>methylphenidate</i> 10 mg/9 hr, 15 mg/9 hr, 20 mg/9 hr, 30 mg/9 hr PATCH, 24 HR. MO	1	QL(30 per 30 days)
<i>methylphenidate hcl</i> 10 mg CHEWABLE TABLET MO	1	QL(180 per 30 days)
<i>methylphenidate hcl</i> 10 mg TABLET ER MO	1	QL(180 per 30 days)
<i>methylphenidate hcl</i> 10 mg, 15 mg, 20 mg, 30 mg, 40 mg, 50 mg, 60 mg CAPSULE, ER SPRINKLE, BIPHASIC MO	3	QL(30 per 30 days)
<i>methylphenidate hcl</i> 10 mg, 20 mg, 40 mg, 50 mg, 60 mg CAPSULE, ER, BIPHASIC MO	1	QL(30 per 30 days)
<i>methylphenidate hcl</i> 10 mg, 20 mg, 5 mg TABLET MO	1	QL(90 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
methylphenidate hcl 10 mg/5 ml SOLUTION MO	1	QL(900 per 30 days)
methylphenidate hcl 18 mg, 27 mg, 54 mg, 72 mg TABLET, ER 24 HR. MO	1	QL(30 per 30 days)
methylphenidate hcl 2.5 mg, 5 mg CHEWABLE TABLET MO	1	QL(150 per 30 days)
methylphenidate hcl 20 mg TABLET ER MO	1	QL(90 per 30 days)
methylphenidate hcl 20 mg, 30 mg CAPSULE, ER, BIPHASIC MO	1	QL(60 per 30 days)
methylphenidate hcl 36 mg TABLET, ER 24 HR. MO	1	QL(60 per 30 days)
methylphenidate hcl 45 mg, 63 mg TABLET, ER 24 HR. MO	3	QL(30 per 30 days)
methylphenidate hcl 5 mg/5 ml SOLUTION MO	1	QL(1800 per 30 days)
MYDAYIS 12.5 MG, 25 MG, 37.5 MG, 50 MG CAPSULE ER TRIPHASIC 24 HR. MO	3	QL(30 per 30 days)
NUJEXTA 20-10 MG CAPSULE	4	PA,QL(60 per 30 days)
OCREVUS 30 MG/ML SOLUTION	4	PA,QL(40 per 365 days)
OCREVUS ZUNOVO 920 MG-23,000 UNIT/23 ML SOLUTION	4	PA,QL(46 per 365 days)
ONYDA XR 0.1 MG/ML SUSPENSION, ER 24 HR. DL	4	QL(120 per 30 days)
PLEGRIDY 125 MCG/0.5 ML, 63 MCG/0.5 ML - 94 MCG/0.5 ML PEN INJECTOR DL	4	PA,QL(1 per 28 days)
PLEGRIDY 125 MCG/0.5 ML, 63 MCG/0.5 ML - 94 MCG/0.5 ML SYRINGE DL	4	PA,QL(1 per 28 days)
PONVORY 20 MG TABLET DL	4	PA,QL(30 per 30 days)
PONVORY 14-DAY STARTER PACK 2 MG (2) - 10 MG (3) TABLET, DOSE PACK DL	4	PA,QL(14 per 30 days)
pregabalin 100 mg, 150 mg, 50 mg, 75 mg CAPSULE MO	1	QL(90 per 30 days)
pregabalin 165 mg, 82.5 mg TABLET, ER 24 HR. MO	1	PA,QL(30 per 30 days)
pregabalin 20 mg/ml SOLUTION MO	1	QL(900 per 30 days)
pregabalin 200 mg, 25 mg CAPSULE MO	1	QL(90 per 30 days)
pregabalin 225 mg, 300 mg CAPSULE MO	1	QL(60 per 30 days)
pregabalin 330 mg TABLET, ER 24 HR. MO	1	PA,QL(60 per 30 days)
procentra 5 mg/5 ml SOLUTION DL	4	QL(1800 per 30 days)
QALSODY 100 MG/15 ML (6.7 MG/ML) SOLUTION DL	4	PA
QELBREE 100 MG CAPSULE, ER 24 HR. MO	3	PA,QL(30 per 30 days)
QELBREE 150 MG, 200 MG CAPSULE, ER 24 HR. MO	3	PA,QL(60 per 30 days)
QUILLICHEW ER 20 MG, 40 MG CHEWABLE TABLET, IR/ER BIPHASE MO	3	QL(30 per 30 days)
QUILLICHEW ER 30 MG CHEWABLE TABLET, IR/ER BIPHASE MO	3	QL(60 per 30 days)
QUILLIVANT XR 5 MG/ML (25 MG/5 ML) SUSPENSION, ER, RECON MO	3	QL(360 per 30 days)
RADICAVA 30 MG/100 ML SOLUTION DL	4	PA
RADICAVA ORS 105 MG/5 ML SUSPENSION DL	4	PA,QL(70 per 28 days)
RADICAVA ORS STARTER KIT SUSP 105 MG/5 ML SUSPENSION DL	4	PA,QL(70 per 28 days)
REBIF (WITH ALBUMIN) 22 MCG/0.5 ML, 44 MCG/0.5 ML SYRINGE DL	4	PA,QL(6 per 28 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
REBIF REBIDOSE 22 MCG/0.5 ML, 44 MCG/0.5 ML PEN INJECTOR DL	4	PA,QL(6 per 28 days)
REBIF REBIDOSE 8.8MCG/0.2ML-22 MCG/0.5ML (6) PEN INJECTOR DL	4	PA,QL(4.2 per 28 days)
REBIF TITRATION PACK 8.8MCG/0.2ML-22 MCG/0.5ML (6) SYRINGE DL	4	PA,QL(4.2 per 28 days)
RELEXXII 18 MG, 27 MG, 45 MG, 54 MG, 63 MG, 72 MG TABLET, ER 24 HR. MO	3	QL(30 per 30 days)
RELEXXII 36 MG TABLET, ER 24 HR. MO	3	QL(60 per 30 days)
RILUTEK 50 MG TABLET DL	4	
<i>riluzole 50 mg TABLET</i> MO	1	
RITALIN 10 MG, 20 MG, 5 MG TABLET MO	3	PA,QL(90 per 30 days)
RITALIN LA 10 MG, 20 MG, 40 MG CAPSULE, ER, BIPHASIC MO	3	PA,QL(30 per 30 days)
RITALIN LA 30 MG CAPSULE, ER, BIPHASIC MO	3	PA,QL(60 per 30 days)
SAVELLA 100 MG, 12.5 MG, 25 MG, 50 MG TABLET MO	3	PA,QL(60 per 30 days)
SAVELLA 12.5 MG (5)-25 MG(8)-50 MG(42) TABLET, DOSE PACK MO	3	PA,QL(55 per 28 days)
SKYCLARYS 50 MG CAPSULE DL	4	PA,QL(90 per 30 days)
STRATTERA 10 MG, 18 MG, 25 MG, 40 MG CAPSULE MO	3	PA,QL(60 per 30 days)
STRATTERA 100 MG, 60 MG, 80 MG CAPSULE MO	3	PA,QL(30 per 30 days)
TASCENSO ODT 0.25 MG, 0.5 MG TABLET, DISINTEGRATING DL	4	PA,QL(30 per 30 days)
TECFIDERA 120 MG (14)- 240 MG (46), 240 MG CAPSULE, DR/EC DL	4	PA,QL(60 per 30 days)
TECFIDERA 120 MG CAPSULE, DR/EC DL	4	PA,QL(14 per 30 days)
TEGLUTIK 50 MG/10 ML SUSPENSION DL	4	PA,QL(600 per 30 days)
<i>teriflunomide 14 mg, 7 mg TABLET</i> MO	1	PA,QL(30 per 30 days)
<i>tetrabenazine 12.5 mg TABLET</i> MO	1	PA,QL(240 per 30 days)
<i>tetrabenazine 25 mg TABLET</i> MO	1	PA,QL(120 per 30 days)
TIGLUTIK 50 MG/10 ML SUSPENSION DL	4	PA,QL(600 per 30 days)
TYSABRI 300 MG/15 ML SOLUTION DL	4	PA,QL(15 per 28 days)
VEOZAH 45 MG TABLET MO	3	PA,QL(30 per 30 days)
VUMERITY 231 MG CAPSULE, DR/EC DL	4	PA,QL(120 per 30 days)
VYVANSE 10 MG, 20 MG, 30 MG, 40 MG, 50 MG, 60 MG CHEWABLE TABLET MO	3	PA,QL(30 per 30 days)
VYVANSE 10 MG, 20 MG, 30 MG, 40 MG, 50 MG, 60 MG, 70 MG CAPSULE MO	3	PA,QL(30 per 30 days)
XELSTRYM 13.5 MG/9 HOUR, 18 MG/9 HOUR, 4.5 MG/9 HOUR, 9 MG/9 HOUR PATCH, 24 HR. MO	3	QL(30 per 30 days)
XENAZINE 12.5 MG TABLET DL	4	PA,QL(240 per 30 days)
XENAZINE 25 MG TABLET DL	4	PA,QL(120 per 30 days)
<i>zenzedi 10 mg TABLET</i> MO	1	QL(180 per 30 days)
ZENZEDI 15 MG TABLET MO	1	QL(120 per 30 days)
ZENZEDI 2.5 MG, 20 MG, 7.5 MG TABLET MO	1	QL(90 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
ZENZEDI 30 MG TABLET MO	1	QL(60 per 30 days)
zenzedi 5 mg TABLET MO	1	QL(150 per 30 days)
ZEPOSIA 0.92 MG CAPSULE DL	4	PA,QL(30 per 30 days)
ZEPOSIA STARTER KIT (28-DAY) 0.23 MG-0.46 MG -0.92 MG (21) CAPSULE, DOSE PACK DL	4	PA,QL(28 per 28 days)
ZEPOSIA STARTER PACK (7-DAY) 0.23 MG (4)- 0.46 MG (3) CAPSULE, DOSE PACK DL	4	PA,QL(7 per 7 days)
DENTAL & ORAL AGENTS		
cevimeline 30 mg CAPSULE MO	1	
chlorhexidine gluconate 0.12 % MOUTHWASH MO	1	
EVOXAC 30 MG CAPSULE MO	3	PA
KEPIVANCE 5.16 MG, 6.25 MG RECON SOLUTION DL	4	
kourzeq 0.1 % PASTE MO	1	
oralone 0.1 % PASTE MO	1	
periogard 0.12 % MOUTHWASH MO	1	
pilocarpine hcl 5 mg, 7.5 mg TABLET MO	1	
SALAGEN (PILOCARPINE) 5 MG, 7.5 MG TABLET MO	3	
triamcinolone acetonide 0.1 % PASTE MO	1	
DERMATOLOGICAL AGENTS		
ABSORICA 10 MG, 20 MG, 25 MG, 30 MG, 35 MG, 40 MG CAPSULE DL	4	ST
ABSORICA LD 16 MG, 24 MG, 32 MG, 8 MG CAPSULE DL	4	ST
ACANYA 1.2-2.5 % GEL WITH PUMP MO	3	QL(50 per 30 days)
accutane 10 mg, 20 mg, 30 mg, 40 mg CAPSULE MO	1	
acitretin 10 mg, 17.5 mg, 25 mg CAPSULE MO	1	PA
ACZONE 5 % GEL MO	3	QL(90 per 30 days)
ACZONE 7.5 % GEL WITH PUMP MO	3	QL(90 per 30 days)
adapalene 0.1 % CREAM MO	1	QL(45 per 30 days)
adapalene 0.1 % SOLUTION DL	4	QL(60 per 30 days)
adapalene 0.1 % SWAB	4	QL(30 per 30 days)
adapalene 0.3 % GEL MO	1	QL(45 per 30 days)
adapalene 0.3 % GEL WITH PUMP MO	1	QL(45 per 30 days)
adapalene-benzoyl peroxide 0.1-2.5 % GEL WITH PUMP MO	1	QL(45 per 30 days)
adapalene-benzoyl peroxide 0.3-2.5 % GEL WITH PUMP MO	1	QL(60 per 30 days)
ADBRY 150 MG/ML SYRINGE DL	4	PA,QL(6 per 28 days)
ADBRY 300 MG/2 ML AUTO-INJECTOR DL	4	PA,QL(6 per 28 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
AKLIEF 0.005 % CREAM MO	3	QL(90 per 30 days)
ALA-CORT 1 % CREAM MO	1	QL(240 per 30 days)
ALA-SCALP 2 % LOTION MO	1	QL(236.8 per 30 days)
alclometasone 0.05 % CREAM MO	1	QL(240 per 30 days)
alclometasone 0.05 % OINTMENT MO	1	QL(240 per 30 days)
ALTABAX 1 % OINTMENT MO	3	
ALTRENO 0.05 % LOTION MO	3	PA,QL(90 per 30 days)
amcinonide 0.1 % CREAM	4	QL(120 per 30 days)
amcinonide 0.1 % OINTMENT DL	4	ST,QL(120 per 30 days)
ammonium lactate 12 % CREAM MO	1	
ammonium lactate 12 % LOTION MO	1	
amnestem 10 mg, 20 mg, 30 mg, 40 mg CAPSULE MO	1	
AMZEEQ 4 % FOAM MO	3	PA,QL(30 per 30 days)
anusoal-hc 2.5 % CREAM W/PERINEAL APPLICATOR MO	1	QL(60 per 30 days)
ANZUPGO 2 % CREAM DL	4	PA,QL(60 per 28 days)
apexicon e 0.05 % CREAM MO	1	QL(60 per 30 days)
ARAZLO 0.045 % LOTION MO	3	PA
ATRALIN 0.05 % GEL MO	3	PA,QL(45 per 30 days)
AVITA 0.025 % CREAM MO	3	PA,QL(45 per 30 days)
AVITA 0.025 % GEL MO	3	PA,QL(45 per 30 days)
azelaic acid 15 % GEL MO	1	ST,QL(50 per 30 days)
AZELEX 20 % CREAM MO	3	QL(50 per 30 days)
BENZAMYCIN 3-5 % GEL MO	3	QL(46.6 per 30 days)
beser 0.05 % LOTION MO	1	QL(240 per 30 days)
betamethasone dipropionate 0.05 % CREAM MO	1	QL(90 per 30 days)
betamethasone dipropionate 0.05 % LOTION MO	1	QL(120 per 30 days)
betamethasone dipropionate 0.05 % OINTMENT MO	1	QL(90 per 30 days)
betamethasone valerate 0.1 % CREAM MO	1	QL(180 per 30 days)
betamethasone valerate 0.1 % LOTION MO	1	QL(120 per 30 days)
betamethasone valerate 0.1 % OINTMENT MO	1	QL(180 per 30 days)
betamethasone valerate 0.12 % FOAM MO	1	QL(200 per 30 days)
betamethasone, augmented 0.05 % CREAM MO	1	QL(100 per 30 days)
betamethasone, augmented 0.05 % GEL MO	1	QL(100 per 30 days)
betamethasone, augmented 0.05 % LOTION MO	1	QL(120 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
betamethasone, augmented 0.05 % OINTMENT MO	1	QL(100 per 30 days)
brimonidine 0.33 % GEL WITH PUMP MO	1	ST,QL(30 per 30 days)
BRYHALI 0.01 % LOTION MO	3	ST,QL(200 per 30 days)
CABTREO 0.15-3.1-1.2 % GEL MO	3	QL(50 per 30 days)
calcipotriene 0.005 % CREAM MO	1	PA,QL(120 per 30 days)
calcipotriene 0.005 % FOAM MO	1	ST,QL(120 per 28 days)
calcipotriene 0.005 % OINTMENT MO	1	QL(240 per 30 days)
calcipotriene 0.005 % SOLUTION MO	1	QL(60 per 30 days)
calcipotriene-betamethasone 0.005-0.064 % OINTMENT MO	1	PA,QL(60 per 30 days)
calcipotriene-betamethasone 0.005-0.064 % SUSPENSION MO	1	PA,QL(420 per 30 days)
calcitriol 3 mcg/gram OINTMENT MO	1	ST,QL(800 per 28 days)
CAPEX 0.01 % SHAMPOO MO	3	QL(840 per 30 days)
CARAC 0.5 % CREAM DL	4	PA,QL(60 per 30 days)
CENTANY 2 % OINTMENT MO	3	
claravis 10 mg, 20 mg, 30 mg, 40 mg CAPSULE MO	1	
CLEOCIN T 1 % LOTION MO	3	QL(60 per 30 days)
clindacin 1 % FOAM MO	1	QL(100 per 30 days)
clindacin etz 1 % SWAB MO	1	
clindacin p 1 % SWAB MO	1	
CLINDAGEL 1 % GEL, ONCE DAILY DL	4	PA,QL(75 per 30 days)
clindamycin phosphate 1 % FOAM MO	1	QL(100 per 30 days)
clindamycin phosphate 1 % GEL MO	1	QL(60 per 30 days)
clindamycin phosphate 1 % GEL, ONCE DAILY MO	1	PA,QL(75 per 30 days)
clindamycin phosphate 1 % LOTION MO	1	QL(60 per 30 days)
clindamycin phosphate 1 % SOLUTION MO	1	QL(60 per 30 days)
clindamycin phosphate 1 % SWAB MO	1	
clindamycin-benzoyl peroxide 1-5 % GEL MO	1	QL(50 per 30 days)
clindamycin-benzoyl peroxide 1-5 %, 1.2 %(1 % base) -3.75 %, 1.2-2.5 % GEL WITH PUMP MO	1	QL(50 per 30 days)
clindamycin-benzoyl peroxide 1.2 %(1 % base) -5 % GEL MO	1	QL(45 per 30 days)
clindamycin-tretinoin 1.2-0.025 % GEL MO	1	QL(60 per 30 days)
clobetasol 0.05 % CREAM MO	1	QL(120 per 30 days)
clobetasol 0.05 % FOAM MO	1	QL(100 per 28 days)
clobetasol 0.05 % GEL MO	1	QL(120 per 28 days)
clobetasol 0.05 % LOTION MO	1	QL(240 per 28 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
clobetasol 0.05 % OINTMENT MO	1	QL(120 per 28 days)
clobetasol 0.05 % SHAMPOO MO	1	QL(240 per 30 days)
clobetasol 0.05 % SOLUTION MO	1	QL(100 per 30 days)
clobetasol 0.05 % SPRAY, NON-AEROSOL MO	1	QL(240 per 30 days)
clobetasol-emollient 0.05 % CREAM MO	1	QL(120 per 30 days)
clobetasol-emollient 0.05 % FOAM MO	1	QL(100 per 30 days)
CLOBEX 0.05 % LOTION MO	3	ST,QL(240 per 28 days)
CLOBEX 0.05 % SHAMPOO MO	3	ST,QL(240 per 30 days)
CLOBEX 0.05 % SPRAY, NON-AEROSOL MO	3	ST,QL(240 per 30 days)
clocortolone pivalate 0.1 % CREAM MO	1	QL(180 per 30 days)
clodan 0.05 % SHAMPOO MO	1	QL(240 per 30 days)
CONDYLOX 0.5 % GEL MO	3	
CORDRAN 0.025 % CREAM MO	3	ST,QL(240 per 30 days)
CORDRAN 0.05 % CREAM DL	4	ST,QL(240 per 30 days)
CORDRAN 0.05 % LOTION DL	4	ST,QL(240 per 30 days)
CORDRAN 0.05 % OINTMENT MO	3	ST,QL(240 per 30 days)
CORDRAN TAPE LARGE ROLL 4 MCG/CM2 TAPE MO	3	QL(2 per 30 days)
CORTEF 10 MG, 20 MG, 5 MG TABLET MO	3	
crotan 10 % LOTION DL	4	PA,QL(454 per 30 days)
dapsone 5 %, 7.5 % GEL MO	1	QL(90 per 30 days)
dapsone 7.5 % GEL WITH PUMP MO	1	QL(90 per 30 days)
DERMA-SMOOTHIE/FS BODY OIL 0.01 % OIL MO	3	QL(118.28 per 30 days)
DERMA-SMOOTHIE/FS SCALP OIL 0.01 % OIL MO	3	QL(118.28 per 30 days)
desonide 0.05 % CREAM MO	1	QL(240 per 30 days)
desonide 0.05 % GEL MO	1	QL(240 per 30 days)
desonide 0.05 % LOTION MO	1	QL(240 per 30 days)
desonide 0.05 % OINTMENT MO	1	QL(240 per 30 days)
DESOWEN 0.05 % CREAM MO	3	QL(240 per 30 days)
desoximetasone 0.05 % CREAM MO	1	QL(240 per 30 days)
desoximetasone 0.05 % GEL MO	1	QL(240 per 30 days)
desoximetasone 0.05 % OINTMENT MO	1	QL(240 per 30 days)
desoximetasone 0.25 % CREAM MO	1	QL(120 per 30 days)
desoximetasone 0.25 % OINTMENT MO	1	QL(120 per 30 days)
desoximetasone 0.25 % SPRAY, NON-AEROSOL MO	1	QL(100 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
<i>desrx</i> 0.05 % GEL MO	1	QL(240 per 30 days)
<i>diclofenac sodium</i> 3 % GEL MO	1	PA
DIFFERIN 0.1 % CREAM MO	3	PA,QL(45 per 30 days)
DIFFERIN 0.1 % LOTION MO	3	QL(59 per 30 days)
DIFFERIN 0.3 % GEL WITH PUMP MO	3	QL(45 per 30 days)
<i>diflorasone</i> 0.05 % CREAM DL	4	QL(120 per 30 days)
<i>diflorasone</i> 0.05 % OINTMENT MO	3	QL(120 per 30 days)
DIPROLENE (AUGMENTED) 0.05 % OINTMENT MO	3	QL(100 per 30 days)
<i>doxepin</i> 5 % CREAM DL	4	PA,QL(45 per 30 days)
DUOBRII 0.01-0.045 % LOTION MO	3	PA,QL(200 per 28 days)
EBGLYSS PEN 250 MG/2 ML PEN INJECTOR DL	4	PA,QL(8 per 28 days)
EBGLYSS SYRINGE 250 MG/2 ML SYRINGE DL	4	PA,QL(8 per 28 days)
EFUDEX 5 % CREAM MO	3	PA
ELIDEL 1 % CREAM MO	3	PA,QL(100 per 30 days)
ELIMITE 5 % CREAM MO	3	
ENSTILAR 0.005-0.064 % FOAM MO	3	QL(120 per 30 days)
EPIDUO 0.1-2.5 % GEL WITH PUMP MO	3	QL(45 per 30 days)
EPIDUO FORTE 0.3-2.5 % GEL WITH PUMP MO	3	QL(60 per 30 days)
EPIFOAM 1-1 % FOAM MO	1	
EPSOLAY 5 % CREAM MO	3	ST,QL(30 per 30 days)
<i>ery pads</i> 2 % SWAB MO	1	QL(60 per 30 days)
ERYGEL 2 % GEL MO	1	QL(60 per 30 days)
<i>erythromycin with ethanol</i> 2 % GEL MO	1	QL(60 per 30 days)
<i>erythromycin with ethanol</i> 2 % SOLUTION MO	1	QL(120 per 30 days)
<i>erythromycin-benzoyl peroxide</i> 3-5 % GEL MO	1	QL(46.6 per 30 days)
EUCRISA 2 % OINTMENT MO	3	PA,QL(100 per 30 days)
EURAX 10 % CREAM MO	3	PA
EURAX 10 % LOTION MO	3	PA,QL(454 per 30 days)
EVOCLIN 1 % FOAM MO	3	PA,QL(100 per 30 days)
FABIOR 0.1 % FOAM MO	3	PA,QL(100 per 30 days)
FINACEA 15 % FOAM MO	3	ST,QL(50 per 30 days)
FINACEA 15 % GEL MO	3	ST,QL(50 per 30 days)
<i>fluocinolone</i> 0.01 % OIL MO	1	QL(118.28 per 30 days)
<i>fluocinolone</i> 0.01 % SOLUTION MO	1	QL(180 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
fluocinolone 0.01 %, 0.025 % CREAM MO	1	QL(120 per 30 days)
fluocinolone 0.025 % OINTMENT MO	1	QL(120 per 30 days)
fluocinolone and shower cap 0.01 % OIL MO	1	QL(118.28 per 30 days)
fluocinonide 0.05 % CREAM MO	1	QL(120 per 30 days)
fluocinonide 0.05 % GEL MO	1	QL(120 per 30 days)
fluocinonide 0.05 % OINTMENT MO	1	QL(120 per 30 days)
fluocinonide 0.05 % SOLUTION MO	1	QL(120 per 30 days)
fluocinonide 0.1 % CREAM MO	1	QL(120 per 28 days)
fluocinonide-e 0.05 % CREAM MO	1	QL(120 per 30 days)
fluocinonide-emollient 0.05 % CREAM MO	1	QL(120 per 30 days)
FLUOROPLEX 1 % CREAM DL	4	
fluorouracil 0.5 % CREAM DL	4	QL(60 per 30 days)
fluorouracil 2 % SOLUTION MO	1	QL(30 per 30 days)
fluorouracil 5 % CREAM MO	1	
fluorouracil 5 % SOLUTION MO	1	QL(60 per 30 days)
flurandrenolide 0.05 % CREAM MO	1	QL(240 per 30 days)
flurandrenolide 0.05 % LOTION MO	3	QL(240 per 30 days)
flurandrenolide 0.05 % OINTMENT MO	1	QL(240 per 30 days)
fluticasone propionate 0.005 % OINTMENT MO	1	QL(240 per 30 days)
fluticasone propionate 0.05 % CREAM MO	1	QL(240 per 30 days)
fluticasone propionate 0.05 % LOTION MO	1	QL(240 per 30 days)
halcinonide 0.1 % CREAM MO	1	QL(120 per 30 days)
halcinonide 0.1 % SOLUTION MO	1	QL(120 per 30 days)
halobetasol propionate 0.05 % CREAM MO	1	QL(100 per 30 days)
halobetasol propionate 0.05 % FOAM MO	3	QL(100 per 30 days)
halobetasol propionate 0.05 % OINTMENT MO	1	QL(100 per 30 days)
HALOG 0.1 % CREAM DL	4	QL(120 per 30 days)
HALOG 0.1 % OINTMENT MO	3	QL(120 per 30 days)
HALOG 0.1 % SOLUTION MO	3	QL(120 per 30 days)
hydrocortisone 1 % CREAM W/PERINEAL APPLICATOR MO	1	QL(28.4 per 30 days)
hydrocortisone 1 %, 2.5 % CREAM MO	1	QL(240 per 30 days)
hydrocortisone 1 %, 2.5 % OINTMENT MO	1	QL(240 per 30 days)
hydrocortisone 10 mg, 20 mg, 5 mg TABLET MO	1	
hydrocortisone 2 % LOTION DL	4	QL(236.8 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
hydrocortisone 2.5 % CREAM W/PERINEAL APPLICATOR MO	1	QL(60 per 30 days)
hydrocortisone 2.5 % LOTION MO	1	QL(236 per 30 days)
hydrocortisone 2.5 % SOLUTION DL	4	QL(240 per 30 days)
hydrocortisone butyr-emollient 0.1 % CREAM MO	1	QL(240 per 30 days)
hydrocortisone butyrate 0.1 % CREAM MO	1	QL(240 per 30 days)
hydrocortisone butyrate 0.1 % LOTION MO	1	QL(236 per 30 days)
hydrocortisone butyrate 0.1 % OINTMENT MO	1	QL(180 per 30 days)
hydrocortisone butyrate 0.1 % SOLUTION MO	1	QL(240 per 30 days)
hydrocortisone valerate 0.2 % CREAM MO	1	QL(240 per 30 days)
hydrocortisone valerate 0.2 % OINTMENT MO	1	QL(240 per 30 days)
HYFTOR 0.2 % GEL DL	4	PA
imiquimod 3.75 % CREAM IN PACKET MO	3	ST,QL(28 per 28 days)
imiquimod 3.75 % CREAM, METERED DOSE PUMP DL	4	ST,QL(15 per 30 days)
imiquimod 5 % CREAM IN PACKET MO	1	QL(12 per 30 days)
isotretinoin 10 mg, 20 mg, 30 mg, 40 mg CAPSULE MO	1	
isotretinoin 25 mg, 35 mg CAPSULE DL	4	
ivermectin 1 % CREAM MO	1	ST,QL(45 per 30 days)
KLISYRI (250 MG) 1 % OINTMENT IN PACKET DL	4	PA,QL(5 per 30 days)
KLISYRI (350 MG) 1 % OINTMENT IN PACKET DL	4	PA,QL(5 per 30 days)
LEXETTE 0.05 % FOAM MO	3	QL(100 per 30 days)
lindane 1 % SHAMPOO MO	1	QL(60 per 30 days)
LOCOID 0.1 % LOTION MO	3	QL(236 per 30 days)
LOCOID LIPOCREAM 0.1 % CREAM MO	3	QL(240 per 30 days)
LUXIQ 0.12 % FOAM MO	3	ST,QL(200 per 30 days)
mafenide acetate 50 gram PACKET MO	1	
malathion 0.5 % LOTION MO	1	
methoxsalen 10 mg CAPSULE, LIQ FILLED, RAPID REL	4	
MIRVASO 0.33 % GEL WITH PUMP MO	3	ST,QL(30 per 30 days)
mometasone 0.1 % CREAM MO	1	QL(180 per 30 days)
mometasone 0.1 % OINTMENT MO	1	QL(180 per 30 days)
mometasone 0.1 % SOLUTION MO	1	QL(180 per 30 days)
mupirocin 2 % OINTMENT MO	1	
mupirocin calcium 2 % CREAM MO	1	ST
NATROBA 0.9 % SUSPENSION MO	3	QL(240 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
NEO-SYNALAR 0.5 % (0.35 % BASE)-0.025 % CREAM MO	3	
neuac 1.2 %(1 % base) -5 % GEL MO	1	QL(45 per 30 days)
OLUX 0.05 % FOAM MO	3	PA,QL(100 per 28 days)
OLUX-E 0.05 % FOAM MO	3	PA,QL(100 per 30 days)
ONEXTON 1.2 %(1 % BASE) -3.75 % GEL MO	3	
ONEXTON 1.2 %(1 % BASE) -3.75 % GEL WITH PUMP MO	3	QL(50 per 30 days)
OPZELURA 1.5 % CREAM DL	4	PA,QL(240 per 28 days)
OTEZLA 20 MG, 30 MG TABLET DL	4	PA,QL(60 per 30 days)
OTEZLA STARTER 10 MG (4)- 20 MG (51), 10 MG (4)-20 MG (4)-30 MG (47) TABLET, DOSE PACK DL	4	PA,QL(55 per 28 days)
OTEZLA STARTER 10 MG (4)-20 MG (4)-30 MG(19) TABLET, DOSE PACK DL	4	PA,QL(27 per 30 days)
OVIDE 0.5 % LOTION MO	3	PA
PANDEL 0.1 % CREAM DL	4	QL(160 per 30 days)
permethrin 5 % CREAM MO	1	
pimecrolimus 1 % CREAM MO	1	PA,QL(100 per 30 days)
podofilox 0.5 % GEL MO	1	
podofilox 0.5 % SOLUTION MO	1	QL(7 per 30 days)
prednicarbate 0.1 % CREAM MO	1	QL(240 per 30 days)
prednicarbate 0.1 % OINTMENT MO	1	QL(240 per 30 days)
procto-med hc 2.5 % CREAM W/PERINEAL APPLICATOR MO	1	QL(60 per 30 days)
proctosol hc 2.5 % CREAM W/PERINEAL APPLICATOR MO	1	QL(60 per 30 days)
proctozone-hc 2.5 % CREAM W/PERINEAL APPLICATOR MO	1	QL(60 per 30 days)
PRUDOXIN 5 % CREAM DL	4	PA,QL(45 per 30 days)
pruradik 10 % LOTION DL	4	PA,QL(454 per 30 days)
QBREXZA 2.4 % TOWELETTE MO	3	PA,QL(30 per 30 days)
REGRANEX 0.01 % GEL	4	PA
RETIN-A 0.01 %, 0.025 % GEL MO	3	PA,QL(45 per 30 days)
RETIN-A 0.025 %, 0.05 %, 0.1 % CREAM MO	3	PA,QL(45 per 30 days)
RETIN-A MICRO 0.04 % GEL DL	4	PA,QL(45 per 30 days)
RETIN-A MICRO 0.1 % GEL MO	3	PA,QL(45 per 30 days)
RETIN-A MICRO PUMP 0.04 %, 0.1 % GEL WITH PUMP DL	4	PA,QL(50 per 30 days)
RETIN-A MICRO PUMP 0.06 %, 0.08 % GEL WITH PUMP MO	3	PA,QL(50 per 30 days)
RHOFADE 1 % CREAM MO	3	ST,QL(30 per 30 days)
SANTYL 250 UNIT/GRAM OINTMENT MO	3	PA,QL(180 per 30 days)
selenium sulfide 2.5 % LOTION MO	1	QL(120 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
SILVADENE 1 % CREAM MO	2	
<i>silver sulfadiazine</i> 1 % CREAM MO	1	
SOOLANTRA 1 % CREAM MO	3	ST,QL(45 per 30 days)
SORILUX 0.005 % FOAM DL	4	ST,QL(120 per 28 days)
<i>spinosad</i> 0.9 % SUSPENSION MO	3	QL(240 per 30 days)
SSD 1 % CREAM MO	1	
SULFAMYLON 50 GRAM PACKET MO	3	
SULFAMYLON 85 MG/G CREAM MO	3	
SYNALAR 0.01 % SOLUTION MO	3	QL(180 per 30 days)
TACLONEX 0.005-0.064 % OINTMENT DL	4	PA,QL(60 per 30 days)
TACLONEX 0.005-0.064 % SUSPENSION DL	4	PA,QL(420 per 30 days)
<i>tacrolimus</i> 0.03 %, 0.1 % OINTMENT MO	1	QL(200 per 30 days)
<i>tazarotene</i> 0.05 % CREAM MO	1	PA,QL(120 per 30 days)
<i>tazarotene</i> 0.05 %, 0.1 % GEL MO	1	PA,QL(200 per 30 days)
<i>tazarotene</i> 0.1 % CREAM MO	1	QL(120 per 30 days)
<i>tazarotene</i> 0.1 % FOAM DL	4	PA,QL(100 per 30 days)
TAZORAC 0.05 %, 0.1 % CREAM MO	3	PA,QL(120 per 30 days)
TAZORAC 0.05 %, 0.1 % GEL MO	3	PA,QL(200 per 30 days)
TEMOVATE 0.05 % OINTMENT MO	3	PA,QL(120 per 28 days)
TEXACORT 2.5 % SOLUTION MO	1	QL(240 per 30 days)
TOPICORT 0.05 % CREAM MO	1	QL(240 per 30 days)
TOPICORT 0.05 % GEL MO	1	QL(240 per 30 days)
TOPICORT 0.05 % OINTMENT MO	3	QL(240 per 30 days)
TOPICORT 0.25 % CREAM MO	1	QL(120 per 30 days)
TOPICORT 0.25 % OINTMENT MO	1	QL(120 per 30 days)
TOPICORT 0.25 % SPRAY, NON-AEROSOL MO	3	QL(100 per 30 days)
<i>tovet emollient</i> 0.05 % FOAM MO	1	QL(100 per 30 days)
<i>tretinoin</i> 0.01 %, 0.025 %, 0.05 % GEL MO	1	PA,QL(45 per 30 days)
<i>tretinoin</i> 0.025 %, 0.05 %, 0.1 % CREAM MO	1	PA,QL(45 per 30 days)
<i>tretinoin microspheres</i> 0.04 %, 0.08 %, 0.1 % GEL WITH PUMP MO	1	PA,QL(50 per 30 days)
<i>tretinoin microspheres</i> 0.04 %, 0.1 % GEL MO	1	PA,QL(45 per 30 days)
TWYNEO 0.1-3 % CREAM MO	3	QL(30 per 30 days)
ULTRAVATE 0.05 % LOTION MO	3	QL(120 per 30 days)
VANOS 0.1 % CREAM MO	3	QL(120 per 28 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
VECTICAL 3 MCG/GRAM OINTMENT DL	4	ST,QL(800 per 28 days)
VELTIN 1.2-0.025 % GEL MO	3	PA,QL(60 per 30 days)
VERDESO 0.05 % FOAM DL	4	QL(200 per 30 days)
VEREGEN 15 % OINTMENT DL	4	QL(30 per 30 days)
VTAMA 1 % CREAM DL	4	PA,QL(60 per 30 days)
WINLEVI 1 % CREAM MO	3	PA
ZELSUVMI 10.3 % GEL DL	4	PA
zenatane 10 mg, 20 mg, 30 mg, 40 mg CAPSULE MO	1	
ZIANA 1.2-0.025 % GEL MO	3	PA,QL(60 per 30 days)
ZILXI 1.5 % FOAM MO	3	PA,QL(30 per 30 days)
ZONALON 5 % CREAM MO	3	PA,QL(45 per 30 days)
ZORYVE 0.15 %, 0.3 % CREAM MO	3	PA,QL(120 per 30 days)
ZORYVE 0.3 % FOAM MO	3	PA,QL(120 per 30 days)
ZYCLARA 2.5 %, 3.75 % CREAM, METERED DOSE PUMP DL	4	ST,QL(15 per 30 days)
ZYCLARA 3.75 % CREAM IN PACKET MO	3	ST,QL(28 per 28 days)
ELECTROLYTES/MINERALS/METALS/VITAMINS		
AMINOSYN II 10 % 10 % PARENTERAL SOLUTION MO	3	BvsD
bal-care dha 27-1-430 mg COMBO PACK, DR TAB/DR CAP MO	1	
c-nate dha 28 mg iron-1 mg -200 mg CAPSULE MO	1	
calcium chloride 100 mg/ml (10 %) SOLUTION MO	1	
calcium chloride 100 mg/ml (10 %) SYRINGE MO	1	
calcium gluconate 100 mg/ml (10%) SOLUTION MO	1	
CARBAGLU 200 MG TABLET, DISPERSIBLE DL	4	PA
carglumic acid 200 mg TABLET, DISPERSIBLE DL	4	PA
CARNITOR 100 MG/ML, 200 MG/ML SOLUTION MO	3	
CARNITOR 330 MG TABLET MO	3	
CARNITOR (SUGAR-FREE) 100 MG/ML SOLUTION MO	3	
CHEMET 100 MG CAPSULE DL	4	
CITRANATAL B-CALM (FE GLUC) 20 MG IRON-1 MG -25 MG/25 MG TABLET, SEQUENTIAL MO	3	
CLINIMIX 5%/D15W SULFITE FREE 5 % PARENTERAL SOLUTION MO	3	BvsD
CLINIMIX 4.25%/D10W SULF FREE 4.25 % PARENTERAL SOLUTION MO	3	BvsD
CLINIMIX 4.25%/D5W SULFIT FREE 4.25 % PARENTERAL SOLUTION MO	3	BvsD
CLINIMIX 5%-D20W(SULFITE-FREE) 5 % PARENTERAL SOLUTION MO	3	BvsD
CLINIMIX 6%-D5W (SULFITE-FREE) 6-5 % PARENTERAL SOLUTION MO	3	BvsD

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
CLINIMIX 8%-D10W(SULFITE-FREE) 8-10 % PARENTERAL SOLUTION MO	3	BvsD
CLINIMIX 8%-D14W(SULFITE-FREE) 8-14 % PARENTERAL SOLUTION MO	3	BvsD
CLINIMIX E 2.75%/D5W SULF FREE 2.75 % PARENTERAL SOLUTION MO	3	BvsD
CLINIMIX E 4.25%/D10W SUL FREE 4.25 % PARENTERAL SOLUTION MO	3	BvsD
CLINIMIX E 4.25%/D5W SULF FREE 4.25 % PARENTERAL SOLUTION MO	3	BvsD
CLINIMIX E 5%/D15W SULFIT FREE 5 % PARENTERAL SOLUTION MO	3	BvsD
CLINIMIX E 5%/D20W SULFIT FREE 5 % PARENTERAL SOLUTION MO	3	BvsD
CLINIMIX E 8%-D10W SULFITEFREE 8-10 % PARENTERAL SOLUTION MO	3	BvsD
CLINIMIX E 8%-D14W SULFITEFREE 8-14 % PARENTERAL SOLUTION MO	3	BvsD
CLINISOL SF 15 % 15 % PARENTERAL SOLUTION MO	1	BvsD
CLINOLIPID 20 % EMULSION MO	3	BvsD
complete natal dha 29 mg iron- 1 mg-200 mg COMBO PACK MO	1	
CUPRIMINE 250 MG CAPSULE DL	4	PA,QL(600 per 30 days)
CUVRIOR 300 MG TABLET DL	4	PA,QL(300 per 30 days)
d10 %-0.45 % sodium chloride PARENTERAL SOLUTION MO	1	
d2.5 %-0.45 % sodium chloride PARENTERAL SOLUTION MO	1	
d5 % and 0.9 % sodium chloride PARENTERAL SOLUTION MO	1	
d5 %-0.45 % sodium chloride PARENTERAL SOLUTION MO	1	
deferasirox 125 mg, 250 mg TABLET, DISPERSIBLE MO	1	PA
deferasirox 180 mg, 360 mg GRANULES IN PACKET DL	4	PA
deferasirox 180 mg, 360 mg, 90 mg TABLET MO	1	PA
deferasirox 500 mg TABLET, DISPERSIBLE DL	4	PA
deferasirox 90 mg GRANULES IN PACKET MO	1	PA
deferiprone 1,000 mg TABLET DL	4	PA,QL(300 per 30 days)
deferiprone 500 mg TABLET DL	4	PA,QL(720 per 30 days)
deferoxamine 2 gram, 500 mg RECON SOLUTION MO	1	BvsD
DEPEN TITRATABS 250 MG TABLET DL	4	PA
DESFERAL 500 MG RECON SOLUTION MO	3	BvsD
dextrose 10 % and 0.2 % nacl PARENTERAL SOLUTION MO	1	
dextrose 10 % in water (d10w) 10 % PARENTERAL SOLUTION MO	1	
dextrose 25 % in water (d25w) SYRINGE MO	1	
dextrose 5 % in water (d5w) PARENTERAL SOLUTION MO	1	
dextrose 5 % in water (d5w) 5 % PIGGYBACK MO	1	
dextrose 5 %-lactated ringers PARENTERAL SOLUTION MO	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
dextrose 5%-0.2 % sod chloride PARENTERAL SOLUTION MO	1	
dextrose 5%-0.3 % sod.chloride PARENTERAL SOLUTION MO	1	
dextrose 50 % in water (d50w) PARENTERAL SOLUTION MO	1	
dextrose 50 % in water (d50w) SYRINGE MO	1	
dextrose 70 % in water (d70w) PARENTERAL SOLUTION MO	1	
DUET DHA WITH OMEGA-3 25 MG IRON-1 MG -400 MG COMBO PACK MO	3	
electrolyte-148 PARENTERAL SOLUTION MO	1	
electrolyte-48 in d5w PARENTERAL SOLUTION MO	1	
electrolyte-a PARENTERAL SOLUTION MO	1	
EXJADE 125 MG, 250 MG, 500 MG TABLET, DISPERSIBLE DL	4	PA
FERRIPROX 1,000 MG TABLET DL	4	PA,QL(300 per 30 days)
FERRIPROX 100 MG/ML SOLUTION DL	4	PA,QL(3600 per 30 days)
FERRIPROX 500 MG TABLET DL	4	PA,QL(720 per 30 days)
FERRIPROX (2 TIMES A DAY) 1,000 MG TABLET, MODIFIED RELEASE DL	4	PA,QL(300 per 30 days)
GLYCOPHOS 1 MMOL/ML SOLUTION MO	1	
INTRALIPID 20 %, 30 % EMULSION MO	3	BvsD
IONOSOL-MB IN D5W 5 % PARENTERAL SOLUTION MO	3	
ISOLYTE S PH 7.4 PARENTERAL SOLUTION MO	3	
ISOLYTE-P IN 5 % DEXTROSE 5 % PARENTERAL SOLUTION MO	3	
ISOLYTE-S PARENTERAL SOLUTION MO	3	
JADENU 180 MG, 360 MG, 90 MG TABLET DL	4	PA
JADENU SPRINKLE 180 MG, 360 MG, 90 MG GRANULES IN PACKET DL	4	PA
JYNARQUE 15 MG (AM)/ 15 MG (PM), 30 MG (AM)/ 15 MG (PM), 45 MG (AM)/ 15 MG (PM), 60 MG (AM)/ 30 MG (PM), 90 MG (AM)/ 30 MG (PM) TABLET, SEQUENTIAL DL	4	PA,QL(56 per 28 days)
JYNARQUE 15 MG, 30 MG TABLET DL	4	PA,QL(120 per 30 days)
KABIVEN 3.31-10.8-3.9 % EMULSION MO	3	BvsD
kionex (with sorbitol) 15-20 gram/60 ml SUSPENSION MO	1	
klor-con 20 meq PACKET MO	1	QL(240 per 30 days)
KLOR-CON 10 10 MEQ TABLET ER MO	1	
klor-con 10 10 meq TABLET ER MO	1	
KLOR-CON 8 8 MEQ TABLET ER MO	1	
klor-con m10 10 meq TABLET, ER PARTICLES/CRYSTALS MO	1	
KLOR-CON M15 15 MEQ TABLET, ER PARTICLES/CRYSTALS MO	1	
klor-con m20 20 meq TABLET, ER PARTICLES/CRYSTALS MO	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
KOSHER PRENATAL PLUS IRON 30 MG IRON- 1 MG TABLET MO	3	
<i>lactated ringers</i> PARENTERAL SOLUTION MO	1	
levocarnitine 100 mg/ml, 200 mg/ml SOLUTION MO	1	
levocarnitine 330 mg TABLET MO	1	
levocarnitine (with sugar) 100 mg/ml SOLUTION MO	1	
LOKELMA 10 GRAM, 5 GRAM POWDER IN PACKET MO	2	QL(30 per 30 days)
<i>m-natal plus</i> 27 mg iron- 1 mg TABLET MO	1	
magnesium sulfate 500 mg/ml (50 %) SOLUTION MO	1	
magnesium sulfate 500 mg/ml (50 %) SYRINGE MO	1	
magnesium sulfate in d5w 1 gram/100 ml PIGGYBACK MO	1	
magnesium sulfate in water 2 gram/50 ml (4 %), 4 gram/100 ml (4 %), 4 gram/50 ml (8 %) PIGGYBACK MO	1	
magnesium sulfate in water 20 gram/500 ml (4 %), 40 gram/1,000 ml (4 %) PARENTERAL SOLUTION MO	1	
NATACHEW (FE BIS-GLYCINATE) 28 MG IRON -1 MG CHEWABLE TABLET MO	3	
<i>neo-vital rx</i> 27 mg iron- 1 mg TABLET MO	1	
NEONATAL COMPLETE 29-1 MG TABLET MO	1	
NEONATAL PLUS VITAMIN 27 MG IRON- 1 MG TABLET MO	1	
NEONATAL-DHA 29-1-200-500 MG COMBO PACK MO	1	
NORMOSOL-M IN 5 % DEXTROSE PARENTERAL SOLUTION MO	3	
NUTRILIPID 20 % EMULSION MO	3	BvsD
OB COMPLETE ONE 40-10-1-300 MG CAPSULE MO	3	
OB COMPLETE PETITE 35 MG IRON-5 MG IRON-1 MG CAPSULE MO	3	
OB COMPLETE PREMIER 30-20-1 MG TABLET MO	3	
OMEGAIVEN 10 % EMULSION DL	4	BvsD
<i>penicillamine</i> 250 mg CAPSULE DL	4	PA,QL(600 per 30 days)
<i>penicillamine</i> 250 mg TABLET DL	4	
PERIKABIVEN 2.36-7.5-3.5 % EMULSION MO	3	BvsD
PLASMA-LYTE 148 PARENTERAL SOLUTION MO	3	
PLASMA-LYTE 148 PH 7.4 PARENTERAL SOLUTION MO	3	
PLASMA-LYTE A PARENTERAL SOLUTION MO	3	
PLENAMINE 15 % PARENTERAL SOLUTION MO	1	BvsD
<i>prn-dha</i> 27 mg iron-1 mg -300 mg CAPSULE MO	1	
<i>prn-omega</i> 28-1-300 mg CAPSULE MO	1	
POKONZA 10 MEQ PACKET DL	4	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
potassium acetate 2 meq/ml SOLUTION MO	1	
potassium chlorid-d5-0.45%nacl 10 meq/l, 20 meq/l, 30 meq/l, 40 meq/l PARENTERAL SOLUTION MO	1	
potassium chloride 10 meq CAPSULE, ER MO	1	
potassium chloride 10 meq, 20 meq TABLET ER MO	1	
potassium chloride 10 meq, 20 meq TABLET, ER PARTICLES/CRYSTALS MO	1	
potassium chloride 15 meq TABLET, ER PARTICLES/CRYSTALS MO	1	
potassium chloride 15 meq, 8 meq TABLET ER MO	1	
potassium chloride 2 meq/ml SOLUTION MO	1	
potassium chloride 20 meq PACKET MO	1	QL(240 per 30 days)
potassium chloride 20 meq/15 ml, 40 meq/15 ml LIQUID MO	1	
potassium chloride 8 meq CAPSULE, ER MO	1	
potassium chloride in 0.9%nacl 20 meq/l, 40 meq/l PARENTERAL SOLUTION MO	1	
potassium chloride in 5 % dex 10 meq/l, 20 meq/l PARENTERAL SOLUTION MO	1	
potassium chloride in lr-d5 20 meq/l PARENTERAL SOLUTION MO	1	
potassium chloride in water 10 meq/100 ml, 10 meq/50 ml, 20 meq/100 ml, 20 meq/50 ml, 40 meq/100 ml PIGGYBACK MO	1	
potassium chloride-0.45 % nacl 20 meq/l PARENTERAL SOLUTION MO	1	
potassium chloride-d5-0.2%nacl 20 meq/l PARENTERAL SOLUTION MO	1	
potassium chloride-d5-0.9%nacl 20 meq/l, 40 meq/l PARENTERAL SOLUTION MO	1	
potassium citrate 10 meq (1,080 mg), 15 meq, 5 meq (540 mg) TABLET ER MO	1	
pr natal 400 29-1-400 mg COMBO PACK MO	1	
pr natal 400 ec 29-1-400 mg COMBO PACK, DR TAB/DR CAP MO	1	
pr natal 430 29 mg iron-1 mg -430 mg COMBO PACK MO	1	
pr natal 430 ec 29-1-430 mg COMBO PACK, DR TAB/DR CAP MO	1	
PREMASOL 10 % 10 % PARENTERAL SOLUTION MO	1	BvsD
PRENATA 29 MG IRON- 1 MG CHEWABLE TABLET MO	1	
PRENATABS FA 29-1 MG TABLET MO	1	
prenatal plus (calcium carb) 27 mg iron- 1 mg TABLET MO	1	
prenatal plus dha 27 mg iron-1 mg -312 mg-250 mg COMBO PACK MO	3	
prenatal plus vitamin-mineral 27 mg iron- 1 mg TABLET MO	1	
prenatal vitamin plus low iron 27 mg iron- 1 mg TABLET MO	1	
prenatal-u 106.5-1 mg CAPSULE MO	1	
PRENATE ELITE 26 MG IRON- 1 MG TABLET MO	1	
PROSOL 20 % PARENTERAL SOLUTION MO	3	BvsD

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
ringer's PARENTERAL SOLUTION MO	1	
SAMSCA 15 MG, 30 MG TABLET DL	4	PA,QL(60 per 30 days)
se-natal 19 chewable 29 mg iron- 1 mg CHEWABLE TABLET MO	1	
SELECT-OB 29 MG IRON- 1 MG CHEWABLE TABLET MO	3	
SELECT-OB (FOLIC ACID) 29 MG IRON- 1 MG CHEWABLE TABLET MO	3	
SELECT-OB + DHA 29 MG IRON-1 MG -250 MG COMBO PACK MO	3	
SMOFLIPID 20 % EMULSION MO	3	BvsD
sodium bicarbonate 8.4 % (1 meq/ml) SYRINGE MO	1	
sodium chloride 2.5 meq/ml SOLUTION MO	1	
sodium chloride 0.45 % 0.45 % PARENTERAL SOLUTION MO	1	
sodium chloride 0.9 % PARENTERAL SOLUTION MO	1	
sodium chloride 0.9 % PIGGYBACK MO	1	
sodium chloride 0.9 % SOLUTION MO	1	
sodium chloride 3 % hypertonic 3 % PARENTERAL SOLUTION MO	1	
sodium chloride 5 % hypertonic 5 % PARENTERAL SOLUTION MO	1	
sodium phosphate 3 mmol/ml SOLUTION MO	1	
sodium polystyrene sulfonate 15 gram POWDER MO	1	
SPS (WITH SORBITOL) 15-20 GRAM/60 ML SUSPENSION MO	1	
SPS (WITH SORBITOL) 30-40 GRAM/120 ML ENEMA MO	1	
SYPRINE 250 MG CAPSULE DL	4	PA,QL(240 per 30 days)
THAM 36 MG/ML (0.3 M) SOLUTION MO	3	
tolvaptan 15 mg, 30 mg TABLET DL	4	PA,QL(60 per 30 days)
tolvaptan (polycys kidney dis) 15 mg (am)/ 15 mg (pm), 30 mg (am)/ 15 mg (pm), 45 mg (am)/ 15 mg (pm), 60 mg (am)/ 30 mg (pm), 90 mg (am)/ 30 mg (pm) TABLET, SEQUENTIAL DL	4	PA,QL(56 per 28 days)
tolvaptan (polycys kidney dis) 15 mg, 30 mg TABLET DL	4	PA,QL(120 per 30 days)
TPN ELECTROLYTES 35-20-5 MEQ/20 ML SOLUTION MO	3	
TRAVASOL 10 % 10 % PARENTERAL SOLUTION MO	3	BvsD
TRICARE 27 MG IRON- 1 MG TABLET MO	1	
trientine 250 mg CAPSULE DL	4	QL(240 per 30 days)
trientine 500 mg CAPSULE DL	4	QL(120 per 30 days)
trinatal rx 1 60 mg iron-1 mg TABLET MO	1	
TRISTART DHA 31 MG IRON- 1 MG-200 MG CAPSULE MO	3	
tromethamine 36 mg/ml (0.3 m) SOLUTION MO	1	
TROPHAMINE 10 % 10 % PARENTERAL SOLUTION MO	3	BvsD

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
UROCIT-K 10 10 MEQ (1,080 MG) TABLET ER MO	3	
UROCIT-K 15 15 MEQ TABLET ER MO	3	
UROCIT-K 5 5 MEQ (540 MG) TABLET ER MO	3	
VAPRISOL IN 5 % DEXTROSE 20 MG/100 ML SOLUTION MO	3	
VELTASSA 1 GRAM POWDER IN PACKET MO	3	PA,QL(240 per 30 days)
VELTASSA 16.8 GRAM, 25.2 GRAM, 8.4 GRAM POWDER IN PACKET MO	3	PA,QL(30 per 30 days)
VITAFOL FE PLUS 90 MG IRON- 1 MG-200 MG CAPSULE MO	3	
VITAFOL GUMMIES 3.33 MG IRON- 0.33 MG CHEWABLE TABLET MO	3	
VITAFOL ULTRA 29 MG IRON- 1 MG-200 MG CAPSULE MO	3	
VITAFOL-OB 65-1 MG TABLET MO	3	
VITAFOL-OB+DHA 65-1-250 MG COMBO PACK MO	3	
VITAFOL-ONE 29 MG IRON- 1 MG-200 MG CAPSULE MO	3	
VITAMEDMD ONE RX 30 MG IRON-1MG -200 MG CAPSULE MO	3	
wescap-pn dha 27 mg iron-1 mg -300 mg CAPSULE MO	1	
wesnatal dha complete 29 mg iron- 1 mg-200 mg COMBO PACK MO	1	
wesnate dha 28 mg iron-1 mg -200 mg CAPSULE MO	1	
westab plus 27 mg iron- 1 mg TABLET MO	1	
westgel dha 31 mg iron- 1 mg-200 mg CAPSULE MO	1	
zatean-pn dha 27 mg iron-1 mg -300 mg CAPSULE MO	1	
zatean-pn plus 28-1-300 mg CAPSULE MO	1	
GASTROINTESTINAL AGENTS		
ACIPHEX 20 MG TABLET, DR/EC MO	3	PA,QL(60 per 30 days)
AEMCOLO 194 MG TABLET, DR/EC MO	3	PA,QL(12 per 30 days)
alosetron 0.5 mg, 1 mg TABLET MO	1	PA,QL(60 per 30 days)
AMITIZA 24 MCG, 8 MCG CAPSULE MO	3	PA,QL(60 per 30 days)
amoxicil-clarithromy-lansopraz 500-500-30 mg COMBO PACK MO	1	ST
atropine 0.1 mg/ml, 0.25 mg/5 ml (0.05 mg/ml) SYRINGE MO	1	
BENTYL 10 MG/ML SOLUTION MO	3	
bismuth subcit k-metronidz-tcn 140-125-125 mg CAPSULE MO	1	ST,QL(120 per 30 days)
CARAFATE 1 GRAM TABLET MO	3	
CARAFATE 100 MG/ML SUSPENSION MO	3	
chenodal 250 mg TABLET DL	4	PA
cimetidine 200 mg, 300 mg, 400 mg, 800 mg TABLET MO	1	
cimetidine hcl 300 mg/5 ml SOLUTION MO	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
CLENPIQ 10 MG-3.5 GRAM- 12 GRAM/160 ML, 10 MG-3.5 GRAM- 12 GRAM/175 ML SOLUTION MO	3	ST
constulose 10 gram/15 ml SOLUTION MO	1	
CTEXLI 250 MG TABLET DL	4	PA
CUVPOSA 1 MG/5 ML (0.2 MG/ML) SOLUTION MO	3	
CYTOTEC 100 MCG, 200 MCG TABLET DL	4	
DARTISLA 1.7 MG TABLET, DISINTEGRATING MO	3	ST,QL(120 per 30 days)
DEXILANT 30 MG, 60 MG CAPSULE, DR, BIPHASIC MO	3	PA,QL(30 per 30 days)
dexlansoprazole 30 mg, 60 mg CAPSULE, DR, BIPHASIC MO	3	QL(30 per 30 days)
dicyclomine 10 mg CAPSULE MO	1	
dicyclomine 10 mg/5 ml, 10 mg/ml SOLUTION MO	1	
dicyclomine 20 mg TABLET MO	1	
dicyclomine 40 mg TABLET DL	4	
diphenoxylate-atropine 2.5-0.025 mg TABLET MO	1	
diphenoxylate-atropine 2.5-0.025 mg/5 ml LIQUID MO	1	
ENDARI 5 GRAM POWDER IN PACKET DL	4	PA,QL(180 per 30 days)
enulose 10 gram/15 ml SOLUTION MO	1	
esomeprazole magnesium 10 mg, 2.5 mg, 20 mg, 40 mg, 5 mg DR GRANULES IN PACKET MO	1	QL(30 per 30 days)
esomeprazole magnesium 20 mg CAPSULE, DR/EC MO	1	QL(60 per 30 days)
esomeprazole magnesium 40 mg CAPSULE, DR/EC MO	1	QL(60 per 30 days)
esomeprazole sodium 20 mg, 40 mg RECON SOLUTION MO	1	
famotidine 10 mg/ml SOLUTION MO	1	
famotidine 20 mg, 40 mg TABLET MO	1	
famotidine 40 mg/5 ml (8 mg/ml) SUSPENSION FOR RECONSTITUTION MO	1	
famotidine (pf) 20 mg/2 ml SOLUTION MO	1	
famotidine (pf)-nacl (iso-os) 20 mg/50 ml PIGGYBACK MO	1	
GATTEX 30-VIAL 5 MG KIT DL	4	PA
GATTEX ONE-VIAL 5 MG KIT DL	4	PA
gavilyte-c 240-22.72-6.72 -5.84 gram RECON SOLUTION MO	1	
gavilyte-g 236-22.74-6.74 -5.86 gram RECON SOLUTION MO	1	
gavilyte-n 420 gram RECON SOLUTION MO	1	
generlac 10 gram/15 ml SOLUTION MO	1	
glutamine (sickle cell) 5 gram POWDER IN PACKET DL	4	PA,QL(180 per 30 days)
GLYCATE 1.5 MG TABLET MO	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
glycopyrrolate 0.2 mg/ml, 1 mg/5 ml (0.2 mg/ml) SOLUTION MO	1	
glycopyrrolate 1 mg, 2 mg TABLET MO	1	
glycopyrrolate 1.5 mg TABLET	4	
glycopyrrolate (pf) 0.4 mg/2 ml (0.2 mg/ml) SYRINGE MO	1	
glycopyrrolate (pf) 0.6 mg/3 ml (0.2 mg/ml) SYRINGE MO	3	
glycopyrrolate (pf) in water 0.2 mg/ml SYRINGE MO	1	
GOLYTELY 236-22.74-6.74 -5.86 GRAM RECON SOLUTION MO	3	ST
IBSRELA 50 MG TABLET DL	4	PA,QL(60 per 30 days)
IQIRVO 80 MG TABLET DL	4	PA,QL(30 per 30 days)
KONVOMEPE 2-84 MG/ML SUSPENSION FOR RECONSTITUTION MO	3	ST,QL(600 per 30 days)
KRISTALOSE 10 GRAM, 20 GRAM PACKET MO	1	
lactulose 10 gram, 20 gram PACKET DL	4	
lactulose 10 gram/15 ml SOLUTION MO	1	
lansoprazole 15 mg, 30 mg CAPSULE, DR/EC MO	1	QL(60 per 30 days)
lansoprazole 15 mg, 30 mg TABLET, DISINTEGRATING DR MO	1	QL(30 per 30 days)
LINZESS 145 MCG, 290 MCG, 72 MCG CAPSULE MO	2	QL(30 per 30 days)
LIVDELZI 10 MG CAPSULE DL	4	PA,QL(30 per 30 days)
LIVMARLI 10 MG, 15 MG, 20 MG TABLET DL	4	PA,QL(60 per 30 days)
LIVMARLI 19 MG/ML SOLUTION DL	4	PA,QL(60 per 30 days)
LIVMARLI 30 MG TABLET DL	4	PA,QL(30 per 30 days)
LIVMARLI 9.5 MG/ML SOLUTION DL	4	PA,QL(90 per 30 days)
LOMOTIL 2.5-0.025 MG TABLET MO	3	
loperamide 2 mg CAPSULE MO	1	
LOTRONEX 0.5 MG, 1 MG TABLET	4	PA,QL(60 per 30 days)
lubiprostone 24 mcg, 8 mcg CAPSULE MO	1	QL(60 per 30 days)
methscopolamine 2.5 mg, 5 mg TABLET MO	1	
misoprostol 100 mcg, 200 mcg TABLET MO	1	
MOTEGRITY 1 MG, 2 MG TABLET MO	3	PA,QL(30 per 30 days)
MOTOFEN 1-0.025 MG TABLET MO	3	
MOVANTIK 12.5 MG, 25 MG TABLET MO	2	QL(30 per 30 days)
MOVIPREP 100-7.5-2.691 GRAM POWDER IN PACKET MO	3	ST
MYALEPT 5 MG/ML (FINAL CONC.) RECON SOLUTION DL	4	PA,QL(30 per 30 days)
MYTESI 125 MG TABLET, DR/EC DL	4	PA,QL(60 per 30 days)
NEXIUM 20 MG, 40 MG CAPSULE, DR/EC MO	3	PA,QL(60 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
NEXIUM IV 40 MG RECON SOLUTION MO	3	PA
NEXIUM PACKET 10 MG, 2.5 MG, 20 MG, 40 MG, 5 MG DR GRANULES IN PACKET MO	3	QL(30 per 30 days)
nizatidine 150 mg, 300 mg CAPSULE MO	1	
OICALIVA 10 MG, 5 MG TABLET DL	4	PA,QL(30 per 30 days)
OMECLAMOX-PAK 20 MG-500 MG- 500 MG (40) COMBO PACK MO	3	ST
omeprazole 10 mg CAPSULE, DR/EC MO	1	
omeprazole 20 mg, 40 mg CAPSULE, DR/EC MO	1	
omeprazole-sodium bicarbonate 20-1,680 mg, 40-1,680 mg PACKET DL	4	ST,QL(30 per 30 days)
omeprazole-sodium bicarbonate 20-1.1 mg-gram, 40-1.1 mg-gram CAPSULE MO	1	QL(30 per 30 days)
opium tincture 10 mg/ml (morphine) TINCTURE MO	3	QL(180 per 30 days)
pantoprazole 20 mg, 40 mg TABLET, DR/EC MO	1	QL(60 per 30 days)
pantoprazole 40 mg DR GRANULES IN PACKET MO	1	QL(30 per 30 days)
pantoprazole 40 mg RECON SOLUTION MO	1	
pantoprazole in 0.9% sod chlor 40 mg/100 ml (0.4 mg/ml), 40 mg/50 ml (0.8 mg/ml), 80 mg/100 ml (0.8 mg/ml) PIGGYBACK MO	3	
PANTOPRAZOLE IN 0.9% SOD CHLOR 40 MG/50 ML (0.8 MG/ML) PIGGYBACK MO	3	
peg 3350-electrolytes 236-22.74-6.74 -5.86 gram RECON SOLUTION MO	1	
peg-electrolyte soln 420 gram RECON SOLUTION MO	1	
peg3350-sod sul-nacl-kcl-asb-c 100-7.5-2.691 gram POWDER IN PACKET MO	1	ST
pepcid 20 mg, 40 mg TABLET MO	3	PA
PLENVU 140-9-5.2 GRAM POWDER IN PACKET, SEQUENTIAL MO	3	ST
PREVACID 30 MG CAPSULE, DR/EC MO	3	PA,QL(60 per 30 days)
PREVACID SOLUTAB 15 MG, 30 MG TABLET, DISINTEGRATING DR MO	3	QL(30 per 30 days)
PRILOSEC 10 MG, 2.5 MG SUSPENSION, DR FOR RECON MO	3	
PROTONIX 20 MG, 40 MG TABLET, DR/EC MO	3	PA,QL(60 per 30 days)
PROTONIX 40 MG DR GRANULES IN PACKET MO	3	QL(30 per 30 days)
PROTONIX 40 MG RECON SOLUTION MO	3	PA
prucalopride 1 mg, 2 mg TABLET MO	1	PA,QL(30 per 30 days)
PYLERA 140-125-125 MG CAPSULE MO	3	ST,QL(120 per 30 days)
rabeprazole 20 mg TABLET, DR/EC MO	1	QL(60 per 30 days)
REBYOTA 150 ML ENEMA DL	4	PA
RELISTOR 12 MG/0.6 ML SOLUTION DL	4	PA,QL(36 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
RELISTOR 12 MG/0.6 ML SYRINGE DL	4	PA,QL(36 per 28 days)
RELISTOR 150 MG TABLET DL	4	PA,QL(90 per 30 days)
RELISTOR 8 MG/0.4 ML SYRINGE DL	4	PA,QL(12 per 30 days)
RELTONE 200 MG CAPSULE DL	4	PA,QL(150 per 30 days)
RELTONE 400 MG CAPSULE DL	4	PA,QL(60 per 30 days)
ROBINUL 1 MG TABLET MO	3	PA
ROBINUL FORTE 2 MG TABLET MO	3	PA
sodium,potassium,mag sulfates 17.5-3.13-1.6 gram RECON SOLUTION MO	1	
sucralfate 1 gram TABLET MO	1	
sucralfate 100 mg/ml SUSPENSION MO	1	
SUFLAVE 178.7-7.3-0.5 GRAM RECON SOLUTION MO	3	
SUPREP BOWEL PREP KIT 17.5-3.13-1.6 GRAM RECON SOLUTION MO	3	ST
SUTAB 1.479-0.188- 0.225 GRAM TABLET MO	2	
SYMPROIC 0.2 MG TABLET MO	3	PA,QL(30 per 30 days)
TALICIA 10-250-12.5 MG CAPSULE, IR/DR, BIPHASIC MO	3	
TRULANCE 3 MG TABLET MO	3	PA,QL(30 per 30 days)
URSO 250 250 MG TABLET MO	3	PA
URSO FORTE 500 MG TABLET MO	3	PA
ursodiol 200 mg CAPSULE DL	4	PA,QL(150 per 30 days)
ursodiol 250 mg, 500 mg TABLET MO	1	
ursodiol 300 mg CAPSULE MO	1	
ursodiol 400 mg CAPSULE DL	4	PA,QL(60 per 30 days)
VIBERZI 100 MG, 75 MG TABLET	4	PA,QL(60 per 30 days)
VOQUEZNA 10 MG TABLET MO	3	PA,QL(30 per 30 days)
VOQUEZNA 20 MG TABLET MO	3	PA,QL(60 per 30 days)
VOQUEZNA DUAL PAK 20 MG (28)- 500 MG (84) COMBO PACK MO	3	ST,QL(112 per 30 days)
VOQUEZNA TRIPLE PAK 20-500-500 MG COMBO PACK MO	3	ST,QL(112 per 30 days)
VOWST CAPSULE DL	4	PA
XERMELO 250 MG TABLET DL	4	PA,QL(84 per 28 days)
XIFAXAN 200 MG TABLET MO	3	PA,QL(9 per 30 days)
XIFAXAN 550 MG TABLET	4	PA,QL(84 per 28 days)
ZEGERID 20-1,680 MG, 40-1,680 MG PACKET DL	4	ST,QL(30 per 30 days)
ZEGERID 20-1.1 MG-GRAM, 40-1.1 MG-GRAM CAPSULE DL	4	PA,QL(30 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
GENETIC/ENZYME/PROTEIN DISORDER: REPLACEMENT, MODIFIERS, TREATMENT		
ALDURAZYME 2.9 MG/5 ML SOLUTION DL	4	PA
AMVUTTRA 25 MG/0.5 ML SYRINGE DL	4	PA,QL(0.5 per 90 days)
ARALAST NP 1,000 MG, 500 MG RECON SOLUTION DL	4	PA
ATTRUBY 356 MG TABLET DL	4	PA,QL(120 per 30 days)
<i>betaine 1 gram/scoop POWDER</i> DL	4	
BUPHENYL 0.94 GRAM/GRAM POWDER DL	4	PA
BUPHENYL 500 MG TABLET DL	4	PA
CERDELGA 84 MG CAPSULE DL	4	PA
CEREZYME 400 UNIT RECON SOLUTION DL	4	PA
CHOLBAM 250 MG, 50 MG CAPSULE DL	4	QL(120 per 30 days)
CREON 12,000-38,000 -60,000 UNIT, 24,000-76,000 -120,000 UNIT, 3,000-9,500- 15,000 UNIT, 36,000-114,000- 180,000 UNIT, 6,000-19,000 -30,000 UNIT CAPSULE, DR/EC MO	2	
CRYSVITA 10 MG/ML, 20 MG/ML SOLUTION DL	4	PA,QL(2 per 28 days)
CRYSVITA 30 MG/ML SOLUTION DL	4	PA,QL(6 per 28 days)
CYSTADANE 1 GRAM/SCOOP POWDER DL	4	PA
CYSTAGON 150 MG, 50 MG CAPSULE MO	3	
DAYBUE 200 MG/ML SOLUTION DL	4	PA,QL(3600 per 30 days)
<i>dichlorphenamide 50 mg TABLET</i> DL	4	PA,QL(120 per 30 days)
DOJOLVI 8.3 KCAL/ML LIQUID DL	4	PA
DUVYZAT 8.86 MG/ML SUSPENSION DL	4	PA,QL(360 per 30 days)
ELAPRASE 6 MG/3 ML SOLUTION DL	4	PA
ELELYSO 200 UNIT RECON SOLUTION DL	4	PA
ELEVIDYS 1.33 X 10EXP13 VG/ML SUSPENSION DL	4	PA
ELFABRIO 2 MG/ML SOLUTION DL	4	PA
EVRYSDI 0.75 MG/ML RECON SOLUTION DL	4	PA,QL(240 per 30 days)
EVRYSDI 5 MG TABLET DL	4	PA,QL(30 per 30 days)
FABRAZYME 35 MG, 5 MG RECON SOLUTION DL	4	PA
GALAFOLD 123 MG CAPSULE DL	4	PA,QL(14 per 28 days)
GLASSIA 20 MG/ML (2 %) SOLUTION DL	4	PA
HARLIKU 2 MG TABLET DL	4	PA
<i>javygtor 100 mg TABLET, SOLUBLE</i> DL	4	PA
<i>javygtor 100 mg, 500 mg POWDER IN PACKET</i> DL	4	PA
JOENJA 70 MG TABLET DL	4	PA,QL(60 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
KANUMA 2 MG/ML SOLUTION DL	4	PA
KEVEYIS 50 MG TABLET DL	4	PA,QL(120 per 30 days)
KUVAN 100 MG TABLET, SOLUBLE DL	4	PA
KUVAN 100 MG, 500 MG POWDER IN PACKET DL	4	PA
LAMZEDE 10 MG RECON SOLUTION DL	4	PA
LUMIZYME 50 MG RECON SOLUTION DL	4	PA
MEPSEVII 2 MG/ML SOLUTION DL	4	PA
<i>miglustat 100 mg CAPSULE</i> DL	4	PA,QL(90 per 30 days)
MIPLYFFA 124 MG, 47 MG, 62 MG, 93 MG CAPSULE DL	4	PA,QL(90 per 30 days)
NAGLAZYME 5 MG/5 ML SOLUTION DL	4	PA
NEXVIAZYME 100 MG RECON SOLUTION DL	4	PA
<i>nitisinone 10 mg, 2 mg, 20 mg, 5 mg CAPSULE</i> DL	4	
NITYR 10 MG, 2 MG, 5 MG TABLET DL	4	
NULIBRY 9.5 MG RECON SOLUTION DL	4	PA
OLPRUVA 2 GRAM, 3 GRAM, 4 GRAM, 5 GRAM, 6 GRAM, 6.67 GRAM PELLETS IN PACKET DL	4	PA
ONPATTRO 2 MG/ML SOLUTION DL	4	PA
OPFOLDA 65 MG CAPSULE MO	3	PA
ORFADIN 10 MG, 2 MG, 20 MG, 5 MG CAPSULE DL	4	
ORFADIN 4 MG/ML SUSPENSION DL	4	
<i>ormarvi 50 mg TABLET</i> DL	4	PA,QL(120 per 30 days)
PALYNZIQ 10 MG/0.5 ML SYRINGE DL	4	PA,QL(15 per 30 days)
PALYNZIQ 2.5 MG/0.5 ML SYRINGE DL	4	PA,QL(4 per 28 days)
PALYNZIQ 20 MG/ML SYRINGE DL	4	PA,QL(90 per 30 days)
PANCREAZE 10,500-35,500- 61,500 UNIT, 2,600-8,800- 15,200 UNIT, 4,200-14,200- 24,600 UNIT CAPSULE, DR/EC MO	3	ST
PANCREAZE 16,800-56,800- 98,400 UNIT, 21,000-54,700- 83,900 UNIT CAPSULE, DR/EC	4	ST
PANCREAZE 37,000-97,300- 149,900 UNIT CAPSULE, DR/EC DL	4	ST
PERTZYE 16,000-57,500- 60,500 UNIT, 24,000-86,250- 90,750 UNIT, 4,000-14,375- 15,125 UNIT, 8,000-28,750- 30,250 UNIT CAPSULE, DR/EC DL	4	ST
PHEBURANE 483 MG/GRAM GRANULES DL	4	PA
POMBILITI 105 MG RECON SOLUTION DL	4	PA
PROCYSBI 25 MG CAPSULE, DR SPRINKLE DL	4	PA,QL(120 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
PROCYSBI 300 MG DR GRANULES IN PACKET DL	4	PA,QL(210 per 30 days)
PROCYSBI 75 MG CAPSULE, DR SPRINKLE DL	4	PA,QL(780 per 30 days)
PROCYSBI 75 MG DR GRANULES IN PACKET DL	4	PA,QL(780 per 30 days)
PROLASTIN-C 1,000 MG (+/-)/20 ML SOLUTION DL	4	PA
PYRUKYND 20 MG (7)- 5 MG (7), 50 MG (7)- 20 MG (7) TABLET, DOSE PACK DL	4	PA,QL(14 per 14 days)
PYRUKYND 20 MG, 5 MG, 50 MG TABLET DL	4	PA,QL(60 per 30 days)
RAVICTI 1.1 GRAM/ML LIQUID DL	4	PA,QL(525 per 30 days)
REVCovi 2.4 MG/1.5 ML (1.6 MG/ML) SOLUTION DL	4	PA
sapropterin 100 mg TABLET, SOLUBLE DL	4	PA
sapropterin 100 mg, 500 mg POWDER IN PACKET DL	4	PA
SEPHIENCE 1,000 MG, 250 MG POWDER IN PACKET DL	4	PA
sodium phenylbutyrate 0.94 gram/gram POWDER DL	4	
sodium phenylbutyrate 500 mg TABLET DL	4	
STRENSIQ 18 MG/0.45 ML, 28 MG/0.7 ML, 40 MG/ML, 80 MG/0.8 ML SOLUTION DL	4	PA
SUCRAID 8,500 UNIT/ML SOLUTION DL	4	PA
VIJOICE 125 MG, 50 MG TABLET DL	4	PA,QL(28 per 28 days)
VIJOICE 250 MG/DAY (200 MG X1-50 MG X1) TABLET DL	4	PA,QL(56 per 28 days)
VIJOICE 50 MG GRANULES IN PACKET DL	4	PA,QL(28 per 28 days)
VIOKACE 10,440-39,150- 39,150 UNIT, 20,880-78,300- 78,300 UNIT TABLET DL	4	ST
VOXZOGO 0.4 MG, 0.56 MG, 1.2 MG RECON SOLUTION DL	4	PA,QL(30 per 30 days)
VPRIV 400 UNIT RECON SOLUTION DL	4	PA
VYNDAMAX 61 MG CAPSULE DL	4	PA,QL(30 per 30 days)
VYNDAQEL 20 MG CAPSULE DL	4	PA,QL(120 per 30 days)
WAINUA 45 MG/0.8 ML AUTO-INJECTOR DL	4	PA,QL(0.8 per 28 days)
WELIREG 40 MG TABLET DL	4	PA,QL(90 per 30 days)
XENPOZYME 20 MG, 4 MG RECON SOLUTION DL	4	PA
yargesa 100 mg CAPSULE DL	4	PA,QL(90 per 30 days)
ZAVESCA 100 MG CAPSULE DL	4	PA,QL(90 per 30 days)
ZEMAIRA 1,000 MG RECON SOLUTION DL	4	PA

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
ZEMAIRA 4,000 MG, 5,000 MG RECON SOLUTION DL	4	PA
ZENPEP 10,000-32,000 -42,000 UNIT, 15,000-47,000 -63,000 UNIT, 20,000-63,000- 84,000 UNIT, 25,000-79,000- 105,000 UNIT, 3,000-10,000 -14,000-UNIT, 40,000-126,000- 168,000 UNIT, 5,000-17,000- 24,000 UNIT, 60,000-189,600- 252,600 UNIT CAPSULE, DR/EC MO	3	
GENITOURINARY AGENTS		
alfuzosin 10 mg TABLET, ER 24 HR. MO	1	
AVODART 0.5 MG CAPSULE MO	3	PA,QL(30 per 30 days)
bethanechol chloride 10 mg, 25 mg, 5 mg, 50 mg TABLET MO	1	
CIALIS 2.5 MG, 5 MG TABLET MO	3	PA
darifenacin 15 mg, 7.5 mg TABLET, ER 24 HR. MO	1	QL(30 per 30 days)
DETROL 1 MG, 2 MG TABLET MO	3	PA,QL(60 per 30 days)
DETROL LA 2 MG, 4 MG CAPSULE, ER 24 HR. MO	3	PA,QL(30 per 30 days)
dutasteride 0.5 mg CAPSULE MO	1	QL(30 per 30 days)
dutasteride-tamsulosin 0.5-0.4 mg CAPSULE ER MULTIPHASE 24 HR. MO	1	QL(30 per 30 days)
ELMIRON 100 MG CAPSULE MO	3	QL(90 per 30 days)
fesoterodine 4 mg, 8 mg TABLET, ER 24 HR. MO	1	QL(30 per 30 days)
finasteride 5 mg TABLET MO	1	QL(30 per 30 days)
flavoxate 100 mg TABLET MO	1	
FLOMAX 0.4 MG CAPSULE MO	3	
GELNIQUE 10 % (100 MG/GRAM) GEL IN PACKET MO	3	ST,QL(30 per 30 days)
GEMTESA 75 MG TABLET MO	3	QL(30 per 30 days)
JALYN 0.5-0.4 MG CAPSULE ER MULTIPHASE 24 HR. MO	3	PA,QL(30 per 30 days)
MYRBETRIQ 25 MG, 50 MG TABLET, ER 24 HR. MO	2	QL(30 per 30 days)
MYRBETRIQ 8 MG/ML SUSPENSION, ER, RECON MO	2	QL(300 per 30 days)
oxybutynin chloride 10 mg TABLET, ER 24 HR. MO	1	QL(60 per 30 days)
oxybutynin chloride 15 mg, 5 mg TABLET, ER 24 HR. MO	1	QL(60 per 30 days)
oxybutynin chloride 2.5 mg TABLET MO	1	QL(90 per 30 days)
oxybutynin chloride 5 mg TABLET MO	1	
oxybutynin chloride 5 mg/5 ml SYRUP MO	1	
OXYTROL 3.9 MG/24 HR PATCH, SEMIWEEKLY MO	3	ST,QL(8 per 28 days)
PROSCAR 5 MG TABLET MO	3	PA,QL(30 per 30 days)
RAPAFLO 4 MG, 8 MG CAPSULE MO	3	PA,QL(30 per 30 days)
silodosin 4 mg, 8 mg CAPSULE MO	1	QL(30 per 30 days)
solifenacin 10 mg, 5 mg TABLET MO	1	QL(30 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
tadalafil 2.5 mg, 5 mg TABLET MO	1	PA
tamsulosin 0.4 mg CAPSULE MO	1	
THIOLA 100 MG TABLET DL	4	
THIOLA EC 100 MG, 300 MG TABLET, DR/EC DL	4	
tiopronin 100 mg TABLET DL	4	
tiopronin 100 mg, 300 mg TABLET, DR/EC DL	4	
tolterodine 1 mg, 2 mg TABLET MO	1	QL(60 per 30 days)
tolterodine 2 mg, 4 mg CAPSULE, ER 24 HR. MO	1	QL(30 per 30 days)
TOVIAZ 4 MG, 8 MG TABLET, ER 24 HR. MO	3	PA,QL(30 per 30 days)
tropium 20 mg TABLET MO	1	
tropium 60 mg CAPSULE, ER 24 HR. MO	1	QL(30 per 30 days)
UROXATRAL 10 MG TABLET, ER 24 HR. MO	3	
venxiva 100 mg, 300 mg TABLET, DR/EC DL	4	
VESICARE 10 MG, 5 MG TABLET MO	3	PA,QL(30 per 30 days)
VESICARE LS 1 MG/ML SUSPENSION MO	3	PA,QL(300 per 30 days)
HORMONAL AGENTS, STIMULANT/REPLACEMENT/MODIFYING (ADRENAL)		
ACTHAR 80 UNIT/ML GEL DL	4	PA,QL(30 per 30 days)
ACTHAR SELFJECT 40 UNIT/0.5 ML, 80 UNIT/ML PEN INJECTOR DL	4	PA,QL(45 per 30 days)
AGAMREE 40 MG/ML SUSPENSION DL	4	PA,QL(225 per 30 days)
ALKINDI SPRINKLE 0.5 MG, 1 MG, 2 MG, 5 MG CAPSULE, SPRINKLE DL	4	PA
betamethasone acet,sod phos 6 mg/ml SUSPENSION MO	1	
CELESTONE SOLUSPAN 6 MG/ML SUSPENSION MO	3	
CORTROPHIN GEL 40 UNIT/0.5 ML SYRINGE DL	4	PA,QL(45 per 30 days)
CORTROPHIN GEL 80 UNIT/ML GEL DL	4	PA,QL(30 per 30 days)
CORTROPHIN GEL 80 UNIT/ML SYRINGE DL	4	PA,QL(30 per 30 days)
deflazacort 18 mg, 30 mg, 36 mg, 6 mg TABLET DL	4	PA
deflazacort 22.75 mg/ml SUSPENSION DL	4	PA
DEPO-MEDROL 20 MG/ML, 40 MG/ML, 80 MG/ML SUSPENSION MO	3	
dexabliss 1.5 mg (39 tabs) TABLET, DOSE PACK MO	1	
dexamethasone 0.5 mg, 0.75 mg, 1 mg, 1.5 mg, 2 mg, 4 mg, 6 mg TABLET MO	1	
dexamethasone 0.5 mg/5 ml ELIXIR MO	1	
dexamethasone 0.5 mg/5 ml SOLUTION MO	1	
dexamethasone 1.5 mg (21 tabs), 1.5 mg (35 tabs), 1.5 mg (51 tabs) TABLET, DOSE PACK MO	1	
dexamethasone intensol 1 mg/ml DROPS MO	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
dexamethasone sodium phos (pf) 10 mg/ml SOLUTION MO	1	
dexamethasone sodium phos (pf) 10 mg/ml SYRINGE MO	1	
dexamethasone sodium phosphate 10 mg/ml, 4 mg/ml SOLUTION MO	1	
dexamethasone sodium phosphate 4 mg/ml SYRINGE MO	1	
EMFLAZA 18 MG, 30 MG, 36 MG, 6 MG TABLET DL	4	PA
EMFLAZA 22.75 MG/ML SUSPENSION DL	4	PA
fludrocortisone 0.1 mg TABLET MO	1	
HEMADY 20 MG TABLET MO	3	PA,QL(24 per 28 days)
hydrocortisone acetate 2.5 % CREAM W/PERINEAL APPLICATOR DL	4	
hydrocortisone sod succinate 100 mg RECON SOLUTION MO	1	
jaythari 18 mg, 30 mg, 36 mg, 6 mg TABLET DL	4	PA
KENALOG 0.147 MG/GRAM AEROSOL MO	3	QL(200 per 30 days)
KENALOG 10 MG/ML, 40 MG/ML SUSPENSION MO	3	
KENALOG-80 80 MG/ML SUSPENSION MO	3	
KHINDIVI 1 MG/ML SOLUTION DL	4	PA
MEDROL 16 MG, 2 MG, 4 MG, 8 MG TABLET MO	3	BvsD
MEDROL (PAK) 4 MG TABLET, DOSE PACK MO	3	
methylprednisolone 16 mg, 32 mg, 4 mg, 8 mg TABLET MO	1	BvsD
methylprednisolone 4 mg TABLET, DOSE PACK MO	1	
methylprednisolone acetate 40 mg/ml, 80 mg/ml SUSPENSION MO	1	
methylprednisolone sodium succ 1,000 mg, 125 mg, 40 mg, 500 mg RECON SOLUTION MO	1	
micort-hc 2.5 % CREAM W/PERINEAL APPLICATOR MO	1	
millipred 5 mg TABLET MO	1	BvsD
millipred dp 5 mg (21 tabs), 5 mg (48 tabs) TABLET, DOSE PACK MO	1	
ORAPRED ODT 10 MG, 15 MG, 30 MG TABLET, DISINTEGRATING MO	3	
PEDIAPRED 5 MG BASE/5 ML (6.7 MG/5 ML) SOLUTION MO	3	
prednisolone 15 mg/5 ml SOLUTION MO	1	
prednisolone 5 mg TABLET MO	1	BvsD
prednisolone sodium phosphate 10 mg, 15 mg, 30 mg TABLET, DISINTEGRATING MO	1	
prednisolone sodium phosphate 10 mg/5 ml, 15 mg/5 ml (3 mg/ml), 20 mg/5 ml (4 mg/ml), 25 mg/5 ml (5 mg/ml), 5 mg base/5 ml (6.7 mg/5 ml) SOLUTION MO	1	
prednisone 1 mg, 2.5 mg, 50 mg TABLET MO	1	BvsD

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
prednisone 10 mg, 20 mg, 5 mg TABLET MO	1	BvsD
prednisone 10 mg, 5 mg TABLET, DOSE PACK MO	1	
prednisone 5 mg/5 ml SOLUTION MO	1	BvsD
prednisone intensol 5 mg/ml CONCENTRATE MO	1	BvsD
RAYOS 1 MG, 2 MG, 5 MG TABLET, DR/EC DL	4	PA
SOLU-CORTEF 100 MG RECON SOLUTION MO	3	
SOLU-CORTEF ACT-O-VIAL (PF) 1,000 MG/8 ML, 100 MG/2 ML, 250 MG/2 ML, 500 MG/4 ML RECON SOLUTION MO	3	
SOLU-MEDROL 1,000 MG, 2 GRAM, 500 MG RECON SOLUTION MO	3	
SOLU-MEDROL (PF) 1,000 MG/8 ML, 125 MG/2 ML, 40 MG/ML, 500 MG/4 ML RECON SOLUTION MO	3	
taperdex 1.5 mg (21 tabs), 1.5 mg (27 tabs), 1.5 mg (49 tabs) TABLET, DOSE PACK MO	1	
triamcinolone acetonide 0.025 %, 0.05 %, 0.1 %, 0.5 % OINTMENT MO	1	
triamcinolone acetonide 0.025 %, 0.1 % LOTION MO	1	
triamcinolone acetonide 0.025 %, 0.5 % CREAM MO	1	
triamcinolone acetonide 0.1 % CREAM MO	1	
triamcinolone acetonide 0.147 mg/gram AEROSOL MO	1	QL(200 per 30 days)
triamcinolone acetonide 10 mg/ml, 40 mg/ml SUSPENSION MO	1	
trianex 0.05 % OINTMENT MO	1	
triderm 0.1 %, 0.5 % CREAM MO	1	
VERIPRED 20 20 MG/5 ML (4 MG/ML) SOLUTION MO	1	
ZCORT 1.5 MG (25 TABS) TABLET, DOSE PACK MO	1	
ZILRETTA 32 MG SUSPENSION, ER, RECON MO	3	PA
HORMONAL AGENTS, STIMULANT/REPLACEMENT/MODIFYING (PITUITARY)		
CHORIONIC GONADOTROPIN, HUMAN 10,000 UNIT RECON SOLUTION MO	3	PA
DDAVP 0.1 MG TABLET MO	3	PA
DDAVP 0.2 MG TABLET DL	4	PA
DDAVP 4 MCG/ML SOLUTION MO	3	PA
desmopressin 0.1 mg, 0.2 mg TABLET MO	1	
desmopressin 10 mcg/spray (0.1 ml) SPRAY WITH PUMP MO	1	PA,QL(25 per 30 days)
desmopressin 10 mcg/spray (0.1 ml) SPRAY, NON-AEROSOL MO	1	PA,QL(25 per 30 days)
desmopressin 4 mcg/ml SOLUTION DL	4	
EGRIFTA SV 2 MG RECON SOLUTION DL	4	PA,QL(30 per 30 days)
EGRIFTA WR 11.6 MG KIT DL	4	PA,QL(1 per 28 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
GENOTROPIN 12 MG/ML (36 UNIT/ML), 5 MG/ML (15 UNIT/ML) CARTRIDGE DL	4	PA
GENOTROPIN MINIQUICK 0.2 MG/0.25 ML, 0.4 MG/0.25 ML, 0.6 MG/0.25 ML, 0.8 MG/0.25 ML, 1 MG/0.25 ML, 1.2 MG/0.25 ML, 1.4 MG/0.25 ML, 1.6 MG/0.25 ML, 1.8 MG/0.25 ML, 2 MG/0.25 ML SYRINGE DL	4	PA
HUMATROPE 12 MG (36 UNIT), 24 MG (72 UNIT), 6 MG (18 UNIT) CARTRIDGE DL	4	PA
HUMATROPE 5 (15 UNIT) MG RECON SOLUTION DL	4	PA
INCRELEX 10 MG/ML SOLUTION DL	4	PA
ISTURISA 1 MG TABLET DL	4	PA,QL(240 per 30 days)
ISTURISA 5 MG TABLET DL	4	PA,QL(360 per 30 days)
NGENLA 24 MG/1.2 ML (20 MG/ML), 60 MG/1.2 ML (50 MG/ML) PEN INJECTOR DL	4	PA
NOC DURNA (MEN) 55.3 MCG TABLET, DISINTEGRATING MO	3	QL(30 per 30 days)
NOC DURNA (WOMEN) 27.7 MCG TABLET, DISINTEGRATING MO	3	QL(30 per 30 days)
NORDITROPIN FLEXPEN 10 MG/1.5 ML (6.7 MG/ML), 15 MG/1.5 ML (10 MG/ML), 30 MG/3 ML (10 MG/ML), 5 MG/1.5 ML (3.3 MG/ML) PEN INJECTOR DL	4	PA
NOVAREL 5,000 UNIT RECON SOLUTION MO	3	PA
NUTROPIN AQ NUSPIN 10 MG/2 ML (5 MG/ML), 20 MG/2 ML (10 MG/ML), 5 MG/2 ML (2.5 MG/ML) PEN INJECTOR DL	4	PA
OMNITROPE 10 MG/1.5 ML (6.7 MG/ML), 5 MG/1.5 ML (3.3 MG/ML) CARTRIDGE DL	4	PA
OMNITROPE 5.8 MG RECON SOLUTION DL	4	PA
PREGNLY 10,000 UNIT RECON SOLUTION MO	3	PA
SAIZEN SAIZENPREP 8.8 MG/1.51 ML (FINAL CONC.) CARTRIDGE DL	4	PA
SEROSTIM 4 MG, 5 MG, 6 MG RECON SOLUTION DL	4	PA,QL(28 per 28 days)
SKYTROFA 11 MG, 7.6 MG, 9.1 MG CARTRIDGE DL	4	PA,QL(8 per 28 days)
SKYTROFA 13.3 MG, 3 MG, 3.6 MG, 4.3 MG, 5.2 MG, 6.3 MG CARTRIDGE DL	4	PA,QL(4 per 28 days)
SOGROYA 10 MG/1.5 ML (6.7 MG/ML), 15 MG/1.5 ML (10 MG/ML), 5 MG/1.5 ML (3.3 MG/ML) PEN INJECTOR DL	4	PA,QL(6 per 28 days)
ZOMACTON 10 MG RECON SOLUTION DL	4	PA
ZOMACTON 5 MG RECON SOLUTION DL	4	PA,QL(28 per 28 days)
HORMONAL AGENTS, STIMULANT/REPLACEMENT/MODIFYING (PROSTAGLANDINS)		
carboprost tromethamine 250 mcg/ml SOLUTION MO	1	
carboprost tromethamine 250 mcg/ml SYRINGE MO	1	
HEMABATE 250 MCG/ML SOLUTION MO	3	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
HORMONAL AGENTS, STIMULANT/REPLACEMENT/MODIFYING (SEX HORMONES/MODIFIERS)		
<i>abigale</i> 1-0.5 mg TABLET MO	1	
<i>abigale lo</i> 0.5-0.1 mg TABLET MO	1	
ACTIVELLA 1-0.5 MG TABLET MO	3	
<i>afirmelle</i> 0.1-20 mg-mcg TABLET MO	1	
<i>altavera</i> (28) 0.15-0.03 mg TABLET MO	1	
<i>alyacen</i> 1/35 (28) 1-35 mg-mcg TABLET MO	1	
<i>alyacen</i> 7/7/7 (28) 0.5/0.75/1 mg- 35 mcg TABLET MO	1	
<i>amethia</i> 0.15 mg-30 mcg (84)/10 mcg (7) TABLET, DOSE PACK, 3 MONTH MO	1	QL(91 per 90 days)
<i>amethyst</i> (28) 90-20 mcg (28) TABLET MO	1	
ANDROGEL 1.62 % (20.25 MG/1.25 GRAM) GEL IN PACKET DL	4	PA,QL(37.5 per 30 days)
ANDROGEL 1.62 % (40.5 MG/2.5 GRAM) GEL IN PACKET DL	4	PA,QL(150 per 30 days)
ANDROGEL 20.25 MG/1.25 GRAM (1.62 %) GEL IN METERED DOSE PUMP DL	4	PA,QL(150 per 30 days)
ANGELIQ 0.25-0.5 MG, 0.5-1 MG TABLET MO	3	
ANNOVERA 0.15-0.013 MG/24 HOUR RING MO	3	QL(1 per 365 days)
<i>apri</i> 0.15-0.03 mg TABLET MO	1	
<i>aranelle</i> (28) 0.5/1/0.5-35 mg-mcg TABLET MO	1	
<i>ashlyna</i> 0.15 mg-30 mcg (84)/10 mcg (7) TABLET, DOSE PACK, 3 MONTH MO	1	QL(91 per 90 days)
<i>aubra</i> 0.1-20 mg-mcg TABLET MO	1	
<i>aubra eq</i> 0.1-20 mg-mcg TABLET MO	1	
<i>aurovela</i> 1.5/30 (21) 1.5-30 mg-mcg TABLET MO	1	
<i>aurovela</i> 1/20 (21) 1-20 mg-mcg TABLET MO	1	
<i>aurovela</i> 24 fe 1 mg-20 mcg (24)/75 mg (4) TABLET MO	1	
<i>aurovela fe</i> 1-20 (28) 1 mg-20 mcg (21)/75 mg (7) TABLET MO	1	
<i>aurovela fe</i> 1.5/30 (28) 1.5 mg-30 mcg (21)/75 mg (7) TABLET MO	1	
AVEED 750 MG/3 ML (250 MG/ML) SOLUTION	4	PA
AVERI 0.15 MG-0.03 MG (21)/36.5 MG(7) TABLET MO	1	
<i>aviane</i> 0.1-20 mg-mcg TABLET MO	1	
AYGESTIN 5 MG TABLET MO	1	
<i>ayuna</i> 0.15-0.03 mg TABLET MO	1	
AZMIRO 200 MG/ML SYRINGE MO	3	PA
<i>azurette</i> (28) 0.15-0.02 mgx21 /0.01 mg x 5 TABLET MO	1	
BALCOLTRA 0.1 MG-0.02 MG (21)/IRON (7) TABLET MO	3	
<i>balziva</i> (28) 0.4-35 mg-mcg TABLET MO	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
BEYAZ 3-0.02-0.451 MG (24) (4) TABLET MO	3	
BIJUVA 0.5-100 MG, 1-100 MG CAPSULE MO	3	QL(30 per 30 days)
blisovi 24 fe 1 mg-20 mcg (24)/75 mg (4) TABLET MO	1	
blisovi fe 1.5/30 (28) 1.5 mg-30 mcg (21)/75 mg (7) TABLET MO	1	
blisovi fe 1/20 (28) 1 mg-20 mcg (21)/75 mg (7) TABLET MO	1	
briellyn 0.4-35 mg-mcg TABLET MO	1	
camila 0.35 mg TABLET MO	1	
camrese 0.15 mg-30 mcg (84)/10 mcg (7) TABLET, DOSE PACK, 3 MONTH MO	1	QL(91 per 90 days)
camrese lo 0.1 mg-20 mcg (84)/10 mcg (7) TABLET, DOSE PACK, 3 MONTH MO	1	QL(91 per 90 days)
charlotte 24 fe 1 mg-20 mcg(24) /75 mg (4) CHEWABLE TABLET MO	1	
chateal eq (28) 0.15-0.03 mg TABLET MO	1	
CLIMARA 0.025 MG/24 HR, 0.0375 MG/24 HR, 0.05 MG/24 HR, 0.06 MG/24 HR, 0.075 MG/24 HR, 0.1 MG/24 HR PATCH, WEEKLY MO	3	QL(4 per 28 days)
CLIMARA PRO 0.045-0.015 MG/24 HR PATCH, WEEKLY MO	3	QL(4 per 28 days)
COMBIPATCH 0.05-0.14 MG/24 HR, 0.05-0.25 MG/24 HR PATCH, SEMIWEEKLY MO	3	QL(8 per 28 days)
CRENESSITY 100 MG CAPSULE DL	4	PA,QL(120 per 30 days)
CRENESSITY 25 MG, 50 MG CAPSULE DL	4	PA,QL(90 per 30 days)
CRENESSITY 50 MG/ML SOLUTION DL	4	PA,QL(240 per 30 days)
CRINONE 4 %, 8 % GEL MO	3	
cryselle (28) 0.3-30 mg-mcg TABLET MO	1	
cyred 0.15-0.03 mg TABLET MO	1	
cyred eq 0.15-0.03 mg TABLET MO	1	
danazol 100 mg, 200 mg, 50 mg CAPSULE MO	1	
dasetta 1/35 (28) 1-35 mg-mcg TABLET MO	1	
dasetta 7/7/7 (28) 0.5/0.75/1 mg- 35 mcg TABLET MO	1	
daysee 0.15 mg-30 mcg (84)/10 mcg (7) TABLET, DOSE PACK, 3 MONTH MO	1	QL(91 per 90 days)
deblitane 0.35 mg TABLET MO	1	
DELESTROGEN 10 MG/ML, 20 MG/ML, 40 MG/ML OIL MO	3	
DEPO-ESTRADIOL 5 MG/ML OIL MO	1	
DEPO-PROVERA 150 MG/ML SUSPENSION MO	3	QL(1 per 90 days)
DEPO-PROVERA 150 MG/ML SYRINGE MO	3	QL(1 per 90 days)
DEPO-SUBQ PROVERA 104 104 MG/0.65 ML SYRINGE MO	2	QL(0.65 per 90 days)
DEPO-TESTOSTERONE 100 MG/ML, 200 MG/ML OIL MO	1	PA
desog-e.estradiol/e.estradiol 0.15-0.02 mgx21 /0.01 mg x 5 TABLET MO	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
DIVIGEL 0.25 MG/0.25 GRAM (0.1 %), 0.5 MG/0.5 GRAM (0.1 %), 0.75 MG/0.75 GRAM (0.1%), 1 MG/GRAM (0.1 %), 1.25 MG/1.25 GRAM (0.1 %) GEL IN PACKET MO	3	
dolishale 90-20 mcg (28) TABLET MO	1	
dotti 0.025 mg/24 hr, 0.0375 mg/24 hr, 0.05 mg/24 hr, 0.075 mg/24 hr, 0.1 mg/24 hr PATCH, SEMIWEEKLY MO	1	QL(8 per 28 days)
drospirenone-e.estradiol-lm.f.a 3-0.02-0.451 mg (24) (4), 3-0.03-0.451 mg (21) (7) TABLET MO	1	
drospirenone-ethinyl estradiol 3-0.02 mg, 3-0.03 mg TABLET MO	1	
DUAVEE 0.45-20 MG TABLET MO	3	PA,QL(30 per 30 days)
ELESTRIN 0.87 GRAM/ACTUATION GEL IN METERED DOSE PUMP MO	3	QL(52 per 30 days)
elinest 0.3-30 mg-mcg TABLET MO	1	
eluryng 0.12-0.015 mg/24 hr RING MO	1	QL(1 per 28 days)
emzahh 0.35 mg TABLET MO	1	
ENDOMETRIN 100 MG INSERT MO	3	
enilloring 0.12-0.015 mg/24 hr RING MO	1	QL(1 per 28 days)
enpresse 50-30 (6)/75-40 (5)/125-30(10) TABLET MO	1	
enskyce 0.15-0.03 mg TABLET MO	1	
errin 0.35 mg TABLET MO	1	
estarylla 0.25-0.035 mg TABLET MO	1	
ESTRACE 0.01 % (0.1 MG/GRAM) CREAM MO	3	PA
ESTRACE 0.5 MG, 1 MG, 2 MG TABLET MO	1	
estradiol 0.01 % (0.1 mg/gram) CREAM MO	1	
estradiol 0.025 mg/24 hr, 0.0375 mg/24 hr, 0.05 mg/24 hr, 0.06 mg/24 hr, 0.075 mg/24 hr, 0.1 mg/24 hr PATCH, WEEKLY MO	1	QL(4 per 28 days)
estradiol 0.025 mg/24 hr, 0.0375 mg/24 hr, 0.05 mg/24 hr, 0.075 mg/24 hr, 0.1 mg/24 hr PATCH, SEMIWEEKLY MO	1	QL(8 per 28 days)
estradiol 0.25 mg/0.25 gram (0.1 %), 0.5 mg/0.5 gram (0.1 %), 0.75 mg/0.75 gram (0.1%), 1 mg/gram (0.1 %), 1.25 mg/1.25 gram (0.1 %) GEL IN PACKET MO	1	
estradiol 0.5 mg, 1 mg, 10 mcg, 2 mg TABLET MO	1	
estradiol 1.25 gram/actuation GEL IN METERED DOSE PUMP MO	1	
estradiol valerate 10 mg/ml, 20 mg/ml, 40 mg/ml OIL MO	1	
estradiol-norethindrone acet 0.5-0.1 mg, 1-0.5 mg TABLET MO	1	
ESTRING 2 MG (7.5 MCG /24 HOUR) RING MO	3	QL(1 per 90 days)
ethynodiol diac-eth estradiol 1-35 mg-mcg, 1-50 mg-mcg TABLET MO	1	
etonogestrel-ethinyl estradiol 0.12-0.015 mg/24 hr RING MO	1	QL(1 per 28 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
EVAMIST 1.53 MG/SPRAY (1.7%) SPRAY, NON-AEROSOL MO	3	
EVISTA 60 MG TABLET MO	3	PA,QL(30 per 30 days)
<i>falmina</i> (28) 0.1-20 mg-mcg TABLET MO	1	
<i>feirza</i> 1 mg-20 mcg (21)/75 mg (7), 1.5 mg-30 mcg (21)/75 mg (7) TABLET MO	1	
FEMLYV 1 MG- 20 MCG TABLET, DISINTEGRATING MO	3	
FEMRING 0.05 MG/24 HR, 0.1 MG/24 HR RING MO	3	QL(1 per 90 days)
<i>finzala</i> 1 mg-20 mcg(24) /75 mg (4) CHEWABLE TABLET MO	1	
FORTESTA 10 MG/0.5 GRAM /ACTUATION GEL IN METERED DOSE PUMP MO	3	PA,QL(120 per 30 days)
<i>fyavolv</i> 0.5-2.5 mg-mcg, 1-5 mg-mcg TABLET MO	1	
<i>galbriela</i> 0.8mg-25mcg(24) and 75 mg (4) CHEWABLE TABLET MO	1	
<i>gallifrey</i> 5 mg TABLET MO	1	
<i>gemmily</i> 1 mg-20 mcg (24)/75 mg (4) CAPSULE MO	1	
<i>hailey</i> 1.5-30 mg-mcg TABLET MO	1	
<i>hailey</i> 24 fe 1 mg-20 mcg (24)/75 mg (4) TABLET MO	1	
<i>hailey</i> fe 1.5/30 (28) 1.5 mg-30 mcg (21)/75 mg (7) TABLET MO	1	
<i>hailey</i> fe 1/20 (28) 1 mg-20 mcg (21)/75 mg (7) TABLET MO	1	
<i>haloette</i> 0.12-0.015 mg/24 hr RING MO	1	QL(1 per 28 days)
<i>heather</i> 0.35 mg TABLET MO	1	
<i>iclevia</i> 0.15 mg-30 mcg (91) TABLET, DOSE PACK, 3 MONTH MO	1	QL(91 per 90 days)
IMVEXXY MAINTENANCE PACK 10 MCG, 4 MCG INSERT MO	3	PA,QL(8 per 28 days)
IMVEXXY STARTER PACK 10 MCG, 4 MCG INSERT, DOSE PACK MO	3	PA,QL(18 per 28 days)
<i>incassia</i> 0.35 mg TABLET MO	1	
INTRAROSA 6.5 MG INSERT MO	3	PA
<i>introvale</i> 0.15 mg-30 mcg (91) TABLET, DOSE PACK, 3 MONTH MO	1	QL(91 per 90 days)
<i>isibloom</i> 0.15-0.03 mg TABLET MO	1	
<i>jaimiess</i> 0.15 mg-30 mcg (84)/10 mcg (7) TABLET, DOSE PACK, 3 MONTH MO	1	QL(91 per 90 days)
<i>jasmiel</i> (28) 3-0.02 mg TABLET MO	1	
JATENZO 158 MG, 198 MG CAPSULE MO	3	PA,QL(120 per 30 days)
JATENZO 237 MG CAPSULE MO	3	PA,QL(60 per 30 days)
<i>jencycla</i> 0.35 mg TABLET MO	1	
<i>jinteli</i> 1-5 mg-mcg TABLET MO	1	
<i>jolessa</i> 0.15 mg-30 mcg (91) TABLET, DOSE PACK, 3 MONTH MO	3	QL(91 per 90 days)
<i>joyeaux</i> 0.1 mg-0.02 mg (21)/iron (7) TABLET MO	1	
<i>juleber</i> 0.15-0.03 mg TABLET MO	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
junel 1.5/30 (21) 1.5-30 mg-mcg TABLET MO	1	
junel 1/20 (21) 1-20 mg-mcg TABLET MO	1	
junel fe 1.5/30 (28) 1.5 mg-30 mcg (21)/75 mg (7) TABLET MO	1	
junel fe 1/20 (28) 1 mg-20 mcg (21)/75 mg (7) TABLET MO	1	
junel fe 24 1 mg-20 mcg (24)/75 mg (4) TABLET MO	1	
kaitlib fe 0.8mg-25mcg(24) and 75 mg (4) CHEWABLE TABLET MO	1	
kalliga 0.15-0.03 mg TABLET MO	1	
kariva (28) 0.15-0.02 mgx21 /0.01 mg x 5 TABLET MO	1	
kelnor 1/35 (28) 1-35 mg-mcg TABLET MO	1	
kelnor 1/50 (28) 1-50 mg-mcg TABLET MO	1	
kurvelo (28) 0.15-0.03 mg TABLET MO	1	
l norgest/e.estradiol-e.estradiol 0.1 mg-20 mcg (84)/10 mcg (7), 0.15 mg-20 mcg/ 0.15 mg-25 mcg, 0.15 mg-30 mcg (84)/10 mcg (7) TABLET, DOSE PACK, 3 MONTH MO	1	QL(91 per 90 days)
larin 1.5/30 (21) 1.5-30 mg-mcg TABLET MO	1	
larin 1/20 (21) 1-20 mg-mcg TABLET MO	1	
larin 24 fe 1 mg-20 mcg (24)/75 mg (4) TABLET MO	1	
larin fe 1.5/30 (28) 1.5 mg-30 mcg (21)/75 mg (7) TABLET MO	1	
larin fe 1/20 (28) 1 mg-20 mcg (21)/75 mg (7) TABLET MO	1	
LAYOLIS FE 0.8MG-25MCG(24) AND 75 MG (4) CHEWABLE TABLET MO	3	
leena 28 0.5/1/0.5-35 mg-mcg TABLET MO	1	
lessina 0.1-20 mg-mcg TABLET MO	1	
levonest (28) 50-30 (6)/75-40 (5)/125-30(10) TABLET MO	1	
levonorg-eth estrad triphasic 50-30 (6)/75-40 (5)/125-30(10) TABLET MO	1	
levonorgest-eth.estradiol-iron 0.1 mg-0.02 mg (21)/iron (7) TABLET MO	3	
levonorgestrel-ethinyl estrad 0.1-20 mg-mcg, 0.15-0.03 mg, 90-20 mcg (28) TABLET MO	1	
levonorgestrel-ethinyl estrad 0.15 mg-30 mcg (91) TABLET, DOSE PACK, 3 MONTH MO	1	QL(91 per 90 days)
levora-28 0.15-0.03 mg TABLET MO	1	
LO LOESTRIN FE 1 MG-10 MCG (24)/10 MCG (2) TABLET MO	3	
lo-zumandimine (28) 3-0.02 mg TABLET MO	1	
LOESTRIN 1.5/30 (21) 1.5-30 MG-MCG TABLET MO	1	
LOESTRIN 1/20 (21) 1-20 MG-MCG TABLET MO	1	
LOESTRIN FE 1.5/30 (28-DAY) 1.5 MG-30 MCG (21)/75 MG (7) TABLET MO	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
LOESTRIN FE 1/20 (28-DAY) 1 MG-20 MCG (21)/75 MG (7) TABLET MO	1	
lojaimiess 0.1 mg-20 mcg (84)/10 mcg (7) TABLET, DOSE PACK, 3 MONTH MO	1	QL(91 per 90 days)
loryna (28) 3-0.02 mg TABLET MO	1	
low-ogestrel (28) 0.3-30 mg-mcg TABLET MO	1	
lutera (28) 0.1-20 mg-mcg TABLET MO	1	
lyleq 0.35 mg TABLET MO	1	
lyllana 0.025 mg/24 hr, 0.0375 mg/24 hr, 0.05 mg/24 hr, 0.075 mg/24 hr, 0.1 mg/24 hr PATCH, SEMIWEEKLY MO	1	QL(8 per 28 days)
lyza 0.35 mg TABLET MO	1	
marlissa (28) 0.15-0.03 mg TABLET MO	1	
medroxyprogesterone 10 mg, 2.5 mg, 5 mg TABLET MO	1	
medroxyprogesterone 150 mg/ml SUSPENSION MO	1	QL(1 per 90 days)
medroxyprogesterone 150 mg/ml SYRINGE MO	1	QL(1 per 90 days)
megestrol 20 mg, 40 mg TABLET MO	1	
megestrol 400 mg/10 ml (10 ml), 400 mg/10 ml (40 mg/ml), 625 mg/5 ml (125 mg/ml) SUSPENSION MO	1	
meleya 0.35 mg TABLET MO	1	
MENEST 0.3 MG, 0.625 MG, 1.25 MG, 2.5 MG TABLET MO	1	
MENOSTAR 14 MCG/24 HR PATCH, WEEKLY MO	3	QL(8 per 28 days)
merzee 1 mg-20 mcg (24)/75 mg (4) CAPSULE MO	1	
METHITEST 10 MG TABLET DL	4	
methytestosterone 10 mg CAPSULE DL	4	
mibelas 24 fe 1 mg-20 mcg(24) /75 mg (4) CHEWABLE TABLET MO	1	
microgestin 1.5/30 (21) 1.5-30 mg-mcg TABLET MO	1	
microgestin 1/20 (21) 1-20 mg-mcg TABLET MO	1	
microgestin fe 1.5/30 (28) 1.5 mg-30 mcg (21)/75 mg (7) TABLET MO	1	
microgestin fe 1/20 (28) 1 mg-20 mcg (21)/75 mg (7) TABLET MO	1	
mili 0.25-0.035 mg TABLET MO	1	
mimvey 1-0.5 mg TABLET MO	1	
MINASTRIN 24 FE 1 MG-20 MCG(24) /75 MG (4) CHEWABLE TABLET MO	3	
MINIVELLE 0.025 MG/24 HR, 0.0375 MG/24 HR, 0.05 MG/24 HR, 0.075 MG/24 HR, 0.1 MG/24 HR PATCH, SEMIWEEKLY MO	3	QL(8 per 28 days)
minzoya 0.1 mg-0.02 mg (21)/iron (7) TABLET MO	1	
mono-lynyah 0.25-0.035 mg TABLET MO	1	
NATAZIA 3 MG/2 MG-2 MG/ 2 MG-3 MG/1 MG TABLET MO	3	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
necon 0.5/35 (28) 0.5-35 mg-mcg TABLET MO	1	
NEXPLANON 68 MG IMPLANT MO	2	
NEXTSTELLIS 3 MG- 14.2 MG (28) TABLET MO	3	
nikki (28) 3-0.02 mg TABLET MO	1	
NORA-BE 0.35 MG TABLET MO	1	
nora-be 0.35 mg TABLET MO	1	
norelgestromin-ethin.estradiol 150-35 mcg/24 hr PATCH, WEEKLY MO	1	QL(3 per 28 days)
noreth-ethinyl estradiol-iron 0.4mg-35mcg(21) and 75 mg (7), 0.8mg-25mcg(24) and 75 mg (4) CHEWABLE TABLET MO	1	
norethindrone (contraceptive) 0.35 mg TABLET MO	1	
norethindrone ac-eth estradiol 0.5-2.5 mg-mcg, 1-20 mg-mcg, 1-5 mg-mcg, 1.5-30 mg-mcg TABLET MO	1	
norethindrone acetate 5 mg TABLET MO	1	
norethindrone-e.estradiol-iron 1 mg-20 mcg (21)/75 mg (7), 1-20(5)/1-30(7) /1mg-35mcg (9), 1.5 mg-30 mcg (21)/75 mg (7) TABLET MO	1	
norethindrone-e.estradiol-iron 1 mg-20 mcg (24)/75 mg (4) CAPSULE MO	1	
norethindrone-e.estradiol-iron 1 mg-20 mcg(24) /75 mg (4) CHEWABLE TABLET MO	1	
norgestimate-ethinyl estradiol 0.18/0.215/0.25 mg-0.025 mg, 0.18/0.215/0.25 mg-0.035mg (28), 0.25-0.035 mg TABLET MO	1	
nortrel 0.5/35 (28) 0.5-35 mg-mcg TABLET MO	1	
nortrel 1/35 (21) 1-35 mg-mcg (21) TABLET MO	1	
nortrel 1/35 (28) 1-35 mg-mcg TABLET MO	1	
nortrel 7/7/7 (28) 0.5/0.75/1 mg- 35 mcg TABLET MO	1	
NUVARING 0.12-0.015 MG/24 HR RING MO	3	QL(1 per 28 days)
nylia 1/35 (28) 1-35 mg-mcg TABLET MO	1	
nylia 7/7/7 (28) 0.5/0.75/1 mg- 35 mcg TABLET MO	1	
nymyo 0.25-35 mg-mcg TABLET MO	1	
ocella 3-0.03 mg TABLET MO	1	
orquidea 0.35 mg TABLET MO	1	
OSPHENA 60 MG TABLET MO	2	PA
philith 0.4-35 mg-mcg TABLET MO	1	
pimtrea (28) 0.15-0.02 mgx21 /0.01 mg x 5 TABLET MO	1	
portia 28 0.15-0.03 mg TABLET MO	1	
PREFEST 1 MG (15)/1 MG- 0.09 MG (15) TABLET MO	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
PREMARIN 0.3 MG, 0.45 MG, 0.625 MG, 0.9 MG, 1.25 MG TABLET MO	3	
PREMARIN 0.625 MG/GRAM CREAM MO	2	
PREMARIN 25 MG RECON SOLUTION MO	3	
PREMPHASE 0.625 MG (14)/ 0.625MG-5MG(14) TABLET MO	3	
PREMPRO 0.3-1.5 MG, 0.45-1.5 MG, 0.625-2.5 MG, 0.625-5 MG TABLET MO	3	
progesterone 50 mg/ml OIL MO	1	
progesterone micronized 100 mg, 200 mg CAPSULE MO	1	
PROMETRIUM 100 MG, 200 MG CAPSULE MO	3	
PROVERA 10 MG, 2.5 MG, 5 MG TABLET MO	3	
QUARTETTE 0.15 MG-20 MCG/ 0.15 MG-25 MCG TABLET, DOSE PACK, 3 MONTH MO	3	QL(91 per 90 days)
raloxifene 60 mg TABLET MO	1	QL(30 per 30 days)
reclipsen (28) 0.15-0.03 mg TABLET MO	1	
rivelsa 0.15 mg-20 mcg/ 0.15 mg-25 mcg TABLET, DOSE PACK, 3 MONTH MO	1	QL(91 per 90 days)
rosyrah 0.15 mg-20 mcg/ 0.15 mg-25 mcg TABLET, DOSE PACK, 3 MONTH MO	1	QL(91 per 90 days)
SAFYRAL 3-0.03-0.451 MG (21) (7) TABLET MO	3	
SEASONIQUE 0.15 MG-30 MCG (84)/10 MCG (7) TABLET, DOSE PACK, 3 MONTH MO	3	QL(91 per 90 days)
setlakin 0.15 mg-30 mcg (91) TABLET, DOSE PACK, 3 MONTH MO	1	QL(91 per 90 days)
sharobel 0.35 mg TABLET MO	1	
simliya (28) 0.15-0.02 mgx21 /0.01 mg x 5 TABLET MO	1	
simpesse 0.15 mg-30 mcg (84)/10 mcg (7) TABLET, DOSE PACK, 3 MONTH MO	1	QL(91 per 90 days)
sprintec (28) 0.25-0.035 mg TABLET MO	1	
sronyx 0.1-20 mg-mcg TABLET MO	1	
syeda 3-0.03 mg TABLET MO	1	
tarina 24 fe 1 mg-20 mcg (24)/75 mg (4) TABLET MO	1	
tarina fe 1-20 eq (28) 1 mg-20 mcg (21)/75 mg (7) TABLET MO	1	
tarina fe 1/20 (28) 1 mg-20 mcg (21)/75 mg (7) TABLET MO	1	
taysofy 1 mg-20 mcg (24)/75 mg (4) CAPSULE MO	1	
TAYTULLA 1 MG-20 MCG (24)/75 MG (4) CAPSULE MO	3	
TESTIM 50 MG/5 GRAM (1 %) GEL MO	3	PA,QL(300 per 30 days)
testosterone 1 % (25 mg/2.5gram), 1 % (50 mg/5 gram) GEL IN PACKET MO	1	PA,QL(300 per 30 days)
testosterone 1.62 % (20.25 mg/1.25 gram) GEL IN PACKET MO	1	PA,QL(37.5 per 30 days)
testosterone 1.62 % (40.5 mg/2.5 gram) GEL IN PACKET MO	1	PA,QL(150 per 30 days)
testosterone 10 mg/0.5 gram /actuation GEL IN METERED DOSE PUMP MO	1	PA,QL(120 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
testosterone 12.5 mg/ 1.25 gram (1 %) GEL IN METERED DOSE PUMP MO	1	PA,QL(300 per 30 days)
testosterone 20.25 mg/1.25 gram (1.62 %) GEL IN METERED DOSE PUMP MO	1	PA,QL(150 per 30 days)
testosterone 30 mg/actuation (1.5 ml) SOLUTION IN METERED DOSE PUMP MO	3	PA,QL(180 per 30 days)
testosterone 50 mg/5 gram (1 %) GEL MO	3	PA,QL(300 per 30 days)
testosterone cypionate 100 mg/ml, 200 mg/ml OIL MO	1	PA
testosterone enanthate 200 mg/ml OIL MO	1	PA,QL(25 per 90 days)
tilia fe 1-20(5)/1-30(7) /1mg-35mcg (9) TABLET MO	1	
TLANDO 112.5 MG CAPSULE MO	3	PA,QL(120 per 30 days)
tri-estarylla 0.18/0.215/0.25 mg-0.035mg (28) TABLET MO	1	
tri-legest fe 1-20(5)/1-30(7) /1mg-35mcg (9) TABLET MO	1	
tri-linyah 0.18/0.215/0.25 mg-0.035mg (28) TABLET MO	1	
tri-lo-estarylla 0.18/0.215/0.25 mg-0.025 mg TABLET MO	1	
tri-lo-marzia 0.18/0.215/0.25 mg-0.025 mg TABLET MO	1	
tri-lo-mili 0.18/0.215/0.25 mg-0.025 mg TABLET MO	1	
tri-lo-sprintec 0.18/0.215/0.25 mg-0.025 mg TABLET MO	1	
tri-mili 0.18/0.215/0.25 mg-0.035mg (28) TABLET MO	1	
tri-nymyo 0.18/0.215/0.25 mg-35 mcg (28) TABLET MO	1	
tri-sprintec (28) 0.18/0.215/0.25 mg-0.035mg (28) TABLET MO	1	
tri-vylibra 0.18/0.215/0.25 mg-0.035mg (28) TABLET MO	1	
tri-vylibra lo 0.18/0.215/0.25 mg-0.025 mg TABLET MO	1	
trivora (28) 50-30 (6)/75-40 (5)/125-30(10) TABLET MO	1	
tulana 0.35 mg TABLET MO	1	
turqoz (28) 0.3-30 mg-mcg TABLET MO	1	
tydemy 3-0.03-0.451 mg (21) (7) TABLET MO	1	
UNDECATREX 200 MG CAPSULE DL	4	PA,QL(120 per 30 days)
VAGIFEM 10 MCG TABLET MO	3	PA
valtya 1-50 mg-mcg TABLET MO	1	
velivet triphasic regimen (28) 0.1/.125/.15-25 mg-mcg TABLET MO	1	
vestura (28) 3-0.02 mg TABLET MO	1	
vienva 0.1-20 mg-mcg TABLET MO	1	
violele (28) 0.15-0.02 mgx21 /0.01 mg x 5 TABLET MO	1	
VIVELLE-DOT 0.025 MG/24 HR, 0.0375 MG/24 HR, 0.05 MG/24 HR, 0.075 MG/24 HR, 0.1 MG/24 HR PATCH, SEMIWEEKLY MO	3	QL(8 per 28 days)
VOGELXO 1 % (50 MG/5 GRAM) GEL IN PACKET MO	3	PA,QL(300 per 30 days)
VOGELXO 12.5 MG/ 1.25 GRAM (1 %) GEL IN METERED DOSE PUMP MO	3	PA,QL(300 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
VOGELXO 50 MG/5 GRAM (1 %) GEL MO	3	PA,QL(300 per 30 days)
volnea (28) 0.15-0.02 mgx21 /0.01 mg x 5 TABLET MO	1	
vyfemla (28) 0.4-35 mg-mcg TABLET MO	1	
vylibra 0.25-0.035 mg TABLET MO	1	
wera (28) 0.5-35 mg-mcg TABLET MO	1	
wymzya fe 0.4mg-35mcg(21) and 75 mg (7) CHEWABLE TABLET MO	1	
xarah fe 1-20(5)/1-30(7) /1mg-35mcg (9) TABLET MO	1	
xelria fe 0.4mg-35mcg(21) and 75 mg (7) CHEWABLE TABLET MO	1	
xulane 150-35 mcg/24 hr PATCH, WEEKLY MO	1	QL(3 per 28 days)
XYOSTED 100 MG/0.5 ML, 50 MG/0.5 ML, 75 MG/0.5 ML AUTO-INJECTOR MO	3	PA,QL(2 per 28 days)
YASMIN (28) 3-0.03 MG TABLET MO	3	
YAZ (28) 3-0.02 MG TABLET MO	3	
yuvafem 10 mcg TABLET MO	1	
zafemy 150-35 mcg/24 hr PATCH, WEEKLY MO	1	QL(3 per 28 days)
zarah 3-0.03 mg TABLET MO	1	
zovia 1-35 (28) 1-35 mg-mcg TABLET MO	1	
zumandimine (28) 3-0.03 mg TABLET MO	1	
HORMONAL AGENTS, STIMULANT/REPLACEMENT/MODIFYING (THYROID)		
ARMOUR THYROID 120 MG, 15 MG, 180 MG, 240 MG, 30 MG, 300 MG, 60 MG, 90 MG TABLET MO	2	
CYTOMEL 25 MCG, 5 MCG, 50 MCG TABLET MO	3	
ERMEZA 30 MCG/ML SOLUTION MO	3	PA
LEVO-T 100 MCG, 112 MCG, 125 MCG, 137 MCG, 150 MCG, 175 MCG, 200 MCG, 25 MCG, 300 MCG, 50 MCG, 75 MCG, 88 MCG TABLET MO	2	
levothyroxine 100 mcg RECON SOLUTION MO	1	
levothyroxine 100 mcg, 112 mcg, 125 mcg, 13 mcg, 137 mcg, 150 mcg, 175 mcg, 200 mcg, 25 mcg, 50 mcg, 75 mcg, 88 mcg CAPSULE MO	1	
levothyroxine 100 mcg, 112 mcg, 125 mcg, 137 mcg, 150 mcg, 25 mcg, 50 mcg, 75 mcg, 88 mcg TABLET MO	1	
levothyroxine 100 mcg/ml SOLUTION	4	
levothyroxine 175 mcg, 200 mcg, 300 mcg TABLET MO	1	
levothyroxine 20 mcg/ml, 40 mcg/ml SOLUTION MO	1	
levothyroxine 200 mcg, 500 mcg RECON SOLUTION DL	4	
LEVOXYL 100 MCG, 112 MCG, 125 MCG, 137 MCG, 150 MCG, 175 MCG, 200 MCG, 25 MCG, 50 MCG, 75 MCG, 88 MCG TABLET MO	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
liothyronine 10 mcg/ml SOLUTION MO	1	
liothyronine 25 mcg, 5 mcg, 50 mcg TABLET MO	1	
np thyroid 120 mg, 15 mg, 30 mg, 60 mg, 90 mg TABLET MO	2	
SYNTHROID 100 MCG, 112 MCG, 125 MCG, 137 MCG, 150 MCG, 175 MCG, 200 MCG, 25 MCG, 300 MCG, 50 MCG, 75 MCG, 88 MCG TABLET MO	2	
THYQUIDITY 20 MCG/ML SOLUTION MO	3	PA
TIROSINT 100 MCG, 112 MCG, 125 MCG, 13 MCG, 137 MCG, 150 MCG, 175 MCG, 200 MCG, 25 MCG, 37.5 MCG, 44 MCG, 50 MCG, 62.5 MCG, 75 MCG, 88 MCG CAPSULE MO	3	
TIROSINT-SOL 100 MCG/ML, 112 MCG/ML, 125 MCG/ML, 13 MCG/ML, 137 MCG/ML, 150 MCG/ML, 175 MCG/ML, 200 MCG/ML, 25 MCG/ML, 37.5 MCG/ML, 44 MCG/ML, 50 MCG/ML, 62.5 MCG/ML, 75 MCG/ML, 88 MCG/ML SOLUTION MO	3	PA
UNITHROID 100 MCG, 112 MCG, 125 MCG, 137 MCG, 150 MCG, 175 MCG, 200 MCG, 25 MCG, 300 MCG, 50 MCG, 75 MCG, 88 MCG TABLET MO	2	
HORMONAL AGENTS, SUPPRESSANT (ADRENAL OR PITUITARY)		
cabergoline 0.5 mg TABLET MO	1	
ELIGARD 7.5 MG (1 MONTH) SYRINGE MO	3	PA
ELIGARD (3 MONTH) 22.5 MG SYRINGE MO	3	PA
ELIGARD (4 MONTH) 30 MG SYRINGE MO	3	PA
ELIGARD (6 MONTH) 45 MG SYRINGE MO	3	PA
FENSOLVI 45 MG SYRINGE	4	PA,QL(1 per 180 days)
FIRMAGON 120 MG RECON SOLUTION DL	4	PA
FIRMAGON KIT W DILUENT SYRINGE 120 MG RECON SOLUTION DL	4	PA
FIRMAGON KIT W DILUENT SYRINGE 80 MG RECON SOLUTION MO	3	PA
lanreotide 120 mg/0.5 ml SYRINGE DL	4	PA,QL(0.5 per 28 days)
lanreotide 60 mg/0.2 ml SYRINGE DL	4	PA,QL(0.2 per 28 days)
lanreotide 90 mg/0.3 ml SYRINGE DL	4	PA,QL(0.3 per 28 days)
leuprolide 1 mg/0.2 ml KIT MO	1	
leuprolide (3 month) 22.5 mg SUSPENSION FOR RECONSTITUTION MO	3	PA,QL(1 per 90 days)
LUPRON DEPOT 3.75 MG SYRINGE KIT	4	PA,QL(1 per 30 days)
LUPRON DEPOT 7.5 MG SYRINGE KIT DL	4	PA,QL(1 per 30 days)
LUPRON DEPOT (3 MONTH) 11.25 MG, 22.5 MG SYRINGE KIT	4	PA,QL(1 per 90 days)
LUPRON DEPOT (4 MONTH) 30 MG SYRINGE KIT	4	PA,QL(1 per 112 days)
LUPRON DEPOT (6 MONTH) 45 MG SYRINGE KIT	4	PA,QL(1 per 168 days)
LUPRON DEPOT-PED 11.25 MG, 15 MG, 7.5 MG (PED) KIT DL	4	PA,QL(1 per 28 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
LUPRON DEPOT-PED 45 MG SYRINGE KIT	4	PA,QL(1 per 168 days)
LUPRON DEPOT-PED (3 MONTH) 11.25 MG, 30 MG SYRINGE KIT	4	PA,QL(1 per 90 days)
LUTRATE DEPOT (3 MONTH) 22.5 MG SUSPENSION FOR RECONSTITUTION MO	3	PA,QL(1 per 90 days)
MYCAPSSA 20 MG CAPSULE, DR/EC DL	4	PA,QL(112 per 28 days)
MYFEMBREE 40-1-0.5 MG TABLET DL	4	PA,QL(28 per 28 days)
octreotide acetate 1,000 mcg/ml, 100 mcg/ml, 200 mcg/ml, 50 mcg/ml, 500 mcg/ml SOLUTION MO	1	PA
octreotide acetate 100 mcg/ml (1 ml), 50 mcg/ml (1 ml), 500 mcg/ml (1 ml) SYRINGE MO	1	PA
octreotide,microspheres 10 mg, 20 mg, 30 mg SUSPENSION, ER, RECON DL	4	PA
ORIAHNN 300-1-0.5MG(AM) /300 MG(PM) CAPSULE, SEQUENTIAL DL	4	PA,QL(56 per 28 days)
ORILISSA 150 MG TABLET DL	4	PA,QL(28 per 28 days)
ORILISSA 200 MG TABLET DL	4	PA,QL(56 per 28 days)
RECORLEV 150 MG TABLET DL	4	PA,QL(240 per 30 days)
SANDOSTATIN 100 MCG/ML, 50 MCG/ML, 500 MCG/ML SOLUTION DL	4	PA
SANDOSTATIN LAR DEPOT 10 MG, 20 MG, 30 MG SUSPENSION, ER, RECON DL	4	PA
SIGNIFOR 0.3 MG/ML (1 ML), 0.6 MG/ML (1 ML), 0.9 MG/ML (1 ML) SOLUTION DL	4	PA,QL(60 per 30 days)
SIGNIFOR LAR 10 MG, 20 MG, 30 MG, 40 MG, 60 MG SUSPENSION FOR RECONSTITUTION DL	4	PA,QL(1 per 28 days)
SOMATULINE DEPOT 120 MG/0.5 ML SYRINGE DL	4	PA,QL(0.5 per 28 days)
SOMATULINE DEPOT 60 MG/0.2 ML SYRINGE DL	4	PA,QL(0.2 per 28 days)
SOMATULINE DEPOT 90 MG/0.3 ML SYRINGE DL	4	PA,QL(0.3 per 28 days)
SOMAVERT 10 MG, 15 MG, 20 MG RECON SOLUTION DL	4	PA,QL(60 per 30 days)
SOMAVERT 25 MG, 30 MG RECON SOLUTION DL	4	PA,QL(30 per 30 days)
SYNAREL 2 MG/ML SPRAY, NON-AEROSOL DL	4	
TRELSTAR 11.25 MG, 22.5 MG, 3.75 MG SUSPENSION FOR RECONSTITUTION MO	3	PA
TRIPTODUR 22.5 MG SUSPENSION FOR RECONSTITUTION	4	PA,QL(1 per 168 days)
ZOLADEX 10.8 MG IMPLANT MO	3	PA,QL(1 per 84 days)
ZOLADEX 3.6 MG IMPLANT MO	3	PA,QL(1 per 28 days)
HORMONAL AGENTS, SUPPRESSANT (THYROID)		
methimazole 10 mg, 5 mg TABLET MO	1	
propylthiouracil 50 mg TABLET MO	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
IMMUNOLOGICAL AGENTS		
ABRILADA(CF) 20 MG/0.4 ML SYRINGE KIT DL	4	PA,QL(2 per 28 days)
ABRILADA(CF) 40 MG/0.8 ML SYRINGE KIT DL	4	PA,QL(6 per 28 days)
ABRILADA(CF) PEN 40 MG/0.8 ML PEN INJECTOR KIT DL	4	PA,QL(6 per 28 days)
ABRYSVO (PF) 120 MCG/0.5 ML RECON SOLUTION \$0,DL	1	
ACTEMRA 162 MG/0.9 ML SYRINGE DL	4	PA,QL(3.6 per 28 days)
ACTEMRA ACTPEN 162 MG/0.9 ML PEN INJECTOR DL	4	PA,QL(3.6 per 28 days)
ACTHIB (PF) 10 MCG/0.5 ML RECON SOLUTION DL	1	
ACTIMMUNE 100 MCG/0.5 ML SOLUTION DL	4	PA
ADACEL(TDAP ADOLESN/ADULT)(PF) 2 LF-(2.5-5-3-5 MCG)-5LF/0.5 ML SUSPENSION \$0,DL	1	
ADACEL(TDAP ADOLESN/ADULT)(PF) 2 LF-(2.5-5-3-5 MCG)-5LF/0.5 ML SYRINGE \$0,DL	1	
ADALIMUMAB-AACF 40 MG/0.8 ML PEN INJECTOR KIT DL	4	PA,QL(6 per 28 days)
ADALIMUMAB-AACF 40 MG/0.8 ML SYRINGE KIT DL	4	PA,QL(6 per 28 days)
ADALIMUMAB-AACF(CF) PEN CROHNS 40 MG/0.8 ML PEN INJECTOR KIT DL	4	PA,QL(6 per 28 days)
ADALIMUMAB-AACF(CF) PEN PS-UV 40 MG/0.8 ML PEN INJECTOR KIT DL	4	PA,QL(6 per 28 days)
ADALIMUMAB-AATY 20 MG/0.2 ML, 40 MG/0.4 ML SYRINGE KIT DL	4	PA,QL(6 per 28 days)
ADALIMUMAB-AATY 40 MG/0.4 ML, 80 MG/0.8 ML AUTO-INJECTOR, KIT DL	4	PA,QL(6 per 28 days)
ADALIMUMAB-AATY(CF) AI CROHNS 80 MG/0.8 ML AUTO-INJECTOR, KIT DL	4	PA,QL(6 per 28 days)
ADALIMUMAB-ADAZ 10 MG/0.1 ML SYRINGE DL	4	PA,QL(0.2 per 28 days)
ADALIMUMAB-ADAZ 20 MG/0.2 ML SYRINGE DL	4	PA,QL(1.2 per 28 days)
ADALIMUMAB-ADAZ 40 MG/0.4 ML PEN INJECTOR DL	4	PA,QL(2.4 per 28 days)
ADALIMUMAB-ADAZ 40 MG/0.4 ML SYRINGE DL	4	PA,QL(2.4 per 28 days)
ADALIMUMAB-ADAZ 80 MG/0.8 ML PEN INJECTOR DL	4	PA,QL(4.8 per 28 days)
ADALIMUMAB-ADB 10 MG/0.2 ML, 20 MG/0.4 ML SYRINGE KIT DL	4	PA,QL(2 per 28 days)
ADALIMUMAB-ADB 40 MG/0.4 ML, 40 MG/0.8 ML PEN INJECTOR KIT DL	4	PA,QL(6 per 28 days)
ADALIMUMAB-ADB 40 MG/0.4 ML, 40 MG/0.8 ML SYRINGE KIT DL	4	PA,QL(6 per 28 days)
ADALIMUMAB-ADB(CF) PEN CROHNS 40 MG/0.4 ML, 40 MG/0.8 ML PEN INJECTOR KIT DL	4	PA,QL(6 per 28 days)
ADALIMUMAB-ADB(CF) PEN PS-UV 40 MG/0.4 ML, 40 MG/0.8 ML PEN INJECTOR KIT DL	4	PA,QL(6 per 28 days)
ADALIMUMAB-FKJP 20 MG/0.4 ML SYRINGE KIT DL	4	PA,QL(2 per 28 days)
ADALIMUMAB-FKJP 40 MG/0.8 ML PEN INJECTOR KIT DL	4	PA,QL(6 per 28 days)
ADALIMUMAB-FKJP 40 MG/0.8 ML SYRINGE KIT DL	4	PA,QL(6 per 28 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
ADALIMUMAB-RYVK 40 MG/0.4 ML AUTO-INJECTOR, KIT DL	4	PA,QL(6 per 28 days)
ADALIMUMAB-RYVK 40 MG/0.4 ML SYRINGE KIT DL	4	PA,QL(6 per 28 days)
ALYGLO 10 % SOLUTION DL	4	PA
AMJEVITA(CF) 10 MG/0.2 ML, 20 MG/0.2 ML SYRINGE DL	4	PA,QL(1.2 per 28 days)
AMJEVITA(CF) 20 MG/0.4 ML, 40 MG/0.4 ML SYRINGE DL	4	PA,QL(2.4 per 28 days)
AMJEVITA(CF) 40 MG/0.8 ML SYRINGE DL	4	PA,QL(4.8 per 28 days)
AMJEVITA(CF) AUTOINJECTOR 40 MG/0.4 ML AUTO-INJECTOR DL	4	PA,QL(2.4 per 28 days)
AMJEVITA(CF) AUTOINJECTOR 40 MG/0.8 ML, 80 MG/0.8 ML AUTO-INJECTOR DL	4	PA,QL(4.8 per 28 days)
ANDEMBRY AUTOINJECTOR 200 MG/1.2 ML AUTO-INJECTOR DL	4	PA
ARAVA 10 MG, 20 MG TABLET DL	4	PA,QL(30 per 30 days)
ARCALYST 220 MG RECON SOLUTION DL	4	PA
AREXVY (PF) 120 MCG/0.5 ML SUSPENSION FOR RECONSTITUTION \$0,DL	1	
ASCENIV 10 % SOLUTION DL	4	PA
ASTAGRAF XL 0.5 MG, 1 MG, 5 MG CAPSULE, ER 24 HR. MO	3	BvsD
ATGAM 50 MG/ML SOLUTION DL	4	PA
<i>auranofin</i> 3 mg CAPSULE DL	4	PA
AVSOLA 100 MG RECON SOLUTION DL	4	PA
AZASAN 100 MG, 75 MG TABLET MO	1	BvsD
<i>azathioprine</i> 100 mg, 50 mg, 75 mg TABLET MO	1	BvsD
<i>azathioprine sodium</i> 100 mg RECON SOLUTION MO	1	BvsD
BCG VACCINE, LIVE (PF) 50 MG SUSPENSION FOR RECONSTITUTION \$0,DL	1	
BENLYSTA 120 MG RECON SOLUTION DL	4	PA,QL(20 per 28 days)
BENLYSTA 200 MG/ML AUTO-INJECTOR DL	4	PA,QL(8 per 28 days)
BENLYSTA 200 MG/ML SYRINGE DL	4	PA,QL(8 per 28 days)
BENLYSTA 400 MG RECON SOLUTION DL	4	PA,QL(6 per 28 days)
BERINERT 500 UNIT (10 ML) KIT DL	4	PA,QL(15 per 30 days)
BERINERT 500 UNIT (10 ML) RECON SOLUTION DL	4	PA,QL(15 per 30 days)
BESREMI 500 MCG/ML SYRINGE DL	4	PA,QL(2 per 28 days)
BEXSERO 50-50-50-25 MCG/0.5 ML SYRINGE \$0,DL	1	
BIMZELX 160 MG/ML, 320 MG/2 ML SYRINGE DL	4	PA,QL(4 per 28 days)
BIMZELX AUTOINJECTOR 160 MG/ML, 320 MG/2 ML AUTO-INJECTOR DL	4	PA,QL(4 per 28 days)
BIVIGAM 10 % SOLUTION DL	4	PA
BKEMV 300 MG/30 ML SOLUTION DL	4	PA
BOOSTRIX TDAP 2.5-8-5 LF-MCG-LF/0.5ML SUSPENSION \$0,DL	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
BOOSTRIX TDAP 2.5-8-5 LF-MCG-LF/0.5ML SYRINGE \$0,DL	1	
CELLCEPT 200 MG/ML SUSPENSION FOR RECONSTITUTION	4	BvsD
CELLCEPT 250 MG CAPSULE	4	BvsD
CELLCEPT 500 MG TABLET	4	BvsD
CELLCEPT INTRAVENOUS 500 MG RECON SOLUTION MO	3	BvsD
CIBINQO 100 MG, 200 MG, 50 MG TABLET DL	4	PA,QL(30 per 30 days)
CIMZIA 200 MG/ML SYRINGE KIT DL	4	PA,QL(6 per 30 days)
CIMZIA 400 MG/2 ML (200 MG/ML X 2) SYRINGE KIT DL	4	PA,QL(3 per 30 days)
CIMZIA POWDER FOR RECONST 400 MG (200 MG X 2 VIALS) KIT DL	4	PA,QL(3 per 30 days)
CIMZIA STARTER KIT 400 MG/2 ML (200 MG/ML X 2) SYRINGE KIT DL	4	PA,QL(3 per 30 days)
CINRYZE 500 UNIT (5 ML) RECON SOLUTION DL	4	PA,QL(20 per 30 days)
COSENTYX 150 MG/ML SYRINGE DL	4	PA,QL(8 per 28 days)
COSENTYX 25 MG/ML SOLUTION DL	4	PA
COSENTYX 75 MG/0.5 ML SYRINGE DL	4	PA,QL(2 per 28 days)
COSENTYX (2 SYRINGES) 150 MG/ML SYRINGE DL	4	PA,QL(8 per 28 days)
COSENTYX PEN 150 MG/ML PEN INJECTOR DL	4	PA,QL(8 per 28 days)
COSENTYX PEN (2 PENS) 150 MG/ML PEN INJECTOR DL	4	PA,QL(8 per 28 days)
COSENTYX UNOREADY PEN 300 MG/2 ML PEN INJECTOR DL	4	PA,QL(8 per 28 days)
CUTAQUIG 16.5 % SOLUTION DL	4	PA
cyclosporine 100 mg, 25 mg CAPSULE MO	1	BvsD
cyclosporine modified 100 mg, 25 mg, 50 mg CAPSULE MO	1	BvsD
cyclosporine modified 100 mg/ml SOLUTION MO	1	BvsD
CYLTEZO(CF) 10 MG/0.2 ML, 20 MG/0.4 ML SYRINGE KIT DL	4	PA,QL(2 per 28 days)
CYLTEZO(CF) 40 MG/0.4 ML, 40 MG/0.8 ML SYRINGE KIT DL	4	PA,QL(6 per 28 days)
CYLTEZO(CF) PEN 40 MG/0.4 ML, 40 MG/0.8 ML PEN INJECTOR KIT DL	4	PA,QL(6 per 28 days)
CYLTEZO(CF) PEN CROHN'S-UC-HS 40 MG/0.4 ML, 40 MG/0.8 ML PEN INJECTOR KIT DL	4	PA,QL(6 per 28 days)
CYLTEZO(CF) PEN PSORIASIS-UV 40 MG/0.4 ML, 40 MG/0.8 ML PEN INJECTOR KIT DL	4	PA,QL(6 per 28 days)
CYTOGAM 50 MG/ML SOLUTION DL	4	PA
DAPTACEL (DTAP PEDIATRIC) (PF) 15-10-5 LF-MCG-LF/0.5ML SUSPENSION DL	1	
DENG VAXIA (PF) 10EXP4.5-6 CCID50/0.5 ML SUSPENSION FOR RECONSTITUTION DL	1	
DUPIXENT PEN 200 MG/1.14 ML PEN INJECTOR DL	4	PA,QL(3.42 per 28 days)
DUPIXENT PEN 300 MG/2 ML PEN INJECTOR DL	4	PA,QL(8 per 28 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
DUPIXENT SYRINGE 100 MG/0.67 ML SYRINGE DL	4	PA,QL(1.34 per 28 days)
DUPIXENT SYRINGE 200 MG/1.14 ML SYRINGE DL	4	PA,QL(3.42 per 28 days)
DUPIXENT SYRINGE 300 MG/2 ML SYRINGE DL	4	PA,QL(8 per 28 days)
EKTERLY 300 MG TABLET DL	4	PA,QL(12 per 30 days)
ENBREL 25 MG/0.5 ML (0.5), 50 MG/ML (1 ML) SYRINGE DL	4	PA,QL(8 per 28 days)
ENBREL 25 MG/0.5 ML SOLUTION DL	4	PA,QL(8 per 28 days)
ENBREL MINI 50 MG/ML (1 ML) CARTRIDGE DL	4	PA,QL(8 per 28 days)
ENBREL SURECLICK 50 MG/ML (1 ML) PEN INJECTOR DL	4	PA,QL(8 per 28 days)
ENGERIX-B (PF) 20 MCG/ML SUSPENSION \$0,DL	1	BvsD
ENGERIX-B (PF) 20 MCG/ML SYRINGE \$0,DL	1	BvsD
ENGERIX-B PEDIATRIC (PF) 10 MCG/0.5 ML SYRINGE \$0,DL	1	BvsD
ENJAYMO 50 MG/ML SOLUTION DL	4	PA
ENTYVIO 300 MG RECON SOLUTION	4	PA,QL(8 per 365 days)
ENTYVIO PEN 108 MG/0.68 ML PEN INJECTOR DL	4	PA,QL(1.36 per 28 days)
ENVARUSUS XR 0.75 MG, 1 MG, 4 MG TABLET, ER 24 HR. MO	3	PA
EPYSQLI 300 MG/30 ML SOLUTION DL	4	PA
everolimus (immunosuppressive) 0.25 mg TABLET MO	1	BvsD,QL(60 per 30 days)
everolimus (immunosuppressive) 0.5 mg TABLET	4	BvsD,QL(120 per 30 days)
everolimus (immunosuppressive) 0.75 mg TABLET	4	BvsD,QL(60 per 30 days)
everolimus (immunosuppressive) 1 mg TABLET DL	4	BvsD,QL(60 per 30 days)
FABHALTA 200 MG CAPSULE DL	4	PA,QL(60 per 30 days)
FIRAZYR 30 MG/3 ML SYRINGE DL	4	PA,QL(18 per 30 days)
FLEBOGAMMA DIF 10 %, 5 % SOLUTION DL	4	PA
GAMASTAN 15-18 % RANGE SOLUTION MO	3	PA
GAMIFANT 5 MG/ML SOLUTION DL	4	PA
GAMMAGARD LIQUID 10 % SOLUTION DL	4	PA
GAMMAGARD S-D (IGA < 1 MCG/ML) 10 GRAM, 5 GRAM RECON SOLUTION DL	4	PA
GAMMAKED 1 GRAM/10 ML (10 %), 10 GRAM/100 ML (10 %), 20 GRAM/200 ML (10 %), 5 GRAM/50 ML (10 %) SOLUTION DL	4	PA
GAMMAPLEX 10 % SOLUTION DL	4	PA
GAMMAPLEX (WITH SORBITOL) 5 % SOLUTION DL	4	PA
GAMUNEX-C 1 GRAM/10 ML (10 %) SOLUTION DL	4	PA
GAMUNEX-C 10 GRAM/100 ML (10 %), 2.5 GRAM/25 ML (10 %), 20 GRAM/200 ML (10 %), 40 GRAM/400 ML (10 %), 5 GRAM/50 ML (10 %) SOLUTION DL	4	PA

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
GARDASIL 9 (PF) 0.5 ML SUSPENSION \$0,DL	1	
GARDASIL 9 (PF) 0.5 ML SYRINGE \$0,DL	1	
gengraf 100 mg, 25 mg CAPSULE MO	1	BvsD
gengraf 100 mg/ml SOLUTION MO	1	BvsD
HADLIMA 40 MG/0.8 ML SYRINGE DL	4	PA,QL(4.8 per 28 days)
HADLIMA PUSHTOUCH 40 MG/0.8 ML AUTO-INJECTOR DL	4	PA,QL(4.8 per 28 days)
HADLIMA(CF) 40 MG/0.4 ML SYRINGE DL	4	PA,QL(2.4 per 28 days)
HADLIMA(CF) PUSHTOUCH 40 MG/0.4 ML AUTO-INJECTOR DL	4	PA,QL(2.4 per 28 days)
HAEGARDA 2,000 UNIT, 3,000 UNIT RECON SOLUTION DL	4	PA,QL(24 per 28 days)
HAVRIX (PF) 1,440 ELISA UNIT/ML SYRINGE \$0,DL	1	
HAVRIX (PF) 720 ELISA UNIT/0.5 ML SYRINGE DL	1	
HEPLISAV-B (PF) 20 MCG/0.5 ML SYRINGE \$0,DL	1	BvsD
HIBERIX (PF) 10 MCG/0.5 ML RECON SOLUTION DL	1	
HIZENTRA 1 GRAM/5 ML (20 %), 10 GRAM/50 ML (20 %), 2 GRAM/10 ML (20 %), 4 GRAM/20 ML (20 %) SOLUTION DL	4	PA
HIZENTRA 1 GRAM/5 ML (20 %), 10 GRAM/50 ML (20 %), 2 GRAM/10 ML (20 %), 4 GRAM/20 ML (20 %) SYRINGE DL	4	PA
HULIO(CF) 20 MG/0.4 ML SYRINGE KIT DL	4	PA,QL(2 per 28 days)
HULIO(CF) 40 MG/0.8 ML SYRINGE KIT DL	4	PA,QL(6 per 28 days)
HULIO(CF) PEN 40 MG/0.8 ML PEN INJECTOR KIT DL	4	PA,QL(6 per 28 days)
HUMIRA 40 MG/0.8 ML SYRINGE KIT DL	4	PA,QL(6 per 28 days)
HUMIRA PEN 40 MG/0.8 ML PEN INJECTOR KIT DL	4	PA,QL(6 per 28 days)
HUMIRA(CF) 10 MG/0.1 ML SYRINGE KIT DL	4	PA,QL(2 per 28 days)
HUMIRA(CF) 20 MG/0.2 ML, 40 MG/0.4 ML SYRINGE KIT DL	4	PA,QL(6 per 28 days)
HUMIRA(CF) PEDI CROHNS STARTER 80 MG/0.8 ML, 80 MG/0.8 ML-40 MG/0.4 ML SYRINGE KIT DL	4	PA,QL(6 per 28 days)
HUMIRA(CF) PEN 40 MG/0.4 ML, 80 MG/0.8 ML PEN INJECTOR KIT DL	4	PA,QL(6 per 28 days)
HUMIRA(CF) PEN CROHNS-UC-HS 80 MG/0.8 ML PEN INJECTOR KIT DL	4	PA,QL(6 per 28 days)
HUMIRA(CF) PEN PEDIATRIC UC 80 MG/0.8 ML PEN INJECTOR KIT DL	4	PA,QL(6 per 28 days)
HUMIRA(CF) PEN PSOR-UV-ADOL HS 80 MG/0.8 ML-40 MG/0.4 ML PEN INJECTOR KIT DL	4	PA,QL(6 per 28 days)
HYPERRAB (PF) 300 UNIT/ML SOLUTION DL	4	BvsD
HYPERTET (PF) 250 UNIT/ML SYRINGE DL	3	BvsD
HYRIMOZ 40 MG/0.8 ML SYRINGE DL	4	PA,QL(4.8 per 28 days)
HYRIMOZ PEN 40 MG/0.8 ML PEN INJECTOR DL	4	PA,QL(4.8 per 28 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
HYRIMOZ PEN CROHN'S-UC STARTER 80 MG/0.8 ML PEN INJECTOR DL	4	PA,QL(4.8 per 28 days)
HYRIMOZ PEN PSORIASIS STARTER 80MG/0.8ML(X1)- 40 MG/0.4ML(X2) PEN INJECTOR DL	4	PA,QL(3.2 per 28 days)
HYRIMOZ(CF) 10 MG/0.1 ML SYRINGE DL	4	PA,QL(0.2 per 28 days)
HYRIMOZ(CF) 20 MG/0.2 ML SYRINGE DL	4	PA,QL(1.2 per 28 days)
HYRIMOZ(CF) 40 MG/0.4 ML SYRINGE DL	4	PA,QL(2.4 per 28 days)
HYRIMOZ(CF) PEDI CROHN STARTER 80 MG/0.8 ML SYRINGE DL	4	PA,QL(4.8 per 28 days)
HYRIMOZ(CF) PEDI CROHN STARTER 80 MG/0.8 ML - 40 MG/0.4 ML SYRINGE DL	4	PA,QL(3.6 per 28 days)
HYRIMOZ(CF) PEN 40 MG/0.4 ML PEN INJECTOR DL	4	PA,QL(2.4 per 28 days)
HYRIMOZ(CF) PEN 80 MG/0.8 ML PEN INJECTOR DL	4	PA,QL(4.8 per 28 days)
icatibant 30 mg/3 ml SYRINGE DL	4	PA,QL(18 per 30 days)
IDACIO(CF) 40 MG/0.8 ML SYRINGE KIT DL	4	PA,QL(6 per 28 days)
IDACIO(CF) PEN 40 MG/0.8 ML PEN INJECTOR KIT DL	4	PA,QL(6 per 28 days)
IDACIO(CF) PEN CROHN-UC STARTR 40 MG/0.8 ML PEN INJECTOR KIT DL	4	PA,QL(6 per 28 days)
IDACIO(CF) PEN PSORIASIS START 40 MG/0.8 ML PEN INJECTOR KIT DL	4	PA,QL(6 per 28 days)
ILUMYA 100 MG/ML SYRINGE	4	PA,QL(6 per 365 days)
IMAAVY 185 MG/ML SOLUTION DL	4	PA
IMOGAM RABIES-HT (PF) 150 UNIT/ML SOLUTION DL	3	BvsD
IMOVAX RABIES VACCINE (PF) 2.5 UNIT RECON SOLUTION \$0,DL	1	BvsD
IMURAN 50 MG TABLET MO	3	BvsD
INFANRIX (DTAP) (PF) 25-58-10 LF-MCG-LF/0.5ML SYRINGE DL	1	
INFLECTRA 100 MG RECON SOLUTION DL	4	PA
INFLIXIMAB 100 MG RECON SOLUTION DL	4	PA
IPOL 40-8-32 UNIT/0.5 ML SUSPENSION \$0,DL	1	
IXCHIQ (PF) 1,000 TCID50/0.5 ML RECON SOLUTION \$0,DL	1	
IXIARO (PF) 6 MCG/0.5 ML SYRINGE \$0,DL	1	
JYLAMVO 2 MG/ML SOLUTION MO	3	PA
JYNNEOS (PF) 0.5X TO 3.95X 10EXP8 UNIT/0.5 SUSPENSION \$0,DL	1	
KEDRAB (PF) 150 UNIT/ML SOLUTION DL	4	BvsD
KEVZARA 150 MG/1.14 ML, 200 MG/1.14 ML PEN INJECTOR DL	4	PA,QL(2.28 per 28 days)
KEVZARA 150 MG/1.14 ML, 200 MG/1.14 ML SYRINGE DL	4	PA,QL(2.28 per 28 days)
KINERET 100 MG/0.67 ML SYRINGE DL	4	PA,QL(20.1 per 30 days)
KINRIX (PF) 25 LF-58 MCG-10 LF/0.5 ML SYRINGE DL	1	
leflunomide 10 mg, 20 mg TABLET MO	1	QL(30 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
LEQSELVI 8 MG TABLET DL	4	PA,QL(60 per 30 days)
LITFULO 50 MG CAPSULE DL	4	PA,QL(28 per 28 days)
LUPKYNIS 7.9 MG CAPSULE DL	4	PA,QL(180 per 30 days)
M-M-R II (PF) 1,000-12,500 TCID50/0.5 ML RECON SOLUTION \$0,DL	1	
MENACTRA (PF) 4 MCG/0.5 ML SOLUTION \$0,DL	1	
MENQUADFI (PF) 10 MCG/0.5 ML SOLUTION \$0,DL	1	
MENVEO A-C-Y-W-135-DIP (PF) 10-5 MCG/0.5 ML KIT \$0,DL	1	
MENVEO A-C-Y-W-135-DIP (PF) 10-5 MCG/0.5 ML SOLUTION \$0,DL	1	
methotrexate sodium 2.5 mg TABLET MO	1	BvsD
methotrexate sodium 25 mg/ml SOLUTION MO	1	
methotrexate sodium (pf) 1 gram RECON SOLUTION MO	1	
methotrexate sodium (pf) 25 mg/ml SOLUTION MO	1	
MONJUVI 200 MG RECON SOLUTION DL	4	PA
MRESVIA (PF) 50 MCG/0.5 ML SYRINGE \$0,DL	1	
mycophenolate mofetil 200 mg/ml SUSPENSION FOR RECONSTITUTION MO	1	BvsD
mycophenolate mofetil 250 mg CAPSULE MO	1	BvsD
mycophenolate mofetil 500 mg TABLET MO	1	BvsD
mycophenolate mofetil (hcl) 500 mg RECON SOLUTION MO	1	BvsD
mycophenolate sodium 180 mg, 360 mg TABLET, DR/EC MO	1	BvsD
MYFORTIC 180 MG, 360 MG TABLET, DR/EC MO	3	BvsD
MYHIBBIN 200 MG/ML SUSPENSION DL	4	BvsD
NEMLUVIO 30 MG PEN INJECTOR DL	4	PA,QL(2 per 28 days)
NEORAL 100 MG, 25 MG CAPSULE MO	3	BvsD
NEORAL 100 MG/ML SOLUTION MO	3	BvsD
NIKTIMVO 50 MG/ML SOLUTION DL	4	PA
OCTAGAM 10 %, 5 % SOLUTION DL	4	PA
OLUMIANT 1 MG, 2 MG, 4 MG TABLET DL	4	PA,QL(30 per 30 days)
OMVOH 100 MG/ML, 300MG/3ML(100MG /ML-200 MG/2ML) SYRINGE DL	4	PA,QL(3 per 28 days)
OMVOH 300 MG/15 ML (20 MG/ML) SOLUTION DL	4	PA
OMVOH PEN 100 MG/ML, 300MG/3ML(100MG /ML-200 MG/2ML) PEN INJECTOR DL	4	PA,QL(3 per 28 days)
ORENCIA 125 MG/ML SYRINGE DL	4	PA,QL(4 per 28 days)
ORENCIA 50 MG/0.4 ML SYRINGE DL	4	PA,QL(1.6 per 28 days)
ORENCIA 87.5 MG/0.7 ML SYRINGE DL	4	PA,QL(2.8 per 28 days)
ORENCIA CLICKJECT 125 MG/ML AUTO-INJECTOR DL	4	PA,QL(4 per 28 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
ORLADEYO 110 MG, 150 MG CAPSULE DL	4	PA,QL(28 per 28 days)
OTREXUP (PF) 10 MG/0.4 ML, 12.5 MG/0.4 ML, 15 MG/0.4 ML, 17.5 MG/0.4 ML, 20 MG/0.4 ML, 22.5 MG/0.4 ML, 25 MG/0.4 ML AUTO-INJECTOR MO	3	PA,QL(1.6 per 28 days)
OTULFI 130 MG/26 ML SOLUTION DL	4	PA,QL(104 per 30 days)
OTULFI 45 MG/0.5 ML SYRINGE MO	2	PA,QL(1.5 per 84 days)
OTULFI 90 MG/ML SYRINGE DL	4	PA,QL(3 per 84 days)
PANZYGA 10 % SOLUTION DL	4	PA
PEDIARIX (PF) 10 MCG-25LF-25 MCG-10LF/0.5 ML SYRINGE DL	1	
PEDVAX HIB (PF) 7.5 MCG/0.5 ML SOLUTION DL	1	
PEGASYS 180 MCG/0.5 ML SYRINGE DL	4	PA,QL(2 per 28 days)
PEGASYS 180 MCG/ML SOLUTION DL	4	PA,QL(4 per 28 days)
PENBRAYA (PF) 5-120 MCG/0.5 ML KIT \$0,DL	1	
PENMENVY MEN A-B-C-W-Y (PF) 0.5 ML KIT \$0,DL	1	
PENTACEL (PF) 15LF-20MCG-5LF- 62 DU/0.5 ML KIT DL	1	
PIASKY 340 MG/2 ML SOLUTION DL	4	PA
PRIORIX (PF) 10EXP3.4-4.2- 3.3CCID50/0.5ML SUSPENSION FOR RECONSTITUTION \$0,DL	1	
PRIVIGEN 10 % SOLUTION DL	4	PA
PROGRAF 0.2 MG, 1 MG GRANULES IN PACKET MO	3	BvsD
PROGRAF 0.5 MG, 1 MG, 5 MG CAPSULE MO	3	BvsD
PROQUAD (PF) 10EXP3-4.3-3- 3.99 TCID50/0.5 SUSPENSION FOR RECONSTITUTION DL	1	
PYZCHIVA 130 MG/26 ML SOLUTION DL	4	PA,QL(104 per 30 days)
PYZCHIVA 45 MG/0.5 ML SOLUTION DL	4	PA,QL(1.5 per 84 days)
PYZCHIVA 45 MG/0.5 ML SYRINGE DL	4	PA,QL(1.5 per 84 days)
PYZCHIVA 90 MG/ML SYRINGE DL	4	PA,QL(3 per 84 days)
PYZCHIVA AUTOINJECTOR 45 MG/0.5 ML AUTO-INJECTOR DL	4	PA,QL(1.5 per 84 days)
PYZCHIVA AUTOINJECTOR 90 MG/ML AUTO-INJECTOR DL	4	PA,QL(3 per 84 days)
QUADRACEL (PF) 15 LF-48 MCG- 5 LF UNIT/0.5ML SUSPENSION DL	1	
QUADRACEL (PF) 15 LF-48 MCG- 5 LF UNIT/0.5ML SYRINGE DL	1	
RABAVERT (PF) 2.5 UNIT SUSPENSION FOR RECONSTITUTION \$0,DL	1	BvsD
RAPAMUNE 0.5 MG TABLET MO	3	BvsD
RAPAMUNE 1 MG, 2 MG TABLET	4	BvsD
RAPAMUNE 1 MG/ML SOLUTION	4	BvsD
RASUVO (PF) 10 MG/0.2 ML AUTO-INJECTOR MO	3	PA,QL(0.8 per 28 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
RASUVO (PF) 12.5 MG/0.25 ML AUTO-INJECTOR MO	3	PA,QL(1 per 28 days)
RASUVO (PF) 15 MG/0.3 ML AUTO-INJECTOR MO	3	PA,QL(1.2 per 28 days)
RASUVO (PF) 17.5 MG/0.35 ML AUTO-INJECTOR MO	3	PA,QL(1.4 per 28 days)
RASUVO (PF) 20 MG/0.4 ML AUTO-INJECTOR MO	3	PA,QL(1.6 per 28 days)
RASUVO (PF) 22.5 MG/0.45 ML AUTO-INJECTOR MO	3	PA,QL(1.8 per 28 days)
RASUVO (PF) 25 MG/0.5 ML AUTO-INJECTOR MO	3	PA,QL(2 per 28 days)
RASUVO (PF) 30 MG/0.6 ML AUTO-INJECTOR MO	3	PA,QL(2.4 per 28 days)
RASUVO (PF) 7.5 MG/0.15 ML AUTO-INJECTOR MO	3	PA,QL(0.6 per 28 days)
RECOMBIVAX HB (PF) 10 MCG/ML, 40 MCG/ML, 5 MCG/0.5 ML SUSPENSION \$0,DL	1	BvsD
RECOMBIVAX HB (PF) 10 MCG/ML, 5 MCG/0.5 ML SYRINGE \$0,DL	1	BvsD
REDITREX (PF) 10 MG/0.4 ML SYRINGE MO	3	PA,QL(1.6 per 28 days)
REDITREX (PF) 12.5 MG/0.5 ML SYRINGE MO	3	PA,QL(2 per 28 days)
REDITREX (PF) 15 MG/0.6 ML SYRINGE MO	3	PA,QL(2.4 per 28 days)
REDITREX (PF) 17.5 MG/0.7 ML SYRINGE MO	3	PA,QL(2.8 per 28 days)
REDITREX (PF) 20 MG/0.8 ML SYRINGE MO	3	PA,QL(3.2 per 28 days)
REDITREX (PF) 22.5 MG/0.9 ML SYRINGE MO	3	PA,QL(3.6 per 28 days)
REDITREX (PF) 25 MG/ML SYRINGE MO	3	PA,QL(4 per 28 days)
REDITREX (PF) 7.5 MG/0.3 ML SYRINGE MO	3	PA,QL(1.2 per 28 days)
REMICADE 100 MG RECON SOLUTION DL	4	PA
RENFLEXIS 100 MG RECON SOLUTION DL	4	PA
REZUROCK 200 MG TABLET DL	4	PA,QL(30 per 30 days)
RHOPHYLAC 1,500 UNIT (300 MCG)/2 ML SYRINGE MO	3	
RIDAURA 3 MG CAPSULE DL	4	PA
RINVOQ 15 MG, 30 MG TABLET, ER 24 HR. DL	4	PA,QL(30 per 30 days)
RINVOQ 45 MG TABLET, ER 24 HR. DL	4	PA,QL(168 per 365 days)
RINVOQ LQ 1 MG/ML SOLUTION DL	4	PA,QL(360 per 30 days)
ROTARIX 10EXP6 CCID50 /1.5 ML SUSPENSION DL	1	
ROTATEQ VACCINE 2 ML SOLUTION DL	1	
RUCONEST 2,100 UNIT RECON SOLUTION DL	4	PA,QL(8 per 28 days)
RYSTIGGO 140 MG/ML SOLUTION DL	4	PA
<i>sajazir 30 mg/3 ml SYRINGE</i> DL	4	PA,QL(18 per 30 days)
SANDIMMUNE 100 MG, 25 MG CAPSULE MO	3	BvsD
SANDIMMUNE 100 MG/ML SOLUTION MO	3	BvsD
SAPHNELO 300 MG/2 ML (150 MG/ML) SOLUTION DL	4	PA,QL(2 per 28 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
SELARSDI 130 MG/26 ML SOLUTION DL	4	PA,QL(104 per 30 days)
SELARSDI 45 MG/0.5 ML SYRINGE DL	4	PA,QL(1.5 per 84 days)
SELARSDI 90 MG/ML SYRINGE DL	4	PA,QL(3 per 84 days)
SHINGRIX (PF) 50 MCG/0.5 ML SUSPENSION FOR RECONSTITUTION \$0,DL	1	
SILIQ 210 MG/1.5 ML SYRINGE DL	4	PA,QL(6 per 28 days)
SIMLANDI(CF) 20 MG/0.2 ML, 40 MG/0.4 ML, 80 MG/0.8 ML SYRINGE KIT DL	4	PA,QL(6 per 28 days)
SIMLANDI(CF) AUTOINJECTOR 40 MG/0.4 ML, 80 MG/0.8 ML AUTO-INJECTOR, KIT DL	4	PA,QL(6 per 28 days)
SIMPONI 100 MG/ML PEN INJECTOR DL	4	PA,QL(3 per 28 days)
SIMPONI 100 MG/ML SYRINGE DL	4	PA,QL(3 per 28 days)
SIMPONI 50 MG/0.5 ML PEN INJECTOR DL	4	PA,QL(0.5 per 30 days)
SIMPONI 50 MG/0.5 ML SYRINGE DL	4	PA,QL(0.5 per 30 days)
SIMPONI ARIA 12.5 MG/ML SOLUTION DL	4	PA,QL(20 per 28 days)
SIMULECT 10 MG, 20 MG RECON SOLUTION DL	4	BvsD
<i>sirolimus 0.5 mg, 1 mg, 2 mg TABLET MO</i>	1	BvsD
<i>sirolimus 1 mg/ml SOLUTION MO</i>	1	BvsD
SKYRIZI 150 MG/ML PEN INJECTOR	4	PA,QL(2 per 84 days)
SKYRIZI 150 MG/ML SYRINGE	4	PA,QL(2 per 84 days)
SKYRIZI 180 MG/1.2 ML (150 MG/ML) WEARABLE INJECTOR DL	4	PA,QL(8.4 per 365 days)
SKYRIZI 360 MG/2.4 ML (150 MG/ML) WEARABLE INJECTOR DL	4	PA,QL(16.8 per 365 days)
SKYRIZI 60 MG/ML SOLUTION DL	4	PA,QL(30 per 365 days)
SOLIRIS 300 MG/30 ML SOLUTION DL	4	PA
SOTYKTU 6 MG TABLET DL	4	PA,QL(30 per 30 days)
SPEVIGO 150 MG/ML, 300 MG/2 ML SYRINGE DL	4	PA,QL(4 per 28 days)
SPEVIGO 60 MG/ML SOLUTION DL	4	PA,QL(30 per 84 days)
STELARA 130 MG/26 ML SOLUTION DL	4	PA,QL(104 per 30 days)
STELARA 45 MG/0.5 ML SOLUTION DL	4	PA,QL(1.5 per 84 days)
STELARA 45 MG/0.5 ML SYRINGE DL	4	PA,QL(1.5 per 84 days)
STELARA 90 MG/ML SYRINGE DL	4	PA,QL(3 per 84 days)
STEQEYMA 45 MG/0.5 ML SYRINGE DL	4	PA,QL(1.5 per 84 days)
STEQEYMA 90 MG/ML SYRINGE DL	4	PA,QL(3 per 84 days)
STEQEYMA I.V. 130 MG/26 ML SOLUTION DL	4	PA,QL(104 per 30 days)
SYLVANT 100 MG, 400 MG RECON SOLUTION DL	4	PA
<i>tacrolimus 0.5 mg, 1 mg, 5 mg CAPSULE MO</i>	1	BvsD
<i>tacrolimus 0.5 mg, 1 mg, 5 mg CAPSULE, ER 24 HR. MO</i>	1	BvsD

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
TAKHZYRO 150 MG/ML SYRINGE DL	4	PA,QL(2 per 28 days)
TAKHZYRO 300 MG/2 ML (150 MG/ML) SOLUTION DL	4	PA,QL(4 per 28 days)
TAKHZYRO 300 MG/2 ML (150 MG/ML) SYRINGE DL	4	PA,QL(4 per 28 days)
TALTZ AUTOINJECTOR 80 MG/ML AUTO-INJECTOR DL	4	PA,QL(4 per 28 days)
TALTZ AUTOINJECTOR (2 PACK) 80 MG/ML AUTO-INJECTOR DL	4	PA,QL(4 per 28 days)
TALTZ AUTOINJECTOR (3 PACK) 80 MG/ML AUTO-INJECTOR DL	4	PA,QL(4 per 28 days)
TALTZ SYRINGE 20 MG/0.25 ML SYRINGE DL	4	PA,QL(0.25 per 28 days)
TALTZ SYRINGE 40 MG/0.5 ML SYRINGE DL	4	PA,QL(0.5 per 28 days)
TALTZ SYRINGE 80 MG/ML SYRINGE DL	4	PA,QL(4 per 28 days)
TAVNEOS 10 MG CAPSULE DL	4	PA,QL(180 per 30 days)
TDVAX 2-2 LF UNIT/0.5 ML SUSPENSION \$0,DL	1	
TENIVAC (PF) 5 LF UNIT- 2 LF UNIT/0.5ML SUSPENSION \$0,DL	1	
TENIVAC (PF) 5-2 LF UNIT/0.5 ML SYRINGE \$0,DL	1	
TEZSPIRE 210 MG/1.91 ML (110 MG/ML) PEN INJECTOR DL	4	PA,QL(1.91 per 28 days)
TEZSPIRE 210 MG/1.91 ML (110 MG/ML) SYRINGE DL	4	PA,QL(1.91 per 28 days)
THYMOGLOBULIN 25 MG RECON SOLUTION MO	3	PA
TICOVAC 1.2 MCG/0.25 ML, 2.4 MCG/0.5 ML SYRINGE \$0,DL	1	
TREMFYA 100 MG/ML AUTO-INJECTOR	4	PA,QL(3 per 84 days)
TREMFYA 100 MG/ML SYRINGE	4	PA,QL(3 per 84 days)
TREMFYA 200 MG/2 ML SYRINGE DL	4	PA,QL(4 per 28 days)
TREMFYA 200 MG/20 ML (10 MG/ML) SOLUTION DL	4	PA,QL(120 per 365 days)
TREMFYA PEN 100 MG/ML PEN INJECTOR	4	PA,QL(3 per 84 days)
TREMFYA PEN 200 MG/2 ML PEN INJECTOR DL	4	PA,QL(4 per 28 days)
TREMFYA PEN INDUCTION PK-CROHN 200 MG/2 ML PEN INJECTOR DL	4	PA,QL(4 per 28 days)
TREXALL 10 MG, 15 MG, 5 MG, 7.5 MG TABLET MO	1	BvsD
TRUMENBA 120 MCG/0.5 ML SYRINGE \$0,DL	1	
TWINRIX (PF) 720 ELISA UNIT- 20 MCG/ML SYRINGE \$0,DL	1	
TYENNE 162 MG/0.9 ML SYRINGE DL	4	PA,QL(3.6 per 28 days)
TYENNE AUTOINJECTOR 162 MG/0.9 ML PEN INJECTOR DL	4	PA,QL(3.6 per 28 days)
TYPHIM VI 25 MCG/0.5 ML SOLUTION \$0,DL	1	
TYPHIM VI 25 MCG/0.5 ML SYRINGE \$0,DL	1	
ULTOMIRIS 100 MG/ML SOLUTION	4	PA
UPLIZNA 10 MG/ML SOLUTION DL	4	PA,QL(120 per 365 days)
USTEKINUMAB 130 MG/26 ML SOLUTION DL	4	PA,QL(104 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
USTEKINUMAB 45 MG/0.5 ML SOLUTION DL	4	PA,QL(1.5 per 84 days)
USTEKINUMAB 45 MG/0.5 ML SYRINGE DL	4	PA,QL(1.5 per 84 days)
USTEKINUMAB 90 MG/ML SYRINGE DL	4	PA,QL(3 per 84 days)
USTEKINUMAB-AEKN 45 MG/0.5 ML SYRINGE DL	4	PA,QL(1.5 per 84 days)
USTEKINUMAB-AEKN 90 MG/ML SYRINGE DL	4	PA,QL(3 per 84 days)
USTEKINUMAB-TTWE 130 MG/26 ML SOLUTION DL	4	PA,QL(104 per 30 days)
USTEKINUMAB-TTWE 45 MG/0.5 ML SYRINGE DL	4	PA,QL(1.5 per 84 days)
USTEKINUMAB-TTWE 90 MG/ML SYRINGE DL	4	PA,QL(3 per 84 days)
VAQTA (PF) 25 UNIT/0.5 ML SUSPENSION DL	1	
VAQTA (PF) 25 UNIT/0.5 ML SYRINGE DL	1	
VAQTA (PF) 50 UNIT/ML SUSPENSION \$0,DL	1	
VAQTA (PF) 50 UNIT/ML SYRINGE \$0,DL	1	
VARIVAX (PF) 1,350 UNIT/0.5 ML SUSPENSION FOR RECONSTITUTION \$0,DL	1	
VARIZIG 125 UNIT/1.2 ML SOLUTION DL	4	PA,QL(12 per 30 days)
VAXCHORA VACCINE 4X10EXP8 TO 2X 10EXP9 CF UNIT SUSPENSION FOR RECONSTITUTION \$0,MO	1	
VELSIPITY 2 MG TABLET DL	4	PA,QL(30 per 30 days)
VEOPOZ 200 MG/ML SOLUTION DL	4	PA
VIMKUNYA 40 MCG/0.8 ML SYRINGE \$0,DL	1	
VIVOTIF 2 BILLION UNIT CAPSULE, DR/EC \$0,MO	1	
VOYDEYA 100 MG, 150 MG (50 MG X 1-100 MG X 1) TABLET DL	4	PA,QL(180 per 30 days)
WEZLANA 45 MG/0.5 ML SOLUTION DL	4	PA,QL(1.5 per 84 days)
WEZLANA 45 MG/0.5 ML SYRINGE DL	4	PA,QL(1.5 per 84 days)
WEZLANA 90 MG/ML SYRINGE DL	4	PA,QL(3 per 84 days)
WEZLANA I.V. 130 MG/26 ML SOLUTION DL	4	PA,QL(104 per 30 days)
XATMEP 2.5 MG/ML SOLUTION MO	3	PA
XELJANZ 1 MG/ML SOLUTION DL	4	PA,QL(300 per 30 days)
XELJANZ 10 MG, 5 MG TABLET DL	4	PA,QL(60 per 30 days)
XELJANZ XR 11 MG, 22 MG TABLET, ER 24 HR. DL	4	PA,QL(30 per 30 days)
XEMBIFY 1 GRAM/5 ML (20 %), 10 GRAM/50 ML (20 %), 2 GRAM/10 ML (20 %), 4 GRAM/20 ML (20 %) SOLUTION DL	4	PA
XOLAIR 150 MG RECON SOLUTION DL	4	PA,QL(8 per 28 days)
XOLAIR 150 MG/ML, 300 MG/2 ML AUTO-INJECTOR DL,LA	4	PA,QL(8 per 28 days)
XOLAIR 150 MG/ML, 300 MG/2 ML SYRINGE DL,LA	4	PA,QL(8 per 28 days)
XOLAIR 75 MG/0.5 ML AUTO-INJECTOR DL,LA	4	PA,QL(4 per 28 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
XOLAIR 75 MG/0.5 ML SYRINGE DL,LA	4	PA,QL(4 per 28 days)
YESINTEK 130 MG/26 ML SOLUTION DL	4	PA,QL(104 per 30 days)
YESINTEK 45 MG/0.5 ML SOLUTION MO	2	PA,QL(1.5 per 84 days)
YESINTEK 45 MG/0.5 ML SYRINGE MO	2	PA,QL(1.5 per 84 days)
YESINTEK 90 MG/ML SYRINGE DL	4	PA,QL(3 per 84 days)
YF-VAX (PF) 10 EXP4.74 UNIT/0.5 ML SUSPENSION FOR RECONSTITUTION \$0,DL	1	
YUFLYMA(CF) 20 MG/0.2 ML, 40 MG/0.4 ML SYRINGE KIT DL	4	PA,QL(6 per 28 days)
YUFLYMA(CF) AI CROHN'S-UC-HS 80 MG/0.8 ML AUTO-INJECTOR, KIT DL	4	PA,QL(6 per 28 days)
YUFLYMA(CF) AUTOINJECTOR 40 MG/0.4 ML, 80 MG/0.8 ML AUTO-INJECTOR, KIT DL	4	PA,QL(6 per 28 days)
YUSIMRY(CF) PEN 40 MG/0.8 ML PEN INJECTOR DL	4	PA,QL(4.8 per 28 days)
ZILBRYSQ 16.6 MG/0.416 ML, 23 MG/0.574 ML, 32.4 MG/0.81 ML SYRINGE DL	4	PA
ZORTRESS 0.25 MG TABLET MO	3	BvsD,QL(60 per 30 days)
ZORTRESS 0.5 MG TABLET	4	BvsD,QL(120 per 30 days)
ZORTRESS 0.75 MG, 1 MG TABLET	4	BvsD,QL(60 per 30 days)
ZYMFENTRA 120 MG/ML PEN INJECTOR KIT DL	4	PA,QL(2 per 28 days)
ZYMFENTRA 120 MG/ML SYRINGE KIT DL	4	PA,QL(2 per 28 days)
INFLAMMATORY BOWEL DISEASE AGENTS		
APRISO 0.375 GRAM CAPSULE, ER 24 HR. MO	3	ST,QL(120 per 30 days)
AZULFIDINE 500 MG TABLET MO	3	
AZULFIDINE EN-TABS 500 MG TABLET, DR/EC MO	3	
<i>balsalazide 750 mg CAPSULE</i> MO	1	
<i>budesonide 2 mg/actuation FOAM</i> MO	1	PA
<i>budesonide 3 mg CAPSULE, DR/EC</i> MO	1	
<i>budesonide 9 mg TABLET, DR/ER</i>	4	PA,QL(30 per 30 days)
CANASA 1,000 MG SUPPOSITORY	4	ST,QL(30 per 30 days)
COLAZAL 750 MG CAPSULE	4	PA
CORTENEMA 100 MG/60 ML ENEMA MO	3	
CORTIFOAM 10 % (80 MG) FOAM MO	3	
DELZICOL 400 MG CAPSULE (WITH DR TABLETS) MO	3	ST,QL(180 per 30 days)
DIPENTUM 250 MG CAPSULE	4	ST,QL(120 per 30 days)
<i>hydrocortisone 100 mg/60 ml ENEMA</i> MO	1	
LIALDA 1.2 GRAM TABLET, DR/EC MO	3	ST,QL(120 per 30 days)
<i>mesalamine 0.375 gram CAPSULE, ER 24 HR.</i> MO	1	QL(120 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
mesalamine 1,000 mg SUPPOSITORY MO	1	QL(30 per 30 days)
mesalamine 1.2 gram TABLET, DR/EC MO	1	ST,QL(120 per 30 days)
mesalamine 4 gram/60 ml ENEMA MO	1	QL(1800 per 30 days)
mesalamine 400 mg CAPSULE (WITH DR TABLETS) MO	1	ST,QL(180 per 30 days)
mesalamine 500 mg CAPSULE, ER MO	1	ST,QL(300 per 30 days)
mesalamine 800 mg TABLET, DR/EC MO	1	ST,QL(180 per 30 days)
ORTIKOS 6 MG, 9 MG CAPSULE, ER DL	4	PA,QL(30 per 30 days)
PENTASA 250 MG CAPSULE, ER MO	3	ST,QL(150 per 30 days)
PENTASA 500 MG CAPSULE, ER	4	ST,QL(300 per 30 days)
PROCTOFOAM HC 1-1 % FOAM MO	1	
ROWASA 4 GRAM/60 ML ENEMA MO	3	QL(1800 per 30 days)
SFROWASA 4 GRAM/60 ML ENEMA MO	3	QL(1800 per 30 days)
sulfasalazine 500 mg TABLET MO	1	
sulfasalazine 500 mg TABLET, DR/EC MO	1	
TARPEYO 4 MG CAPSULE, DR/EC DL	4	PA,QL(120 per 30 days)
UCERIS 2 MG/ACTUATION FOAM MO	3	PA
UCERIS 9 MG TABLET, DR/ER	4	PA,QL(30 per 30 days)
METABOLIC BONE DISEASE AGENTS		
ACTONEL 150 MG TABLET MO	3	PA,QL(1 per 30 days)
ACTONEL 35 MG TABLET MO	3	PA,QL(4 per 28 days)
alendronate 10 mg, 5 mg TABLET MO	1	QL(30 per 30 days)
alendronate 35 mg TABLET MO	1	QL(4 per 28 days)
alendronate 70 mg TABLET MO	1	QL(4 per 28 days)
alendronate 70 mg/75 ml SOLUTION MO	1	QL(300 per 28 days)
ATELVIA 35 MG TABLET, DR/EC MO	3	PA,QL(4 per 28 days)
BINOSTO 70 MG TABLET, EFFERVESCENT MO	3	ST,QL(4 per 28 days)
calcitonin (salmon) 200 unit/actuation SPRAY, NON-AEROSOL MO	1	QL(3.7 per 28 days)
calcitonin (salmon) 200 unit/ml SOLUTION DL	4	
calcitriol 0.25 mcg, 0.5 mcg CAPSULE MO	1	
calcitriol 1 mcg/ml SOLUTION MO	1	
cinacalcet 30 mg, 60 mg TABLET MO	1	QL(60 per 30 days)
cinacalcet 90 mg TABLET MO	1	QL(120 per 30 days)
doxercalciferol 0.5 mcg, 1 mcg, 2.5 mcg CAPSULE MO	1	
doxercalciferol 4 mcg/2 ml SOLUTION MO	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
EVENITY 105 MG/1.17 ML, 210MG/2.34ML (105MG/1.17MLX2) SYRINGE DL	4	PA,QL(2.34 per 30 days)
FORTEO 20 MCG/DOSE (560MCG/2.24ML) PEN INJECTOR DL	4	PA,QL(2.24 per 28 days)
FOSAMAX 70 MG TABLET MO	3	PA,QL(4 per 28 days)
FOSAMAX PLUS D 70 MG- 2,800 UNIT, 70 MG- 5,600 UNIT TABLET MO	3	ST,QL(4 per 28 days)
HECTOROL 4 MCG/2 ML SOLUTION MO	3	
<i>ibandronate 150 mg TABLET MO</i>	1	QL(1 per 28 days)
<i>ibandronate 3 mg/3 ml SOLUTION MO</i>	1	PA,QL(3 per 90 days)
<i>ibandronate 3 mg/3 ml SYRINGE MO</i>	1	PA,QL(3 per 90 days)
MIACALCIN 200 UNIT/ML SOLUTION DL	4	
<i>pamidronate 30 mg/10 ml (3 mg/ml) SOLUTION MO</i>	1	QL(30 per 21 days)
<i>pamidronate 60 mg/10 ml (6 mg/ml), 90 mg/10 ml (9 mg/ml) SOLUTION MO</i>	1	QL(10 per 21 days)
<i>paricalcitol 1 mcg, 2 mcg, 4 mcg CAPSULE MO</i>	1	
<i>paricalcitol 2 mcg/ml SOLUTION MO</i>	1	QL(24 per 30 days)
<i>paricalcitol 5 mcg/ml SOLUTION MO</i>	1	QL(48 per 28 days)
PROLIA 60 MG/ML SYRINGE MO	3	QL(1 per 180 days)
RAYALDEE 30 MCG CAPSULE, ER 24 HR. DL	4	QL(60 per 30 days)
RECLAST 5 MG/100 ML PIGGYBACK MO	3	PA,QL(100 per 365 days)
<i>risedronate 150 mg TABLET MO</i>	1	QL(1 per 30 days)
<i>risedronate 30 mg, 5 mg TABLET MO</i>	1	QL(30 per 30 days)
<i>risedronate 35 mg TABLET MO</i>	1	QL(4 per 28 days)
<i>risedronate 35 mg TABLET, DR/EC MO</i>	1	QL(4 per 28 days)
ROCALTROL 0.25 MCG, 0.5 MCG CAPSULE MO	3	
ROCALTROL 1 MCG/ML SOLUTION MO	3	
SENSIPAR 30 MG TABLET MO	3	QL(60 per 30 days)
SENSIPAR 60 MG TABLET	4	QL(60 per 30 days)
SENSIPAR 90 MG TABLET	4	QL(120 per 30 days)
TYMLOS 80 MCG (3,120 MCG/1.56 ML) PEN INJECTOR DL	4	PA,QL(1.56 per 30 days)
XGEVA 120 MG/1.7 ML (70 MG/ML) SOLUTION DL	4	PA,QL(1.7 per 28 days)
YORVIPATH 168 MCG/0.56 ML PEN INJECTOR DL	4	PA,QL(1.12 per 28 days)
YORVIPATH 294 MCG/0.98 ML PEN INJECTOR DL	4	PA,QL(1.96 per 28 days)
YORVIPATH 420 MCG/1.4 ML PEN INJECTOR DL	4	PA,QL(2.8 per 28 days)
ZEMPLAR 1 MCG, 2 MCG CAPSULE MO	3	
ZEMPLAR 2 MCG/ML SOLUTION DL	4	QL(24 per 30 days)
ZEMPLAR 5 MCG/ML SOLUTION DL	4	QL(48 per 28 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
zoledronic ac-mannitol-0.9nacl 4 mg/100 ml PIGGYBACK MO	1	QL(300 per 21 days)
zoledronic acid 4 mg RECON SOLUTION MO	1	
zoledronic acid 4 mg/5 ml SOLUTION MO	1	QL(15 per 21 days)
zoledronic acid-mannitol-water 4 mg/100 ml PIGGYBACK MO	1	QL(300 per 21 days)
zoledronic acid-mannitol-water 5 mg/100 ml PIGGYBACK MO	1	PA,QL(100 per 365 days)
MISCELLANEOUS THERAPEUTIC AGENTS		
ACETADOTE 200 MG/ML (20 %) SOLUTION MO	3	
acetaminophen 1,000 mg/100 ml (10 mg/ml), 500 mg/50 ml (10 mg/ml) SOLUTION MO	1	
acetic acid 0.25 % SOLUTION MO	1	
acetylcysteine 200 mg/ml (20 %) SOLUTION MO	1	
ADAKVEO 10 MG/ML SOLUTION DL	4	PA
ADSTILADRIN 3X10EXP11 VP/ML SUSPENSION	4	PA
ALCOHOL PADS PADS, MEDICATED \$0,MO	1	
ALCOHOL PREP PADS PADS, MEDICATED \$0,MO	1	
ALCOHOL SWABS PADS, MEDICATED \$0,MO	1	
ALCOHOL WIPES PADS, MEDICATED \$0,MO	1	
AMMONUL 10-10 % SOLUTION DL	4	
AQNEURSA 1 GRAM GRANULES IN PACKET DL	4	PA,QL(112 per 28 days)
AUTOJECT 2 INJECTION DEVICE INSULIN PEN \$0,MO	1	
AUTOPEN 1 TO 21 UNITS INSULIN PEN \$0,MO	1	
AUTOPEN 2 TO 42 UNITS INSULIN PEN \$0,MO	1	
AUTOSHIELD DUO PEN NEEDLE 30 GAUGE X 3/16" NEEDLE \$0,PDS,MO	1	
BAND-AID GAUZE PADS 2 X 2 " BANDAGE \$0,MO	1	
BD ALCOHOL SWABS PADS, MEDICATED \$0,MO	1	
BD AUTOSHIELD DUO PEN NEEDLE 30 GAUGE X 3/16" NEEDLE \$0,PDS,MO	1	
BD ECLIPSE LUER-LOK 1 ML 30 GAUGE X 1/2" SYRINGE \$0,PDS,MO	1	
BD INSULIN SYRINGE 0.3 ML 29 GAUGE X 1/2", 0.5 ML 29 GAUGE X 1/2", 1 ML 27 GAUGE X 1/2", 1 ML 28 GAUGE X 1/2", 1 ML 29 GAUGE X 1/2" SYRINGE \$0,PDS,MO	1	
BD INSULIN SYRINGE (HALF UNIT) 0.3 ML 31 GAUGE X 5/16" SYRINGE \$0,PDS,MO	1	
BD INSULIN SYRINGE MICRO-FINE 1 ML 28 GAUGE X 1/2" SYRINGE \$0,PDS,MO	1	
BD INSULIN SYRINGE U-500 1/2 ML 31 GAUGE X 15/64" SYRINGE \$0,PDS,MO	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
BD INSULIN SYRINGE ULTRA-FINE 0.3 ML 30 GAUGE X 1/2", 0.3 ML 31 GAUGE X 5/16", 0.5 ML 30 GAUGE X 1/2", 0.5 ML 31 GAUGE X 5/16", 1 ML 30 GAUGE X 1/2", 1 ML 31 GAUGE X 5/16 SYRINGE \$0,PDS,MO	1	
BD LO-DOSE MICRO-FINE IV 1/2 ML 28 GAUGE X 1/2" SYRINGE \$0,PDS,MO	1	
BD NANO 2ND GEN PEN NEEDLE 32 GAUGE X 5/32" NEEDLE \$0,PDS,MO	1	
BD SAFETYGLIDE INSULIN SYRINGE 0.3 ML 29 GAUGE X 1/2", 0.3 ML 31 GAUGE X 15/64", 0.3 ML 31 GAUGE X 5/16", 0.5 ML 29 GAUGE X 1/2", 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 15/64", 1 ML 29 GAUGE X 1/2", 1 ML 31 GAUGE X 15/64" SYRINGE \$0,PDS,MO	1	
BD SAFETYGLIDE SYRINGE 1 ML 27 GAUGE X 5/8" SYRINGE \$0,PDS,MO	1	
BD ULTRA-FINE MICRO PEN NEEDLE 32 GAUGE X 1/4" NEEDLE \$0,PDS,MO	1	
BD ULTRA-FINE MINI PEN NEEDLE 31 GAUGE X 3/16" NEEDLE \$0,PDS,MO	1	
BD ULTRA-FINE NANO PEN NEEDLE 32 GAUGE X 5/32" NEEDLE \$0,PDS,MO	1	
BD ULTRA-FINE ORIG PEN NEEDLE 29 GAUGE X 1/2" NEEDLE \$0,PDS,MO	1	
BD ULTRA-FINE SHORT PEN NEEDLE 31 GAUGE X 5/16" NEEDLE \$0,PDS,MO	1	
BD VEO INSULIN SYR (HALF UNIT) 0.3 ML 31 GAUGE X 15/64" SYRINGE \$0,PDS,MO	1	
BD VEO INSULIN SYRINGE UF 0.3 ML 31 GAUGE X 15/64", 1 ML 31 GAUGE X 15/64", 1/2 ML 31 GAUGE X 15/64" SYRINGE \$0,PDS,MO	1	
BEYFORTUS 100 MG/ML, 50 MG/0.5 ML SYRINGE DL	4	
BORDERED GAUZE 2 X 2 " BANDAGE \$0,MO	1	
BRINSUPRI 10 MG, 25 MG TABLET DL	4	PA,QL(30 per 30 days)
bupap 50-300 mg TABLET MO	1	QL(180 per 30 days)
butalbital-acetaminop-caf-cod 50-300-40-30 mg CAPSULE DL	1	QL(180 per 30 days)
butalbital-acetaminop-caf-cod 50-325-40-30 mg CAPSULE DL	1	QL(360 per 30 days)
butalbital-acetaminophen 50-300 mg CAPSULE MO	1	QL(180 per 30 days)
butalbital-acetaminophen 50-300 mg, 50-325 mg TABLET MO	1	QL(180 per 30 days)
butalbital-acetaminophen-caff 50-300-40 mg, 50-325-40 mg CAPSULE MO	1	QL(180 per 30 days)
butalbital-acetaminophen-caff 50-325-40 mg TABLET MO	1	QL(180 per 30 days)
butalbital-acetaminophen-caff 50-325-40 mg/15 ml SOLUTION DL	4	QL(450 per 30 days)
butalbital-aspirin-caffeine 50-325-40 mg CAPSULE MO	1	QL(180 per 30 days)
butalbital-aspirin-caffeine 50-325-40 mg TABLET MO	1	QL(180 per 30 days)
BYLVAY 1,200 MCG CAPSULE DL	4	PA,QL(150 per 30 days)
BYLVAY 200 MCG PELLET DL	4	PA,QL(360 per 30 days)
BYLVAY 400 MCG CAPSULE DL	4	PA,QL(420 per 30 days)
BYLVAY 600 MCG PELLET DL	4	PA,QL(120 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
C AFCIT 60 MG/3 ML (20 MG/ML) SOLUTION MO	3	
<i>caffeine citrate</i> 60 mg/3 ml (20 mg/ml) SOLUTION MO	1	
CARETOUCH ALCOHOL PREP PAD PADS, MEDICATED \$0,MO	1	
CEQUR SIMPLICITY 2 UNIT DEVICE \$0,MO	2	
CEQUR SIMPLICITY INSERTER MISCELLANEOUS MO	2	
CERVIDIL 10 MG INSERT, ER MO	3	
CLARINEX-D 12 HOUR 2.5-120 MG TABLET, ER 12 HR., MULTIPHASE MO	3	QL(60 per 30 days)
COBENFY 100-20 MG, 125-30 MG, 50-20 MG CAPSULE DL	3	PA,QL(60 per 30 days)
COBENFY STARTER PACK 50 MG-20 MG /100 MG-20 MG CAPSULE, DOSE PACK DL	3	PA,QL(56 per 28 days)
COMBOGESIC IV 300-1,000 MG/100 ML SOLUTION MO	3	
CURITY ALCOHOL SWABS PADS, MEDICATED \$0,MO	1	
CURITY GAUZE 2 X 2 " BANDAGE \$0,MO	1	
DEFITELIO 80 MG/ML SOLUTION DL	4	PA
DERMACEA 2 X 2 " BANDAGE \$0,MO	1	
DROPLET INSULIN SYR(HALF UNIT) 0.3 ML 29 GAUGE X 1/2", 0.3 ML 30 GAUGE X 1/2", 0.3 ML 30 GAUGE X 5/16", 0.3 ML 31 GAUGE X 1/4", 0.3 ML 31 GAUGE X 5/16", 0.5 ML 29 GAUGE X 1/2", 0.5 ML 30 GAUGE X 1/2", 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 15/64", 0.5 ML 31 GAUGE X 5/16", 0.5ML 30 GAUGE X 15/64" SYRINGE \$0,PDS,MO	1	
DROPLET INSULIN SYRINGE 0.3 ML 29 GAUGE X 1/2", 0.3 ML 30 GAUGE X 1/2", 0.3 ML 30 GAUGE X 15/64", 0.3 ML 30 GAUGE X 5/16", 0.3 ML 31 GAUGE X 15/64", 0.3 ML 31 GAUGE X 5/16", 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 1/2", 1 ML 30 GAUGE X 15/64", 1 ML 30 GAUGE X 5/16", 1 ML 31 GAUGE X 15/64", 1 ML 31 GAUGE X 5/16 SYRINGE \$0,PDS,MO	1	
DROPLET INSULIN SYRINGE 0.5 ML 29 GAUGE X 1/2", 0.5 ML 30 GAUGE X 1/2", 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16", 1 ML 31 GAUGE X 1/4", 1/2 ML 31 GAUGE X 1/4" SYRINGE \$0,PDS,MO	1	
DROPLET MICRON PEN NEEDLE 34 GAUGE X 9/64" NEEDLE \$0,PDS,MO	1	
DROPLET PEN NEEDLE 29 GAUGE X 1/2", 29 GAUGE X 3/8", 30 GAUGE X 5/16", 31 GAUGE X 1/4", 31 GAUGE X 3/16", 31 GAUGE X 5/16", 32 GAUGE X 1/4", 32 GAUGE X 3/16", 32 GAUGE X 5/16", 32 GAUGE X 5/32" NEEDLE \$0,PDS,MO	1	
DROPSAFE ALCOHOL PREP PADS PADS, MEDICATED \$0,MO	1	
DROPSAFE PEN NEEDLE 31 GAUGE X 1/4", 31 GAUGE X 3/16", 31 GAUGE X 5/16" NEEDLE \$0,PDS,MO	1	
DROXIA 200 MG, 300 MG, 400 MG CAPSULE MO	3	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
dyclopro 0.5 % SOLUTION MO	1	
EASY COMFORT ALCOHOL PAD PADS, MEDICATED \$0,MO	1	
EASY TOUCH ALCOHOL PREP PADS PADS, MEDICATED \$0,MO	1	
edetate calcium disodium 200 mg/ml SOLUTION DL	4	
ELYXYB 120 MG/4.8 ML (25 MG/ML) SOLUTION DL	4	ST,QL(43.2 per 30 days)
EMPAVELI 1,080 MG/20 ML SOLUTION DL	4	PA,QL(160 per 28 days)
ENFLONIA 105 MG/0.7 ML SYRINGE MO	3	
EOHILIA 2 MG/10 ML SUSPENSION IN PACKET DL	4	PA
ESGIC 50-325-40 MG CAPSULE MO	1	QL(180 per 30 days)
ESGIC 50-325-40 MG TABLET MO	1	QL(180 per 30 days)
FILSPARI 200 MG, 400 MG TABLET DL	4	PA,QL(30 per 30 days)
FILSUVEZ 10 % GEL DL	4	PA
fioricet 50-300-40 mg CAPSULE MO	1	QL(180 per 30 days)
FIORICET WITH CODEINE 50-300-40-30 MG CAPSULE DL	3	QL(180 per 30 days)
flumazenil 0.1 mg/ml SOLUTION MO	1	
fomepizole 1 gram/ml SOLUTION MO	1	
GAUZE BANDAGE 2 X 2 " BANDAGE \$0,MO	1	
GAUZE PAD 2 X 2 " BANDAGE \$0,MO	1	
GIVLAARI 189 MG/ML SOLUTION DL	4	PA
IGALMI 120 MCG, 180 MCG FILM MO	3	PA
INCONTROL ALCOHOL PADS PADS, MEDICATED \$0,MO	1	
INSULIN SYRINGE 0.5 ML 29 GAUGE X 1/2" SYRINGE \$0,PDS,MO	1	
INSULIN SYRINGE MICROFINE 1 ML 27 GAUGE X 5/8", 1/2 ML 28 GAUGE X 1/2" SYRINGE \$0,PDS,MO	1	
INSULIN SYRINGE-NEEDLE U-100 1 ML 27 GAUGE X 5/8", 1 ML 28 GAUGE X 1/2", 1/2 ML 28 GAUGE X 1/2" SYRINGE \$0,PDS,MO	1	
INSULIN U-500 SYRINGE-NEEDLE 1/2 ML 31 GAUGE X 15/64" SYRINGE \$0,PDS,MO	1	
IV PREP WIPES PADS, MEDICATED \$0,MO	1	
JOURNAVX 50 MG TABLET MO	3	PA,QL(30 per 180 days)
KORLYM 300 MG TABLET DL	4	PA,QL(120 per 30 days)
lactated ringers SOLUTION MO	1	
LITHOSTAT 250 MG TABLET MO	3	
methylergonovine 0.2 mg TABLET DL	4	
methylergonovine 0.2 mg/ml (1 ml) SOLUTION MO	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
<i>mifepristone 300 mg TABLET</i> DL	4	PA,QL(120 per 30 days)
MIRENA 21 MCG/24HR (UP TO 8 YRS) 52 MG IUD MO	2	
MODD1 PATIENT WELCOME KIT KIT MO	3	PA
MODD1 SUPPLY KIT COMBO PACK MO	3	PA
NANO 2ND GEN PEN NEEDLE 32 GAUGE X 5/32" NEEDLE \$0,PDS,MO	1	
NANO PEN NEEDLE 32 GAUGE X 5/32" NEEDLE \$0,PDS,MO	1	
<i>neomycin-polymyxin b gu 40 mg-200,000 unit/ml SOLUTION</i> MO	1	
<i>nitroglycerin 0.4 % (w/w) OINTMENT</i> MO	1	QL(30 per 30 days)
NOVOPEN ECHO INSULIN PEN \$0,MO	1	
OMNIPOD 5 (G6/LIBRE 2 PLUS) CARTRIDGE \$0,MO	2	
OMNIPOD 5 G6-G7 INTRO KT(GEN5) CARTRIDGE \$0,MO	2	
OMNIPOD 5 G6-G7 PODS (GEN 5) CARTRIDGE \$0,MO	2	
OMNIPOD 5 INTRO(G6/LIBRE2PLUS) CARTRIDGE \$0,MO	2	
OMNIPOD CLASSIC PODS (GEN 3) CARTRIDGE \$0,MO	2	
OMNIPOD DASH INTRO KIT (GEN 4) CARTRIDGE \$0,MO	2	
OMNIPOD DASH PODS (GEN 4) CARTRIDGE \$0,MO	2	
OMNIPOD GO PODS CARTRIDGE \$0,MO	2	
OMNIPOD GO PODS 10 UNITS/DAY CARTRIDGE \$0,MO	2	
OMNIPOD GO PODS 15 UNITS/DAY CARTRIDGE \$0,MO	2	
OMNIPOD GO PODS 20 UNITS/DAY CARTRIDGE \$0,MO	2	
OMNIPOD GO PODS 25 UNITS/DAY CARTRIDGE \$0,MO	2	
OMNIPOD GO PODS 30 UNITS/DAY CARTRIDGE \$0,MO	2	
OMNIPOD GO PODS 40 UNITS/DAY CARTRIDGE \$0,MO	2	
OXLUMO 94.5 MG/0.5 ML SOLUTION	4	PA
<i>oxytocin 10 unit/ml SOLUTION</i> MO	1	
PALFORZIA (LEVEL 1) 3 MG (1 MG X 3) CAPSULE, SPRINKLE MO	3	PA
PALFORZIA (LEVEL 2) 6 MG (1 MG X 6) CAPSULE, SPRINKLE MO	3	PA
PALFORZIA (LEVEL 3) 12 MG (1 MG X 2, 10 MG X 1) CAPSULE, SPRINKLE MO	3	PA
PALFORZIA (LEVEL 4) 20 MG CAPSULE, SPRINKLE MO	3	PA
PALFORZIA (LEVEL 5) 40 MG (20 MG X 2) CAPSULE, SPRINKLE MO	3	PA
PALFORZIA (LEVEL 6) 80 MG (20 MG X 4) CAPSULE, SPRINKLE MO	3	PA
PALFORZIA (LEVEL 7) 120 MG (20 MG X 1, 100 MG X 1) CAPSULE, SPRINKLE MO	3	PA
PALFORZIA (LEVEL 8) 160 MG (20 MG X 3, 100 MG X1) CAPSULE, SPRINKLE MO	3	PA

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
PALFORZIA (LEVEL 9) 200 MG (100 MG X 2) CAPSULE, SPRINKLE MO	3	PA
PALFORZIA (LEVEL 10) 240 MG (20 MG X 2, 100 MG X 2) CAPSULE, SPRINKLE MO	3	PA
PALFORZIA (LEVEL 11 UP-DOSE) 300 MG POWDER IN PACKET MO	3	PA
PALFORZIA INITIAL (4-17 YRS) 0.5/1/1.5/3/6 MG CAPSULE, SPRINKLE MO	3	PA
PALFORZIA LEVEL 11 MAINTENANCE 300 MG POWDER IN PACKET MO	3	PA
PEN NEEDLE, DIABETIC 29 GAUGE X 1/2", 31 GAUGE X 1/4", 31 GAUGE X 3/16", 31 GAUGE X 5/16", 32 GAUGE X 5/32", 33 GAUGE X 5/32" NEEDLE \$0,PDS,MO	1	
<i>phenazopyridine 100 mg, 200 mg TABLET MO</i>	1	
PHEXXI 1.8-1-0.4 % GEL MO	3	QL(60 per 30 days)
PHYSIOLYTE 140-5-3-98 MEQ/L SOLUTION MO	1	
PHYSIOSOL IRRIGATION 140-5-3-98 MEQ/L SOLUTION MO	1	
PITOCIN 10 UNIT/ML SOLUTION MO	3	
PREVDUO 0.6 MG-3 MG/3ML (0.2 MG-1MG/ML) SYRINGE MO	3	
PRIALT 100 MCG/ML, 25 MCG/ML SOLUTION DL	4	PA
PRO COMFORT ALCOHOL PADS PADS, MEDICATED \$0,MO	1	
<i>promethazine vc 6.25-5 mg/5 ml SYRUP MO</i>	1	
<i>promethazine-phenylephrine 6.25-5 mg/5 ml SYRUP MO</i>	1	
<i>protamine 10 mg/ml SOLUTION MO</i>	1	
PURE COMFORT ALCOHOL PADS PADS, MEDICATED \$0,MO	1	
PYRIDIUM 100 MG, 200 MG TABLET MO	3	
QUTENZA 8 % KIT DL	4	PA
RECTIV 0.4 % (W/W) OINTMENT MO	3	QL(30 per 30 days)
RENACIDIN 1980.6 MG-59.4 MG-980.4MG/30ML SOLUTION MO	3	
REZDIFFRA 100 MG, 60 MG, 80 MG TABLET DL	4	PA,QL(30 per 30 days)
<i>ribavirin 6 gram RECON SOLUTION DL</i>	4	BvsD
RIMSO-50 50 % SOLUTION DL	4	
<i>ringer's SOLUTION MO</i>	1	
RIVFLOZA 128 MG/0.8 ML, 160 MG/ML SYRINGE DL	4	PA
RIVFLOZA 80 MG/0.5 ML (160 MG/ML) SOLUTION DL	4	PA
SIKLOS 1,000 MG, 100 MG TABLET MO	3	PA
<i>sodium benzoate-sod phenylacet 10-10 % SOLUTION DL</i>	4	
<i>sodium chloride 0.9 % SOLUTION MO</i>	1	
SOHONOS 1 MG, 1.5 MG, 10 MG, 2.5 MG, 5 MG CAPSULE DL	4	PA

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
SURE COMFORT ALCOHOL PREP PADS PADS, MEDICATED \$0,MO	1	
SURE-PREP ALCOHOL PREP PADS PADS, MEDICATED \$0,MO	1	
SYNAGIS 100 MG/ML, 50 MG/0.5 ML SOLUTION DL	4	PA
tencon 50-325 mg TABLET MO	1	QL(180 per 30 days)
TEPEZZA 500 MG RECON SOLUTION DL	4	PA
TRUE COMFORT ALCOHOL PADS PADS, MEDICATED \$0,MO	1	
TRUE COMFORT PRO ALCOHOL PADS PADS, MEDICATED \$0,MO	1	
ULTILET ALCOHOL SWAB PADS, MEDICATED \$0,MO	1	
ULTRA-FINE INS SYR (HALF UNIT) 0.3 ML 31 GAUGE X 15/64", 0.3 ML 31 GAUGE X 5/16" SYRINGE \$0,PDS,MO	1	
ULTRA-FINE INSULIN SYRINGE 0.3 ML 30 GAUGE X 1/2", 0.3 ML 31 GAUGE X 15/64", 0.3 ML 31 GAUGE X 5/16", 0.5 ML 30 GAUGE X 1/2", 0.5 ML 31 GAUGE X 5/16", 1 ML 30 GAUGE X 1/2", 1 ML 31 GAUGE X 15/64", 1 ML 31 GAUGE X 5/16", 1/2 ML 31 GAUGE X 15/64" SYRINGE \$0,PDS,MO	1	
ULTRA-FINE PEN NEEDLE 29 GAUGE X 1/2", 31 GAUGE X 3/16", 31 GAUGE X 5/16", 32 GAUGE X 1/4" NEEDLE \$0,PDS,MO	1	
V-GO 20 DEVICE \$0,MO	3	PA
V-GO 30 DEVICE \$0,MO	3	PA
V-GO 40 DEVICE \$0,MO	3	PA
VANRAFIA 0.75 MG TABLET DL	4	PA,QL(30 per 30 days)
VIRAZOLE 6 GRAM RECON SOLUTION DL	4	BvsD
VYJUVEK 5 X 10EXP9 PFU/2.5 ML GEL DL	4	PA,QL(10 per 28 days)
VYKAT XR 150 MG, 25 MG, 75 MG TABLET, ER 24 HR. DL	4	PA
water for irrigation, sterile SOLUTION MO	1	
WEBCOL PADS, MEDICATED \$0,MO	1	
WEGOVY 0.25 MG/0.5 ML, 0.5 MG/0.5 ML, 1 MG/0.5 ML, 1.7 MG/0.75 ML, 2.4 MG/0.75 ML PEN INJECTOR DL	4	PA
XDEMVI 0.25 % DROPS MO	3	PA,QL(10 per 42 days)
XROMI 100 MG/ML SOLUTION DL	4	PA
YCANTH 0.7 % SOLUTION W/APPLICATOR DL	4	PA
ZEBUTAL 50-325-40 MG CAPSULE MO	1	QL(180 per 30 days)
ZEPBOUND 10 MG/0.5 ML, 12.5 MG/0.5 ML, 15 MG/0.5 ML, 2.5 MG/0.5 ML, 5 MG/0.5 ML, 7.5 MG/0.5 ML PEN INJECTOR DL	4	PA
ZEPBOUND 10 MG/0.5 ML, 12.5 MG/0.5 ML, 15 MG/0.5 ML, 2.5 MG/0.5 ML, 5 MG/0.5 ML, 7.5 MG/0.5 ML SOLUTION DL	4	PA
ZEVALIN (Y-90) 3.2 MG/2 ML KIT DL	4	PA

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
zingiber 1.2 mg-40 mg- 124.1 mg-100 mg TABLET MO	1	
ZYNRELEF 200 MG-6 MG /7 ML, 400 MG-12 MG /14 ML ER SOLUTION MO	3	
OPHTHALMIC AGENTS		
ACULAR 0.5 % DROPS MO	3	ST,QL(10 per 30 days)
ACULAR LS 0.4 % DROPS MO	3	ST,QL(10 per 30 days)
ACUVAIL (PF) 0.45 % DROPPERETTE MO	3	ST
ALCAINE 0.5 % DROPS MO	1	
ALOMIDE 0.1 % DROPS MO	3	
ALPHAGAN P 0.1 %, 0.15 % DROPS MO	3	ST
ALREX 0.2 % DROPS, SUSPENSION MO	3	ST
apraclonidine 0.5 % DROPS MO	1	
atropine 1 % DROPS MO	1	
ATROPINE SULFATE (PF) 1 % DROPPERETTE MO	1	
AZASITE 1 % DROPS MO	3	ST,QL(2.5 per 25 days)
azelastine 0.05 % DROPS MO	1	
AZOPT 1 % DROPS, SUSPENSION MO	3	ST,QL(10 per 28 days)
bacitracin 500 unit/gram OINTMENT MO	1	
bacitracin-polymyxin b 500-10,000 unit/gram OINTMENT MO	1	
balanced salt SOLUTION MO	1	
bepotastine besilate 1.5 % DROPS MO	1	ST,QL(5 per 25 days)
BEPREVE 1.5 % DROPS MO	3	ST,QL(5 per 25 days)
BESIVANCE 0.6 % DROPS, SUSPENSION MO	3	ST
BETADINE OPHTHALMIC PREP 5 % SOLUTION MO	3	
betaxolol 0.5 % DROPS MO	1	
BETIMOL 0.25 %, 0.5 % DROPS MO	3	ST
BETOPTIC S 0.25 % DROPS, SUSPENSION MO	3	ST
bimatoprost 0.03 % DROPS MO	1	QL(2.5 per 25 days)
brimonidine 0.1 %, 0.15 % DROPS MO	1	ST
brimonidine 0.2 % DROPS MO	1	
brinzolamide 1 % DROPS, SUSPENSION MO	1	ST,QL(10 per 28 days)
bromfenac 0.07 % DROPS MO	1	ST,QL(3 per 30 days)
bromfenac 0.075 % DROPS MO	1	ST,QL(5 per 30 days)
bromfenac 0.09 % DROPS MO	1	QL(1.7 per 30 days)
BROMSITE 0.075 % DROPS MO	3	ST,QL(5 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
BSS SOLUTION MO	3	
BSS PLUS SOLUTION MO	3	
carteolol 1 % DROPS MO	1	
CEQUA 0.09 % DROPPERETTE MO	3	PA,QL(60 per 30 days)
CILOXAN 0.3 % OINTMENT MO	3	
ciprofloxacin hcl 0.3 % DROPS MO	1	
COMBIGAN 0.2-0.5 % DROPS MO	2	
COSOPT 22.3-6.8 MG/ML DROPS MO	3	ST
COSOPT (PF) 2-0.5 % DROPPERETTE MO	3	ST,QL(60 per 30 days)
cromolyn 4 % DROPS MO	1	
cyclosporine 0.05 % DROPPERETTE MO	1	QL(60 per 30 days)
CYSTADROPS 0.37 % DROPS DL	4	PA,QL(20 per 28 days)
CYSTARAN 0.44 % DROPS DL	4	PA,QL(60 per 28 days)
dexamethasone sodium phosphate 0.1 % DROPS MO	1	
DEXTENZA 0.4 MG INSERT MO	3	QL(1 per 30 days)
diclofenac sodium 0.1 % DROPS MO	1	
difluprednate 0.05 % DROPS MO	1	ST
dorzolamide 2 % DROPS MO	1	
dorzolamide-timolol 22.3-6.8 mg/ml DROPS MO	1	
dorzolamide-timolol (pf) 2-0.5 % DROPPERETTE MO	1	QL(60 per 30 days)
DUREZOL 0.05 % DROPS MO	3	ST
DURYSTA 10 MCG IMPLANT DL	4	PA
ENSPRYNG 120 MG/ML SYRINGE DL	4	PA,QL(2 per 28 days)
epinastine 0.05 % DROPS MO	1	QL(5 per 25 days)
erythromycin 5 mg/gram (0.5 %) OINTMENT MO	1	QL(3.5 per 28 days)
EYSUVIS 0.25 % DROPS, SUSPENSION MO	2	QL(16.6 per 30 days)
FLAREX 0.1 % DROPS, SUSPENSION MO	3	ST
fluorometholone 0.1 % DROPS, SUSPENSION MO	1	
flurbiprofen sodium 0.03 % DROPS MO	1	
FML FORTE 0.25 % DROPS, SUSPENSION MO	3	ST
FML LIQUIFILM 0.1 % DROPS, SUSPENSION MO	3	ST
gatifloxacin 0.5 % DROPS MO	1	QL(2.5 per 25 days)
gentamicin 0.3 % DROPS MO	1	
ILEVRO 0.3 % DROPS, SUSPENSION MO	2	QL(3 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
INVELTYS 1 % DROPS, SUSPENSION MO	3	ST
IOPIDINE 1 % DROPPERETTE MO	3	
ISTALOL 0.5 % DROPS, ONCE DAILY MO	3	
IYUZEH (PF) 0.005 % DROPPERETTE MO	3	ST,QL(30 per 30 days)
<i>ketorolac 0.4 %, 0.5 % DROPS</i> MO	1	QL(10 per 30 days)
LACRISERT 5 MG INSERT MO	3	
<i>latanoprost 0.005 % DROPS</i> MO	1	QL(5 per 25 days)
<i>levobunolol 0.5 % DROPS</i> MO	1	
<i>levofloxacin 0.5 %, 1.5 % DROPS</i> MO	1	
LOTEMAX 0.5 % DROPS, GEL MO	3	ST
LOTEMAX 0.5 % DROPS, SUSPENSION MO	3	ST
LOTEMAX 0.5 % OINTMENT MO	3	ST
LOTEMAX SM 0.38 % DROPS, GEL MO	3	
<i>loteprednol etabonate 0.2 %, 0.5 % DROPS, SUSPENSION</i> MO	1	ST
<i>loteprednol etabonate 0.5 % DROPS, GEL</i> MO	1	ST
LUMIGAN 0.01 % DROPS MO	2	QL(2.5 per 25 days)
MAXIDEX 0.1 % DROPS, SUSPENSION MO	3	ST
MAXITROL 3.5 MG/G-10,000 UNIT/G-0.1 % OINTMENT MO	3	
MAXITROL 3.5MG/ML-10,000 UNIT/ML-0.1 % DROPS, SUSPENSION MO	1	
<i>methazolamide 25 mg, 50 mg TABLET</i> MO	1	
MIEBO (PF) 100 % DROPS MO	3	PA,QL(3 per 30 days)
MIOSTAT 0.01 % SOLUTION MO	3	
<i>moxifloxacin 0.5 % DROPS</i> MO	1	
<i>moxifloxacin 0.5 % DROPS, VISCOUS</i> MO	1	ST
NATACYN 5 % DROPS, SUSPENSION MO	3	
<i>neo-polycin 3.5-400-10,000 mg-unit-unit/g OINTMENT</i> MO	1	
<i>neo-polycin hc 3.5-400-10,000 mg-unit/g-1% OINTMENT</i> MO	1	
<i>neomycin-bacitracin-poly-hc 3.5-400-10,000 mg-unit/g-1% OINTMENT</i> MO	1	
<i>neomycin-bacitracin-polymyxin 3.5-400-10,000 mg-unit-unit/g OINTMENT</i> MO	1	
<i>neomycin-polymyxin b-dexameth 3.5 mg/g-10,000 unit/g-0.1 % OINTMENT</i> MO	1	
<i>neomycin-polymyxin b-dexameth 3.5mg/ml-10,000 unit/ml-0.1 % DROPS, SUSPENSION</i> MO	1	
<i>neomycin-polymyxin-gramicidin 1.75 mg-10,000 unit-0.025mg/ml DROPS</i> MO	1	
<i>neomycin-polymyxin-hc 3.5-10,000-10 mg-unit-mg/ml DROPS, SUSPENSION</i> MO	1	
NEVANAC 0.1 % DROPS, SUSPENSION MO	3	ST

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
OCUFLOX 0.3 % DROPS MO	3	
ofloxacin 0.3 % DROPS MO	1	
OXERVATE 0.002 % DROPS DL	4	PA,QL(56 per 365 days)
PHOSPHOLINE IODIDE 0.125 % DROPS MO	3	
pilocarpine hcl 1 %, 1.25 %, 2 %, 4 % DROPS MO	1	
polycin 500-10,000 unit/gram OINTMENT MO	1	
polymyxin b sulf-trimethoprim 10,000 unit- 1 mg/ml DROPS MO	1	
PRED FORTE 1 % DROPS, SUSPENSION MO	3	ST
PRED MILD 0.12 % DROPS, SUSPENSION MO	3	ST
prednisolone acetate 1 % DROPS, SUSPENSION MO	1	
prednisolone sodium phosphate 1 % DROPS MO	1	
PROLENSA 0.07 % DROPS MO	3	ST,QL(3 per 30 days)
proparacaine 0.5 % DROPS MO	1	
RESTASIS 0.05 % DROPPERETTE MO	3	PA,QL(60 per 30 days)
RESTASIS MULTIDOSE 0.05 % DROPS MO	3	PA,QL(5.5 per 25 days)
RHOPRESSA 0.02 % DROPS MO	2	ST,QL(2.5 per 25 days)
ROCKLATAN 0.02-0.005 % DROPS MO	2	ST
SIMBRINZA 1-0.2 % DROPS, SUSPENSION MO	3	
sulfacetamide sodium 10 % DROPS MO	1	
sulfacetamide-prednisolone 10 %-0.23 % (0.25 %) DROPS MO	1	
tafluprost (pf) 0.0015 % DROPPERETTE MO	3	ST,QL(30 per 30 days)
timolol 0.5 % DROPS MO	1	ST
timolol maleate 0.25 % DROPS MO	1	
timolol maleate 0.25 %, 0.5 % GEL FORMING SOLUTION MO	1	
timolol maleate 0.5 % DROPS MO	1	
timolol maleate 0.5 % DROPS, ONCE DAILY MO	1	
timolol maleate (pf) 0.25 %, 0.5 % DROPPERETTE MO	1	
TIMOPTIC OCUDOSE (PF) 0.25 %, 0.5 % DROPPERETTE MO	3	ST
TOBRADEX 0.3-0.1 % DROPS, SUSPENSION MO	3	
TOBRADEX 0.3-0.1 % OINTMENT MO	3	
TOBRADEX ST 0.3-0.05 % DROPS, SUSPENSION MO	3	
tobramycin 0.3 % DROPS MO	1	
tobramycin-dexamethasone 0.3-0.1 % DROPS, SUSPENSION MO	1	
TOBREX 0.3 % OINTMENT MO	3	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
TRAVATAN Z 0.004 % DROPS MO	3	ST,QL(2.5 per 25 days)
travoprost 0.004 % DROPS MO	1	QL(2.5 per 25 days)
trifluridine 1 % DROPS MO	1	
TRYPTYR 0.003 % DROPPERETTE MO	3	PA,QL(60 per 30 days)
TYRVAYA 0.03 MG/SPRAY SPRAY, METERED, NON-AEROSOL MO	3	PA,QL(8.4 per 30 days)
VERKAZIA 0.1 % DROPPERETTE DL	4	PA,QL(120 per 30 days)
VEVYE 0.1 % DROPS MO	3	PA,QL(2 per 30 days)
VIGAMOX 0.5 % DROPS MO	3	PA
VUITY 1.25 % DROPS MO	3	
VYZULTA 0.024 % DROPS MO	3	QL(2.5 per 25 days)
XALATAN 0.005 % DROPS MO	3	PA,QL(5 per 25 days)
XELPROS 0.005 % DROPS, EMULSION MO	3	ST,QL(2.5 per 25 days)
XIIDRA 5 % DROPPERETTE MO	3	PA,QL(60 per 30 days)
ZERVIAE 0.24 % DROPPERETTE MO	3	ST,QL(60 per 30 days)
ZIOPTAN (PF) 0.0015 % DROPPERETTE MO	3	ST,QL(30 per 30 days)
ZYLET 0.3-0.5 % DROPS, SUSPENSION MO	3	
OTIC AGENTS		
CIPRO HC 0.2-1 % DROPS, SUSPENSION MO	3	
CIPRODEX 0.3-0.1 % DROPS, SUSPENSION MO	3	QL(7.5 per 30 days)
ciprofloxacin hcl 0.2 % DROPPERETTE MO	1	
ciprofloxacin-dexamethasone 0.3-0.1 % DROPS, SUSPENSION MO	3	QL(7.5 per 30 days)
CORTISPORIN-TC 3.3-3-10-0.5 MG/ML DROPS, SUSPENSION MO	3	
DERMOTIC OIL 0.01 % DROPS MO	3	
flac otic oil 0.01 % DROPS MO	1	
fluocinolone acetonide oil 0.01 % DROPS MO	1	
hydrocortisone-acetic acid 1-2 % DROPS MO	1	
neomycin-polymyxin-hc 3.5-10,000-1 mg/ml-unit/ml-% DROPS, SUSPENSION MO	1	
neomycin-polymyxin-hc 3.5-10,000-1 mg/ml-unit/ml-% SOLUTION MO	1	
ofloxacin 0.3 % DROPS MO	1	
RESPIRATORY TRACT/PULMONARY AGENTS		
ACCOLATE 10 MG, 20 MG TABLET MO	3	PA,QL(60 per 30 days)
acetylcysteine 100 mg/ml (10 %), 200 mg/ml (20 %) SOLUTION MO	1	BvsD
ADCIRCA 20 MG TABLET DL	4	PA,QL(60 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
ADEMPAS 0.5 MG, 1 MG, 1.5 MG, 2 MG, 2.5 MG TABLET DL	4	PA,QL(90 per 30 days)
ADRENALIN 1 MG/ML, 1 MG/ML (1 ML) SOLUTION MO	3	
ADVAIR DISKUS 100-50 MCG/DOSE, 250-50 MCG/DOSE, 500-50 MCG/DOSE BLISTER WITH DEVICE MO	3	PA,QL(60 per 30 days)
ADVAIR HFA 115-21 MCG/ACTUATION, 230-21 MCG/ACTUATION, 45-21 MCG/ACTUATION HFA AEROSOL INHALER MO	2	QL(12 per 30 days)
AIRDUO DIGIHALER 113 MCG-14 MCG/ACTUATION, 232-14 MCG/ACTUATION, 55-14 MCG/ACTUATION AEROSOL POWDER BREATH ACTIV. MO	3	ST,QL(1 per 30 days)
AIRDUO RESPICLICK 113-14 MCG/ACTUATION, 232-14 MCG/ACTUATION, 55-14 MCG/ACTUATION AEROSOL POWDER BREATH ACTIV. MO	3	ST,QL(1 per 30 days)
AIRSUPRA 90-80 MCG/ACTUATION HFA AEROSOL INHALER MO	2	QL(32.1 per 30 days)
albuterol sulfate 0.63 mg/3 ml, 1.25 mg/3 ml, 2.5 mg/0.5 ml, 5 mg/ml SOLUTION FOR NEBULIZATION MO	1	BvsD
albuterol sulfate 2 mg, 4 mg TABLET MO	1	
albuterol sulfate 2 mg/5 ml SYRUP MO	1	
albuterol sulfate 2.5 mg /3 ml (0.083 %) SOLUTION FOR NEBULIZATION MO	1	BvsD
albuterol sulfate 4 mg, 8 mg TABLET, ER 12 HR. MO	1	
albuterol sulfate 90 mcg/actuation HFA AEROSOL INHALER MO	1	QL(36 per 30 days)
ALVESCO 160 MCG/ACTUATION, 80 MCG/ACTUATION HFA AEROSOL INHALER MO	3	ST,QL(18.3 per 28 days)
ALYFTREK 10-50-125 MG TABLET DL	4	PA,QL(56 per 28 days)
ALYFTREK 4-20-50 MG TABLET DL	4	PA,QL(84 per 28 days)
alyq 20 mg TABLET MO	1	PA,QL(60 per 30 days)
ambrisentan 10 mg, 5 mg TABLET DL	4	PA,QL(30 per 30 days)
aminophylline 250 mg/10 ml, 500 mg/20 ml SOLUTION MO	1	
ANORO ELLIPTA 62.5-25 MCG/ACTUATION BLISTER WITH DEVICE MO	3	PA,QL(60 per 30 days)
arformoterol 15 mcg/2 ml SOLUTION FOR NEBULIZATION MO	1	BvsD,QL(120 per 30 days)
ARMONAIR DIGIHALER 113 MCG/ACTUATION, 232 MCG/ACTUATION, 55 MCG/ACTUATION AEROSOL POWDER BREATH ACTIV. MO	3	ST,QL(1 per 30 days)
ARNUITY ELLIPTA 100 MCG/ACTUATION, 200 MCG/ACTUATION, 50 MCG/ACTUATION BLISTER WITH DEVICE MO	2	QL(30 per 30 days)
ASMANEX HFA 100 MCG/ACTUATION, 200 MCG/ACTUATION, 50 MCG/ACTUATION HFA AEROSOL INHALER MO	3	ST,QL(13 per 30 days)
ASMANEX TWISTHALER 110 MCG/ ACTUATION (30), 220 MCG/ ACTUATION (120), 220 MCG/ ACTUATION (14), 220 MCG/ ACTUATION (30), 220 MCG/ ACTUATION (60) AEROSOL POWDER BREATH ACTIV. MO	3	ST,QL(1 per 28 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
ATROVENT HFA 17 MCG/ACTUATION HFA AEROSOL INHALER MO	3	PA,QL(25.8 per 30 days)
AUVI-Q 0.1 MG/0.1 ML, 0.15 MG/0.15 ML, 0.3 MG/0.3 ML AUTO-INJECTOR MO	2	QL(4 per 30 days)
azelastine 137 mcg (0.1 %) SPRAY, NON-AEROSOL MO	1	QL(30 per 25 days)
azelastine 205.5 mcg (0.15 %) SPRAY, NON-AEROSOL MO	1	QL(30 per 25 days)
azelastine-fluticasone 137-50 mcg/spray SPRAY, NON-AEROSOL MO	1	ST,QL(23 per 28 days)
BECONASE AQ 42 MCG (0.042 %) SPRAY, NON-AEROSOL MO	3	ST,QL(50 per 30 days)
BEVESPI AEROSPHERE 9-4.8 MCG HFA AEROSOL INHALER MO	3	PA,QL(10.7 per 30 days)
bosentan 125 mg, 62.5 mg TABLET DL	4	PA,QL(60 per 30 days)
bosentan 32 mg TABLET FOR SUSPENSION DL	4	PA,QL(120 per 30 days)
BREO ELLIPTA 100-25 MCG/DOSE, 200-25 MCG/DOSE, 50-25 MCG/DOSE BLISTER WITH DEVICE MO	2	QL(60 per 30 days)
BREZTRI AEROSPHERE 160-9-4.8 MCG/ACTUATION HFA AEROSOL INHALER MO	2	QL(10.7 per 30 days)
BRONCHITOL 40 MG CAPSULE, W/INHALATION DEVICE DL	4	PA,QL(560 per 28 days)
BROVANA 15 MCG/2 ML SOLUTION FOR NEBULIZATION	4	BvsD,QL(120 per 30 days)
budesonide 0.25 mg/2 ml, 0.5 mg/2 ml, 1 mg/2 ml SUSPENSION FOR NEBULIZATION MO	1	BvsD
carbinoxamine maleate 4 mg TABLET MO	1	
carbinoxamine maleate 4 mg/5 ml LIQUID MO	1	
carbinoxamine maleate 6 mg TABLET DL	4	QL(120 per 30 days)
carbzah 4 mg/5 ml LIQUID DL	4	
CAYSTON 75 MG/ML SOLUTION FOR NEBULIZATION DL	4	PA,QL(84 per 28 days)
cetirizine 1 mg/ml SOLUTION MO	1	QL(300 per 30 days)
CINQAIR 10 MG/ML SOLUTION DL	4	PA
CLARINEX 5 MG TABLET MO	3	PA,QL(30 per 30 days)
clemastine 0.5 mg/5 ml SYRUP DL	4	PA,QL(1800 per 30 days)
clemastine 2.68 mg TABLET MO	1	
clemasz 2.68 mg TABLET MO	1	
clemsza 2.68 mg TABLET DL	4	
COMBIVENT RESPIMAT 20-100 MCG/ACTUATION MIST MO	3	QL(4 per 20 days)
cromolyn 100 mg/5 ml CONCENTRATE MO	1	
cromolyn 20 mg/2 ml SOLUTION FOR NEBULIZATION MO	1	BvsD
cyproheptadine 2 mg/5 ml SYRUP MO	1	
cyproheptadine 4 mg TABLET MO	1	
DALIRESP 250 MCG TABLET MO	3	PA,QL(28 per 365 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
DALIRESP 500 MCG TABLET MO	3	PA,QL(30 per 30 days)
desloratadine 2.5 mg, 5 mg TABLET, DISINTEGRATING MO	1	QL(30 per 30 days)
desloratadine 5 mg TABLET MO	1	QL(30 per 30 days)
dexchlorpheniramine maleate 2 mg/5 ml SOLUTION MO	1	
diphen 12.5 mg/5 ml ELIXIR MO	1	
DIPHEN 12.5 MG/5 ML ELIXIR MO	1	
diphenhydramine hcl 12.5 mg/5 ml ELIXIR MO	1	
diphenhydramine hcl 50 mg/ml SOLUTION MO	1	
diphenhydramine hcl 50 mg/ml SYRINGE MO	1	
DOPRAM 20 MG/ML SOLUTION MO	3	
DUAKLIR PRESSAIR 400-12 MCG/ACTUATION AEROSOL POWDER BREATH ACTIV. MO	3	PA,QL(1 per 30 days)
DULERA 100-5 MCG/ACTUATION, 200-5 MCG/ACTUATION, 50-5 MCG/ACTUATION HFA AEROSOL INHALER MO	3	ST,QL(13 per 30 days)
DYMISTA 137-50 MCG/SPRAY SPRAY, NON-AEROSOL MO	3	ST,QL(23 per 28 days)
ELIXOPHYLLIN 80 MG/15 ML ELIXIR MO	1	
epinephrine 0.15 mg/0.15 ml, 0.15 mg/0.3 ml, 0.3 mg/0.3 ml AUTO-INJECTOR MO	1	QL(4 per 30 days)
EPIPEN 0.3 MG/0.3 ML AUTO-INJECTOR MO	3	PA,QL(4 per 30 days)
EPIPEN 2-PAK 0.3 MG/0.3 ML AUTO-INJECTOR MO	3	PA,QL(4 per 30 days)
EPIPEN JR 0.15 MG/0.3 ML AUTO-INJECTOR MO	3	PA,QL(4 per 30 days)
EPIPEN JR 2-PAK 0.15 MG/0.3 ML AUTO-INJECTOR MO	3	PA,QL(4 per 30 days)
epoprostenol 0.5 mg, 1.5 mg RECON SOLUTION DL	4	PA
ESBRIET 267 MG CAPSULE DL	4	PA,QL(270 per 30 days)
ESBRIET 267 MG TABLET DL	4	PA,QL(270 per 30 days)
ESBRIET 801 MG TABLET DL	4	PA,QL(90 per 30 days)
FASENRA 10 MG/0.5 ML SYRINGE DL	4	PA,QL(0.5 per 28 days)
FASENRA 30 MG/ML SYRINGE DL	4	PA,QL(1 per 28 days)
FASENRA PEN 30 MG/ML AUTO-INJECTOR DL	4	PA,QL(1 per 28 days)
flunisolide 25 mcg (0.025 %) SPRAY, NON-AEROSOL MO	1	QL(50 per 30 days)
fluticasone propion-salmeterol 100-50 mcg/dose, 250-50 mcg/dose, 500-50 mcg/dose BLISTER WITH DEVICE MO	1	QL(60 per 30 days)
fluticasone propion-salmeterol 113-14 mcg/actuation, 232-14 mcg/actuation, 55-14 mcg/actuation AEROSOL POWDER BREATH ACTIV. MO	3	ST,QL(1 per 30 days)
fluticasone propionate 100 mcg/actuation, 250 mcg/actuation, 50 mcg/actuation BLISTER WITH DEVICE MO	3	ST,QL(60 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
fluticasone propionate 110 mcg/actuation, 220 mcg/actuation HFA AEROSOL INHALER MO	3	ST,QL(24 per 30 days)
fluticasone propionate 44 mcg/actuation HFA AEROSOL INHALER MO	3	ST,QL(10.6 per 30 days)
fluticasone propionate 50 mcg/actuation SPRAY, SUSPENSION MO	1	QL(16 per 30 days)
formoterol fumarate 20 mcg/2 ml SOLUTION FOR NEBULIZATION MO	1	BvsD,QL(120 per 30 days)
GASTROCROM 100 MG/5 ML CONCENTRATE MO	3	
GRASTEK 2,800 BAU SUBLINGUAL TABLET MO	3	PA,QL(30 per 30 days)
hydroxyzine pamoate 100 mg, 25 mg, 50 mg CAPSULE MO	1	
INCRUSE ELLIPTA 62.5 MCG/ACTUATION BLISTER WITH DEVICE MO	3	PA,QL(30 per 30 days)
ipratropium bromide 0.02 % SOLUTION MO	1	BvsD
ipratropium bromide 21 mcg (0.03 %) SPRAY, NON-AEROSOL MO	1	QL(30 per 30 days)
ipratropium bromide 42 mcg (0.06 %) SPRAY, NON-AEROSOL MO	1	QL(45 per 30 days)
ipratropium-albuterol 0.5 mg-3 mg(2.5 mg base)/3 ml SOLUTION FOR NEBULIZATION MO	1	BvsD
KALYDECO 13.4 MG, 25 MG, 5.8 MG, 50 MG, 75 MG GRANULES IN PACKET DL	4	PA,QL(56 per 28 days)
KALYDECO 150 MG TABLET DL	4	PA,QL(60 per 30 days)
LETAIRIS 10 MG, 5 MG TABLET DL	4	PA,QL(30 per 30 days)
levalbuterol hcl 0.31 mg/3 ml, 0.63 mg/3 ml, 1.25 mg/0.5 ml, 1.25 mg/3 ml SOLUTION FOR NEBULIZATION MO	1	BvsD
levalbuterol tartrate 45 mcg/actuation HFA AEROSOL INHALER MO	1	ST,QL(30 per 30 days)
levocetirizine 2.5 mg/5 ml SOLUTION MO	1	QL(300 per 30 days)
levocetirizine 5 mg TABLET MO	1	QL(30 per 30 days)
LIQREV 10 MG/ML SUSPENSION DL	4	PA,QL(180 per 30 days)
mometasone 50 mcg/actuation SPRAY, NON-AEROSOL MO	1	QL(34 per 30 days)
montelukast 10 mg TABLET MO	1	QL(30 per 30 days)
montelukast 4 mg GRANULES IN PACKET MO	1	QL(30 per 30 days)
montelukast 4 mg, 5 mg CHEWABLE TABLET MO	1	QL(30 per 30 days)
NEFFY 1 MG/SPRAY (0.1 ML), 2 MG/SPRAY (0.1 ML) SPRAY, NON-AEROSOL DL	4	PA,QL(4 per 30 days)
NUCALA 100 MG RECON SOLUTION DL	4	PA,QL(3 per 28 days)
NUCALA 100 MG/ML AUTO-INJECTOR DL	4	PA,QL(3 per 28 days)
NUCALA 100 MG/ML SYRINGE DL	4	PA,QL(3 per 28 days)
NUCALA 40 MG/0.4 ML SYRINGE DL	4	PA,QL(0.4 per 28 days)
ODACTRA 12 SQ-HDM SUBLINGUAL TABLET MO	3	PA,QL(30 per 30 days)
OFEV 100 MG, 150 MG CAPSULE DL,LA	4	PA,QL(60 per 30 days)
OHTUVAYRE 3 MG/2.5 ML SUSPENSION FOR NEBULIZATION DL	4	PA,QL(150 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
olopatadine 0.6 % SPRAY, NON-AEROSOL MO	1	ST,QL(30.5 per 30 days)
OMNARIS 50 MCG SPRAY, NON-AEROSOL MO	3	ST,QL(12.5 per 30 days)
OPSUMIT 10 MG TABLET DL	4	PA,QL(30 per 30 days)
OPSYNVI 10-20 MG, 10-40 MG TABLET DL	4	PA,QL(30 per 30 days)
ORENITRAM 0.125 MG TABLET ER DL	4	PA,QL(1000 per 30 days)
ORENITRAM 0.25 MG TABLET ER DL	4	PA,QL(500 per 30 days)
ORENITRAM 1 MG TABLET ER DL	4	PA,QL(720 per 30 days)
ORENITRAM 2.5 MG TABLET ER DL	4	PA,QL(300 per 30 days)
ORENITRAM 5 MG TABLET ER DL	4	PA,QL(150 per 30 days)
ORENITRAM MONTH 1 TITRATION KT 0.125 MG (126)- 0.25 MG (42) TABLET, ER, DOSE PACK DL	4	PA,QL(168 per 28 days)
ORENITRAM MONTH 2 TITRATION KT 0.125 MG (126)- 0.25 MG (210) TABLET, ER, DOSE PACK DL	4	PA,QL(336 per 28 days)
ORENITRAM MONTH 3 TITRATION KT 0.125 MG (126)- 0.25 MG(42)-1MG TABLET, ER, DOSE PACK DL	4	PA,QL(252 per 28 days)
ORKAMBI 100-125 MG, 150-188 MG, 75-94 MG GRANULES IN PACKET DL	4	PA,QL(56 per 28 days)
ORKAMBI 100-125 MG, 200-125 MG TABLET DL	4	PA,QL(112 per 28 days)
PATANASE 0.6 % SPRAY, NON-AEROSOL MO	3	ST,QL(30.5 per 30 days)
PERFOROMIST 20 MCG/2 ML SOLUTION FOR NEBULIZATION DL	4	BvsD,QL(120 per 30 days)
pirfenidone 267 mg CAPSULE DL	4	PA,QL(270 per 30 days)
pirfenidone 267 mg TABLET DL	4	PA,QL(270 per 30 days)
pirfenidone 534 mg, 801 mg TABLET DL	4	PA,QL(90 per 30 days)
PROAIR DIGIHALER 90 MCG/ACTUATION AEROSOL POWDER BREATH ACTIV. MO	3	ST,QL(2 per 30 days)
PROAIR RESPICLICK 90 MCG/ACTUATION AEROSOL POWDER BREATH ACTIV. MO	3	ST,QL(2 per 30 days)
PULMICORT 0.25 MG/2 ML, 0.5 MG/2 ML, 1 MG/2 ML SUSPENSION FOR NEBULIZATION MO	3	BvsD
PULMICORT FLEXHALER 180 MCG/ACTUATION, 90 MCG/ACTUATION AEROSOL POWDER BREATH ACTIV. MO	3	ST,QL(2 per 30 days)
PULMOZYME 1 MG/ML SOLUTION DL	4	BvsD
QNASL 40 MCG/ACTUATION HFA AEROSOL INHALER MO	3	ST,QL(6.8 per 30 days)
QNASL 80 MCG/ACTUATION HFA AEROSOL INHALER MO	3	ST,QL(10.6 per 30 days)
QUZYTIR 10 MG/ML SOLUTION MO	3	
QVAR REDIHALER 40 MCG/ACTUATION HFA AEROSOL BREATH ACTIVATED MO	3	ST,QL(10.6 per 30 days)
QVAR REDIHALER 80 MCG/ACTUATION HFA AEROSOL BREATH ACTIVATED MO	3	ST,QL(21.2 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
RAGWITEK 12 AMB A 1 UNIT SUBLINGUAL TABLET MO	3	PA,QL(30 per 30 days)
REMODULIN 0.4 MG/ML, 1 MG/ML, 10 MG/ML, 2.5 MG/ML, 5 MG/ML SOLUTION DL	4	PA
REVATIO 10 MG/ML SUSPENSION FOR RECONSTITUTION DL	4	PA,QL(180 per 30 days)
REVATIO 20 MG TABLET DL	4	PA,QL(90 per 30 days)
roflumilast 250 mcg TABLET MO	1	QL(28 per 365 days)
roflumilast 500 mcg TABLET MO	1	QL(30 per 30 days)
RYALTRIS 665-25 MCG/SPRAY SPRAY, NON-AEROSOL MO	3	ST,QL(29 per 30 days)
RYCLORA 2 MG/5 ML SOLUTION MO	1	
RYVENT 6 MG TABLET MO	1	QL(120 per 30 days)
SEREVENT DISKUS 50 MCG/DOSE BLISTER WITH DEVICE MO	3	PA,QL(60 per 30 days)
sildenafil (pulm.hypertension) 10 mg/ml SUSPENSION FOR RECONSTITUTION MO	3	PA,QL(180 per 30 days)
sildenafil (pulm.hypertension) 20 mg TABLET MO	1	PA,QL(90 per 30 days)
SINGULAIR 10 MG TABLET MO	3	PA,QL(30 per 30 days)
SINGULAIR 4 MG GRANULES IN PACKET MO	3	PA,QL(30 per 30 days)
SINGULAIR 4 MG, 5 MG CHEWABLE TABLET MO	3	PA,QL(30 per 30 days)
SPIRIVA RESPIMAT 1.25 MCG/ACTUATION, 2.5 MCG/ACTUATION MIST MO	2	QL(4 per 28 days)
SPIRIVA WITH HANDIHALER 18 MCG CAPSULE, W/INHALATION DEVICE MO	2	QL(30 per 30 days)
STIOLTO RESPIMAT 2.5-2.5 MCG/ACTUATION MIST MO	2	QL(4 per 28 days)
STRIVERDI RESPIMAT 2.5 MCG/ACTUATION MIST MO	2	QL(4 per 30 days)
SYMBICORT 160-4.5 MCG/ACTUATION, 80-4.5 MCG/ACTUATION HFA AEROSOL INHALER MO	2	QL(30.6 per 30 days)
SYMDEKO 100-150 MG (D)/ 150 MG (N), 50-75 MG (D)/ 75 MG (N) TABLET, SEQUENTIAL DL	4	PA,QL(56 per 28 days)
tadalafil (pulm. hypertension) 20 mg TABLET MO	1	PA,QL(60 per 30 days)
TADLIQ 20 MG/5 ML (4 MG/ML) SUSPENSION DL	4	PA,QL(300 per 30 days)
terbutaline 1 mg/ml SOLUTION MO	1	
terbutaline 2.5 mg, 5 mg TABLET MO	1	
THEO-24 100 MG, 200 MG, 300 MG, 400 MG CAPSULE, ER 24 HR. MO	1	
theophylline 100 mg, 200 mg, 300 mg, 450 mg TABLET, ER 12 HR. MO	1	
theophylline 400 mg, 600 mg TABLET, ER 24 HR. MO	1	
theophylline 80 mg/15 ml ELIXIR MO	1	
theophylline 80 mg/15 ml SOLUTION MO	1	
TOBI PODHALER 28 MG CAPSULE, W/INHALATION DEVICE DL	4	PA,QL(224 per 28 days)
TRACLEER 125 MG, 62.5 MG TABLET DL	4	PA,QL(60 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
TRACLEER 32 MG TABLET FOR SUSPENSION DL	4	PA,QL(120 per 30 days)
TRELEGY ELLIPTA 100-62.5-25 MCG, 200-62.5-25 MCG BLISTER WITH DEVICE MO	2	QL(60 per 30 days)
<i>treprostinil sodium 1 mg/ml, 10 mg/ml, 2.5 mg/ml, 5 mg/ml SOLUTION</i> DL	4	PA
TRIKAFTA 100-50-75 MG(D) /150 MG (N), 50-25-37.5 MG (D)/75 MG (N) TABLET, SEQUENTIAL DL	4	PA,QL(84 per 28 days)
TRIKAFTA 100-50-75MG (D) /75 MG (N), 80-40-60 MG (D) /59.5 MG (N) GRANULES IN PACKET, SEQUENTIAL DL	4	PA,QL(56 per 28 days)
TUDORZA PRESSAIR 400 MCG/ACTUATION AEROSOL POWDER BREATH ACTIV. MO	3	PA,QL(1 per 30 days)
TYVASO 1.74 MG/2.9 ML (0.6 MG/ML) SOLUTION FOR NEBULIZATION DL	4	PA
TYVASO DPI 16 MCG (112)- 32 MCG (84) CARTRIDGE WITH INHALER DL	4	PA,QL(196 per 28 days)
TYVASO DPI 16 MCG, 32 MCG, 48 MCG, 64 MCG CARTRIDGE WITH INHALER DL	4	PA,QL(112 per 28 days)
TYVASO DPI 16(112)-32(112) -48(28) MCG CARTRIDGE WITH INHALER DL	4	PA,QL(252 per 28 days)
TYVASO INSTITUTIONAL START KIT 1.74 MG/2.9 ML SOLUTION FOR NEBULIZATION DL	4	PA
TYVASO REFILL KIT 1.74 MG/2.9 ML (0.6 MG/ML) SOLUTION FOR NEBULIZATION DL	4	PA
TYVASO STARTER KIT 1.74 MG/2.9 ML SOLUTION FOR NEBULIZATION DL	4	PA
<i>umeclidinium-vilanterol 62.5-25 mcg/actuation BLISTER WITH DEVICE</i> MO	3	PA,QL(60 per 30 days)
UPTRAVI 1,000 MCG, 1,200 MCG, 1,400 MCG, 1,600 MCG, 200 MCG, 400 MCG, 600 MCG, 800 MCG TABLET DL	4	PA,QL(60 per 30 days)
UPTRAVI 1,800 MCG RECON SOLUTION DL	4	PA
UPTRAVI 200 MCG (140)- 800 MCG (60) TABLET, DOSE PACK DL	4	PA,QL(200 per 30 days)
VELETRI 0.5 MG, 1.5 MG RECON SOLUTION DL	4	PA
VENTAVIS 10 MCG/ML SOLUTION FOR NEBULIZATION DL	4	PA,QL(150 per 30 days)
VENTAVIS 20 MCG/ML SOLUTION FOR NEBULIZATION DL	4	PA,QL(90 per 30 days)
VENTOLIN HFA 90 MCG/ACTUATION HFA AEROSOL INHALER MO	2	QL(36 per 30 days)
VISTARIL 25 MG, 50 MG CAPSULE MO	3	
WINREVAIR 120 MG (60 MG X 2), 45 MG, 60 MG, 90 MG (45 MG X 2) KIT DL	4	PA
<i>wixela inhub 100-50 mcg/dose, 250-50 mcg/dose, 500-50 mcg/dose BLISTER WITH DEVICE</i> MO	1	QL(60 per 30 days)
XHANCE 93 MCG/ACTUATION AEROSOL BREATH ACTIVATED MO	3	PA,QL(32 per 30 days)
XOPENEX HFA 45 MCG/ACTUATION HFA AEROSOL INHALER MO	3	ST,QL(30 per 30 days)
YUPELRI 175 MCG/3 ML SOLUTION FOR NEBULIZATION	4	PA,QL(90 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
YUTREPIA 106 MCG, 26.5 MCG, 53 MCG, 79.5 MCG CAPSULE, W/INHALATION DEVICE DL	4	PA
<i>zafirlukast 10 mg, 20 mg TABLET</i> MO	1	QL(60 per 30 days)
ZETONNA 37 MCG/ACTUATION HFA AEROSOL INHALER MO	3	ST,QL(6.1 per 28 days)
<i>zileuton 600 mg TABLET, ER 12 HR., MULTIPHASE</i>	4	QL(120 per 30 days)
SKELETAL MUSCLE RELAXANTS		
AMRIX 15 MG, 30 MG CAPSULE, ER 24 HR. DL	4	ST,QL(21 per 30 days)
<i>carisoprodol 250 mg TABLET</i> MO	1	ST,QL(120 per 30 days)
<i>carisoprodol 350 mg TABLET</i> MO	1	QL(120 per 30 days)
<i>chlorzoxazone 250 mg TABLET</i> DL	4	ST,QL(360 per 30 days)
<i>chlorzoxazone 375 mg, 750 mg TABLET</i> MO	1	ST,QL(120 per 30 days)
<i>chlorzoxazone 500 mg TABLET</i> MO	1	ST
<i>cyclobenzaprine 10 mg, 5 mg TABLET</i> MO	1	
<i>cyclobenzaprine 15 mg, 30 mg CAPSULE, ER 24 HR.</i> MO	1	ST,QL(21 per 30 days)
<i>cyclobenzaprine 7.5 mg TABLET</i> MO	1	QL(90 per 30 days)
FEXMID 7.5 MG TABLET MO	1	ST,QL(90 per 30 days)
LORZONE 375 MG TABLET MO	1	ST,QL(120 per 30 days)
LORZONE 750 MG TABLET DL	4	ST,QL(120 per 30 days)
<i>metaxalone 400 mg, 800 mg TABLET</i> MO	1	ST,QL(120 per 30 days)
<i>methocarbamol 1,000 mg TABLET</i> DL	4	PA
<i>methocarbamol 100 mg/ml SOLUTION</i> MO	1	
<i>methocarbamol 500 mg, 750 mg TABLET</i> MO	1	
<i>norgesic 25-385-30 mg TABLET</i> DL	4	PA,QL(240 per 30 days)
NORGESIC FORTE 50-770-60 MG TABLET DL	4	PA,QL(120 per 30 days)
<i>orphenadrine citrate 100 mg TABLET ER</i> MO	1	
<i>orphenadrine citrate 30 mg/ml SOLUTION</i> MO	1	ST
<i>orphenadrine-asa-caffeine 25-385-30 mg TABLET</i> DL	4	PA,QL(240 per 30 days)
<i>orphenadrine-asa-caffeine 50-770-60 mg TABLET</i> DL	4	PA,QL(120 per 30 days)
<i>orphengesic forte 50-770-60 mg TABLET</i> DL	4	PA,QL(120 per 30 days)
ROBAXIN 100 MG/ML SOLUTION DL	4	
SOMA 250 MG, 350 MG TABLET DL	4	ST,QL(120 per 30 days)
<i>tanlor 1,000 mg TABLET</i> DL	4	PA
SLEEP DISORDER AGENTS		
AMBIEN 10 MG, 5 MG TABLET MO	3	PA,QL(30 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
AMBIEN CR 12.5 MG, 6.25 MG TABLET, ER MULTIPHASE MO	3	PA,QL(30 per 30 days)
armodafinil 150 mg, 200 mg, 250 mg TABLET MO	1	PA,QL(30 per 30 days)
armodafinil 50 mg TABLET MO	1	PA,QL(60 per 30 days)
BELSOMRA 10 MG TABLET MO	2	QL(60 per 30 days)
BELSOMRA 15 MG, 20 MG TABLET MO	2	QL(30 per 30 days)
BELSOMRA 5 MG TABLET MO	2	QL(120 per 30 days)
DAYVIGO 10 MG, 5 MG TABLET MO	3	PA,QL(30 per 30 days)
doxepin 3 mg, 6 mg TABLET MO	1	QL(30 per 30 days)
EDLUAR 10 MG SUBLINGUAL TABLET MO	3	
EDLUAR 5 MG SUBLINGUAL TABLET MO	3	QL(30 per 30 days)
estazolam 1 mg, 2 mg TABLET DL	1	QL(30 per 30 days)
eszopiclone 1 mg, 2 mg, 3 mg TABLET MO	1	QL(30 per 30 days)
flurazepam 15 mg CAPSULE DL	1	QL(60 per 30 days)
flurazepam 30 mg CAPSULE DL	1	QL(30 per 30 days)
HALCION 0.25 MG TABLET DL	3	PA,QL(30 per 30 days)
HETLIOZ 20 MG CAPSULE DL	4	PA,QL(30 per 30 days)
HETLIOZ LQ 4 MG/ML SUSPENSION DL	4	PA,QL(158 per 30 days)
LUMRYZ 4.5 GRAM, 6 GRAM, 7.5 GRAM, 9 GRAM ER GRANULES, PACKET DL	4	PA,QL(30 per 30 days)
LUMRYZ STARTER PACK 4.5-6-7.5 GRAM GRANULES ER PACKET, DOSE PACK DL	4	PA,QL(28 per 28 days)
LUNESTA 1 MG, 2 MG, 3 MG TABLET MO	3	PA,QL(30 per 30 days)
modafinil 100 mg, 200 mg TABLET MO	1	PA,QL(60 per 30 days)
NUVIGIL 150 MG, 200 MG, 250 MG TABLET	4	PA,QL(30 per 30 days)
NUVIGIL 50 MG TABLET	4	PA,QL(60 per 30 days)
PROVIGIL 100 MG, 200 MG TABLET	4	PA,QL(60 per 30 days)
QUVIVIQ 25 MG, 50 MG TABLET MO	3	ST,QL(30 per 30 days)
ramelteon 8 mg TABLET MO	1	ST,QL(30 per 30 days)
RESTORIL 15 MG, 22.5 MG, 30 MG, 7.5 MG CAPSULE DL	4	PA,QL(30 per 30 days)
ROZEREM 8 MG TABLET MO	3	ST,QL(30 per 30 days)
SILENOR 3 MG, 6 MG TABLET MO	3	QL(30 per 30 days)
sodium oxybate 500 mg/ml SOLUTION DL	4	PA,QL(540 per 30 days)
SUNOSI 150 MG, 75 MG TABLET MO	3	PA,QL(30 per 30 days)
tasimelteon 20 mg CAPSULE DL	4	PA,QL(30 per 30 days)
temazepam 15 mg, 22.5 mg, 7.5 mg CAPSULE DL	1	QL(30 per 30 days)
temazepam 30 mg CAPSULE DL	1	QL(30 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
<i>triazolam</i> 0.125 mg, 0.25 mg TABLET DL	1	QL(30 per 30 days)
WAKIX 17.8 MG, 4.45 MG TABLET DL	4	PA,QL(60 per 30 days)
XYREM 500 MG/ML SOLUTION DL	4	PA,QL(540 per 30 days)
XYWAV 0.5 GRAM/ML SOLUTION DL	4	PA,QL(540 per 30 days)
<i>zaleplon</i> 10 mg, 5 mg CAPSULE MO	1	QL(30 per 30 days)
<i>zolpidem</i> 1.75 mg, 3.5 mg SUBLINGUAL TABLET MO	1	QL(30 per 30 days)
<i>zolpidem</i> 10 mg, 5 mg TABLET MO	1	QL(30 per 30 days)
<i>zolpidem</i> 12.5 mg, 6.25 mg TABLET, ER MULTIPHASE MO	1	QL(30 per 30 days)
ZOLPIDEM 7.5 MG CAPSULE MO	3	QL(30 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • \$0 – Vaccine/Diabetic • ST – Step Therapy

Humana Group Medicare Plan Coverage of Additional Prescription Drugs

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
Cough/Cold - Mail Order Available		
benzonatate 100 mg, 150 mg, 200 mg CAPSULE	1	
bromfed dm 2-30-10 mg/5 ml SYRUP	1	
brompheniramine-pseudoeph-dm 2-30-10 mg/5 ml SYRUP	1	
HYCODAN 5-1.5 MG/5 ML (5 ML) SOLUTION	1	
HYCODAN (WITH HOMATROPINE) 5-1.5 MG TABLET	1	
HYCODAN (WITH HOMATROPINE) 5-1.5 MG/5 ML SOLUTION	1	
hydrocodone-chlorpheniramine 10-8 mg/5 ml SUSPENSION, ER 12 HR.	1	
hydrocodone-homatropine 5-1.5 mg TABLET	1	
hydrocodone-homatropine 5-1.5 mg/5 ml, 5-1.5 mg/5 ml (5 ml) SOLUTION	1	
hydromet 5-1.5 mg/5 ml SOLUTION	1	
promethazine vc-codeine 6.25-5-10 mg/5 ml SYRUP	1	
promethazine-codeine 6.25-10 mg/5 ml SYRUP	1	
promethazine-dm 6.25-15 mg/5 ml SYRUP	1	
RESPA-AR 8-90-0.24 MG TABLET, ER 12 HR.	3	
TUXARIN ER 8-54.3 MG TABLET, ER 12 HR.	3	
TUZISTRA XR 14.7-2.8 MG/5 ML SUSPENSION, ER 12 HR.	3	
Fertility - Mail Order Available		
cetrorelix 0.25 mg KIT	1	
CETROTIDE 0.25 MG KIT	3	
clomid 50 mg TABLET	1	

Your Humana Group Medicare Plan has additional coverage for some drugs that are not normally covered under Medicare Part D. Guidelines that apply to these drugs include: they are not subject to the Medicare appeals process and your member cost share does not apply to your annual maximum out-of-pocket (MOOP) spend.

BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • \$0 - Vaccine/Diabetic • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
Fertility - Mail Order Available		
<i>clomiphene citrate 50 mg TABLET</i>	1	
FOLLISTIM AQ 300 UNIT/0.36 ML, 600 UNIT/0.72 ML, 900 UNIT/1.08 ML CARTRIDGE	3	
<i>fyremadel 250 mcg/0.5 ml SYRINGE</i>	1	
GANIRELIX 250 MCG/0.5 ML SYRINGE	3	
<i>ganirelix 250 mcg/0.5 ml SYRINGE</i>	3	
GONAL-F 1,050 UNIT, 450 UNIT RECON SOLUTION	3	
GONAL-F RFF 75 UNIT RECON SOLUTION	3	
MENOPUR 75 UNIT RECON SOLUTION	3	
OVIDREL 250 MCG/0.5 ML SYRINGE	3	
Vitamins/Minerals - Mail Order Available		
<i>ascorbic acid (vitamin c) 500 mg/ml SOLUTION</i>	1	
<i>b complex 100 100-2-100-2-2 mg/ml SOLUTION</i>	1	
<i>b-complex injection 100-2-100-2-2 mg/ml SOLUTION</i>	1	
<i>cyanocobalamin (vitamin b-12) 1,000 mcg/ml SOLUTION</i>	1	
<i>cyanocobalamin (vitamin b-12) 500 mcg/spray SPRAY, NON-AEROSOL</i>	1	
<i>dodex 1,000 mcg/ml SOLUTION</i>	1	
DRISDOL 1,250 MCG (50,000 UNIT) CAPSULE	3	
<i>ergocalciferol (vitamin d2) 1,250 mcg (50,000 unit) CAPSULE</i>	1	
<i>folic acid 1 mg TABLET</i>	1	

Your Humana Group Medicare Plan has additional coverage for some drugs that are not normally covered under Medicare Part D. Guidelines that apply to these drugs include: they are not subject to the Medicare appeals process and your member cost share does not apply to your annual maximum out-of-pocket (MOOP) spend.

BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • \$0 - Vaccine/Diabetic • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
Vitamins/Minerals - Mail Order Available		
<i>folic acid 5 mg/ml SOLUTION</i>	1	
<i>hydroxocobalamin 1,000 mcg/ml SOLUTION</i>	1	
INFUVITE ADULT 3,300 UNIT- 150 MCG/10 ML SOLUTION	3	
INFUVITE PEDIATRIC 80 MG-400 UNIT- 200 MCG/5 ML SOLUTION	3	
MEPHYTON 5 MG TABLET	3	
NASCOBAL 500 MCG/SPRAY SPRAY, NON-AEROSOL	3	
<i>phytonadione (vitamin k1) 1 mg/0.5 ml SYRINGE</i>	1	
<i>phytonadione (vitamin k1) 1 mg/0.5 ml, 10 mg/ml SOLUTION</i>	1	
<i>phytonadione (vitamin k1) 5 mg TABLET</i>	1	
<i>pyridoxine (vitamin b6) 100 mg/ml SOLUTION</i>	1	
<i>thiamine hcl (vitamin b1) 100 mg/ml SOLUTION</i>	1	
<i>vitamin d2 1,250 mcg (50,000 unit) CAPSULE</i>	1	
<i>vitamin k 1 mg/0.5 ml SOLUTION</i>	1	
<i>vitamin k1 10 mg/ml SOLUTION</i>	1	

Your Humana Group Medicare Plan has additional coverage for some drugs that are not normally covered under Medicare Part D. Guidelines that apply to these drugs include: they are not subject to the Medicare appeals process and your member cost share does not apply to your annual maximum out-of-pocket (MOOP) spend.

BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • \$0 – Vaccine/Diabetic • ST - Step Therapy

Index

A

abacavir-lamivudine... 70	acetazolamide sodium... 88	ADALIMUMAB-AATY... 148
abacavir... 70	acetazolamide... 88	ADALIMUMAB-ADAZ... 148
ABELCET... 42	acetic acid... 21, 163	ADALIMUMAB-ADBM(CF) PEN CROHNS... 148
abigale lo... 136	acetylcysteine... 163, 174	ADALIMUMAB-ADBM(CF) PEN PS-UV... 148
abigale... 136	ACIPHEX... 123	ADALIMUMAB-ADBM... 148
ABILIFY ASIMTUFI... 65	acitretin... 108	ADALIMUMAB-FKJP... 148
ABILIFY MAINTENA... 65, 66	ACTEMRA ACTPEN... 148	ADALIMUMAB-RYVK... 149
ABILIFY MYCITE MAINTENANCE KIT... 66	ACTEMRA... 148	adapalene-benzoyl peroxide... 108
ABILIFY MYCITE STARTER KIT... 66	ACTHAR SELFJECT... 132	adapalene... 108
ABILIFY... 65	ACTHAR... 132	ADBRY... 108
abiraterone... 48	ACTHIB (PF)... 148	ADCETRIS... 48
abirtega... 48	ACTICLATE... 21	ADCIRCA... 174
ABRAXANE... 48	ACTIMMUNE... 148	ADDERALL XR... 101
ABRILADA(CF) PEN... 148	ACTIVELLA... 136	ADDERALL... 101
ABRILADA(CF)... 148	ACTONEL... 161	adefovir... 71
ABRYSVO (PF)... 148	ACTOPLUS MET... 78	ADEMPAS... 175
ABSORICA LD... 108	ACTOS... 78	adenosine... 88
ABSORICA... 108	ACULAR LS... 170	ADLARITY... 36
acamprosate... 20	ACULAR... 170	ADMELOG SOLOSTAR U-100 INSULIN... 78
ACANYA... 108	ACUVAIL (PF)... 170	ADMELOG U-100 INSULIN LISPRO... 78
acarbose... 77	acyclovir sodium... 71	ADRENALIN IN 0.9 % SOD CHLOR... 88
ACCOLATE... 174	acyclovir... 71	ADRENALIN... 175
ACCUPRIL... 87	ACZONE... 108	ADRIAMYCIN... 48
ACCURETIC... 87	ADACEL(TDAP	adrucil... 48
accutane... 108	ADOLESN/ADULT)(PF)... 148	ADSTILADRIN... 163
acebutolol... 87	ADAKVEO... 163	ADVAIR DISKUS... 175
ACETADOTE... 163	ADALIMUMAB-AACF(CF) PEN CROHNS... 148	ADVAIR HFA... 175
acetaminophen-caff-dihydrocod... 11	ADALIMUMAB-AACF(CF) PEN PS-UV... 148	ADZENYS XR-ODT... 102
acetaminophen-codeine... 11	ADALIMUMAB-AACF... 148	
acetaminophen... 163	ADALIMUMAB-AATY(CF) AI CROHNS... 148	

ADZYNMA... 83	alfuzosin... 131	amcinonide... 109
AEMCOLO... 123	ALIMTA... 48	amethia... 136
AFINITOR DISPERZ... 48	ALIQOPA... 48	amethyst (28)... 136
AFINITOR... 48	aliskiren... 88	amikacin... 21
afirmelle... 136	ALKINDI SPRINKLE... 132	amiloride-hydrochlorothiazide... 88
AFREZZA... 78	allopurinol sodium... 45	amiloride... 88
AGAMREE... 132	allopurinol... 45	aminocaproic acid... 84
AGGRASTAT CONCENTRATE... 83	almotriptan malate... 46	aminophylline... 175
AGGRASTAT IN SODIUM CHLORIDE... 83	ALOMIDE... 170	AMINOSYN II 10 %... 117
AGRYLIN... 83	ALOPRIM... 45	amiodarone... 88
AIMOVIG AUTOINJECTOR... 45, 46	alosetron... 123	AMITIZA... 123
AIRDUO DIGIHALER... 175	ALPHAGAN P... 170	amitriptyline-chlordiazepoxide... 37
AIRDUO RESPICLICK... 175	alprazolam intensol... 76	amitriptyline... 37
AIRSUPRA... 175	alprazolam... 76	AMJEVITA(CF) AUTOINJECTOR... 149
AJOVY AUTOINJECTOR... 46	ALREX... 170	AMJEVITA(CF)... 149
AJOVY SYRINGE... 46	ALTABAX... 109	amlodipine-atorvastatin... 88
AKEEGA... 48	ALTACE... 88	amlodipine-benazepril... 88
AKLIEF... 109	altavera (28)... 136	amlodipine-olmesartan... 88
AKYNZEO (FOSNETUPITANT)... 40	ALTOPREV... 88	amlodipine-valsartan-hcthiacid... 88
AKYNZEO (NETUPITANT)... 40	ALTRENO... 109	amlodipine-valsartan... 88
ALA-CORT... 109	ALUNBRIG... 48	amlodipine... 88
ALA-SCALP... 109	ALVAIZ... 84	ammonium lactate... 109
albendazole... 63	ALVESCO... 175	AMMONUL... 163
albuterol sulfate... 175	alyacen 1/35 (28)... 136	amnestem... 109
ALCAINE... 170	alyacen 7/7/7 (28)... 136	amoxapine... 37
alclometasone... 109	ALYFTREK... 175	amoxicil-clarithromy-lansopraz... 123
ALCOHOL PADS... 163	ALYGLO... 149	amoxicillin-pot clavulanate... 21
ALCOHOL PREP PADS... 163	ALYMSYS... 48	amoxicillin... 21
ALCOHOL SWABS... 163	alyq... 175	amphetamine sulfate... 102
ALCOHOL WIPES... 163	amantadine hcl... 63, 64	amphotericin b liposome... 42
ALDACTONE... 88	AMBIEN CR... 183	amphotericin b... 42
ALDURAZYME... 128	AMBIEN... 182	ampicillin sodium... 21
ALECENSA... 48	AMBISOME... 42	ampicillin-sulbactam... 21
alendronate... 161	ambrisentan... 175	

ampicillin... 21	AQNEURSA... 163	aspirin-dipyridamole... 84
AMPYRA... 102	ARALAST NP... 128	ASPRUZYO SPRINKLE... 88
AMRIX... 182	aranelle (28)... 136	ASTAGRAF XL... 149
AMVUTTRA... 128	ARANESP (IN POLYSORBATE)... 84	ATACAND HCT... 88
AMZEEQ... 109	ARAVA... 149	ATACAND... 88
ANAFRANIL... 37	ARAZLO... 109	atazanavir... 71
anagrelide... 84	ARBLI... 88	ATELVIA... 161
anastrozole... 48	ARCALYST... 149	atenolol-chlorthalidone... 88
ANCOBON... 42	AREXVY (PF)... 149	atenolol... 88
ANDEMBRY AUTOINJECTOR... 149	arformoterol... 175	ATGAM... 149
ANDROGEL... 136	ARICEPT... 36	ATIVAN... 76
ANGELIQ... 136	ARIKAYCE... 21	atomoxetine... 102
ANKTIVA... 48	ARIMIDEX... 49	ATORVALIQ... 89
ANNOVERA... 136	aripiprazole... 66	atorvastatin... 89
ANORO ELLIPTA... 175	ARISTADA INITIO... 66	atovaquone-proguanil... 63
ANTIVERT... 40	ARISTADA... 66	atovaquone... 63
anusol-hc... 109	ARIXTRA... 84	ATRALIN... 109
ANZEMET... 40	armodafinil... 183	ATRIPLA... 71
ANZUPGO... 109	ARMONAIR DIGIHALER... 175	ATROPINE SULFATE (PF)... 170
APADAZ... 11	ARMOUR THYROID... 145	atropine... 123, 170
apexicon e... 109	ARNUITY ELLIPTA... 175	ATROVENT HFA... 176
APIDRA SOLOSTAR U-100	AROMASIN... 49	ATTRUBY... 128
INSULIN... 78	ARRANON... 49	AUBAGIO... 102
APIDRA U-100 INSULIN... 78	arsenic trioxide... 49	aubra eq... 136
APLENZIN... 37	ARTHROTEC 50... 11	aubra... 136
APOKYN... 64	ARTHROTEC 75... 11	AUGMENTIN ES-600... 22
apomorphine... 64	ASCENIV... 149	AUGMENTIN XR... 22
APONVIE... 40	ascomp with codeine... 11	AUGMENTIN... 21, 22
apraclonidine... 170	ascorbic acid (vitamin c)... 186	AUGTYRO... 49
aprepitant... 40	asenapine maleate... 66	auranofin... 149
apri... 136	ashlyna... 136	aurovela 1.5/30 (21)... 136
APRISO... 160	ASMANEX HFA... 175	aurovela 1/20 (21)... 136
APTENSIO XR... 102	ASMANEX TWISTHALER... 175	aurovela 24 fe... 136
APTIOM... 30	ASPARLAS... 49	aurovela fe 1-20 (28)... 136
APTIVUS... 71		

aurovela fe 1.5/30 (28)... 136	AZASAN... 149	BAQSIMI... 78
AUSTEDO XR TITRATION KT(WK1-4)... 102	AZASITE... 170	BARACLUDE... 71
AUSTEDO XR... 102	azathioprine sodium... 149	BASAGLAR KWIKPEN U-100 INSULIN... 78
AUSTEDO... 102	azathioprine... 149	BASAGLAR TEMPO PEN(U-100)INSLN... 78
AUTOJECT 2 INJECTION DEVICE... 163	azelaic acid... 109	BAVENCIO... 49
AUTOPEN 1 TO 21 UNITS... 163	azelastine-fluticasone... 176	BAXDELA... 22
AUTOPEN 2 TO 42 UNITS... 163	azelastine... 170, 176	BCG VACCINE, LIVE (PF)... 149
AUTOSHIELD DUO PEN NEEDLE... 163	AZELEX... 109	BD ALCOHOL SWABS... 163
AUVELITY... 37	AZILECT... 64	BD AUTOSHIELD DUO PEN NEEDLE... 163
AUVI-Q... 176	AZITHROMYCIN... 22	BD ECLIPSE LUER-LOK... 163
AVALIDE... 89	AZMIRO... 136	BD INSULIN SYRINGE (HALF UNIT)... 163
AVAPRO... 89	AZOPT... 170	BD INSULIN SYRINGE MICRO-FINE... 163
AVASTIN... 49	AZOR... 89	BD INSULIN SYRINGE U-500... 163
AVEED... 136	AZSTARYS... 102	BD INSULIN SYRINGE ULTRA-FINE... 164
AVELOX IN NA CL (ISO-OSMOTIC)... 22	aztreonam... 22	BD INSULIN SYRINGE... 163
AVERI... 136	AZULFIDINE EN-TABS... 160	BD LO-DOSE MICRO-FINE IV... 164
AVGEMSI... 49	AZULFIDINE... 160	BD NANO 2ND GEN PEN NEEDLE... 164
aviane... 136	azurette (28)... 136	BD SAFETYGLIDE INSULIN SYRINGE... 164
avidoxy... 22	B	BD SAFETYGLIDE SYRINGE... 164
AVITA... 109	b complex 100... 186	BD ULTRA-FINE MICRO PEN NEEDLE... 164
AVMAPKI-FAKZYNJA... 49	b-complex injection... 186	BD ULTRA-FINE MINI PEN NEEDLE... 164
AVODART... 131	bacitracin-polymyxin b... 170	BD ULTRA-FINE NANO PEN NEEDLE... 164
AVONEX... 102	bacitracin... 22, 170	BD ULTRA-FINE ORIG PEN NEEDLE... 164
AVSOLA... 149	baclofen... 70	
AVYCAZ... 22	BACTRIM DS... 22	
AXTLE... 49	BACTRIM... 22	
AYGESTIN... 136	BAFIERTAM... 102	
ayuna... 136	bal-care dha... 117	
AYVAKIT... 49	balanced salt... 170	
azacitidine... 49	BALCOLTRA... 136	
AZACTAM... 22	balsalazide... 160	
	BALVERSA... 49	
	balziva (28)... 136	
	BAND-AID GAUZE PADS... 163	
	BANZEL... 30	

BD ULTRA-FINE SHORT PEN NEEDLE... 164	betamethasone, augmented... 109, 110	BKEMV... 149
BD VEO INSULIN SYR (HALF UNIT)... 164	BETAPACE AF... 89	bleomycin... 49
BD VEO INSULIN SYRINGE UF... 164	BETAPACE... 89	blisovi 24 fe... 137
BECONASE AQ... 176	BETASERON... 102	blisovi fe 1.5/30 (28)... 137
BELBUCA... 11	betaxolol... 89, 170	blisovi fe 1/20 (28)... 137
BELEODAQ... 49	bethanechol chloride... 131	BONJESTA... 41
BELSOMRA... 183	BETHKIS... 22	BOOSTRIX TDAP... 149, 150
benazepril-hydrochlorothiazide... 89	BETIMOL... 170	BORDERED GAUZE... 164
benazepril... 89	BETOPTIC S... 170	BORTEZOMIB... 49
bendamustine... 49	BEVESPI AEROSPHERE... 176	BORUZU... 49
BENDEKA... 49	bexarotene... 49	bosentan... 176
BENICAR HCT... 89	BEXSERO... 149	BOSULIF... 49, 50
BENICAR... 89	BEYAZ... 137	BRAFTOVI... 50
BENLYSTA... 149	BEYFORTUS... 164	BREO ELLIPTA... 176
BENTYL... 123	bicalutamide... 49	BREVIBLOC IN NACL (ISO-OSM)... 89
BENZAMYCIN... 109	BICILLIN C-R... 22	BREVIBLOC... 89
benzhydrocodone-acetaminophen... 11	BICILLIN L-A... 22	BREZTRI AEROSPHERE... 176
benzonatate... 185	BICNU... 49	briellyn... 137
benztropine... 64	BIDIL... 89	BRILINTA... 84
bepotastine besilate... 170	BIJUVA... 137	brimonidine... 110, 170
BEPREVE... 170	BIKTARVY... 71	BRINSUPRI... 164
BERINERT... 149	BILTRICIDE... 63	brinzolamide... 170
beser... 109	bimatoprost... 170	BRIUMVI... 102
BESIVANCE... 170	BIMZELX AUTOINJECTOR... 149	BRIVIACT... 30
BESPONSA... 49	BIMZELX... 149	bromfed dm... 185
BESREMI... 149	BINOSTO... 161	bromfenac... 170
BETADINE OPHTHALMIC PREP... 170	BIORPHEN... 89	bromocriptine... 64
betaine... 128	bismuth subcit k-metronidz-tcn... 123	brompheniramine-pseudoeph-dm... 185
betamethasone acet,sod phos... 132	bisoprolol fumarate... 89	BROMSITE... 170
betamethasone dipropionate... 109	bisoprolol-hydrochlorothiazide... 89	BRONCHITOL... 176
betamethasone valerate... 109	bivalirudin... 84	BROVANA... 176
	BIVIGAM... 149	BRUKINSA... 50
	BIZENGRI... 49	BRYHALI... 110
		BRYNOVIN... 78

BSS PLUS... 171	CABENUVA... 71	CARBAGLU... 117
BSS... 171	cabergoline... 146	carbamazepine... 30
BUCAPSOL... 76	CABLIVI... 84	CARBATROL... 30
budesonide... 160, 176	CABOMETYX... 50	carbidopa-levodopa-entacapone... 64
bumetanide... 89	CABTREO... 110	carbidopa-levodopa... 64
bupap... 164	CADUET... 89	carbidopa... 64
BUPHENYL... 128	CAFCIT... 165	carbinoxamine maleate... 176
bupivacaine (pf)... 18	caffeine citrate... 165	CARBOCAINE WITH
bupivacaine hcl... 18	calcipotriene-betamethasone... 110	NEO-COBEFRIN... 18
bupivacaine liposome (pf)... 18	calcipotriene... 110	carboplatin... 50
bupivacaine-dextrose-water(pf)... 18	calcitonin (salmon)... 161	carboprost tromethamine... 135
bupivacaine-epinephrine (pf)... 18	calcitriol... 110, 161	carbzah... 176
bupivacaine-epinephrine... 18	calcium chloride... 117	CARDIZEM CD... 90
BUPRENEX... 11	calcium gluconate... 117	CARDIZEM LA... 90
buprenorphine hcl... 11, 20	CALDOLOR... 11	CARDIZEM... 90
buprenorphine-naloxone... 20	CALQUENCE (ACALABRUTINIB MAL)... 50	CARDURA XL... 90
buprenorphine... 11	CAMBIA... 11	CARDURA... 90
bupropion hcl (smoking deter)... 20	camila... 137	CARETOUCH ALCOHOL PREP PAD... 165
bupropion hcl... 37	CAMPTOSAR... 50	carglumic acid... 117
buspirone... 76	camrese lo... 137	carisoprodol... 182
busulfan... 50	camrese... 137	carmustine... 50
BUSULFEX... 50	CAMZYOS... 89	CARNITOR (SUGAR-FREE)... 117
butalbital-acetaminop-caf-cod... 164	CANASA... 160	CARNITOR... 117
butalbital-acetaminophen-caff... 164	CANCIDAS... 42	CAROSPIR... 90
butalbital-acetaminophen... 164	candesartan-hydrochlorothiazid... 89	carteolol... 171
butalbital-aspirin-caffeine... 164	candesartan... 89	cartia xt... 90
butorphanol... 11	CAPEX... 110	carvedilol phosphate... 90
BUTRANS... 11	CAPLYTA... 66	carvedilol... 90
BYLVAY... 164	CAPRELSA... 50	CASODEX... 50
BYSTOLIC... 89	captopril-hydrochlorothiazide... 90	caspofungin... 42
C	captopril... 90	CAYSTON... 176
c-nate dha... 117	CARAC... 110	cefaclor... 22
	CARAFATE... 123	cefadroxil... 22

cefazolin in dextrose (iso-os)... 22, 23	cetorelix... 185	cimetidine... 123
cefazolin... 22	CETROTIDE... 185	CIMZIA POWDER FOR RECONST... 150
cefdinir... 23	cevimeline... 108	CIMZIA STARTER KIT... 150
cefepime in dextrose 5 %... 23	CHANTIX CONTINUING MONTH BOX... 20	CIMZIA... 150
cefepime in dextrose,iso-osm... 23	CHANTIX STARTING MONTH BOX... 20	cinacalcet... 161
cefepime... 23	CHANTIX... 20	CINQAIR... 176
cefixime... 23	charlotte 24 fe... 137	CINRYZE... 150
cefotetan... 23	chateal eq (28)... 137	CINVANTI... 41
cefoxitin in dextrose, iso-osm... 23	CHEMET... 117	CIPRO HC... 174
cefoxitin... 23	chenodal... 123	CIPRO... 23
cefpodoxime... 23	chloramphenicol sod succinate... 23	CIPRODEX... 174
cefprozil... 23	chlordiazepoxide hcl... 76	ciprofloxacin hcl... 23, 171, 174
ceftazidime... 23	chlordiazepoxide hcl... 76	ciprofloxacin in 5 % dextrose... 23
ceftriaxone in dextrose,iso-os... 23	chlorhexidine gluconate... 108	ciprofloxacin-dexamethasone... 174
ceftriaxone... 23	chloroprocaine (pf)... 18	ciprofloxacin... 23
cefuroxime axetil... 23	chloroquine phosphate... 63	cisplatin... 50
cefuroxime sodium... 23	chlorothiazide sodium... 90	cialopram... 38
CELEBREX... 11	chlorpromazine... 66	CITRANATAL B-CALM (FE GLUC)... 117
celecoxib... 11	chlorthalidone... 90	cladribine... 50
CELESTONE SOLUSPAN... 132	chlorzoxazone... 182	CLAFORAN... 23
CELEXA... 37	CHOLBAM... 128	claravis... 110
CELLCEPT INTRAVENOUS... 150	cholestyramine (with sugar)... 90	CLARINEX-D 12 HOUR... 165
CELLCEPT... 150	cholestyramine light... 90	CLARINEX... 176
CELONTIN... 31	CHORIONIC GONADOTROPIN, HUMAN... 134	clarithromycin... 24
CENTANY... 110	CIALIS... 131	clemastine... 176
cephalexin... 23	CIBINQO... 150	clemasz... 176
CEQUA... 171	ciclodan... 42	clemsza... 176
CEQUR SIMPLICITY INSERTER... 165	ciclopirox... 42	CLENPIQ... 124
CEQUR SIMPLICITY... 165	cidofovir... 71	CLEOCIN HCL... 24
CERDELGA... 128	cilostazol... 84	CLEOCIN PEDIATRIC... 24
CEREBYX... 31	CILOXAN... 171	CLEOCIN T... 110
CEREZYME... 128	CIMDUO... 71	CLEOCIN... 24
CERVIDIL... 165	cimetidine hcl... 123	
cetirizine... 176		

CLEVIPREX... 90	CLINIMIX E 5%/D15W SULFIT FREE... 118	codeine sulfate... 11
CLIMARA PRO... 137	CLINIMIX E 5%/D20W SULFIT FREE... 118	codeine-butalbital-asa-caff... 11
CLIMARA... 137	CLINIMIX E 8%-D10W SULFITEFREE... 118	COLAZAL... 160
clindacin etz... 110	CLINIMIX E 8%-D14W SULFITEFREE... 118	colchicine... 45
clindacin p... 110	CLINISOL SF 15 %... 118	COLCRYS... 45
clindacin... 110	CLINOLIPID... 118	colesevelam... 90
CLINDAGEL... 110	clobazam... 31	COLESTID FLAVORED... 90
clindamycin hcl... 24	clobetasol-emollient... 111	COLESTID... 90
clindamycin in 0.9 % sod chlor... 24	clobetasol... 110, 111	colestipol... 90, 91
clindamycin in 5 % dextrose... 24	CLOBEX... 111	colistin (colistimethate na)... 24
clindamycin palmitate hcl... 24	clocortolone pivalate... 111	COLUMVI... 50
clindamycin pediatric... 24	clodan... 111	COLY-MYCIN M PARENTERAL... 24
clindamycin phosphate... 24, 110	clofarabine... 50	COMBIGAN... 171
clindamycin-benzoyl peroxide... 110	CLOLAR... 50	COMBIPATCH... 137
clindamycin-tretinoin... 110	clomid... 185	COMBIVENT RESPIMAT... 176
CLINDESSE... 24	clomiphene citrate... 186	COMBIVIR... 71
CLINIMIX 4.25%/D10W SULF FREE... 117	clomipramine... 38	COMBOGESIC IV... 165
CLINIMIX 4.25%/D5W SULFIT FREE... 117	clonazepam... 76	COMETRIQ... 50
CLINIMIX 5%-D20W(SULFITE-FREE)... 117	clonidine hcl... 90, 102	COMPAZINE... 41
CLINIMIX 5%/D15W SULFITE FREE... 117	clonidine... 90	COMPLERA... 71
CLINIMIX 6%-D5W (SULFITE-FREE)... 117	clopidogrel... 84	complete natal dha... 118
CLINIMIX 8%-D10W(SULFITE-FREE)... 118	clorazepate dipotassium... 76	compro... 41
CLINIMIX 8%-D14W(SULFITE-FREE)... 118	CLOROTEKAL (PF)... 18	COMTAN... 64
CLINIMIX E 2.75%/D5W SULF FREE... 118	clotrimazole-betamethasone... 42, 43	CONCERTA... 102
CLINIMIX E 4.25%/D10W SUL FREE... 118	clotrimazole... 42	CONDYLOX... 111
CLINIMIX E 4.25%/D5W SULF FREE... 118	clozapine... 66	constulose... 124
	CLOZARIL... 66	CONZIP... 11
	COARTEM... 63	COPAXONE... 102
	COBENFY STARTER PACK... 165	COPIKTRA... 50
	COBENFY... 165	CORDRAN TAPE LARGE ROLL... 111
		CORDRAN... 111
		COREG CR... 91
		COREG... 91
		CORGARD... 91

CORLANOR... 91	CUVPOSA... 124	d2.5 %-0.45 % sodium chloride... 118
CORLOPAM... 91	CUVRIOR... 118	
CORTEF... 111	cyanocobalamin (vitamin b-12)... 186	d5 % and 0.9 % sodium chloride... 118
CORTENEMA... 160	cyclobenzaprine... 182	d5 %-0.45 % sodium chloride... 118
CORTIFOAM... 160	cyclophosphamide... 50	dabigatran etexilate... 84
CORTISPORIN-TC... 174	cycloserine... 47	dacarbazine... 51
CORTROPHIN GEL... 132	CYCLOSET... 78	dactinomycin... 51
CORVERT... 91	cyclosporine modified... 150	dalfampridine... 102
COSENTYX (2 SYRINGES)... 150	cyclosporine... 150, 171	DALIRES... 176, 177
COSENTYX PEN (2 PENS)... 150	CYKLOKAPRON... 84	DALVANCE... 24
COSENTYX PEN... 150	CYLTEZO(CF) PEN CROHN'S-UC-HS... 150	danazol... 137
COSENTYX UNOREADY PEN... 150	CYLTEZO(CF) PEN PSORIASIS-UV... 150	DANTRIUM... 70
COSENTYX... 150	CYLTEZO(CF) PEN... 150	dantrolene... 70
COSMEGEN... 50	CYLTEZO(CF)... 150	DANYELZA... 51
COSOPT (PF)... 171	CYMBALTA... 102	DANZITEN... 51
COSOPT... 171	cyproheptadine... 176	dapagliflozin propanediol... 78
COTELLIC... 50	CYRAMZA... 50	dapsone... 47, 111
COTEMPLA XR-ODT... 102	cyred eq... 137	DAPTACEL (DTAP PEDIATRIC) (PF)... 150
COZAAR... 91	cyred... 137	daptomycin in 0.9 % sod chlor... 24
CRENESSITY... 137	CYSTADANE... 128	daptomycin... 24
CREON... 128	CYSTADROPS... 171	DARAPRIM... 63
CRESEMBA... 43	CYSTAGON... 128	darifenacin... 131
CRESTOR... 91	CYSTARAN... 171	DARTISLA... 124
CREXONT... 64	cytarabine (pf)... 51	darunavir... 71
CRINONE... 137	cytarabine... 50	DARZALEX FASPRO... 51
cromolyn... 171, 176	CYTOGAM... 150	DARZALEX... 51
crotan... 111	CYTOMEL... 145	dasatinib... 51
cryselle (28)... 137	CYTOTEC... 124	dasetta 1/35 (28)... 137
CRYSVITA... 128		dasetta 7/7/7 (28)... 137
CTEXLI... 124		DATROWAY... 51
CUBICIN RF... 24		daunorubicin... 51
CUPRIMINE... 118		DAURISMO... 51
CURITY ALCOHOL SWABS... 165		DAYBUE... 128
CURITY GAUZE... 165		
CUTAQUIG... 150		

D

DAYPRO... 11	dermacinrx lidocan... 18	dextrose 10 % and 0.2 % nacl... 118
daysee... 137	DERMOTIC OIL... 174	dextrose 10 % in water (d10w)... 118
DAYTRANA... 103	DESCOVY... 71	dextrose 25 % in water (d25w)... 118
DAYVIGO... 183	DESFERAL... 118	dextrose 5 % in water (d5w)... 118
DDAVP... 134	desipramine... 38	dextrose 5 %-lactated ringers... 118
deblitane... 137	desloratadine... 177	dextrose 5%-0.2 % sod chloride... 119
decitabine... 51	desmopressin... 134	dextrose 5%-0.3 % sod.chloride... 119
deferasirox... 118	desog-e.estradiol/e.estradiol... 137	dextrose 50 % in water (d50w)... 119
deferiprone... 118	desonide... 111	dextrose 70 % in water (d70w)... 119
deferoxamine... 118	DESOWEN... 111	DHIVY... 64
DEFITELIO... 165	desoximetasone... 111	DIACOMIT... 31
deflazacort... 132	DESOXYN... 103	DIASTAT ACUDIAL... 31
DELESTROGEN... 137	desrx... 112	DIASTAT... 31
DELSTRIGO... 71	desvenlafaxine succinate... 38	diazepam intensol... 77
DELZICOL... 160	desvenlafaxine... 38	diazepam... 31, 76, 77
demeclocycline... 24	DETROL LA... 131	diazoxide... 78
DEMEROL (PF)... 12	DETROL... 131	DIBENZYLINE... 91
DEMEROL... 12	dexabliss... 132	dichlorphenamide... 128
DEMSER... 91	dexamethasone intensol... 132	DICLEGIS... 41
DENAVIR... 71	dexamethasone sodium phos (pf)... 133	diclofenac epolamine... 12
DENGVAXIA (PF)... 150	dexamethasone sodium phosphate... 133, 171	diclofenac potassium... 12
DEPAKOTE ER... 31	dexamethasone... 132	diclofenac sodium... 12, 112, 171
DEPAKOTE SPRINKLES... 31	dexchlorpheniramine maleate... 177	diclofenac-misoprostol... 12
DEPAKOTE... 31	DEXEDRINE SPANSULE... 103	dicloxacillin... 24
DEPEN TITRATABS... 118	DEXILANT... 124	dicyclomine... 124
DEPO-ESTRADIOL... 137	dexlansoprazole... 124	didanosine... 71
DEPO-MEDROL... 132	dexmethylphenidate... 103	DIFFERIN... 112
DEPO-PROVERA... 137	dexrazoxane hcl... 51	DIFICID... 24
DEPO-SUBQ PROVERA 104... 137	DEXTENZA... 171	diflorasone... 112
DEPO-TESTOSTERONE... 137	dextroamphetamine sulfate... 103	
DERMA-SMOOTH/FS BODY OIL... 111	dextroamphetamine-amphetamine... 103	
DERMA-SMOOTH/FS SCALP OIL... 111		
DERMACEA... 165		

DIFLUCAN... 43	dolobid... 12	DROPSAFE ALCOHOL PREP PADS... 165
diflunisal... 12	donepezil... 36	DROPSAFE PEN NEEDLE... 165
difluprednate... 171	dopamine in 5 % dextrose... 92	drospirenone-e.estradiol-lm.fa... 138
digitek... 91	dopamine... 92	drospirenone-ethinyl estradiol... 138
digoxin... 91	DOPRAM... 177	DROXIA... 165
dihydroergotamine... 46	DOPTelet (10 TAB PACK)... 84	droxidopa... 92
DILANTIN EXTENDED... 31	DOPTelet (15 TAB PACK)... 84	DUAKLIR PRESSAIR... 177
DILANTIN INFATABS... 31	DOPTelet (30 TAB PACK)... 84	DUAVEE... 138
DILANTIN-125... 31	DORYX MPC... 25	DUET DHA WITH OMEGA-3... 119
DILANTIN... 31	DORYX... 24	DUETACT... 78
DILAUDID... 12	dorzolamide-timolol (pf)... 171	DUEXIS... 12
dilt-xr... 91	dorzolamide-timolol... 171	DULERA... 177
diltiazem hcl... 91	dorzolamide... 171	duloxetine... 103
dimenhydrinate... 41	dotti... 138	DUOBRII... 112
dimethyl fumarate... 103	DOVATO... 71	DUOPA... 64
DIOVAN HCT... 91	doxazosin... 92	DUPIXENT PEN... 150
DIOVAN... 91	doxepin... 77, 112, 183	DUPIXENT SYRINGE... 151
DIPENTUM... 160	doxercalciferol... 161	DURAMORPH (PF)... 12
diphen... 177	DOXIL... 51	DUREZOL... 171
diphenhydramine hcl... 177	doxorubicin, peg-liposomal... 51	DURYSTA... 171
diphenoxylate-atropine... 124	doxorubicin... 51	dutasteride-tamsulosin... 131
DIPROLENE (AUGMENTED)... 112	doxy-100... 25	dutasteride... 131
dipyridamole... 84	doxycycline hyclate... 25	DUVYZAT... 128
disopyramide phosphate... 91	doxycycline monohydrate... 25	DUZALLO... 45
disulfiram... 20	doxylamine-pyridoxine (vit b6)... 41	DYANAVEL XR... 103
DIURIL... 91	DRISDOL... 186	dyclopro... 166
divalproex... 31	DRIZALMA SPRINKLE... 103	DYMISTA... 177
DIVIGEL... 138	dronabinol... 41	DYRENIUM... 92
dobutamine in d5w... 91	droperidol... 66	E
dobutamine... 91	DROPLET INSULIN SYR(HALF UNIT)... 165	E.E.S. 400... 25
docetaxel... 51	DROPLET INSULIN SYRINGE... 165	E.E.S. GRANULES... 25
dodex... 186	DROPLET MICRON PEN NEEDLE... 165	EASY COMFORT ALCOHOL PAD... 166
dofetilide... 92	DROPLET PEN NEEDLE... 165	
DOJOLVI... 128		
dolishale... 138		

EASY TOUCH ALCOHOL PREP PADS... 166	ELFABRIO... 128	emverm... 63
EBGLYSS PEN... 112	ELIDEL... 112	emzahh... 138
EBGLYSS SYRINGE... 112	ELIGARD (3 MONTH)... 146	enalapril maleate... 92
ec-naproxen... 12	ELIGARD (4 MONTH)... 146	enalapril-hydrochlorothiazide... 92
econazole nitrate... 43	ELIGARD (6 MONTH)... 146	enalaprilat... 92
edaravone... 104	ELIGARD... 146	ENBREL MINI... 151
EDARBI... 92	ELIMITE... 112	ENBREL SURECLICK... 151
EDARBYCLOR... 92	elinest... 138	ENBREL... 151
EDECIN... 92	ELIQUIS DVT-PE TREAT 30D START... 85	ENDARI... 124
edetate calcium disodium... 166	ELIQUIS... 85	endocet... 12
EDLUAR... 183	ELITEK... 51	ENDOMETRIN... 138
EDURANT PED... 71	ELIXOPHYLLIN... 177	ENFLONIA... 166
EDURANT... 71	ELLENCE... 51	ENERGIX-B (PF)... 151
efavirenz-emtricitabin-tenofovir... 71	ELMIRON... 131	ENERGIX-B PEDIATRIC (PF)... 151
efavirenz-lamivudine-tenofovir disoproxil fumarate... 71	ELREXFIO... 51	ENHERTU... 51
efavirenz... 71	eluryng... 138	enilloring... 138
EFFEXOR XR... 38	ELYXYB... 166	ENJAYMO... 151
EFFIENT... 84	ELZONIS... 51	enoxaparin... 85
EFUDEX... 112	EMBLAVEO... 25	enpresse... 138
EGATEN... 63	EMCYT... 51	enskyce... 138
EGRIFTA SV... 134	EMEND (FOSAPREPITANT)... 41	ENSPRYNG... 171
EGRIFTA WR... 134	EMEND... 41	ENSTILAR... 112
EKTERLY... 151	EMFLAZA... 133	entacapone... 64
ELAHERE... 51	EMGALITY PEN... 46	entecavir... 72
ELAPRASE... 128	EMGALITY SYRINGE... 46	ENTRESTO SPRINKLE... 92
electrolyte-148... 119	EMPAVELI... 166	ENTRESTO... 92
electrolyte-48 in d5w... 119	EMPLICITI... 51	ENTYVIO PEN... 151
electrolyte-a... 119	EMRELIS... 51	ENTYVIO... 151
ELELYSO... 128	EMROSI... 25	enulose... 124
ELEPSIA XR... 31	EMSAM... 38	ENVARUS XR... 151
ELESTRIN... 138	emtricitabine-rilpivirine-tenofovir disoproxil fumarate... 72	EOHILIA... 166
eletriptan... 46	emtricitabine-tenofovir (tdf)... 72	EPANED... 92
ELEVIDYS... 128	emtricitabine... 72	EPCLUSA... 72
	EMTRIVA... 72	EPIDIOLEX... 31

EPIDUO FORTE... 112	errin... 138	ethosuximide... 31
EPIDUO... 112	ERTACZO... 43	ethynodiol diac-eth estradiol... 138
EPIFOAM... 112	ertapenem... 25	etodolac... 12
epinastine... 171	ery pads... 112	etonogestrel-ethinyl estradiol... 138
epineph bitart in 0.9% sod chl... 92	ERY-TAB... 25	ETOPOPHOS... 52
epinephrine... 177	ERYGEL... 112	etoposide... 52
EPIPEN 2-PAK... 177	ERYPED 200... 25	etravirine... 72
EPIPEN JR 2-PAK... 177	ERYPED 400... 25	EUCRISA... 112
EPIPEN JR... 177	ERYTHROCIN (AS STEARATE)... 25	EULEXIN... 52
EPIPEN... 177	ERYTHROCIN... 25	EURAX... 112
epirubicin... 51	erythromycin ethylsuccinate... 26	EVAMIST... 139
epitol... 31	erythromycin lactobionate... 26	EVEKEO ODT... 104
EPIVIR... 72	erythromycin with ethanol... 112	EVEKEO... 104
EPKINLY... 51	erythromycin-benzoyl peroxide... 112	EVENITY... 162
eplerenone... 92	erythromycin... 25, 171	everolimus (antineoplastic)... 52
EPOGEN... 85	ESBRIET... 177	everolimus (immunosuppressive)... 151
epoprostenol... 177	escitalopram oxalate... 38	EVISTA... 139
EPRONTIA... 31	ESGIC... 166	EVKEEZA... 92
eprosartan... 92	eslicarbazepine... 31	EVOCLIN... 112
EPSOLAY... 112	esmolol in nacl (iso-osm)... 92	EVOMELA... 52
eptifibatide... 85	esmolol... 92	EVOTAZ... 72
EPYSQLI... 151	esomeprazole magnesium... 124	EVOXAC... 108
EPZICOM... 72	esomeprazole sodium... 124	EVRYSDI... 128
EQUETRO... 31	estarylla... 138	EXELDERM... 43
ERAXIS(WATER DILUENT)... 43	estazolam... 183	EXELON PATCH... 36
ERBITUX... 52	ESTRACE... 138	exemestane... 52
ergocalciferol (vitamin d2)... 186	estradiol valerate... 138	exenatide... 78
ergoloid... 36	estradiol-norethindrone acet... 138	EXFORGE HCT... 92
ERGOMAR... 46	estradiol... 138	EXFORGE... 92
ergotamine-caffeine... 46	ESTRING... 138	EXJADE... 119
eribulin... 52	eszopiclone... 183	EXKIVITY... 52
ERIVEDGE... 52	ethacrynate sodium... 92	EXPAREL (PF)... 19
ERLEADA... 52	ethacrynic acid... 92	EXSERVAN... 104
erlotinib... 52	ethambutol... 48	EXTAVIA... 104
ERMEZA... 145		

EXTINA... 43	fenofibric acid (choline)... 93	FLAGYL... 26
EYSUVIS... 171	fenofibric acid... 93	FLAREX... 171
EZALLOR SPRINKLE... 92	FENOGLIDE... 93	flavoxate... 131
ezetimibe-simvastatin... 92	fenoprofen... 12	FLEBOGAMMA DIF... 151
ezetimibe... 92	fenopron... 13	flecainide... 93
F	FENSOLVI... 146	FLECTOR... 13
FABHALTA... 151	fentanyl... 13	FLEQSUVY... 70
FABIOR... 112	FERRIPROX (2 TIMES A DAY)... 119	FLOLIPID... 93
FABRAZYME... 128	FERRIPROX... 119	FLOMAX... 131
falmina (28)... 139	fesoterodine... 131	floxuridine... 52
famciclovir... 72	FETROJA... 26	fluconazole in nacl (iso-osm)... 43
famotidine (pf)-nacl (iso-os)... 124	FETZIMA... 38	fluconazole... 43
famotidine (pf)... 124	FEXMID... 182	flucytosine... 43
famotidine... 124	FIASP FLEXTOUCH U-100 INSULIN... 78	fludarabine... 52
FANAPT TITRATION PACK A... 67	FIASP PENFILL U-100 INSULIN... 78	fludrocortisone... 133
FANAPT TITRATION PACK B... 67	FIASP U-100 INSULIN... 78	FLUMADINE... 72
FANAPT TITRATION PACK C... 67	FIBRICOR... 93	flumazenil... 166
FANAPT... 66	fidaxomicin... 26	flunisolide... 177
FARESTON... 52	FILSPARI... 166	fluocinolone acetonide oil... 174
FARXIGA... 78	FILSUVEZ... 166	fluocinolone and shower cap... 113
FASENRA PEN... 177	FINACEA... 112	fluocinolone... 112, 113
FASENRA... 177	finasteride... 131	fluocinonide-e... 113
FASLODEX... 52	fingolimod... 104	fluocinonide-emollient... 113
febuxostat... 45	FINTEPLA... 31	fluocinonide... 113
feirza... 139	finzala... 139	fluorometholone... 171
felbamate... 31	FIORICET WITH CODEINE... 166	FLUOROPLEX... 113
FELBATOL... 31	fioricet... 166	fluorouracil... 52, 113
FELDENE... 12	FIRAZYR... 151	fluoxetine... 38
felodipine... 93	FIRDAPSE... 104	fluphenazine decanoate... 67
FEMARA... 52	FIRMAGON KIT W DILUENT SYRINGE... 146	fluphenazine hcl... 67
FEMLYV... 139	FIRMAGON... 146	flurandrenolide... 113
FEMRING... 139	FIRVANQ... 26	flurazepam... 183
fenofibrate micronized... 93	flac otic oil... 174	flurbiprofen sodium... 171
fenofibrate nanocrystallized... 93		flurbiprofen... 13
fenofibrate... 93		

fluticasone propion-salmeterol... 177	FULPHILA... 85	GATTEX 30-VIAL... 124
fluticasone propionate... 113, 177, 178	fulvestrant... 52	GATTEX ONE-VIAL... 124
fluvastatin... 93	FULVICIN P/G... 43	GAUZE BANDAGE... 166
fluvoxamine... 38	FURADANTIN... 26	GAUZE PAD... 166
FML FORTE... 171	FUROSCIX... 93	gavilyte-c... 124
FML LIQUIFILM... 171	furosemide... 93	gavilyte-g... 124
FOCALIN XR... 104	FUSILEV... 52	gavilyte-n... 124
FOCALIN... 104	FUZEON... 72	GAVRETO... 52
FOCINVEZ... 41	FYARRO... 52	GAZYVA... 52
folic acid... 186, 187	fyavolv... 139	gefitinib... 52
FOLLISTIM AQ... 186	FYCOMPA... 32	GELNIQUE... 131
FOLOTYN... 52	FYLNETRA... 85	gemcitabine... 52, 53
fomepizole... 166	fyremadel... 186	gemfibrozil... 93
fondaparinux... 85	G	gemmily... 139
FORFIVO XL... 38	gabapentin... 32, 104	GEMTESA... 131
formoterol fumarate... 178	GABARONE... 32	generlac... 124
FORTEO... 162	GALAFOLD... 128	gengraf... 152
FORTESTA... 139	galantamine... 36, 37	GENOTROPIN MINIQUICK... 135
FOSAMAX PLUS D... 162	galbriela... 139	GENOTROPIN... 135
FOSAMAX... 162	gallifrey... 139	gentamicin in nacl (iso-osm)... 26
fosamprenavir... 72	GAMASTAN... 151	gentamicin sulfate (ped) (pf)... 26
fosaprepitant... 41	GAMIFANT... 151	gentamicin... 26, 171
foscarnet... 72	GAMMAGARD LIQUID... 151	GENVOYA... 72
fosfomycin tromethamine... 26	GAMMAGARD S-D (IGA < 1 MCG/ML)... 151	GEODON... 67
fosinopril-hydrochlorothiazide... 93	GAMMAKED... 151	GILENYA... 104
fosinopril... 93	GAMMAPLEX (WITH SORBITOL)... 151	GILOTTRIF... 53
fosphenytoin... 31	GAMMAPLEX... 151	GIMOTI... 41
FOTIVDA... 52	GAMUNEX-C... 151	GIVLAARI... 166
FRAGMIN... 85	ganciclovir sodium... 72	GLASSIA... 128
FRINDOVYX... 52	GANIRELIX... 186	glatiramer... 104
FROVA... 46	GARDASIL 9 (PF)... 152	glatopa... 104
frovatriptan... 46	GASTROCROM... 178	GLEEVEC... 53
FRUZAQLA... 52	gatifloxacin... 171	GLEOSTINE... 53
		glimepiride... 78

glipizide-metformin... 78	griseofulvin ultramicrosize... 43	HEMANGEOL... 93
glipizide... 78	guanfacine... 93, 104	HEMICLOR... 93
GLOPERBA... 45	GVOKE HYPOPEN 1-PACK... 79	heparin (porcine)... 85
GLUCAGEN HYPOKIT... 78	GVOKE HYPOPEN 2-PACK... 79	heparin, porcine (pf)... 85
GLUCAGON (HCL) EMERGENCY KIT... 78	GVOKE PFS 1-PACK SYRINGE... 79	HEPLISAV-B (PF)... 152
GLUCAGON EMERGENCY KIT (HUMAN)... 78, 79	GVOKE PFS 2-PACK SYRINGE... 79	HEPSERA... 72
GLUCOTROL XL... 79	GVOKE... 79	HERCEPTIN HYLECTA... 53
GLUMETZA... 79	gynazole-1... 43	HERCEPTIN... 53
glutamine (sickle cell)... 124	H	HERNEXEOS... 53
glyburide micronized... 79	HADLIMA PUSHTOUCH... 152	HERZUMA... 53
glyburide-metformin... 79	HADLIMA(CF) PUSHTOUCH... 152	HETLIOZ LQ... 183
glyburide... 79	HADLIMA(CF)... 152	HETLIOZ... 183
GLYCAT... 124	HADLIMA... 152	HIBERIX (PF)... 152
GLYCOPHOS... 119	HAEGARDA... 152	HIPREX... 26
glycopyrrolate (pf) in water... 125	hailey 24 fe... 139	HIZENTRA... 152
glycopyrrolate (pf)... 125	hailey fe 1.5/30 (28)... 139	HORIZANT... 104
glycopyrrolate... 125	hailey fe 1/20 (28)... 139	HULIO(CF) PEN... 152
glydo... 19	hailey... 139	HULIO(CF)... 152
GLYNASE... 79	HALAVEN... 53	HUMALOG JUNIOR KWIKPEN U-100... 79
GLYXAMBI... 79	halcinonide... 113	HUMALOG KWIKPEN INSULIN... 79
GOCOVRI... 64	HALCION... 183	HUMALOG MIX 50-50 INSULN U-100... 79
GOLYTELY... 125	HALDOL DECANOATE... 67	HUMALOG MIX 50-50 KWIKPEN... 79
GOMEKLI... 53	halobetasol propionate... 113	HUMALOG MIX 75-25 KWIKPEN... 79
GONAL-F RFF... 186	haloette... 139	HUMALOG MIX 75-25 KWIKPEN... 79
GONAL-F... 186	HALOG... 113	HUMALOG MIX 75-25(U-100)INSULN... 79
GONITRO... 93	haloperidol decanoate... 67	HUMALOG MIX 75-25(U-100)INSULN... 79
GRAFAPEX... 53	haloperidol lactate... 67	HUMALOG MIX 75-25(U-100)INSULN... 79
GRALISE... 104	haloperidol... 67	HUMALOG MIX 75-25(U-100)INSULN... 79
granisetron (pf)... 41	HARLIKU... 128	HUMALOG MIX 75-25(U-100)INSULN... 79
granisetron hcl... 41	HARVONI... 72	HUMALOG MIX 75-25(U-100)INSULN... 79
GRANIX... 85	HAVRIX (PF)... 152	HUMALOG MIX 75-25(U-100)INSULN... 79
GRASTEK... 178	heather... 139	HUMALOG MIX 75-25(U-100)INSULN... 79
griseofulvin microsize... 43	HECTOROL... 162	HUMALOG MIX 75-25(U-100)INSULN... 79
	HEMABATE... 135	HUMALOG MIX 75-25(U-100)INSULN... 79
	HEMADY... 133	HUMALOG MIX 75-25(U-100)INSULN... 79

HUMIRA(CF) PEN CROHNS-UC-HS... 152	hydrocortisone butyr-emoilient... 114	ibu... 14
HUMIRA(CF) PEN PEDIATRIC UC... 152	hydrocortisone butyrate... 114	ibuprofen-famotidine... 14
HUMIRA(CF) PEN PSOR-UV-ADOL HS... 152	hydrocortisone sod succinate... 133	ibuprofen... 14
HUMIRA(CF) PEN... 152	hydrocortisone valerate... 114	ibutilide fumarate... 94
HUMIRA(CF)... 152	hydrocortisone-acetic acid... 174	icatibant... 153
HUMIRA... 152	hydrocortisone... 113, 114, 160	iclevia... 139
HUMULIN 70/30 U-100 INSULIN... 79	hydromet... 185	ICLUSIG... 53
HUMULIN 70/30 U-100 KWIKPEN... 79	hydromorphone (pf)... 13	IDACIO(CF) PEN CROHN-UC STARTR... 153
HUMULIN N NPH INSULIN KWIKPEN... 79	HYDROMORPHONE... 13	IDACIO(CF) PEN PSORIASIS START... 153
HUMULIN N NPH U-100 INSULIN... 79	hydroxocobalamin... 187	IDACIO(CF) PEN... 153
HUMULIN R REGULAR U-100 INSULN... 79	hydroxychloroquine... 63	IDACIO(CF)... 153
HUMULIN R U-500 (CONC) KWIKPEN... 79	hydroxyurea... 53	IDAMYCIN PFS... 53
HYCANTIN... 53	hydroxyzine hcl... 77	idarubicin... 53
HYCODAN (WITH HOMATROPINE)... 185	hydroxyzine pamoate... 178	IDHIFA... 53
HYCODAN... 185	HYFTOR... 114	IFEX... 53
hydralazine... 93, 94	HYPERRAB (PF)... 152	ifosfamide... 53
HYDREA... 53	HYPERTET (PF)... 152	IGALMI... 166
hydrochlorothiazide... 94	HYRIMOZ PEN CROHN'S-UC STARTER... 153	ILEVRO... 171
hydrocodone bitartrate... 13	HYRIMOZ PEN PSORIASIS STARTER... 153	ILUMYA... 153
hydrocodone-acetaminophen... 13	HYRIMOZ PEN... 152	IMAAVY... 153
hydrocodone-chlorpheniramine... 185	HYRIMOZ(CF) PEDI CROHN STARTER... 153	imatinib... 53
hydrocodone-homatropine... 185	HYRIMOZ(CF) PEN... 153	IMBRUVICA... 53, 54
hydrocodone-ibuprofen... 13	HYRIMOZ(CF)... 153	IMDELLTRA... 54
hydrocortisone acetate... 133	HYRIMOZ... 152	IMFINZI... 54
	HYSINGLA ER... 14	imipenem-cilastatin... 26
	HYZAAR... 94	imipramine hcl... 38
	I	imipramine pamoate... 38
	ibandronate... 162	imiquimod... 114
	IBRANCE... 53	IMITREX STATDOSE PEN... 46
	IBSRELA... 125	IMITREX STATDOSE REFILL... 46
	IBTROZI... 53	IMITREX... 46
		IMJUDO... 54
		IMKELDI... 54

IMLYGIC... 54	INSULIN ASP PRT-INSULIN ASPART... 79, 80	ipratropium-albuterol... 178
IMMPHENTIV... 94	INSULIN ASPART U-100... 80	IQIRVO... 125
IMOGAM RABIES-HT (PF)... 153	INSULIN DEGLUDEC... 80	irbesartan-hydrochlorothiazide... 94
IMOVAX RABIES VACCINE (PF)... 153	INSULIN GLARGINE U-300 CONC... 80	irbesartan... 94
IMPAVIDO... 63	INSULIN GLARGINE-YFGN... 80	IRESSA... 54
IMURAN... 153	INSULIN GLARGINE... 80	irinotecan... 54
IMVEXXY MAINTENANCE PACK... 139	INSULIN LISPRO	ISENTRESS HD... 73
IMVEXXY STARTER PACK... 139	PROTAMIN-LISPRO... 80	ISENTRESS... 72, 73
INBRIJA... 64	INSULIN LISPRO... 80	isibloom... 139
incassia... 139	INSULIN SYRINGE MICROFINE... 166	ISOLYTE S PH 7.4... 119
INCONTROL ALCOHOL PADS... 166	INSULIN SYRINGE-NEEDLE U-100... 166	ISOLYTE-P IN 5 % DEXTROSE... 119
INCRELEX... 135	INSULIN SYRINGE... 166	ISOLYTE-S... 119
INCRUSE ELLIPTA... 178	INSULIN U-500 SYRINGE-NEEDLE... 166	isoniazid... 48
indapamide... 94	INTELENCE... 72	ISORDIL TITRADOSE... 94
INDERAL LA... 94	INTRALIPID... 119	ISORDIL... 94
INDOCIN... 14	INTRAROSA... 139	isosorbide dinitrate... 94
indomethacin sodium... 14	introvale... 139	isosorbide mononitrate... 94
indomethacin... 14	INTUNIV ER... 104	isosorbide-hydralazine... 94
INFANRIX (DTAP) (PF)... 153	INVEGA HAFYERA... 67	isotretinoin... 114
INFLECTRA... 153	INVEGA SUSTENNA... 67	isradipine... 94
INFLIXIMAB... 153	INVEGA TRINZA... 67	ISTALOL... 172
INFUGEM... 54	INVEGA... 67	ISTODAX... 54
INFUMORPH P/F... 14	INVELTYS... 172	ISTURISA... 135
INFUVITE ADULT... 187	INVOKAMET XR... 80	ISUPREL... 94
INFUVITE PEDIATRIC... 187	INVOKAMET... 80	ITOVEBI... 54
INGREZZA INITIATION PK(TARDIV)... 104	INVOKANA... 80	itraconazole... 43
INGREZZA SPRINKLE... 104	INZIRQO... 94	IV PREP WIPES... 166
INGREZZA... 104	IONOSOL-MB IN D5W... 119	ivabradine... 94
INLYTA... 54	IOPIDINE... 172	ivermectin... 63, 114
INNOPRAN XL... 94	IPOL... 153	IVRA... 54
INPEFA... 94	ipratropium bromide... 178	IWILFIN... 54
INQOVI... 54		IXCHIQ (PF)... 153
INREBIC... 54		IXEMPRA... 54
INSPIRA... 94		IXIARO (PF)... 153

IYUZEH (PF)... 172
J
 JADENU SPRINKLE... 119
 JADENU... 119
 jaimiess... 139
 JAKAFI... 54
 JALYN... 131
 jantoven... 85
 JANUMET XR... 80
 JANUMET... 80
 JANUVIA... 80
 JARDIANCE... 80
 jasmiel (28)... 139
 JATENZO... 139
 javygtor... 128
 JAYPIRCA... 54
 jaythari... 133
 JEMPERLI... 54
 jencycla... 139
 JENTADUETO XR... 80
 JENTADUETO... 80
 JEVTANA... 54
 jinteli... 139
 JOBEVNE... 54
 JOENJA... 128
 jolessa... 139
 JORNAY PM... 104
 JOURNAVX... 166
 joyeaux... 139
 JUBLIA... 43
 juleber... 139
 JULUCA... 73
 junel 1.5/30 (21)... 140
 junel 1/20 (21)... 140
 junel fe 1.5/30 (28)... 140

junel fe 1/20 (28)... 140
 junel fe 24... 140
 JUXTAPID... 94
 JYLAMVO... 153
 JYNARQUE... 119
 JYNNEOS (PF)... 153
K
 KABIVEN... 119
 KADCYLA... 54
 kaitlib fe... 140
 KALETRA... 73
 kalliga... 140
 KALYDECO... 178
 KANJINTI... 54
 KANUMA... 129
 KAPSPARGO SPRINKLE... 94
 KAPVAY... 104
 kariva (28)... 140
 KATERZIA... 94
 KAZANO... 80
 KEDRAB (PF)... 153
 kelnor 1/35 (28)... 140
 kelnor 1/50 (28)... 140
 KENALOG-80... 133
 KENALOG... 133
 KENGREAL... 86
 KEPIVANCE... 108
 KEPPRA XR... 32
 KEPPRA... 32
 KERENDIA... 94
 KESIMPTA PEN... 104
 ketoconazole... 43
 ketodan... 43
 ketoprofen... 14
 ketorolac... 14, 172

KEVEYIS... 129
 KEVZARA... 153
 KEYTRUDA... 54
 KHAPZORY... 54
 KHINDIVI... 133
 KIMMTRAK... 55
 KIMYRSA... 26
 KINERET... 153
 KINRIX (PF)... 153
 kionex (with sorbitol)... 119
 kiprofen... 14
 KIRSTY PEN... 80
 KIRSTY... 80
 KISQALI FEMARA CO-PACK... 55
 KISQALI... 55
 KITABIS PAK... 26
 KLARON... 26
 klayesta... 43
 KLISYRI (250 MG)... 114
 KLISYRI (350 MG)... 114
 KLONOPIN... 77
 KLOR-CON 10... 119
 KLOR-CON 8... 119
 klor-con m10... 119
 KLOR-CON M15... 119
 klor-con m20... 119
 klor-con... 119
 KLOXXADO... 20
 KONVOMEF... 125
 KORLYM... 166
 KOSELUGO... 55
 KOSHER PRENATAL PLUS IRON...
 120
 kourzeq... 108
 KRAZATI... 55

KRINTAFEL... 63	lamotrigine... 33	LEUKINE... 86
KRISTALOSE... 125	LAMPIT... 63	leuprolide (3 month)... 146
kurvelo (28)... 140	LAMZEDE... 129	leuprolide... 146
KUVAN... 129	LANOXIN PEDIATRIC... 95	levalbuterol hcl... 178
KYPROLIS... 55	LANOXIN... 95	levalbuterol tartrate... 178
L	lanreotide... 146	levetiracetam in nacl (iso-os)... 33
l norgest/e.estradiol-e.estrad... 140	lansoprazole... 125	levetiracetam... 33
LABETALOL IN	LANTUS SOLOSTAR U-100	LEVO-T... 145
DEXTROSE,ISO-OSM... 95	INSULIN... 81	levobunolol... 172
LABETALOL IN NACL (ISO-OSMOT)... 95	LANTUS U-100 INSULIN... 81	levocarnitine (with sugar)... 120
labetalol... 94, 95	lapatinib... 55	levocarnitine... 120
lacosamide... 32	larin 1.5/30 (21)... 140	levocetirizine... 178
LACRISERT... 172	larin 1/20 (21)... 140	levofloxacin in d5w... 26
lactated ringers... 120, 166	larin 24 fe... 140	levofloxacin... 26, 172
lactulose... 125	larin fe 1.5/30 (28)... 140	levoleucovorin calcium... 55
LAMICTAL ODT STARTER (BLUE)... 32	larin fe 1/20 (28)... 140	levonest (28)... 140
LAMICTAL ODT STARTER (GREEN)... 32	LASIX... 95	levonorg-eth estrad triphasic... 140
LAMICTAL ODT STARTER (ORANGE)... 32	latanoprost... 172	levonorgest-eth.estradiol-iron... 140
LAMICTAL ODT... 32	LATUDA... 67	levonorgestrel-ethinyl estrad... 140
LAMICTAL STARTER (BLUE) KIT... 32	LAYOLIS FE... 140	LEVOPHED (BITARTRATE)... 95
LAMICTAL STARTER (GREEN) KIT... 32	LAZCLUZE... 55	levora-28... 140
LAMICTAL STARTER (ORANGE) KIT... 32	ledipasvir-sofosbuvir... 73	levorphanol tartrate... 14
LAMICTAL XR STARTER (BLUE)... 33	leena 28... 140	levothyroxine... 145
LAMICTAL XR STARTER (GREEN)... 33	leflunomide... 153	LEVOXYL... 145
LAMICTAL XR STARTER (ORANGE)... 33	LEMTRADA... 104	LEVULAN... 55
LAMICTAL XR... 32	lenalidomide... 55	LEXAPRO... 38
LAMICTAL... 32	LENVIMA... 55	LEXETTE... 114
lamivudine-zidovudine... 73	LEQSEVI... 154	LEXIVA... 73
lamivudine... 73	LEQVIO... 95	LIALDA... 160
	LESCOL XL... 95	LIBERVANT... 33
	lessina... 140	LIBTAYO... 55
	LETAIRIS... 178	LICART... 14
	letrozole... 55	lidocaine (pf)... 19, 95
	leucovorin calcium... 55	lidocaine hcl... 19
	LEUKERAN... 55	

lidocaine in 5 % dextrose (pf)... 95	LO LOESTRIN FE... 140	LOTENSIN... 95
lidocaine viscous... 19	lo-zumandimine (28)... 140	loteprednol etabonate... 172
lidocaine-epinephrine bit... 19	LOCOID LIPOCREAM... 114	LOTREL... 95
lidocaine-epinephrine... 19	LOCOID... 114	LOTRONEX... 125
lidocaine-prilocaine... 19	LODINE... 14	lovastatin... 95
lidocaine... 19	LODOCO... 95	LOVAZA... 95, 96
lidocan iii... 19	LODOSYN... 64	LOVENOX... 86
lidocan iv... 19	LOESTRIN 1.5/30 (21)... 140	low-ogestrel (28)... 141
lidocan v... 19	LOESTRIN 1/20 (21)... 140	loxapine succinate... 67
LIDODERM... 19	LOESTRIN FE 1.5/30 (28-DAY)... 140	lubiprostone... 125
lignospan standard... 19	LOESTRIN FE 1/20 (28-DAY)... 141	LUCEMYRA... 20
LINCOCIN... 26	lofena... 14	luliconazole... 44
lincomycin... 26	lofexidine... 20	LUMAKRAS... 56
lindane... 114	lojaimiess... 141	LUMIGAN... 172
linezolid in dextrose 5%... 26	LOKELMA... 120	LUMIZYME... 129
linezolid-0.9% sodium chloride... 26	LOMOTIL... 125	LUMRYZ STARTER PACK... 183
linezolid... 26	LONSURF... 55	LUMRYZ... 183
LINZESS... 125	loperamide... 125	LUNESTA... 183
liothyronine... 146	LOPID... 95	LUNSUMIO... 56
LIPITOR... 95	lopinavir-ritonavir... 73	LUPKYNIS... 154
LIPOFEN... 95	LOPRESSOR... 95	LUPRON DEPOT (3 MONTH)... 146
LIQREV... 178	LOPROX (AS OLAMINE)... 43, 44	LUPRON DEPOT (4 MONTH)... 146
liraglutide... 81	LOQTORZI... 55	LUPRON DEPOT (6 MONTH)... 146
lisdexamfetamine... 105	lorazepam intensol... 77	LUPRON DEPOT-PED (3 MONTH)... 147
lisinopril-hydrochlorothiazide... 95	lorazepam... 77	LUPRON DEPOT-PED... 146, 147
lisinopril... 95	LORBRENA... 56	LUPRON DEPOT... 146
LITFULO... 154	LOREEV XR... 77	lurasidone... 67, 68
lithium carbonate... 77	loryna (28)... 141	lurbipr... 14
lithium citrate... 77	LORZONE... 182	lurbiro... 14
LITHOBID... 77	losartan-hydrochlorothiazide... 95	lutra (28)... 141
LITHOSTAT... 166	losartan... 95	LUTRATE DEPOT (3 MONTH)... 147
LIVALO... 95	LOTEMAX SM... 172	LUXIQ... 114
LIVDELZI... 125	LOTEMAX... 172	LUZU... 44
LIVMARLI... 125	LOTENSIN HCT... 95	LYBALVI... 68
LIVTENCITY... 73		

lyleq... 141	MARCAINE-EPINEPHRINE... 19	megestrol... 141
lyllana... 141	MARCAINE... 19	MEKINIST... 56
LYNOZYFIC... 56	MARGENZA... 56	MEKTOVI... 56
LYNPARZA... 56	MARINOL... 41	meleya... 141
LYRICA CR... 105	marlissa (28)... 141	meloxicam submicronized... 15
LYRICA... 105	MARPLAN... 38	meloxicam... 14, 15
LYSODREN... 56	MATULANE... 56	melphalan hcl... 56
LYTGOBI... 56	matzim la... 96	melphalan... 56
LYUMJEV KWIKPEN U-100	MAVENCLAD (10 TABLET PACK)... 105	memantine-donepezil... 37
INSULIN... 81	MAVENCLAD (4 TABLET PACK)... 105	memantine... 37
LYUMJEV KWIKPEN U-200	MAVENCLAD (5 TABLET PACK)... 105	MENACTRA (PF)... 154
INSULIN... 81	MAVENCLAD (6 TABLET PACK)... 105	MENEST... 141
LYUMJEV TEMPO	MAVENCLAD (7 TABLET PACK)... 105	MENOPUR... 186
PEN(U-100)INSULN... 81	MAVENCLAD (8 TABLET PACK)... 105	MENOSTAR... 141
LYUMJEV U-100 INSULIN... 81	MAVENCLAD (9 TABLET PACK)... 105	MENQUADFI (PF)... 154
LYVISPAH... 70	MAVYRET... 73	MENVEO A-C-Y-W-135-DIP (PF)... 154
lyza... 141	MAXALT-MLT... 46	meperidine (pf)... 15
M	MAXALT... 46	meperidine... 15
M-M-R II (PF)... 154	MAXIDEX... 172	MEPHYTON... 187
m-natal plus... 120	MAXITROL... 172	meprobamate... 77
MACROBID... 26	MAXZIDE-25MG... 96	MEPRON... 63
MACRODANTIN... 26	MAXZIDE... 96	MEPSEVII... 129
mafenide acetate... 114	MAYZENT STARTER(FOR 1MG MAINT)... 105	mercaptipurine... 56
magnesium sulfate in d5w... 120	MAYZENT STARTER(FOR 2MG MAINT)... 105	MERILOG SOLOSTAR... 81
magnesium sulfate in water... 120	MAYZENT... 105	MERILOG... 81
magnesium sulfate... 120	meclizine... 41	meropenem-0.9% sodium chloride... 27
MALARONE PEDIATRIC... 63	meclofenamate... 14	meropenem... 27
MALARONE... 63	MEDROL (PAK)... 133	merzee... 141
malathion... 114	MEDROL... 133	mesalamine... 160, 161
mannitol 20 %... 96	medroxyprogesterone... 141	mesna... 56
mannitol 25 %... 96	mefenamic acid... 14	MESNEX... 56
maraviroc... 73	mefloquine... 63	MESTINON TIMESPAN... 47
MARCAINE (PF)... 19		MESTINON... 47
MARCAINE SPINAL (PF)... 19		
MARCAINE-EPINEPHRINE (PF)... 19		

METADATE CD... 105	metoprolol ta-hydrochlorothiaz... 96	milrinone in 5 % dextrose... 96
metadate er... 105		milrinone... 96
metaxalone... 182	metoprolol tartrate... 96	mimvey... 141
metformin... 81	METRO I.V.... 27	MINASTRIN 24 FE... 141
methadone intensol... 15	METROCREAM... 27	MINIPRESS... 96
methadone... 15	METROGEL... 27	MINIVELLE... 141
METHADOSE... 15	METROLOTION... 27	MINOCIN... 27
methamphetamine... 105	metronidazole in nacl (iso-os)... 27	minocycline... 27
methazolamide... 172	metronidazole... 27	minoxidil... 96
methenamine hippurate... 27	metyrosine... 96	minzoya... 141
methimazole... 147	mexiletine... 96	MIOSTAT... 172
METHITEST... 141	MIACALCIN... 162	MIPLYFFA... 129
methocarbamol... 182	mibelas 24 fe... 141	MIRAPEX ER... 64
methotrexate sodium (pf)... 154	MICAFUNGIN IN 0.9 % SODIUM CHL... 44	MIRCERA... 86
methotrexate sodium... 154	micafungin... 44	MIRENA... 167
methoxsalen... 114	MICARDIS HCT... 96	mirtazapine... 38
methscopolamine... 125	MICARDIS... 96	MIRVASO... 114
methsuximide... 33	miconazole nitrate-zinc ox-pet... 44	misoprostol... 125
methyldopa-hydrochlorothiazide... 96	miconazole-3... 44	MITIGARE... 45
methyldopa... 96	micort-hc... 133	mitigo (pf)... 15
methyldopate... 96	microgestin 1.5/30 (21)... 141	mitomycin... 56
methylergonovine... 166	microgestin 1/20 (21)... 141	mitoxantrone... 56
METHYLIN... 105	microgestin fe 1.5/30 (28)... 141	modafinil... 183
methylphenidate hcl... 105, 106	microgestin fe 1/20 (28)... 141	MODD1 PATIENT WELCOME KIT... 167
methylphenidate... 105	midodrine... 96	MODD1 SUPPLY KIT... 167
methylprednisolone acetate... 133	MIEBO (PF)... 172	MODEYSO... 56
methylprednisolone sodium succ... 133	mifepristone... 167	moexipril... 96
methylprednisolone... 133	migergot... 46	molindone... 68
methyltestosterone... 141	miglitol... 81	mometasone... 114, 178
metoclopramide hcl... 41	miglustat... 129	mondoxyne nl... 27
metolazone... 96	MIGRANAL... 46	MONJUVI... 154
metoprolol succinate... 96	mili... 141	mono-lynyah... 141
	millipred dp... 133	montelukast... 178
	millipred... 133	morgidox... 27

morphine (pf)... 16	MYRBETRIQ... 131	NATACYN... 172
morphine concentrate... 16	MYSOLINE... 33	NATAZIA... 141
morphine... 15, 16	MYTESI... 125	nateglinide... 81
MOTTEGRITY... 125	N	NATROBA... 114
MOTOFEN... 125	nabumetone... 16	NAYZILAM... 33
MOTPOLY XR... 33	nadolol... 96	nebivolol... 96
MOUNJARO... 81	nafcillin in dextrose iso-osm... 27	NEBUPENT... 63
MOVANTIK... 125	nafcillin... 27	necon 0.5/35 (28)... 142
MOVIPREP... 125	naftifine... 44	nefazodone... 38
moxifloxacin-sod.ace,sul-water... 27	NAFTIN... 44	NEFFY... 178
moxifloxacin-sod.chloride(iso)... 27	NAGLAZYME... 129	nelarabine... 56
moxifloxacin... 27, 172	nalbuphine... 16	NEMLUVIO... 154
MOZOBIL... 86	NALFON... 16	neo-polycin hc... 172
MRESVIA (PF)... 154	nalmefene... 20	neo-polycin... 172
MS CONTIN... 16	nalocet... 16	NEO-SYNALAR... 115
MULPLETA... 86	naloxone... 20	neo-vital rx... 120
MULTAQ... 96	naltrexone... 20	neomycin-bacitracin-poly-hc... 172
mupirocin calcium... 114	NAMENDA TITRATION PAK... 37	neomycin-bacitracin-polymyxin... 172
mupirocin... 114	NAMENDA XR... 37	neomycin-polymyxin b gu... 167
MUTAMYCIN... 56	NAMENDA... 37	neomycin-polymyxin b-dexameth... 172
MVASI... 56	NAMZARIC... 37	neomycin-polymyxin-gramicidin... 172
MYALEPT... 125	NANO 2ND GEN PEN NEEDLE... 167	neomycin-polymyxin-hc... 172, 174
MYAMBUTOL... 48	NANO PEN NEEDLE... 167	neomycin... 27
MYCAMINE... 44	NAPRELAN CR... 16	NEONATAL COMPLETE... 120
MYCAPSSA... 147	NAPROSYN... 16	NEONATAL PLUS VITAMIN... 120
MYCOBUTIN... 48	naproxen sodium... 16	NEONATAL-DHA... 120
mycophenolate mofetil (hcl)... 154	naproxen-esomeprazole... 16	NEORAL... 154
mycophenolate mofetil... 154	naproxen... 16	NERLYNX... 56
mycophenolate sodium... 154	naratriptan... 46	NESACAINA-MPF... 19
MYDAYIS... 106	NARCAN... 20	NESACAINA... 19
MYFEMBREE... 147	NARDIL... 38	NESINA... 81
MYFORTIC... 154	NAROPIN (PF)... 19	neuac... 115
MYHIBBIN... 154	NASCOBAL... 187	
MYLOTARG... 56	NATACHEW (FE BIS-GLYCINATE)... 120	

NEULASTA ONPRO... 86	nitazoxanide... 63	NORMOSOL-M IN 5 % DEXTROSE... 120
NEULASTA... 86	nitisinone... 129	NORPACE CR... 97
NEUPOGEN... 86	NITRO-BID... 97	NORPACE... 97
NEUPRO... 64	NITRO-DUR... 97	NORPRAMIN... 39
NEURONTIN... 33	nitrofurantoin macrocrystal... 27	NORTHERA... 97, 98
NEVANAC... 172	nitrofurantoin monohyd/m-cryst... 27	nortrel 0.5/35 (28)... 142
nevirapine... 73	nitrofurantoin... 27	nortrel 1/35 (21)... 142
NEXAVAR... 56	nitroglycerin in 5 % dextrose... 97	nortrel 1/35 (28)... 142
NEXICLON XR... 97	nitroglycerin... 97, 167	nortrel 7/7/7 (28)... 142
NEXIUM IV... 126	NITROLINGUAL... 97	nortriptyline... 39
NEXIUM PACKET... 126	NITROSTAT... 97	NORVASC... 98
NEXIUM... 125	NITYR... 129	NORVIR... 73
NEXLETOL... 97	NIVESTYM... 86	NOURIANZ... 64
NEXLIZET... 97	nizatidine... 126	NOVAREL... 135
NEXPLANON... 142	NOC DURNA (MEN)... 135	NOVOLIN 70-30 FLEXPEN U-100... 81
NEXTERONE... 97	NOC DURNA (WOMEN)... 135	NOVOLIN 70/30 U-100 INSULIN... 81
NEXTSTELLIS... 142	NORA-BE... 142	NOVOLIN N FLEXPEN... 81
NEXVIAZYME... 129	NORDITROPIN FLEXPEN... 135	NOVOLIN N NPH U-100 INSULIN... 81
NGENLA... 135	norelgestromin-ethin.estradiol... 142	NOVOLIN R FLEXPEN... 81
niacin... 97	norepinephrine bitartrate... 97	NOVOLIN R REGULAR U100 INSULIN... 81
niacor... 97	noreth-ethinyl estradiol-iron... 142	NOVOLOG FLEXPEN U-100 INSULIN... 81
nicardipine... 97	norethindrone (contraceptive)... 142	NOVOLOG MIX 70-30 U-100 INSULN... 81
NICOTROL NS... 21	norethindrone ac-eth estradiol... 142	NOVOLOG MIX 70-30FLEXPEN U-100... 82
NICOTROL... 21	norethindrone acetate... 142	NOVOLOG PENFILL U-100 INSULIN... 82
nifedipine... 97	norethindrone-e.estradiol-iron... 142	NOVOLOG U-100 INSULIN ASPART... 82
nikki (28)... 142	NORGESIC FORTE... 182	NOVOPEN ECHO... 167
NIKTIMVO... 154	norgesic... 182	
NILANDRON... 57	norgestimate-ethinyl estradiol... 142	
nilotinib hcl... 57	NORITATE... 27	
nilotinib tartrate... 57	NORLIQVA... 97	
nilutamide... 57		
nimodipine... 97		
NINLARO... 57		
NIPENT... 57		
nisoldipine... 97		

NOXAFIL... 44
 np thyroid... 146
 NUBEQA... 57
 NUCALA... 178
 NUCYNTA ER... 16
 NUCYNTA... 16
 NUEDEXTA... 106
 NULIBRY... 129
 NUPLAZID... 68
 NURTEC ODT... 46
 NUTRILIPID... 120
 NUTROPIN AQ NUSPIN... 135
 NUVARING... 142
 NUVIGIL... 183
 NUZYRA... 27, 28
 nyamyc... 44
 nylia 1/35 (28)... 142
 nylia 7/7/7 (28)... 142
 NYMALIZE... 98
 nymyo... 142
 nystatin-triamcinolone... 44
 nystatin... 44
 nystop... 44
 NYVEPRIA... 86

O

OB COMPLETE ONE... 120
 OB COMPLETE PETITE... 120
 OB COMPLETE PREMIER... 120
 OCALIVA... 126
 ocella... 142
 OCREVUS ZUNOVO... 106
 OCREVUS... 106
 OCTAGAM... 154
 octreotide acetate... 147
 octreotide,microspheres... 147

OCUFLOX... 173
 ODACTRA... 178
 ODEFSEY... 73
 ODOMZO... 57
 OFEV... 178
 ofloxacin... 28, 173, 174
 OGIVRI... 57
 OGSIVEO... 57
 OHTUVAYRE... 178
 OJEMDA... 57
 OJJAARA... 57
 olanzapine-fluoxetine... 39
 olanzapine... 68
 olmesartan-amlodipin-hcthiaid... 98
 olmesartan-hydrochlorothiazide... 98
 olmesartan... 98
 olopatadine... 179
 OLPRUVA... 129
 OLUMIANT... 154
 OLUX-E... 115
 OLUX... 115
 OMECLAMOX-PAK... 126
 omega-3 acid ethyl esters... 98
 OMEGAVEN... 120
 omeprazole-sodium bicarbonate... 126
 omeprazole... 126
 OMNARIS... 179
 OMNIPOD 5 (G6/LIBRE 2 PLUS)... 167
 OMNIPOD 5 G6-G7 INTRO KT(GEN5)... 167

OMNIPOD 5 G6-G7 PODS (GEN 5)... 167
 OMNIPOD 5 INTRO(G6/LIBRE2PLUS)... 167
 OMNIPOD CLASSIC PODS (GEN 3)... 167
 OMNIPOD DASH INTRO KIT (GEN 4)... 167
 OMNIPOD DASH PODS (GEN 4)... 167
 OMNIPOD GO PODS 10 UNITS/DAY... 167
 OMNIPOD GO PODS 15 UNITS/DAY... 167
 OMNIPOD GO PODS 20 UNITS/DAY... 167
 OMNIPOD GO PODS 25 UNITS/DAY... 167
 OMNIPOD GO PODS 30 UNITS/DAY... 167
 OMNIPOD GO PODS 40 UNITS/DAY... 167
 OMNIPOD GO PODS... 167
 OMNITROPE... 135
 OMVOH PEN... 154
 OMVOH... 154
 ONAPGO... 64
 ONCASPAR... 57
 ondansetron hcl (pf)... 41
 ondansetron hcl... 41
 ondansetron... 41
 ONEXTON... 115
 ONFI... 33
 ONGENTYS... 64
 ONIVYDE... 57
 ONPATTRO... 129
 ONTRUZANT... 57

ONUREG... 57	orphenadrine-asa-caffeine... 182	OXYCONTIN... 17
ONYDA XR... 106	orphengesic forte... 182	oxymorphone... 17
ONZETRA XSAIL... 46	orquidea... 142	oxytocin... 167
OPDIVO QVANTIG... 57	ORSERDU... 57	OXYTROL... 131
OPDIVO... 57	ORTIKOS... 161	OZEMPIC... 82
OPDUALAG... 57	oseltamivir... 73	OZOBAX DS... 70
OPFOLDA... 129	OSENI... 82	OZOBAX... 70
OPIPZA... 68	OSMITROL 10 %... 98	P
opium tincture... 126	OSMITROL 15 %... 98	PACERONE... 98
OPSUMIT... 179	OSMITROL 20 %... 98	paclitaxel protein-bound... 57
OPSYNVI... 179	OSMITROL 5 %... 98	paclitaxel... 57
OPVEE... 21	OSMOLEX ER... 65	PADCEV... 57
OPZELURA... 115	OSPHENA... 142	PALFORZIA (LEVEL 1)... 167
ORACEA... 28	OTEZLA STARTER... 115	PALFORZIA (LEVEL 10)... 168
oralone... 108	OTEZLA... 115	PALFORZIA (LEVEL 11 UP-DOSE)... 168
ORAPRED ODT... 133	OTREXUP (PF)... 155	PALFORZIA (LEVEL 2)... 167
ORBACTIV... 28	OTULFI... 155	PALFORZIA (LEVEL 3)... 167
ORENCIA CLICKJECT... 154	OVIDE... 115	PALFORZIA (LEVEL 4)... 167
ORENCIA... 154	OVIDREL... 186	PALFORZIA (LEVEL 5)... 167
ORENITRAM MONTH 1 TITRATION KT... 179	oxacillin in dextrose(iso-osm)... 28	PALFORZIA (LEVEL 6)... 167
ORENITRAM MONTH 2 TITRATION KT... 179	oxacillin... 28	PALFORZIA (LEVEL 7)... 167
ORENITRAM MONTH 3 TITRATION KT... 179	oxaliplatin... 57	PALFORZIA (LEVEL 8)... 167
ORENITRAM... 179	oxaprozin... 16	PALFORZIA (LEVEL 9)... 168
ORFADIN... 129	OXAYDO... 16	PALFORZIA INITIAL (4-17 YRS)... 168
ORGOVYX... 57	oxazepam... 77	PALFORZIA LEVEL 11 MAINTENANCE... 168
ORIAHNN... 147	oxcarbazepine... 33, 34	paliperidone... 68
ORILISSA... 147	OXERVATE... 173	PALYNZIQ... 129
ORKAMBI... 179	oxiconazole... 44	PAMELOR... 39
ORLADEYO... 155	OXISTAT... 44	pamidronate... 162
ORLYNVAH... 28	OXLUMO... 167	PANCREAZE... 129
ormalvi... 129	OXTELLAR XR... 34	PANDEL... 115
orphenadrine citrate... 182	oxybutynin chloride... 131	PANRETIN... 58
	oxycodone-acetaminophen... 17	
	oxycodone... 16, 17	

pantoprazole in 0.9% sod chlor... 126	penicillin g sodium... 28	phenytoin sodium extended... 34
pantoprazole... 126	penicillin v potassium... 28	phenytoin sodium... 34
PANZYGA... 155	PENMENVY MEN A-B-C-W-Y (PF)... 155	phenytoin... 34
paraplatin... 58	PENNSAID... 17	PHESGO... 58
paricalcitol... 162	PENTACEL (PF)... 155	PHEXXI... 168
PARLODEL... 65	PENTAM... 63	philith... 142
PARNATE... 39	pentamidine... 63	PHOSPHOLINE IODIDE... 173
paroxetine hcl... 39	PENTASA... 161	PHYSIOLYTE... 168
paroxetine mesylate(menop.sym)... 39	pentazocine-naloxone... 17	PHYSIOSOL IRRIGATION... 168
PATANASE... 179	pentobarbital sodium... 34	phytonadione (vitamin k1)... 187
PAXIL CR... 39	pentoxifylline... 98	PIASKY... 155
PAXIL... 39	pepcid... 126	PIFELTRO... 74
PAXLOVID... 74	perampanel... 34	pilocarpine hcl... 108, 173
pazopanib... 58	PERCOCET... 17	pimecrolimus... 115
PEDIAPRED... 133	PERFOROMIST... 179	pimozide... 68
PEDIARIX (PF)... 155	PERIKABIVEN... 120	pimtrea (28)... 142
PEDMARK... 58	perindopril erbumine... 98	pindolol... 98
PEDVAX HIB (PF)... 155	periogard... 108	pioglitazone-glimepiride... 82
peg 3350-electrolytes... 126	PERJETA... 58	pioglitazone-metformin... 82
peg-electrolyte soln... 126	permethrin... 115	pioglitazone... 82
peg3350-sod sul-nacl-kcl-asb-c... 126	perphenazine-amitriptyline... 39	piperacillin-tazobactam... 28
PEGASYS... 155	perphenazine... 68	PIQRAY... 58
PEMAZYRE... 58	PERSERIS... 68	pirfenidone... 179
pemetrexed disodium... 58	PERTZYE... 129	piroxicam... 17
pemetrexed... 58	pfizerpen-g... 28	pitavastatin calcium... 98
PEMRYDI RTU... 58	PHEBURANE... 129	PITOCIN... 168
PEN NEEDLE, DIABETIC... 168	phenazopyridine... 168	PLAQUENIL... 63
PENBRAYA (PF)... 155	phenelzine... 39	PLASMA-LYTE 148 PH 7.4... 120
penciclovir... 74	PHENERGAN... 42	PLASMA-LYTE 148... 120
penicillamine... 120	phenobarbital sodium... 34	PLASMA-LYTE A... 120
penicillin g pot in dextrose... 28	phenobarbital... 34	PLAVIX... 86
penicillin g potassium... 28	phenoxybenzamine... 98	PLEGRIDY... 106
	phenylephrine hcl... 98	PLENAMINE... 120
	PHENYTEK... 34	PLENVU... 126

plerixafor... 86	potassium chloride... 121	prenatal plus dha... 121
PLIAGLIS... 19	potassium citrate... 121	prenatal plus vitamin-mineral... 121
pnv-dha... 120	POTELIGEO... 58	prenatal vitamin plus low iron... 121
pnv-omega... 120	pr natal 400 ec... 121	prenatal-u... 121
podofilox... 115	pr natal 400... 121	PRENATE ELITE... 121
POKONZA... 120	pr natal 430 ec... 121	PRETOMANID... 48
POLIVY... 58	pr natal 430... 121	PREVACID SOLUTAB... 126
polocaine-mpf... 20	PRADAXA... 86	PREVACID... 126
polocaine... 19	pralatrexate... 58	prevalite... 98
polycin... 173	PRALUENT PEN... 98	PREVDUO... 168
polymyxin b sulf-trimethoprim... 173	pramipexole... 65	PREVYMIS... 74
polymyxin b sulfate... 28	prasugrel hcl... 86	PREZCOBIX... 74
POMALYST... 58	pravastatin... 98	PREZISTA... 74
POMBILITI... 129	praziquantel... 63	PRIALT... 168
PONVORY 14-DAY STARTER PACK... 106	prazosin... 98	PRIFTIN... 48
PONVORY... 106	PRECOSE... 82	PRILOSEC... 126
portia 28... 142	PRED FORTE... 173	primaquine... 63
PORTRAZZA... 58	PRED MILD... 173	PRIMAXIN IV... 28
posaconazole... 44	prednicarbate... 115	primidone... 34
potassium acetate... 121	prednisolone acetate... 173	primlev... 17
potassium chlorid-d5-0.45%nacl... 121	prednisolone sodium phosphate... 133, 173	PRIMSOL... 28
potassium chloride in 0.9%nacl... 121	prednisolone... 133	PRIORIX (PF)... 155
potassium chloride in 5 % dex... 121	prednisone intensol... 134	PRISTIQ... 39
potassium chloride in lr-d5... 121	prednisone... 133, 134	PRIVIGEN... 155
potassium chloride in water... 121	PREFEST... 142	PRO COMFORT ALCOHOL PADS... 168
potassium chloride-0.45 % nacl... 121	pregabalin... 106	PROAIR DIGIHALER... 179
potassium chloride-d5-0.2%nacl... 121	PREGNYL... 135	PROAIR RESPICLICK... 179
potassium chloride-d5-0.9%nacl... 121	PREMARIN... 143	probenecid-colchicine... 45
	PREMASOL 10 %... 121	probenecid... 45
	PREMPHASE... 143	procainamide... 98
	PREMPRO... 143	PROCARDIA XL... 98
	PRENATA... 121	procentra... 106
	PRENATABS FA... 121	prochlorperazine edisylate... 42
	prenatal plus (calcium carb)... 121	prochlorperazine maleate... 42

prochlorperazine... 42	PROVERA... 143	quetiapine... 68
PROCRIT... 86	PROVIGIL... 183	QUILLICHEW ER... 106
procto-med hc... 115	PROZAC... 39	QUILLIVANT XR... 106
PROCTOFOAM HC... 161	prucalopride... 126	quinapril-hydrochlorothiazide... 99
proctosol hc... 115	PRUDOXIN... 115	quinapril... 99
proctozone-hc... 115	pruradik... 115	quinidine gluconate... 99
PROCYSBI... 129, 130	PULMICORT FLEXHALER... 179	quinidine sulfate... 99
progesterone micronized... 143	PULMICORT... 179	quinine sulfate... 63
progesterone... 143	PULMOZYME... 179	QULIPTA... 46
PROGLYCEM... 82	PURE COMFORT ALCOHOL PADS... 168	QUTENZA... 168
PROGRAF... 155	PURIXAN... 58	QUVIVIQ... 183
PROLASTIN-C... 130	PYLERA... 126	QUZYTIR... 179
prolate... 17	pyrazinamide... 48	QVAR REDHALER... 179
PROLENSA... 173	PYRIDIUM... 168	R
PROLIA... 162	pyridostigmine bromide... 47	RABAVERT (PF)... 155
PROMACTA... 86	pyridoxine (vitamin b6)... 187	rabeprazole... 126
promethazine vc-codeine... 185	pyrimethamine... 63	RADICAVA ORS STARTER KIT SUSP... 106
promethazine vc... 168	PYRUKYND... 130	RADICAVA ORS... 106
promethazine-codeine... 185	PYZCHIVA AUTOINJECTOR... 155	RADICAVA... 106
promethazine-dm... 185	PYZCHIVA... 155	RAGWITEK... 180
promethazine-phenylephrine... 168	Q	RALDESY... 39
promethazine... 42	QALSODY... 106	raloxifene... 143
promethegan... 42	QBRELIS... 99	ramelteon... 183
PROMETRIUM... 143	QBREXZA... 115	ramipril... 99
propafenone... 98	QDOLO... 17	ranolazine... 99
proparacaine... 173	QELBREE... 106	RAPAFLO... 131
propranolol-hydrochlorothiazid... 99	QINLOCK... 58	RAPAMUNE... 155
propranolol... 98, 99	QNASL... 179	rasagiline... 65
propylthiouracil... 147	QTERN... 82	RASUVO (PF)... 155, 156
PROQUAD (PF)... 155	QUADRACEL (PF)... 155	RAVICTI... 130
PROSCAR... 131	QUARTETTE... 143	RAYALDEE... 162
PROSOL 20 %... 121	QUDEXY XR... 34	RAYOS... 134
protamine... 168	QUESTRAN LIGHT... 99	REBIF (WITH ALBUMIN)... 106
PROTONIX... 126	QUESTRAN... 99	REBIF REBIDOSE... 107
protriptyline... 39		

REBIF TITRATION PACK... 107	RETEVMO... 58	RINVOQ... 156
REBLOZYL... 86	RETIN-A MICRO PUMP... 115	RIOMET... 82
REBYOTA... 126	RETIN-A MICRO... 115	risedronate... 162
RECARBRIO... 28	RETIN-A... 115	RISPERDAL CONSTA... 68
RECLAST... 162	RETROVIR... 74	RISPERDAL... 68
reclipsen (28)... 143	REVATIO... 180	risperidone microspheres... 69
RECOMBIVAX HB (PF)... 156	REVCOVI... 130	risperidone... 69
RECORLEV... 147	REVLIMID... 58	RITALIN LA... 107
RECTIV... 168	revonto... 70	RITALIN... 107
REDITREX (PF)... 156	REVUFORJ... 58	ritonavir... 74
REGLAN... 42	REXULTI... 68	RITUXAN HYCELA... 58, 59
REGONOL... 47	REYATAZ... 74	RITUXAN... 58
REGRANEX... 115	REYVOW... 46	rivaroxaban... 87
RELAFEN DS... 17	REZDIFFRA... 168	rivastigmine tartrate... 37
RELENZA DISKHALER... 74	REZLIDHIA... 58	rivastigmine... 37
RELEUKO... 87	REZUROCK... 156	rivelsa... 143
RELEXII... 107	REZVOGLAR KWIKPEN... 82	RIVFLOZA... 168
RELISTOR... 126, 127	REZZAYO... 44	rizatriptan... 46
RELPAK... 46	RHOFADE... 115	ROBAXIN... 182
RELTONE... 127	RHOPHYLAC... 156	ROBINUL FORTE... 127
REMERON SOLTAB... 39	RHOPRESSA... 173	ROBINUL... 127
REMERON... 39	RIABNI... 58	ROCALTROL... 162
REMICADE... 156	RIASTAP... 87	ROCKLATAN... 173
REMODULIN... 180	ribavirin... 74, 168	roflumilast... 180
RENACIDIN... 168	RIDAURA... 156	ROLVEDON... 87
RENFLEXIS... 156	rifabutin... 48	romidepsin... 59
repaglinide... 82	RIFADIN... 48	ROMVIMZA... 59
REPATHA PUSHTRONEX... 99	rifampin... 48	ropinirole... 65
REPATHA SURECLICK... 99	RILUTEK... 107	ropivacaine (pf)... 20
REPATHA SYRINGE... 99	riluzole... 107	rosadan... 28
RESPA-AR... 185	rimantadine... 74	rosuvastatin... 99
RESTASIS MULTIDOSE... 173	RIMSO-50... 168	rosyrah... 143
RESTASIS... 173	ringer's... 122, 168	ROTARIX... 156
RESTORIL... 183	RINVOQ LQ... 156	ROTATEQ VACCINE... 156
RETACRIT... 87		

ROWASA... 161	SANDOSTATIN... 147	SEREVENT DISKUS... 180
roweepra xr... 34	SANTYL... 115	SEROQUEL XR... 69
roweepra... 34	SAPHNELO... 156	SEROQUEL... 69
ROXICODONE... 17	SAPHRIS... 69	SEROSTIM... 135
ROXYBOND... 17	sapropterin... 130	sertraline... 39
ROZEREM... 183	SARCLISA... 59	setlakin... 143
ROZLYTREK... 59	SAVAYSA... 87	SEYSARA... 28
RUBRACA... 59	SAVELLA... 107	SEZABY... 34
RUCONEST... 156	saxagliptin-metformin... 82	SFROWASA... 161
rufinamide... 34	saxagliptin... 82	sharobel... 143
RUKOBIA... 74	SCEMBLIX... 59	SHINGRIX (PF)... 157
RUXIENCE... 59	scopolamine base... 42	SIGNIFOR LAR... 147
RYALTRIS... 180	se-natal 19 chewable... 122	SIGNIFOR... 147
RYBELSUS... 82	SEASONIQUE... 143	SIKLOS... 168
RYBREVANT... 59	SECUADO... 69	sildenafil (pulm.hypertension)... 180
RYCLORA... 180	SEGLENTIS... 18	SILENOR... 183
RYDAPT... 59	SEGLUROMET... 82	SILIQ... 157
RYLAZE... 59	SELARSDI... 157	silodosin... 131
RYSTIGGO... 156	SELECT-OB (FOLIC ACID)... 122	SILVADENE... 116
RYTARY... 65	SELECT-OB + DHA... 122	silver sulfadiazine... 116
RYTELO... 59	SELECT-OB... 122	SIMBRINZA... 173
RYTHMOL SR... 99	selegiline hcl... 65	SIMLANDI(CF) AUTOINJECTOR... 157
RYVENT... 180	selenium sulfide... 115	SIMLANDI(CF)... 157
RYZNEUTA... 87	SELZENTRY... 74	simliya (28)... 143
S	SEMGLEE(INSULIN GLARG-YFGN)PEN... 82	simpesse... 143
SABRIL... 34	SEMGLEE(INSULIN GLARGINE-YFGN)... 82	SIMPONI ARIA... 157
sacubitril-valsartan... 99	SENSIPAR... 162	SIMPONI... 157
SAFYRAL... 143	sensorcaine-epinephrine... 20	SIMULECT... 157
SAIZEN SAIZENPREP... 135	sensorcaine-mpf spinal... 20	simvastatin... 99
sajazir... 156	SENSORCAINE-MPF... 20	SINEMET... 65
SALAGEN (PILOCARPINE)... 108	sensorcaine-mpf/epinephrine... 20	SINGULAIR... 180
SAMSCA... 122	SENSORCAINE... 20	sirolimus... 157
SANCUSO... 42	SEPHIENCE... 130	SIRTURO... 48
SANDIMMUNE... 156		sitagliptin-metformin... 82
SANDOSTATIN LAR DEPOT... 147		

sitagliptin... 82	SOLU-MEDROL (PF)... 134	stavudine... 75
SIVEXTRO... 28	SOLU-MEDROL... 134	STEGLATRO... 82
SKYCLARYS... 107	SOMA... 182	STEGLUJAN... 82
SKYRIZI... 157	SOMATULINE DEPOT... 147	STELARA... 157
SKYTROFA... 135	SOMAVERT... 147	STEQEYMA I.V.... 157
SMOFLIPID... 122	SOOLANTRA... 116	STEQEYMA... 157
SOAANZ... 99	sorafenib... 59	STIMUFEND... 87
sodium benzoate-sod phenylacet... 168	SORILUX... 116	STIOLTO RESPIMAT... 180
sodium bicarbonate... 122	sotalol af... 99	STIVARGA... 59
sodium chloride 0.45 %... 122	sotalol... 99	STRATTERA... 107
sodium chloride 0.9 %... 122	SOTYKTU... 157	STRENSIQ... 130
sodium chloride 3 % hypertonic... 122	SOTYLIZE... 99	streptomycin... 28
sodium chloride 5 % hypertonic... 122	SOVALDI... 74, 75	STRIBILD... 75
sodium chloride... 122, 168	SOVUNA... 63	STRIVERDI RESPIMAT... 180
SODIUM EDECRIN... 99	SPEVIGO... 157	STROMECTOL... 63
sodium oxybate... 183	spinosad... 116	SUBOXONE... 21
sodium phenylbutyrate... 130	SPIRIVA RESPIMAT... 180	subvenite starter (blue) kit... 35
sodium phosphate... 122	SPIRIVA WITH HANDIHALER... 180	subvenite starter (green) kit... 35
sodium polystyrene sulfonate... 122	spironolacton-hydrochlorothiaz... 99	subvenite starter (orange) kit... 35
sodium,potassium,mag sulfates... 127	spironolactone... 99	subvenite... 35
SOGROYA... 135	SPORANOX... 44, 45	SUCRAID... 130
SOHONOS... 168	sprintec (28)... 143	sucralfate... 127
solifenacin... 131	SPRITAM... 34	SUFLAVE... 127
SOLQUA 100/33... 82	SPRIX... 18	SULAR... 99
SOLIRIS... 157	SPRYCEL... 59	sulfacetamide sodium (acne)... 28
SOLODYN... 28	SPS (WITH SORBITOL)... 122	sulfacetamide sodium... 28, 173
SOLOSEC... 28	sronyx... 143	sulfacetamide-prednisolone... 173
SOLTAMOX... 59	SSD... 116	sulfadiazine... 28
SOLU-CORTEF ACT-O-VIAL (PF)... 134	STALEVO 100... 65	sulfamethoxazole-trimethoprim... 28
SOLU-CORTEF... 134	STALEVO 125... 65	SULFAMYLON... 116
	STALEVO 150... 65	sulfasalazine... 161
	STALEVO 200... 65	sulindac... 18
	STALEVO 50... 65	sumatriptan succinate... 46, 47
	STALEVO 75... 65	sumatriptan-naproxen... 47

sumatriptan... 46	TACLONEX... 116	TAVALISSE... 87
sunitinib malate... 59	tacrolimus... 116, 157	TAVNEOS... 158
SUNLENCA... 75	tadalafil (pulm. hypertension)... 180	taysofy... 143
SUNOSI... 183	tadalafil... 132	TAYTULLA... 143
SUPREP BOWEL PREP KIT... 127	TADLIQ... 180	tazarotene... 116
SURE COMFORT ALCOHOL PREP PADS... 169	TAFINLAR... 59	tazicef... 29
SURE-PREP ALCOHOL PREP PADS... 169	tafluprost (pf)... 173	TAZORAC... 116
SUTAB... 127	TAGRISSO... 59	taztia xt... 99
SUTENT... 59	TAKHZYRO... 158	TAZVERIK... 60
syeda... 143	TALICIA... 127	TDVAX... 158
SYLVANT... 157	TALTZ AUTOINJECTOR (2 PACK)... 158	TECENTRIQ HYBREZA... 60
SYMBICORT... 180	TALTZ AUTOINJECTOR (3 PACK)... 158	TECENTRIQ... 60
SYMBRAVO... 47	TALTZ AUTOINJECTOR... 158	TECFIDERA... 107
SYMBYAX... 39	TALTZ SYRINGE... 158	TECVAYLI... 60
SYMDEKO... 180	TALVEY... 59	TEFLARO... 29
SYMFI LO... 75	TALZENNA... 59, 60	TEGLUTIK... 107
SYMFI... 75	TAMIFLU... 75	TEGRETOL XR... 35
SYMLINPEN 120... 82	tamoxifen... 60	TEGRETOL... 35
SYMLINPEN 60... 83	tamsulosin... 132	TEKTURN A HCT... 99
SYMPAZAN... 35	tanlor... 182	TEKTURN A... 99
SYMPROIC... 127	taperdex... 134	telmisartan-amlodipine... 100
SYMTUZA... 75	TARCEVA... 60	telmisartan-hydrochlorothiazid... 100
SYNAGIS... 169	TARGADOX... 29	telmisartan... 100
SYNALAR... 116	TARGRETIN... 60	temazepam... 183
SYNAREL... 147	tarina 24 fe... 143	TEMODAR... 60
SYNJARDY XR... 83	tarina fe 1-20 eq (28)... 143	TEMOVATE... 116
SYNJARDY... 83	tarina fe 1/20 (28)... 143	temsirolimus... 60
SYNRIBO... 59	TARPEYO... 161	tencon... 169
SYNTHROID... 146	TASCENSO ODT... 107	TENIVAC (PF)... 158
SYPRINE... 122	TASIGNA... 60	tenofovir disoproxil fumarate... 75
T	tasimelteon... 183	TENORETIC 100... 100
TABLOID... 59	TASMAR... 65	TENORETIC 50... 100
TABRECTA... 59	tavaborole... 45	TENORMIN... 100
		TEPADINA... 60

TEPEZZA... 169	ticagrelor... 87	tolterodine... 132
TEPMETKO... 60	TICOVAC... 158	tolvaptan (polycyst kidney dis)... 122
TEPYLUTE... 60	TIGAN... 42	tolvaptan... 122
terazosin... 100	tigecycline... 29	TOPAMAX... 35
terbinafine hcl... 45	TIGLUTIK... 107	TOPICORT... 116
terbutaline... 180	TIKOSYN... 100	topiramate... 35
terconazole... 45	tilia fe... 144	topotecan... 60
teriflunomide... 107	timolol maleate (pf)... 173	TOPROL XL... 100
TESTIM... 143	timolol maleate... 100, 173	toremifene... 60
testosterone cypionate... 144	timolol... 173	TORISEL... 60
testosterone enanthate... 144	TIMOPTIC OCUDOSE (PF)... 173	torpenz... 60
testosterone... 143, 144	tinidazole... 29	torsemide... 100
tetrabenazine... 107	tiopronin... 132	TOSYMRA... 47
tetracycline... 29	tirofiban-0.9% sodium chloride... 87	TOUJEO MAX U-300 SOLOSTAR... 83
TEVIMBRA... 60	TIROSINT-SOL... 146	TOUJEO SOLOSTAR U-300
TEXACORT... 116	TIROSINT... 146	INSULIN... 83
TEZRULY... 100	TIVDAK... 60	tovet emollient... 116
TEZSPIRE... 158	TIVICAY PD... 75	TOVIAZ... 132
THALITONE... 100	TIVICAY... 75	TPN ELECTROLYTES... 122
THALOMID... 60	tizanidine... 70	TRACLEER... 180, 181
THAM... 122	TLANDO... 144	TRADJENTA... 83
THEO-24... 180	TOBI PODHALER... 180	tramadol-acetaminophen... 18
theophylline... 180	TOBI... 29	tramadol... 18
thiamine hcl (vitamin b1)... 187	TOBRADEX ST... 173	trandolapril-verapamil... 100
THIOLA EC... 132	TOBRADEX... 173	trandolapril... 100
THIOLA... 132	tobramycin in 0.225 % nacl... 29	tranexamic acid... 87
thioridazine... 69	tobramycin sulfate... 29	TRANSDERM-SCOP... 42
thiotepa... 60	tobramycin-dexamethasone... 173	tranylcypromine... 39
thiothixene... 69	tobramycin... 29, 173	TRAVASOL 10 %... 122
THYMOGLOBULIN... 158	TOBREX... 173	TRAVATAN Z... 174
THYQUIDITY... 146	tolcapone... 65	travoprost... 174
tiadylt er... 100	tolectin 600... 18	TRAZIMERA... 60
tiagabine... 35	tolmetin... 18	trazodone... 39
TIAZAC... 100	TOLSURA... 45	TREANDA... 60
TIBSOVO... 60		TRECATOR... 48

TRELEGY ELLIPTA... 181	TRICARE... 122	TRULICITY... 83
TRELSTAR... 147	TRICOR... 100	TRUMENBA... 158
TREMFYA PEN INDUCTION PK-CROHN... 158	triderm... 134	TRUQAP... 61
TREMFYA PEN... 158	trientine... 122	TRUVADA... 75
TREMFYA... 158	trifluoperazine... 69	TRUXIMA... 61
treprostinil sodium... 181	trifluridine... 174	TRYNGOLZA... 100
TRESIBA FLEXTOUCH U-100... 83	trihexyphenidyl... 65	TRYPTYR... 174
TRESIBA FLEXTOUCH U-200... 83	TRIJARDY XR... 83	TRYVIO... 100
TRESIBA U-100 INSULIN... 83	TRIKAFTA... 181	TUDORZA PRESSAIR... 181
tretinoin (antineoplastic)... 61	TRILEPTAL... 35	TUKYSA... 61
tretinoin microspheres... 116	TRILIPIX... 100	tulana... 144
tretinoin... 116	trimethobenzamide... 42	TURALIO... 61
TREXALL... 158	trimethoprim... 29	turqoz (28)... 144
TREXIMET... 47	trimipramine... 40	TUXARIN ER... 185
TREZIX... 18	trinatal rx 1... 122	TUZISTRA XR... 185
tri-estarylla... 144	TRINTELLIX... 40	TWINRIX (PF)... 158
tri-legest fe... 144	TRIPTODUR... 147	TWYNEO... 116
tri-linyah... 144	TRISENOX... 61	TYBOST... 75
tri-lo-estarylla... 144	TRISTART DHA... 122	tydemy... 144
tri-lo-marzia... 144	TRIUMEQ PD... 75	TYENNE AUTOINJECTOR... 158
tri-lo-mili... 144	TRIUMEQ... 75	TYENNE... 158
tri-lo-sprintec... 144	trivora (28)... 144	TYGACIL... 29
tri-mili... 144	TRIZIVIR... 75	TYKERB... 61
tri-nymyo... 144	TRODELVY... 61	TYMLOS... 162
tri-sprintec (28)... 144	TROGARZO... 75	TYPHIM VI... 158
tri-vylibra lo... 144	TROKENDI XR... 35	TYRVAYA... 174
tri-vylibra... 144	tromethamine... 122	TYSABRI... 107
triamcinolone acetonide... 108, 134	TROPHAMINE 10 %... 122	TYVASO DPI... 181
triamterene-hydrochlorothiazid... 100	trospium... 132	TYVASO INSTITUTIONAL START KIT... 181
triamterene... 100	TRUDHESA... 47	TYVASO REFILL KIT... 181
trianex... 134	TRUE COMFORT ALCOHOL PADS... 169	TYVASO STARTER KIT... 181
triazolam... 184	TRUE COMFORT PRO ALCOHOL PADS... 169	TYVASO... 181
TRIBENZOR... 100	TRULANCE... 127	U
		UBRELVY... 47

UCERIS... 161	VABOMERE... 29	VASCEPA... 101
UDENYCA AUTOINJECTOR... 87	VAGIFEM... 144	VASERETIC... 101
UDENYCA ONBODY... 87	valacyclovir... 75	VASOTEC... 101
UDENYCA... 87	VALCHLOR... 61	VAXCHORA VACCINE... 159
ULORIC... 45	VALCYTE... 75	vecamyl... 101
ULTILET ALCOHOL SWAB... 169	valganciclovir... 75	VECTIBIX... 61
ULTOMIRIS... 158	VALIUM... 77	VECTICAL... 117
ULTRA-FINE INS SYR (HALF UNIT)... 169	valproate sodium... 35	VEGZELMA... 61
ULTRA-FINE INSULIN SYRINGE... 169	valproic acid (as sodium salt)... 35	VELCADE... 61
ULTRA-FINE PEN NEEDLE... 169	valproic acid... 35	VELETRI... 181
ULTRAVATE... 116	valrubicin... 61	velivet triphasic regimen (28)... 144
umeclidinium-vilanterol... 181	valsartan-hydrochlorothiazide... 101	VELSIPITY... 159
UNASYN... 29	valsartan... 100, 101	VELTASSA... 123
UNDECATREX... 144	VALSTAR... 61	VELTIN... 117
UNITHROID... 146	VALTOCO... 35	VEMLIDY... 75
UNITUXIN... 61	VALTREX... 75	VENCLEXTA STARTING PACK... 61
UPLIZNA... 158	valtya... 144	VENCLEXTA... 61
UPTRAVI... 181	VANOCOCIN... 29	VENLAFAXINE BESYLATE... 40
UROCIT-K 10... 123	vancomycin in 0.9 % sodium chl... 29	venlafaxine... 40
UROCIT-K 15... 123	vancomycin in dextrose 5 %... 29	VENTAVIS... 181
UROCIT-K 5... 123	vancomycin-diluent combo no.1... 29	VENTOLIN HFA... 181
UROXATRAL... 132	vancomycin... 29	venxxiva... 132
URSO 250... 127	VANDAZOLE... 29	VEOPOZ... 159
URSO FORTE... 127	VANFLYTA... 61	VEOZAH... 107
ursodiol... 127	VANOS... 116	verapamil... 101
USTEKINUMAB-AEKN... 159	VANRAFIA... 169	VERDESO... 117
USTEKINUMAB-TTWE... 159	VAPRISOL IN 5 % DEXTROSE... 123	VEREGEN... 117
USTEKINUMAB... 158, 159	VAQTA (PF)... 159	VERELAN PM... 101
UZEDY... 69	varenicline tartrate... 21	VERIPRED 20... 134
V	VARIVAX (PF)... 159	VERKAZIA... 174
V-GO 20... 169	VARIZIG... 159	VERQUVO... 101
V-GO 30... 169	VARUBI... 42	VERSACLOZ... 69
V-GO 40... 169		VERZENIO... 61
		VESICARE LS... 132

VESICARE... 132	VITAFOL ULTRA... 123	VUITY... 174
vestura (28)... 144	VITAFOL-OB+DHA... 123	VUMERITY... 107
VEVYE... 174	VITAFOL-OB... 123	VUSION... 45
VFEND IV... 45	VITAFOL-ONE... 123	VYALEV... 65
VFEND... 45	VITAMEDMD ONE RX... 123	VYEPTI... 47
VIBATIV... 29	vitamin d2... 187	vyfemla (28)... 145
VIBERZI... 127	vitamin k... 187	VYJUVEK... 169
VIBRAMYCIN... 29	vitamin k1... 187	VYKAT XR... 169
VICTOZA 2-PAK... 83	VITRAKVI... 61	vylibra... 145
VICTOZA 3-PAK... 83	vivacaine... 20	VYLOY... 62
VIDAZA... 61	VIVELLE-DOT... 144	VYNDAMAX... 130
vienva... 144	VIVITROL... 21	VYNDAQEL... 130
vigabatrin... 36	VIVJOA... 45	VYTORIN 10-10... 101
vigadrone... 36	VIVLODEX... 18	VYTORIN 10-20... 101
VIGAFYDE... 36	VIVOTIF... 159	VYTORIN 10-40... 101
VIGAMOX... 174	VIZIMPRO... 61	VYTORIN 10-80... 101
vigpoder... 36	VOCABRIA... 75	VYVANSE... 107
VIIBRYD... 40	VOGELXO... 144, 145	VYVGART HYTRULO... 47
VIJOICE... 130	volnea (28)... 145	VYVGART... 47
vilazodone... 40	VONJO... 61	VYXEOS... 62
VIMKUNYA... 159	VOQUEZNA DUAL PAK... 127	VYZULTA... 174
VIMOVO... 18	VOQUEZNA TRIPLE PAK... 127	W
VIMPAT... 36	VOQUEZNA... 127	WAINUA... 130
vinblastine... 61	VORANIGO... 61	WAKIX... 184
vincasar pfs... 61	voriconazole-hpbcd... 45	warfarin... 87
vincristine... 61	voriconazole... 45	water for irrigation, sterile... 169
vinorelbine... 61	VOSEVI... 76	WEBCOL... 169
VIOKACE... 130	VOTRIENT... 62	WEGOVY... 169
viorele (28)... 144	VOWST... 127	WELCHOL... 101
VIRACEPT... 75	VOXZOGO... 130	WELIREG... 130
VIRAZOLE... 169	VOYDEYA... 159	WELLBUTRIN SR... 40
VIREAD... 75	VPRIV... 130	WELLBUTRIN XL... 40
VISTARIL... 181	VRAYLAR... 69	wera (28)... 145
VITAFOL FE PLUS... 123	VTAMA... 117	wescap-pn dha... 123
VITAFOL GUMMIES... 123		wesnatal dha complete... 123

wesnate dha... 123	XERESE... 76	YUFLYMA(CF) AI CROHN'S-UC-HS... 160
westab plus... 123	XERMELO... 127	YUFLYMA(CF) AUTOINJECTOR... 160
westgel dha... 123	XGEVA... 162	YUFLYMA(CF)... 160
WEZLANA I.V.... 159	XHANCE... 181	YUPELRI... 181
WEZLANA... 159	XIFAXAN... 127	YUSIMRY(CF) PEN... 160
WINLEVI... 117	XIFYRM... 18	YUTREPIA... 182
WINREVAIR... 181	XIGDUO XR... 83	yuvaferm... 145
wixela inhub... 181	XIIDRA... 174	Z
wymzya fe... 145	XIMINO... 30	zafemy... 145
X	XOFLUZA... 76	zafirlukast... 182
XACDURO... 29	XOLAIR... 159, 160	zaleplon... 184
XACIATO... 30	XOLEGEL... 45	ZALTRAP... 62
XADAGO... 65	XOLREMDI... 87	ZANAFLEX... 70
XALATAN... 174	XOPENEX HFA... 181	ZANOSAR... 62
XALKORI... 62	XOSPATA... 62	zarah... 145
XANAX XR... 77	XPOVIO... 62	ZARONTIN... 36
XANAX... 77	XROMI... 169	ZARXIO... 87
xarah fe... 145	XTAMPZA ER... 18	zatean-pn dha... 123
XARELTO DVT-PE TREAT 30D START... 87	XTANDI... 62	zatean-pn plus... 123
XARELTO... 87	xulane... 145	ZAVESCA... 130
XATMEP... 159	XULTOPHY 100/3.6... 83	ZAVZPRET... 47
XCOPRI MAINTENANCE PACK... 36	XYOSTED... 145	ZCORT... 134
XCOPRI TITRATION PACK... 36	XYREM... 184	ZEBUTAL... 169
XCOPRI... 36	XYWAV... 184	ZEGALOGUE AUTOINJECTOR... 83
XDEMVI... 169	Y	ZEGALOGUE SYRINGE... 83
XELJANZ XR... 159	yargesa... 130	ZEGERID... 127
XELJANZ... 159	YASMIN (28)... 145	ZEJULA... 62
XELPROS... 174	YAZ (28)... 145	ZELAPAR... 65
xelria fe... 145	YCANTH... 169	ZELBORAF... 62
XELSTRYM... 107	YERVOY... 62	ZELSUVMI... 117
XEMBIFY... 159	YESINTEK... 160	ZEMAIRA... 130, 131
XENAZINE... 107	YF-VAX (PF)... 160	ZEMBRACE SYMTOUCH... 47
XENPOZYME... 130	YONDELIS... 62	ZEMDRI... 30
XERAVA... 30	YONSA... 62	ZEMPLAR... 162
	YORVIPATH... 162	

zenatane... 117	ZIRABEV... 62	zumandimine (28)... 145
ZENPEP... 131	ZIRGAN... 76	ZUNVEYL... 37
zenzedi... 107, 108	ZITHROMAX TRI-PAK... 30	ZURZUVAE... 40
ZEPATIER... 76	ZITHROMAX Z-PAK... 30	ZYCLARA... 117
ZEPBOUND... 169	ZITHROMAX... 30	ZYDELIG... 62
ZEPOSIA STARTER KIT (28-DAY)... 108	ZITUVIMET XR... 83	ZYKADIA... 62
ZEPOSIA STARTER PACK (7-DAY)... 108	ZITUVIMET... 83	ZYLET... 174
ZEPOSIA... 108	ZITUVIO... 83	ZYLOPRIM... 45
ZEPZELCA... 62	ZOCOR... 101	ZYMFENTRA... 160
ZERBAXA... 30	ZOLADEX... 147	ZYNLONTA... 62
ZERVIA... 174	zoledronic ac-mannitol-0.9nacl... 163	ZYNRELEF... 170
ZESTORETIC... 101	zoledronic acid-mannitol-water... 163	ZYNYZ... 62
ZESTRIL... 101	zoledronic acid... 163	ZYPITAMAG... 101
ZETIA... 101	ZOLINZA... 62	ZYPREXA RELPREVV... 70
ZETONNA... 182	zolmitriptan... 47	ZYPREXA ZYDIS... 70
ZEVALIN (Y-90)... 169	ZOLOFT... 40	ZYPREXA... 70
ZEVTERA... 30	zolpidem... 184	ZYTIGA... 62
ZIAC... 101	ZOMACTON... 135	ZYVOX... 30
ZIAGEN... 76	zomig... 47	
ZIANA... 117	ZONALON... 117	
zidovudine... 76	ZONEGRAN... 36	
ZIEXTENZO... 87	ZONISADE... 36	
ZIIHERA... 62	zonisamide... 36	
ZILBRYSQ... 160	ZORTRESS... 160	
zileuton... 182	ZORVOLEX... 18	
ZILRETTA... 134	ZORYVE... 117	
ZILXI... 117	ZOSYN IN DEXTROSE (ISO-OSM)... 30	
ZIMHI... 21	zovia 1-35 (28)... 145	
zingiber... 170	ZOVIRAX... 76	
ZIOPTAN (PF)... 174	ZTALMY... 36	
ziprasidone hcl... 69	ZTLIDO... 20	
ziprasidone mesylate... 69	ZUBSOLV... 21	
ZIPSOR... 18	ZULRESSO... 40	

Notice of Availability - Auxiliary Aids and Services Notice

English: Free language, auxiliary aid, and alternate format services are available.
Call **877-320-1235 (TTY: 711)**.

العربية [Arabic]: تتوفر خدمات اللغة والمساعدة الإضافية والتنسيق البديل مجانًا. اتصل على الرقم **877-320-1235 (الهاتف النصي: 711)**.

Հայերեն [Armenian]: Հասանելի են անվճար լեզվական, աջակցման և այլընտրանքային ձևաչափի ծառայություններ: Չանգահարե՛ք՝ **877-320-1235 (TTY: 711)**:

বাংলা [Bengali]: বিনামূল্যে ভাষা, আনুষঙ্গিক সহায়তা, এবং বিকল্প বিন্যাসে পরিষেবা উপলব্ধ।
ফোন করুন **877-320-1235 (TTY: 711)** নথরে।

简体中文 [Simplified Chinese]: 我们可提供免费的语言、辅助设备以及其他格式版本服务。
请致电 **877-320-1235 (听障专线: 711)**。

繁體中文 [Traditional Chinese]: 我們可提供免費的語言、輔助設備以及其他格式版本服務。
請致電 **877-320-1235 (聽障專線: 711)**。

Kreyòl Ayisyen [Haitian Creole]: Lang gratis, èd oksilyè, ak lòt fòm sèvis disponib. Rele **877-320-1235 (TTY: 711)**.

Hrvatski [Croatian]: Dostupni su besplatni jezik, dodatna pomoć i usluge alternativnog formata. Nazovite **877-320-1235 (TTY: 711)**.

فارسی [Farsi]: خدمات زبان رایگان، کمک های اضافی و فرمت های جایگزین در دسترس است. با **877-320-1235 (TTY: 711)** تماس بگیرید.

Français [French]: Des services gratuits linguistiques, d'aide auxiliaire et de mise au format sont disponibles. Appeler le **877-320-1235 (TTY: 711)**.

Deutsch [German]: Es stehen kostenlose unterstützende Hilfs- und Sprachdienste sowie alternative Dokumentformate zur Verfügung. Telefon: **877-320-1235 (TTY: 711)**.

Ελληνικά [Greek]: Διατίθενται δωρεάν γλωσσικές υπηρεσίες, βοηθήματα και υπηρεσίες σε εναλλακτικές προσβάσιμες μορφές. Καλέστε στο **877-320-1235 (TTY: 711)**.

ગુજરાતી [Gujarati]: નિ:શુલ્ક ભાષા, સહાયક સહાય અને વૈકલ્પિક ફોર્મેટ સેવાઓ ઉપલબ્ધ છે.
877-320-1235 (TTY: 711) પર ફોન કરો.

עברית [Hebrew]: שירותים אלה זמינים בחינם: שירותי תרגום, אביזרי עזר וטקסטים בפורמטים חלופיים.
נא התקשר למספר **877-320-1235 (TTY: 711)**

हिन्दी [Hindi]: नि:शुल्क भाषा, सहायक मदद और वैकल्पिक प्रारूप सेवाएं उपलब्ध हैं।
877-320-1235 (TTY: 711) पर कॉल करें।

Hmoob [Hmong]: Muaj kev pab txhais lus, pab kom hnov suab, thiab lwm tus qauv pab cuam. Hu **877-320-1235 (TTY: 711)**.

Italiano [Italian]: Sono disponibili servizi gratuiti di supporto linguistico, assistenza ausiliaria e formati alternativi. Chiama il numero **877-320-1235 (TTY: 711)**.

日本語 [Japanese]: 言語支援サービス、補助支援サービス、代替形式サービスを無料でご利用いただけます。**877-320-1235 (TTY: 711)** までお電話ください。

This notice is available at <https://www.humana.com/legal/multi-language-support>.

GHHNOA2025HUM_0425

**ភាសាខ្មែរ [Khmer]: សេវាកម្មផ្នែកភាសា ជំនួយ និង សេវាកម្មជាន់ប្រដាប់ជំនួយសមាជិក
រាជធានី។ ទូរសព្ទទៅលេខ 877-320-1235 (TTY: 711)។**

**한국어 [Korean]: 무료 언어, 보조 지원 및 대체 형식 서비스를 이용하실 수 있습니다.
877-320-1235 (TTY: 711)번으로 문의하십시오.**

**ພາສາລາວ [Lao] ມີການບໍລິການດ້ານພາສາ, ອຸປະກອນຊ່ວຍເຫຼືອ ແລະ ຮູບແບບທາງເລືອກອື່ນ
ໃຫ້ໃຊ້ພໍ. ໂທ 877-320-1235 (TTY: 711).**

**Diné [Navajo]: Saad t'áá jiik'eh, t'áadoole'é binahjì' bee adahodoonííígíí diné bich'í'
anídahazt'í'í, dóó łahgo át'éego bee hada'dilyaaígíí bee bika'aanída'awo'í dahóló. Kohjì'
hodúlnih 877-320-1235 (TTY: 711).**

**Polski [Polish]: Dostępne są bezpłatne usługi językowe, pomocnicze i alternatywne formaty.
Zadzwoń pod numer 877-320-1235 (TTY: 711).**

**Português [Portuguese]: Estão disponíveis serviços gratuitos de ajuda linguística auxiliar e
outros formatos alternativos. Ligue 877-320-1235 (TTY: 711).**

**ਪੰਜਾਬੀ [Punjabi]: ਮੁਫਤ ਭਾਸ਼ਾ, ਸਹਾਇਕ ਸਹਾਇਤਾ, ਅਤੇ ਵਿਕਲਪਿਕ ਫਾਰਮੈਟ ਸੇਵਾਵਾਂ ਉਪਲਬਧ ਹਨ।
877-320-1235 (TTY: 711) 'ਤੇ ਕਾਲ ਕਰੋ।**

**Русский [Russian]: Предоставляются бесплатные услуги языковой поддержки,
вспомогательные средства и материалы в альтернативных форматах. Звоните по номеру
877-320-1235 (TTY: 711).**

**Español [Spanish]: Los servicios gratuitos de asistencia lingüística, ayuda auxiliar y
servicios en otro formato están disponibles. Llame al 877-320-1235 (TTY: 711).**

**Tagalog [Tagalog]: Magagamit ang mga libreng serbisyong pangwika, serbisyo o device na
pantulong, at kapalit na format. Tumawag sa 877-320-1235 (TTY: 711).**

**தமிழ் [Tamil]: இலவச மொழி, துணை உதவி மற்றும் மாற்று வடிவ சேவைகள் உள்ளன.
877-320-1235 (TTY: 711) ஐ அழைக்கவும்.**

**తెలుగు [Telugu]: ఉచిత భాష, సహాయక మద్దతు, మరియు ప్రత్యామ్నాయ ఫార్మాట్ సేవలు
అందుబాటులో గలవు. 877-320-1235 (TTY: 711) కి కాల్ చేయండి.**

اردو [Urdu]: مفت زبان، معاون امداد، اور متبادل فارمیٹ کی خدمات دستیاب ہیں۔ 877-320-1235 (TTY: 711)

**Tiếng Việt [Vietnamese]: Có sẵn các dịch vụ miễn phí về ngôn ngữ, hỗ trợ bổ sung và định
dạng thay thế. Hãy gọi 877-320-1235 (TTY: 711).**

**አማርኛ [Amharic]: ቋንቋ፣ አገዥ ማዳመጫ እና አማራጭ ቅርፅ ቀለጥ ለገለግሎቶችዎ ይገኛሉ። በ
877-320-1235 (TTY: 711) ላይ ይደውሉ።**

**Bàsà [Bassa]: Wuḍu-xwíníín-mú-zà-zà kùà, Hwòdǒ-fónó-nyo, kè nyo-boŭn-po-kà bé bé
nyuεε se wídí péè-péè dò ko. 877-320-1235 (TTY: 711) dá.**

**Bekee [Igbo]: Asụsụ n'efu, enyemaka nkwarụ, na ọrụ usoro ndị ọzọ dị. Kpọọ 877-320-1235
(TTY: 711).**

**Òyìnbó [Yoruba]: Àwọn isẹ àtilẹhin ìrànlowọ èdè, àti ọ̀nà kíkà mírán wà lárọwọ́tọ́. Pe
877-320-1235 (TTY: 711).**

**नेपाली [Nepali]: भाषासम्बन्धी निःशुल्क, सहायक साधन र वैकल्पिक फार्मेट (ढाँचा/व्यवस्था)
सेवाहरू उपलब्ध छन् । 877-320-1235 (TTY: 711) मा कल गर्नुहोस् ।**

[illegible]

This formulary was updated on 09/03/2025. For more recent information or other questions, please contact the NC State Health Plan Humana Customer Care Team with any questions at 1-888-700-2263 or, for TTY users, 711, or visit **your.humana.com/ncshp**.



GRP042PDG2680026C_v1

Humana[®]

Y0040_PDG26_FINAL_109C_C

Updated 09/03/2025



GRP042PDG2680026C_v1